

BellSouth Telecommunications, Inc. 150 South Monroe Street Suite 400 Tallahassee, Florida 32301

Jerry.Hendrix@bellsouth.com

Jerry D. Hendrix
Vice President DFC | Ph 4: 37
Regulatory Relations

Phone:

(850) 577-5556 SSION (850) 224-507 ERM

November 29, 2006

Mrs. Blanca S. Bayo Director, Division of the Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc. and ALEC, Inc.

Dear Ms. Bayo:

Please find enclosed for filing and approval, the original and two copies of the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc. (BellSouth) and ALEC, Inc.

If you have any questions please do not hesitate to contact Robyn Holland at (850) 577-5551.

Very truly yours,

Regulatory Vice President

DOCUMENT NUMBER - DATE

11328 DEC 118

# BELLSOUTH®/OLEC Agreement

# Customer Name: ALEC, Inc.

ALEC ICA 2005	3
Table of Contents	4
General Terms and Conditions	6
Signature Page	25
Att 1 - Resale	26
Att 1 - Resale Discounts & Rates	48
Att 2 - Network Elements & Other Services	57
Att 2 - Exhibit 1, FL COL Language	101
Att 2 - Exhibit 2, NC COL Language	122
Att 2 - Exhibit 3, SC COL Language	146
Att 2 - Exhibit 4, GA COL Language	171
Att 2 - Exhibit 4 - GA COL 271 Rates	200
Att 2 - Exhibit 5, AL COL Language	201
Att 2 - Network Element Rates - Exh A	228
Att 2 - Network Element Rates - Exh B	329
Att_3Network_Interconnection	347
Att 3 - Network Element Rates	377
Att 4 - Collocation - Central Office	395
Att 4 - Collocation - Remote Site	444
Att 4 - Exhibit C	482
Att 4 - Exhibit C - Rates	488
Att 5 - Access to Numbers and Number Portability	535
Att 6 - Ordering	541
Att 7 - Billing	550
Att 7 - CMDS ODUF & ADUF Rates	569
Att 8 - Rights of Way	578
Att 9 - Perf Meas Intro	580

# BELLSOUTH / CLEC Agreement

Att 10 - Disaster Recovery Plan	582
Att 11 - BFR and NBR Process	501

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

# **Interconnection Agreement**

Between

BellSouth Telecommunications, Inc.

and

ALEC, Inc.

## **TABLE OF CONTENTS**

#### **General Terms and Conditions**

#### **Definitions**

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Non-Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- 21. Headings of No Force or Effect
- 22. Multiple Counterparts
- 23. Filing of Agreement
- 24. Compliance with Law
- 25. Necessary Approvals
- 26. Good Faith Performance
- 27. Rates
- 28. Rate True-Up
- 29. Survival
- 30. Entire Agreement

## TABLE OF CONTENTS (cont'd)

- Attachment 1 Resale
- Attachment 2 Network Elements and Other Services
- **Attachment 3 Network Interconnection**
- Attachment 4 Physical Collocation Central Office
- Attachment 4 Physical Collocation Remote Site
- Attachment 5 Access to Numbers and Number Portability
- Attachment 6 Pre-Ordering, Ordering, Provisioning and Maintenance and Repair
- Attachment 7 Billing
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- Attachment 10- BellSouth Disaster Recovery Plan
- Attachment 11-Bona Fide Request and New Business Request Process

# AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and ALEC, Inc. (ALEC), a Kentucky corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or ALEC or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, ALEC is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, pursuant to Sections 251 and 252 of the Act; ALEC wishes to purchase certain services from BellSouth; and

WHEREAS, Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability (LNP) pursuant to Sections 251 and 252 of the Act as set forth herein; and

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and ALEC agree as follows:

#### **Definitions**

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent (10%).

**Commission** is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Version: 2005 Standard ICA

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 (Act)** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. CLEC Certification

- 1.1 ALEC agrees to provide BellSouth in writing ALEC's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- To the extent ALEC is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, ALEC may not purchase services hereunder in that state. ALEC will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement and upon receipt thereof, ALEC may thereafter purchase services pursuant to this Agreement in that state. BellSouth will file this Agreement with the appropriate Commission for approval.
- Should ALEC's certification in any state be rescinded or otherwise terminated, BellSouth may, at its election, terminate this Agreement immediately and all monies owed on all outstanding invoices shall become due, or BellSouth may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the term of this Agreement. ALEC shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

Version: 2005 Standard ICA

#### 2. Term of the Agreement

- 2.1 The initial term of this Agreement shall be five (5) years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of the initial term of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. § 252.
- ALEC may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then BellSouth may terminate this Agreement upon sixty (60) days notice to ALEC. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to ALEC pursuant to the rates, terms and conditions set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.2 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above and BellSouth is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month-to-month basis but shall be deemed terminated as of the expiration date hereof.

Version: 2Q05 Standard ICA

- If, at any time during the term of this Agreement, BellSouth is unable to contact ALEC pursuant to the Notices provision hereof or any other contact information provided by ALEC under this Agreement, and there are no active services being provisioned under this Agreement, then BellSouth may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to ALEC pursuant to the Notices section hereof.
- 2.5 In addition to as otherwise set forth in this Agreement, BellSouth reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of BellSouth's facilities or service, abuse of BellSouth's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due.

#### 3. Nondiscriminatory Access

When ALEC purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to others, including its End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to ALEC shall be at least equal to that which BellSouth provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of BellSouth and the network of ALEC shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by ALEC.

# 4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 4.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services for ALEC, or, if applicable under this Agreement, switching, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to ALEC End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for ALEC End Users for the same length of time it maintains such information for its own End Users.
- 4.2 <u>Subpoenas Directed to ALEC.</u> Where BellSouth is providing resold services to ALEC, or, if applicable under this Agreement, switching, then ALEC agrees that in those cases where ALEC receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to ALEC End Users, and where

Version: 2005 Standard ICA

ALEC does not have the requested information, ALEC will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with Section 4.1 above.

4.3 In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

#### 5 Liability and Indemnification

- ALEC Liability. In the event that ALEC consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders under this Agreement using ALEC's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of ALEC under this Agreement.
- 5.2 <u>Liability for Acts or Omissions of Third Parties.</u> BellSouth shall not be liable to ALEC for any act or omission of another entity providing any services to ALEC.
- Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to ALEC pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to ALEC pursuant to this Agreement.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 5.3.2 Neither BellSouth nor ALEC shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment

Version: 2005 Standard ICA

or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.

- 5.3.3 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 5.5 <u>Disclaimer.</u> EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 6 Intellectual Property Rights and Indemnification

6.1 <u>No License.</u> Except as expressly set forth in Section 6.2 below, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise

Version: 2Q05 Standard ICA

transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.

6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

#### 6.3 Intellectual Property Remedies

6.3.1 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 above.

#### 6.3.2 Claim of Infringement

- 6.3.2.1 In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:
- 6.3.2.2 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or

Version: 2Q05 Standard ICA

- 6.3.2.3 obtain a license sufficient to allow such use to continue.
- In the event Sections 6.3.2.2 or 6.3.2.3 above are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 6.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Sections 6.1 and 6.2 above shall be excluded from the dispute resolution procedures set forth in Section 8 below and shall be brought in a court of competent jurisdiction.

#### 7 Proprietary and Confidential Information

- 7.1 Proprietary and Confidential Information. It may be necessary for BellSouth and ALEC, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 7.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need

Version: 2Q05 Standard ICA

to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.

#### 7.3 <u>Exceptions</u>

- 7.3.1 Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.2 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. § 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### **8** Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue resolution of the dispute, shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

Version: 2Q05 Standard ICA

#### 9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 9.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party
- 9.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party</u>
- 9.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 9.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

Version: 2005 Standard ICA

- 9.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party
- 9.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

Version: 2005 Standard ICA

- 9.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.5 <u>Mutual Cooperation.</u> In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

#### 10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by ALEC, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

Version: 2Q05 Standard ICA

#### 11 Adoption of Agreements

Pursuant to 47 U.S.C. § 252(i) and 47 C.F.R. § 51.809, BellSouth shall make available to ALEC any entire interconnection agreement filed and approved pursuant to 47 U.S.C. § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

#### 12 Modification of Agreement

- If ALEC changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of ALEC to notify BellSouth of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the appropriate state commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, ALEC shall provide BellSouth with any necessary supporting documentation, which may include, but is not limited to, a credit application, Application for Master Account, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) for each state as assigned by National Exchange Carrier Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), BellSouth's blanket form letter of authority (LOA), Misdirected Number form and a tax exemption certificate.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of ALEC or BellSouth to perform any material terms of this Agreement, ALEC or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) days after such notice, and either Party elects to pursue resolution of such amendment such Party shall pursue the dispute resolution process set forth in Section 8 above.

#### 13 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

Version: 2Q05 Standard ICA

#### 14 Indivisibility

Subject to Section 15 below, the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement as set forth in Attachment 4. The Parties further acknowledge that this Agreement is intended to constitute a single transaction and that the obligations of the Parties under this Agreement are interdependent.

#### 15 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8 above.

#### 16 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

#### 17 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

#### 18 Assignments and Transfers

Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent

Version: 2Q05 Standard ICA

of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each state that ALEC is entitled to provide Telecommunications Service. After BellSouth's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, ALEC shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) ALEC pays all bills, past due and current, under this Agreement, or (2) ALEC's assignee expressly assumes liability for payment of such bills.

In the event that ALEC desires to transfer any services hereunder to another provider of Telecommunications Service, or ALEC desires to assume hereunder any services provisioned by BellSouth to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

#### 19 Notices

19.1 With the exception of billing notices, governed by Attachment 7, every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

#### BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 10<sup>th</sup> floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

Version: 2Q05 Standard ICA

ALEC, Inc.

Mark Hayes 250 West Main Street Suite 1920 Lexington, KY 40507 Contact: 859-254-9667

Email: mhayes@alec.net

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 19.3 Notwithstanding the above, BellSouth will post to BellSouth's Interconnection Web site changes to business processes and policies and shall post to BellSouth's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

#### 20 Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

#### 21 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### 22 Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### Filing of Agreement

This Agreement, and any amendments hereto, shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, or as otherwise required by the state and the Parties shall share equally in any applicable fees. Notwithstanding the foregoing, this Agreement shall not be

Version: 2005 Standard ICA

submitted for approval by the appropriate state regulatory agency unless and until such time as ALEC is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

#### 24 Compliance with Law

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. Consistent with Section 252(a) of the Act and to the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order in effect as of the execution of this Agreement, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

#### 25 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### **26** Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

#### 27. Rates

- ALEC shall pay the charges set forth in this Agreement. In the event that BellSouth is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement, BellSouth reserves the right to back bill ALEC for such rate or for the difference between the rate actually billed and the rate that should have been billed pursuant to this Agreement. To the extent a rate element is omitted or no rate is established, BellSouth has the right not to provision such service until the Agreement is amended to include such rate.
- 27.2 To the extent ALEC requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in

Version: 2Q05 Standard ICA

the applicable tariffs or a separately negotiated Agreement, unless the Parties agree to amend this Agreement to include such service prospectively.

#### 28 Rate True-Up

- 28.1 This section applies to rates that are expressly subject to true-up.
- The rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any discrepancy between the records or disagreement between the Parties regarding the amount of such true-up, the dispute shall be subject to the dispute resolution process set forth in this Agreement.
- A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and ALEC specifically or upon all carriers generally, such as a generic cost proceeding.

#### 29 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

#### 30 Entire Agreement

This Agreement means the General Terms and Conditions, the Attachments hereto 30.1 and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and ALEC acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall, as of the Effective Date, be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or

Version: 2005 Standard ICA

as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

30.2 Any reference throughout this Agreement to a tariff, industry guideline, BellSouth's technical guideline or reference, BellSouth business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference, and may be found at BellSouth's Interconnection Web site at: www.interconnection.bellsouth.com. References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned; provided, however, that in any state where certain BellSouth services or tariff provisions have been or become deregulated or detariffed, any reference in this Agreement to a detariffed or deregulated service or provisions of such tariff shall be deemed to refer to the service description, price list or other agreement pursuant to which BellSouth provides such services as a result of detariffing or deregulation.

Version: 2Q05 Standard ICA

### General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	ALEC, Inc.		
By:	By: M'ack Toger		
Name: Kristen E. Shore	Name: Mark I Hoyes		
Title: Director	Title: Prosident CLECSUS		
Date:	Date: New OI 3006		

## **Attachment 1**

Resale

## **Table of Contents**

1.	Discount Rates	4
2.	Definition of Terms	
3.	General Provisions	4
4	BellSouth's Provision of Services to ALEC	
5.	Maintenance of Services	10
6.	Discontinuance of Service	10
7.	White Pages Listings	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	12
9.	Branding for Wholesale OCP and DA	13
10.	LIDB	14
11.	Revenue Accounting Office (RAO) Hosting	15
12.	Optional Daily Usage File (ODUF)	15
13.	Enhanced Optional Daily Usage File (EODUF)	15
Res	sale Restrictions	Exhibit A
Opt	tional Daily Usage File (ODUF)	Exhibit B
Enl	hanced Option Daily Usage File (EODUF)	Exhibit C
Res	sale Discounts and Rates	Exhibit D

## RESALE

#### 1. Discount Rates

- The discounts rates applied to ALEC's purchases of BellSouth
  Telecommunications Services for the purpose of resale shall be as set forth in
  Exhibit D. Such discounts have been determined by the applicable Commission
  to reflect the costs avoided by BellSouth when selling a service for wholesale
  purposes.
- 1.2 The telecommunications services available for purchase by ALEC for the purposes of resale to ALEC's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit D and subject to the exclusions and limitations set forth in Exhibit A.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as nonrecurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as ALEC, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

#### 3. General Provisions

All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to ALEC for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff, to customers who are not telecommunications carriers.

Version: 2Q05 Standard ICA

- 3.1.1 When ALEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.2 ALEC as a reseller of Lifeline and Link-Up Services hereby certifies that it has and will comply with the FCC requirements governing the Lifeline and Link-Up programs as set forth in 47 C.F.R. § 417(a) and (b). This includes the requirements set forth in BellSouth's GSST, Sections A3.31 and A4.7.
- 3.2.1 ALEC shall maintain records to document FCC or applicable state eligibility and verification records to document compliance governing the Lifeline/Link-Up programs for the three (3) full preceding calendar years, and ALEC shall provide such documentation to the FCC or it's Administrator upon request.
- In Tennessee, if ALEC does not resell Lifeline service to any End Users, and if ALEC agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's GSST, the discount shall be twenty-one point fifty-six percent (21.56%).
- 3.2.2.1 In the event ALEC resells Lifeline service to any End User in Tennessee, BellSouth will begin applying the sixteen percent (16%) discount rate to all services. Upon ALEC and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service End Users, the discount shall be applied as set forth in Section 3.2.2 above for the non-Lifeline affected Master Account (Q-account).
- 3.2.2.2 ALEC must provide written notification to BellSouth within thirty (30) days prior to either providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of twenty-one point fifty-six percent (21.56%).
- 3.3 ALEC may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.3.1 ALEC must resell services to other End users.
- 3.3.2 ALEC cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3.3 ALEC will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from ALEC for said services.
- 3.4 ALEC will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of ALEC. BellSouth will continue to market directly its own telecommunications products and services

and in doing so may establish independent relationships with End Users of ALEC. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.5.1 BellSouth will accept a request from another CLEC for conversion of the End User's service from ALEC to such other CLEC. Upon completion of the conversion BellSouth will notify ALEC that such conversion has been completed.
- 3.5.2 When an End User of ALEC or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.3 BellSouth and ALEC will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or ALEC to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to ALEC, BellSouth will provide ALEC with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. ALEC acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. ALEC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, ALEC shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- BellSouth will allow ALEC to designate up to one hundred (100) intermediate telephone numbers per CLLIC, for ALEC's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. ALEC acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six (6) months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to ALEC's End Users, pursuant to Section 4 of General Terms and Conditions.
- 3.13 If ALEC or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, ALEC has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to ALEC remain the property of BellSouth.
- 3.15 Service Ordering and Operations Support Systems (OSS)
- 3.15.1 ALEC must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which ALEC may submit a Local Service Request (LSR) electronically as set forth in Attachment 6. Service orders will be in a standard format designated by BellSouth.
- 3.15.2 LSRs submitted by means of one of these interactive interfaces will incur an electronic service order charge as set forth in Exhibit D. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual service order charge as set forth in Exhibit D. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator (MWI), stutter dialtone and message waiting light feature capabilities
  - Call Forward Busy Line (CF/B)
  - Call Forward Don't Answer (CF/DA)

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

Version: 2Q05 Standard ICA

- 3.17 BellSouth shall provide branding for, or shall unbrand, voice mail services for ALEC per the Bona Fide Request/New Business Request process as set forth in Attachment 11.
- 3.18 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- In the event ALEC acquires an End User whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to ALEC that Special Assembly at the wholesale discount at ALEC's option. ALEC shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.20 BellSouth shall provide 911/E911 for ALEC End Users in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate ALEC customer information to the Public Safety Answering Point (PSAP). BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the ALEC customer information in the Automatic Location Identification/Data Management System (ALI/DMS) databases used to support 911/E911 services.
- Pursuant to 47 C.F.R. § 51.617, BellSouth shall bill to ALEC, and ALEC shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

Version: 2Q05 Standard ICA

#### 4 BellSouth's Provision of Services to ALEC

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's GSST, Section A23, Shared Tenant Service Section in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by ALEC to establish authenticity of use. Such audit shall not occur more than once in a calendar year. ALEC shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by ALEC for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g., a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 If ALEC cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSST and Private Line Services Tariffs.
- 4.4 Service Jointly Provisioned with an Independent Company or CLEC
- 4.4.1 BellSouth will in some instances provision resold services in accordance with BellSouth's GSST and Private Line Tariffs jointly with an Independent Company (ICO) or other CLEC.
- 4.4.2 When ALEC assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.4.3 Service terminating in an ICO or other CLEC area will be provisioned and billed by the ICO or other CLEC directly to ALEC.
- 4.4.4 ALEC must establish a billing arrangement with the ICO or other CLEC prior to assuming an End User account where such circumstances apply.

Version: 2Q05 Standard ICA

4.4.5 Specific guidelines regarding such services are available on the BellSouth Interconnection Web site.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's GSST and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 ALEC or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 ALEC accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 ALEC will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, ALEC shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- 5.6 BellSouth reserves the right to contact ALEC's End Users, if deemed necessary, for maintenance purposes.

#### 6. Discontinuance of Service

- The procedures for discontinuing service to an End User are as follows:
- 6.1.1 BellSouth will deny service to ALEC's End User on behalf of, and at the request of, ALEC. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of ALEC.
- 6.1.2 At the request of ALEC, BellSouth will disconnect a ALEC End User.
- 6.1.3 All requests by ALEC for denial or disconnection of an End User for nonpayment must be in writing.
- 6.1.4 ALEC will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 6.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise ALEC when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by ALEC and/or the End User against any claim, loss or damage arising from providing this information to ALEC. It is the responsibility of ALEC to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

#### 7. White Pages Listings

7.1 BellSouth shall provide ALEC and its End Users access to white pages directory listings under the following terms:

Version: 2Q05 Standard ICA

- 7.1.1 Listings. ALEC shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include ALEC residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between ALEC and BellSouth End Users. ALEC shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published End Users.</u> ALEC will be required to provide to BellSouth the names, addresses and telephone numbers of all ALEC End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.3 Inclusion of ALEC End Users in Directory Assistance Database. BellSouth will include and maintain ALEC End User listings in BellSouth's Directory Assistance databases. ALEC shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford ALEC's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as ALEC provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to ALEC one (1) basic White Pages directory listing per ALEC End User at no charge other than the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to ALEC End User at no charge or as specified in a separate agreement between ALEC and BellSouth's agent.
- 7.3 Procedures for submitting ALEC Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 ALEC authorizes BellSouth to release all ALEC SLI provided to BellSouth by ALEC to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS) in BellSouth's GSST. Such ALEC SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to ALEC for BellSouth's receipt of ALEC's SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of ALEC's SLI, or costs on an ongoing basis to administer the release of ALEC's SLI, ALEC shall

Version: 2005 Standard ICA

pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of ALEC's SLI, ALEC will be notified. If ALEC does not wish to pay its proportionate share of these reasonable costs, ALEC may instruct BellSouth that it does not wish to release its SLI to independent publishers, and ALEC shall amend this Agreement accordingly. ALEC will be liable for all costs incurred until the effective date of the amendment.

- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by ALEC under this Agreement. ALEC shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's Tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate ALEC listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to ALEC any complaints received by BellSouth relating to the accuracy or quality of ALEC listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 8. Operator Services (Operator Call Processing and Directory Assistance)
- Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the End User has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and operator-assisted Directory Assistance (DA).
- 8.2 Upon request for BellSouth OCP, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls.
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- 8.2.3 Process calls that are billed to ALEC End User's calling card that can be validated by BellSouth.
- 8.2.4 Process person-to-person calls.
- 8.2.5 Process collect calls.
- 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.2.7 Process station-to-station calls.
- 8.2.8 Process Busy Line Verify and ELI requests.
- 8.2.9 Process emergency call trace originated by PSAP.
- 8.2.10 Process operator-assisted DA calls.

Version: 2Q05 Standard ICA

Adhere to equal access requirements, providing ALEC local End Users the same 8.2.11 IXC access that BellSouth provides its own operator service (OS). Exercise at least the same level of fraud control in providing OS to ALEC that 8.2.12 BellSouth provides for its own OS. Perform Billed Number Screening when handling Collect, Person-to-Person, and 8.2.13 Billed-To-Third-Party calls. Direct customer account and other similar inquiries to the customer service center 8.2.14 designated by ALEC. Provide call records to ALEC in accordance with Optional Daily Usage File 8.2.15 (ODUF) standards. The interface requirements shall conform to the interface specifications for the 8.2.16 platform used to provide OS as long as the interface conforms to industry standards. 8.3 DA Service DA Service provides local and non-local End User telephone number listings with 8.3.1 the option to complete the call at the caller's direction separate and distinct from local switching. DA Service shall provide up to two (2) listing requests per call, if available and if 8.3.2 requested by ALEC's End User. BellSouth shall provide caller-optional DA call completion service at rates set forth in BellSouth's GSST to one of the provided listings. DA Service Updates. BellSouth shall update End User listings changes daily. 8.4 These changes include: 8.4.1 New End User connections; 8.4.2 End User disconnections; 8.4.3 End User address changes; and 8.4.4 Non-listed and non-published numbers for use in emergencies. Branding for Wholesale OCP and DA 9. BellSouth's branding feature provides a definable announcement to ALEC's End 9.1 Users using BellSouth's DA/OCP prior to placing such End Users in queue or connecting them to an available operator or automated operator system. This feature allows ALEC to have its calls custom branded with ALEC's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D. 9.2 BellSouth offers three (3) branding options to ALEC when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding. ALEC's order for Custom Branding is considered firm ten (10) business days 9.3 after BellSouth's receipt of the order. ALEC may cancel its order more than ten (10) business days after BellSouth's receipt of the order. ALEC shall notify

Version: 2Q05 Standard ICA

BellSouth in writing and shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), ALEC must contact its Local Contract Manager to initiate the order via the OLNS Branding Order form.

### 9.4 Branding via OLNS

- 9.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, ALEC shall not be required to purchase dedicated trunking.
- 9.4.2 BellSouth Branding is the default branding offering.
- 9.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, ALEC must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's Line Information Database (LIDB). To implement Unbranding and Custom Branding via OLNS software, ALEC must submit a manual order form which requires, among other things, ALEC's OCN and a forecast, pursuant to the appropriate BellSouth form provided, for the traffic volume anticipated for each BellSouth Traffic Operator Position System (TOPS) during the peak busy hour. ALEC shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon ALEC's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all ALEC End Users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

#### 10. LIDB

- 10.1 BellSouth LIDB stores current information on working telephone numbers and billing account numbers. LIDB data is used by providers of Telecommunications Services to validate billing of collect calls, calls billed to a third party number and nonproprietary calling card calls, to screen out attempts to bill calls to payphones, for billing and for fraud prevention.
- 10.2 Where ALEC is purchasing Resale services BellSouth shall utilize BellSouth's service order generated from ALEC LSR's to populate LIDB with ALEC's End User information. BellSouth provides access to information in its LIDB, including ALEC End User information, to various providers of Telecommunications Services via queries to LIDB pursuant to applicable tariffs. Information stored for ALEC, pursuant to this Agreement, shall be available to those Telecommunications Service providers.
- When necessary for fraud control measures, BellSouth may perform additions, 10.2.1 updates and deletions of ALEC data to the LIDB (e.g., calling card deactivation).
- 10.3 Responsibilities of the Parties
- BellSouth will administer the data provided by ALEC pursuant to this Agreement 10.3.1 in the same manner as BellSouth administers its own data.
- 10.3.2 ALEC is responsible for completeness and accuracy of the data being provided to BellSouth.

Version: 2Q05 Standard ICA

- 10.3.3 BellSouth shall not be responsible to ALEC for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- 11. Revenue Accounting Office (RAO) Hosting
- 11.2 RAO Hosting is not required for resale in the BellSouth region.
- 12. Optional Daily Usage File (ODUF)
- 12.1 The ODUF Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D.
- 12.2 BellSouth will provide ODUF service upon written request.
- 13. Enhanced Optional Daily Usage File (EODUF)
- The EODUF service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D.
- 13.2 BellSouth will provide EODUF service upon written request.

Version: 2Q05 Standard ICA

## **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 4)**

	T	1	AL		FL		GA		KY		LA		MS		NC		SC		ΓN
	Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Promotions - > 90 Days(Note 2 & 3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Promotions - ≤ 90 Days (Note 2 & 3)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6	(Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7	MemoryCall®Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
1 1	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Nonrecurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Applicable No												101					<del>,</del>	
ļ	<ol> <li>Grandfathered</li> <li>Where available</li> </ol>											ied for t	he promot	ion had	it been pr	ovided I	ov BellSon	th direc	tlv.
							-			uid II								di di cc	
	3. Promotions sha			<del></del>															
L.	4. Some of BellSo	outh's lo	cal exchar	nge and	toll telecor	nmunic	ations serv	ices are	e not availa	ıble in c	ertain cent	tral offic	es and are	eas.					

Version: 2Q05 Standard ICA

### **Optional Daily Usage File**

Upon written request from ALEC, BellSouth will provide the ODUF service to 1. ALEC pursuant to the terms and conditions set forth in this section. ALEC shall furnish all relevant information required by BellSouth for the 2. provision of the ODUF. The ODUF feed provides ALEC messages that were carried over the BellSouth 3. network and processed by BellSouth for ALEC. Charges for ODUF will appear on ALEC's monthly bills for the previous month's 4. usage in arrears. The charges are as set forth in Exhibit D. 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) Exchange Message Interface (EMI) record format. **ODUF** Specifications 6. 6.1 ODUF Message to be Transmitted The following messages recorded by BellSouth will be transmitted to ALEC: 6.1.1 Message recording for per use/per activation type services (examples: Three Way 6.1.1.1 Calling, Verify, Interrupt, Call Return, etc.); 6.1.1.2 Measured local calls; 6.1.1.3 Directory Assistance messages: 6.1.1.4 IntraLATA Toll: 6.1.1.5 WATS and 800 Service: 6.1.1.6 N11: 6.1.1.7 Information Service Provider Messages; 6.1.1.8 OS Messages; 6.1.1.9 OS Message Attempted Calls; 6.1.1.10 Credit/Cancel Records: and 6.1.1.11 Usage for Voice Mail Message Service. Rated Incollects (messages BellSouth receives from other revenue accounting 6.1.2 offices) appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to ALEC. In the event that ALEC detects a duplicate on ODUF they receive from BellSouth, 6.1.4 ALEC will drop the duplicate message and will not return the duplicate to BellSouth.

Version: 2Q05 Standard ICA

## 6.2 <u>ODUF Physical File Characteristics</u>

- ODUF will be distributed to ALEC via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 6.2.2 If the customer is moved, CONNECT:Direct data circuits (private line or dial-up) will be required between BellSouth and ALEC for the purpose of data transmission. Where a dedicated line is required, ALEC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. ALEC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be ALEC's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to ALEC. Additionally, all message toll charges associated with the use of the dial circuit by ALEC will be the responsibility of ALEC. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on ALEC's end for the purpose of data transmission will be the responsibility of ALEC.
- 6.2.3 If ALEC utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of ALEC.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to ALEC which BellSouth RAO is sending the message. BellSouth and ALEC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by ALEC and resend the data as appropriate.
- 6.4 ODUF Pack Rejection
- 6.4.1 ALEC will notify BellSouth within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records

Version: 2005 Standard ICA

(e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. ALEC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to ALEC by BellSouth.

### 6.5 ODUF Control Data

6.5.1 ALEC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate ALEC's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by ALEC for reasons stated in the above section.

## 6.6 <u>ODUF Testing</u>

Upon request from ALEC, BellSouth shall send ODUF test files to ALEC. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, BellSouth shall request that ALEC set up a production (live) file. The live test may consist of ALEC's employees making test calls for the types of services ALEC requests on ODUF. These test calls are logged by ALEC, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

### **Enhanced Optional Daily Usage File**

- 1. Upon written request from ALEC, BellSouth will provide the EODUF service to ALEC pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. ALEC shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for EODUF will appear on ALEC's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
- 5. All messages will be in the standard ATIS EMI record format.
- 6. Messages that error in the billing system of ALEC will be the responsibility of ALEC. If, however, ALEC should encounter significant volumes of errored messages that prevent processing by ALEC within its systems, BellSouth will work with ALEC to determine the source of the errors and the appropriate resolution.
- 7. EODUF Specifications
- 7.1 EODUF Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to ALEC:
- 7.1.1.1 Customer usage data for flat rated local calls originating from ALEC's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 7.1.1.1.1 Date of Call
- 7.1.1.1.2 From Number
- 7.1.1.3 To Number
- 7.1.1.1.4 Connect Time
- 7.1.1.1.5 Conversation Time
- 7.1.1.1.6 Method of Recording
- 7.1.1.1.7 From RAO
- 7.1.1.1.8 Rate Class
- 7.1.1.1.9 Message Type
- 7.1.1.1.10 Billing Indicators
- 7.1.1.1.11 Bill to Number
- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to ALEC.

Version: 2Q05 Standard ICA 07/06/05

- 7.1.3 In the event that ALEC detects a duplicate on EODUF they receive from BellSouth, ALEC will drop the duplicate message and will not return the duplicate to BellSouth.
- 7.2 EODUF Physical File Characteristics
- 7.2.1 EODUF feed will be distributed to ALEC via FTP. The EODUF messages will be intermingled among ALEC's ODUF messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If BellSouth determines the Secure FTP mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and ALEC for the purpose of data transmission. Where a dedicated line is required, ALEC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. ALEC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to ALEC. Additionally, all message toll charges associated with the use of the dial circuit by ALEC will be the responsibility of ALEC. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on ALEC's end for the purpose of data transmission will be the responsibility of ALEC.
- 7.2.3 If ALEC utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of ALEC.
- 7.3 EODUF Packing Specifications
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- 7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to ALEC which BellSouth RAO is sending the message. BellSouth and ALEC will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by ALEC and resend the data as appropriate.

Version: 2Q05 Standard ICA

Attachment 1 Page 22 Exhibit C

Version: 2Q05 Standard ICA

TESALE DISC	COUNTS & RATES - Alabama												Attachment:	1 Exh D	1	
Į.			T								Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		i									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi				1					Elec				Manual Svc	
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	1		RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs
		""									per Lorr	per corr	Electronic-		Electronic-	
1		1	1 1		1	1							1st	Add'i	Disc 1st	Disc Add
						İ							151	Addi	Discisi	DISC AGG
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	·	
		<u> </u>				] nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		[														
APPLICABLE D															1	<u> </u>
	Residence %					16.30				·						
	Business %	1	1			16.30			-		h			<del> </del>		
	CSAs %		T			16.30								t	1	<del>                                     </del>
PERATIONS S	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				<u> </u>										<del> </del>	<del></del>
NOTE: (	1) CLEC should contact its contract negotiator if it prefers the	ne "state	e specific	" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the BallSo	uth "regional	" corvice orde	oring charges	CLEC
elect eit	her the state specific Commission ordered rates for the servi	ice orde	ering cha	rges, or CLEC ma	y elect the re	gional service of	rdering charge	, however, Cl	EC can not ob	tain a mixture	of the two	egardless i	f CLEC has a	interconnect	ion contract e	establishe
each of	the 9 states.															
	OSS - Electronic Service Order Charge, Per Local Service		1			1									1	Т
	Request (LSR) - Resale Only	1			SOMEC		3.50	0.00	3.50	0.00	1					İ
	OSS - Manual Service Order Charge, Per Local Service Request					<del> </del>	- 9.50	0.00	0.00	0.00						<del> </del>
	(LSR) - Resale Only	1	1 1		SOMAN		19.99	0.00	19.99	0.00						1
IRECTORY AS	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE		100.00		10.55	0.00	13.33	0.00	<del> </del> -			ļ	<del> </del>	<del></del>
	Recording of DA Custom Branded Announcement	1	1		<del>                                      </del>	<del></del>	3,000.00	3.000.00							· · · · · · · · · · · · · · · · · · ·	
	Loading of DA Custom Branded Anouncement per Switch per	<del> </del>	+		+		3,000.00	3,000.00		·					-	ļ <u> </u>
	OCN						1,170.00	1,170.00							1	
	SISTANCE UNBRANDING via OLNS SOFTWARE		+		<del> </del>		1,170,00	1,170.00							<del></del>	
	Loading of DA per OCN (1 OCN per Order)	<del> </del>	<del> </del>		<del> </del>		420.00	420.00							-	<b> </b>
	Loading of DA per Switch per OCN	<del> </del>	+				16.00	16.00								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE		<del> </del>		16.00	16.00						ļ		
	Recording of Custom Branded OA Announcement	1 100	- AIL				7.000.00	7,000.00							ļ	<del></del>
	Loading of Custom Branded OA Announcement per shelf/NAV		<del> </del>		· <del> </del>	<u> </u>	7,000.00	7,000.00							ļ	
	per OCN	ŀ	1 1		1	1								İ		
	Loading of OA Custom Branded Announcement per Switch per	<del> </del>	++		<del> </del>		500,00	500.00							ļ	
	DCN		1													
	SISTANCE UNBRANDING via OLNS SOFTWARE	<del> </del>	+		<del></del>		1,170,00	1,170.00			ļ					
	Loading of OA per OCN (Regional)	<del> </del>	+		-									<u></u>	L	
DUF/EODUF S		<del> </del>	<del>  -</del>		ļ		1,200.00	1,200.00								
		<del> </del>														
	AL DAILY USAGE FILE (ODUF)	<b>_</b>	$\vdash$		ļ											
	ODUF: Recording, per message		<del>                                     </del>			0.000011										
	ODUF: Message Processing, per message		-		<u> </u>	0.004101										
		1	1			42.67										
	ODUF: Message Processing, per Magnetic Tape provisioned														<del> </del>	1
(	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094									1	
ENHANC	ODUF: Data Transmission (CONNECT:DIRECT), per message CED OPTIONAL DAILY USAGE FILE (EODUF)														ļ	
ENHANC	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										

RESALE DISCOUNTS & RATES - Florida							* * * * *			******		Attachment:	1 Exh D		
TEGALE DISCOUNTS & TIATES THOMAS	Τ									Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	l	1 1								Elec	Manualiy		Manual Svc	Manual Svc	Manual Svo
CATEGORY RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	m									Pui 2011	pe. 2011	Electronic-		Electronic-	Electronic-
	l	l 1								1		1st	Add'l	Disc 1st	Disc Add'l
														1	
					Rec	Nonrec		Nonrecurring					Rates(\$)	001111	001111
	<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS	1			<del> </del>	<del>                                     </del>					<del></del>			-		
Residence %	+	<del> </del>			21.83			<del>-</del>		<b>.</b>					
Business %		-		1	16.81					-		•			1
CSAs %	†··				16.81					1					
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	1												-		
NOTE: (1) CLEC should contact its contract negotiator if it prefers t	he "state	e specif	fic" OSS charges as	ordered by t	the State Commi	issions. The C	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ering charges	. CLEC may
elect either the state specific Commission ordered rates for the serv															
each of the 9 states.			<b>g</b> ,	,	•										
OSS - Electronic Service Order Charge, Per Local Service	T														
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						ļ <u>.</u>
OSS - Manual Service Order Charge, Per Local Service Reques	t														
(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	WARE								ļ					<b></b>
Recording of DA Custom Branded Announcement						3,000.00	3,000.00			<b></b>					ļ
Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								1
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN:	SOFT	VARE													
Recording of Custom Branded OA Announcement	1					7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per		1													
OCN				1		1,170.00	1,170.00							<u> </u>	
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE										<b></b>				ļ	ļ
Loading of OA per OCN (Regional)	<b>_</b>	<b></b>			1	1,200.00	1,200.00			<b></b>		ļ			<del> </del>
ODUF/EODUF SERVICES					1					ļ				1	<del> </del>
OPTIONAL DAILY USAGE FILE (ODUF)	1	1		4	1				ļ		ļ <u> </u>		1	-	<del> </del>
ODUF: Recording, per message	1	1			0.0000071					<b></b>			<b>_</b>	<del></del>	
ODUF: Message Processing, per message	1	1			0.002146			ļ		ļ					+
ODUF: Message Processing, per Magnetic Tape provisioned	1	ļ			35.91					ļ		-			-
ODUF: Data Transmission (CONNECT:DIRECT), per message	1			<b>_</b>	0.00010375					<b>_</b>		<b>!</b>	ļ. — -	-	
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	1												<b>_</b>		
EODUF: Message Processing, per message			1	1	0.080698				l		L		L	I	

	COUNTS & RATES - Georgia												Attachment:	1 Exh D		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
			l i		i						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
]			1 1			1					Elec			Manual Svc		Manual S
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs
		m									percan	percon	Electronic-	Electronic-	Electronic-	Electronic
						Į.								Add'l	Disc 1st	Disc Add
l			1 1		ļ						1		1st	Addi	DISC 1St	DISC Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
			1			nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ļ	$\vdash$		ļ											
APPLICABLE D		ļ	-													
	Residence %	ļ				20.30										
	Business %		-			17.30										
	CSAs %					17.30										
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	L.,	إبسا			<u> </u>			l	L	L		L	L		
	1) CLEC should contact its contract negotiator if it prefers the															
	her the state specific Commission ordered rates for the serv	ice orde	ering ch	arges, or CLEC ma	ry elect the re	gional service o	rdering charg	e, however, Cl	LEC can not of	itain a mixture	of the two	egardless i	f CLEC has a	interconnecti	on contract e	stablished
	the 9 states.											_				
	OSS - Electronic Service Order Charge, Per Local Service				1	1 1						-				
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00	l	_		l		
	OSS - Manual Service Order Charge, Per Local Service Request	1	1 1		1											
	(LSR) - Resale Only				SOMAN	1 1	19.99	0.00	19.99	0.00						
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						4 470 00	4 470 00								
1 1						I I	1.170.00 1	1.170.00								
	SISTANCE UNBRANDING via OLNS SOFTWARE	<del>                                     </del>					1,170.00	1,170.00								
DIRECTORY AS							420.00	420.00								
DIRECTORY AS	SISTANCE UNBRANDING via OLNS SOFTWARE						·									
DIRECTORY AS	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order)	SOFTW	VARE				420.00	420.00								
OPERATOR AS	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN	SOFTV	VARE				420.00	420.00 16.00								
DIRECTORY AS	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV	SOFTW	VARE				420.00 16.00 7,000.00	420.00 16.00 7,000.00								
DIRECTORY AS	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per	SOFTV	VARE				420.00 16.00 7,000.00 500.00	420.00 16.00 7,000.00 500.00								
DIRECTORY AS	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN	SOFTW	VARE				420.00 16.00 7,000.00	420.00 16.00 7,000.00								
DIRECTORY AS  DPERATOR AS  DPERATOR AS	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE	SOFTV	VARE				420.00 16.00 7,000.00 500.00	420.00 16.00 7,000.00 500.00								
OPERATOR AS	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shell/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional)	SOFTV	VARE				420.00 16.00 7,000.00 500.00	420.00 16.00 7,000.00 500.00								
DPERATOR AS:  DPERATOR AS:  DDEPERATOR AS:  DDUF/EODUF S	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shell/INAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES	SOFTW	VARE				420.00 16.00 7,000.00 500.00	420.00 16.00 7,000.00 500.00								
DIRECTORY AS DEFINE TO THE PROPERTY OF THE PRO	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES IAL DAILY USAGE FILE (ODUF)	SOFTW	VARE			0.000000	420.00 16.00 7,000.00 500.00	420.00 16.00 7,000.00 500.00								
OPERATOR AS: OPERATOR AS: OPERATOR AS: OPERATOR AS: OPERATOR AS: OPTION	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SISTANCE UNBRANDING Via OLNS SOFTWARE LOADING OF OCN (Regional) SIERVICES ALD DALLY USAGE FILE (ODUF) ODUF: Recording, per message	SOFTV	VARE			0.000088	420.00 16.00 7,000.00 500.00	420.00 16.00 7,000.00 500.00								
DPERATOR AS  DPERATOR AS  DPERATOR AS  DDUF/EODUF S  OPTION	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shell/INAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) IERVICES IAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message	SOFTV	VARE			0.002167	420.00 16.00 7,000.00 500.00	420.00 16.00 7,000.00 500.00								
DPERATOR AS  DPERATOR AS  DPERATOR AS  DPERATOR AS  DDUF/EODUF S  OPTION	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES IAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per massage ODUF: Message Processing, per magnetic Tape provisioned	SOFTW	VARE			0.002167 36.06	420.00 16.00 7,000.00 500.00	420.00 16.00 7,000.00 500.00								
OPERATOR AS: OPERATOR AS: OPERATOR AS: OPERATOR AS: OPERATOR AS: OPERATOR AS: OPERATOR AS:	SISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shell/INAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) IERVICES IAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message	SOFTV	VARE			0.002167	420.00 16.00 7,000.00 500.00	420.00 16.00 7,000.00 500.00								

RESALE DISCOUNTS & RATES - Kentucky												Attachment:	1 Exh D		
TEDALE DISCOUNTS & HATES - Remucky	1			<del></del>	r					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		1 1									Submitted	Charge -	Charge -	Charge -	Charge -
	1	1 1			]					Elec	Manually		Manual Svc	Manual Svo	Manual Svo
CATEGORY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEGORY	m	20110	500	1			•••			per Lon	por com	Electronic-		Electronic-	Electronic-
· ·		1 1								Ì		1st	Add'l	Disc 1st	Disc Add'l
	1	1 1		1						1				2,30 .50	Dibo rida :
	†			<b></b>		Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
		1			Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
											[	<u> </u>	Ĺ <u>.                                    </u>		<u> </u>
APPLICABLE DISCOUNTS	1										L				
Residence %	1	1 1			16.79										
Business %					15.54										
CSAs %					15.54							Ĺ	Ĺ <u></u>	<u> </u>	<u> </u>
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	1											L	L	<u> </u>	
NOTE: (1) CLEC should contact its contract negotiator if it prefers the	he "stat	e specifi	c" OSS charges a	s ordered by t	he State Comm	issions. The (	SS charges c	urrently contai	ned in this rat	e exhibit ar	e the BellSo	uth "regional	" service ord	ering charges	s. CLEC may
elect either the state specific Commission ordered rates for the serv	rice orde	ering cha	arges, or CLEC m	ay elect the re	gional service o	ordering charg	e, however, Cl	_EC can not ob	itain a mixture	of the two	regardless	f CLEC has a	interconnect	ion contract	established i
each of the 9 states.															
IOSS - Electronic Service Order Charge, Per Local Service	T	1			T			· · · · · ·							
Request (LSR) - Resale Only	1			SOMEC		3.50	0.00	3.50	0.00		_			L	
OSS - Manual Service Order Charge, Per Local Service Reques	il –	1													
(LSR) - Resale Only		1 1		SOMAN	1	19.99	0.00	19.99	0.00		·	Ĺ	l	l	
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	SSOFT	WARE						·						1	
Recording of DA Custom Branded Announcement		T				3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per															1
OCN					Į. l	1,170.00	1,170.00		<u> </u>		l		[	<u> </u>	
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00						l		
Loading of DA per Switch per OCN						16.00	16.00		L		<u> </u>				
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE								J		Ĺ	<u> </u>		
Recording of Custom Branded OA Announcement	1	T				7,000.00	7,000.00			J	<u> </u>				
Loading of Custom Branded OA Announcement per shelf/NAV	T								· ·		1	1			
per OCN						500.00	500.00				J	l		ļ	<b></b>
Loading of OA Custom Branded Announcement per Switch per	Ĭ									i	1	[	1		Í
OCN						1,170.00	1,170.00				ļ			<del></del>	
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE														<del> </del>	+
Loading of OA per OCN (Regional)						1,200.00	1,200.00			ļ	ļ		<u> </u>		
ODUF/EODUF SERVICES											ļ <u> </u>	<b>_</b>		<b>-</b>	- <del></del>
OPTIONAL DAILY USAGE FILE (ODUF)										<b>↓</b>			ļ		<del> </del>
ODUF: Recording, per message					0.0000136							ļ		<del> </del>	+
ODUF: Message Processing, per message		$\bot$			0.002506				ļ		<b></b>	ļ		<del> </del>	+
ODUF: Message Processing, per Magnetic Tape provisioned					35.90					<del></del>	<del></del>				+
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372						<del></del>	<b></b>	ļ <u></u>	<b>_</b>	<del> </del>
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)									I	1	ļ			L	<del></del>
					0.235889										

RES/	LE DIS	COUNTS & RATES - Louisiana												Attachment:	1 Exh D		
	LL DIC	COONTO Q TIATED EDUISIANA	Γ	1		1	Τ					Svc Order	Svc Order			Incremental	Incremental
						1							Submitted		Charge -	Charge -	Charge -
				1 1								Elec	Manually		Manual Svc		
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
U/1	20111	13112 2223121110	m			"""						percan	percon	Electronic-	Electronic-	Electronic-	Electronic-
			l											1st	Add'l	Disc 1st	Disc Add'l
														151	Addi	Disc ist	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)		
							nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	]			L		J	ļ <u>.</u>				·						L
APPLI	CABLE	DISCOUNTS		4							[		Í				ļ <u> </u>
	<del> </del>	Residence %					20.72									ļ	ļ
<b>——</b>	ļ	Business %	ļ				20.72										
0055		CSAs %	ļ	+			9.05										
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	l	إبك			00		200 1	L	L	L	L	L.,	<u>.                                    </u>		01.50
		(1) CLEC should contact its contract negotiator if it prefers the															
		ther the state specific Commission ordered rates for the servi	ce orde	ering ch	arges, or CLEC ma	y elect the re	gional service	ordering charg	e, however, Cl	LEC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	stablished in
	each o	the 9 states.				· · · · · · · · · · · · · · · · · · ·	T				····					<del></del>	<del></del>
		OSS - Electronic Service Order Charge, Per Local Service												1			[
	-	Request (LSR) - Resale Only	ļ	4		SOMEC	ļ	3.50	0.00	3.50	0.00						
i		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - Resale Only				SOMAN		40.00	0.00	40.00				ļ	}		1
DIDEC	TORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	COETI	WADE		SUMAN	ļ	19.99	0.00	19.99	0.00					ļ	<del></del>
DIREC	IONIA	Recording of DA Custom Branded Announcement	3011	WARE		+		3,000.00	3,000.00							<del> </del>	<del></del>
-	<del> </del>	Loading of DA Custom Branded Annuncement per Switch per		+		<del></del>		3,000.00	3,000.00			<del> </del>			<del> </del>		
	[	OCN	ĺ	( (		1	1	1,170.00	1,170.00	1	i	i	ł	l	i	1	1
DIREC	TORY A	SSISTANCE UNBRANDING via OLNS SOFTWARE		+				1,170.00	1,170.00								-
	1	Loading of DA per OCN (1 OCN per Order)		1		<del> </del>		420.00	420.00	-							
	<del> </del>	Loading of DA per Switch per OCN		+				16.00	16.00		-						
OPER	ATOR AS	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE					10100		· · · · · · · · · · · · · · · · · · ·						
	T	Recording of Custom Branded OA Announcement		T				7,000.00	7,000.00								
	1	Loading of Custom Branded OA Announcement per shelf/NAV				1		· ····				i					
ı	ĺ	per OCN	ľ	1 1		1	l i	500.00	500.00	1	ł	l		ł	1	1	l '
		Loading of OA Custom Branded Announcement per Switch per												· · · ·			
		OCN				ł		1,170.00	1,170.00		i		1		ł		(
OPER.		SSISTANCE UNBRANDING via OLNS SOFTWARE															
		Loading of OA per OCN (Regional)						1,200.00	1,200.00							l	
ODUF		SERVICES															
	OPTIO	NAL DAILY USAGE FILE (ODUF)		$\perp$													
	<b> </b>	ODUF: Recording, per message	ļ	$\perp$			0.0000117										
		ODUF: Message Processing, per message		<del>  </del>		<u> </u>	0.004641							ļ			<b></b>
	ļ	ODUF: Message Processing, per Magnetic Tape provisioned		<b></b>	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		48.45										
	L	ODUF: Data Transmission (CONNECT:DIRECT), per message		<b>↓</b>			0.00010568					ļ				L	ļ
	ENHAN	CED OPTIONAL DAILY USAGE FILE (EODUF)	ļ	+										ļ			
	1	EODUF: Message Processing, per message					0.250015			j	ļ	1		l		I	1

RESALE DISCOUNTS & RATES - Mississippi												Attachment:			<u> </u>
	T	T								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
	Ì									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1 1		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY RATE ELEMENTS	Interi	Zone	BCS	USOC	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	m	1								•	'	Electronic-	Electronic-	Electronic-	Electronic
	1	, ,		1	j							1st	Add'l	Disc 1st	Disc Add'l
		1							Di-	ļ	L	000	Rates(\$)	L	1
					Rec	Nonrec			Disconnect	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						First	Add'l	First	Add'!	SOIVIEC	SUMAN	SOWAIN	SOMAN	SOWIAN	SOWAIT
APPLICABLE DISCOUNTS	+			<del>-</del>	-				<del> </del>			<u> </u>		<del> </del>	<del> </del>
Residence %					15.75			···						T	
Business %	<b></b>	1 1			15.75		*********			<del> </del>	†	1		1	1
CSAs %	1				15.75										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	1														
NOTE: (1) CLEC should contact its contract negotiator if it prefers	he "state	e specif	ic" OSS charges a	s ordered by t	he State Comm	issions. The C	SS charges c	urrently conta	ined in this rat	e exhibit ar	the BellSo	uth "regional	" service orde	ering charges	CLEC may
elect either the state specific Commission ordered rates for the ser															
each of the 9 states.			• -,	•	•						•				
OSS - Electronic Service Order Charge, Per Local Service	T	T		1											
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Reques	st														
(LSR) - Resale Only		1		SOMAN		19.99	0.00	19.99	0.00	<u>.</u>					
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	IS SOFT	WARE						L							
Recording of DA Custom Branded Announcement						3,000.00	3,000.00			ļ <u>.</u>		ļ			L
Loading of DA Custom Branded Anouncement per Switch per				ļ								1			
OCN		ļ				1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE		ļ										,			ļ
Loading of DA per OCN (1 OCN per Order)						420.00	420.00				ļ			ļ <u>-</u>	ļ
Loading of DA per Switch per OCN		1				16.00	16.00			<u> </u>	<b> </b>	ļ		ļ	
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	SSOFT	NARE								<b>├</b> ──	<del> </del>	-		ļ	
Recording of Custom Branded OA Announcement		-			ļ	7,000.00	7,000.00	ļ		<del> </del>	ļ				<del></del>
Loading of Custom Branded OA Announcement per shelf/NAV				1		F00.00	500.00				ŀ				
per OCN Loading of OA Custom Branded Announcement per Switch per						500.00	500.00		<del> </del>	<del> </del>	<del> </del>	<del> </del>			
Loading of OA Custom Branded Announcement per Switch per						1,170.00	1,170.00			ļ					
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE	+-	+			-	1,170.00	1,170.00		<del> </del>	<del> </del>	<del> </del>			<del> </del>	<del> </del>
Loading of OA per OCN (Regional)	+	1				1,200.00	1,200.00	·	· · · · · · · · · · · · · · · · · · ·	<del> </del>	f	f		f	<del> </del>
ODUF/EODUF SERVICES	+	+				1,200.00	1,2.00.00			<del> </del>	†···				
OPTIONAL DAILY USAGE FILE (ODUF)		+		+				<del> </del>	<del> </del>		<del> </del>			f	1
ODUF: Recording, per message	+	+			0.0000063					·	<del>                                     </del>	1			
ODUF: Message Processing, per message		1 -			0.004707				l			<u> </u>	<b></b>	1	
ODUF: Message Processing, per Magnetic Tape provisioned		1	· · · · · · · · · · · · · · · · · · ·	<del></del>	49.04	<del></del>		1		T	· · · · · · · · · · · · · · · · · · ·	1	1	1	1
ODUF: Data Transmission (CONNECT:DIRECT), per message	1		·	1	0.00010669										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)											T				T
EODUF: Message Processing, per message			I		0.250424								1		1

RESALE DIS	COUNTS & RATES - North Carolina						-						Attachment:	1 Exh D		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
						į.						Submitted		Charge -	Charge -	Charge -
•		l				1					Elec	Manually			Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	1		RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m			1000	j					per Lon	per Lon				Electronic-
			i			i					1		Electronic-	Electronic-	Electronic-	t
			1			l							1st	Add'I	Disc 1st	Disc Add'l
					1		Nonrec	urring	Nonrecurrin	a Disconnect	1	·	oss	Rates(\$)	·	L
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1	1									1				
APPLICABLE I	DISCOUNTS		1	_							1	1		-	1	
	Residence %	l				21.50						<b>—</b>			· · · · · · · · · · · · · · · · · · ·	
T	Business %	1				17.60					1	·				
	CSAs %	<b>†</b>				17.60						1			1	
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	<b></b>	<del>                                     </del>		<del>                                     </del>					·		-			<b>†</b>	
	(1) CLEC should contact its contract negotiator if it prefers th	ie "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions The (	OSS charges o	urrently conta	ined in this rat	e exhibit ar	the BellSo	uth "regional	" service ord	ering charges	. CLEC may
	ther the state specific Commission ordered rates for the servi															
	the 9 states.	ioc orac	ing o	iarges, or occes may	CICCI MIC IC	gioriai scivice (	Judening chang	e, 110 4 6 ver, 0	LLO CAN HOLO	otani a mixtare	or the two	reguraless	CLLO Mas a	mercomice	ion contract c	Stabilistica
	OSS - Electronic Service Order Charge, Per Local Service	т			· · · · · · · · · · · · · · · · · · ·					T	1		Γ	·	1	T
	Request (LSR) - Resale Only		1		SOMEC		3.50	0.00	3.50	0.00	}					
	OSS - Manual Service Order Charge, Per Local Service Request		+		SOIVILO		3.50	0.00	3.50	0.00		<del> </del>			<del>                                     </del>	
1	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00	1				İ	
DIRECTORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE		SOMAN		19,99	0.00	19.99	0.00	<del> </del>				ļ	
	Recording of DA Custom Branded Announcement	1	T				3,000.00	3,000.00				-			<u> </u>	
	Loading of DA Custom Branded Anouncement per Switch per		_				0,000.00	0,000.00		<del>                                     </del>		<del> </del>	<del> </del>		ļ	<del></del>
	OCN	[			l	Į Į	1,170.00	1,170.00	ļ	Į.	Į.	Į.	ļ			ļ
	SSISTANCE UNBRANDING via OLNS SOFTWARE	1			-		1,170100								†	<u> </u>
	Loading of DA per OCN (1 OCN per Order)	†	<del>                                     </del>		-		420.00	420.00							† · · · · · · · · ·	
	Loading of DA per Switch per OCN		1		· · · · · · · · · · · · · · · · · · ·		16.00	16.00			1				† · · · · · · ·	<b>———</b>
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE		†	1					1	1			<b> </b>	
	Recording of Custom Branded OA Announcement	Ι''''	T	***************************************			7.000.00	7,000.00			1	<del> </del>			ļ	
	Loading of Custom Branded OA Announcement per shelf/NAV	†	<del>                                     </del>		<b>.</b>		.,,								†	
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per	<del> </del>	1								<del>                                     </del>					
	OCN	!	1				1,170.00	1,170,00	Į.				i			
	SISTANCE UNBRANDING via OLNS SOFTWARE	<del>                                     </del>			· · · · · · · · · · · · · · · · · · ·		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				1	ļ · · · · ·				
	Loading of OA per OCN (Regional)	1			1		1,200.00	1,200.00		· · · · · · · · · · · · · · · · · · ·	†				†	
ODUF/EODUF					1					<del> </del>	<b>!</b>	<u> </u>			·····	<del></del>
	NAL DAILY USAGE FILE (ODUF)	1	1		<b>†</b>	1				1	1	1		· ·	†	
	ODUF; Recording, per message		1			0.0000174			1 -		1 -		<del>                                     </del>		1	
	ODUF: Message Processing, per message	· · · · · ·	+		1	0.001647				1	<del>                                     </del>	<del> </del>			<del>                                     </del>	<u> </u>
	ODUF: Message Processing, per Magnetic Tape provisioned	<del> </del>			1	35.91					1	<del> </del>	l		<del> </del>	<u> </u>
	ODUF: Data Transmission (CONNECT:DIRECT), per message		<b>—</b>		T	0.00011029			-			<del> </del>	<del></del>		<b> </b>	
	CED OPTIONAL DAILY USAGE FILE (EODUF)	<b></b>	1		<del> </del>	3.00011020				<del> </del>	<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>		<b> </b>	<del> </del>
	EODUF: Message Processing, per message	<del>                                     </del>	<del> </del>	<del></del>	† <del></del>	0.131005	• • • • • • • • • • • • • • • • • • • •			<del></del>	<b>—</b>	<del> </del>	<u> </u>		<del>                                     </del>	<del> </del>
	LODOL - modage i tocessing, per message	L	٠	L	<del></del>	0.101005			l	L	L	I	I	L	L	

RESALE DI	SCOUNTS & RATES - South Carolina												Attachment:	1 Exh D	l	l
•											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	1 1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										PG:	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
			ļ									L				
			1			Rec	Nonrec		Nonrecurring					Rates(\$)	1	
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS		<del>  </del>		<u> </u>	+			<del> </del>	ļ	<del></del>					<del> </del>
APPLICABLE	Residence %		1			14.80							<b>[</b>	<del></del>	<del></del>	<del></del>
	Business %		<del>  </del>			14.80				· · · · · · · · · · · · · · · · · · ·		<u> </u>				<del></del>
	CSAs %		1			8.98					+					
OPERATIONS	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	-	<del>  </del>		<del> </del>	0.30	-		· · · · · · · · · · · · · · · · · · ·		-					
	: (1) CLEC should contact its contract negotiator if it prefers th	e "state	snecifi	c" OSS charges as	ordered by	the State Comm	issions The (	SS charges c	urrently contai	ned in this rat	e exhibit ar	the BellSo	uth "regional	" service orda	ring charges	CLEC may
	either the state specific Commission ordered rates for the servi															
		ce orae	ering ch	arges, or CLEC ma	ty elect the re	egional service o	ordering charg	e, nowever, Ci	LEC can not or	itain a mixture	e or the two	regardiess i	T CLEC has a	interconnect	ion contract e	stablished
eacn	of the 9 states.		1			T			T	r						<del></del>
i	OSS - Electronic Service Order Charge, Per Local Service				COLUEO		0.50		0.50							
	Request (LSR) - Resale Only  OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00	ļ	ļ				ļ
}	(LSR) - Resale Only		1		SOMAN	1 1	19.99	0.00	19.99	0.00	]	]	J	j	J	1
DIDECTORY	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	COETI	MADE		SOMAN		19.99	0.00	19.99	0.00				<del></del>		<del></del>
DINECTORY	Recording of DA Custom Branded Announcement	SUFIN	WARE		<del> </del>		3,000,00	3,000.00				<u> </u>				<del></del>
	Loading of DA Custom Branded Annual Cement per Switch per		<del>  -  </del>				3,000.00	3,000.00								
- 1	OCN					i	1,170,00	1,170.00			ļ					ļ
DIRECTORY	ASSISTANCE UNBRANDING via OLNS SOFTWARE		-		+		1,170.00	1,170.00			<del>                                     </del>					
DITECTOR	Loading of DA per OCN (1 OCN per Order)		<del>                                     </del>			+	420.00	420.00			<del> </del>		<b></b>			<del></del>
	Loading of DA per Switch per OCN		1		- <del> </del>	<del> </del>	16.00	16.00			<del> </del>		<del></del>			
OPERATOR A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE		<del>                                     </del>		10.00		-		<u> </u>					
<u> </u>	Recording of Custom Branded OA Announcement		1			1	7,000.00	7.000.00			<u> </u>				1	
	Loading of Custom Branded OA Announcement per shelf/NAV				<del></del>	1 1	· · · · · · · · · · · · · · · · · · ·		<del></del>							
- 1	per OCN		1 1		}	1 1	500.00	500.00	1	}	1	<b>}</b>	1	ļ	ļ.	ļ
	Loading of OA Custom Branded Announcement per Switch per	-														
	OCN	1					1,170.00	1,170.00		ļ			-			
OPERATOR A	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUI								_								
OPTI	ONAL DAILY USAGE FILE (ODUF)											_				
	ODUF: Recording, per message					0.0000216										
	ODUF: Message Processing, per message					0.004704					1					1
	ODUF: Message Processing, per Magnetic Tape provisioned		1			48.87								ļ		
	ODUF: Data Transmission (CONNECT:DIRECT), per message				ļ	0.00010863			ļ				ļ			
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)		$\sqcup$		4						L					<u> </u>
	EQDUF: Message Processing, per message		1		1	0.258301			į .		1	l	1	l	1	1

RESALE DISCOUNTS & RATES - Tennessee										•••		Attachment:	1 Exh D		
	T	Τ	T			-				Suc Order	Svc Order		Incremental	Incremental	Incremental
											Submitted	Charge -	Charge -		Charge -
														Charge -	
CATEGORY RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec			Manual Svc		
NATE ELEMENTS	m	Zone	BCS	USOC			HAIES(3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1		i						l	1	Electronic-	Electronic-	Electronic-	Electronic-
	İ				i							1st	Add'i	Disc 1st	Disc Add'l
	1	1		ļ	<del> </del>	Nonrecurring		Nonrecurrin	Disconnect	1	L	OSS	Rates(\$)		·
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
															00
APPLICABLE DISCOUNTS															r
Residence %		1			16.00				<del></del>						
Business %				<del> </del>	16.00										
CSAs %		·		1	16.00				ļ						ļ
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	+ -	<del> </del>		<del></del>	10.00						· · · · · · · · · · · · · · · · · · ·				
NOTE: (1) CLEC should contact its contract negotiator if it prefers	the "state	snecif	ic" OSS charges as	ordered by t	he State Comm	issions The C	SS charges o	urrontly contai	nod in this rat	avhibit or	the Bellee	uth Proviosel	l Haamiaa auda	dae abarra	CLEC
elect either the state specific Commission ordered rates for the se	vice orde	rina ch	argos or CLEC ma	v alact the re	nicotate outin	ordorina obora	bounder Cl	CC	Acia a minate	e exhibit are	the beliso	uni regional	service orde	ring charges.	CLEC may
each of the 9 states.	VICE OIGE	anny can	larges, or CLEC ma	y elect the re	gioriai service	ordering charge	e, nowever, Ci	LEC can not of	otain a mixture	of the two	regardiess i	CLEC has a	interconnecti	on contract e	stablished in
OSS - Electronic Service Order Charge, Per Local Service	_		Γ	т		,									
		1 1													
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00				L .		
OSS - Manual Service Order Charge, Per Local Service Reque	st								1				Ī		
(LSR) - Resale Only		L		SOMAN		19.99	0.00	19.99	0.00						, ,
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLI	IS SOFT	WARE													
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								,
Loading of DA Custom Branded Anouncement per Switch per		1 1													i
OCN						1,170.00	1,170.00								i l
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE											i i				
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFTV	VARE													
Recording of Custom Branded OA Announcement				1		7,000.00	7,000,00						<del> </del>		
Loading of Custom Branded OA Announcement per shelf/NAV	T						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
per OCN				1		500.00	500.00								, I
Loading of OA Custom Branded Announcement per Switch per		<b> </b>		1			- 000.00								
I IOCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE	+	<del>   </del>		<del> </del>		1,170.00	1,170.00								
Loading of OA per OCN (Regional)	+	1		<del> </del>		1,200.00	1,200,00								
ODUF/EODUF SERVICES				<del> </del>		1,200.00	1,200.00								
OPTIONAL DAILY USAGE FILE (ODUF)	<del></del>			<del> </del>											
ODUF: Recording, per message	+	$\vdash$		<del> </del>	0.0000011			·							
ODUF: Message Processing, per message	+	<del> </del>		<del> </del>	0.0000044										
ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned	+	$\vdash$		<del> </del>	0.002446										
	<del></del>	$\vdash$		<del></del>	35.54										
ODUF: Data Transmission (CONNECT:DIRECT), per message		<b>  </b>			0.0000339										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)		$\vdash$													
EODUF: Message Processing, per message	. l			1	0.229779										

# **Attachment 2**

**Network Elements and Other Services** 

Version: 2Q06 Standard ICA

# TABLE OF CONTENTS

1	Introduction	3
	Loops	
3	Line Splitting	28
4	Unbundled Network Element Combinations	29
5	Dedicated Transport and Dark Fiber Transport	32
6	Automatic Location Identification/Data Management System (ALI/DMS)	39
7	White Pages Listings	42
Ra	tes	Exhibit A
Ra	ites	Exhibit B

Version: 2Q06 Standard ICA

### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to ALEC for ALEC's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to ALEC (Other Services). Additionally, the provision of a particular Network Element or Other Service may require ALEC to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.1.1 The state specific provisions set forth in Exhibits 1 through 3, attached hereto, shall apply to services provided in each respective state. To the extent that any provision set forth in Exhibits 1 through 3 conflicts with any other provision set forth in this Agreement, the provision contained in the Exhibit shall control in the applicable state.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If ALEC purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 ALEC may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 ALEC shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to ALEC pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to ALEC pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth

Version: 2006 Standard ICA

(collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from ALEC. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between ALEC and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

1.7 Except to the extent expressly provided otherwise in this Attachment, ALEC may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that ALEC has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide ALEC with thirty (30) days written notice to disconnect or convert such Arrangements. If ALEC fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1.7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.

The Parties agree that for purposes of this Agreement, the list attached hereto as Exhibit C designates those wire centers that, as of March 10, 2005, meet the FCC's established criteria for non-impairment and constitutes BellSouth's list of non-impaired wire centers where certain high capacity (DS1 and above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. This list of non-impaired wire centers shall be subject to modification and/or the addition of wire centers without amendment provided the changes are compliant with the FCC's non-impairment criteria. Notification of such modification and/or addition of wire centers shall be via BellSouth's Web site. Upon the Effective Date of this Agreement, ALEC will not place any new orders for high capacity Dedicated Transport or high capacity Loops in those wire centers listed in Exhibit C as modified from time to time as provided for above. In all other wire centers,

Version: 2Q06 Standard ICA

06/13/06

1.8

prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, ALEC shall undertake a reasonably diligent inquiry to determine whether ALEC is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, ALEC self-certifies that to the best of ALEC's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon ALEC's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill ALEC the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, ALEC shall submit a spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.

forth in Exhi site, (2) as a

1.8.1

In the event that (1) BellSouth designated a wire center as non-impaired as set forth in Exhibit C or as set forth in a subsequent notification via BellSouth's Web site, (2) as a result of such designation, ALEC converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop UNEs subsequent to March 10, 2005, (3) ALEC otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) BellSouth acknowledges, or a state or federal regulatory body with authority determines, that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of ALEC consistent with the applicable ordering processes as reflected in the Guides located on BellSouth's Web site no later than sixty (60) days after BellSouth acknowledges or the state or federal regulatory body issues an order making such a finding, BellSouth shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund to ALEC the difference between the rate paid by ALEC for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above ) from high capacity Dedicated Transport or high capacity Loops to other wholesale services, if applicable, for the period from the later of June 1, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section.

Version: 2006 Standard ICA

Similarly, in the event that ALEC has placed orders for high capacity Dedicated Transport or high capacity Loops on or after March 11, 2005, and ALEC acknowledges, or a state or federal regulatory body with authority determines, that the wire center(s) in or between which such high capacity Dedicated Transport or high capacity Loops were ordered are non-impaired with respect to such high capacity Dedicated Transport or high capacity Loops, then no later than sixty (60) days after such acknowledgement or finding, ALEC shall transition such high capacity Dedicated Transport or high capacity Loops to alternative wholesale services. In such instances, CLEC-1 shall compensate Bellsouth for the difference between the recurring and non-recurring rates paid by ALEC for the high capacity Dedicated Transport or high capacity Loops and the applicable BellSouth tariff rate to which ALEC would have been entitled if ALEC had purchased such circuits from BellSouth's tariffs, including but not limited to any charges associated with converting such high capacity Dedicated Transport or high capacity Loops to wholesale services.

- 1.9 ALEC may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from ALEC, BellSouth shall perform the RNM.

### 1.11 <u>Commingling of Services</u>

1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that ALEC has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. ALEC must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.

Version: 2Q06 Standard ICA

- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date
  Advancement Charges will apply in accordance with Attachment 6 and are
  incorporated herein by this reference. The charges shall be as set forth in Exhibit
  A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, ALEC should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, located at the "CLEC UNE Products" on BellSouth's Interconnection Web site.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to ALEC's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with ALEC's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.

Version: 2Q06 Standard ICA

### 1.13.4 <u>Testing/Trouble Reporting</u>

- 1.13.4.1 ALEC will be responsible for testing and isolating troubles on Network Elements.

  ALEC must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, ALEC will be required to provide the results of the ALEC test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once ALEC has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail customers.
- 1.13.4.3 If ALEC reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge ALEC a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by ALEC (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill ALEC for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

### 2 Loops

General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an customer premises (Loop). Facilities that do not terminate at a demarcation point at a customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the customer's premises, including inside wire owned or controlled by BellSouth. ALEC shall purchase the

Version: 2006 Standard ICA

entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving a customer's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the customer's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective customer's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each customer in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to ALEC on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by ALEC. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide ALEC with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and a customer's premises.

Version: 2Q06 Standard ICA

2.1.4 DS1 and DS3 Loop Requirements 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5. 2.1.4.2 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.4.12 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 except as described below: 2.1.4.2.1 DS1 Loops at any location within the service area of a wire center containing sixty thousand (60,000) or more Business Lines and four (4) or more fiber-based collocators. 2.1.4.2.2 DS3 Loops at any location within the service area of a wire center containing thirty-eight thousand (38,000) or more Business Lines and four (4) or more fiberbased collocators. 2.1.4.3 A list of wire centers meeting the criteria set forth in Sections 2.1.4.2.1 and 2.1.4.2.2 above as of March 10, 2005 (Initial Wire Center List), is as set forth in Exhibit C or as set forth in a subsequent notification via BellSouth's Web site. Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.2.1 2.1.4.4 above, no future DS1 Loop unbundling will be required in that wire center. 2.1.4.5 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.2.2 above, no future DS3 Loop unbundling will be required in that wire center. 2.1.4.6 Modifications and Updates to the Wire Center List and Subsequent Transition Periods 2.1.4.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.2 above but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". Effective ten (10) business days after the date of a BellSouth CNL providing a 2.1.4.6.2 Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s). 2.1.4.6.3 For purposes of Section 2.1.4.6 above, BellSouth shall make available DS1 and DS3 Loops that were in service for ALEC in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

Version: 2Q06 Standard ICA

- 2.1.4.6.4 Subsequent disconnects or loss of customers shall be removed from the Subsequent Embedded Base.
- 2.1.4.6.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.6.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 2.1.4.6.6.1 If ALEC fails to submit the spreadsheet(s) specified in Section 2.1.4.6.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.6.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.6.6 above or transitioned pursuant to Section 2.1.4.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Interconnection Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to ALEC in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.

Version: 2Q06 Standard ICA

- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the customer's location. If ALEC wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), ALEC may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), ALEC shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 OC and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and ALEC to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to ALEC's facilities to limit customer service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the customer. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- OC-TS allows ALEC to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate ALEC's specific conversion time request. However, BellSouth reserves the right to negotiate with ALEC a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. ALEC may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If ALEC specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

Version: 2006 Standard ICA

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, ALEC must order and will be billed for both OC and OC-TS if requesting OC-TS.

# 2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

2.1.10.1 The CLEC to CLEC conversion process for Loops may be used by ALEC when converting an existing Loop from another CLEC for the same customer. The Loop type being converted must be included in ALEC's Agreement before requesting a conversion.

Version: 2Q06 Standard ICA

- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same customer location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to ALEC pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

### 2.1.11 Bulk Migration

- 2.1.11.1 BellSouth will make available to ALEC a Bulk Migration process pursuant to which ALEC may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.11.2 Should ALEC request migration for two (2) or more EATNs containing fifteen (15) or more circuits, ALEC must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed);
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed); or
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed).
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations,

Version: 2Q06 Standard ICA

BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that ALEC will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by ALEC, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. ALEC may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its customers.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that ALEC may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to ALEC. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow ALEC to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

### 2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop;

Version: 2Q06 Standard ICA

- Page 16 2.3.2.2 2-wire Unbundled ADSL Compatible Loop; 2.3.2.3 2-wire Unbundled HDSL Compatible Loop; 2.3.2.4 4-wire Unbundled HDSL Compatible Loop: 2.3.2.5 4-wire Unbundled DS1 Digital Loop; 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below; 2.3.2.7 DS3 Loop; or 2.3.2.8 STS-1 Loop. 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. ALEC will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and customer. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to eighteen thousand (18,000) feet long and may have up to six thousand (6,000) feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR. 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to twenty-five hundred (2,500) feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come
- 2.3.6 4-wire Unbundled DS1 Digital Loop.

standard with a test point, OC, and a DLR.

- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the customer's location. For purposes of this Agreement, DS1 Loops include 2-wire and 4-Wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to ALEC at any single building in which DS1 Loops are available as unbundled Loops.

Version: 2Q06 Standard ICA

- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR73501

  LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 ALEC may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL).</u>
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by ALEC.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by ALEC to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the customer's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, ALEC can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that ALEC may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by ALEC to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 ALEC may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.
- 2.5.3 For any copper loop being ordered by ALEC which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from ALEC, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to ALEC. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 ALEC may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If ALEC requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. ALEC will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 ALEC shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that ALEC desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for ALEC, ALEC will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by ALEC is available at the location for which the ULM was requested, ALEC will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, ALEC will not be charged for ULM but will only be charged the service order charges for submitting an order.

# 2.6 <u>Loop Provisioning Involving IDLC</u>

- 2.6.1 Where ALEC has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the customer and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to ALEC. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for ALEC (e.g., hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.
  - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

Version: 2Q06 Standard ICA

2.6.3 If no alternate facility is available, and upon request from ALEC, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. ALEC will then have the option of paying the one-time SC rates to place the Loop.

#### 2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the customer's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the customer's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the customer each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit ALEC to connect ALEC's Loop facilities to the customer's customer premises wiring through the BellSouth NID or at any other technically feasible point.

#### 2.7.3 Access to NID

- 2.7.3.1 ALEC may access the customer's premises wiring by any of the following means and ALEC shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow ALEC to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the customer's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

Version: 2Q06 Standard ICA

- 2.7.3.1.4 ALEC may request BellSouth to make other rearrangements to the customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be ALEC's responsibility to ensure there is no safety hazard, and ALEC will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 ALEC shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 ALEC shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with ALEC to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the customer's customer premises and the distribution media and/or cross-connect to ALEC's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. ALEC may request BellSouth to do additional work to the NID on a time and material basis. When ALEC deploys its own local loops in a multiple-line termination device, ALEC shall specify the quantity of NID connections that it requires within such device.

- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 <u>Unbundled Subloop Distribution (USLD)</u>
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the customer's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the customer's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the customer and the cross-box.
- 2.8.2.3.1 If ALEC requests a UCSL and it is not available, ALEC may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the customer's premises.
- 2.8.2.4.1 Upon request for USLD-INC from ALEC, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for ALEC's use on this cross-connect panel.

Version: 2Q06 Standard ICA

ALEC will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, ALEC shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ALEC's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by ALEC is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ALEC's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site.
- 2.8.2.7 The site set-up must be completed before ALEC can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ALEC's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, ALEC will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when ALEC requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by ALEC for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the customer's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the customer's premises, where a third party owns the wiring to the customer's premises.

Version: 2Q06 Standard ICA

# 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the customers premises, and ALEC does own or control such wiring, ALEC will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to ALEC.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ALEC for each pair activated commensurate to the price specified in ALEC's Agreement.
- Upon receipt of the UNTW SI requesting access to the Provisioning Party's 2.8.3.3.5 UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the customer has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the customer is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access

Version: 2Q06 Standard ICA

Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that customer if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the customer began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.9 <u>Loop Makeup</u>
- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to ALEC LMU information with respect to Loops that are required to be unbundled under this Agreement so that ALEC can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment ALEC intends to install and the services ALEC

Version: 2006 Standard ICA

wishes to provide. LMU is a preordering transaction, distinct from ALEC ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

- 2.9.1.2 BellSouth will provide ALEC LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to ALEC as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- ALEC may choose to use equipment that it deems will enable it to provide a 2.9.1.5 certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by ALEC and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee ALEC's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by ALEC or the customer, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. ALEC is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace

Version: 2Q06 Standard ICA

copper facilities as a maintenance procedure, BellSouth will notify ALEC, according to the applicable network disclosure requirements. It will be ALEC's responsibility to move any service it may provide over such facilities to alternative facilities. If ALEC fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

# 2.9.2 <u>Submitting LMUSI</u>

- 2.9.2.1 ALEC may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on BellSouth's Interconnection Web site. After obtaining the Loop information from the mechanized LMU process, if ALEC needs further Loop information in order to determine Loop service capability, ALEC may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. ALEC will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, ALEC does not reserve facilities upon an initial LMUSI, ALEC's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where ALEC has reserved multiple Loop facilities on a single reservation, ALEC may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to ALEC, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by ALEC.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

#### 3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to customers over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event ALEC provides its own switching or obtains switching from a third party, ALEC may engage in line splitting arrangements with

Version: 2006 Standard ICA

another CLEC using a splitter, provided by ALEC, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.

- 3.3 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>
- 3.3.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When ALEC owns the splitter, Line Splitting requires the following: a loop from NID at the customer's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 3.3.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4 CLEC Provided Splitter Line Splitting UNE-L
- 3.4.1 To order High Frequency Spectrum on a particular Loop, ALEC must have a DSLAM collocated in the central office that serves the customer of such Loop.
- 3.4.2 ALEC may purchase, install and maintain central office POTS splitters in its collocation arrangements. ALEC may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.3 Any splitters installed by ALEC in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALEC may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 Maintenance Line Splitting UNE-L
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the customer's premises and the termination point.
- 3.5.2 ALEC shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

## 4 Unbundled Network Element Combinations

Version: 2006 Standard ICA

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by ALEC are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by ALEC are not already combined by BellSouth in the location requested by ALEC but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by ALEC are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent ALEC requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.
- 4.2 Rates
- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of ALEC.
- 4.3 Enhanced Extended Links (EELs)

- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide ALEC with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, ALEC thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit ALEC's high-capacity EELs as specified below.
- 4.3.4 Service Eligibility Criteria
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. ALEC must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 ALEC has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each customer will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each customer will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each customer will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);

- 4.3.4.2.5 5) Each circuit to be provided to each customer will be served by an interconnection trunk over which ALEC will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, ALEC will have at least one (1) active DS1 local service interconnection trunk over which ALEC will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each customer will be served by a switch capable of switching local voice traffic.
- BellSouth may, on an annual basis, audit ALEC's records in order to verify 4.3.4.3 compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that ALEC failed to comply with the service eligibility criteria, ALEC must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that ALEC did not comply in any material respect with the service eligibility criteria, ALEC shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that ALEC did comply in all material respects with the service eligibility criteria, BellSouth will reimburse ALEC for its reasonable and demonstrable costs associated with the audit. ALEC will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event ALEC converts special access services to UNEs, ALEC shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

## 5 Dedicated Transport and Dark Fiber Transport

- 5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by ALEC, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to ALEC. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.
- 5.2 <u>DS1 and DS3 Dedicated Transport Requirements</u>
- 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.

Version: 2006 Standard ICA

- Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport except as described below:
- 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain thirty-eight thousand (38,000) or more Business Lines or four (4) or more fiber-based collocators.
- 5.2.2.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.2.3 A list of wire centers meeting the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above as of March 10, 2005, is available as set forth in Exhibit C or as set forth in a subsequent notification via BellSouth's Web site (Initial Wire Center List).
- Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.1 above, no future DS1 Dedicated Transport unbundling will be required between that wire center and any other wire center exceeding these same thresholds.
- 5.2.2.5 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.2 above, no future DS3 Dedicated Transport will be required between that wire center and any other wire center meeting or exceeding these same thresholds.
- 5.2.2.6 <u>Modifications and Updates to the Wire Center List and Subsequent Transition</u>
  Periods
- 5.2.2.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.
- 5.2.2.6.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s).
- 5.2.2.6.3 For purposes of Section 5.2.2.6, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for ALEC in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

- 5.2.2.6.4 Subsequent disconnects or loss of customers shall be removed from the Subsequent Embedded Base.
- 5.2.2.6.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.2.2.6.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 5.2.2.6.6.1 If ALEC fails to submit the spreadsheet(s) specified in Section 5.2.2.6.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 5.2.2.6.7 For Subsequent Embedded Base circuits converted pursuant to Section 5.2.2.6.6 above or transitioned pursuant to Section 5.2.2.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 5.2.3 BellSouth shall:
- 5.2.4 Provide ALEC exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.2.5 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.2.6 Permit, to the extent technically feasible, ALEC to connect Dedicated Transport to equipment designated by ALEC, including but not limited to, ALEC's collocated facilities; and
- 5.2.7 Permit, to the extent technically feasible, ALEC to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.3 BellSouth shall offer Dedicated Transport:

- 5.3.1 As capacity on a shared facility; and
- 5.3.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to ALEC.
- 5.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- ALEC may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each Route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport, but for which impairment exists for DS1 Dedicated Transport. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 5.6 <u>Technical Requirements</u>
- 5.6.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 5.6.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 5.6.2.1 DS0 Equivalent:
- 5.6.2.2 DS1;
- 5.6.2.3 DS3;
- 5.6.2.4 STS-1; and
- 5.6.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.6.3 BellSouth shall design Dedicated Transport according to its network infrastructure. ALEC shall specify the termination points for Dedicated Transport.

- 5.6.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.6.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.6.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 5.6.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.7 <u>Unbundled Channelization (Multiplexing)</u>
- 5.7.1 To the extent ALEC is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, ALEC may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 5.7.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.7.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.7.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, ALEC's channelization equipment must adhere strictly to form and protocol standards. ALEC must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

- 5.8 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.
- 5.8.1 <u>Dark Fiber Transport Requirements</u>
- 5.8.1.1 For purposes of this Section 5.8, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.8.1.2 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport except as described below:
- 5.8.1.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.8.1.3 A list of wire centers meeting the criteria set forth in Section 5.8.1.2.1 above as of March 10, 2005, (Initial List) is available as set forth in Exhibit C or as set forth in a subsequent notification via BellSouth's Web site.
- 5.8.1.4 Once a wire center exceeds either of the thresholds set forth in Section 5.8.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.8.1.5 <u>Modifications and Updates to the Wire Center List and Subsequent Transition</u>
  Periods
- 5.8.1.5.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 5.8.1.2.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 5.8.1.5.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s).
- 5.8.1.5.3 For purposes of Section 5.8.1.5, BellSouth shall make available Dark Fiber Transport that was in service for ALEC in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

- 5.8.1.5.4 Subsequent disconnects or loss of customers shall be removed from the Subsequent Embedded Base.
- 5.8.1.5.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.8.1.5.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 5.8.1.5.6.1 If ALEC fails to submit the spreadsheet(s) specified in Section 5.8.1.5.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 5.8.1.5.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 5.8.1.5.6 above or transitioned pursuant to Section 5.8.1.5.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

#### 5.9 Rearrangements

- 5.9.1 Rearrangement of a dedicated transport or combination that includes dedicated transport that requires a CFA change: A request to move a working ALEC circuit from one CFA to another ALEC CFA, where both CFAs terminate in the same BellSouth Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 5.9.2 Requests to reterminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 5.9.3 Upon request of ALEC, BellSouth shall project manage the Change in CFA or retermination of Dedicated Transport and combinations that include transport as described in Sections 5.9.1 and 5.9.2 above and ALEC may request OC-TS for such orders.

Version: 2Q06 Standard ICA

- 5.9.4 BellSouth shall accept a LOA between ALEC and another carrier that will allow ALEC to connect Dedicated Transport or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.
- Rearrangement of an EEL to a standalone UNE-L that requires a CFA change:
  ALEC may utilize the EEL to UNE-L retermination process, as described in
  BellSouth's guides available on its web site, to disconnect an EEL circuit and
  reterminate the Loop portion of the former EEL circuit to a collocation
  arrangement in the customer Serving Wire Center as a standalone UNE-L. When
  using this process, the existing Loop portion of the EEL will be re-used and the
  resulting standalone Loop will be subject to the rates, terms and conditions for that
  particular Loop as set forth in this Attachment. This process will apply only to
  EELs that include as a part of its combination a DS1 Loop, UVL-SL2 Loop,
  4-Wire UDL Loop (64, 56 kbs) and a 2-Wire ISDN Loop.
- 5.9.6 BellSouth shall charge the applicable EEL to UNE-L retermination rates found in Exhibit A. ALEC shall also be charged applicable manual service order, collocation cross-connect and EEL disconnect charges a set forth in Exhibit A of this Attachment.
- 5.9.7 The EEL to UNE-L retermination process is not available when the rearrangement requires a dispatch outside the serving wire center where the Loop terminates. If an outside dispatch is required, or if ALEC elects not to utilize the EEL to UNE-L retermination process, ALEC must submit an LSR to disconnect the entire EEL circuit, and must submit a separate LSR for the requested standalone Loop. In such cases, ALEC will be charged the EEL disconnect charges and the full nonrecurring rates for installation of a new Loop, as set forth in Exhibit A.

## 6 Automatic Location Identification/Data Management System (ALI/DMS)

- 6.1 911 and E911 Databases
- 6.1.1 BellSouth shall provide ALEC with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

  ALEC will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below.
- 6.2 <u>Technical Requirements</u>

Version: 2Q06 Standard ICA

- 6.2.1 BellSouth's 911 database vendor shall provide ALEC the capability of providing updates to the ALI/DMS database through a specified electronic interface. ALEC shall contact BellSouth's 911 database vendor directly to request interface. ALEC shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of ALEC and BellSouth shall not be liable for the transactions between ALEC and BellSouth's 911 database vendor.
- 6.2.2 It is ALEC's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 6.2.3 ALEC shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site.
- 6.2.4 Stranded Unlocks are defined as end user records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to ALEC, as a new provider of local service to the end user. Stranded Unlocks are those end user records that have been "unlocked" by the previous local exchange carrier that provided service to the end user and are open for ALEC to assume responsibility for such records.
- 6.2.4.1 Based upon end user record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to ALEC that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. ALEC shall review the Stranded Unlock report, identify its end user records and request to either delete such records or migrate the records to ALEC within two (2) months following the date of the Stranded Unlock report provided by BellSouth. ALEC shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of ALEC's records.
- 6.3 <u>911 PBX Locate Service®</u>. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 6.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 6.3.1.1 The database capability allows ALEC to offer an E911 service to its PBX end users that identifies to the PSAP the physical location of the ALEC PBX 911 end user station telephone number for the 911 call that is placed by the end user.

- 6.3.2 ALEC may order either the database capability or the transport component as desired or ALEC may order both components of the service.
- 6.3.3 <u>911 PBX Locate Database Capability.</u> ALEC's end user or ALEC's end user's database management agent (DMA) must provide the end user PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 6.3.4 Ordering, provisioning, testing and maintenance shall be provided by ALEC pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- 6.3.5 ALEC's end user, or ALEC's end user DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of ALEC to ensure that the end user or DMA maintain the data pertaining to each end user's extension managed by the 911 PBX Locate Service product. ALEC should not submit telephone number updates for specific PBX station telephone numbers that are submitted by ALEC's end user, or ALEC's end user DMA under the terms of 911 PBX Locate product.
- 6.3.5.1 ALEC must provision all PBX station numbers in the same LATA as the E911 tandem.
- 6.3.6 ALEC agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by ALEC's end user or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by ALEC or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. ALEC is responsible for assuring that its authorized end users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to ALEC's end user or DMA pursuant to these terms. Specifically, ALEC's end user or DMA must keep and protect from use by any unauthorized individual identifiers, passwords,

and any other security token(s) and devices that are provided for access to this product.

- 6.3.7 ALEC may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for ALEC's end users' telephone numbers for which it has direct management authority.
- 6.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires ALEC to order a CAMA type dedicated trunk from ALEC's end user premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 6.3.8.1 Except as otherwise set forth below, a minimum of two (2) end user specific, dedicated 911 trunks are required between the ALEC's end user premise and the BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. ALEC is responsible for connectivity between the end user's PBX and ALEC's switch or POP location. ALEC will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a ALEC purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). ALEC is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multifrequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 6.3.9 Ordering and Provisioning. ALEC will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) end user specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 6.3.9.1 Testing and maintenance shall be provided by ALEC pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by ALEC pursuant to the terms and conditions set forth in Attachment 3.

#### 7 White Pages Listings

7.1 BellSouth shall provide ALEC and its customers access to white pages directory listings under the following terms:

Version: 2Q06 Standard ICA

- 7.1.1 Listings. ALEC shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include ALEC residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between ALEC and BellSouth customers. ALEC shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published Customers.</u> ALEC will be required to provide to BellSouth the names, addresses and telephone numbers of all ALEC customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to wholesale discount.
- 7.1.3 <u>Inclusion of ALEC Customers in Directory Assistance Database.</u> BellSouth will include and maintain ALEC customer listings in BellSouth's DA databases. ALEC shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford ALEC's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- Rates. So long as ALEC provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to ALEC one (1) basic White Pages directory listing per ALEC customer at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a LSR submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to ALEC customer at no charge or as specified in a separate agreement between ALEC and BellSouth's agent.

- 7.3 Procedures for submitting ALEC SLI are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 ALEC authorizes BellSouth to release all ALEC SLI provided to BellSouth by ALEC to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), BellSouth's GSST. Such ALEC SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to ALEC for BellSouth's receipt of ALEC SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of ALEC's SLI, or costs on an ongoing basis to administer the release of ALEC SLI, ALEC shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of ALEC's SLI, ALEC will be notified. If ALEC does not wish to pay its proportionate share of these reasonable costs, ALEC may instruct BellSouth that it does not wish to release its SLI to independent publishers, and ALEC shall amend this Agreement accordingly. ALEC will be liable for all costs incurred until the effective date of the agreement.
- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by ALEC under this Agreement. ALEC shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate ALEC listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to ALEC any complaints received by BellSouth relating to the accuracy or quality of ALEC listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

## 1 Requirements for DS1 and DS3 Loops

- 1.1 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to ALEC at any single building in which DS1 Loops are available as unbundled loops.
- 1.2 ALEC may obtain a maximum of a single Unbundled DS3 loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 1.3 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 10, BellSouth shall make available DS1 and DS3 Loops except as described below:
- 1.3.1 DS1 Loops to any Building served by a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators (DS1 Threshold).
- DS3 Loops to any Building served by a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators (DS3 Threshold).
- 1.4 The initial list of wire centers (Initial Wire Center List) meeting the criteria set forth in Sections 1.3.1 and 1.3.2 above, is set forth in Section 4.1.3 hereto. As of the effective date of this Agreement, no self-certification in any wire center set forth in the Initial Wire Center List is permitted.

## 2 Dedicated Transport and Dark Fiber Transport

- 2.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by ALEC, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to ALEC. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.
- 2.1.1 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 2.1 except as described below:
- 2.1.1.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators. (Tier 1 Wire Center)
- 2.1.1.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators (Tier 2 Wire Center).
- 2.1.1.3 ALEC may obtain a maximum of twelve (12) unbundled DS3 Dedicated
  Transport circuits on each route where DS3 Dedicated Transport is available as a
  Network Element, and a maximum of ten (10) unbundled DS1 Dedicated
  Transport circuits on each Route where there is no 251(c)(3) unbundling

Version: 2006 Standard ICA

obligation for DS3 Dedicated Transport but for which impairment exists for DS1 Dedicated Transport.

- 2.1.2 The initial list of wire centers (Initial Wire Center List) meeting the criteria set forth in Sections 2.1.1.1 and 2.1.1.2 above, is set forth in Section 4.1.3 hereto. As of the effective date of this Agreement, no self-certification in any wire center set forth in the Initial Wire Center List is permitted.
- 2.1.3 A wire center listed on the Initial Wire Center List exceeds either of the thresholds set forth in Sections 2.1.1.1 or 2.1.1.2 above, no further DS1 Dedicated Transport Unbundling will be required from that wire center to other Tier 1 wire centers.
- A wire center listed on the Initial Wire Center List exceeds either of the thresholds set forth in Sections 2.1.1.1 or 2.1.1.2above, no further DS3 Dedicated Transport unbundling will be required from that wire center to Tier 1 or Tier 2 wire centers.
- 2.2 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.
- 2.2.1 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 2.2 except as described below:
- 2.2.1.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators. (Tier 2 Wire Center)
- 2.2.2 The initial list of wire centers (Initial Wire Center List) meeting the criteria set forth in Section 2.2.1.1 above, is set forth in Section 4.1.3 hereto. As of the effective date of this Agreement, no self-certification in any wire center set forth in the Initial Wire Center List is permitted.
- 2.2.3 Wire Centers listed on the Initial List exceed the threshold set forth in Section 2.2.1.1, BellSouth will not be required to provide ALEC access to Dark Fiber Transport from those wire centers.

#### 3 Loops/Transport

- Language to implement BellSouth's obligation to provide § 251 unbundled access to high capacity loops and dedicated transport is included under Issue 1.
- 3.2 (i) Business Line
- For purposes of this Amendment, a "Business Line" is, as defined in 47 C.F.R. § 51.5, a BellSouth-owned switched access line used to serve a business customer, whether by BellSouth itself or by a CLEC that leases the line from BellSouth. The number of business lines in a wire center shall equal the sum of all BellSouth business switched access lines, plus the sum of all UNE loops connected to that

Version: 2Q06 Standard ICA

wire center, including UNE loops provisioned in combination with other unbundled elements. Among these requirements, business line tallies (1) shall include only those access lines connecting end user customers with BellSouth end-offices for switched services, (2) shall not include non-switched special access lines, (3) shall account for ISDN and other digital access lines by counting each sixty-four (64) kbps-equivalent as one (1) line. For example, a DS1 line corresponds to twenty-four (24) sixty-four (64) kbps-equivalents, and therefore to twenty-four (24) "business lines."

#### 3.3 (ii) Fiber-Based Collocation

3.3.1 For purposes of this Amendment a "Fiber-Based Collocator" is, as defined in 47 C.F.R. § 51.5, any carrier, unaffiliated with BellSouth, that maintains a collocation arrangement in a BellSouth wire center, with active electrical power supply, and operates a fiber-optic cable or comparable transmission facility that (1) terminates at a collocation arrangement within the wire center; (2) leaves the BellSouth wire center premises; and (3) is owned by a party other than BellSouth or any affiliate of BellSouth, except as set forth in this paragraph. Dark fiber obtained from an incumbent LEC on an indefeasible right of use basis shall be treated as non-incumbent LEC fiber-optic cable. Two (2) or more affiliated fiber-based collocators in a single wire center shall collectively be counted as a single fiber-based collocator. For purposes of this paragraph, the term affiliate is defined by 47 U.S.C. § 153(1) and any relevant interpretation in this Title.

#### 3.4 (iii) Building

3.4.1 For purposes of this Amendment, a "Building" is a permanent physical structure including, but not limited to, a structure in which people reside, or conduct business or work on a daily basis and through which there is one centralized point of entry in the structure through which all telecommunications services must transit. As an example only, a high rise office building with a general telecommunications equipment room through which all telecommunications services to that building's tenants must pass would be a single "building" for purposes of this Amendment. Two (2) or more physical areas served by individual points of entry through which telecommunications services must transit will be considered separate buildings. For instance, a strip mall with individual businesses obtaining telecommunication services from different access points on the building(s) will be considered individual buildings, even though they might share common walls.

## 3.5 (iv) Route

3.5.1 The definition of a route is as defined in Section 3.1 of this Exhibit A.

# 4 Procedures For Additional Designations Of "Non-Impaired" Wire Centers

4.1 If BellSouth seeks to designate additional wire centers as "non-impaired" for purposes of the FCC's Triennial Review Remand Order (TRRO), BellSouth will

Version: 2Q06 Standard ICA

post a Carrier Notification Letter (CNL) designating any new (additional) "non-impaired" wire centers ("subsequent wire centers"). The list of additional "non-impaired" wire centers as designated by BellSouth will reflect the number of Business Lines, as of December 31 of the previous year, and will also reflect the number of fiber-based collocators in each subsequent wire center on the list at the time of BellSouth's designation.

- 4.1.1 Designation by BellSouth of additional "non-impaired" wire centers will be based on the following criteria:
  - a. The CLLI of the wire center.
  - b. The number of switched business lines served by BellSouth in that wire center based upon data as reported in ARMIS 43-08 for the previous year.
  - c. The sum of all UNE Loops connected to each wire center, including UNE Loops provisioned in combination with other elements.
  - d. A completed worksheet that shows, in detail, any conversion of access lines to voice grade equivalents.
  - e. The names of any carriers relied upon as fiber-based collocators.
- 4.1.2 BellSouth and ALEC agree to resolve disputes concerning BellSouth's additional wire center designations in dispute resolution proceedings before the Commission.
- 4.1.3 The initial wire center list is shown below.

WIRE	BUSINESS	FIBER-BASED	TRANSPORT	LOOP UNBUNDLING
CENTER	LINES	COLLOCATION	TIER	
MIAMFLPL	86,923	>4	1	No DS1/3
MIAMFLGR	68,580	>4	1	No DS1/3
ORLDFLMA	57,966	>4	1	No DS3
FTLDFLMR	55,881	>4	1	No DS3
GSVLFLMA	55,681	4	1	No DS3
ORLDFLPC	45,792	>4	1	No DS3
MIAMFLHL	43,021	>4	1	No DS3
JCVLFLCL	42,452	>4	1	No DS3
MIAMFLAE	41,912	>4	1	No DS3
BCRTFLMA	40,746	>4	1	No DS3
PRRNFLMA	37,969	3	2	
HLWDFLPE	37,415	4	1	
WPBHFLHH	36,053	3	2	
HLWDFLWH	34,022		2	
PMBHFLMA	33,993	4	1	
WPBHFLAN	33,521	4	1	
ORLDFLPH	33,148	4	1	

Version: 2Q06 Standard ICA

Attachment 2 Exhibit 1 FL COL Language

15445	>~
Page	5

WIRE	BUSINESS	FIBER-BASED	TRANSPORT	LOOP UNBUNDLING
CENTER	LINES	COLLOCATION	TIER	
MLBRFLMA	32,547	44	11	
DYBHFLMA	32,282	>4	1	
FTLDFLCY	31,487	4	1	
ORLDFLAP	31,234	3	2	
PNSCFLFP	30,863		2	
FTLDFLPL	29,469	>4	1	
FTLDFLJA	29,209	>4	1	
PNSCFLBL	28,685	4	1	
BCRTFLBT	26,601		2	
WPBHFLGR	26,527	3	2	
ORLDFLSA	26,126	>4	1	
PMBHFLFE	25,909	4	1	
STRTFLMA	25,577		2	
WPBHFLGA	24,885		2	
MIAMFLRR	24,740	3	2	
DRBHFLMA	24,695	1	2	
MIAMFLBR	24,482		2	
MIAMFLPB	24,380	4	1	
JCVLFLSJ	24,088	3	2	
MIAMFLSO	23,802	3	2	
MIAMFLWM	23,310	4	1	
FTLDFLOA	23,008	>4	1	
MIAMFLCA	22,645	3	2	
ORLDFLCL	20,828	>4	1	
MNDRFLLO	20,180	3	2	
NDADFLGG	18,239	>4	1	
COCOFLMA	18,097	4	1	
JCVLFLSM	17,820	>4	1	
WPBHFLLE	13,622	3	2	

2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets 5 Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to twenty-five hundred (2,500) feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.

4-wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is 6 provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including

Version: 2Q06 Standard ICA

copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the customer's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 1 above, DS1 Loops include provisioned HDSL loops and the associated electronics whether configured as HDSL-2-wire or HDSL-4-wire loops.

Except to the extent expressly provided otherwise in this Attachment, ALEC may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that ALEC has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide ALEC with thirty (30) days written notice to disconnect or convert such Arrangements. Those circuits identified by ALEC within such thirty (30) day period shall be subject to Commission-approved switch-as-is rates with no UNE disconnect charges. If ALEC fails to submit orders to disconnect or convert such Arrangements within such thirty (30)-day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to all applicable UNE disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charges shall apply to each circuit beginning the day following the thirty (30)-day notice period.

> Self-Certification. Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, ALEC shall undertake a reasonably diligent inquiry to determine whether ALEC is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, ALEC self-certifies that to the best of ALEC's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon ALEC's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill ALEC the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, ALEC shall submit a spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.

In the event that (1) BellSouth designates a wire center as non-impaired, (2)

ALEC converts existing UNEs to other services or orders new services as services other than UNEs, (3) ALEC otherwise would have been entitled to UNEs in such

Version: 2Q06 Standard ICA

06/13/06

7

8

wire center at the time alternative services provisioned, and (4) BellSouth acknowledges or a state or federal agency regulatory body with authority determines that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of ALEC, BellSouth shall transition to UNEs any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund ALEC the difference between the rate paid by ALEC for such services and the applicable UNE rate, including but not limited to any charges associated with the unnecessary conversion from UNE to other wholesale services.

# Modifications and Updates to the Wire Center List and Subsequent Transition Periods

- 10.1 <u>DS1 or DS3 loops, or Dedicated Transport in Wire Centers that Meet the TRRO Non-Impaired Criteria in the Future</u>
- In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 1.3.1 (DS1 loops), 1.3.2 (DS3 loops), 2.1.1.1 (DS1 transport) and 2.1.1.2 (DS3 transport) but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List."
- 10.3 Effective thirty (30) days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle new DS1 or DS3 Loops, or transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process.
- BellSouth shall make available de-listed DS1 and DS3 Loops and transport that were in service for ALEC in a de-listed wire center on the Subsequent Wire Center List as of the thirtieth (30<sup>th</sup>) day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and eighty (180) days after the thirtieth (30th) day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- Subsequent disconnects or loss of customers shall be removed from the Subsequent Embedded Base.
- The rates that shall apply to the Subsequent Embedded Base throughout the entire Subsequent Transition Period. The rates shall equal the rate paid for that element at the time of the CNL posting, plus fifteen percent (15%).
- 10.7 No later than one hundred and eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. For Conversions as defined in Section 15, such spreadsheets shall take the place of an LSR or ASR. The Parties shall

Version: 2Q06 Standard ICA

negotiate a project schedule for the Conversion of the Subsequent Embedded Base of circuits. If a ALEC chooses to convert the de-listed DS1 and DS3 Loops and Transport to special access circuits, BellSouth will include such de-listed DS1 and DS3 Loops and Transport once converted within ALEC's total special access circuits and apply any discounts to which ALEC is entitled. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

- 10.7.1 If ALEC submits the spreadsheet(s) for its Subsequent Embedded Base by one hundred and eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, those identified circuits shall be subject to the Commission-approved switch-as-is conversion nonrecurring charges.
- 10.7.2 If ALEC fails to submit the spreadsheet(s) for all of its Subsequent Embedded Base by one hundred and eighty (180) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 10.7.3 For Subsequent Embedded Base circuits converted or transitioned, the applicable recurring tariff charges shall apply on the first day after the end of the Subsequent Transition Period. The transition of the Subsequent Embedded Base circuits should be performed in a manner that avoids, or otherwise minimizes to the extent possible, disruption or degradation to ALEC's customers' service.
- 10.8 <u>Dark Fiber Transport in Wire Centers that Meet the TRRO Non-Impaired Criteria</u> in the Future
- In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.2.1.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List."
- 10.8.2 Effective thirty (30) days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle new Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 8 above.
- 10.8.3 For purposes of Section 10.8, BellSouth shall make available dark fiber transport that was in service for ALEC in a wire center on the Subsequent Wire Center List as of the thirtieth (30<sup>th</sup>) day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until two hundred and seventy (270) days after the thirtieth (30th) day from the date of BellSouth's

Version: 2Q06 Standard ICA

CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

- Subsequent disconnects or loss of customers shall be removed from the Subsequent Embedded Base.
- The rates that shall apply to the Subsequent Embedded Base throughout the entire Subsequent Transition Period. The rates shall equal the rate paid for that element at the time of the CNL posting, plus fifteen percent (15%).
- 10.8.6 No later than two hundred and seventy (270) days from BellSouth's CNL identifying the Subsequent Wire Center List ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. For Conversions as defined in Section 14, such spreadsheets shall take the place of an LSR or ASR. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base of circuits. If a ALEC chooses to convert the Dark Fiber Transport once converted access circuits, BellSouth will include such Dark Fiber Transport once converted within ALEC's total special access circuits and apply any discounts to which ALEC is entitled. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 10.8.6.1 If ALEC submits the spreadsheet(s) for its Subsequent Embedded Base within two hundred and seventy (270) days from BellSouth's CNL identifying the Subsequent Wire Center List, those identified circuits shall be subject to the Commission-approved switch-as-is conversion nonrecurring charges are applicable
- If ALEC fails to submit the spreadsheet(s) for all of its Subsequent Embedded Base within two hundred and seventy (270) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 10.8.7 For Subsequent Embedded Base circuits converted or transitioned, the applicable recurring tariff charges shall apply on the first day after the end of the Subsequent Transition Period. The transition of the Subsequent Embedded Base circuits should be performed in a manner that avoids, or otherwise, minimizes to the extent possible, disruption or degradation to ALEC's customers' service.
- ALEC may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R §51.309. Performance Measurements associated with this Attachment 2 are contained in Attachment 9. The quality of the Network Elements provided pursuant to §251, as well as the quality of the

Version: 2Q06 Standard ICA

access to said Network Elements that BellSouth provides to ALEC, shall be, to the extent technically feasible, at least equal to that which BellSouth provides to itself, and its affiliates.

The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2. BellSouth shall comply with the requirements set forth in the technical reference TR73400, as well as any performance or other requirements identified in this Agreement, to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards. If one (1) or more of the requirements set forth in this Agreement are in conflict, the technical reference TR73600 requirements shall apply. If the parties cannot reach agreement, the dispute resolution process set forth in the General Terms and Conditions of this Agreement shall apply.

## 13 <u>Commingling of Services</u>

- Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that ALEC has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one (1) or more such wholesale Telecommunications Services or facilities. ALEC must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one(1) or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit A and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in that separate agreement between the Parties.
- When multiplexing equipment is attached to a commingled arrangement, the multiplexing equipment will be billed from the same agreement or the tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

Version: 2Q06 Standard ICA

## 14 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services

- Upon request, BellSouth shall convert a wholesale service, or group of wholesale 14.1 services, to the equivalent Network Element or Combination that is available to ALEC pursuant to Section 251 of the Act and under this Agreement, or convert a Network Element or Combination that is available to ALEC pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from ALEC. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between ALEC and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Section 15.3 below.
- 14.2 Any outstanding conversions shall be effective on or after the effective date of this agreement.
- 14.3 <u>Ordering Guidelines and Processes</u>
- 14.3.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, ALEC should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 14.3.2 Additional information may also be found in the individual CLEC Information Packages located at the "CLEC UNE Products" on BellSouth's Interconnection Web site.
- 14.3.3 The provisioning of Network Elements, Combinations and Other Services to ALEC's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with ALEC's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.

Version: 2Q06 Standard ICA

## 15 Line Splitting

- Line splitting is defined to mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) deliver voice and data service to customers over the same Loop. The voice CLEC and Data LEC may be the same or different carriers.
- Line Splitting UNE-L. If ALEC provides its own switching or obtains switching from a third party, ALEC may engage in line splitting arrangements with another CLEC using a splitter, provided by ALEC, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 15.2.1 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>
- 15.2.1.1 The requesting carrier provides the splitter when providing Line Splitting with UNE-L. When ALEC owns the splitter, Line Splitting requires the following: a loop from NID at the customer's location to the serving wire center and terminating into a distribution frame or its equivalent.
- An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 15.3 <u>CLEC Provided Splitter Line Splitting UNE-L</u>
- 15.3.1 To order High Frequency spectrum on a particular Loop, ALEC must have a DSLAM collocated in the ceneetral office that serves the customer of such Loop.
- ALEC may purchase, install and maintain central office POTS splitters in its collocation arrangements. ALEC may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocating set forth in Attachment 4 Central Office shall apply.
- Any splitters installed by ALEC in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALEC may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 15.4 Maintenance Line Splitting UNE-L
- 15.4.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the Customer's premises and the termination point.

Version: 2Q06 Standard ICA

#### 15.5 Indemnification

ALEC shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

#### 15.6 Network Modifications

15.6.1 BellSouth must make all necessary network modifications, including providing non-discriminatory access to operations support systems necessary for preordering, ordering, provisioning, maintenance and repair, and billing for loops used in line splitting arrangements.

15.6.1

### 16 911 and E911 Databases

- BellSouth shall provide ALEC with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

  ALEC will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 16.3.1 below.

#### 16.3 Technical Requirements

- BellSouth's 911 database vendor shall provide ALEC the capability of providing updates to the ALI/DMS database through a specified electronic interface. ALEC shall contact BellSouth's 911 database vendor directly to request interface. ALEC shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of ALEC and BellSouth shall not be liable for the transactions between ALEC and BellSouth's 911 database vendor.
- It is ALEC's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 16.3.3 ALEC shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth's Interconnection Web site.

Version: 2Q06 Standard ICA

- 16.3.4 Stranded Unlocks are defined as end user records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to ALEC, as a new provider of local service to the end user. Stranded Unlocks are those end user records that have been "unlocked" by the previous local exchange carrier that provided service to the end user and are open for ALEC to assume responsibility for such records.
- 16.3.5 Based upon end user record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to ALEC that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. ALEC shall review the Stranded Unlock report, identify its end user records and request to either delete such records or migrate the records to ALEC within two (2) months following the date of the Stranded Unlock report provided by BellSouth. ALEC shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of ALEC's records.
- Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an customer's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the customer's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective customer's premises. FTTH/FTTC loops do not include local loops to predominately business MDUs.
- In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide such FTTH and FTTC Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominately residential regardless of the ownership of the inside wiring from the MPOE to each Customer in the MDU.
- A hybrid loop is a local loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide ALECwith nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid loop, including DS1 and DS3 capacity under Section 251 where impairment exists, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an customer's premises.
- 18.1 BellSouth shall not engineer the transmission capabilities of its network in a manner, or engage in any policy, practice, or procedure, that disrupts or degrades

Version: 2Q06 Standard ICA

access to a local loop or subloop, including the time division multiplexing-based features, functions, and capabilities of a hybrid loop, for which a requesting telecommunications carrier may obtain or has obtained access pursuant to this Attachment.

#### 19 Routine Network Modifications

- BellSouth will perform Routine Network Modifications (RNM) in accordance 19.1 with FCC 47 CFR 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth normally provides such RNM for its own customers and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth will perform such RNM at no additional charge. A routine network modification is an activity that BellSouth regularly undertakes for its own customers. Routine network modifications include, but are not limited to, rearranging or splicing of cable; adding an equipment case; adding a doubler or repeater; adding a smart jack; installing a repeater shelf; adding a line card; and deploying a new multiplexer or reconfiguring an existing multiplexer. Routine network modifications may entail activities such as accessing manholes, deploying bucket trucks to reach aerial cable, and installing equipment casings. Routine network modifications do not include the construction of a new loop, or the installation of new aerial or buried cable for a CLEC.
- RNM will be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement. If BellSouth does not normally provide such RNM for its own customers, and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from ALEC, BellSouth will perform the RNM.

### 20 Line Conditioning

- Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serve no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification.
- 20.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.

Version: 2Q06 Standard ICA

- Any copper loop being ordered by ALEC which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from ALEC, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to ALEC. Line conditioning orders that require the removal of other bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- ALEC may request removal of any unnecessary and non excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 20.5 Rates for Unbundled Loop Modification (ULM) are as set forth in Exhibit A.
- BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- If ALEC requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. ALEC will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 20.8 ALEC will request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that ALEC desires BellSouth to condition.
- When requesting ULM for a Loop that BellSouth has previously provisioned for ALEC, ALEC will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by ALEC is available at the location for which the ULM was requested, ALEC will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, ALEC will not be charged for ULM but will only be charged the service order charges for submitting an order.
- In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth may make those copper Loops available to ALEC on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. Alternatively, BellSouth will offer a sixty-four (64) Kbps second voice grade channel over its FTTH/FTTC facilities. BellSouth's retirement of copper Loops must comply with applicable law.

Version: 2Q06 Standard ICA

Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by ALEC. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in a FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.

#### 22 EELs Audit Provisions

- BellSouth may, on an annual basis audit ALEC's records in order to verify compliance with the high capacity EEL eligibility criteria. To invoke its limited right to audit, BellSouth will send a Notice of Audit to ALEC. Such Notice of Audit will be delivered to ALEC no less than thirty (30) days prior to the date upon which BellSouth seeks to commence an audit.
- The audit shall be conducted by a third party independent auditor, retained and paid for by BellSouth. The audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue an opinion regarding ALEC's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether ALEC complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.
- To the extent the independent auditor's report concludes that ALEC failed to comply with the service eligibility criteria, ALEC must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis.
- To the extent the independent auditor's report concludes that ALEC failed to comply in all material respects with the service eligibility criteria, ALEC shall reimburse BellSouth for the cost of the independent auditor. To the extent the independent auditor's report concludes that ALEC did comply in all material respects with the service eligibility criteria, BellSouth will reimburse ALEC for its reasonable and demonstrable costs associated with the audit. ALEC will maintain appropriate documentation to support its certifications. The Parties shall provide such reimbursement within thirty (30) days of receipt of a statement of such costs.
- ALEC shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- Facilities that do not terminate at a demarcation point at an customer premises, including, by way of example, but not limited to, facilities that terminate to

Version: 2Q06 Standard ICA

another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops under Section 251, except to the extent that ALEC may require Loops to such locations for the purpose of providing telecommunications services to its personnel at those locations.

## 25 Subloop Elements

- Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 25.2 Unbundled Subloop Distribution (USLD)
- 25.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the customer's premises and may have load coils.
- 25.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the customer's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the customer and the cross-box.
- 25.2.4 If ALEC requests a UCSL and it is not available, ALEC may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 25.2.5 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the customer's premises.
- Upon request for USLD-INC from ALEC, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in

Version: 2Q06 Standard ICA

twenty five (25) pair increments for ALEC's use on this cross-connect panel. ALEC will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 25.2.7 For access to Voice Grade USLD and UCSL, ALEC shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ALEC's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- Through the SI process, BellSouth will determine whether access to USLs at the location requested by ALEC is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ALEC's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site.
- 25.2.9 The site set-up must be completed before ALEC can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ALEC's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- Once the site set-up is complete, ALEC will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when ALEC requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by ALEC for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 25.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 25.3.1 NTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the customer's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the customer's premises, where a third party owns the wiring to the customer's premises.
- 25.3.3 Requirements

Version: 2Q06 Standard ICA

- On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 25.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the customers premises, and ALEC does own or control such wiring, ALEC will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to ALEC.
- 25.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ALEC for each pair activated commensurate to the price specified in ALEC's Agreement.
- Upon receipt of the UNTW SI requesting access to the Provisioning Party's 25.3.3.5 UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the customer has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the customer is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 25.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 25.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

Version: 2006 Standard ICA

- 25.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 25.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that customer if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 25.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 25.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the customer began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

Version: 2Q06 Standard ICA

<u>Issue 1</u> – What is the appropriate language to implement the FCC's transition plan for: (1) switching; (2) high-capacity loops; and (3) dedicated transport as detailed in the FCC's TRRO, issued February 4, 2005?

#### 1. 4-wire Unbundled DS1 Digital Loop

- 1.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location.
- DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- BellSouth shall not provide more than ten (10) unbundled DS1 Loops to ALEC at any single building in which DS1 Loops are available as unbundled loops. ALEC may obtain a maximum of a single Unbundled DS3 loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 1.4 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 1.5 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 8 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 1 except as described below:
- 1.5.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 1.5.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 1.6 A list of wire centers meeting the criteria set forth in Sections 1.5.1 and 1.5.2 above as ordered by the North Carolina Utilities Commission in Docket No. P-55, Sub 1549 (Initial Wire Center List), is attached to

Version: 2006 Standard ICA

BellSouth's Carrier Notification Letter SN91086050, dated March 21, 2006, which is available on BellSouth's Interconnection Services Web site.

- 1.7 Once a wire center exceeds both of the thresholds set forth in Section 1.5 above, no future DS1 Loop unbundling will be required in that wire center.
- Once a wire center exceeds both of the thresholds set forth in Section 1.5 above, no future DS3 Loop unbundling will be required in that wire center.

#### 2 Dedicated Transport and Dark Fiber Transport

- 2.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by ALEC, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to ALEC. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.
- 2.1.1 ALEC may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport but for which impairment exists for DS1 Dedicated Transport.
- 2.1.2 For purposes of this Section .2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 2.1.3 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 2 except as described below:
- 2.1.3.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators.
- 2.1.3.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- A list of wire centers meeting the criteria set forth in Sections 2.1.3.1 or 2.1.3.2 above as ordered by the North Carolina Utilities Commission in Docket No. P-55, Sub 1549 (Initial Wire Center List), is attached to BellSouth's Carrier Notification Letter SN91086050, March 21, 2006, which is available on BellSouth's Interconnection Services Web site.

Version: 2Q06 Standard ICA

- 2.1.5 Once a wire center exceeds either of the thresholds set forth in Section 2.1.3 above, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- Once a wire center exceeds either of the thresholds set forth in Section 2.1.3 above, no future DS3 Dedicated Transport will be required in that wire center.
- 2.2 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.
- 2.2.1 For purposes of this Section 2.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 2.2.2 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 5.1 except as described below:
- 2.2.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- A list of wire centers meeting the criteria set forth in Section 2.2.2.1 above as ordered by the North Carolina Utilities Commission in Docket No. P-55, Sub 1549, ("Initial List") is attached to BellSouth's Carrier Notification Letter SN91086050, March 21, 2006, which is available on BellSouth's Interconnection Services Web site.
- 2.2.4 Once a wire center exceeds the threshold set forth in Section 2.2.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, ALEC shall undertake a reasonably diligent inquiry to determine whether ALEC is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, ALEC self-certifies that to the best of ALEC's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon ALEC's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. If BellSouth prevails in such dispute resolution proceeding, ALEC shall be liable to BellSouth for the difference between the rate for

Version: 2Q06 Standard ICA

the equivalent BellSouth alternative arrangement and the self certified UNE, plus interest, on such rate differential.

<u>Issue 3</u>—What is the appropriate language to implement BellSouth's obligation to provide Section 251 unbundled access to high-capacity loops and dedicated transport and how should the following terms be defined? (i) Business Line; (ii) Fiber-Based Collocator; (iii) Building (iv) Route?

- 4 A Business Line is defined in 47 CFR § 51.5.
- 5 A Fiber-Based Collocator is defined in 47 CFR § 51.5.
- A Building is defined as a permanent physical structure including, but not limited to, a structure in which people reside, or conduct business or work on a daily basis and through which there is one centralized point of entry in the structure through which all telecommunications services must transit. As an example only, a high rise office building with a general telecommunications equipment room through which all telecommunications services to that building's tenants must pass would be a single "building for purposes of this Attachment 2. Two or more physical areas served by a individual points of entry through which telecommunications services must transit will be considered separate buildings. For instance, a strip mall with individual businesses obtaining telecommunications services from different access points on the building(s) will be considered individual buildings, even though they might share common walls.
- A route is defined as a transmission path between one of BellSouth's wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any. For the purposes of determining routes wire centers include non-BellSouth locations where BellSouth has reverse collocated switches with line side functionality that terminate loops.

<u>Issue 6 – What language should be included in agreements to reflect the procedures identified in Matrix Item No. 5(b)?</u>

## 8 <u>Modifications and Updates to the Wire Center List and Subsequent</u> <u>Transition Periods for DS1 and/or DS3 Loops</u>

8.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 1.5 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".

Version: 2006 Standard ICA

- 8.2 Effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s).
- 8.3 For purposes of this Section 8, BellSouth shall make available DS1 and DS3 Loops that were in service for ALEC in a wire center on the Subsequent Wire Center List as of the thirtieth (30<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and fifty (150) days after the thirtieth business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- The rates set forth in Exhibit A plus fifteen percent (15%) shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 8.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- If ALEC fails to submit the spreadsheet(s) specified in Section 8.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable as-is charges as set forth in this Agreement.
- 8.8 For Subsequent Embedded Base circuits converted pursuant to Section 8.6 above or transitioned pursuant to Section 8.7 above, the applicable recurring tariff charges shall apply as of the first day after the end of the Subsequent Transition Period.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

Version: 2Q06 Standard ICA

In the event that (1) BellSouth designates a wire center as non-impaired, (2) ALEC converts existing UNEs to other services or orders new services as services other than UNEs, (3) ALEC otherwise would have been entitled to UNEs in such wire center at the time alternative services provisioned, and (4) BellSouth acknowledges or a state or federal agency regulatory body with authority determines that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of ALEC, BellSouth shall transition to UNEs any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund ALEC the difference between the rate paid by ALEC for such services and the applicable UNE rate, including but not limited to any charges associated with the unnecessary conversion from UNE to other wholesale services.

## 9 <u>Modifications and Updates to the Wire Center List and Subsequent</u> <u>Transition Periods for DS1 and/or DS3 Transport</u>

- 9.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 2.1.3.1 or 2.1.3.2 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.
- 9.2 Effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s).
- 9.3 For purposes of this Section 9, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for ALEC in a wire center on the Subsequent Wire Center List as of the thirtieth (30<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and fifty (150) days after the thirtieth (30<sup>th</sup>) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 9.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 9.5 The rates set forth in Exhibit A plus fifteen percent (15%) shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 9.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

Version: 2Q06 Standard ICA

- 9.7 If ALEC fails to submit the spreadsheet(s) specified in Section 9.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable as-is charges as set forth in this Agreement.
- 9.8 For Subsequent Embedded Base circuits converted pursuant to Section 9.6 above or transitioned pursuant to Section 9.7 above, the applicable recurring tariff charges shall apply as of the first day after the end of the Subsequent Transition Period.
- In the event that (1) BellSouth designates a wire center as non-impaired, (2) ALEC converts existing UNEs to other services or orders new services as services other than UNEs, (3) ALEC otherwise would have been entitled to UNEs in such wire center at the time alternative services provisioned, and (4) BellSouth acknowledges or a state or federal agency regulatory body with authority determines that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of ALEC, BellSouth shall transition to UNEs any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund ALEC the difference between the rate paid by ALEC for such services and the applicable UNE rate, including but not limited to any charges associated with the unnecessary conversion from UNE to other wholesale services.

## 10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods for Dark Fiber Transport

- In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.2.2.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 10.2 Effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 3 above.
- 10.3 For purposes of this Section 10, BellSouth shall make available DS1 and DS3 Loops that were in service for ALEC in a wire center on the Subsequent Wire Center List as of the thirtieth (30<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and fifty (150) days after

Version: 2Q06 Standard ICA

the thirtieth (30<sup>th</sup>) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

- Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- The rates set forth in Exhibit At plus fifteen percent (15%) shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- If ALEC fails to submit the spreadsheet(s) specified in Section 10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is charges as set forth in this Agreement.
- 10.8 For Subsequent Embedded Base circuits converted pursuant to Section 10.6 above or transitioned pursuant to Section 10.7 above, the applicable recurring tariff charges shall apply as of the first day after the end of the Subsequent Transition Period.
- In the event that (1) BellSouth designates a wire center as non-impaired, (2) ALEC converts existing UNEs to other services or orders new services as services other than UNEs, (3) ALEC otherwise would have been entitled to UNEs in such wire center at the time alternative services provisioned, and (4) BellSouth acknowledges or a state or federal agency regulatory body with authority determines that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of ALEC, BellSouth shall transition to UNEs any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund ALEC the difference between the rate paid by ALEC for such services and the applicable UNE rate, including but not limited to any charges associated with the unnecessary conversion from UNE to other wholesale services.

# <u>Issue 7</u> – Are HDSL-capable copper loops the equivalent of DS1 loops for the purpose of evaluating impairment?

2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that

Version: 2Q06 Standard ICA

meets Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to two thousand five hundred (2,500) feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.

4-wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location.

Issue 8 – (a) Does the Commission have the authority to require BellSouth to include in its ICAs entered into pursuant to Section 252, network elements either under state law o pursuant to Section 271 or any other federal law other than Section 251? (b) If the answer to part (a) is affirmative in any respect, does the Commission have the authority to establish rates for such element? (c) If the answer to part (a) or (b) is affirmative in any respect, (i) what language, if any should be included in the ICA with regard to the rates for such elements, and (ii) what language, if any, should be included in the ICA with regard to the terms and conditions of such elements?

This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to ALEC for ALEC's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act.

<u>Issue 9</u> – What conditions, if any, should be imposed on moving, adding, or changing orders to a CLP's respective embedded base of switching, high-capacity loops, and dedicated transport, and what is the appropriate language to implement such conditions, if any?

Issue 10 – What rates terms and conditions should govern the transition of existing network elements that BellSouth is no longer obligated to provide as Section 251 UNEs to non-Section 251 network elements and other services and (a) what is the proper treatment for such network elements at the end of the transition period,; and (b) what is the appropriate transition period, and what are the appropriate rates, terms and conditions during such transition period, for unbundled high-capacity loops, high capacity transport, and dark fiber transport in and between wire that do not meet the FCC's non-impairment standards at this time, but that meet such standards in the future?

Effective March 11, 2006, and except to the extent expressly provided otherwise in this Attachment, ALEC may not maintain unbundled network elements or combinations of unbundled network elements, that are no

Version: 2Q06 Standard ICA

longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that ALEC has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide ALEC with thirty (30) days written notice to disconnect or convert such Arrangements. If ALEC fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 18 shall be subject to applicable switch-as-is charges.

<u>Issue 13 – What is the scope of commingling allowed under the FCC's rules and orders and what language should be included in Interconnection Agreements to implement commingling (including rates)?</u>

## 15 Commingling of Services

- 15.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that ALEC has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities consistent with the NCUC's Order dated March 1, 2006 in Docket No. P-55, Sub 1549. ALEC must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit A and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 15.5 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are

Version: 2Q06 Standard ICA

incorporated herein by this reference. The charges shall be as set forth in Exhibit A.

Issue 14 – Is BellSouth required to provide conversion of special access circuits to UNE pricing, and, if so, at what rates, terms and conditions and during what timeframe should such new requests for such conversions be effectuated?

<u>Issue 15</u> – What are the appropriate rates, terms and conditions and effective dates, if any, for conversion requests that were pending on the effective date of the TRO?

- 16. Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services.
- 16.1 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to ALEC pursuant to this Agreement, or convert a Network Element or Combination that is available to ALEC under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from the CLEC. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between CLEC and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth shall not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Section 20.3 below.
- To the extent, ALEC had a Conversion request pending between October 2, 2003 and the effective date of this Amendment, such Conversion shall be deemed converted as of the date of such request.

### 17 Ordering Guidelines and Processes

17.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, ALEC should refer to the "Guides" section of the BellSouth Interconnection Web site.

Version: 2006 Standard ICA

- 17.2 Additional information may also be found in the individual CLEC Information Packages located at the "CLEC UNE Products" on BellSouth's Interconnection Web site.
- The provisioning of Network Elements, Combinations and Other Services to ALEC's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with ALEC's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.

Issue 18: LINE SPLITTING: What is the appropriate ICA language to implement BellSouth's obligations with regard to line splitting?

### 18 Line Splitting

- Line splitting shall mean that ALEC purchases a whole loop and provides the splitter to provide voice and data services through an arrangement with a third party CLEC, who is either the provider of data services (Data CLEC) or the provider of voice services (Voice CLEC), to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data CLEC are different carriers, with ALEC being either the Voice CLEC or Data CLEC.
- Line Splitting UNE-L. In the event ALEC provides its own switching or obtains switching from a third party, ALEC may engage in line splitting arrangements with another CLEC using a splitter, provided by ALEC, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- Line Splitting Loop and Port. To the extent ALEC is using a commingled arrangement that consists of an Unbundled Loop purchased pursuant to this Agreement and Local Switching provided by BellSouth pursuant to Section 271, BellSouth will permit ALEC to utilize Line Splitting. BellSouth shall charge the rates previously approved by the North Carolina Utilities Commission as set forth in Exhibit A.
- 18.4 ALEC shall provide BellSouth with a signed LOA between it and the third party CLEC (Data CLEC or Voice CLEC) with which it desires to provision Line Splitting services, where ALEC will not provide voice and data services.
- 18.5 Provisioning Line Splitting and Splitter Space Loop and Port
- The Data LEC, Voice CLEC, or a third party may provide the splitter.

  When ALEC or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; and a second

Version: 2Q06 Standard ICA

collocation cross-connection from the collocation space connected to a voice port.

- An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data CLEC is the point of termination on the MDF for the Data CLEC's cable and pairs.
- The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service, including a Line splitting service that includes a commingled arrangement of Loop and unbundled local switching pursuant to Section 271.
- 18.9 Provisioning Line Splitting and Splitter Space UNE-L
- ALEC provides the splitter when providing Line Splitting with UNE-L. When ALEC or its authorized agent owns the splitter, Line Splitting requires the following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 18.10 <u>Maintenance Line Splitting Loop and Port and UNE-L</u>
- 18.10.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 18.10.2 BellSouth must make all necessary network modifications, including providing nondiscriminatory access to operations support systems necessary for pre-ordering, ordering, provisioning, maintenance and repair, and billing for loops used in line splitting arrangements.
- 18.11 <u>Indemnity</u>
- 18.11.1 ALEC shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, damages and costs, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

## <u>Issue 19</u> – What is the appropriate ICA language, if any, to address call related databases?

- 19 Call Related Databases and Signaling
  19.1 Except for 911 and E911 Bell South is not
- 19.1 Except for 911 and E911, BellSouth is not required to provide unbundled access to call related databases pursuant to section 251.
- 19.2 Automatic Location Identification/Data Management System
- 19.2.1 911 and E911 Databases

Version: 2006 Standard ICA

- 19.2.1.1 BellSouth shall provide ALEC with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. ALEC will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 22.3.1 below.
- 19.2.2 <u>Technical Requirements</u>
- 19.2.2.1 BellSouth's 911 database vendor shall provide ALEC the capability of providing updates to the ALI/DMS database through a specified electronic interface. ALEC shall contact BellSouth's 911 database vendor directly to request interface. ALEC shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of ALEC and BellSouth shall not be liable for the transactions between ALEC and BellSouth's 911 database vendor.
- 19.2.2.2 It is ALEC's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 19.2.2.3 ALEC shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth's Interconnection Web site.
- 19.2.3 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to ALEC, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for ALEC to assume responsibility for such records.

Version: 2006 Standard ICA

- 19.2.3.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to ALEC that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. ALEC shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to ALEC within two (2) months following the date of the Stranded Unlock report provided by BellSouth. ALEC shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of ALEC's records.
- 19.2.4 <u>911 PBX Locate Service®</u>. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 19.2.4.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 19.2.4.1.1 The database capability allows ALEC to offer an E911 service to its PBX end users that identifies to the PSAP the physical location of the ALEC PBX 911 end user station telephone number for the 911 call that is placed by the end user.
- 19.2.4.1.2 ALEC may order either the database capability or the transport component as desired or ALEC may order both components of the service.
- 19.2.5 <u>911 PBX Locate Database Capability.</u> ALEC's end user or ALEC's end user's database management agent (DMA) must provide the end user PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 19.2.5.1 Ordering, provisioning, testing and maintenance shall be provided by ALEC pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- 19.2.5.2 ALEC's end user, or ALEC's end user database management agent must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of ALEC to ensure that the end user or DMA maintain the data pertaining to each end user's extension managed by the 911 PBX Locate Service product. ALEC should not submit telephone number updates for specific PBX station telephone numbers that are submitted by ALEC's end user, or ALEC's end user DMA under the terms of 911 PBX Locate product.
- 19.2.5.3 ALEC must provision all PBX station numbers in the same LATA as the E911 tandem.
- 19.2.5.4 ALEC agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any

Version: 2Q06 Standard ICA

liability whatsoever, whether suffered, made, instituted or asserted by ALEC's end user or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by ALEC or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. ALEC is responsible for assuring that its authorized end users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to ALEC's end user or DMA pursuant to these terms. Specifically, ALEC's end user or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.

- 19.2.5.5 ALEC may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for ALEC's end users' telephone numbers for which it has direct management authority.
- 19.2.5.6 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires ALEC to order a CAMA type dedicated trunk from ALEC's end user premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 19.2.5.7 Except as otherwise set forth below, a minimum of two (2) end user specific, dedicated 911 trunks are required between the ALEC's end user premise and the BellSouth 911 tandem as described in BellSouth's Technical Reference (TR) 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. ALEC is responsible for connectivity between the end user's PBX and ALEC's switch or POP location. ALEC will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a ALEC purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). ALEC is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID

Version: 2Q06 Standard ICA

numbers, then the 911call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.

- 19.2.5.8 Ordering and Provisioning. ALEC will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) end user specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 19.2.5.8.1 Testing and maintenance shall be provided by ALEC pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 19.2.5.9 <u>Rates.</u> Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by ALEC pursuant to the terms and conditions set forth in Attachment 3.

Issue 20 - What is the appropriate language to implement BellSouth's obligation, if any, to offer unbundled access to newly deployed or "greenfield" fiber loops, including fiber loops deployed to the minimum point of entry (MPOE) of a multiple dwelling unit that is predominantly residential and what, if any impact does the ownership of the inside wiring from the MPOE to each end user have one this obligation?

- Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises. BellSouth shall offer CLPs unbundled access to FTTH/FTTC loops serving enterprise customers and predominantly business MDUs.
- In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide such FTTH and FTTC Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 20.2 Notwithstanding the above, nothing in this Section shall limit BellSouth's obligation to offer CLECs an unbundled DS1 loop (or loop/transport

Version: 2Q06 Standard ICA

combination) in any wire center where BellSouth is required to provide unbundled access to DS1 loops and loop/transport combinations

# Issue 21: What is the appropriate ICA language to implement BellSouth's obligation to provide unbundled access to hybrid loops?

A hybrid loop is a local loop, composed of both fiber optic cable usually in the feeder plant and copper twisted wire or cable usually in the distribution plant. BellSouth shall provide unbundled access to hybrid loops pursuant to the requirements of 47 C.F.R. 51.319(a)(2).

## Issue 22: What is the appropriate ICA language to implement BellSouth's obligation to provide RNMs?

Issue 23: What is the appropriate process for establishing a rate, if any, to allow for the cost of a routine network modification that is not already recovered in Commission-approved recurring and nonrecurring rates? What is the appropriate language, if any, to incorporate into the ICAs?

### **22** Routine Network Modifications

- 22.1 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 CFR 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth performs such RNM during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth will perform such RNM at no additional charge.
- RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9. If BellSouth has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from ALEC, BellSouth will perform the RNM.

## Issue 24: What is the appropriate language, if any, to address access to overbuild deployments of fiber to the home and fiber to the curb facilities?

In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth may make those copper Loops available to ALEC on an unbundled basis, pursuant to the requirements of 47 C.F.R. § 51.319(a)(3)(iii), BellSouth's retirements of copper loops or copper subloops must comply with the requirements of 47 C.F.R. § 51.319(a)(3)(iv).

<u>Issue 25:</u> What is the appropriate ICA language to implement BellSouth's EEL audit rights, if any, under the TRO?

Version: 2Q06 Standard ICA

#### **EELs Audit Provisions**

- BellSouth may, on an annual basis audit ALEC's records in order to verify compliance with the high capacity EEL eligibility criteria. To invoke its limited right to audit, BellSouth will send a Notice of Audit to ALEC stating its concern that ALEC is not complying with the service eligibility requirements as set forth above and a concise statement of the reasons therefore. Such Notice of Audit will be delivered to ALEC no less than thirty (30) calendar days prior to the date upon which BellSouth seeks to commence an audit. BellSouth is not required to provide documentation, as distinct from a statement of concern, to support its basis for an audit, or seek the concurrence of the requesting carrier before selecting the location of the audit.
- 24.2 The audit shall be conducted by a third party independent auditor, retained and paid for by BellSouth. BellSouth may select the independent auditor without the prior approval of ALEC or the Commission. Challenges to the independence of the auditor may be filed with the Commission only after the audit has been concluded. The audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue an opinion regarding ALEC's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether ALEC complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.
- To the extent the independent auditor's report concludes that ALEC failed to comply with the service eligibility criteria, ALEC must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis.
- To the extent the independent auditor's report concludes that ALEC failed to comply in all material respects with the service eligibility criteria, ALEC shall reimburse BellSouth for the cost of the independent auditor. To the extent the independent auditor's report concludes that ALEC did comply in all material respects with the service eligibility criteria, BellSouth will reimburse ALEC for its reasonable and demonstrable costs associated with the audit. ALEC will maintain appropriate documentation to support its certifications. The Parties shall provide such reimbursement within thirty (30) calendar days of receipt of a statement of such costs.
- 24 ALEC shall not obtain a Network Element for the exclusive provision of

Version: 2Q06 Standard ICA

mobile wireless services or interexchange services.

Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops under Section 251, except to the extent that ALEC may require Loops to such locations for the purpose of providing telecommunications services to its personnel at those locations.

## **Subloop Elements**

- Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 26.2 Unbundled Subloop Distribution (USLD)
- The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG) Unbundled Copper Subloop (UCSL) USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 26.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 26.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 26.2.4 If ALEC requests a UCSL and it is not available, ALEC may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 26.2.5 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not

Version: 2Q06 Standard ICA

separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

- Upon request for USLD-INC from ALEC, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for ALEC's use on this cross-connect panel. ALEC will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 26.2.7 For access to Voice Grade USLD and UCSL, ALEC shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ALEC's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 26.2.8 Through the SI process, BellSouth will determine whether access to USLs at the location requested by ALEC is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ALEC's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site.
- The site set-up must be completed before ALEC can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ALEC's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- Once the site set-up is complete, ALEC will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when ALEC requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by ALEC for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 26.2.11 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 26.3 Unbundled Network Terminating Wire (UNTW)

Version: 2Q06 Standard ICA

- 26.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

## 26.3.3 <u>Requirements</u>

- On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and ALEC does own or control such wiring, ALEC will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to ALEC.
- In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ALEC for each pair activated commensurate to the price specified in ALEC's Agreement.
- 26.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is

Version: 2Q06 Standard ICA

responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 26.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 26.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 26.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon

Version: 2Q06 Standard ICA

request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

Version: 2Q06 Standard ICA

# Attachment 2

**Network Elements and Other Services** 

Version: 2Q06 Standard ICA

# TABLE OF CONTENTS

1	Introduction	3
2	Loops	6
3	Line Splitting	21
4	EEL Audits	22
5	Dedicated Transport and Dark Fiber Transport	23
6	Automatic Location Identification/Data Management System	32

Version: 2Q06 Standard ICA

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to ALEC for ALEC's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to ALEC (Other Services). Additionally, the provision of a particular Network Element or Other Service may require ALEC to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 ALEC shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.3 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to ALEC pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to ALEC pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit B. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from ALEC. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between ALEC and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.8.1 and 1.8.2 below.

Version: 2Q06 Standard ICA

- 1.4 Except to the extent expressly provided otherwise in this Attachment, ALEC may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that ALEC has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide ALEC with thirty (30) days written notice to disconnect or convert such Arrangements. If ALEC fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1.4 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.5 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, ALEC shall undertake a reasonably diligent inquiry to determine whether ALEC is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, ALEC self-certifies that to the best of ALEC's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon ALEC's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill ALEC the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, ALEC shall submit a spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.
- 1.5.1 In the event that (1) BellSouth designates a wire center as non-impaired, (2) CLEC converts existing UNEs to other services or orders new services as services other than UNEs, (3) CLEC otherwise would have been entitled to UNEs in such wire center at the time alternative services were provisioned, and (4) BellSouth acknowledges or a state or federal regulatory body with authority determines that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of CLEC, BellSouth shall transition to UNEs any alternative services in such wire center that were established after such wire center was

Version: 2006 Standard ICA

designated as non-impaired. In such instances, BellSouth shall refund CLEC the difference between the rate paid by CLEC for such services and the applicable UNE rate, including but not limited to any charges associated with the unnecessary conversion from UNE to other wholesale services.

BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from ALEC, BellSouth shall perform the RNM.

## 1.7 <u>Commingling of Services</u>

- 1.7.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that ALEC has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. ALEC must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.7.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.7.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit B and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.7.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth

Version: 2Q06 Standard ICA

circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.

- 1.7.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.7.6 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6. The charges shall be as set forth in Exhibit A.
- 1.8 Ordering Guidelines and Processes
- 1.8.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, ALEC should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.8.2 Additional information may also be found in the individual CLEC Information Packages located at the "CLEC UNE Products" on BellSouth's Interconnection Web site.

#### 2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops under Section 251, except to the extent that CLEC may require Loops to such locations for the purpose of providing telecommunications services to its personnel at those locations. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. ALEC shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.

Version: 2Q06 Standard ICA

- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU. Notwithstanding the foregoing, in such Greenfield areas that are served from an impaired wire center, BellSouth shall make available UNE DS1 Loops as described in this Attachment.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to ALEC on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per *second (kbps) voice* grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by ALEC. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide ALEC with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises. Notwithstanding the foregoing, in an

Version: 2006 Standard ICA

impaired wire center, BellSouth shall make available hybrid Loops as described in this Attachment.

- 2.1.4 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5
- 2.1.5 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.9 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2except as described below:
- 2.1.5.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.5.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.6 A list of wire centers meeting the criteria set forth in Sections 2.1.5.1 and 2.1.5.2 above as of March 10, 2005 (Initial Wire Center List) as ordered by the Public Service Commission of South Carolina in Docket No. 2004-316-C (Initial Wire Center List), is attached to BellSouth's Carrier Notification Letter SN91086058, dated March 20, 2006, which is available on BellSouth's Interconnection Services Web site.
- 2.1.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.5.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.5.2 above, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.9 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 2.1.9.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.5 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 2.1.9.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.5 of this Attachment.
- 2.1.9.3 For purposes of Section 2.1.9 above, BellSouth shall make available DS1 and DS3 Loops that were in service for ALEC in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL

Version: 2Q06 Standard ICA

identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

- 2.1.9.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 2.1.9.5 The rates set forth in Exhibit A plus fifteen percent (15%) shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.9.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 2.1.9.7 If ALEC fails to submit the spreadsheet(s) specified in Section 2.1.9.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.9.8 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.9.6 above or transitioned pursuant to Section 2.1.9.7 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.2 Unbundled Digital Loops
- 2.2.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.2.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.2.2.1 2-wire Unbundled ISDN Digital Loop;
- 2.2.2.2 2-wire Unbundled ADSL Compatible Loop;

Version: 2006 Standard ICA

- 2.2.2.3 2-wire Unbundled HDSL Compatible Loop;
- 2.2.2.4 4-wire Unbundled HDSL Compatible Loop;
- 2.2.2.5 4-wire Unbundled DS1 Digital Loop;
- 2.2.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below;
- 2.2.2.7 DS3 Loop; or
- 2.2.2.8 STS-1 Loop.
- 2.2.3 <u>2-wire Unbundled ISDN Digital Loops.</u> These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. ALEC will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.2.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.2.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets
  Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may
  have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire
  or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.2.6 <u>4-wire Unbundled DS1 Digital Loop.</u>
- This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.2.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to ALEC at any single building in which DS1 Loops are available as unbundled Loops.

Version: 2Q06 Standard ICA

- 2.2.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.2.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.2.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.2.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR73501

  LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.2.12 ALEC may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.2.13 Fiber based Collocator
- 2.2.13.1 For purposes of this Amendment a "Fiber-Based Collocator" is, as defined in 47 C.F.R. § 51.5, any carrier, unaffiliated with BellSouth, that maintains a collocation arrangement in a BellSouth wire center, with active electrical power supply, and operates a fiber-optic cable or comparable transmission facility that (1) terminates at a collocation arrangement within the wire center; (2) leaves the BellSouth wire

Version: 2006 Standard ICA

center premises; and (3) is owned by a party other than BellSouth or any affiliate of BellSouth.

- 2.2.13.2 For purposes of this definition: (i) carriers that have entered into merger and/or other consolidation agreements, or otherwise announced their intention to enter into the same, will be treated as affiliates and therefore as one collocator; provided however, in the case one of the parties to such merger or consolidation arrangement is BellSouth, then the other party's collocation arrangement shall not be counted as a Fiber-Based Collocator, (ii) a Comparable transmission Facility means, at a minimum, the provision of transmission capacity equivalent to fiberoptic cable with a minimum point-to-point symmetrical data capacity exceeding 12 DS3s; (iii) the network of a Fiber-Based Collocator may only be counted once in making a determination of the number of Fiber-Based Collocators, notwithstanding that such single Fiber-Based Collocator leases its facilities to other collocators in a single wire center; provided, however, that a collocating carrier's dark fiber leased from an unaffiliated carrier may only be counted as a separate fiber-optic cable from the unaffiliated carrier's fiber if the collocating carrier obtains this dark fiber on an IRU basis.
- 2.3 <u>Unbundled Loop Modifications (Line Conditioning)</u>
- 2.3.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.3.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.
- 2.3.3 For any copper loop being ordered by ALEC which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from ALEC, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to ALEC. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.

Version: 2006 Standard ICA

- 2.3.4 ALEC may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.3.5 Rates for ULM are as set forth in Exhibit Exhibit A.
- 2.3.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.3.7 If ALEC requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. ALEC will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.3.8 ALEC shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that ALEC desires BellSouth to condition.
- 2.3.9 When requesting ULM for a Loop that BellSouth has previously provisioned for ALEC, ALEC will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by ALEC is available at the location for which the ULM was requested, ALEC will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, ALEC will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.4 Subloop Elements.
- 2.4.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.4.2 <u>Unbundled Subloop Distribution (USLD)</u>
- 2.4.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire

Version: 2006 Standard ICA

facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.4.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.4.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.4.2.3.1 If ALEC requests a UCSL and it is not available, ALEC may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.4.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.4.2.4.1 Upon request for USLD-INC from ALEC, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for ALEC's use on this cross-connect panel. ALEC will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.4.2.5 For access to Voice Grade USLD and UCSL, ALEC shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ALEC's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

Version: 2Q06 Standard ICA

- 2.4.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by ALEC is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ALEC's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site.
- 2.4.2.7 The site set-up must be completed before ALEC can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ALEC's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.4.2.8 Once the site set-up is complete, ALEC will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when ALEC requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by ALEC for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.4.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.4.3 Unbundled Network Terminating Wire (UNTW)
- 2.4.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.4.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.4.3.3 Requirements
- 2.4.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

Version: 2006 Standard ICA

- 2.4.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.4.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and ALEC does own or control such wiring, ALEC will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to ALEC.
- 2.4.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ALEC for each pair activated commensurate to the price specified in ALEC's Agreement.
- Upon receipt of the UNTW SI requesting access to the Provisioning Party's 2.4.3.3.5 UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.4.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.4.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.4.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure

Version: 2Q06 Standard ICA

to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.4.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.4.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

#### 3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event ALEC provides its own switching or obtains switching from a third party, ALEC may engage in line splitting arrangements with another CLEC using a splitter, provided by ALEC, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>

Version: 2Q06 Standard ICA

- 3.3.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When ALEC owns the splitter, Line Splitting requires the following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 3.4 <u>CLEC Provided Splitter Line Splitting –UNE-L</u>
- 3.4.1 To order High Frequency Spectrum on a particular Loop, ALEC must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.4.2 ALEC may purchase, install and maintain central office POTS splitters in its collocation arrangements. ALEC may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.3 Any splitters installed by ALEC in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALEC may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 Maintenance Line Splitting UNE-L
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.5.2 ALEC shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

#### 4 EEL Audits

4.1 BellSouth may, on an annual basis, audit ALEC's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that ALEC failed to comply with the service eligibility criteria, ALEC must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In

Version: 2Q06 Standard ICA

the event the auditor's report concludes that ALEC did not comply in any material respect with the service eligibility criteria, ALEC shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that ALEC did comply in all material respects with the service eligibility criteria, BellSouth will reimburse ALEC for its reasonable and demonstrable costs associated with the audit. ALEC will maintain appropriate documentation to support its certifications.

4.2 In the event ALEC converts special access services to UNEs, ALEC shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

## 5 Dedicated Transport and Dark Fiber Transport

- 5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by ALEC, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to ALEC. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.
- 5.2 For purposes of this Section 5, a Business Line is as defined in 47 C.F.R. § 51.5.
- Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 5 except as described below:
- 5.3.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators.
- 5.3.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.4 Once a wire center exceeds either of the thresholds set forth in Section 5.3.1 above, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- Once a wire center exceeds either of the thresholds set forth in Section 5.3.2 above, no future DS3 Dedicated Transport will be required in that wire center.
- 5.6 <u>Modifications and Updates to the Wire Center List and Subsequent Transition</u>
  Periods

Version: 2Q06 Standard ICA

- 5.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 5.3.1 or 5.3.2 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.
- 5.6.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.5 above.
- 5.6.3 For purposes of Section 5.4.1 above, BellSouth shall make available DS1 and DS3 Dedicated Transport that were in service for ALEC in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.6.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 5.6.5 The rates set forth in Exhibit A plus fifteen percent (15%) shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 5.6.7 If ALEC fails to submit the spreadsheet(s) specified in Section 5.6.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 5.6.8 For Subsequent Embedded Base circuits converted pursuant to Section 5.6.6 above or transitioned pursuant to Section 5.6.7 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or

Version: 2006 Standard ICA

transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

- 5.7 BellSouth shall:
- 5.7.1 Provide ALEC exclusive use of Dedicated Transport to a particular customer or carrier:
- 5.7.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.7.3 Permit, to the extent technically feasible, ALEC to connect Dedicated Transport to equipment designated by ALEC, including but not limited to, ALEC's collocated facilities; and
- 5.7.4 Permit, to the extent technically feasible, ALEC to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.8 BellSouth shall offer Dedicated Transport:
- 5.8.1 As capacity on a shared facility; and
- 5.8.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to ALEC.
- 5.9 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- ALEC may obtain a maximum of twelve (12) unbundled DS3 Dedicated

  Transport circuits on each route where DS3 Dedicated Transport is available as

  a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated

  Transport circuits on each Route where there is no 251(c)(3) unbundling

  obligation for DS3 Dedicated Transport but for which impairment exists for

  DS1 Dedicated Transport. A route is defined as a transmission path between one
  of BellSouth's wire centers or switches and another of BellSouth's wire centers or
  switches. A route between two (2) points may pass through one or more
  intermediate wire centers or switches. Transmission paths between identical end
  points are the same "route", irrespective of whether they pass through the same
  intermediate wire centers or switches, if any.
- 5.11 Technical Requirements
- 5.11.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements

Version: 2006 Standard ICA

specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

5.11.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 5.11.2.1 DS0 Equivalent: 5.11.2.2 DS1; 5.11.2.3 DS3; 5.11.2.4 STS-1: and SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance 5.11.2.5 with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 5.11.3 BellSouth shall design Dedicated Transport according to its network infrastructure. ALEC shall specify the termination points for Dedicated Transport. 5.11.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References; 5.11.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986. 5.11.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995. 5.11.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996. 5.12 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. 5.12.1 For purposes of this Section 5.12, a Business Line is as defined in 47 C.F.R. § 51.5.

Version: 2Q06 Standard ICA

06/13/06

5.12.2

available Dark Fiber Transport except as described below:

Notwithstanding anything to the contrary in this Agreement, BellSouth shall make

- Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- A list of wire centers meeting the criteria set forth in Section 5.12.2.1 above as of March 10, 2005, (Initial List) as ordered by the Public Service Commission of South Carolina in Docket No. 2004-316-C (Initial Wire Center List), is attached to BellSouth's Carrier Notification Letter SN91086058, dated March 20, 2006, which is available on BellSouth's Interconnection Services Web site.
- Once a wire center exceeds the threshold set forth in Section 5.12.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.12.5 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 5.12.5.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 5.12.2.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 5.12.5.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.5 above.
- 5.12.5.3 For purposes of Section 5.12.5, BellSouth shall make available Dark Fiber Transport that were in service for ALEC in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.12.5.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 5.12.5.5 The rates set forth in Exhibit A plus fifteen percent (15%) shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.12.5.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth

Version: 2Q06 Standard ICA

services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

- 5.12.5.6.1 If ALEC fails to submit the spreadsheet(s) specified in Section 5.12.5.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 5.12.5.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 5.12.5.6.1 above or transitioned pursuant to Section 5.12.5.6.1.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

### 6 Automatic Location Identification/Data Management System

- 6.1 911 and E911 Databases
- 6.1.1 BellSouth shall provide ALEC with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

  ALEC will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below.
- 6.2 <u>Technical Requirements</u>
- 6.2.1 BellSouth's 911 database vendor shall provide ALEC the capability of providing updates to the ALI/DMS database through a specified electronic interface. ALEC shall contact BellSouth's 911 database vendor directly to request interface. ALEC shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of ALEC and BellSouth shall not be liable for the transactions between ALEC and BellSouth's 911 database vendor.
- 6.2.2 It is ALEC's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors

Version: 2Q06 Standard ICA

will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.

- 6.2.3 ALEC shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth's Interconnection Web site.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to ALEC, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for ALEC to assume responsibility for such records.
- 6.2.5 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to ALEC that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. ALEC shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to ALEC within two (2) months following the date of the Stranded Unlock report provided by BellSouth. ALEC shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of ALEC's records.

Version: 2Q06 Standard ICA

#### 1. Loops

# 1.1 4-wire Unbundled DS1 Digital Loop

This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.

### 1.2 <u>2-wire or 4-wire HDSL-Compatible Loop</u>

This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.

## 1.3 <u>DS3 Loop.</u>

DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

#### 1.4 Requirements for DS1 and DS3 Loops

- 1.4.1 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to ALEC at any single building in which DS1 Loops are available as unbundled loops. ALEC may obtain a maximum of a single Unbundled DS3 loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 1.4.2 For purposes of this Section 1, a Business Line is defined in 47 C.F.R. § 51.5.
- 1.4.3 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 9 below, BellSouth shall make available DS1 and DS3 Loops except as described below:

Version: 3Q06 Standard ICA

- 1.4.3.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 1.4.3.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 1.4.4 A list of wire centers meeting the criteria set forth in Sections 1.4.3.1 and 1.4.3.2 above as ordered by the Georgia Public Service Commission in Docket No. 19341-U (Initial Wire Center List) is attached to BellSouth's Carrier Notification Letter SN91086068, dated March 30, 2006, which is available on BellSouth's Interconnection Services Web site.
- 1.4.5 Once a wire center meets or exceeds both of the thresholds set forth in Section 1.4.3.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 1.4.6 Once a wire center meets or exceeds both of the thresholds set forth in Section 1.4.3.2 above, no future DS3 Loop unbundling will be required in that wire center.
- 2. Dedicated Transport and Dark Fiber Transport
- 2.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by ALEC, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to ALEC. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.

### 2.2 Requirements for DS1 and DS3 Dedicated Transport

2.2.1 ALEC may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport but for which impairment exists for DS1 Dedicated Transport.

Version: 3006 Standard ICA

- 2.2.2 For purposes of this Section 2.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 2.2.3 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 2.2 except as described below:
- 2.2.3.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators.
- 2.2.3.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 2.2.3.3 A list of wire centers meeting the criteria set forth in Sections 2.2.3.1 or 2.2.3.2 above as ordered by the Georgia Public Service Commission in Docket No. 19341-U (Initial Wire Center List), is attached to BellSouth's Carrier Notification Letter SN91086068, dated March 30, 2006, which is available on BellSouth's Interconnection Services Web site.
- 2.2.4 Once a wire center meets or exceeds either of the thresholds set forth in this Section 2.2.3.1 above, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 2.2.5 Once a wire center meets or exceeds either of the thresholds set forth in Section 2.2.3.2 above, no future DS3 Dedicated Transport will be required in that wire center.
- 3. **Dark Fiber Transport.** Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.

#### 3.1 Requirements for Dark Fiber Transport

- 3.1.1 For purposes of this Section 3.1, a Business Line is as defined in 47 C.F.R. § 51.5.
- 3.1.2 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 3.1 except as described below:
- 3.1.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.

Version: 3Q06 Standard ICA

- 3.1.3 A list of wire centers meeting the criteria set forth in Section 3.1.2.1 above as ordered by the Georgia Public Service Commission in Docket No. 19341-U, ("Initial List") is attached to BellSouth's Carrier Notification Letter SN91086068, dated March 30, 2006, which is available on BellSouth's Interconnection Services Web site.
- Once a wire center exceeds either of the thresholds set forth in Section 3.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.

Version: 3Q06 Standard ICA

- 4. Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, ALEC shall undertake a reasonably diligent inquiry to determine whether ALEC is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, ALEC selfcertifies that to the best of ALEC's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Attachment. Upon receiving such order, BellSouth shall process the request in reliance upon ALEC's selfcertification. To the extent BellSouth believes that such request does not comply with the terms of this Attachment, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. If BellSouth prevails in such dispute resolution proceeding. ALEC shall be liable to BellSouth for the difference between the rate for the equivalent BellSouth alternative arrangement and the self certified UNE, plus interest, on such rate differential.
- In the event that (1) BellSouth designates a wire center as non-impaired, (2) ALEC converts existing UNEs to other services or orders new services as services other than UNEs, (3) ALEC otherwise would have been entitled to UNEs in such wire center at the time alternative services provisioned, and (4) BellSouth acknowledges or a state or federal agency regulatory body with authority determines that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of ALEC, BellSouth shall transition to UNEs any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund ALEC the difference between the rate paid by ALEC for such services and the applicable UNE rate, including but not limited to any charges associated with the unnecessary conversion from UNE to other wholesale services.
- 5. A Business Line is defined in 47 CFR § 51.5.
- 6. A Fiber-Based Collocator is defined in 47 CFR § 51.5.
- A Building is defined as a permanent physical structure including, but not limited to, a structure in which people reside, or conduct business or work on a daily basis and through which there is one centralized point of entry in the structure through which all telecommunications services must transit. As an example only, a high rise office building with a general telecommunications equipment room through which all telecommunications services to that building's tenants must pass would be a single "building" for purposes of this Attachment 2. Two or more physical areas served by individual points of entry through which telecommunications services must transit will be considered separate

Version: 3Q06 Standard ICA

buildings. For instance, a strip mall with individual businesses obtaining telecommunications services from different access points on the building(s) will be considered individual buildings, even though they might share common walls.

8. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

# 9. <u>Modifications and Updates to the Wire Center List and Subsequent</u> <u>Transition Periods for DS1 and/or DS3 Loops</u>

- 9.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 1.4.3 above, but that were not included in the Initial Wire Center List, BellSouth shall provide notice of such additional wire centers in a Carrier Notification Letter (CNL) sent to the point of contact in this Agreement, or in the absence of such point of contact, BellSouth shall post the CNL on BellSouth's Web site. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List."
- 9.2 Effective ten (10) business days after the date of BellSouth's notice providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 4 above.
- 9.3 For purposes of this Section 9, BellSouth shall make available DS1 and DS3 Loops that were in service for ALEC in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and ten (110) days after the tenth (10<sup>th</sup>) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 9.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 9.5 The applicable rate for the Subsequent Embedded Base during the Subsequent Transition Period shall be 115% of the rate for such Loops set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.

Version: 3Q06 Standard ICA

- 9.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 9.7 If ALEC fails to submit the spreadsheet(s) specified in Section 9.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to BellSouth's 271 equivalent service set forth in Section 25 below. Those circuits identified and transitioned by BellSouth pursuant to this Section 9.7 shall be subject to 115% of the switch-as-is rate set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.
- 9.8 The applicable recurring 271 rate set forth in Exhibit B shall apply to the Subsequent Embedded Base as of the 110<sup>th</sup> day after the tenth business day from the date of BellSouth's CNL identifying the Subsequent Embedded Base.
- 10. <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods for DS1 and/or DS3 Transport</u>
- In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 2.2.4 or 2.2.5 above, but that were not included in the Initial Wire Center List, BellSouth shall provide notice of such additional wire centers in a Carrier Notification Letter (CNL) sent to the point of contact in this Agreement, or in the absence of such point of contact, BellSouth shall post the CNL on BellSouth's Web site. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List."
- Effective ten (10) business days after the date of BellSouth's notice providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 4 above.
- 10.3 For purposes of this Section 10, BellSouth shall make available DS1 and DS3 Dedicated Transport that were in service for ALEC in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and ten (110) days after the tenth (10<sup>th</sup>) business day from the date of BellSouth's CNL

Version: 3Q06 Standard ICA

identifying the Subsequent Wire Center List (Subsequent Transition Period).

- Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- The applicable rate for the Subsequent Embedded Base during the Subsequent Transition Period shall be 115% of the rate for such DS1 and DS3 Dedicated Transport set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.
- No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 10.7 If ALEC fails to submit the spreadsheet(s) specified in Section 10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to BellSouth's 271 equivalent service as set forth in Section 25 below. Those circuits identified and transitioned by BellSouth pursuant to this Section 10.7 shall be subject to 115% of the switch-as-is rate set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.
- The applicable 271 rate set forth in the tariff shall apply to the Subsequent Embedded Base as of the 110<sup>th</sup> day after the 10<sup>th</sup> business day from the date of BellSouth's CNL identifying the Subsequent Embedded Base.

# 11. <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods for Dark Fiber Transport</u>

- In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 3 above, but that were not included in the Initial Wire Center List, BellSouth shall provide notice of such additional wire centers in a Carrier Notification Letter (CNL) sent to the point of contact in this Agreement, or in the absence of such point of contact, BellSouth shall post the CNL on BellSouth's Web site. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List."
- 11.2 Effective ten (10) business days after the date of BellSouth's notice providing a Subsequent Wire Center List, BellSouth shall not be required

Version: 3Q06 Standard ICA

to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 4 above.

- For purposes of this Section 11, BellSouth shall make available Dark Fiber Transport that was in service for ALEC in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and ten (110) days after the tenth (10<sup>th</sup>) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- The applicable rate for the Subsequent Embedded Base during the Subsequent Transition Period shall be 115% of the rate for such Dark Fiber Transport set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.
- 11.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- If ALEC fails to submit the spreadsheet(s) specified in Section 11.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to BellSouth's equivalent tariffed service set forth in Section 25 below. Those circuits identified and transitioned by BellSouth pursuant to this Section 11.7 shall be subject to 115% of the switch-as-is rate set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.
- 11.8 The applicable tariff rate shall apply to the Subsequent Embedded Base as of the 110<sup>th</sup> day after the 10<sup>th</sup> business day from the date of BellSouth's CNL identifying the Subsequent Embedded Base.
- 12. Except to the extent expressly provided otherwise in this Attachment, ALEC may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to Section 251of the Act (collectively "Arrangements"). In the event ALEC has in place any such Arrangements after the Effective Date of this Agreement, this amendment shall serve as BellSouth's written notice to

Version: 3006 Standard ICA

ALEC that ALEC has thirty (30) days to transition all DS1 Local Switching and UNE-P arrangements and sixty (60) days to transition all other Arrangements. If ALEC fails to submit orders to disconnect or convert such Arrangements within the aforementioned timeframes, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). To the extent no tariff equivalent service exists, BellSouth shall disconnect such facility or arrangement. Those circuits identified and transitioned by BellSouth pursuant to this Section 12 shall be subject to 115% of the applicable switch-as-is charges set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.

The applicable recurring resale or tariffed charge shall apply to each circuit as of the Effective Date of this Agreement.

#### 13. Commingling of Services

- 13.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that ALEC has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities, consistent with the Georgia Public Service Commission's Order dated March 2, 2006 in Docket No. 19341-U. To the extent a Section 271 facility or service is obtained at wholesale, BellSouth will commingle such facility or service with Section 251 Network Elements or Combinations. ALEC must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U, and the remainder of the circuit or service will be billed in accordance with either BellSouth's tariffed rates or the 271 rates set forth in Exhibit B of this Agreement, as applicable.
- When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI)

Version: 3Q06 Standard ICA

will be billed from the same agreement or tariff as the lower bandwidth circuit.

# 14. <u>Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services.</u>

- 14.1 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to ALEC pursuant to this Agreement, or convert a Network Element or Combination that is available to ALEC under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge 115% of the switch-as-is rate set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U for Conversions to specific Network Elements or Combinations. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from the CLEC. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between CLEC and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth shall not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Section 14.3 below.
- To the extent, ALEC had a Conversion request pending between October 2, 2003 and the effective date of this Amendment, such Conversion shall be deemed converted as of the date of such request.

Version: 3Q06 Standard ICA

# 14.3 Ordering Guidelines and Processes

- 14.3.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, ALEC should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 14.3.2 Additional information may also be found in the individual CLEC Information Packages located at the "CLEC UNE Products" on BellSouth's Interconnection Web site.
- 14.3.3 The provisioning of Network Elements, Combinations and Other Services to ALEC's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with ALEC's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.

# 15. <u>Line Splitting</u>

- Line splitting shall mean that ALEC purchases a whole loop and provides the splitter to provide voice and data services through an arrangement with a third party CLEC, who is either the provider of data services (Data CLEC) or the provider of voice services (Voice CLEC), to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data CLEC are different carriers, with ALEC being either the Voice CLEC or Data CLEC.
- Line Splitting UNE-L. In the event ALEC provides its own switching or obtains switching from a third party, ALEC may engage in line splitting arrangements with another CLEC using a splitter, provided by ALEC, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.

### 15.3 Line Splitting – Loop and Port

To the extent ALEC is using a commingled arrangement that consists of an Unbundled Loop purchased pursuant to this Agreement and Local Switching provided by BellSouth pursuant to Section 271, BellSouth will permit ALEC to utilize Line Splitting. BellSouth shall charge the applicable rates ordered by the Georgia Public Service Commission in its March 2, 2006 Letter Order in docket 14361-U.

Version: 3Q06 Standard ICA

- ALEC shall provide BellSouth with a signed LOA between it and the third party CLEC (Data CLEC or Voice CLEC) with which it desires to provision Line Splitting services, where ALEC will not provide voice and data services.
- 15.5 <u>Provisioning Line Splitting and Splitter Space Loop and Port</u>
- The Data LEC, Voice CLEC, or a third party may provide the splitter. When ALEC or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; and a second collocation cross-connection from the collocation space connected to a voice port.
- An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data CLEC is the point of termination on the MDF for the Data CLEC's cable and pairs.
- 15.5.3 The foregoing procedures are applicable to migration from a loop and port arrangement to Line Splitting Service, including a Line splitting service that includes a commingled arrangement of Loop and unbundled local switching pursuant to Section 271.
- 15.6 <u>CLEC Provided Splitter Line Splitting Loop and Port and UNE-L</u>
- 15.6.1 ALEC or its authorized agent may purchase, install and maintain central office POTS splitters in its collocation arrangements. ALEC or its authorized agent may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- Any splitters installed by ALEC or its authorized agent in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALEC or its authorized agent may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

Version: 3Q06 Standard ICA

- 15.7 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>
- ALEC provides the splitter when providing Line Splitting with UNE-L. When ALEC or its authorized agent owns the splitter, Line Splitting requires the following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 15.8 <u>Maintenance Line Splitting Loop and Port and UNE-L</u>
- BellSouth will be responsible for repairing troubles with the physical loop between the NID at the End User's premises and the termination point.
- 15.8.2 BellSouth must make all necessary network modifications, including providing nondiscriminatory access to operations support systems necessary for pre-ordering, ordering, provisioning, maintenance and repair, and billing for loops used in line splitting arrangements.
- 15.9 <u>Indemnity</u>
- 15.9.1 ALEC shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, damages and costs incurred by BellSouth, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

Version: 3Q06 Standard ICA

# 16. Automatic Location Identification/Data Management System

- 16.1 911 and E911 Databases
- BellSouth shall provide ALEC with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. ALEC will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 16.3.1 below.
- 16.2 Technical Requirements
- 16.2.1 BellSouth's 911 database vendor shall provide ALEC the capability of providing updates to the ALI/DMS database through a specified electronic interface. ALEC shall contact BellSouth's 911 database vendor directly to request interface. ALEC shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of ALEC and BellSouth shall not be liable for the transactions between ALEC and BellSouth's 911 database vendor.
- It is ALEC's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 16.2.3 ALEC shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth's Interconnection Web site.
- 16.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to ALEC, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for ALEC to assume responsibility for such records.
- Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to ALEC that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. ALEC shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to ALEC within two (2) months following the date of the Stranded Unlock report provided by BellSouth.

Version: 3Q06 Standard ICA

ALEC shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of ALEC's records.

- 16.3 <u>911 PBX Locate Service®</u>, 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 16.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 16.3.1.1 The database capability allows ALEC to offer an E911 service to its PBX End Users that identifies to the PSAP the physical location of the ALEC PBX 911 End User station telephone number for the 911 call that is placed by the End User.
- 16.3.2 ALEC may order either the database capability or the transport component as desired or ALEC may order both components of the service.
- 16.3.3 <u>911 PBX Locate Database Capability.</u> ALEC's End User or ALEC's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- Ordering, provisioning, testing and maintenance shall be provided by ALEC pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- ALEC's End User, or ALEC's End User database management agent must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of ALEC to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. ALEC should not submit telephone number updates for specific PBX station telephone numbers that are submitted by ALEC's End User, or ALEC's End User DMA under the terms of 911 PBX Locate product.
- 16.3.6 ALEC must provision all PBX station numbers in the same LATA as the E911 tandem.
- ALEC agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by ALEC's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by ALEC or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any

Version: 3Q06 Standard ICA

services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. ALEC is responsible for assuring that its authorized End Users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to ALEC's End User or DMA pursuant to these terms. Specifically, ALEC's End User or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.

- 16.3.8 ALEC may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for ALEC's End Users' telephone numbers for which it has direct management authority.
- 16.3.9 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires ALEC to order a CAMA type dedicated trunk from ALEC's End User premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 16.3.10 Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the ALEC's End User premise and the BellSouth 911 tandem as described in BellSouth's Technical Reference (TR) 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. ALEC is responsible for connectivity between the End User's PBX and ALEC's switch or POP location. ALEC will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a ALEC purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). ALEC is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multifrequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 16.3.11 Ordering and Provisioning. ALEC will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- Testing and maintenance shall be provided by ALEC pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.

Version: 3Q06 Standard ICA

- Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by ALEC pursuant to the terms and conditions set forth in Attachment 3.
- 17. Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). As defined in 47 C.F.R. 68.105(B), Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide such FTTH and FTTC Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 18. A hybrid Loop is a local Loop, composed of both, fiber optic cable usually in the feeder plant and copper twisted wire or cable usually in the distribution plant. BellSouth shall provide ALEC with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 19. Routine Network Modifications
- 19.1 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 CFR 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. BellSouth shall make all routine network modifications to unbundled loop and transport

Version: 3Q06 Standard ICA

facilities used by ALEC at ALEC's request where the requested loop and/or transport facility has already been constructed. BellSouth shall perform these routine network modifications to facilities in a nondiscriminatory fashion, without regard to whether the loop or transport facility being accessed was constructed on behalf, or in accordance with the specifications, of any carrier. A routine network modification is an activity that BellSouth regularly undertakes for its own customers. Routine network modifications include, but are not limited to, rearranging or splicing of cable; adding an equipment case; adding a doubler or repeater; adding a smart jack; installing a repeater shelf; adding a line card; deploying a new multiplexer or reconfiguring an existing multiplexer; and attaching electronic and other equipment that BellSouth ordinarily attaches to a loop or transport facility to serve its own customers. Routine network modifications may entail activities such as accessing manholes, deploying bucket trucks to reach aerial cable, and installing equipment casings. Routine network modifications do not include the construction of a new loop, or the installation of new aerial or buried cable for ALEC.

- 19.2 BellSouth shall perform routine network modifications pursuant to the existing non-recurring charges and recurring rates ordered by the state commission for the loop and transport facilities set forth in Exhibit \_\_of Attachment of the Agreement and not at an additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement except to the extent BellSouth demonstrates that such RNM were not anticipated in the setting of such intervals. If BellSouth believes that it has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit of Attachment of the Agreement, BellSouth can seek resolution from the state commission. However, in the interim, BellSouth will perform the RNM at the existing recurring and non-recurring rates associated with the provision of the loop or transport facility. There may not be any double recovery or retroactive recovery of these costs.
- 20. Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by ALEC. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an

Version: 3Q06 Standard ICA

FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will apply.

# 21. <u>EELs Audit provisions</u>

- BellSouth may, on an annual basis audit ALEC's records based on cause, in order to verify compliance with the high capacity EEL eligibility criteria. To invoke its limited right to audit, BellSouth will send a Notice of Audit to ALEC stating its concern that ALEC is not complying with the service eligibility requirements as set forth above and a concise statement of the reasons therefore. Such Notice of Audit will be delivered to ALEC no less than thirty (30) calendar days prior to the date upon which BellSouth seeks to commence an audit. BellSouth is not required to provide documentation, as distinct from a statement of concern, to support its basis for an audit, or seek the concurrence of the requesting carrier before selecting the location of the audit.
- 21.2 The audit shall be conducted by a third party independent auditor, retained and paid for by BellSouth. BellSouth may select the independent auditor without the prior approval of ALEC or the Commission. Challenges to the independence of the auditor may be filed with the Commission only after the audit has been concluded. The audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue an opinion regarding ALEC's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether ALEC complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.
- To the extent the independent auditor's report concludes that ALEC failed to comply with the service eligibility criteria, ALEC must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis.
- To the extent the independent auditor's report concludes that ALEC failed to comply in all material respects with the service eligibility criteria, ALEC shall reimburse BellSouth for the cost of the independent auditor. To the extent the independent auditor's report concludes that ALEC did comply in all material respects with the service eligibility criteria,

Version: 3Q06 Standard ICA

BellSouth will reimburse ALEC for its reasonable and demonstrable costs associated with the audit. ALEC will maintain appropriate documentation to support its certifications. The Parties shall provide such reimbursement within thirty (30) calendar days of receipt of a statement of such costs.

- 22. ALEC shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops under Section 251, except to the extent that ALEC may require Loops to such locations for the purpose of providing telecommunications services to its personnel at those locations.
- 24. Subloop Elements.
- Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 24.2 Unbundled Subloop Distribution (USLD)
- 24.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG) Unbundled Copper Subloop (UCSL) USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 24.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 24.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 24.2.4 If ALEC requests a UCSL and it is not available, ALEC may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or

Version: 3Q06 Standard ICA

excessive bridged taps are removed, the facility will be classified as a UCSL.

- 24.2.5 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- Upon request for USLD-INC from ALEC, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for ALEC's use on this cross-connect panel. ALEC will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 24.2.7 For access to Voice Grade USLD and UCSL, ALEC shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ALEC's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 24.2.8 Through the SI process, BellSouth will determine whether access to USLs at the location requested by ALEC is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ALEC's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site:

  www.interconnection.bellsouth.com/products/html/unes.html.
- The site set-up must be completed before ALEC can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ALEC's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- Once the site set-up is complete, ALEC will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when ALEC requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by ALEC for Subloop pairs, expedite charges will apply for intervals less than five (5) days.

Version: 3Q06 Standard ICA

- 24.2.11 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 24.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 24.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 24.3.1.1 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 24.3.2 Requirements
- On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 24.3.2.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 24.3.2.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and ALEC does own or control such wiring, ALEC will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to ALEC.
- In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ALEC for each pair activated commensurate to the price specified in ALEC's Agreement.
- 24.3.2.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the

Version: 3006 Standard ICA

Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 24.3.2.6 Access Terminal installation intervals will be established on an individual case basis.
- 24.3.2.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 24.3.2.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 24.3.2.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 24.3.2.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User

Version: 3Q06 Standard ICA

began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

# 25. **271 Requirements**

- This Section sets forth terms and conditions for de-listed network elements that BellSouth is required to offer pursuant to the Georgia Public Service Commission's Order in Docket No. 19341-U (Order) to ALEC for ALEC's provision of Telecommunications Services in accordance with its obligations under Section 271 of the Act ("271").
- 25.1.1 To the extent DS1 and/or DS3 Loops, DS1 and/or DS3 Dedicated Transport and Multiplexing are not available elsewhere in the Agreement, these services will be made available pursuant to Section 271 of the Act at the rates set forth in Exhibit B to this Amendment.
- 25.2 271 Dark Fiber Loops, 271 DS1 and DS3 Entrance Facilities, and 271 Dark Fiber Transport Facilities are available at the rates, terms, and conditions set forth in the applicable BellSouth tariff.

# 25.3 <u>Line Sharing</u>

- General. Line Sharing is defined as the process by which ALEC provides digital subscriber line service ("xDSL") over the same copper Loop that BellSouth uses to provide retail voice service, with BellSouth using the low frequency portion of the Loop and ALEC using the high frequency spectrum (as defined below) of the Loop.
- 25.3.2 Line Sharing arrangements in service as of October 1, 2003 will be billed at the rates set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.
- 25.3.3 For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004 the rates set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.
- 25.3.4 For Line Sharing arrangements placed on or after October 2, 2004 (whether under this Agreement only, or under this Agreement and a prior Agreement), the rates will be the full copper loop rate as set forth in the Parties' Amendment to the Agreement to implement the Georgia Public

Version: 3Q06 Standard ICA

Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U.

- 25.3.5 As of October 2, 2006, the rates for Line Sharing arrangements shall be as set forth in Exhibit B of this Amendment.
- 25.3.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow ALEC the ability to provide xDSL data services to the End User for which BellSouth provides voice services.
- 25.3.7 The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI TI.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. ALEC shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the abovementioned document.
- Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, lowpass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and TI.601.
- 25.3.9 BellSouth will provide Loop Modification to ALEC on an existing Loop for Line Sharing in accordance with procedures as specified in Attachment 2 of this Agreement. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If ALEC requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, ALEC shall pay for the Loop to be restored to its original state.
- 25.3.10 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and ALEC

Version: 3Q06 Standard ICA

desires to continue providing xDSL service on such Loop, ALEC or the new voice provider, or both, shall be required to purchase a full standalone Loop. In those cases in which BellSouth no longer provides voice service to the End User and ALEC purchases the full stand-alone Loop, ALEC may elect the type of Loop it will purchase. ALEC will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No.14361-U. In the event ALEC purchases a voice grade Loop, ALEC acknowledges that such Loop may not remain xDSL compatible.

- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 25.3.12 <u>Provisioning of Line Sharing and Splitter Space.</u> BellSouth will provide ALEC with access to the High Frequency Spectrum as follows:
- 25.3.12.1 To order High Frequency Spectrum on a particular Loop, ALEC must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 25.3.12.2 ALEC may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of ALEC's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- Once a splitter is installed on behalf of ALEC in a central office in which ALEC is located, ALEC shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and ALEC shall pay the electronic or manual ordering charges, as set forth in Exhibit \_\_ of Attachment \_\_ of the Agreement, as applicable when ALEC orders High Frequency Spectrum for End User service.
- Once BellSouth has placed cross-connects on behalf of ALEC to provide ALEC access to the High Frequency Spectrum and chooses to rearrange its splitter or CLEC pairs, ALEC may order the rearrangement of its splitter or cable pairs via "Subsequent Activity". Subsequent Activity is any rearrangement of ALEC's cable pairs or splitter ports after BellSouth has placed cross-connection to provide ALEC access to the High Frequency Spectrum. BellSouth shall bill and ALEC shall pay the Subsequent Activity charges as set forth in Exhibit B of this Amendment.

Version: 3006 Standard ICA

- 25.3.13 BellSouth Provided Splitter Line Sharing. BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide ALEC access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to ALEC's xDSL equipment in ALEC's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide ALEC with a carrier notification letter, informing ALEC of change. ALEC shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports.
- 25.3.14 BellSouth will install the splitter in (i) a common area close to ALEC's collocation area, if possible; or (ii) in a BellSouth relay rack as close to ALEC's DS0 termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for ALEC on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified ALEC DS0 at such time that a ALEC End User's service is established.
- 25.3.15 <u>CLEC Provided Splitter Line Sharing.</u> ALEC may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. ALEC may use such splitters to provide xDSL services to its End Users using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- Any splitters installed by ALEC in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALEC may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 25.3.17 Ordering Line Sharing. ALEC shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 25.3.18 BellSouth's Local Ordering Handbook (LOH) will provide ALEC the LSR format to be used when ordering disconnections of the High Frequency Spectrum or Subsequent Activity.

Version: 3Q06 Standard ICA

- 25.3.19 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Interconnection Web site.
- 25.3.20 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for ALEC's data.
- 25.3.21 BellSouth will provide ALEC access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and ALEC shall pay the rates for such services, as described in Exhibit B of this Amendment.
- Maintenance and Repair Line Sharing. ALEC shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. ALEC may test from the collocation space, the Termination Point, or the NID. BellSouth will be responsible for repairing voice services and the physical line between the NID at the End User's premises and the Termination Point. ALEC will be responsible for repairing its data services. Each Party will be responsible for maintaining its own equipment.
- ALEC shall inform its End Users to direct data problems to ALEC, unless both voice and data services are impaired, in which event ALEC should direct the End Users to contact BellSouth. Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- If ALEC reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, or BellSouth isolates the trouble to the physical collocation arrangement belonging to ALEC, BellSouth will charge ALEC for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit B of this Amendment.

Version: 3Q06 Standard ICA

71 ELEMEN	TS - Georgia						· · · · · · · · · · · · · · · · · · ·						Attachment: 2				₩.
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	RATES(\$)  Nonrecurring Nonrecurring Disconnect					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
											OSS Rates(\$)						
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<u>↓</u>
				<u> </u>							l						ـــــ
	'Zone" shown in the sections for stand-alone loops or loops as pa			tion refers to Geogra	aphically Deav	eraged UNE Zo	nes. To view G	eographically [	Deaveraged UN	E Zone Design	ations by Ce	entral Office,	refer to intern	et Website:			
	/www.interconnection.bellsouth.com/become_a_clec/html/interco	nnection	.htm	VIII.													<u> </u>
	EXCHANGE ACCESS LOOP																
4-WIF	RE DS1 DIGITAL LOOP	ļ															
	271 - 4-Wire DS1 Digital Loop - Zone 1		1	USL	271UC	85.97	211.72	72.42	38.20	7.19							
	271 - 4-Wire DS1 Digital Loop - Zone 2		2	USL	271UC	81.27	211.72	72.42	38.20	7.19	L						1
	271 - 4-Wire DS1 Digital Loop - Zone 3	ļ	3	USL	271UC	128.28	211.72	72.42	38.20	7.19							
OMMINGLIN																	
COM	MINGLING (Loop as part of a multi-bandwidth commingling arrang	gement)															
	4-Wire DS1 Digital Loop - Zone 1					85.97	211.72	72.42	38.20	7.19							
	4-Wire DS1 Digital Loop - Zone 2					81.27	211.72	72.42	38.20	7.19							Г
	4-Wire DS1 Digital Loop - Zone 3	Ι				128.28	211.72	72.42	38.20	7.19	I						Г
NE SHARIN		L															1
NOTE	E: The Line Sharing monthly recurring rates for all installations co	mpleted	on or a	fter October 02, 200	3 shall be bille	ed as follows:					<u> </u>						T
NOTE	E 2: These line sharing rates are effective Octover 2, 2006	Γ			T												
LINE	SHARING				1				j -		· · · ·						
SPLF	TTERS-CENTRAL OFFICE BASED										İ						T
	Line Sharing Splitter, per System 96 Line Capacity w/o test jack	T									T						1
	(E:10/2/2006)	1		ULS	ULSDA	117.18	243.66	0.00	90.11	0.00					ŀ		
	Line Sharing Splitter, per System 24 Line Capacity w/o test jack	$\vdash$															一
	(E:10/2/2006)	1		ULS	ULSDB	29.30	243.66	0.00	90,11	0.00	1				l		1
	Line Sharing Splitter, Per System, 8 Line Capacity w/o test jack	<del>                                     </del>		020	OLODD	20.00	2 10.00	0.00	30.11	0.00	<del> </del>						$\vdash$
ŀ	(E:10/2/2006)	1		ULS	ULSD8	9.77	243.66	0.00	90.11	0.00							
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING	1		020	OLODO	5.77	243.00	0.00	30.11	0.00							<del> </del>
	Line Sharing - per Line Activation (BST Owned splitter)	+			+												+
	(E:10/2/2006)	1		ULS	ULSDT	6.50	24.53	0.00	12.26	0.00							
	Line Sharing - per Subsequent Activity per Line Rearrangement	<del></del>		000	OLOD I	0.50	24.55	0.00	12.20	0.00	<del></del>						┼
i	(BST Owned Splitter) (E:10/2/2006)	1		ULS	ULSDS		48.91	17.86	22.87	2.28							
Loon	Modification			OLO	TOLODO .	-	40.31	17.00	22.07	2.20							+
Loop	Unbundled Loop Modification Load Coil/Equipment Removal				+												₩
	(E:10/2/2006)	1		ULS	ULM2L		29.97										
				ULS	ULMZL		29.97										₩-
	Unbundled Loop Modification Bridged Tap Removal	1															
	(E:10/2/2006)	-		ULS	ULMBT		68.11										┼
	MAINTENANCE	<del> </del>			<del></del>												₩
	No Trouble Found - per 1/2 hour increments - Basic	ļ					80.00	0.00									—
	No Trouble Found - per 1/2 hour increments - Overtime				1		120.00	0.00			ļ						₩
	No Trouble Found - per 1/2 hour increments - Premium	<del></del>		ļ	<u> </u>		160.00	0.00			ļ		L				₩
4 271		<del> </del>			1												₩
	DS1 Interoffice Channel Facility Termination (271 standalone)	ļ		U1TD1	271UA	44.04	110.92	80.20	31.33	21.71							1
	DS1 Interoffice Channel per mile (271 standalone)	L		U1TD1	1L5UB	0.1417											ــــ
	DS3 Interoffice Channel Facility Termination (271 standalone)			U1TD3	271NA	440.53	320.16	86.24	66.71	52.76							1
	DS3 Interoffice Channel per mile (271 standalone)			U1TD3	1L5NB	3.11											<b>⊥</b> _
	DS3 Local Loop Facility Termination (271 standalone)			UE3	271NC	323.53	1,751.51	131.77	112.80	75.81							ـــــ
	DS3 Local Loop per mile (271 standalone)			UE3	1L5NG	13.47											L
	DS1 Interoffice Channel Facility Termination (271 part	1															1
1	combination)			UNC1X	271UA	44.04	110.92	80.20	31.33	21.71					L		
	DS1 Interoffice Channel per mile (271 part in combination)			UNC1X	1L5UB	0.1417											L
	DS3 Interoffice Channel Facility Termination (271 part in	1															Г
1	combination)	1		UNC3X	271NA	440.53	320.16	86.24	66.71	52.76	1		l I		L		L
	DS3 Interoffice Channel per mile (271 part in combination)	T		UNC3X	1L5NB	3.11											
	DS3/DS1 Channel System (271 part in combination)	T		UNC3X	271BS	157.48	0.00	0.00	0.00	0.00							
	DS3 Local Loop Facility Termination (271 part in combination)	$\overline{}$		UNC3X	271NC	323.53	1,751.51	131.77	112.80	75.81					l		
	DS3 Local Loop per mile (271 part in combination)	1		UNC3X	1L5NG	13.47					1						
	DS1 Local Loop in combination (271 part in combination)	Ι' -	1	UNC1X	271UC	85.97	209.25	70.37	37.87	6.86							
	DS1 Local Loop in combination (271 part in combination)	1		UNC1X	271UC	81.27	209.25	70.37	37.87	6.86							
	DS1 Local Loop in combination (271 part in combination)	†		UNC1X	271UC	128.28	209.25	70.37	37.87	6.86	<del>                                     </del>						1
-	DS1 COCI (271 part in combination)	<del> </del>		UNC1X	271UK	9.50	27.30	2.90	16.85	1.04	<del> </del>			-			$\top$
	por coorger part incombinationy			JOHO IX	ETION	0.00	27.30	2.30	10.03	1.04	I	اـــــــــــا				L	

# Requirements for DS1 and DS3 Loops

ALEC may obtain a maximum of ten (10) unbundled DS1 Loops to any single building in which such Loops are still subject to unbundling requirements.
 ALEC may obtain a maximum of one (1) Unbundled DS3 Loop to any single

building in which such Loops are still subject to unbundling requirements.

- 1.2 ALEC may obtain access to the following:
- 1.2.1 Unbundled DS1 Loops to any Building not served by a wire center with at least 60,000 Business Lines and four (4) or more fiber-based collocators.
- Unbundled DS3 Loops to any Building not served by a wire center with at least 38,000 Business Lines and four (4) or more fiber-based collocators.
- 1.3 The Initial Non-Impaired Wire Center List adopted by the Commission setting forth the wire centers meeting the criteria set forth in Sections 1.2.1 and 1.2.2 above, is available on BellSouth's Interconnection Web site.
- 1.4 Transition Period Pricing. From March 11, 2005, through the expiration of the Transition Period, BellSouth shall charge/collect a rate for ALEC's Embedded Base and ALEC's Excess DS1 and DS3 Loops equal to the higher of:
- 1.4.1 115% of the rate paid for that element on June 15, 2004; or
- 1.4.2 115% of any new rate the Commission establishes between June 16, 2004 and March 11, 2005.
- 1.4.3 These rates shall be as set forth in Exhibit \_ to Attachment \_ of the Agreement and this Section 1.4.

#### 2. Dedicated Transport and Dark Fiber Transport

2.1 <u>Dedicated Transport</u>. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by ALEC, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to ALEC. BellSouth shall not be required to provide access

Version: 3006 Standard ICA

to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.

- 2.2 Requirements for DS1 and DS3 Dedicated Transport
- 2.2.1 ALEC may obtain access to the following:
- 2.2.1.1 DS1 Transport except on routes connecting a pair of wire centers, where both wire centers contain at least four (4) fiber-based collocators or at least 38,000 Business access lines.
- 2.2.1.2 DS3 Transport except on routes connecting a pair of wire centers, each of which contains at least three (3) fiber-based collocators or at least 24,000 Business access lines.
- 2.2.1.3 ALEC may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport but for which impairment exists for DS1 Dedicated Transport.
- 2.2.2 The Initial Non-Impaired Wire Center List adopted by the Commission setting forth the wire centers meeting the criteria set forth in Sections 2.2.1.1 and 2.2.1.2 above, is available on BellSouth's Interconnection Web site.
- Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 2.3.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 2.3.1 Requirements for Dark Fiber Transport
- 2.3.2 ALEC may obtain access to the following:

Version: 3Q06 Standard ICA

- 2.3.2.1 Dark Fiber Transport except on routes connecting a pair of wire centers, each of which contains at least three (3) fiber-based collocators or 24,000 Business access lines.
- 2.3.3 The Initial Non-Impaired Wire Center List adopted by the Commission setting forth the wire centers meeting the criteria set forth in Section 2.3.2.1 above, is available on BellSouth's Interconnection Web site.
- 3. (i) Business Line
- For purposes of this Attachment 2, a "Business Line" is, as defined in 47 C.F.R. § 51.5, a BellSouth-owned switched access line used to serve a business customer, whether by BellSouth itself or by a CLEC that leases the line from BellSouth. The number of business lines in a wire center shall equal the sum of all BellSouth business switched access lines, plus the sum of all UNE loops connected to that wire center, including UNE loops provisioned in combination with other unbundled elements. Among these requirements, business line tallies (1) shall include only those access lines connecting end-user customers with BellSouth end-offices for switched services, (2) shall not include non-switched special access lines, (3) shall account for ISDN and other digital access lines by counting each 64 kbps-equivalent as one line. For example, a DS1 line corresponds to 24 64 kbps-equivalents, and therefore to 24 "business lines."

### 3.2 (ii) Fiber-Based Collocation

3.2.1 For purposes of this Attachment 2 a "Fiber-Based Collocator" is, as defined in 47 C.F.R. § 51.5, any carrier, unaffiliated with BellSouth, that maintains a collocation arrangement in a BellSouth wire center, with active electrical power supply, and operates a fiber-optic cable or comparable transmission facility that (1) terminates at a collocation arrangement within the wire center; (2) leaves the BellSouth wire center premises; and (3) is owned by a party other than BellSouth or any affiliate of BellSouth, except as set forth in this paragraph. Dark fiber obtained from an incumbent LEC on an indefeasible right of use basis shall be treated as non-incumbent LEC fiber-optic cable. Two or more affiliated fiber-based collocators in a single wire center shall collectively be counted as a single fiber-based collocator. For purposes of this paragraph, the term affiliate is defined by 47 U.S.C. § 153(1) and any relevant interpretation in this Title.

### 3.3 (iii) Building

Version: 3Q06 Standard ICA

3.3.1 For purposes of this Attachment 2, a "Building" is a permanent physical structure including, but not limited to, a structure in which people reside, or conduct business or work on a daily basis and through which there is one centralized point of entry in the structure through which all telecommunications services must transit. As an example only, a high rise office building with a general telecommunications equipment room through which all telecommunications services to that building's tenants must pass would be a single "building" for purposes of this Attachment. Two or more physical areas served by individual points of entry through which telecommunications services must transit will be considered separate buildings. For instance, a strip mall with individual businesses obtaining telecommunication services from different access points on the building(s) will be considered individual buildings, even though they might share common walls.

# 3.4 <u>(iv) Route</u>

- 3.4.1 For purposes of this Attachment 2, a "Route" is, as defined in 47 C.F.R. §. 51.319(e), a transmission path between one of an incumbent LEC's wire centers or switches and another of the incumbent LEC's wire centers or switches. A route between two points (e.g. wire center or switch "A" and wire center or switch "Z") may pass through one or more intermediate wire centers or switches (e.g., wire center or switch "X"). Transmission paths between identical end points (e.g., wire center or switch "A" and wire center or switch "Z") are the same "route," irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 4. In the event that (1) BellSouth designates a wire center as non-impaired, (2) ALEC converts existing UNEs to other services or orders new services as services other than UNEs, (3) ALEC otherwise would have been entitled to UNEs in such wire center at the time alternative services provisioned, and (4) BellSouth acknowledges or a state or federal agency regulatory body with authority determines that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of ALEC, BellSouth shall transition to UNEs any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund ALEC the difference between the rate paid by ALEC for such services and the applicable UNE rate, including but not limited to any charges associated with the unnecessary conversion from UNE to other wholesale services.

Version: 3Q06 Standard ICA

- 5. <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop which meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 6. 4-wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 1 above, DS1 Loops include 2-wire and 4-wire HDSL-Compatible Loops.
- 7. Except to the extent expressly provided otherwise in this Attachment, ALEC may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Amendment (collectively "Arrangements"). In the event BellSouth determines that ALEC has in place any Arrangements after the Effective Date of this Amendment, BellSouth will provide ALEC with written notice that such Arrangements must be converted or disconnected within thirty (30) days of the receipt of such notice. The written notice provided by BellSouth must identify, by circuit identification number(s), the specific Arrangement(s) which BellSouth insists must be converted or disconnected. Those circuits identified by ALEC within such thirty (30) day period shall be converted subject to Commission-approved switch-as-is rates with no UNE disconnect charges. If ALEC fails to dispute BellSouth's claims or fails to submit orders to disconnect or convert such Arrangements within the established thirty (30)-day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s) subject to the Commission-established switch-as-is rate. The full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs will not apply to such conversions. However, the applicable recurring tariff charges shall apply to each circuit upon conversion.
- 8. Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 8.1 <u>DS1 or DS3 loops, or Dedicated Transport in Wire Centers that Meet the TRRO Non-Impaired Criteria in the Future</u>
- 8.2 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 1.2.1 (DS1 loops), 1.2.2 (DS3 loops), 2.2.1.1 (DS1 transport) and 2.2.1.2 (DS3 transport) but that were not included in the Initial Non-Impaired Wire Center List adopted by the Commission, BellSouth shall include such

Version: 3Q06 Standard ICA

additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List."

- 8.3 Effective thirty (30) calendar days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle new DS1 or DS3 Loops, or transport, as applicable, in such additional wire center(s), except pursuant to self-certification by ALEC. BellSouth may review the self-certification claim of ALEC and seek dispute resolution through the Commission if needed. During the dispute resolution period, the applicable DS1 or DS3 loop rate will not change unless ordered by the Commission. Upon the Commission's resolution of the dispute, said rates will be trued up if necessary, to the time BellSouth provisioned in the order in question.
- 8.4 BellSouth shall make available de-listed DS1 and DS3 Loops and transport that were in service for ALEC in a de-listed wire center on the Subsequent Wire Center List as of the thirtieth (30<sup>th</sup>) calendar day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred and eighty (180) calendar days after the thirtieth (30th) calendar day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 8.5 Subsequent disconnects and/or lost End Users shall be removed from the Subsequent Embedded Base.
- The rate that shall apply to the Subsequent Embedded Base throughout the entire Subsequent Transition Period shall be the rate paid for that element at the time of the CNL posting, plus 15%.
- 8.7 No later than one hundred and eighty (180) calendar days from BellSouth's CNL identifying the Subsequent Wire Center List, ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. For Conversions as defined in Section 12, such spreadsheets shall take the place of an LSR or ASR. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base of circuits. If a ALEC chooses to convert the de-listed DS1 and DS3 Loops and Transport to special access circuits, BellSouth will include such de-listed DS1 and DS3 Loops and Transport once converted within ALEC's total special access circuits and apply any discounts to which ALEC is entitled. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 8.7.1 If ALEC submits the spreadsheet(s) for its Subsequent Embedded Base by one hundred and eighty (180) calendar days from BellSouth's CNL identifying the Subsequent Wire Center List, those identified circuits shall be subject to the Commission-approved switch-as-is conversion nonrecurring charge.

Version: 3Q06 Standard ICA

- 8.7.2 If ALEC fails to submit the spreadsheet(s) for all of its Subsequent Embedded Base by one hundred and eighty (180) calendar days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s) subject to the switch-as-is rate established by the Commission.
- 8.7.3 For Subsequent Embedded Base circuits converted or transitioned, the applicable recurring tariff charges shall apply on the first day after the end of the Subsequent Transition Period. The transition of the Subsequent Embedded Base circuits should be performed in a manner that avoids, or otherwise minimizes to the extent possible, disruption or degradation to ALEC's customers' service.
- 8.8 <u>Dark Fiber Transport in Wire Centers that Meet the TRRO Non-Impaired Criteria</u> in the Future
- 8.8.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.3.2 above, but that were not included in the Initial Non-Impaired Wire Center List adopted by the Commission, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List."
- 8.8.2 Effective thirty (30) calendar days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle new Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process by ALEC. BellSouth may review the self-certification claim of ALEC and seek dispute resolution through the Commission if needed. During the dispute resolution period, the applicable DS1 or DS3 loop rate will not change unless ordered by the Commission. Upon the Commission's resolution of the dispute, said rates will be trued up if necessary, to the time BellSouth provisioned in the order in question.
- 8.8.3 For purposes of Section 8.8, BellSouth shall make available dark fiber transport that was in service for ALEC in a wire center on the Subsequent Wire Center List as of the thirtieth (30<sup>th</sup>) calendar day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until two hundred and seventy (270) calendar days after the thirtieth (30th) calendar day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 8.8.4 Subsequent disconnects and/or lost End Users shall be removed from the Subsequent Embedded Base.

Version: 3Q06 Standard ICA

- 8.8.5 The rate that shall apply to the Subsequent Embedded Base throughout the entire Subsequent Transition Period shall be the rate paid for that element at the time of the CNL posting, plus 15%.
- 8.8.6 No later than two hundred and seventy (270) calendar days from BellSouth's CNL identifying the Subsequent Wire Center List ALEC shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. For Conversions as defined in Section 12, such spreadsheets shall take the place of an LSR or ASR. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base of circuits. If a ALEC chooses to convert the Dark Fiber Transport to special access circuits, BellSouth will include such Dark Fiber Transport once converted within ALEC's total special access circuits and apply any discounts to which ALEC is entitled. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 8.8.6.1 If ALEC submits the spreadsheet(s) for its Subsequent Embedded Base within two hundred and seventy (270) calendar days from BellSouth's CNL identifying the Subsequent Wire Center List, those identified circuits shall be subject to the Commission-approved switch-as-is charge.
- 8.8.6.2 If ALEC fails to submit the spreadsheet(s) for all of its Subsequent Embedded Base within two hundred and seventy (270) calendar days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ALEC's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s) subject to the switch-as-is charge established by the Commission.
- 8.8.7 For Subsequent Embedded Base circuits converted or transitioned, the applicable recurring tariff charges shall apply on the first day after the end of the Subsequent Transition Period. The transition of the Subsequent Embedded Base circuits should be performed in a manner that avoids, or otherwise, minimizes to the extent possible, disruption or degradation to ALEC's customers' service.
- 9. <u>Issue 13</u> Should network elements de-listed under §251(c) (3) be removed from BellSouth's SQM/PMAP/SEEM?

Version: 3006 Standard ICA

- 9.1 ALEC may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R §51.309. Performance Measurements associated with this Attachment 2 are contained in Attachment 9. The quality of the Network Elements provided pursuant to §251, as well as the quality of the access to said Network Elements that BellSouth provides to ALEC, shall be, to the extent technically feasible, at least equal to that which BellSouth provides to itself, and its affiliates.
- The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2. BellSouth shall comply with the requirements set forth in the technical reference TR73400, as well as any performance or other requirements identified in this Agreement, to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards. If one or more of the requirements set forth in this Agreement are in conflict, the technical reference TR73600 requirements shall apply. If the parties cannot reach agreement, the dispute resolution process set forth in the General Terms and Conditions of this Agreement shall apply.

# 10. <u>Commingling of Services</u>

- Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that ALEC has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. The wholesale services that can be commingled with Network Elements or a Combination include network elements required to be unbundled under Section 271. ALEC must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- Unless expressly prohibited by the terms of this Attachment, BellSouth shall permit ALEC to Commingle an Unbundled Network Element or a Combination of unbundled Network Elements with wholesale services obtained from BellSouth, services obtained from third parties or facilities provided by ALEC. For purposes of example only, ALEC may Commingle unbundled Network Elements or

Version: 3006 Standard ICA

Combinations of unbundled Network Elements with wholesale services including switched and special access services, or services purchased under resale arrangements with BellSouth.

- Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit B and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth by separate agreement.
- When multiplexing equipment is attached to a commingled arrangement, the multiplexing equipment will be billed from the same agreement or the tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 10.6 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 2. The charges shall be as se forth in Exhibit\_ of Attachment \_ of the parties Agreement.
- 11. <u>Issue 15</u> Is BellSouth required to provide conversion of special access circuits to UNE pricing, and, if so, what rates, terms and conditions and during what timeframe should such new requests for such conversions be effectuated?
- 12. <u>Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services</u>
- 12.1 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to ALEC pursuant to Section 251 of the Act and under this Agreement, or convert a Network Element or Combination that is available to ALEC pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring Commission approved switchas-is rates for Conversions to specific Network Elements or Combinations found in Exhibit B. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be

Version: 3006 Standard ICA

handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Section 12.3 below.

- Any outstanding conversions shall be effective on or after the effective date of this agreement.
- 12.3 Ordering Guidelines and Processes
- 12.3.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, ALEC should refer to the "Guides" section of the BellSouth Interconnection Web site.
- Additional information may also be found in the individual CLEC Information Packages located at the "CLEC UNE Products" on BellSouth's Interconnection Web site.
- 12.3.3 The provisioning of Network Elements, Combinations and Other Services to ALEC's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with ALEC's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.
- 13. Line Splitting
- Line splitting shall mean that ALEC purchases a whole loop and provides the splitter to provide voice and data services through an arrangement with a third party CLEC, who is either the provider of data services (a Data LEC) or the provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- Line Splitting UNE-L. In the eventALEC provides its own switching or obtains switching from a third party, ALEC may engage in line splitting arrangements with another CLEC using a splitter, provided by ALEC, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 13.2.1 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>
- 13.2.1.1 ALEC provides the splitter when providing Line Splitting with UNE-L. When ALEC or its authorized agent owns the splitter, Line Splitting requires the

Version: 3006 Standard ICA

following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.

- 13.2.1.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 13.3 <u>CLEC Provided Splitter Line Splitting UNE-L</u>
- 13.3.1 To order High Frequency Spectrum on a particular Loop, ALEC or its authorized agent must have a DSLAM collocated in the central office that serves the End User of such Loop.
- ALEC or its authorized agent may purchase, install and maintain central office POTS splitters in its collocation arrangements. ALEC or its authorized agent may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4 Central Office shall apply.
- Any splitters installed by ALEC in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. ALEC may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 13.4 Maintenance Line Splitting UNE-L

Version: 3Q06 Standard ICA

- BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- BellSouth must make all necessary network modifications, including providing nondiscriminatory access to operations support systems necessary for preordering, ordering provisioning, maintenance and repair, and billing for loops used in line splitting arrangements. BellSouth may use existing state commission collaboratives and change management processes to address OSS modifications that are necessary.

# 13.5 <u>Indemnification</u>

- 13.5.1 ALEC shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, and costs which arise out of actions related to the other service provider (i.e. CLEC party to the line splitting arrangement who is not ALEC), except to the extent caused by BellSouth's gross negligence or willful misconduct.
- 13.5.2 PROVIDED, HOWEVER, that all amounts advanced in respect of such claims, losses and costs shall be repaid to ALEC by BellSouth if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that BellSouth is not entitled to be indemnified for such claims, losses and costs because the Claims, Losses and Costs arose as a result of BellSouth's gross negligence or willful misconduct.
- BellSouth will indemnify, defend and hold harmless ALEC from and against any Claims, Losses and Costs which arise out of actions related to the other service provider (i.e. CLEC party to the line splitting arrangement who is not ALEC brought against ALEC to the extent such Claim alleges that the cause of the Claim, Loss and Cost was the result of BellSouth's gross negligence or willful misconduct.
- PROVIDED, HOWEVER, that BellSouth shall have no obligation to indemnify ALEC under this section unless ALEC provides BellSouth with prompt written notice of any such Claim; ALEC permits BellSout to assume and control the defense to such action, with counsel chosen by BellSouth; and BellSouth does not enter into any settlement or compromise of such Claim.
- 13.5.5 PROVIDED, HOWEVER, that all amounts advanced in respect of such Claims, Losses and Costs shall be repaid to BellSouth by ALEC if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that ALEC is not entitled to be indemnified for such Claims, Losses

Version: 3Q06 Standard ICA

and Costs because the Claims, Losses and Costs did not arises as a result of BellSouth's gross negligence or willful misconduct.

- 13.5.6 "Claim" means any threatened, pending or completed action, suit or proceeding, or any inquiry or investigation that BellSouth or ALEC in good faith believes might lead to the institution of any such action, suit or proceeding.
- 13.5.7 "Loss" means any and all damages, injuries, judgments, fines penalties, amounts paid or payable in settlement, deficiencies, and expenses (including all interest, assessments, and other charges paid or payable in connection with or respect of such Losses) incurred in connection with the Claim.
- 13.5.8 "Costs" means all reasonable attorney's fees and all other reasonable fees, expenses and obligations paid or incurred in connection with the Claim or related matters, including without limitation, investigating, defending, or participating (as a party, witness or otherwise) in (including on appeal), or preparing to defend or participate in any Claim.
- 14. 911 and E911 Databases
- BellSouth shall provide ALEC with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. ALEC will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 14.3.1 below.
- 14.3 <u>Technical Requirements</u>

Version: 3006 Standard ICA

- 14.3.1 BellSouth's 911 database vendor shall provide ALEC the capability of providing updates to the ALI/DMS database through a specified electronic interface. ALEC shall contact BellSouth's 911 database vendor directly to request interface. ALEC shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of ALEC and BellSouth shall not be liable for the transactions between ALEC and BellSouth's 911 database vendor.
- 14.3.2 It is ALEC's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 14.3.3 ALEC shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth's Interconnection Web site.
- 14.3.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to ALEC, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for ALEC to assume responsibility for such records.
- 14.3.5 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to ALEC that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. ALEC shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to ALEC within two (2) months following the date of the Stranded Unlock report provided by BellSouth. ALEC shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of ALEC's records.
- 15. 911 PBX Locate Service®. 911 PBX Locate Service is comprised of a database capability and a separate transport component.

Version: 3Q06 Standard ICA

- Description of Product. The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- The database capability allows ALEC to offer an E911 service to its PBX End Users that identifies to the PSAP the physical location of the ALEC PBX 911 End User station telephone number for the 911 call that is placed by the End User.
- 15.3 ALEC may order either the database capability or the transport component as desired or ALEC may order both components of the service.
- 911 PBX Locate Database Capability. ALEC's End User or ALEC's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- Ordering, provisioning, testing and maintenance shall be provided by ALEC pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- ALEC's End User, or ALEC's End User database management agent must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of ALEC to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. ALEC should not submit telephone number updates for specific PBX station telephone numbers that are submitted by ALEC's End User, or ALEC's End User DMA under the terms of 911 PBX Locate product.
- 15.7 ALEC must provision all PBX station numbers in the same LATA as the E911 tandem.

Version: 3Q06 Standard ICA

- 15.8 ALEC agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by ALEC's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by ALEC or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or willful misconduct. ALEC is responsible for assuring that its authorized End Users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to ALEC's End User or DMA pursuant to these terms. Specifically, ALEC's End User or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.
- 15.9 ALEC may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for ALEC's End Users' telephone numbers for which it has direct management authority.
- 15.10 911 PBX Locate Transport Component. The 911 PBX Locate Service transport component requires ALEC to order a CAMA type dedicated trunk from ALEC's End User premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the ALEC's End User premise and the BellSouth 911 tandem as described in BellSouth's Technical Reference (TR) 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. ALEC is responsible for connectivity between the End User's PBX and ALEC's switch or POP location. ALEC will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a ALEC purchased

Version: 3Q06 Standard ICA

DS1 facility that hands off at a DS1 or higher level digital or optical interface). ALEC is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.

- Ordering and Provisioning. ALEC will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- Testing and maintenance shall be provided by ALEC pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit C. Trunks and facilities for 911 PBX Locate transport component may be ordered by ALEC pursuant to the terms and conditions set forth in Attachment \_\_\_ of the Agreement.
- 16. Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE).
- 17. Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 18. <u>Greenfield Requirements</u>: In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide such FTTH and FTTC Loops. FTTH facilities include fiber loops deployed to the

Version: 3Q06 Standard ICA

MPOE of a MDU that is predominately residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

- 18.1 Overbuild Requirements: In FTTH/FTTC overbuild situations where Bellsouth also has copper loops, BellSouth will make those copper loops available to CLEC on an unbundled basis, until such time as BellSouth chooses to retire those copper loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 Kbps second voice grade channel over its FTTH/FTTC facilities. BellSouth's retirement of copper loops must comply with Applicable Law.
- 18.2 <u>DS1/DS3 Requirements:</u> Notwithstanding the above, nothing in this Section shall limit BellSouth's obligation to offer CLECs unbundled DS1 and DS3 loops (or loop/transport combination) in any wire center where BellSouth is required to provide such loop facilities.
- Subloops: BellSouth shall provide ALEC with nondiscriminatory access to the subloop for access to multiunit premises wiring on an unbundled basis regardless of the capacity level or type of loop that the ALEC seeks to provision for its customer. The subloop for access to multiunit premises wiring is defined as any portion of the loop that it is technically feasible to access at a terminal in the incumbent LEC's outside plant at or near a multiunit premises. One category of this subloop is inside wire, which is defined for purposes of this section as all loop plant owned or controlled by the incumbent LEC at a multiunit customer premises between the minimum point of entry as defined in §68.105 of the FCC rules and the point of demarcation of the incumbent LEC's network as defined in § 68.3 of the FCC rules.
- Upon notification by a requesting telecommunications carrier that it requests interconnection at a multiunit premises where BellSouth owns controls or leases wiring, BellSouth shall provide a single point of interconnection that is suitable for use by multiple carriers.
- 19. Issue 24: What is the appropriate ICA language to implement BellSouth's obligation to provide unbundled access to hybrid loops?
- 19.1 Hybrid loops are defined in the federal rules at 47 CFR §51.319(a)(2) as local loops, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide ALECwith nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid loop, including DS1 and DS3 capacity under Section 251 where impairment exists, on an unbundled basis to establish a

Version: 3006 Standard ICA

complete transmission path between BellSouth's central office and an End User's premises.

BellSouth shall not engineer the transmission capabilities of its network in a manner, or engage in any policy, practice, or procedure, that disrupts or degrades access to a local loop or subloop, including the time division multiplexing-based features, functions, and capabilities of a hybrid loop, for which a requesting telecommunications carrier may obtain or has obtained access pursuant to this Attachment.

## 20. Routine Network Modifications

- 20.1 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 CFR 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth normally provides such RNM for its own customers and has recovered the costs for performing such modifications through the rates set forth in Exhibit Attachment of the Agreement, then BellSouth will perform such RNM at no additional charge. A routine network modification is an activity that BellSouth regularly undertakes for its own Routine network modifications include, but are not limited to, rearranging or splicing of cable; adding an equipment case; adding a doubler or repeater; adding a smart jack; installing a repeater shelf; adding a line card; and deploying a new multiplexer or reconfiguring an existing multiplexer. Routine network modifications may entail activities such as accessing manholes, deploying bucket trucks to reach aerial cable, and installing equipment casings. Routine network modifications do not include the construction of a new loop, or the installation of new aerial or buried cable for a CLEC.
- Rates: BellSouth will provide for ALEC at no additional charge, all RNM which BellSouth normall provides for its own customers and for which BellSouth recovers its costs through the rates set forth in Exhibit \_\_ Attachment \_ of the Agreement. BellSouth will otherwise perform Routine Network Modifications pursuant to the existing non-recurring charges and recurring rates ordered by the Alabama Public Service Commission for loop and transport facilities as set forth in Exhibit \_\_ Attachment \_ of the Agreement. For any RNM performed by BellSouth for which BellSouth alleges that its costs are not recovered through existing rates, BellSouth shall immediately petition the Commission to establish a permanent rate. The Commission will establish interim rates for such RNM that will be subject to true-up upon the establishment of a final rate.

Version: 3Q06 Standard ICA

- If BellSouth does not normally provide a network modification requested by ALEC for BellSouth customers, and does not recover the costs of the network modifications requested in the rates set forth in Exhibit \_\_\_ Attachment \_ of the Agreement, then such request will be handled as a project on an individual case basis ("ICB"). BellSouth will provide a price quote for the request and, upon receipt of payment from ALEC, BellSouth will perform the network modification.
- 20.4 RNM will be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement. Either BellSouth or ALEC may seek resolution of any dispute regarding the classification of a network modification as routine or non-routine from the Commission.

## 21. <u>Line Conditioning</u>

- 21.1 <u>Definitions</u>: Line Conditioning is defined as the removal from a copper Loop or copper Subloop of any device that could diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including digital subscriber line service. Such devices include, but are not limited to, bridged taps, load coils, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serve no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification.
- Rates: BellSouth shall perform line conditioning pursuant to the non-recurring rates and provisions ordered by the Alabama Public Service Commission in Docket 27821 which provides that BellSouth shall perform loop conditioning for loops less than 18,000 feet at no cost. Such rates were established pursuant to the Federal Communications Commission's forward-looking principles promulgated pursuant to Section 252 (d)(1) of the Act and in compliance with rules governing non-recurring costs in 47 CFR 51.507(e).
- Technical Requirements: BellSouth shall condition Loops, as requested by ALEC, whether or not BellSouth offers advanced services to the End User on that Loop.
- In some instances, ALEC will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g. fibers, load coils, range extenders, etc.), so that ALEC can use the loop for a variety of services by attaching

Version: 3006 Standard ICA

appropriate terminal equipment at the ends. ALEC will determine the type of service that will be provided over the loop.

- In those cases where ALEC has requested that BellSouth modify a loop so that it no longer meets the technical parameters of the original loop type (e.g. voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL. BellSouth shall provide the following: 1) removal of devices on 2-wire or 4-wire loops equal to or less than 18,000 feet at no additional cost, 2) removal of devices on 2-wire or 4-wire loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length at rates established in APSC Docket 27821. (The specific non-recurring and recurring charges shall apply for each element ordered.)
- 21.6 ALEC shall request Loop make-up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that ALEC desires BellSouth to condition.
- 22. <u>EELs Audit provisions</u>
- BellSouth may audit ALEC's records in order to verify compliance with the high capacity EEL eligibility criteria. To invoke its limited right to audit, BellSouth shall send a written Notice of Audit to ALEC. Such Notice of Audit will be delivered to ALEC no less than thirty (30) calendar days prior to the date upon which BellSouth seeks to commence an audit and shall set forth the reasons for the audit requested and the identity of the auditor selected by BellSouth. BellSouth shall not be required to obtain the consent of ALEC with respect to the selection of the auditor. ALEC may, however, challenge the legal qualifications of the auditor selected by filing an objection to that effect with the Commission within 10 days of receiving BellSouth's Notice of Audit.

Version: 3Q06 Standard ICA

- The auditor selected shall be an independent third party retained and paid for by BellSouth. The audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue an opinion regarding ALEC's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether ALEC complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.
- To the extent the independent auditor's report concludes that ALEC failed to comply with the service eligibility criteria, ALEC must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going forward basis.
- To the extent the independent auditor's report concludes that ALEC failed to comply in all material respects with the service eligibility criteria, ALEC shall reimburse BellSouth for the cost of the independent auditor. To the extent the independent auditor's report concludes that ALEC did comply in all material respects with the service eligibility criteria, BellSouth will reimburse ALEC for its reasonable and demonstrable costs associated with the audit. ALEC will maintain appropriate documentation to support its certifications and may dispute any portion of the findings of an audit by petitioning the Commission for a review within 20 days of receiving the reported findings of the auditor.
- 23. ALEC shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 24. Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops under Section 251, except to the extent that ALEC may require Loops to such locations for the purpose of providing telecommunications services to its personnel at those locations.

Version: 3Q06 Standard ICA

- 25. Subloop Elements.
- Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 25.2 Unbundled Subloop Distribution (USLD)
- The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG) Unbundled Copper Subloop (UCSL) USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 25.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 25.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 25.2.4 If ALEC requests a UCSL and it is not available, ALEC may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 25.2.5 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- Upon request for USLD-INC from ALEC, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in

Version: 3Q06 Standard ICA

twenty five (25) pair increments for ALEC's use on this cross-connect panel. ALEC will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 25.2.7 For access to Voice Grade USLD and UCSL, ALEC shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ALEC's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- Through the SI process, BellSouth will determine whether access to USLs at the location requested by ALEC is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ALEC's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/products/html/unes.html.
- 25.2.9 The site set-up must be completed before ALEC can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ALEC's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- Once the site set-up is complete, ALEC will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when ALEC requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by ALEC for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 25.2.11 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.

## 25.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 25.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 25.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its

Version: 3Q06 Standard ICA

own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

## 25.3.3 Requirements

- 25.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 25.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 25.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and ALEC does own or control such wiring, ALEC will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to ALEC.
- 25.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ALEC for each pair activated commensurate to the price specified in ALEC's Agreement.
- 25.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 25.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 25.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as

Version: 3006 Standard ICA

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 25.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 25.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 25.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

Version: 3Q06 Standard ICA

INBUN	DLEC	NETWORK ELEMENTS - Alabama								_				Attachment:	2 Exh A		L
	7	7,000			·····		·					Svc Order	Svc Order	Incremental		Incremental	Incremen
				i								Submitted	Submitted	Charge -	Charge -	Charge -	Charge
				1		1						Elec	Manually	Manual Svc	Manual Svc		Manual S
	DV.	RATE ELEMENTS	Interi	Zone	BCS	usoc		RATES(S	E)						1		Order vs
ATEGO	HY	RATE ELEMENTS	m	Zone	600	0300		HAILO	"			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
	ì			1										Electronic-	Electronic-	Electronic-	Electroni
	- 1				ŀ							1		1st	Add'l	Disc 1st	Disc Add
				ļ			<del> </del>						L	000	Detec(f)		·
							Rec		curring	Nonrecurring					Rates(\$)		
								First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				l			L						L	l			L
Ť	he "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	ged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
lr.	ttp://w	ww.interconnection.bellsouth.com/become a clec/html/inter	connec	tion.ht	m		-			•	-						
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		T	T	T							Υ		I		1
		1) CLEC should contact its contract negotiator if it prefers th	o "etate	enoci	fic" OSS charges as	ordered by t	the State Comm	iccione The	199 charges o	urrenthy contai	nod in this rat	a ovhihit are	the Belice	uth "regional	earvice orde	ring charges	CL FC m
		ther the state specific Commission ordered rates for the servi	ce orae	ering ci	narges, or CLEC may	elect the re	gioriai service (	braering charg	e, nowever, CL	LEC can not on	tain a mixture	or the two	regardiess i	T CLEC has a	merconnect	on contract e	stablishe
e	ach of	the 9 states.											,			.,	
		2) Any element that can be ordered electronically will be bill															
ť	hat car	nnot be ordered electronically at present per the LOH, the list	ed SON	REC rat	e in this category ref	lects the ch	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that	element. Oth	erwise, the m	anual ordering	g charge,
5	OMAN	I, will be applied to a CLECs bill when it submits an LSR to B	ellSout	th.											_		
		OSS - Electronic Service Order Charge, Per Local Service	T			1		T							l		
		Request (LSR) - UNE Only	l	1		SOMEC		3.50	0.00	3.50	0.00		l	1	1	1	1
		OSS - Manual Service Order Charge, Per Local Service Request		1	<del>                                     </del>	<del> </del>		2.00	- 5.00		5.00	<del> </del>	<del>                                     </del>	<del>                                     </del>			<del>                                     </del>
		(LSR) - UNE Only		1		SOMAN		15.66	0.00	1.97	0.00	1	1	Ì			1
IE CE		DATE ADVANCEMENT CHARGE	<del></del>	+	ļ <del></del>	SOIVIAIN	<del> </del>	15.00	0.00	1.97	0.00	<del></del>	<del> </del>		<del> </del>	<del> </del>	<del></del>
		The Expedite charge will be maintained commensurate with I	D-UC	. All- 1	C N = 1.7 - : # C - 11	<u> </u>				ļ			ļ	<b></b>			+
—₽	IOIE:	ne Expedite charge will be maintained commensurate with	pensor	un's F		on 5 as appli	icanie.		<u> </u>			<b> </b>			ļ		
			i	1	UAL, UEANL, UCL,												
- 1				1	UEF, UDF, UEQ,	1	1							1		1	
				1	UDL, UENTW, UDN,	ı	1										
			ł	1	UEA, UHL, ULC,	ļ	1					1					
			1		USL, U1T12, U1T48,			i				1	i		1		1
					U1TD1, U1TD3.				1				ŀ		i		
- 1			ľ	Ì	U1TDX, U1TO3.				ľ								
J	J						1							1			
				1	U1TS1, U1TVX,			[	[	[		{	ſ	ĺ	ĺ	i	1
	1			1	UC1BC, UC1BL,		1					1					1
				1	UC1CC, UC1CL,										1		
			1		UC1DC, UC1DL,								1				
- 1	l				UC1EC, UC1EL.		1		ŀ						i		1
			l		UC1FC, UC1FL,				ĺ								
					UCIGC, UCIGL,		I										
	- 1					1											
- !					UC1HC, UC1HL,		1								1		1
- 1			1	1	UDL12, UDL48,							[				1	
ļ				1	UDLO3, UDLSX,												1
					UE3, ULD12,								ŀ				1
- 1	- 1		l	1	ULD48, ULDD1,	ł	1	1	ł	l		ļ	l	1	Į.	Į	1
			1		ULDD3, ULDDX,								ĺ	1			
					ULDO3, ULDS1,												
	- 1											1					
	- 1			1	ULDVX, UNC1X,				1			1				1	
			1	1	UNC3X, UNCDX,			i e							1		
			1		UNCNX, UNCSX,			i		1							1
	- 1				UNCVX, UNLD1,												
					UNLD3, UXTD1,				i								
				1	UXTD3, UXTS1,	1										i	
				1	U1TUC, U1TUD,	1	İ					ł					
				1		1								İ		1	
				1	U1TUB, U1TUA,	1										1	İ
- 1	- 1	UNE Expedite Charge per Circuit or Line Assignable USOC, per	ſ	ſ	NTCVG, NTCUD,	ĺ		ĺ	Í	ľ	1	1	ĺ	ĺ	i	ľ	í
_ 1	1	Day	<u></u>	<u></u>	NTCD1	SDASP		200.00	L			L					<del> </del>
DER		ICATION CHARGE							L			L	L		L	L	
T		Order Modification Charge (OMC)	Τ					35.13	0.00	0.00	0.00	1	1				
		Order Modification Additional Dispatch Charge (OMCAD)		1		1	T	150.00	0.00	0.00	0.00						
		XCHANGE ACCESS LOOP	t	1		1	1	1	T	T		1					
IRLINI		ANALOG VOICE GRADE LOOP		+	<del></del>	<del> </del>	<del>                                     </del>										1
			<del> </del>	1	LIEANI	LIEALO	12.50	37.81	17.56	23.49	5.30	<del></del>	<b>——</b>	<del>                                     </del>		<b> </b>	1
	-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	I		UEANL	UEAL2	12.58						<del> </del>	<del> </del>	<del> </del>	<del> </del>	+
	-WIHE					UEAL2	21.05	37.81	17.56	23.49	5.30		1	1	1	I	
	-WINE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL												
	-WINE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30						
	-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3						37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30						
	-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UEANL UEANL	UEAL2 UEASL	34.34 12.58	37.81	17.56	23.49	5.30						
	-WIRE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	34.34										

Page 1 of 101

UNBUNDLE	D NETWORK ELEMENTS - Alabama					····							Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonreci		Nonrecurring					Rates(\$)		
						riec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic 1st Half Hour	ļ	<u> </u>	UEANL	URET1		34.16	0.00								
	Loop Testing - Basic Additional Half Hour	<del> </del>	ļ	UEANL	URETA		19.85	19.85								
	Manual Order Coordination for UVL-SL1s (per loop)	-	ļ	UEANL	UEAMC		8.15	8.15								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.09									
	Unbundled Non-Design Voice Loop, billing for BST providing		+	OCANE	OCOSL		18.09					,				<del></del>
	make-up (Engineering Information - E.I.)	1		UEANL	UEANM		13.44									1
	CLEC to CLEC Conversion Charge Without Outside Dispatch	<b>†</b>	<b> </b>	OL/ WIL	0274111		10.44			-				-		<del> </del>
	(UVL-SL1)	1		UEANL	UREWO	1	15.78	8.94	23.49	5.30						
	Bulk Migration, per 2 Wire Voice Loop-SL1	1		UEANL	UREPN		37.81	17.56	23.49	5.30						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		8.15	8.15							1	
	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	ļ		UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15				_		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	<u> </u>	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						
	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour		ļ	UEQ UEQ	URETL URET1		8.93 34.16	0.88								
	Loop Testing - Basic Additional Half Hour		-	UEQ	URETA		19.85	19.85			-					
	Manual Order Coordination 2 Wire Unbundled Copper Loop	<del></del>	<del> </del>	OEQ .	OTILIA		19.03	19.65						,		
	Non-Designed (per loop)			UEQ	USBMC		8.15	8.15								
	Unbundled Copper Loop - Non-Designed, billing for BST	<del> </del>	1	0110	0000		0.10	0.13						-		
	providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU		13.44									
	CLEC to CLEC Conversion Charge Without Outside Dispatch		1													
	(UCL-ND)		İ	UEQ	UREWO		14.27	7.43	21.25	4.15						
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		34.14	15.10	21.25	4.15						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		1	UEQ	UREPM		8.15	8.15								
	XCHANGE ACCESS LOOP															
	ANALOG VOICE GRADE LOOP	1	ļ													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1			UEA	LIEALO	14.00	20.00				ĺ					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	ļ	<del>- '-</del>	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44					i	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del> </del>		OLA	ULALZ	22.63	88.00	55.00	41.24	7.44						
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7,44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>	<del> </del>		102742	00.11	30.00	50.00	77.4	7,77						
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			1											
	Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3	ļ	3_	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1			Lunga		}		1							
	DS0)	<b> </b>		UEA	URESL		5.59	5.59								<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DS0)	1	1	UEA	LIDECT			[	i				l			
	CLEC to CLEC Conversion Charge without outside dispatch	<b> </b>	<del> </del>	UEA	URESP		5.59	5.59		_						<b> </b>
	Loop Tagging - Service Level 2 (SL2)	<del> </del>		UEA	URETL		87.72 11.21	36.36 1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2	<u> </u>	-	UEA	UREPN		88.00	55.00							<b> </b>	<del> </del>
	Bulk Migration, per 2 Wire Voice Loop-SL2  Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	t	<del>                                     </del>	UEA	UREPM	-	0.00	0.00							<del> </del>	<del> </del>
4-WIRE	ANALOG VOICE GRADE LOOP	<del> </del>	<b>†</b> –		S1121111		0.30	0.00								
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						ļ
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)	ļ	<u> </u>	UEA	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1			Luncon											1
	DS0)	ļ	<b></b>	UEA UEA	URESP UREWO		5.59 87.72	5.59 36.36							ļ	
												ı <b>1</b>			1	1
	CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP		<del> </del>	<u> </u>	OTIEVVO		07.72	30.30								

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$	)			Submitted Elec	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117,24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 3	ļ	3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
0.1405	CLEC to CLEC Conversion Charge without outside dispatch	<u></u>	<u> </u>	UDN	UREWO		91.63	44.16								
Z-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATTIBLE	LOOP	<u> </u>												ļ
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry	<del> </del> -		UAL	UALZA	11.01	110.00	66.00	47.24	7,44	<b></b>	ļ				
	& facility reservation - Zone 2	1	2	UAL	UAL2X	12.73	110,00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry	1	-			12.70	110.00	00.00	77.24	7.44		-				
	& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7,44						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			· · · · · · · · · · · · · · · · · · ·	-1							<b></b>				
	facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44	1					
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1 1	i										
	facility reservaton - Zone 3	ļ	3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44			-			
2 14/10	CLEC to CLEC Conversion Charge without outside dispatch	ATIDLE	000	UAL	UREWO		86.20	40.40								
Z-WIN	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA  2 Wire Unbundled HDSL Loop including manual service inquiry	ATIBLE	LOOP													
	& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.04	7.44			1			l
	2 Wire Unbundled HDSL Loop including manual service inquiry	+	<del>'</del>	OnL	UHLZA	0.74	110.00	68.00	47.24	7.44						
1	& facility reservation - Zone 2		2	UHL	UHL2X	10,17	110.00	68.00	47.24	7.44						l
	2 Wire Unbundled HDSL Loop including manual service inquiry	†	-	OTIL	OFFICE	10.17	110.00	00.00	47.24	7.44						<del> </del>
	& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44		i i				
	2 Wire Unbundled HDSL Loop without manual service inquiry	<del> </del>	- <u>*</u> -		U. LEAN		110.00	00.00	77.27							
	and facility reservation - Zone 1	1	1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						l
	2 Wire Unbundled HDSL Loop without manual service inquiry	1									·					
	and facility reservation - Zone 2	1	2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						i
	2 Wire Unbundled HDSL Loop without manual service inquiry	T														
	and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
	CLEC to CLEC Conversion Charge without outside dispatch	<u></u>		UHL	UREWO		86.14	40.40			, i					
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
- 1	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		١.,	UHL	11111 452	10.05	440.00	00.00	F. 70							l
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	. 1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
	and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry	<del> </del>		OT IL	UTILHA	10.00	140.30	00.00	51.70	9.73						<del></del>
- 1	and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						1
	4-Wire Unbundled HDSL Loop without manual service inquiry	1		<del>-</del>		.5.25	.40.00	00.00	31.70	5.70	<b></b>					
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						1
	4-Wire Unbundled HDSL Loop without manual service inquiry	1														
	and facility reservation - Zone 2	L	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						L
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	ļ	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
<u> </u>	CLEC to CLEC Conversion Charge without outside dispatch	ļ		UHL	UREWO		86.14	40.40								ļ
4-WIR	E DS1 DIGITAL LOOP	<b> </b>	<del> </del>	LIGI	LIGITAN	00.55	050 (=	157								<del></del>
+-	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	82.55	252.47	157.54	44.70	11.71						
<del></del>	4-Wire DS1 Digital Loop - Zone 2  4-Wire DS1 Digital Loop - Zone 3	<del> </del>		USL	USLXX	154.18 314.52	252.47 252.47	157.54 157.54	44.70 44.70	11.71 11.71				<u> </u>		
<del></del>	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per	<del> </del>	- 3	UUL	USLAA	314.32	252.41	157.54	44.70	11.71		-				
	DS1)	İ		USL	URESL		5.59	5.59								1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<b>†</b>					5.50						-			
[	DS1)	1		USL	URESP	1	5.59	5.59								1
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL	UDL2X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		_3	UDL	UDL2X	37.88	126.27	88.80	59.14	14.50						
1	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	1	UDL	UDL4X	26.09	126.27	88.80	59.14	14.50						1

UNBUNDLE	D NETWORK ELEMENTS - Alabama	-	-										Attachment:	2 Exh A		
		1	T	T							Svc Order	Svc Order	Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_				5.4750/6				Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc		RATES(\$	)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
					1 1								Electronic-	Electronic-	Electronic-	Electronic-
												ļ	1st	Add'l	Disc 1st	Disc Add'l
		1	<del> </del>			_	Nonrec	urring	Nonrecurring	Disconnect	-	L	oss	Rates(\$)	·	1
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UDL	UDL4X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL.	UDL9X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	<del> </del>		UDL	UDL9X	35.95	126.27	88.80	59.14	14.50		·				
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X UDL19	37.88 26.09	126.27	88.80	59.14	14.50	ļ					
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2	<b>-</b>		UDL	UDL19	35.95	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						
<del>-  </del> -	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDŁ	UDL19	37.88	126.27	88.80	59.14	14.50					<del> </del>	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	26.09	126.27	88.80	59.14	14.50	-			<del> </del>	<b> </b>	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59.14	14.50			<del>                                     </del>		<del> </del>	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	†		UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
<u> </u>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1			UDL64	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	T		UDL	UDL64	35.95	126.27	88.80	59.14	14.50				<b></b>		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50	L					
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per															
	DS0)	1		UDL	URESL		5.59	5.59			<u> </u>	l				
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			l	1											
	DS0)	ļ		UDL	URESP		5.59	5.59								
	CLEC to CLEC Conversion Charge without outside dispatch	ļ	ļ	UDL	UREWO		102.13	49.75								
2-WIRI	E Unbundled COPPER LOOP	<del> </del>	ļ		_											
}	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44				Ì		
		ļ	<del> '</del>	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	Ì	2	UCL	UCLPB	12,73	112.46	65.30	47.24	7.44						1
	2 Wire Unbundled Copper Loop-Designed including manual	1	+-	OOL	OCLID	12,70	112.40	03.30	47.24	7.44				ļ ———		
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44	i					1
	2-Wire Unbundled Copper Loop-Designed without manual	† ·	+ -	1002	1000.0	11.00	110.10			,						
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44	l			•		
	2-Wire Unbundled Copper Loop-Designed without manual		1								<b></b>			<b>!</b>		
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44	j			1		
	2-Wire Unbundled Copper Loop-Designed without manual													]		
	service inquiry and facility reservation - Zone 3		3		UCLPW	14.30	91.46	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)	1	ļ	UCL	UCLMC		8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch	1			1	I										
4 14/45	(UCL-Des)	1	<u> </u>	UCL	UREWO		97.23	42.48								
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73					1	
	4-Wire Copper Loop-Designed including manual service inquiry	<del>                                     </del>	+	UUL	UCL43	17.30	100.21	00.05	51.70	9.73			-		<del> </del>	
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73				l	1	
<u> </u>	4-Wire Copper Loop-Designed including manual service inquiry		+-	1000	JOETO	20.70	IOO.ET	33.03	31.70	5.15			l	-	<u> </u>	
1	and facility reservation - Zone 3	1	3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73					1	
	4-Wire Copper Loop-Designed without manual service inquiry	1	1											l	1	
	and facility reservation - Zone 1	1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73				1		
	4-Wire Copper Loop-Designed without manual service inquiry	1														
	and facility reservation - Zone 2	<u></u>	2	UCL	UCL4W	20,76	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73					ļ	
	Order Coordination for Unbundled Copper Loops (per loop)	1	-	UCL	UCLMC		8.15	8.15								
	CLEC to CLEC conversion Charge without outside dispatch	ļ		UCL	UREWO		97.23	42.48							<del>                                     </del>	
1	Contra Consultantian (a) Consu	1		UEA, UDN, UAL,	10000:			l			1				1	
Bee	Order Coordination for Specified Conversion Time (per LSR)	<del> </del>		UHL, UDL, USL	OCOSL		18.90				l					<b></b>
Hearra	ngements  EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-		+	<del> </del>	<del></del>						<b></b>			<u> </u>	<del> </del>	<b></b>
	SL2	1	1	UEA	UREEL		87.72	36.36						}	1	
	OLL.	<del> </del>	+	OLA .	ONCEL		01.12	30.30			·				<del> </del>	
1	L	1	1	UEA	UREEL						1		l	i	1	l
J	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	1			IUHEE	1	87.72	36.36								

UNBUNDLED	NETWORK ELEMENTS - Alabama								·			•	Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$					Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			<b>.</b>			Rec	Nonrec		Nonrecurring					Rates(\$)	r	
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop	Ì		UDL	UREEL		102.13	49.75								ĺ
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL	-	101.09	43.05								·
UNE LOOP COM								10,00								
	ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	NTCVG	UEAL2	36.14	88.00	55.00	47.24	7.44						-
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	NTCVG	UEAR2	14.38	88.00	55.00	47.24	7.44						
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	NTCVG	UEAR2	22.85	88.00	55.00	47.24	7.44						
Į.	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NTCVG	UEAR2	36.14	88.00	55.00	47.24	7.44						
Į.	DS0)			NTCVG	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DS0)			NTCVG	URESP		5.59	5.59								
	CLEC to CLEC Conversion Charge without outside dispatch	ļ	<u> </u>	NTCVG	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)  ANALOG VOICE GRADE LOOP - COMMINGLING	ļ		NTCVG	URETL		11.21	1,10								<del></del>
	4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	25.34	131.97	94.51	59.14	14.50				<u></u>		<del> </del>
	4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 3	-		NTCVG	UEAL4	60.02	131.97	94.51	59.14	14.50				-		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTÇVG	URESL		5.59	5.59					,,,,			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		5.59	5.59						<u></u>		
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO	-	87.72	36.36				-				
4-WIRE	DS1 DIGITAL LOOP - COMMINGLING		<u> </u>				97.72	00.00	-							
	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	82.55	252.47	157.54	44.70	11.71						1
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, single LSR, (per		3	NTCD1	USLXX	314.52	252.47	157.54	44.70	11.71						<del> </del>
	DS1)			NTCD1	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			NTCD1	URESP		5.59	5.59								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCD1	UREWO		101.09	43.05		-						
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	G		NITCLID	LIDI 637		,									
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		1 2	NTCUD NTCUD	UDL2X UDL2X	26.09 35.95	126.27 126.27	88.80 88.80	59.14 59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	NTCUD	UDL2X UDL2X	35.95	126.27	88.80	59.14 59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	NTCUD	UDL4X	26.09	126.27	88.80	59.14	14.50	<b></b>					
- 4	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	35.95	126.27	88.80	59.14	14.50						. <del></del>
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UDL9X	26.09	126.27	88.80	59.14	14.50						
<del></del>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	35.95	126,27	88.80	59.14	14.50						
<del>-    </del> ;	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1		3	NTCUD NTCUD	UDL9X UDL19	37.88 26.09	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50	-					1
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		2	NTCUD	UDL19	35.95	126.27	88.80	59.14	14.50				-		
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	-	3	NTCUD	UDL19	37.88	126.27	88.80	59.14	14.50						
4	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			NTCUD	UDL64	26.09	126.27	88.80	59.14	14,50						
14	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	L	2	NTCUD	UDL64	35.95	126.27	88.80	59.14	14.50						

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$	,				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring					Rates(\$)		
		ļ			ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	37.88	126.27	88.80	59.14	14.50						ļ
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per			NTCUD	URESL		5 50	5.50								
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	ļ	ļ	NICOD	URESL		5.59	5.59							1	
	DS0)			NTCUD	URESP		5.59	5.59							i	
	CLEC to CLEC Conversion Charge without outside dispatch	<b></b>	<del> </del>	NTCUD	UREWO	<del> </del>	102.13	49.75							<del> </del>	-
	<b>3</b>			NTCVG, NTCUD,												<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		18.90									
OOP MODIFIC			1		1											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.41	32.41								
SUB-LOOPS	l		ļ													
Sub-Lo	Dop Distribution				<del>                                     </del>											
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		244.42									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		22.64									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Op  Sub-Loop - Per Building Equipment Room - CLEC Feeder	<del> </del>		DEANL, UEP	USBSB		22.64					<u> </u>				
	Facility Set-Up			UEANL	USBSC		177.45									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				1											
	Zone 1	l	1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				1											
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		١	l <u>.</u>	l											
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		8.15	8.15					- ··-··· · · · · · · · · · · · · · · ·			
	Zone 1	İ	1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	<u> </u>	<u> </u>	OL7 III	000771	5.10	70.00	11.10	,0.77	0.07	· · · · · · · · · · · · · · · · · · ·					
	Zone 2	l	2	UEANL.	USBN4	16.67	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	32.57	8.15	8.15	49.71	9.07						
<del> </del>	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<u> </u>	<del> </del>	UEANL	USBR2	2.27	53.01	18.17	45.25	6.70					<del> </del>	<del> </del>
	***************************************		<del> </del>	UEANL	USBMC	<del> </del>			.0.20	0.70				-		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	8.15 59.25	8.15 24.41	49.71	9.07	<b></b>				<del> </del>	<del> </del>
		<del> </del>	$\vdash$			3.10			43.71	9.07	-			<del> </del>		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<del> </del>	UEANL	USBMC	ļ	8.15	8.15								ļ
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	ļ	<u> </u>	UEANL UEANL	URET1 URETA		34.16 19.85	0.00 19.85			ļ				<del> </del>	-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<b></b>	1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70	-				· · · · · · · · · · · · · · · · · · ·	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<b>-</b>		UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	İ		UEF	UCS2X	11.27	65.80	30.96	45.25	6.70				1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	T	UEF	USBMC		8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07				1		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l		UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07	l					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15				1		1		

UNBU	NDLE	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
				1		T						Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	1		i						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RATES(\$	)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
													<u> </u>				
						ļ	Rec	Nonrec		Nonrecurring					Rates(\$)		
				<b></b>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		l	1		]					l	1		}		
ļ <sup>1</sup>		Designed and Distribution Subloops		ļ	UEF, UEANL	URETL		8.93	0.88								
		Loop Testing - Basic 1st Half Hour		ļ	UEF	URET1		34.16	0.00					ļ			
	11.1	Loop Testing - Basic Additional Half Hour			UEF	URETA		19,85	19.85				<b></b>			_	
	Unbund	lled Sub-Loop Modification	ļ	<b>├</b> ──		ļ						ļ					
,		Unbundled Sub-Loop Modification - 2-W Copper Dist Load			UEF		i l		F 40			1					
		Coil/Equip Removal per 2-W PR	ļ		UEF	ULM2X		175.78	5.10								
,		Unbundled Sub-loop Modification - 4-W Copper Dist Load	l			1											
<b></b>		Coil/Equip Removal per 4-W PR			UEF	ULM4X	<b></b>	175.78	5.10	ļ							<b></b>
'		Unbundled Loop Modification, Removal of Bridge Tap, per	l		UEF	LULABE						1	1		İ	1	
<b> </b>	11-6	unbundled loop	<b> </b>	├	UEF	ULMBT		278.20	6.11			<b>_</b>					
<b> </b> -		lled Network Terminating Wire (UNTW)			LICATIAL	LICATION						L	L				
<b></b>		Unbundled Network Terminating Wire (UNTW) per Pair		₩-	UENTW	UENPP	0.40	30.01							l	ļ	
ļ		Interface Device (NID)		<u> </u>	1.15.2 12.2 47												
<u> </u>		Network Interface Device (NID) - 1-2 lines			UENTW	UND12	<del> </del>	43.23	28.38			<u> </u>	ļ	<b>_</b>			
		Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		₩-	UENTW	UND16		63.97	49.11			ļ		<u> </u>	-		
						UNDC2		5.87	5.87			<u> </u>					
LINE		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.87	5.87			<b></b>					
UNEO	HER, P	ROVISIONING ONLY - NO RATE	ļ	<b> </b>		Ļ											
l '					UAL, UCL, UDC,	1											
'			l		UDL, UDN, UEA,	1	ł I							į		1	
,			l		UHL, UEANL, UEF,		!							ĺ			
'			l		UEQ, UENTW,	1											
,			l		NTCVG, NTCUD,	l .											
		Unbundled Contact Name, Provisioning Only - no rate		<u> </u>	NTCD1, USL	UNECN	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate		-	USL, NTCD1	CCOSF		0.00									
,		Unbundled DS1 Loop - Expanded Superframe Format option -		1		l								İ			
		no rate		ļ	USL, NTCD1	CCOEF		0.00									
ļ'		NID - Dispatch and Service Order for NID installation		ļ	UENTW	UNDBX	0.00	0.00							L		
· · ·		UNTW Circuit Establishment, Provisioning Only - No Rate		<u> </u>	UENTW	UENCE	0.00	0.00							L		
LOOP N	/AKE-U			L											J		
,		Loop Makeup - Preordering Without Reservation, per working or										ľ					
'		spare facility queried (Manual).			UMK	UMKLW		20.00	20.00						_		
,		Loop Makeup - Preordering With Reservation, per spare facility	i	1				]							1		
'		queried (Manual).	L	<u> </u>	UMK	UMKLP		21.00	21.00						L	1	
1		Loop Makeup-With or Without Reservation, per working or	l .	1											1		1
<u>                                     </u>		spare facility queried (Mechanized)		<u> </u>	UMK	UMKMQ		0.59	0.59								
LINE S				ļ		ļ											
	END US	ER ORDERING-CENTRAL OFFICE BASED		L													
'		Line Splitting - per line activation DLEC owned splitter	L	L	UEPSR UEPSB	UREOS	0.61										ļ
<u> </u>		Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						
<u> </u>		Line Splitting - per line activation BST owned - virtual	ļ	<u> </u>	UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83					<u> </u>	
		SER ORDERING - REMOTE SITE LINE SPLITTING		<u> </u>		ļ								ļ			
		DLED EXCHANGE ACCESS LOOP		<u> </u>		L											
	2-WIRE	ANALOG VOICE GRADE LOOP		<u> </u>		L									L		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		l	1		ļ					1	I	I		
		Zone 1	L	1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30	<u> </u>		L			1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-				l	1	1					1	I	I		
		Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30			L	ļ		ļ
,		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1				[					1		1		1
		Zone 2	ļ	2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l	1				[							i		]
		Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30	ļ					ļ
7		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l	Ι -				$\neg$							l		1
		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30			1	L	1	1
	L 1			1		1	1					1			1	1	1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	i	1					l	1			1	1	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 AL COLLOCATION		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30					_	

UNBUN	IDLEC	NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting L COLLOCATION	ļ		UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44	ļ					ļ
	INTOP	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	<del>}</del>	<del> </del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del>                                     </del>					ļ			ļ		ļ <u> </u>
1	- 1	Splitting		1	UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5 44	1	1			i	Į.
UNBUND	DLED D	EDICATED TRANSPORT		┼	OCF SIT OCT SD	VEILS	0.03	12.30	11.00	6.03	5.44				<u> </u>	ļ ———	
		OFFICE CHANNEL - DEDICATED TRANSPORT	<u> </u>	-							·	<del> </del>					
		Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.008838						· · · · · · · · · · · · · · · · · · ·				
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	21.13	40.54	27,41	16,74	6.90	<b> </b>				<del> </del>	<del> </del>
		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.008838										
Γ	Ţ		\	\						1	1					1	
	$\Box$	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination		<u> </u>	U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90				L		L
		Interoffice Channel - 4-Wire Voice Grade - per mile	<b></b>	ļ	U1TVX	1L5XX	0.008838										
		Intereffice Channel & Miles Maio Co. de Carrott To. 19			LLTDAY	l									l		
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination Interoffice Channel - 56 kbps - per mile			U1TVX U1TDX	U1TV4 1L5XX	18.73 0.008838	40.54	27.41	16.74	6.90			ļ		ļ	<b></b>
-+		Interoffice Channel - 56 kbps - Facility Termination	<del> </del> -	ļ	U1TDX			40.54	07.41	10.74			<u> </u>				<del></del>
+		Interoffice Channel - 64 kbps - per mile	<del> </del>	<del> </del>	UITDX	U1TD5 1L5XX	15.12 0.008838	40.54	27.41	16.74	6.90					ļ	<del> </del>
		Interoffice Channel - 64 kbps - Facility Termination	<del> </del> -	<del></del>	UITOX	U1TD6	15.12	40.54	27.41	16.74	6.90		l ——			<del> </del>	ļ
		Interoffice Channel - DS1 - per mile	<del> </del>	<del></del>	UITDI	1L5XX	0.18	40.54	21.41	10.74	6.90	-					
		Interoffice Channel - DS1 - Facility Termination	<del> </del>		U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						
		Interoffice Channel - DS3 - per mile	<del> </del>	<del> </del>	U1TD3	1L5XX	4.09	03.21	01.01	10.55	17.77	<del> </del>					
		Interoffice Channel - DS3 - Facility Termination	<b>†</b>	<del> </del>	U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46	<b></b>	<b></b>			<del> </del>	<del> </del>
		Interoffice Channel - STS-1 - per mile	1		U1TS1	1L5XX	4.09	2.0,.0	102.75	00.20	<b>G</b> 0.10						· · · · · · · · · · · · · · · · · · ·
		Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	58.46	·					
L	JNBUN	DLED DARK FIBER - Stand Alone or in Combination															
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	22.34										
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
		Y UNBUNDLED LOCAL LOOP															
		S-1 UNBUNDLED LOCAL LOOP - Stand Alone															
		DS3 Unbundled Local Loop - per mile	ļ		UE3	1L5ND	8.38	,									
		DS3 Unbundled Local Loop - Facility Termination	ļ		UE3	UE3PX	308.08	451.52	263.94	119.49	83.58						
		STS-1Unbundled Local Loop - per mile	-	-	UDLSX	1L5ND	8.38					<b></b>				<u> </u>	<del> </del>
ENLLANC	SED EV	STS-1 Unbundled Local Loop - Facility Termination	-		UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						<u></u>
		TENDED LINK (EELs) k Elements Used in Combinations	<b>├</b>	ļ		<del>-</del>				<del> </del>		ļ <u> </u>					<b></b> _
	VOLWOIT	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	<del>                                     </del>				<del> </del>	<del> </del>
		2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	<del>-</del>				-	
		2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	-	<del> </del>			l	ļ
-+		4-Wire Analog Voice Grade Loop in Combination - Zone 1	<del> </del>	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	<del> </del>	<del> </del>			<u> </u>	<del></del>
		4-Wire Analog Voice Grade Loop in Combination - Zone 2	<del> </del>	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	<del> </del>	l		<del></del>	<del></del>	ļ
		4-Wire Analog Voice Grade Loop in Combination - Zone 3	<b></b>	3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50					<b>-</b>	
		2-Wire ISDN Loop in Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		<b>†</b>				· · · · · · · · · · · · · · · · · · ·
		2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54	· · · · · · · · · · · · · · · · · · ·					
		2-Wire ISDN Loop in Combination - Zone 3	1	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54					1	
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50					L.	
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50					L	
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	<b></b>	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		<b></b>	ļ			<b></b>
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	ļ		UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50				<b> </b>	ļ	<del> </del>
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	ļ	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50					<del> </del>	ļ
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	ļ			<u> </u>		<del></del>
		4-Wire DS1 Digital Loop in Combination - Zone 2	+	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	<del> </del>	<b></b>	ļ		<del> </del>	<del> </del>
-		4-Wire DS1 Digital Loop in Combination - Zone 3 DS3 Local Loop in combination - per mile	<del> </del>	3	UNC1X UNC3X	USLXX 1L5ND	314.52 8.38	252.47	157.54	44.70	11.71	ļ		ļ	<u> </u>	<del> </del>	<del> </del>
<del>                                     </del>		DS3 Local Loop in combination - per mile DS3 Local Loop in combination - Facility Termination	1	<del>  -</del>	UNC3X	UE3PX	308.08	451.52	263.94	119.49	83.58	<del> </del>				<del>                                     </del>	<del> </del>
		STS-1 Local Loop in combination - Pacing Termination	I	1	UNCSX	1L5ND	8.38	401.02	200.94	113.49	05.56	<del> </del>		<u> </u>	<b> </b>	<del> </del>	<del> </del>

in in in in in in in in in in in in in i	RATE ELEMENTS  STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile Interoffice Channel in combination - 2-wire VG - Facility Termination Interoffice Channel in combination - 4-wire VG - per mile Interoffice Channel in combination - 4-wire VG - Facility Termination Interoffice Channel in combination - 4-wire 56 kbps - per mile Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination Interoffice Channel in combination - DS1 - per mile Interoffice Channel in combination - DS1 - per mile Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - Facility Termination Interoffice Channel in combination - STS-1 - Facility Termination Interoffice Channel in combination - STS-1 - Facility Termination Interoffice Channel in combination - STS-1 - Facility Termination Interoffice Channel in combination - STS-1 - Facility Termination Interoffice Channel in combination - STS-1 - Facility Termination Interoffice Channel in StS-1 - Facility Termination Interoffice Channel in StS-1 - Facility Termination Interoffice Channel in StS-1 - Facility Termination Interoffice Channel in StS-1 - Facility Termination Interoffice Channel Interoffic	Interi	Zone	BCS  UNCSX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX	UDLS1 1L5XX U1TV2 1L5XX U1TV4 1L5XX U1TD5 1L5XX	Rec 319.83 0.008638 21.13 0.008838 18.73 0.008838 15.12	Nonrec First 451.52 40.54 40.54		Nonrecurring First 119.49 16.74	Add'I 83.58 6.90		Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st SOMAN	Charge -
in in in in in in in in in in in in in i	nteroffice Channel in combination - 2-wire VG - per mile nteroffice Channel in combination - 2-wire VG - Facility Termination nteroffice Channel in combination - 4-wire VG - per mile nteroffice Channel in combination - 4-wire VG - Pacility Termination nteroffice Channel in combination - 4-wire 56 kbps - per mile nteroffice Channel in combination - 4-wire 56 kbps - Facility Termination nteroffice Channel in combination - 4-wire 64 kbps - per mile nteroffice Channel in combination - 4-wire 64 kbps - Facility Termination nteroffice Channel in combination - 0-y-wire 64 kbps - Facility Termination nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile			UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	1L5XX U1TV2 1L5XX U1TV4 1L5XX U1TD5 1L5XX	319.83 0.008838 21.13 0.008838 18.73 0.008838	First 451.52 40.54	Add'l 263.94 27.41	First 119.49 16.74	Add'I 83.58 6.90	SOMEC	SOMAN			SOMAN	SOMAN
in in in in in in in in in in in in in i	nteroffice Channel in combination - 2-wire VG - per mile nteroffice Channel in combination - 2-wire VG - Facility Termination nteroffice Channel in combination - 4-wire VG - per mile nteroffice Channel in combination - 4-wire VG - Pacility Termination nteroffice Channel in combination - 4-wire 56 kbps - per mile nteroffice Channel in combination - 4-wire 56 kbps - Facility Termination nteroffice Channel in combination - 4-wire 64 kbps - per mile nteroffice Channel in combination - 4-wire 64 kbps - Facility Termination nteroffice Channel in combination - 0-y-wire 64 kbps - Facility Termination nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile			UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	1L5XX U1TV2 1L5XX U1TV4 1L5XX U1TD5 1L5XX	319.83 0.008838 21.13 0.008838 18.73 0.008838	First 451.52 40.54	Add'l 263.94 27.41	First 119.49 16.74	Add'I 83.58 6.90	SOMEC	SOMAN			SOMAN	SOMAN
in in in in in in in in in in in in in i	nteroffice Channel in combination - 2-wire VG - per mile nteroffice Channel in combination - 2-wire VG - Facility Termination nteroffice Channel in combination - 4-wire VG - per mile nteroffice Channel in combination - 4-wire VG - Pacility Termination nteroffice Channel in combination - 4-wire 56 kbps - per mile nteroffice Channel in combination - 4-wire 56 kbps - Facility Termination nteroffice Channel in combination - 4-wire 64 kbps - per mile nteroffice Channel in combination - 4-wire 64 kbps - Facility Termination nteroffice Channel in combination - 0-y-wire 64 kbps - Facility Termination nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile			UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	1L5XX U1TV2 1L5XX U1TV4 1L5XX U1TD5 1L5XX	0.008838 21.13 0.008838 18.73 0.008838	451.52 40.54 40.54	263.94	119.49	6.90	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
in in in in in in in in in in in in in i	nteroffice Channel in combination - 2-wire VG - per mile nteroffice Channel in combination - 2-wire VG - Facility Termination nteroffice Channel in combination - 4-wire VG - per mile nteroffice Channel in combination - 4-wire VG - Pacility Termination nteroffice Channel in combination - 4-wire 56 kbps - per mile nteroffice Channel in combination - 4-wire 56 kbps - Facility Termination nteroffice Channel in combination - 4-wire 64 kbps - per mile nteroffice Channel in combination - 4-wire 64 kbps - Facility Termination nteroffice Channel in combination - 0-y-wire 64 kbps - Facility Termination nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile			UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	1L5XX U1TV2 1L5XX U1TV4 1L5XX U1TD5 1L5XX	0.008838 21.13 0.008838 18.73 0.008838	40.54	27.41	16.74	6.90						
In Tree In In In In In In In In In In In In In	nteroffice Channel in combination - 2-wire VG - Facility Termination Interoffice Channel in combination - 4-wire VG - per mile Interoffice Channel in combination - 4-wire VG - Facility Termination Interoffice Channel in combination - 4-wire 56 kbps - per mile Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile Interoffice Channel in combination - 0-yiere 64 kbps - Facility Termination Interoffice Channel in combination - DS1 - per mile Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - DS3 - Facility Termination Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile			UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX	U1TV2 1L5XX U1TV4 1L5XX U1TD5 1L5XX	21.13 0.008838 18.73 0.008838 15.12	40.54									
To In In In In In In In In In In In In In	Termination Interoffice Channel in combination - 4-wire VG - per mile Interoffice Channel in combination - 4-wire VG - Facility Termination Interoffice Channel in combination - 4-wire 56 kbps - per mile Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination Interoffice Channel in combination - 0-0-1 - per mile Interoffice Channel in combination - 0-0-1 - per mile Interoffice Channel in combination - 0-0-3 - per mile Interoffice Channel in combination - 0-0-3 - per mile Interoffice Channel in combination - 0-0-3 - per mile Interoffice Channel in combination - 0-0-3 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile			UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	1L5XX U1TV4 1L5XX U1TD5 1L5XX	0.008838 18.73 0.008838 15.12	40.54									
In In In In In In In In In In In In In I	nteroffice Channel in combination - 4-wire VG - per mile nteroffice Channel in combination - 4-wire VG - Facility fermination nteroffice Channel in combination - 4-wire 56 kbps - per mile nteroffice Channel in combination - 4-wire 56 kbps - Facility fermination nteroffice Channel in combination - 4-wire 64 kbps - per mile nteroffice Channel in combination - 4-wire 64 kbps - Facility fermination nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile			UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	1L5XX U1TV4 1L5XX U1TD5 1L5XX	0.008838 18.73 0.008838 15.12	40.54									
In Tree In In In In In In In In In In In In In	nteroffice Channel in combination - 4-wire VG - Facility Termination Interoffice Channel in combination - 4-wire 56 kbps - per mile Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination Interoffice Channel in combination - DS1 - per mile Interoffice Channel in combination - DS1 - per mile Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - DS3 - Facility Termination Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile			UNCVX UNCDX UNCDX UNCDX	U1TV4 1L5XX U1TD5 1L5XX	18.73 0.008838 15.12		27.41	16.74							
To In In In In In In In In In In In In In	Termination Interoffice Channel in combination - 4-wire 56 kbps - per mile Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile Interoffice Channel in combination - 4-wire 64 kbps - per mile Interoffice Channel in combination - DS1 - per mile Interoffice Channel in combination - DS1 - per mile Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - DS3 - Facility Termination Interoffice Channel in combination - DS3 - Facility Termination Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 - Facility Termination Interoffice Channel in combination - STS-1 - Facility Termination ITWORK ELEMENTS			UNCDX UNCDX UNCDX UNCDX	U1TD5 1L5XX	0.008838		27,41	16.74							
in in in in in in in in in in in in in i	nteroffice Channel in combination - 4-wire 56 kbps - per mile nteroffice Channel in combination - 4-wire 56 kbps - Facility Termination nteroffice Channel in combination - 4-wire 64 kbps - per mile nteroffice Channel in combination - 4-wire 64 kbps - Facility Termination nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 - Facility Termination - STS-1 - Facility Ter			UNCDX UNCDX UNCDX UNCDX	U1TD5 1L5XX	0.008838		27,41	l 15.74 l							1
In Te	nteroffice Channel in combination - 4-wire 56 kbps - Facility  Termination			UNCDX UNCDX UNCDX	U1TD5 1L5XX	15.12	40 E4			6.90						
Te In In In In In In In In In In In In In	Termination  Iteroffice Channel in combination - 4-wire 64 kbps - per mile Iteroffice Channel in combination - 4-wire 64 kbps - Facility Itermination Iteroffice Channel in combination - DS1 - per mile Iteroffice Channel in combination - DS1 Facility Termination Iteroffice Channel in combination - DS3 - per mile Iteroffice Channel in combination - DS3 - Facility Termination Iteroffice Channel in combination - STS-1 - per mile Iteroffice Channel in combination - STS-1 Facility Termination Iteroffice Channel in combination - STS-1 Facility Termination Iteroffice Channel in combination - STS-1 Facility Termination ITWORK ELEMENTS			UNCDX	1L5XX		40 E4								-	<del></del>
In In Te	nteroffice Channel in combination - 4-wire 64 kbps - per mile nteroffice Channel in combination - 4-wire 64 kbps - Facility termination   Itermination   DS1 - per mile nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 Facility Terminati			UNCDX	1L5XX			27.41	16.74	6.90						l .
In Te	nteroffice Channel in combination - 4-wire 64 kbps - Facility Fermination nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS1 Facility Termination nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 Facility Termination TETWORK ELEMENTS			UNCDX		0.000030	40.34	27.41	10.74	6.90						<del></del>
Te In In In In In In In In In In In In In	Termination Interoffice Channel in combination - DS1 - per mile Interoffice Channel in combination - DS1 - per mile Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - DS3 - Facility Termination Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 Facility Termination Interoffice Channel in combination - STS-1 Facility Termination ITWORK ELEMENTS				1											<del></del>
In In In In In In In In In In In In In I	nteroffice Channel in combination - DS1 - per mile nteroffice Channel in combination - DS1 Facility Termination nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 Facility Termination TWORK ELEMENTS				U1TD6	15.12	40.54	27.41	16.74	6.90						i
In In In In In In In In In In In In In I	nteroffice Channel in combination - DS1 Facility Termination nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 Facility Termination - STS-1 Facility Termination - STS-1 Facility Termination			UNC1X	1L5XX	0.18	40.54	27.41	16.74	6.90						<del></del>
In In In In In In In In In In In In In I	nteroffice Channel in combination - DS3 - per mile nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 Facility Termination TWORK ELEMENTS		<u> </u>	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14,44						
In In In In ADDITIONAL NET	nteroffice Channel in combination - DS3 - Facility Termination nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 Facility Termination :TWORK ELEMENTS			UNC3X	1L5XX	4.09	03.27	01.01	10.55	14.44						
In In ADDITIONAL NET	nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 Facility Termination TWORK ELEMENTS		1	UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46					-	
ADDITIONAL NET	nteroffice Channel in combination - STS-1 Facility Termination TWORK ELEMENTS		<del>                                     </del>	UNCSX	1L5XX	4.09	270.70	102.70	00.20	50.40						
ADDITIONAL NET	TWORK ELEMENTS	ŀ	$\vdash$	UNCSX	U1TFS	701,37	278.75	162.76	60.20	58.46						
						101.07	270.10	.020	- 00.20	00.10						
1					<u> </u>											
			· · · · · ·	U1TD1,	1	1										·
i    c	Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X	CCOEF		0.00	0.00	i							ı
				U1TD1.	1										-	
1   C	Clear Channel Capability Super FrameOption - per DS1	ı	1	ULDD1,UNC1X	CCOSF	1 1	0.00	0.00						1		i
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
l A	Activity - per DS1	ı		UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741						ł
				U1TD3, ULDD3,												i
c	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3	li	219.13	7.67	0.7355	0.00				i		i
	DS1/DS0 Channel System			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79						
D'	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	176.20	178.14	93.97	33.26	31.83						
	/oice Grade COCI in combination			UNCVX	1D1VG	0.56	6.58	4.72								
	/oice Grade COCI - for Stand Alone Local Loop			UEA	1D1VG	0.56	6.58	4.72								i
	/oice Grade COCI - for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.56	6.58	4.72								i
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	2.41	6.58	4.72								1
	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	2.41	6.58	4.72								
	2-wire ISDN COCI (BRITE) - for connection to a channelized															i
	OS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72								ļ
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	1.19	6.58	4.72								
	DCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop		-	UDL	1D1DD	1.19	6.58	4.72								·
	DCU-DP COCI (2.4-64kbs) - for connection to a channelized			LUTUO	LDADD		0.55	,						]		i
	OS1 Local Channel in the same SWC as collocation OS1 COCI in combination		<b>—</b>	U1TUD UNC1X	1D1DD UC1D1	1.19 13.47	6.58	4.72								
	DS1 COCI in combination DS1 COCI - for Stand Alone Local Channel	ļ		ULDD1	UC1D1		6.58	4.72								
	OS1 COCI - for Stand Alone Local Channel OS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	13.47 13.47	6.58 6.58	4.72 4.72								· · · · · · · · · · · · · · · · · · ·
	DS1 COCI - for Stand Alone Local Loop			USL	UC1D1	13.47										
	DS1 COCI - for Stand Alone Local Loop  DS1 COCI - for connection to a channelized DS1 Local Channel			UUL	IOCIDI	13.4/	6.58	4.72								
	n the same SWC as collocation			U1TUA	UC1D1	13.47	6.58	4.72	l							i
	sams office de concedition		<b> </b>	UNCVX, UNCDX,	130101	10.47	0.00	4.12								
				UNC1X, UNC3X.												ı
				UNCSX, UDFCX,												ı
				XDH1X, HFQC6,												ı
				XDD2X, XDV6X,												1
.				XDDFX, XDD4X,												
w	Wholesale - UNE, Switch-As-Is Conversion Charge			HFRST	UNCCC		5.59	5.59	l							
				U1TVX, U1TDX,										-		
	Jnbundled Misc Rate Element, SNE SAI, Single Network			UITDI, UITD3,			l	l	l							
EI	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	<u></u>	L l	U1TS1, UDF, UE3	URESL		36.70	16.06	l							

MRONDLE	D NETWORK ELEMENTS - Alabama										··· · · · · · · · · · · · · · · · · ·		Attachment:	2 Fxh ^	Τ	l
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$					Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
		+	┼		<u> </u>	Rec	Nonrec First			Disconnect				Rates(\$)		
	Unbundled Misc Rate Element, SNE SAI, Single Network	<u> </u>	T	U1TVX, U1TDX,	<del></del>	<del>                                     </del>	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Element - Switch As Is Non-recurring Charge, incremental			U1TD1, U1TD3,										1 '		
	charge per circuit on a spreadsheet	i		U1TS1, UDF, UE3	URESP		1,48	1.48						1 '		
Access	s to DCS - Customer Reconfiguration (FlexServ)													<del>                                     </del>		
	Customer Reconfiguration Establishment DS1 DCS Termination with DS0 Switching						1.48		1.84							
	DS1 DCS Termination with DS0 Switching					29.46	25.55	19.66	16.63	13.38			-			
	DS3 DCS Termination with DS1 Switching					9.94	18.47	12.58	12.21	8.96						
Node (	SynchroNet)	+	<b></b>		ļ	105.16	25.55	19.66	16.63	13.38						
	Node per month	+		UNCDX	UNCNT	15.77										
Service	Rearrangements			ONOBA	ONCINT	15.77										
	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		101.09	10.05								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			UTTVX, UTTDX, UEA, UDL, UTTUC, UTTUD, UTTUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB			43.05								
	NRC - Order Coordination Specific Time - Dedicated Transport	li—I		UNC1X, UNC3X	OCOSR		3.16 18.93	3.16								
	UNE Reconfiguration Change Charge per Circuit	<del> </del>		UNC1X	URERC		35.00	18.93 35.00								
	UNE Reconfiguration Change Charge per Circuit Project			OTTO IX	GITETIO		35.00	35.00								
MMINGLING	Managed	1		UNC1X	URERP		3.16	3.16		İ			1	i	ŀ	
Commi	Commingling Authorization ngled (UNE part of single bandwidth circuit)			UNCVX, UNCDX, UNCIX, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
100111111	Commingled VG COCI			VOLOV AUTOUG												
	Commingled Digital COCI	├	— <del> </del>	XDV2X, NTCVG XDV6X, NTCUD	1D1VG 1D1DD	0.56	6.58	4.72								
	Commingled ISDN COCI			XDD4X	UC1CA	1.19 2.41	6.58 6.58	4.72 4.72								
	Commingled 2-wire VG Interoffice Channel	-		XDV2X	U1TV2	21.13	40.54	27.41	16,74	- 666						
	Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	18.73	40.54	27.41	16.74	6.90 6.90						
	Commingled 56kbps Interoffice Channel	T		XDD4X	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	15.12	40.54	27.41	16.74	6.90						
_   _	Commingled VG/DS0 Interoffice Channel Mileage			XDV2X, XDV6X, XDD4X	1L5XX	0.008838		2,31	10.74	0.90						
	Commingled 2-wire Local Loop Zone 1			KDV2X	UEAL2	14.38	88.00	55.00	47.24	7,44						
<del></del>	Commingled 2-wire Local Loop Zone 2			KDV2X	UEAL2	22.85	88.00	55.00	47.24	7.44	-					
	Commingled 2-wire Local Loop Zone 3	<b></b>		KDV2X	UEAL2	36.14	88.00	55.00	47.24	7.44		<del></del>				
<del>                                     </del>	Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2			KDV6X	UEAL4	25.34	131.97	94.51	59.14	14.50					<del></del>	
	Commingled 4-wire Local Loop Zone 2 Commingled 4-wire Local Loop Zone 3			(DV6X	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Commingled 4-Wife Local Loop Zone 3  Commingled 56kbps Local Loop Zone 1			(DV6X	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Commingled 56kbps Local Loop Zone 2			(DD4X (DD4X	UDL56	26.09	126.27	88.80	59.14	14.50						
	Commingled 56kbps Local Loop Zone 3				UDL56	35.95 37.88	126.27	88.80	59.14	14.50						
1																
	Commingled 64kbps Local Loop Zone 1						126.27	88.80	59.14	14.50						
			1 >	(DD4X	UDL64 UDL64	26.09 35.95	126.27 126.27	88.80 88.80	59.14 59.14 59.14	14.50 14.50						

Version 2Q06 Standard ICA 06/13/06

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2 Exh A		
				T	1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	l.		Charge -	Charge -	Charge -
		1									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RATES(\$	)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						•			percan	per Lan	Electronic-	Electronic-	Electronic-	Electronic-
			1										1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	21.88	117.24	79.77	52.88	10.54						
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Commingled ISDN Local Loop Zone 3	1	3	XDD4X	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	13.47	6.58	4.72								
	Commingled DS1 Interoffice Channel			XDH1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.18										
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	107.19	91.04	62.57	10.54	9.79						
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	154.18	252.47	157.54	44.70	11.71			· · · · · · · · · · · · · · · · · · ·	_		
	Commingled DS1 Local Loop Zone 3	1	3	XDH1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Commingled DS3 Local Loop		T	HFQC6	UE3PX	308.08	451.52	263.94	119.49	83.58						
	Commingled DS3/STS-1 Local Loop Mileage	1	1	HFQC6, HFRST	1L5ND	8.38										
	Commingled STS-1 Local Loop	<b>———</b>	<b>†</b>	HFRST	UDLS1	319.83	451,52	263.94	119.49	83.58						
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	176.20	178,14	93.97	33.26	31.83						
	Commingled DS3 Interoffice Channel	1		HFQC6	U1TF3	703.52	278.75	162.76	60.20	58.46						
	Commingled DS3 Interoffice Channel Mileage	1	1	HFQC6	1L5XX	4.09										· · · · · · · · · · · · · · · · · · ·
	Commingled STS-1Interoffice Channel		<u> </u>	HFRST	U1TFS	701.37	278.75	162.76	60.20	58.46	-					
	Commingled STS-1Interoffice Channel Mileage		† · · · · ·	HFRST	1L5XX	4.09										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1							-		-					
	Strands, Per Route Mile Or Fraction Thereof	1		HEQDL	1L5DF	22.34			1							
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1						• ••								
	Strands, Per Route Mile Or Fraction Thereof	1	ļ	HEQDL	UDF14		639.09	137.87	317.06	197.66						
	UNE to Commingled Conversion Tracking	†	i –	XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00						
	SPA to Commingled Conversion Tracking	<del>                                     </del>	<u> </u>	XDH1X, HEQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
LNP Query Se									0.00							
	LNP Charge Per query	<del> </del>	<b>†</b>		1	0.000757									-	
	LNP Service Establishment Manual	<del>  "</del>	<del> </del>		1	0.000707	12.52		11.51							
	LNP Service Provisioning with Point Code Establishment	1	<b>†</b>				593.49	303,20	268.93	197.74						
911 PBX LOCA		1	l				000.10	300.20	200.00							
	BX LOCATE DATABASE CAPABILITY	-	<b>†</b>													
	Service Establishment per CLEC per End User Account	· ·		9PBDC	9PBEU		1,813.00									· · · ·
	Changes to TN Range or Customer Profile	1	t	9PBDC	9PBTN		181.44									
	Per Telephone Number (Monthly)	1	<del>                                     </del>	9PBDC	9PBMM	0.07	.01.11									
	Change Company (Service Provider) ID	<del> </del>	$\vdash$	9PBDC	9PBPC	<del></del>	532.60				-					
	PBX Locate Service Support per CLEC (MonthIt)	1 -		9PBDC	9PBMR	181.33	552.50		-						•	
	Service Order Charge	1	1	9PBDC	9PBSC	101.00	15.66									
911 PR	BX LOCATE TRANSPORT COMPONENT		<b></b>	0. 200	15. 550	<del>                                     </del>	15.50		<del></del>							<del></del>
See At		+			<b>†</b>	<del> </del>					<del> </del>					
	Rates displaying an "I" in Interim column are interim as a resu	14 -4 - 0		'	+											

UNBUND	LED NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY		Interi m	Zone	BCS	USOC		RATES(	\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
				<u> </u>	1		Nonre	curring	Nonrecurrin	g Disconnect		L	oss	Rates(\$)	L	<u></u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The	"Zono" ob aven in the costi of the delication of	Т.,	1	1	<u> </u>	1		L								
htto	"Zone" shown in the sections for stand-alone loops or loops as c://www.interconnection.bellsouth.com/become_a_clec/html/inte	s part of	a com	ibination refers to Ge	eographicali	y Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet 1	Nebsite:	
	NS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	T	T	T	т -				·	T		T			γ	
ГОИ	FE: (1) CLEC should contact its contract negotiator if it prefers to	he "state	e speci	ific" OSS charges as	ordered by	the State Comm	issions The	OSS charges o	Lurrently cents	ined in this set	avbibit or	the BellCe	uth Propins		<u> </u>	01.50
elec	et either the state specific Commission ordered rates for the serv	rice orde	ering c	harges, or CLEC may	v elect the re	egional service	ordering chard	ie. however. C	LEC can not of	nteu ili tilis rat htain a mixture	of the two	renardlass i	uun regionai fCIFC hasa	interconnecti	on contract a	. CLEC May etabliched i
eaci	n of the 9 states.															
тои	FE: (2) Any element that can be ordered electronically will be bil	led acco	ording	to the SOMEC rate li	isted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine i	f a product	can be ordere	ed electronica	lly. For thos	e elements
that	cannot be ordered electronically at present per the LOH, the lis	ted SON	IEC rat	te in this category re	flects the ch	arge that would	l be billed to a	CLEC once el	ectronic order	ing capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	inual ordering	g charge,
SON	MAN, will be applied to a CLECs bill when it submits an LSR to I OSS - Electronic Service Order Charge, Per Local Service	BellSout	h.	1				···								
	Request (LSR) - UNE Only	1	1		SOMEC		3.50	0.00	3.50	0.00					i '	
	OSS - Manual Service Order Charge, Per Local Service Reques	t	T -	<b>1</b>	150		3.30	0.00	3.50	0.00	<b>-</b>					
	(LSR) - UNE Only		<u></u>		SOMAN		11.90	0.00	1.83	0.00					i '	
	CE DATE ADVANCEMENT CHARGE															
- NO	E: The Expedite charge will be maintained commensurate with	BellSou	itn's F	UAL, UEANL, UCL,	on 5 as appl	icable.				<del> </del>						
				UEF, UDF, UEQ.											i '	
				UDL, UENTW, UDN,											1	
				UEA, UHL, ULC,											, !	
				USL, U1T12, U1T48,											, '	
				U1TD1, U1TD3, U1TDX, U1TO3.						İ					, '	
				U1TS1, U1TVX,	ļ				]						, ,	
		İ		UC1BC, UC1BL,	l	ļ				ì					. !	ł
			ĺ	UC1CC, UC1CL,					1							
				UC1DC, UC1DL, UC1EC, UC1EL,												
				UC1FC, UC1FL,											. !	
				UC1GC, UC1GL,						ł					. !	
				UC1HC, UC1HL,											, !	
			1	UDL12, UDL48,											. !	
				UDLO3, UDLSX,											. ,	
		l	ĺ	UE3, ULD12, ULD48, ULDD1,		-										
				ULDD3, ULDDX,											. !	
				ULDO3, ULDS1,											. !	
				ULDVX, UNC1X,												
				UNC3X, UNCDX, UNCNX, UNCSX.												
				UNCVX, UNCSX,												
				UNLD3, UXTD1,												
				UXTD3, UXTS1,					i						. 1	
				UTTUC, UTTUD,												
	INFE IS OF STATE OF S			U1TUB,									i			
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav			U1TUA,NTCVG,	CDACD									i		
ORDER MOI	DIFICATION CHARGE		-	NTCUD, NTCD1	SDASP	<del> </del>	200.00		<del> </del> -							
	Order Modification Charge (OMC)	<b> </b>					26.21	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
	D EXCHANGE ACCESS LOOP									L						
2-WI	RE ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	L IPT A B U	I I I I I											
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEAL2 UEAL2	10.69 15.20	49.57 49.57	22.83 22.83	25.62 25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<del> </del>	3	UEANL	UEAL2	26.97	49.57 49.57	22.83	25.62 25.62	6.57 6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						<del></del>
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL.	26.97	49.57	22.83	25.62	6.57						

Version 2Q06 Standard ICA 06/13/06 Page 12 of 101

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonreci	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						1160	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAÑ	SOMAN	SOMAN	SOMAN
	Tag Loop at End User Premise			UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour		L	UEANI.	URET1		77.09	0.00				Ĺ.,				
	Loop Testing - Basic Additional Half Hour	<del> </del>	—	UEANL	URETA		33.12	33.12								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
1 1 '	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		1	LICANII	00000											
h	Unbundled Non-Design Voice Loop, billing for BST providing	-	-	UEANL	OCOSL		23.02									<u> </u>
1 1 '	make-up (Engineering Information - E.I.)			UEANL	UEANM	į	40.40							1		
<del>                                     </del>	CLEC to CLEC Conversion Charge Without Outside Dispatch	1-	<del> </del>	UEANL	UEANIVI		13.49							<del> </del>	<del> </del>	<del> </del>
1 1 !	(UVL-SL1)		1	UEANL	UREWO		15.78	8.94	25.62	6.57	1			1	1	1
	Bulk Migration, per 2 Wire Voice Loop-SL1	<del> </del>	+	UEANL	UREPN		49.57	22.83	25.62	6.57					<del>                                     </del>	<del></del>
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1	†	<b> </b>	UEANL	UREPM		9.00	9.00	25.02	0.57						<del></del>
2-WIRE	Unbundled COPPER LOOP	<del> </del> -	-	OL. WE	0.127 10.		9.00	3.00			<del> </del>			<del> </del>		<del>                                     </del>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45		<del></del>		<del> </del>	<del> </del>	<del> </del>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	10.92	44,98	20.90	24.88	6.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	<b></b>		UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	Tag Loop at End User Premise		$T^{-}$	UEQ	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	0.00			-					· · · · · · · · · · · · · · · · · · ·
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	1			1											
<u> </u>	Non-Designed (per loop)			UEQ	USBMC		9.00	9.00						l		
1 1 1	Unbundled Copper Loop - Non-Design, billing for BST providing		1													
	make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49								l	
(  )	CLEC to CLEC Conversion Charge Without Outside Dispatch				1 1											
<b> </b>	(UCL-ND)	ļ	<u> </u>	UEQ	UREWO		14.27	7.43	24.88	6.45					L	
	Bulk Migration, per 2 Wire UCL-ND	<u> </u>	ļ	UEQ	UREPN		44.98	20.90	24.88	6.45						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND	1	1	UEQ	UREPM		9.00	9.00			ļ					
	EXCHANGE ACCESS LOOP  E ANALOG VOICE GRADE LOOP	ļ	<b>_</b>		-											ļ
2-WIRE		1														
1   !	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		١.	UEA	UEAL2	10.04	105.75	00.47	60.50	10.01				1		
L	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		┼-	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						<del></del>
1 1 !	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01	l					
<del>   </del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del> </del>		OLA	OLAL2	17.40	133.73	02.47	00.00	12.01						
(   !	Ground Start Signaling - Zone 3	į .	3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01	Į.			ļ	Į.	}
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	†	<del>                                      </del>	OLA	UCALZ	50.07	100.70	02.47	05.55	12.01				<del> </del>		<del> </del>
1   /	Battery Signaling - Zone 1	1	1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01				Ì		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>	<u> </u>				7,007.4	02,11								
(  )	Battery Signaling - Zone 2	1	2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01	1			I	1	I
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		T -											1		
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01	1			I	l	1.
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	T	Π								T			1		
	DS0)	1		UEA	URESL		8.98	8.98			<u> </u>			L	<u> </u>	1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)		L	UEA	URESP		8.98	8.98							1	L
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		135.75	82.47								
<u> </u>	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	<u> </u>	<u> </u>	UEA	UREPM		0.00	0.00								L
4-WIRE	ANALOG VOICE GRADE LOOP		ļ												<b> </b>	<del></del>
ı—————————————————————————————————————	4-Wire Analog Voice Grade Loop - Zone 1	<b></b>		UEA	UEAL4	18.89	167.86	115.15	67.08	15.56				<u></u>	ļ	<b>_</b>
<del></del>	4-Wire Analog Voice Grade Loop - Zone 2	<del> </del>		UEA	UEAL4	26.84	167.86	115.15	67.08	15.56	<b></b>			ļ	<del></del>	<del> </del>
, , ,	4-Wire Analog Voice Grade Loop - Zone 3	<del> </del>	3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56					<del> </del>	<del> </del>
<del></del>	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	I	ı	1	Lunna			2.25			i			I	I	
	Deal	1														1
	DS0)			UEA	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
				UEA UEA	URESP UREWO		8.98 8.98 87.71	8.98 8.98 36.35								

NBU	NDLE	NETWORK ELEMENTS - Florida				-								Attachment:	2 Exh A		1
ATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$	5)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
$\neg$								Newson								Discisi	DISC AUG
							Rec	Nonrec	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	001111		Rates(\$)		
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94,41	62.23	10.71	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71	<del> </del>					
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO	.0.02	91.61	44.15	02.20	10.71						<del></del>
2	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry															<del>                                     </del>
		& facility reservation - Zone 1		1	UAL_	UAL2X	8.30	149.53	103.85	75.05	15.63					1	
		2 Wire Unbundled ADSL Loop including manual service inquiry															
-		& facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						l
i		Wire Unbundled ADSL Loop including manual service inquiry     facility reservation - Zone 3		١.,		I I											
_		2 Wire Unbundled ADSL Loop without manual service inquiry &	_	3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
- 1	- 1	facility reservation - Zone 1	ĺ	١.,	UAL	1111 0141		40.400									
		2 Wire Unbundled ADSL Loop without manual service inquiry &		<del>-</del> -	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
	- 1	facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71,12	60.64	9.12		]				1
		2 Wire Unbundled ADSL Loop without manual service inquiry &			0/12	OALEVI	11.00	124.03	71.12	60.64	9.12						
		facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12	i i					1
		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UAL	UREWO	20.54	86.19	40.39	60.64	9.12						
2	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	-	UNLEVIO		00.15	40.03								
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63		1				
	- [	2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		_ 2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63		i				
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63		}				
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1 .	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	- 1	2 Wire Unbundled HDSL Loop without manual service inquiry				1	- 1										
-		and facility reservation - Zone 2		. 2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	l i	ا ۾ ا													
		CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UHL2W	18,21	134.40	80.69	60.64	9.12						
4	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	OOB	UHL	UREWO		86.12	40.39								
<del>   '</del>	17.1.12	4 Wire Unbundled HDSL Loop including manual service inquiry	HOLE L	OOP													
		and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193,31	138.98	-77.45			i				
		4-Wire Unbundled HDSL Loop including manual service inquiry			OIL	UNL4A	10.86	193.31	138.98	77.15	12.61						
- 1		and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
		4-Wire Unbundled HDSL Loop including manual service inquiry				TOTAL T	15.44	130.01	130.90	77.15	12.01						
		and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		- 1				
		4-Wire Unbundled HDSL Loop without manual service inquiry									12.01	~~~~					
		and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22		1				
ı		4-Wire Unbundled HDSL Loop without manual service inquiry	- 1												`		
		and facility reservation - Zone 3			UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
		DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2		1		USLXX	70.74	313.75	181.48	61.22	13.53						
-		4-Wire DS1 Digital Loop - Zone 2		3		USLXX	100.54	313.75	181.48	61.22	13.53						
_		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UOL	USLAX	178.39	313.75	181.48	61.22	13.53						
		DS1)			USL	URESL		8.98	9.00				- 1	ļ	[		
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			OOL	UNESL		8.98	8.98								
		OS1)	ļ	[	USL.	URESP		8.98	8.98	l	İ			- 1	ļ		
		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
4-	-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP						101.07	45.04								
		Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	22.20	161.56	108.85	67.08	15.56						
		Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2		UDL2X	31.56	161.56	108.85	67.08	15.56						
		Wire Unbundled Digital Loop 2.4 Kbps - Zone 3															

Version 2Q06 Standard ICA 06/13/06

JNBUNDLEI	D NETWORK ELEMENTS - Florida							·					Attachment:			ļ.,
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						n	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	• • • • • • • • • • • • • • • • • • • •	
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			UDL	UDL4X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UDL.	UDL4X	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL9X	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2			UDL	UDL19 UDL19	22.20	161.56	108.85	67.08	15.56						
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	31.56 55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56						<del> </del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-		UDL	UDL56	31.56	161.56	108.85	67.08	15.56			-			
<del>-    </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL.	UDL56	55.99	161.56	108.85	67.08	15.56		<del> </del>				<b></b>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	22.20	161.56	108.85	67.08	15.56						<del> </del>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	31.56	161.56	108.85	67.08	15.56						<del> </del>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL.	UDL64	55.99	161.56	108.85	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		ļ			·										
	DS0)			UDL	URESL	1	8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per												· ·			
	DS0)			UDL	URESP		8.98	8.98								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
	Unbundled COPPER LOOP					,										
	2-Wire Unbundled Copper Loop-Designed including manual			1											l	
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed including manual	Ì	Ι.		I							i			ļ.	
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual		١,	Lucy.	LIGUED		440.50	400.00	75.05	45.00		l				
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						ļ
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						İ
	2-Wire Unbundled Copper Loop-Designed without manual		<del> </del>	OCL	OCLF W	6.30	123.01	70.09	00.04	9.12						-
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual		1	002	1002, 11	11.00		70.00	00.01	0.12						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12					ŀ	
	CLEC to CLEC Conversion Charge without outside dispatch															<del> </del>
	(UCL -Des)			UCL	UREWO		97.21	42.47					1		ŀ	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00	·							
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73					L	ļ
	4-Wire Copper Loop-Designed including manual service inquiry		Ι.	l	1	1 1					1			I	1	
	and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						<b></b>
	4-Wire Copper Loop-Designed including manual service inquiry		_	LIGI	1,101.10	20.00	,== ==				1	1			1	
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73				<b></b>	-	
	4-Wire Copper Loop-Designed without manual service inquiry			LICI	LICE AND	11.00	150.40	100.00	00.74	44.00		1				
	and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22	-	-		l	<b></b>	-
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22	1			İ	l	
	4-Wire Copper Loop-Designed without manual service inquiry		1	JUL	UCL4VV	10.01	155.18	100.03	02.74	11.22			<del>                                     </del>		<del> </del>	<del> </del>
	and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22					l	
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	1	9.00	9.00	Jan 4			<b>-</b>		<del> </del>	· ·	1
	CLEC to CLEC Conversion Charge without outside dispatch		T	UCL	UREWO	1	97.21	42.47				<b> </b>				
	×			UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)		1	UHL, UDL,USL	ocost	]	23.02									l
	ngements															
Hearrar	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-		1											,		
Hearrar			1													1
Hearrar	SL2		<u> </u>	UEA	UREEL		87.71	36.35								ļ
Hearrar				UEA	UREEL		87.71 87.71	36.35 36.35								<u> </u>

					1	15.56	80.78	38.801	161.56	33.15	DF64	NTCUD	2	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	
			··		<del> </del>	98.81	80.78	88.801	93.191	22.22	DDF64	NTCUD			4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	
					<del> </del>		80.78	68.801	92.191	66.88	UDL56					-
				ļ	<del> </del>	15.56						NTCUD	- 2		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	
					-	98,81 98,81	80.78	28.801 28.801	98,181 88,181	31.56	ODF26	NTCUD			Mire Unbundled Digital Loop 56 Kbps - Zone 2	
		<del></del>	·	ļ	·	92.21	80.78	38.801	95 191	66.33		MTCUD			4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	
						92.21	80.78	38.801	92,191	33,56	01700 01700	NTCUD			4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 3	
							80.78	38.801	93,191	22.20	61700				4 Wire Unbundled Digital 19.2 Kbps - Zone 1	
					<del> </del>	98.81 98.81	80.78	38.801	33.131	66.33	UDL9X	NTCUD NTCUD			4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	-
					<del>                                     </del>	93.31	80.78	38.801	93.191	98.15	NDF9X	NTCUD			4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	
					· · · · · · · · · · · · · · · · · · ·	98.81	80.78	38.801	93,191	22.20	X61GI1	NTCUD			4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	$\rightarrow$
					<u> </u>	93.31	80.78	38.801	92,191	66.22	UDL4X	NTCUD	3		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	
						98.81	80.78	38.801	92.191	35.15	UDL4X	NTCUD	2	-	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1
			·		1	98.81	80.78	38.801	92,191	22.20	UDL4X	NTCUD			4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	
						98.81	80.78	38.801	161.56	66.88	NDL2X	NTCUD			4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	
						12.56	80.78	28.801	95.191	31.56	UDLZX	NTCUD	2		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	
					1	98.81	80.78	38.801	98.191	22.20	norsx	NTCUD			3 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	
					·						11222			. 5	-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLIN	1-1/
					1			40.64	70.101		OMBENO	NTCD1		· ī	CLEC to CLEC Conversion Charge without outside dispatch	
								86.8	86.8		URESP	NTCD1			(ISO	
									1	1					Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	
								86.8	86.8	1	URESL	ИСОИ			(150)	$\neg$
	]			j					1		1		l	1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	
			T			13.53	52.18	84,181	313.75	95.871	NSFXX	NTCD1	3		4-Wire DS1 Digital Loop - Zone 3	
					1	13.53	52.18	84.181	313.75	100.54	NSLXX	NTCD1	S		4-Wire DS1 Digital Loop - Zone 2	
						13.53	52.18	84,181	313.75	₽Z.0Z	NSFXX	NTCD1			4-Wire DS1 Digital Loop - Zone 1	
															-WIRE DS1 DIGITAL LOOP - COMMINGLING	\-b
								36.35	17.78		UREWO	NTCVG			CLEC to CLEC Conversion Charge without outside dispatch	
				i				86.8	86.8		URESP	NTCVG			(080)	
								<u> </u>							Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	
								86.8	86.8		ารสผก	NTCVG	- 1			1 1
															Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	
					ļ	99.31	80.78	115.15	98.791	47.62	UEAL4	NTCVG			4-Wire Analog Voice Grade Loop - Zone 3	
						98.81	80.78	31.311	98.791	26.84	UEAL4	NTCVG			4-Wire Analog Voice Grade Loop - Zone 2	
				L	<u> </u>	98.81	80.78	115.15	98.791	98.81	UEAL⊄	NTCVG	J.,		4-Wire Analog Voice Grade Loop - Zone 1	
					ļ										-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING	1-0
								01.1	11.21		лтаяо	NTCVG			Loop Tagging - Service Level 2 (SL2)	
								36.35	17.78		OM∃HU	NLCAG			CLEC to CLEC Conversion Charge without outside dispatch	
								86.8	86.8	1	483AU	NTCVG		ı	D20)	1 1
								86.8	86.8	<del></del>	TS3U	DAOLN			DSO) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	+
								80.0	80.8	1	ISECII	DATCVG	- 1	- 1	Switch-As-ls Conversion rate per UNE Loop, Single LSR, (per	- ( - (
						10.51	66.60	/b.28	67.661	18:06	ZUMZO	DACIN	- 6			
						12.01	63.63	74.S8	35.75	78.0E	UEAR2	ОТСУС	ε		Battery Signaling - Zone 3	
															2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	
						10.21	E3.E3	74.28 74.28	37.351	04.71 78.0€	UEAR2	итсус			Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	
						12.01	63.69	74.28	37.361	04.71	SAAƏU	DVOTN	2		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battlery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battlery Signaling - Zone 3	
													2		Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 wi'Reverse Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 wi'Reverse Battery Signaling - Zone 3	
						12.01	63.69	74.28	37.361	42.21 04.71	UEAR2	ИТСУБ	1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	
						10.21	E3.E9 E3.E9	74.28 74.28	37.361 37.361	04.71	SAAƏU	DVOTN	1		Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 wi'Reverse Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 wi'Reverse Battery Signaling - Zone 3	
						10.21	E3.E9 E3.E9	74.28 74.28	37.361 37.361	42.21 04.71	UEAR2	ИТСУБ	3		Ground Start Signaling - Zone 3  S-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1  S-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2  S-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2  S-Wire Signaling - Zone 3	
						12.01	E3.E3 E3.E3 E3.E3	74.28 74.28	37.361 37.361 37.361	78.0£ 45.21 04.71	UEAL2 UEAR2	итсув итсув итсув	3		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Patter Analog Voice Grade Loop - Service Level 2 w/Reverse Canter Analog Voice Grade Loop - Service Level 2 w/Reverse Analog Voice Grade Loop - Service Level 2 w/Reverse Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	
						12.01	E3.E3 E3.E3 E3.E3	74.28 74.28	37.361 37.361 37.361	78.0£ 45.21 04.71	UEAL2 UEAR2 SAA3U	итсув итсув итсув	3 3		Ground Start Signaling - Zone 2  Z-Wire Analog Voice Grade Loop - Service Level 2 wi/Reverse Raitery Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wi/Reverse Battery Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wi/Reverse Raitery Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wi/Reverse Raitery Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wi/Reverse Raitery Signaling - Zone 3	
						10.51	63.69 63.69 63.69	74.28 74.28 74.28	37.361 37.361 37.361	04.71 78.05 45.51	UEAL2 UEAR2	итсуе итсуе итсуе	3 3		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	
						10.51	63.69 63.69 63.69	74.28 74.28 74.28	37.361 37.361 37.361	04.71 78.05 45.51	UEAL2 UEAR2	итсуе итсуе итсуе	3 3		Ground Start Signaling - Zone 1  2-Wire Annalog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3  2-Wire Annalog Voice Grade Loop - Service Level 2 w/Reverse Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	N-Z
						10.51	63.69 63.69 63.69	74.58 74.58 74.58 74.58	92'961 92'961 92'961	04.71 78.05 45.51	NEVES NEVES	NTCV6 NTCV6 NTCV6	3 3		Patienty Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Earlier Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Earlier Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse  S-Wire Analog Voice Grade Loop - Se	
						10.51	63.69 63.69 63.69	74.28 74.28 74.28 74.28 74.28	57.361 57.361 57.361 57.361	04.71 78.05 45.51	UEAR2  UEAR2  UEAR2	NTCVG NTCVG NTCVG NTCVG	3 3		PAMER ANALOG VOICE GRADE LOOP - COMMINGLING  S-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 1  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Ration Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Ration Start	
						10.51	63.69 63.69 63.69	74.58 74.58 74.58 74.58	92'961 92'961 92'961	04.71 78.05 45.51	NEVES NEVES	NTCV6 NTCV6 NTCV6	3 3		Loop  EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  PECTO UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  S-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 1  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Sta	
						10.51 10.51 10.51 10.51	E9'E9 E9'E9	Δ7. QΔ Δ0. CΔ Δη. CB Δη. CB Δη. CB Δη. CB Δη. CB	70.101 70.101 37.361 37.361 37.361	04.71 78.05 45.51	UEAR2  UEAR2  UEAR2	NTCVG NTCVG NTCVG NTCVG	3 3		Patienty Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Earlier Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Earlier Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse Cround Start Signaling - Sone 3  S-Wire Analog Voice Grade Loop - Service Level 2 wilferverse  S-Wire Analog Voice Grade Loop - Se	
NAMOS	NAMOS		NAMOS	NAMOS	SOMEC	10.51 10.51 10.51 10.51 10.51	tari <del>i</del> £3.68 £3.68 £3.68 £3.68 £3.68	1.bbA Δ7.6Δ Δ0.6Δ 74.58 74.58 74.58 74.58 74.58	70,101 70,101 37,361 37,361 37,361 37,361	04.71 78.05 45.51	UEAR2  UEAR2  UEAR2	NTCVG NTCVG NTCVG NTCVG	3 3		Loop  EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  PECTO UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  S-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 1  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Sta	
NAMOS	NAMOS	(\$)səhsfi NAMOS		NAMOS	ZOWEC	10.51 10.51 10.51 10.51	tari <del>i</del> £3.68 £3.68 £3.68 £3.68 £3.68	1.bbA Δ7.6Δ Δ0.6Δ 74.58 74.58 74.58 74.58 74.58	70.101 70.101 37.361 37.361 37.361	04,71 45,21 78,05 04,71	UEAR2  UEAR2  UEAR2	NTCVG NTCVG NTCVG NTCVG	3 3		Loop  EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  PECTO UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  S-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 1  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Sta	
	NAMOS	Rates(\$)		NAMOS	SOWEC	10.51 10.51 10.51 10.51 10.51	tari <del>i</del> £3.68 £3.68 £3.68 £3.68 £3.68	1.bbA Δ7.6Δ Δ0.6Δ 74.58 74.58 74.58 74.58 74.58	70,101 70,101 37,361 37,361 37,361 37,361	04,71 45,21 78,05 04,71	UEAR2  UEAR2  UEAR2	NTCVG NTCVG NTCVG NTCVG	3 3		Loop  EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  PECTO UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  S-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 1  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Sta	
l'bbA osid	Disc 1st	l'bbA (\$)seiteA	1st SSO	NAMOS	SOWEC	10.51 10.51 10.51 10.51 10.51	tari <del>i</del> £3.68 £3.68 £3.68 £3.68 £3.68	1.bbA Δ7.6Δ Δ0.6Δ 74.58 74.58 74.58 74.58 74.58	70,101 70,101 37,361 37,361 37,361 37,361	04,71 45,21 78,05 04,71	UEAR2  UEAR2  UEAR2	NTCVG NTCVG NTCVG NTCVG	3 3		Loop  EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  PECTO UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  S-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 1  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wilcop or Ground Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Signaling - Zone 3  Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse  Rational Start Sta	
Electronic- Disc Add'l	Electronic- Disc 1st	Electronic- Add'l Rates(\$)	Electronic- 1st OSS			10.51 10.51 10.51 10.51 10.51	tari <del>i</del> £3.68 £3.68 £3.68 £3.68 £3.68	PibbA  1'bbA  40.64  74.58  74.58  74.58  74.58	126.75  12.301  11.501  70.101  70.101  37.361  37.361  37.361	04,71 45,21 78,05 04,71	NEVES NEEEL	USCVG NTCVG NTCVG NTCVG NTCVG	1 2 3 3	w	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop EEL to UNE-L Retermination, per 4 Wire Unbundled Digital S-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 1 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3	NAE FOOE
Order vs. Electronic- Disc Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Add'l Astes(\$)	Order vs. Electronic- 1st OSS	Der LSR	Der LSR	10.51 10.51 10.51 10.51 10.51	tari <del>i</del> £3.68 £3.68 £3.68 £3.68 £3.68	PibbA  1'bbA  40.64  74.58  74.58  74.58  74.58	70,101 70,101 37,361 37,361 37,361 37,361	04,71 45,21 78,05 04,71	UEAR2  UEAR2  UEAR2	NTCVG NTCVG NTCVG NTCVG	3 3	m m	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop EEL to UNE-L Retermination, per 4 Wire Unbundled Digital EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop S-Wire Analog Voice Grade Loop - Service Level 2 wiLoop or Ground Start Signaling - Zone 1 Z-Wire Analog Voice Grade Loop - Service Level 2 wiLoop or Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wiLoop or Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wiLoop or Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wiLoop or Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wiLoop or Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse	
Manual Svc Order vs. Electronic- Disc Add'l	Manual Svc Order vs. Electronic- Disc 1st	Electronic- Add'l Rates(\$)	Manual Svc Order vs. Electronic- 1st OSS	Manually per LSR	Elec per LSR	10.51 10.51 10.51 10.51 10.51	tari <del>i</del> £3.68 £3.68 £3.68 £3.68 £3.68	PibbA  1'bbA  40.64  74.58  74.58  74.58  74.58	126.75  12.301  11.501  70.101  70.101  37.361  37.361  37.361	04,71 45,21 78,05 04,71	NEVES NEEEL	USCVG NTCVG NTCVG NTCVG NTCVG	1 2 3 3	m	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop EEL to UNE-L Retermination, per 4 Wire Unbundled Digital S-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 1 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3	NAE FOOE
Charge - Manual Svc Order vs. Electronic- Disc Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$)	Charge - Manual Svc Order vs. Electronic- 1st	Submitted Manually ASJ 19q	bettimduS Sel∃ RSJ 19q	10.51 10.51 10.51 10.51 10.51	tari <del>i</del> £3.68 £3.68 £3.68 £3.68 £3.68	PibbA  1'bbA  40.64  74.58  74.58  74.58  74.58	126.75  12.301  11.501  70.101  70.101  37.361  37.361  37.361	04,71 45,21 78,05 04,71	NEVES NEEEL	USCVG NTCVG NTCVG NTCVG NTCVG	1 2 3 3	m	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop EEL to UNE-L Retermination, per 4 Wire Unbundled Digital S-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 1 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3	NAE FOOE
Charge - Manual Svc Order vs. Electronic- Disc Add'l	Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- 1st	Submitted Submitted Manually per LSR	Elec per LSR	10.51 10.51 10.51 10.51 10.51	tari <del>i</del> £3.68 £3.68 £3.68 £3.68 £3.68	PibbA  1'bbA  40.64  74.58  74.58  74.58  74.58	126.75  12.301  11.501  70.101  70.101  37.361  37.361  37.361	04,71 45,21 78,05 04,71	NEVES NEEEL	USCVG NTCVG NTCVG NTCVG NTCVG	1 2 3 3	m	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop EEL to UNE-L Retermination, per 4 Wire Unbundled Digital S-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 1 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3 Z-Wire Analog Voice Grade Loop - Service Level 2 wildeverse Ground Start Signaling - Zone 3	CATEGOR

ONDONDER	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	55.99	161.56	108.85	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ì		1						1					
	DS0)		<u> </u>	NTCUD	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCUD	URESP		8.98	8.98								
	CLEC to CLEC Conversion Charge without outside dispatch		-	NTCUD	UREWO		102,11	49.74								
	occo to occo outrosion onage minor conside dispaten	<del> </del>	<del>                                     </del>	NTCVG, NTCUD,	OTILLATO		102.11	45.74								
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		23.02									
OOP MODIFI																
				UAL, UHL, UCL,												
			1	UEQ, ULS, UEA,			İ									
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop	ļ		UEPSB	ULM2L		0.00	0.00								
l	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL,	ULM4L		0.00	0,00								
				UEQ, ULS, UEA,			ŀ									
	Unbundled Loop Modification Removal of Bridged Tap Removal.	i	l	UEANL, UEPSR,			į									
	per unbundled loop			UEPSB	ULMBT		10.52	10.52								
UB-LOOPS			<u> </u>	02.00	JOENNEY.		10.52	10.52								
Sub-Le	pop Distribution				1					_						
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up		L	UEANL, UEF	USBSA		487.23				ł					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		6.25									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder				Lionno											
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		_	UEANL	USBSC		169.25							-		
ı	Set-Up			UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		-	OLANL	03030		36.05									
	Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<del>                                     </del>	OL/ W/L	1	5.10	00.10	21.70	47.50	3.20					·	
	Zone 2		2	UEANL.	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL.	USBN2	16.29	60.19	21.78	47.50	5.26						
									·							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
ı	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	LICENIA	7.07	00.00	00.40								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60		-				
1	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	027442	1002.11	10.47	00.00	00.42	43.71	0.00						· · · · · · · · · · · · · · · · · · ·
	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60				1		
				WALLES TO THE REAL PROPERTY OF THE PERTY OF						0,00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		Ь	UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		2.00									
-	Loop Testing - Basic 1st Half Hour			UEANL	URET1		9.00 77.09	9.00		*						
	Loop Testing - Basic Additional Half Hour			UEANL.	URETA		33.12	33.12								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26	<del></del>					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						<del></del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
		,								5.20						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00	1							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$	)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	L	L,
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	0.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			OEF	USBIVIC		9.00	9.00			ļ				ļ	
	Designed and Distribution Subloops			UEF, UEANL	URETL.		8.93	0.88								
	Loop Testing - Basic 1st Half Hour		$\vdash$	UEF	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
Unbu	ndled Sub-Loop Modification						~									
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR		L	UEF	ULM2X		10.11	10.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load													1		
	Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per		ļ	UEF	ULM4X		10.11	10.11						<u> </u>	ļ	<del> </del>
	unbundled loop			UEF	ULMBT		15.58	15.58						1		
Unbu	ndled Network Terminating Wire (UNTW)		<del> </del> -	OCI	OLIVIDI		15.56	15.56							·	
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02									
Netwo	ork Interface Device (NID)			00.1111	1	0.7072										
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87			- 1					
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63								
UNE OTHER,	PROVISIONING ONLY - NO RATE			UAL, UCL, UDC,												<u> </u>
	Unbundled Contact Name, Provisioning Only - no rate			UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF		0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL, NTCD1	CCOEF		0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									ļ
LOOP MAKE-	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00	_								<del></del>
LOOF WARE	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17					:			
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		55.07	55.07								L
	Loop MakeupWith or Without Reservation, per working or					i	0.076	0.07						[		1
LINE SPLITTI	spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
	JSER ORDERING-CENTRAL OFFICE BASED				1						ļ					<del> </del>
END	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61				······					<b></b>	
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61				<del></del>		<del></del>
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61				<u> </u>		
END (	JSER ORDERING - REMOTE SITE LINE SPLITTING									5.01			_			
UNBU	NDLED EXCHANGE ACCESS LOOP															[
2-WIR	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		11	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						

Zon   PHYSICAL   Phy Spli   Spli	RATE ELEMENTS  Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- one 3  COLLOCATION  sysical Collocation-2 Wire Cross Connects (Loop) for Line biliting  COLLOCATION  tual Collocation-2 Wire Cross Connects (Loop) for Line biliting  DICATED TRANSPORT  FICE CHANNEL - DEDICATED TRANSPORT  eroffice Channel - 2-Wire Voice Grade - per mile eroffice Channel - 2-Wire Voice Grade - Per mile eroffice Channel - 4-Wire Voice Grade - per mile eroffice Channel - 4-Wire Voice Grade - Per mile eroffice Channel - 4-Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination	Interi	Zone	UEPSR UEPSB UEPSR UEPSB	USOC  UEABS  PEILS  VEILS	Rec 26.97	Nonrec First 49.57		Nonrecurring First 25.62	g Disconnect Add'l 6.57		Submitted	Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
Zon   PHYSICAL   Phy Spli   Spli	one 3  - COLLOCATION - Vayical Collocation-2 Wire Cross Connects (Loop) for Line - COLLOCATION - Tual Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Voice Grade - per mile - Value Collocation-2 - Wire Voice Grade - Pacility Termination - Value Collocation-2 - Value Voice Grade - Per mile - Value Collocation-2 - Value Voice Grade - Per mile - Value Collocation-2 - Value Voice Grade - Facility Termination - Value Collocation-2 - Value Voice Grade - Facility Termination - Value Collocation-2 - Value Voice Grade - Facility Termination - Value Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Value - Value Voice Grade -		3	UEPSR UEPSB UEPSR UEPSB	PE1LS	26.97	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Zon   PHYSICAL   Phy Spli   Spli	one 3  - COLLOCATION - Vayical Collocation-2 Wire Cross Connects (Loop) for Line - COLLOCATION - Tual Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Voice Grade - per mile - Value Collocation-2 - Wire Voice Grade - Pacility Termination - Value Collocation-2 - Value Voice Grade - Per mile - Value Collocation-2 - Value Voice Grade - Per mile - Value Collocation-2 - Value Voice Grade - Facility Termination - Value Collocation-2 - Value Voice Grade - Facility Termination - Value Collocation-2 - Value Voice Grade - Facility Termination - Value Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Value - Value Voice Grade -		3	UEPSR UEPSB UEPSR UEPSB	PE1LS						SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Zon   PHYSICAL   Phy Spli   Spli	one 3  - COLLOCATION - Vayical Collocation-2 Wire Cross Connects (Loop) for Line - COLLOCATION - Tual Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Cross Connects (Loop) for Line - Value Collocation-2 Wire Voice Grade - per mile - Value Collocation-2 - Wire Voice Grade - Pacility Termination - Value Collocation-2 - Value Voice Grade - Per mile - Value Collocation-2 - Value Voice Grade - Per mile - Value Collocation-2 - Value Voice Grade - Facility Termination - Value Collocation-2 - Value Voice Grade - Facility Termination - Value Collocation-2 - Value Voice Grade - Facility Termination - Value Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Voice Collocation-2 - Value Voice Grade - Value Value - Value Voice Grade -		3	UEPSR UEPSB UEPSR UEPSB	PE1LS		49.57	22.83	25.62	6.57						
Physical Phy	ysical Collocation-2 Wire Cross Connects (Loop) for Line COLLOCATION  tual Collocation-2 Wire Cross Connects (Loop) for Line litting CATED TRANSPORT FICE CHANNEL - DEDICATED TRANSPORT eroffice Channel - 2-Wire Voice Grade - per mile eroffice Channel - 2-Wire Voice Grade - Facility Termination eroffice Channel - 2-Wire Voice Grade - Per mile eroffice Channel - 4-Wire Voice Grade - Per mile eroffice Channel - 4-Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Per mile			UEPSR UEPSB UEPSR UEPSB	PE1LS		40.07	22.00	25.02	0.07						1
Spii VIRTUAL C VIRTUAL C Spii UNBUNDLED DED' INTEROFFI Inte Inte Inte Inte Inte Inte Inte Int	COLLOCATION  Tual Collocation-2 Wire Cross Connects (Loop) for Line slitting  DICATED TRANSPORT  TICE CHANNEL - DEDICATED TRANSPORT  TICE CHANNEL - DEDICATED TRANSPORT  THE CHANNEL - DEDICATED TRANSPORT  THE CONTROL - 2-Wire Voice Grade - per mile evolftice Channel - 2-Wire Voice Grade - Facility Termination eroffice Channel - 2-Wire Voice Grade - Per mile evolftice Channel - 4-Wire Voice Grade - Per mile  THE CONTROL - 4-Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile evolftice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Per mile			UEPSR UEPSB		0.0276					<del> </del>					<del> </del>
VIRTUAL C Virtual Spi Spi UNBUNDLED DEDI INTEROFFI Inte Inte Inte Inte Inte Inte Inte Int	TUAL COLOCATION  TUAL COLOCATION  TUAL COLOCATION  TUAL COLOCATION  TUAL COLOCATION  THE CHANNE COLOCATED TRANSPORT  TOTAL CHANNE COLOCATED TRANSPORT  TOTAL CHANNE COLOCATED TRANSPORT  TOTAL COLOCATED TRANSPORT  TOTAL COLOCATION			UEPSR UEPSB		0.0276										<del></del>
Virtus Spil UNBUNDLED DED INTEROFFI Inte Inte Inte Inte Inte Inte Inte Int	tual Collocation-2 Wire Cross Connects (Loop) for Line litting INCATED TRANSPORT FICE CHANNEL - DEDICATED TRANSPORT eroffice Channel - 2-Wire Voice Grade - per mile eroffice Channel - 2-Wire Voice Grade - Facility Termination eroffice Channel - 2-Wire Voice Grade Rev Bat per mile eroffice Channel - 4-Wire Voice Grade - per mile eroffice Channel - 4- Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - per mile				VE1LS		8.22	7.22	5.74	4.58				1		1
Spii UNBUNDLED LEDT INTEROFFI Inte Inte Inte Inte Inte Inte Inte Int	Jitting JICATED TRANSPORT TICE CHANNEL - DEDICATED TRANSPORT eroffice Channel - 2-Wire Voice Grade - per mile eroffice Channel - 2-Wire Voice Grade - Facility Termination eroffice Channel - 2-Wire Voice Grade Rev Bat per mile eroffice Channel - 4-Wire Voice Grade - per mile eroffice Channel - 4- Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - per mile				VE1LS											
UNBUNDLED DEDI INTEROFFI Inte Inte Inte Inte Inte Inte Inte Int	DICATED TRANSPORT  TICE CHANNEL - DEDICATED TRANSPORT  reofflice Channel - 2-Wire Voice Grade - per mile  reofflice Channel - 2-Wire Voice Grade - Facility Termination  reofflice Channel - 2-Wire Voice Grade Rev Bat per mile  reofflice Channel - 4-Wire Voice Grade - per mile  reofflice Channel - 4- Wire Voice Grade - Facility Termination  reofflice Channel - 56 kbps - per mile  reofflice Channel - 56 kbps - Facility Termination  reofflice Channel - 56 kbps - per mile				VEILS	0.0700	<u> </u>									
INTEROFF Inte	FICE CHANNEL - DEDICATED TRANSPORT eroffice Channel - 2-Wire Voice Grade - per mile eroffice Channel - 2-Wire Voice Grade - Facility Termination eroffice Channel - 2-Wire Voice Grade Facility Termination eroffice Channel - 4-Wire Voice Grade - per mile eroffice Channel - 4- Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - per mile					0.0502	11.57	11.57	0.00	0.00						ļ
Inte	eroffice Channel - 2-Wire Voice Grade - Facility Termination eroffice Channel - 2-Wire Voice Grade Rev Bat per mile eroffice Channel - 4-Wire Voice Grade - per mile eroffice Channel - 4- Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - per mile				<del> </del>		-				<del></del>					
Inte Inte Inte Inte Inte Inte Inte Inte	eroffice Channel - 2-Wire Voice Grade Rev Bat per mile eroffice Channel - 4-Wire Voice Grade - per mile eroffice Channel - 4- Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 56 kbps - per mile			U1TVX	1L5XX	0.0091		*			<b>-</b>					
Inte	eroffice Channel - 4-Wire Voice Grade - per mile  eroffice Channel - 4- Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 64 kbps - per mile			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03	<del>                                     </del>					<del>                                     </del>
Inte	eroffice Channel - 4- Wire Voice Grade - Facility Termination eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 64 kbps - per mile			U1TVX	1L5XX	0.0091					1			**		
Inte	eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 64 kbps - per mile		ļ	UTTVX	1L5XX	0.0091										
Inte	eroffice Channel - 56 kbps - per mile eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 64 kbps - per mile		1	U1TVX	U1TV4	00.50					1					
Inte	eroffice Channel - 56 kbps - Facility Termination eroffice Channel - 64 kbps - per mile	<b>-</b>	<del> </del>	UITDX	1L5XX	22.58 0.0091	47.35	31.78	18.31	7.03						<del></del>
Inte	eroffice Channel - 64 kbps - per mile		<del> </del>	U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						<del>                                     </del>
Inter			·	UITDX	1L5XX	0.0091	47.55	31.70	10.51	7.00	<del></del>					
Inter Inter	eroffice Channel - 64 kbps - Facility Termination		1	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03	<b></b>					
Inte	eroffice Channel - DS1 - per mile			U1TD1	1L5XX	0.1856										
Inte	eroffice Channel - DS1 - Facility Termination		<u> </u>	U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
	eroffice Channel - DS3 - per mile		_	U1TD3	1L5XX	3.87										
	eroffice Channel - DS3 - Facility Termination eroffice Channel - STS-1 - per mile			U1TD3 U1TS1	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
Inte	eroffice Channel - STS-1 - Per fille			U1TS1	UITES	1,056.00	335.46	219.28	72.03	70.56						<b> </b>
	ED DARK FIBER - Stand Alone or in Combination		†	01131	101113	1,030.00	335,40	219.20	72.03	70.56	<b></b>					<del></del>
	rk Fiber - Interoffice Transport, Per Four Fiber Strands, Per		T								·					
Rou	ute Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	26.85										l .
	rk Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	ute Mile Or Fraction Thereof			UDF, UDFCX	UDF14		751.34	193.88			l!					L
IIGH CAPACITY UI	JNBUNDLED LOCAL LOOP 1 UNBUNDLED LOCAL LOOP - Stand Alone			L	1											
	3 Unbundled Local Loop - per mile			UE3	1L5ND	40.00		····								<b></b>
	3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	10.92 386.88	556.37	343.01	139.13	96.84						<b></b>
	S-1Unbundled Local Loop - per mile			UDLSX	1L5ND	10.92	550.57	343.01	139.13	90.84			<del></del>			(
	S-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84	<del>  </del>					
	NDED LINK (EELs)				1											
	lements Used in Combinations															
	Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	48.00	6.31			1			
	Wire VG Loop (SL2) in Combination - Zone 2 Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	17.40	127.59	60.54	48.00	6.31						
	Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL2 UEAL4	30.87 18.89	127.59	60.54 60.54	48.00 48.00	6.31						
	Vire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59 127.59	60.54	48.00	6.31 6.31						
	Vire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	48.00	6.31						
2-W	Vire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.54	48.00	6.31						
	Vire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.54	48.00	6.31						
	Vire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.54	48.00	6.31						
	Vire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	48.00	6.31						
	Wire 56Kbps Digital Grade Loop in Combination - Zone 2 Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	31.56	127.59	60.54	48.00	6.31						
	Vire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56 UDL64	55.99 22.20	127.59 127.59	60.54 60.54	48.00 48.00	6.31 6.31	L					
4-W	Vire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54	48.00	6.31						
4-W	Vire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	55.99	127.59	60.54	48.00	6.31						
4-W	Vire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
4-Wi	Vire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Vire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	3 Local Loop in combination - per mile 3 Local Loop in combination - Facility Termination			UNC3X UNC3X	1L5ND UE3PX	10.92 386.88	244.42	154.73	67.10	26.27		T				

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$				1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<b></b>				<del>-</del>	<b>_</b>	Rec	Nonrec		Nonrecurring			1		Rates(\$)		
	STS-1 Local Loop in combination - per mile		<del>                                     </del>	INIOOV	AL END		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>	STS-1 Local Loop in combination - per mile	<del> </del>		JNCSX JNCSX	1L5ND UDLS1	10.92 426.60	244.42	154,73	67.10	20.07						
	Interoffice Channel in combination - 2-wire VG - per mile	<del> </del>		JNCVX	1L5XX	0.0091	244.42	154.73	67.10	26.27					l	
	Interoffice Channel in combination - 2-wire VG - Facility	<del>                                     </del>	<del>  </del> `	SIVOVA	TLOAK	0.0031										
	Termination		l lu	JNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03						
	Interoffice Channel in combination - 4-wire VG - per mile	i		JNCVX	1L5XX	0.0091					ļ — · · ·					
	Interoffice Channel in combination - 4-wire VG - Facility															
	Termination			JNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03	ł		1		1	
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	ļ	اـــــــــــــــــــــــــــــــــــــ	JNCDX	1L5XX	0.0091										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1	I I.	IN IODAY	Luzne								1			
	Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile	-		JNCDX JNCDX	U1TD5 1L5XX	18.44 0.0091	94,70	52.59	45.28	18.03	ļ					
	Interoffice Channel in combination - 4-wire 64 kbps - per mile  Interoffice Channel in combination - 4-wire 64 kbps - Facility	<del> </del>	<del>  </del>	NOON	ILDAX	0.0091			<del> </del>				ļ	L	ļ	
	Termination		lı	JNCDX	U1TD6	18,44	94.70	52.59	45.28	18.03		1	I			
	Interoffice Channel in combination - DS1 - per mile	<b></b>		JNC1X	1L5XX	0.1856	37.70	32.33	73.20	18.00			·			
	Interoffice Channel in combination - DS1 Facility Termination	1		JNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	<del></del>					
	Interoffice Channel in combination - DS3 - per mile			JNC3X	1L5XX	3.87										
	Interoffice Channel in combination - DS3 - Facility Termination			JNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81						
	Interoffice Channel in combination - STS-1 - per mile			JNCSX	1L5XX	3.87										
A DOUTION A CA	Interoffice Channel in combination - STS-1 Facility Termination	<b></b>	1	JNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81	<u> </u>				ļ	
	ETWORK ELEMENTS al Features & Functions:		<del>                                     </del>										ļ		ļ	
Орноп	ar reatures & runctions:	<del></del>	<del> </del> - ,	J1TD1,											-	
	Clear Channel Capability Extended Frame Option - per DS1	1	<u> </u>	JLDD1,UNC1X J1TD1,	CCOEF		0.00	0.00								
	Clear Channel Capability Super FrameOption - per DS1	ļ.		JITDI, JLDD1,UNC1X	CCOSF		0.00	0.00								ļ
	Clear Channel Capability (SF/ESF) Option - Subsequent	<del> </del> '		JLDD1, U1TD1,	CCOSF		0.00	0.00			ļ	ļ				
	Activity - per DS1	lı .		JNC1X, USL	NACCC		184,92	23.82	2.07	0.80	Į.	l .	ļ		ļ	
	Tourney per bot	<del></del>		J1TD3, ULDD3,	1411000		104.52	20.02	2.07	0.00	<u> </u>				<del> </del>	
	C-bit Parity Option - Subsequent Activity - per DS3	li		JE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00	i					
	DS1/DS0 Channel System	ĺ		JNC1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	DS3/DS1Channel System	t		JNC3X, UNCSX	MQ3	211.19	115.60	56.54	12.16	4.26						
	Voice Grade COCI in combination			JNCVX	1D1VG	1.38	6.71	4.84								
	Voice Grade COCI - for Stand Alone Local Loop		į	JEA	1D1VG	1.38	6.71	4.84	0.00	0.00						
	Voice Grade COCI - for connection to a channelized DS1 Local						_									·
	Channel in the same SWC as collocation			J1TUC	1D1VG	1.38	6.71	4.84	0.00	0.00						
	OCU-DP COCI (2.4-64kbs) in combination			JNCDX	1D1DD	2.10	6.71	4.84	0.00	0.00					ļ	
<del>                                     </del>	OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop	<del> </del>	<del>  </del> '	JDL	1D1DD	2.10	6.71	4.84	0.00	0.00	<del> </del>				<del> </del> -	
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		l	JITUD	1D1DD	2,10	6.71	4.84	0.00	0.00			1		1	
<del></del>	2-wire ISDN COCI (BRITE) in combination			JNCNX	UC1CA	3.66	6.71	4.84	0.00	0.00					<del> </del>	
	2-wire ISDN COCI (BRITE) - for a Local Loop	<del> </del>		JDN	UC1CA	3.66	6.71	4.84	0.00	0.00			<del></del>		<del> </del>	
	2-wire ISDN COCI (BRITE) - for connection to a channelized	<del> </del>	<del>                                     </del>	30.1	10010/1	0.00	0.71	4.0-1	0.00	0.00			· · · · · · · · · · · · · · · · · · ·		<del> </del>	
	DS1 Local Channel in the same SWC as collocation	1	I k	J1TUB	UC1CA	3.66	6.71	4.84	0.00	0.00			1			
	DS1 COCI in combination	T	1	JNC1X	UC1D1	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for Stand Alone Local Channel		i	JLDD1	UC1D1	13.76	6.71	4.84	0.00	0.00					Ĭ.	
	DS1 COCI - for Stand Alone Interoffice Channel			J1TD1	UC1D1	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for Stand Alone Local Loop			JSL	UC1D1	13.76	6.71	4.84	0.00	0.00	ļ					
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation			J1TUA	UC1D1	13.76	6.71	4.84	0.00	0.00						
	Wholesale - UNE. Switch-As-Is Conversion Charge		2	UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST	UNCCC		8.98	8.98								

NROI	IDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh A		
CATEG	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	I .	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual S Order vs Electronic Disc Add
			ļ	<b></b>			Rec	Nonrec		Nonrecurring					Rates(\$)		T 12 233 331
					U1TVX, U1TDX,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i		Unbundled Misc Rate Element, SNE SAI, Single Network			U1TD1, U1TD3,									<b>,</b>			
		Element - Switch As Is Non-recurring Charge, per circuit (LSR)		ļ	U1TS1, UDF, UE3	URESL		8.98	8.98			1			ļ		
T		Unbundled Misc Rate Element, SNE SAI, Single Network	<b>†</b>		U1TVX, U1TDX,	0		0.50	0.50				<del> </del>			-	<del> </del>
i		Element - Switch As Is Non-recurring Charge, incremental			U1TD1, U1TD3,	f I									į į		1
		charge per circuit on a spreadsheet			U1TS1, UDF, UE3	URESP		8.98	8.98								
	Access	to DCS - Customer Reconfiguration (FlexServ)									-						
		Customer Reconfiguration Establishment						1.63		1.63							
		DS1 DCS Termination with DS0 Switching DS1 DCS Termination with DS1 Switching	ļ <u>.</u>	ļ			27.39	32.89	23.58	16.96	12.77				L		
-		DS3 DCS Termination with DS1 Switching	ļ				11.70	25.07	15.76	13.05	8.86						
	Vode (	SynchroNet)					146.81	32.89	23.58	16.96	12.77						
		Node per month	<del>                                     </del>	<del> </del>	UNCDX	UNCNT	16.35					ļ					ļ
		Rearrangements		<b> </b>	ONOBA	ONON	10.33				<del></del>	<b></b>					<del> </del>
			<b></b>	<b>-</b>	U1TVX, U1TDX,					<del>  </del>		<del> </del>			-		<del> </del>
		NRC - Change in Facility Assignment per circuit Service Rearrangement	ļ		UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		101.07	43.04								
		NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			U1TVX, Ü1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.67	3.67								
		NRC - Order Coordination Specific Time - Dedicated Transport	1		UNC1X, UNC3X	OCOSR		18.90	18.90			1					
		UNE Reconfiguration Change Charge per Circuit	I		UNC1X	URERC		35.00	35.00							• • • • • • • • • • • • • • • • • • • •	
		UNE Reconfiguration Change Charge per Circuit Project															
OMMI	ICI IN	Managed	1	ļ	UNC1X	URERP		3.67	3.67					I			
		Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
	ommi	ingled (UNE part of single bandwidth circuit)			Manager Livering												
		Commingled VG COCI Commingled Digital COCI		_	XDV2X, NTCVG XDV6X, NTCVD	1D1VG 1D1DD	1.38 2.10	6.71 6.71	4.84 4.84	0.00	0.00		ļ				<b>ļ</b>
-+		Commingled ISDN COCI		-	XDD4X	UC1CA	3.66	6.71	4.84	0.00	0.00		<u> </u>				ļ
		Commingled 3-wire VG Interoffice Channel	<del> </del>	<del> </del>	XDV2X	U1TV2	25.32	94.70	52.59	45.28	18.03	<b></b>		ļ			<del></del>
		Commingled 4-wire VG Interoffice Channel		<b></b> -	XDV6X	U1TV4	22.58	94.70	52.59	45.28	18.03	<b></b>					
		Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	18.44	94.70	52.59	45.28	18.03		<del> </del>		-		<del> </del>
		Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	18.44	94.70	52.59	45.28	18.03		l	·			<b>—</b>
		* · · · · · · · · · · · · · · · · · · ·			XDV2X, XDV6X,					10.120							
		Commingled VG/DS0 Interoffice Channel Mileage		l	XDD4X	1L5XX	0.0091					1		ĺ			İ
		Commingled 2-wire Local Loop Zone 1			XDV2X	UEAL2	12.24	127.59	60.54	48.00	6.31						
		Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	17.40	127.59	60.54	48.00	6.31				-		
		Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	30.87	127.59	60.54	48.00	6.31						
		Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	18.89	127.59	60.54	48.00	6.31		L'				
		Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	26.84	127.59	60.54	48.00	6.31						
		Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	47.62	127.59	60.54	48.00	6.31	L					
		Commingled 56kbps Local Loop Zone 1		. 1	XDD4X	UDL56	22.20	127.59	60.54	48.00	6.31						
		Commingled 56kbps Local Loop Zone 2	L	2	XDD4X	UDL56	31.56	127.59	60.54	48.00	6.31						
		Commingled 56kbps Local Loop Zone 3	I	3	XDD4X	UDL56	55.99	127.59	60.54	48.00	6.31						1

NURONDEF	D NETWORK ELEMENTS - Florida		,	· · · · · · · · · · · · · · · · · · ·	.,						1		Attachment:			ł. — -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)			1	Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	22.20	127.59	60.54	48.00	6.31						
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	31.56	127.59	60.54	48.00	6.31						
	Commingled 64kbps Local Loop Zone 3	1	3	XDD4X	UDL64	55.99	127.59	60.54	48.00	6.31						
	Commingled ISDN Local Loop Zone 1	<b>_</b>	1	XDD4X	U1L2X	19.28	127.59	60.54	48.00	6.31						
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	27.40	127.59	60.54	48.00	6.31						
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	48.62	127.59	60.54	48.00	6.31						
	Commingled DS1 COCI		<u></u>	XDH1X, NTCD1	UC1D1	13.76	6,71	4.84	0.00	0.00						
	Commingled DS1 Interoffice Channel		<u> </u>	XDH1X	U1TF1	88.44	174.46	122.46	45.61	17.95	L			L		
	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.1856										<u> </u>
	Commingled DS1/DS0 Channel System		<u> </u>	XDH1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Commingled DS3 Local Loop			HFQC6	UE3PX	386.88	244.42	154.73	67.10	26.27						
	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	10.92										
	Commingled STS-1 Local Loop			HFRST	UDLS1	426.60	244.42	154.73	67.10	26.27						
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	211.19	115.60	56.54	12.16	4.26						
	Commingled DS3 Interoffice Channel		ļ	HFQC6	U1TF3	1,071.00	320.00	138.20	38.60	18.81						
	Commingled DS3 Interoffice Channel Mileage		ļ	HFQC6	1L5XX	3.87										
i.	Commingled STS-1Interoffice Channel		<u> </u>	HFRST	U1TFS	1,056.00	320.00	138.20	38,60	18.81				L		
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	3.87										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1							l l		Ì			ł	1	ŀ
1	Strands, Per Route Mile Or Fraction Thereof			HEQDL.	1L5DF	26.85					ļ					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1		1	1	1 1	İ									ĺ
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		751.34	193.88								ļ
	UNE to Commingled Conversion Tracking	1	L	XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	ļ .					ļ
1	SPA to Commingled Conversion Tracking		<u> </u>	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
NP Query Se			<u> </u>													<u> </u>
	LNP Charge Per query		ļ		ļ	0.000852										
	LNP Service Establishment Manual		<u> </u>				13.83	13.83	12.71	12.71						<u> </u>
i	LNP Service Provisioning with Point Code Establishment		L	L	1	1	655.50	334.88	297.03	218.40						<u> </u>
11 PBX LOCA			L_	ļ	ļ						ļ				ļ	ļ
911 PE	X LOCATE DATABASE CAPABILITY	ļ	ļ								ļ					ļ
	Service Establishment per CLEC per End User Account	ļ		9PBDC	9PBEU		1,820.00				ļ			L		ļ
	Changes to TN Range or Customer Profile		L	9PBDC	9PBTN		182.14									
	Per Telephone Number (Monthly)		ļ	9PBDC	9PBMM	0.07					ļ					<b></b>
	Change Company (Service Provider) ID	<u> </u>		9PBDC	9PBPC		534.66				ļ				ļ	ļ
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	178.80									ļ. <u>.</u>	
	Service Order Charge			9PBDC	9PBSC		11.90									<u> </u>
	BX LOCATE TRANSPORT COMPONENT	L .													l	Ĺ
See At																1
	Rates displaying an "I" in Interim column are interim as a resu	ilt of a C	ommis	sion order.												ļ

JNBUNDLED	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
		Τ	Τ	I	1						Svc Order	Svc Order		Incremental	Incremental	Incremen
				i	]							Submitted	Charge -	Charge -	Charge -	Charge
		]	]		1	ļ					Elec	Manually	Manual Svc			Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RATES(	e)							4	1
AIEGONI	TATE ELEMENTS	m	Zone	503	0300		ואובטן	٠,			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
1			1			i							Electronic-	Electronic-	Electronic-	Electroni
		1	1									1	1st	Add'l	Disc 1st	Disc Add
	THE RESERVE OF THE PERSON OF T	ļ	<b></b>									L.,	L	<u>L</u>	L	<u>.                                    </u>
		<u> </u>	<u> </u>			Rec		curring	Nonrecurring			,		Rates(\$)		1
						1,00	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ne" shown in the sections for stand-alone loops or loops as ww.interconnection.bellsouth.com/become_a_clec/html/inter				eographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	ged UNE Zon	Designation	ons by Cent	ral Office, ref	er to internet	Website:	
	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"	T	T	1	т	T								T	T	T
	`	L	L		1						L	l	L	<u> </u>	Ļ	
	<ol> <li>CLEC should contact its contract negotiator if it prefers the</li> </ol>															
elect eit	her the state specific Commission ordered rates for the servi	ice orde	ering ch	narges, or CLEC may	y elect the re	gional service o	ordering charg	e, however, C	LEC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnect	ion contract e	establishe
each of	the 9 states.															
NOTE: (	2) Any element that can be ordered electronically will be bill	led acco	ordina	to the SOMEC rate li	isted in this	rategory Pleas	e refer to Beli	South's Local	Ordering Hand	book (LOH) to	determine	f a product	can be order	ed electronics	dly For thos	e elemen
	not be ordered electronically at present per the LOH, the list															
				e in this category rei	nects the car	arge mai would	be billed to a	CLEC once el	ectronic orden	ng capabilities	come on-n	ne for that t	element. Om	erwise, the m	anuai oruenn	ig charge,
	will be applied to a CLECs bill when it submits an LSR to E	sellSout	n.			r		, <u>.</u>	T		· · · · · · · · · · · · · · · · · · ·	,			·	·
	OSS - Electronic Service Order Charge, Per Local Service	1			l		_		1 .	ł _	1		1		1	1
	Request (LSR) - UNE Only	ļ	L		SOMEC		3.50	0.00	3.50	0.00				ļ		
	OSS - Manual Service Order Charge, Per Local Service Request														1	1
	(LSR) - UNE Only		1		SOMAN		11.71	0.00	6.13	0.00						
E SERVICE D	DATE ADVANCEMENT CHARGE		-									•				
NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	CC No.1 Tariff, Section	on 5 as appli	cable.			T .	ſ		1				
1 1	•	1		· '	1 ''									1		
l i		1	1	UAL, UEANL, UCL.	1											
					1			ĺ		į.						
				UEF, UDC, UDF,	1					1						
				UEQ, UDL, UENTW,	,				1							1
		1		UDN, UEA, UHL,	1	1 1			1	1						1
			1	ULC, USL, U1T12,		1				ĺ						1
				U1T48, U1TD1.				i		i						
										ĺ						
1 1				U1TD3, U1TDX,						{						1
l l		1	[	U1TO3, U1TS1,												1
1 1				U1TVX, UC1BC,												1
1			[	UC1BL, UC1CC,	1											
		1		UC1CL, UC1DC.	1			ł								
1 1			1									Į.				
				UC1DL, UC1EC,	1											
				UC1EL, UC1FC,	1											
		İ	1	UC1FL, UC1GC,												
				UC1GL, UC1HC,								l				
			1	UC1HL, UDL12,									i			
		1			1	i									i	
				UDL48, UDLO3,	1											
				UDLSX, UE3,	1								1			
				ULD12, ULD48,	1											
				ULDD1, ULDD3,	1											
				ULDDX, ULDO3,	1											
					1										i	
			1	ULDS1, ULDVX,												
			i	UNC1X, UNC3X,	1				İ						ľ	
				UNCDX, UNCNX,	1				i							
				UNCSX, UNCVX,	1							l			l	
				UNLD1, UNLD3,	1				l .				ł			
					1								ļ			
				UXTD1, UXTD3,	1						1					
				UXTS1, U1TUC,	i								1			
				U1TUD, U1TUB,	1								l			
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG.	1										i	
	Day		1	NTCUD, NTCD1	SDASP		200.00			I	1		I		I	
	CATION CHARGE		<b></b> -	1	1				<del></del>		<b>—</b>			1		1
	Order Modification Charge (OMC)	<del> </del>	<del> </del>	<del>                                     </del>	+	<del> </del>	26.21	0.00	0.00	0.00	<del> </del>	-	<del>                                     </del>	<del> </del>		<b>+</b>
		<del> </del>	+	ļ	1	ļ					ļ			<del> </del>	<del> </del>	<del> </del>
	Order Modification Additional Dispatch Charge (OMCAD)	<b></b>			4		150.00	0.00	0.00	0.00	ļ				<b></b>	<del> </del>
	XCHANGE ACCESS LOOP			L	1						L	<u> </u>		<u> </u>	1	ļ
2-WIRE	ANALOG VOICE GRADE LOOP	1	l		1	I			L						1	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEAL2	12.08	39.98	9.98	5.61	1.72						I
<del></del>	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	<del> </del>	2	UEANL	UEAL2	17.43	39.98	9.98	5.61	1,72	<del> </del>	1		<b></b>	<del>                                     </del>	<del> </del>
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<del> </del>									<del> </del>		<b></b>	<del> </del>	<del></del>	<del> </del>
1 1		1	1 3	UEANL	UEAL2	35.09	39.98	9.98	5.61	1.72	1			1	1	1
		1														+
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1	UEANL UEANL	UEASL UEASL	12.08 17.43	39.98 39.98	9.98 9.98	5.61 5.61	1.72 1.72						

Version 2Q06 Standard ICA 07/25/06

Page 23 of 101

LINBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A	Γ	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$	)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		ļ					First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise	<del>                                     </del>	3	UEANL UEANL	UEASL	35.09	39.98 8.92	9.98	5.61	1.72						<del>                                     </del>
<del></del>	Loop Testing - Basic 1st Half Hour			UEANL	URET1		26.64	0.00								<del></del> -
<del>  </del>	Loop Testing - Basic Additional Half Hour			UEANL	URETA		15.15	15.15								
	Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC	1	18.90	18.90	5.61	1.72						
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		57.73									
	Unbundled Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.29	7.29								
	CLEC to CLEC Conversion Charge Without Outside Dispatch				1											
<del></del>	(UVL-SL1)		<u> </u>	UEANL	UREWO	<del> </del>	15.75	8.92	5.61	1.72		ļ			<u> </u>	
<del></del>	Bulk Migration, per 2 Wire Voice Loop-SL1  Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		-	UEANL UEANL	UREPM		39.98 18.90	9.98	5.61	1.72						
2-WIF	E UNBUNDLED COPPER LOOP - NON-DESIGNED			DEANL	IONEFW		10.90	10.90								<del> </del>
-   -   -   -   -   -   -   -   -	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	<b>—</b>	1	UEQ	UEQ2X	11.02	44.69	22.40								
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40						)4.4		
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40								
	Tag Loop at End User Premise			UEQ	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		26.64	0.00								
<del></del>	Loop Testing - Basic Additional Half Hour			UEQ	URETA		15.15	15.15								<u> </u>
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		18.90	18.90								
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.29	7.29								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ UEQ	UREWO		14.25	7.42								
<del></del>	Bulk Migration, per 2 Wire UCL-ND Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		44.69 18.90	22.40 18.90								
UNBUNDLED	EXCHANGE ACCESS LOOP		-	OEG	UNEFW		10.90	16.90				-				
	E ANALOG VOICE GRADE LOOP				<del>                                     </del>											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															i
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.32	79.78	24.62	18.90	7.86						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.66	79.78	24.62	18.90	7.86						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3_	UEA	UEAL2	36.33	79.78	24.62	18.90	7.86	_					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13.32	79.78	24.62	18.90	7.86						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	18.66	79.78	24.62	18.90	7.86						
<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	36.33	79.78	24.62	18.90	7.86						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)  Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UEA	URESL		5.69	5.69								ļ
	DS0)			UEA	URESP		5.69	5.69					-			
<del></del>	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)	<b>-</b>		UEA UEA	UREWO	<u> </u>	87.72	36.36								
<del></del>	Bulk Migration, per 2 Wire Voice Loop-SL2	<del>                                     </del>		UEA	UREPN		11.19 79.78	1.10	<del></del>							
· -	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0.00								
4-WIR	E ANALOG VOICE GRADE LOOP				2		0.00	0.00								
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.04	92.92	28.14	19.50	8.12						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	24.49	92.92	28.14	19.50	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	33.40	92.92	28.14	19.50	8.12						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA	URESL		5.69	5.69								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA	URESP		5.69	5.69						. = 1	-	
LL	CLEC to CLEC Conversion Charge without outside dispatch	L		UEA	UREWO	L	87.72	36.36								

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment;	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	·)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						D	Nonrec	urring	Nonrecurring	Disconnect	J		OSS	Rates(\$)	L	L
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	E ISDN DIGITAL GRADE LOOP	ļ	ļ													
<del></del>	2-Wire ISDN Digital Grade Loop - Zone 1	ļ	1 1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						·
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	ļ. —		UDN	U1L2X	25.27	180.06	35.25	18.23	6.97					<del></del>	<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97						
2-WIE	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	1 005	UDN	UREWO		120.98	33.04								<del> </del>
	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOOF	, <u> </u>												
l	& facility reservation - Zone 1	ŀ	١,	UAL	UAL2X	11.00	44.00			ļ						
	2 Wire Unbundled ADSL Loop including manual service inquiry		<del> </del>	UNL	UALZX	11.23	44.69	31.55	0.00	0.00						
	& facility reservation - Zone 2	1	2	UAL	UAL2X	12.97	44.69	31.55	0.00					1		
	2 Wire Unbundled ADSL Loop including manual service inquiry		<del> </del>		OT ILLE	12.37	44.09	31,33	0.00	0.00						<u> </u>
	& facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00			İ	1	1	
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1	25.02	-1,09	01.00	0.00	0.00						<u> </u>
	facility reservaton - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00				I	Ì	
	2 Wire Unbundled ADSL Loop without manual service inquiry &							0.100	0.00	0.00				-		
	facility reservaton - Zone 2		2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00	l			1		
i	2 Wire Unbundled ADSL Loop without manual service inquiry &									- 0.00						-
	facility reservaton - Zone 3		3	UAL.	UAL2W	20.62	44.69	31.55	0.00	0.00					i	
2 WID	CLEC to CLEC Conversion Charge without outside dispatch		<u></u>	UAL	UREWO		44.69	29.29								
Z-WIH	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1			1											
	Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						1
	& facility reservation - Zone 2		١.	UHL	1	ŀ										
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						l
	& facility reservation - Zone 3	1	3	UHL												
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	UML	UHL2X	14.48	44.69	31.55	0.00	0.00						
4	and facility reservation - Zone 1		1	UHL	UHL2W	7.00	44.00									
	2 Wire Unbundled HDSL Loop without manual service inquiry			OFF	UHLZVV	7.88	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	04.55								
	2 Wire Unbundled HDSL Loop without manual service inquiry	· · · · · ·	-	OTIL	UTILZVV	9.09	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						ŀ
	CLEC to CLEC Conversion Charge without outside dispatch	l		UHL	UREWO	14.40	44.69	31.55	0.00	0.00						ļ
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		10.12.10		44.03	31.55								
	4 Wire Unbundled HDSL Loop including manual service inquiry						*									
	and facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry								0.00	0.00						
	and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00				1		
	4-Wire Unbundled HDSL Loop including manual service inquiry									0.00						
	and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00	į.					
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00	i					
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3			UHL.	UHL4W	19.07	44.69	31.55	0.00	0.00		i				
4 14/15	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								
4-WIR	E DS1 DIGITAL LOOP				<del>                                     </del>											
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	ļ	1		USLXX	49.41	211.72	72.42	38.20	7.19						
<del></del>	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	-		USL	USLXX	52.55	211.72	72.42	38.20	7.19						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	USL	USLXX	68.40	211.72	72.42	38.20	7.19						
1	DS1)			USL	URESL				I						· _	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UOL	UHESL		5.69	5.69								
	DS1)			USL	URESP		E 60	F 60	I							
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		5.69 100.91	5.69 42.97								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				OT ILVVO		100.91	42.97								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL		20.01	130.71	30.30	10.00	7.19			- I			1

Version 2Q06 Standard ICA 07/25/06

CCCS 252 of 597

UNBUNDLE	D NETWORK ELEMENTS - Georgia					1.11	<u> </u>						Attachment:	2 Exh A		
		T	[								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RATES(\$	)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""	l			1							Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<del></del>			-				Nonrec	urring	Nonrocurrin	g Disconnect			088	Rates(\$)		
		<del> </del>	<del> </del>			- Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	<del>                                     </del>	3	UDL	UDL2X	42.38	196.47	36.96	18.80	7,19	JONIEC	SOMAN	JOWAN	OOMAN	COMPAN	COMPAN
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1		UDL	UDL4X	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	31.54	196,47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	42.38	196.47	36.96	18.80	7.19						1
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	UDL	UDL9X	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL9X	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL	UDL19	25.81	196.47	36.96	18.80	7.19						
ļ	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	ļ		UDL	UDL19	31.54	196.47	36.96	18.80	7.19						<del></del>
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	<b>├</b> ──		UDL	UDL19 UDL56	42.38 25.81	196.47 196.47	36.96 36.96	18.80 18.80	7.19 7.19						<del></del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	<del> </del>		UDL	UDL56	31.54	196.47	36.96	18.80	7.19						
<del>  </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	<del> </del>		UDL	UDL56	42.38	196.47	36.96	18.80	7.19	-		·			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1		UDL	UDL64	25.81	196.47	36.96	18.80	7.19						i
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	42.38	196.47	36.96	18.80	7.19						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				1											1
	DS0)	-	<u> </u>	UDL	URESL	1	5.69	5.69	ļ	ļ						
1 1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				1						1					ı
	DSO)	-	<u> </u>	UDL	URESP	-	5.69	5.69								
2 14/10/	CLEC to CLEC Conversion Charge without outside dispatch  E Unbundled COPPER LOOP	<del> </del>	<b></b> -	UDL	UREWO	<del> </del>	101.95	49.66			<b> </b>					
Z-WIN	2-Wire Unbundled Copper Loop-Designed including manual	<u> </u>	<del> </del>			+	· · · · · · · · · · · · · · · ·									
	service inquiry & facility reservation - Zone 1		1 1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00	1					ı
· · · ·	2-Wire Unbundled Copper Loop-Designed including manual	<del> </del>	<del> </del>	002	002.0	72.02	44.00	01.00	0.00	0.00						
1 1	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00	1					ı
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						1
	2-Wire Unbundled Copper Loop-Designed without manual			,									·			1
	service inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual															1
	service inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop-Designed without manual		2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						ı
	Order Coordination for Unbundled Copper Loops (per loop)	<del> </del>		UCL	UCLMC	22.01	18.90	18.90	0.00	0.00						
	CLEC to CLEC conversion Charge without outside dispatch	<del> </del>		UCL	UREWO		44.69	31.55	i							
4-WIRE	COPPER LOOP	†	1		13			27.00								
	4-Wire Copper Loop-Designed including manual service inquiry		<b></b>			<del>  </del>	1			1						
	and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry	1														1
	and facility reservation - Zone 2	ļ	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
1 1	4-Wire Copper Loop-Designed including manual service inquiry		_	LICI	11101 :0	20.5-										1
	and facility reservation - Zone 3	<del>                                     </del>	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00	ļ					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1			UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						1
<del> </del>	4-Wire Copper Loop-Designed without manual service inquiry	<del> </del>	<del>  '-</del>	UUL	OCL4VV	10.05	44.09	31.55	0.00	0.00	-	-				
	and facility reservation - Zone 2	1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00			İ			1
	4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>			JOETT	1	77.09	01.33		0.00						
1	and facility reservation - Zone 3	1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						ı
	Order Coordination for Unbundled Copper Loops (per loop)	1		UCL	UCLMC		18.90	18.90	l							
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55								
				UEA, UDN, UAL,												1
<u> </u>	Order Coordination for Specified Conversion Time (per LSR)	ļ		UHL, UDL, USL	OCOSL	<del>                                     </del>	57.73			ļ						
Rearra	ngements	<b>ļ</b>		<del></del>	+	1			ļ	ļ	ļ					
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2	1		UEA	UREEL	1	79.85	24.65								1
<del>                                     </del>	VLE	1	-	OLA	UNCEL	1	79.85	24.65	-	-	<del> </del>					
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL.	1	79.85	24.65	1							1
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop	<del> </del>	<del> </del>	UDN	UREEL	+	120.98	33.02								
	1	<del></del>	<del></del>		72.25	-t	. 20.30	33.02	1	······	ı					

JNBUNDLE	ED NETWORK ELEMENTS - Georgia									*		1	Attachment:	2 Fxh A		1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$	5)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
		<del> </del>			<del> </del>	Т	Nonrec	curring	Nonrecurring	Disconnect	<del> </del>		OSS	Rates(\$)	l	L
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EEL to UNE-L Retermination, per 4 Wire Unmbundled Digital								-							
	Loop  EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	<del> </del>		UDL	UREEL		101.95	49.66								
JNE LOOP CO	OMMINGLING	<del> </del>	_	U3L	UNEEL		100.91	42.97								ļ
	E ANALOG VOICE GRADE LOOP - COMMINGLING	<u> </u>													<del> </del>	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	13.32	79.78	24.62	18.90	7.86						
İ	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	10.00	70.70	04.00	40.00							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<u> </u>	-	NICVG	UEAL2	18.66	79.78	24.62	18.90	7.86	├					
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	36.33	79.78	24.62	18.90	7.86						İ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	NTCVG	UEAR2	13.32	79.78	24.62	18.90	7.86						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	NTCVG	UEAR2	10.00	70.70	04.00	40.00							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>		NICVG	UEAR2	18.66	79.78	24.62	18.90	7.86						
	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	ļ	3	NTCVG	UEAR2	36.33	79.78	24.62	18.90	7.86						
	DS0)			NTCVG	URESL		5.69	5.69								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		5.69	5.69								
	CLEC to CLEC Conversion Charge without outside dispatch	_		NTCVG	UREWO		87.72	36.36			<del> </del>					
	Loop Tagging - Service Level 2 (SL2)		T	NTCVG	URETL		11.19	1.10								<b></b>
4-WIR	E ANALOG VOICE GRADE LOOP	ļ <u>.</u>														
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	ļ		NTCVG NTCVG	UEAL4 UEAL4	21.04 24.49	92.92	28.14	19.50	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3			NTCVG	UEAL4	33.40	92.92 92.92	28.14 28.14	19.50 19.50	8.12 8.12						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	Ť	11,010	OL/L4	55.40	32.32	20.14	19.50	0.12	<b></b>					
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCVG	URESL		5.69	5.69								
	DS0)			NTCVG	URESP		5.69	5.69								
4 14/10	CLEC to CLEC Conversion Charge without outside dispatch E DS1 DIGITAL LOOP - COMMINGLING			NTCVG	UREWO		87.72	36.36								
4-WIN	4-Wire DS1 Digital Loop - Zone 1		-	NTCD1	USLXX	49.41	211.72	72.42	38.20	7.40						
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	52.55	211.72	72.42	38.20	7.19						
	4-Wire DS1 Digital Loop - Zone 3			NTCD1	USLXX	68.40	211.72	72.42	38.20	7.19	<del> </del>					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCD1	URESL		5.69	5.69								
İ	DS1)			NTCD1	URESP		5.69	5.69				1				
	CLEC to CLEC Conversion Charge without outside dispatch			NTCD1	UREWO	-	100.91	42.97								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	G														
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1_	NTCUD	UDL2X	25.81	196.47	36.96	18.80	7.19						
-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	NTCUD NTCUD	UDL2X UDL2X	31.54 42.38	196.47 196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			NTCUD	UDL4X	25.81	196.47	36.96 36.96	18.80 18.80	7.19 7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	<del> </del>		NTCUD NTCUD	UDL9X UDL9X	31.54 42.38	196.47 196.47	36.96 36.96	18.80 18.80	7.19 7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL19	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2			NTCUD	UDL19	31.54	196.47	36.96	18.80	7.19						<u> </u>
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			NTCUD	UDL19	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			NTCUD	UDL56	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD NTCUD	UDL56	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<b>-</b>		NTCUD	UDL56 UDL64	42.38 25.81	196.47 196.47	36.96 36.96	18.80 18.80	7.19 7.19						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<b></b>		NTCUD	UDL64	31.54	196.47	36.96	18.80	7.19				<del></del>		

ONRONDLE	D NETWORK ELEMENTS - Georgia			,		γ						· · · · · · · · · · · · · · · · · · ·	Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-				Nonrec	urring	Nonrecurring	g Disconnect		1	oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	_	3	NTCUD	UDL64	42.38	196.47	36.96	18.80	7.19						
1	DS0)			NTCUD	URESL		5.69	5.69								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		<del>                                     </del>		OTILOL		5.00	3.03			<u> </u>			L	<del> </del>	
	DS0)			NTCUD	URESP		5.69	5.69								
	CLEC to CLEC Conversion Charge without outside dispatc h		<u> </u>	NTCUD	UREWO		101.95	49.66								
	Order Coordination for Specified Conversion Time (per LSR)		Ì	NTCVG, NTCUD, NTCD1	OCOSL		F7.70									
End-to-End Te		-		INICDI	IOCOSE		57.73									
LOOP MODIFI			<u> </u>		1						<del> </del>					
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			UEPSB	ULM2L		0.00	0.00								<del> </del>
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								1
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91									
SUB-LOOPS										***						
Sub-Lo	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		255.51									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		7.29									ĺ
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		174.92									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		51.56									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			UEANL	USBRC	3.71	28.43	3.85	2.20	0.01						
	and Spare Loop Activation Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBRD	7.90	31.04	4.79	2.27	0.01						
	Zone 1		1	UEANL	USBN2	7.45	28.43	3.85	2.20	0.01						l
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.18	28.43	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		3	UEANL	USBN2	21.46	28.43	3.85	2.20	0.01						
	Zone 1		1	UEANL	USBN4	6.91	31.04	4.79	2.27	0.01						l
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.98	31.04	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	20.32	31.04	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC	374	18.90	18.90	0.53							
				UEANL	USBR2	3.71	28.43	3.85	2.20	0.01				-		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.90	18.90								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	7.90	31.04	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.90	18.90								
<del></del>	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA	<u> </u> .	26.64	0.00								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6.88	15.15 28.43	15.15 3.85	2,20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS2X	8.32	28.43	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UCS2X	10.26	28.43	3.85	2.20	0.01						

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$				Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						<u> </u>	Rec	Nonrec		Nonrecurring					Rates(\$)		
	<u> </u>					<u> </u>		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	LIGHT		40.00	40.00								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	USBMC UCS4X		18.90	18.90								
		4 Wire Copper Unburidled Sub-Loop Distribution - Zone 1		2	UEF		7.55	31.04	4.79		0.01						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X UCS4X	7.12 10.26	31.04	4.79	2.27	0.01						
	<del>                                     </del>	4 Wile copper oribandied Sab-coop Distribution - Zone S		3	OEI-	00347	10.20	31.04	4.79	2.27	0.01						<b></b>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.90	18.90								
		Loop tagging Service Level 1, Unbundled Copper Loop, Non-															
		Designed and Distribution Subloops		<u> </u>	UEF, UEANL	URETL		8.92	0.88								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		26.64	0.00								
	Unbur	Loop Testing - Basic Additional Half Hour  dled Sub-Loop Modification			UEF	URETA		15.15	15.15							1	<u> </u>
	Stibuti	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	<b>_</b>	-		<del>                                     </del>										<b> </b>	<b></b>
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF .	OLIVIZA		0.00	0.00								
		Coil/Equip Removal per 4-W PR			UEF	ULM4X	1	0.00	0.00								
		Unbundled Loop Modification, Removal of bridge Tap, per			OL:	CLIVIAN		0.00	0.00								
ĺ		unbundled loop		l	UEF	ULMBT	1	0.00	0.00			1 1					
		dled Network Terminating Wire (UNTW)				OZ.N.D.		0.00	0.00								<del> </del>
		Unbundled Network Terminating Wire (UNTW) per Pair		i	UENTW	UENPP	0.5325	25.10	12.27			<del></del>					
		k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		32.82	20.67								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		55.97	43.82			1					
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		2.45	2.45								
		Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE			UENTW	UNDC4		2.45	2.45					-			
	·	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	0.00	0.00				<del> </del>					
		Unbundled DS1 Loop - Expanded Superframe Format option -			004,111001	10000		0.00			-						
		no rate			USL, NTCD1	CCOEF		0.00									
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00								,	
		UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00						•			
LOOP N																·	
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.18	15.18								
		Loop Makeup - Preordering With Reservation, per spare facility		-	OWN C	OWNER		13.10	13.10		•						
		queried (Manual).			UMK	UMKLP		19.83	19.83	l i							
		Loop MakeupWith or Without Reservation, per working or						70.00	10.00								
		spare facility queried (Mechanized)			UMK	UMKMQ		0.823	0.823				J				
LINE SE	PLITTIN	G															
	END US	ER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.0197	34.43	22.35	10.38	7.34						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.0188	34.43	22.35	10.38	7.34						
		SER ORDERING - REMOTE SITE LINE SPLITTING															
		Remote Site Shared Loop Line Activation for End Users - CLEC Owned Splitter			UEPSR UEPSB	URERS	0.61	57.13	23.12	7.11	7.11						
		Remote Site Shared Loop - Subsequent Activity - CLEC Owned							· <del>-</del>								
		Splitter		L !	UEPSR UEPSB	URERA		54.10	21.46								
		DLED EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1- Line Splitting - CLEC Owned Splitter - Zone 1			UEPSR UEPSB	UEARS	6.52	28.46	3.85	2.20	0.01						

UNBUNDL	ED NETWORK ELEMENTS - Georgia		-	•									Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	<b>5</b> )	,		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Splitting - CLEC Owned Splitter - Zone 2		2	UEPSR UEPSB	UEARS	10.18	28.46	3.85	2.20	0.01						1
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		-	021 011 021 00	OLAHO	10.10	20.40	3.65	2.20	0.01						<del></del>
	Line Splitting - CLEC Owned Splitter - Zone 3			UEPSR UEPSB	UEARS	19.51	28.46	3.85	2.20	0.01						1
UNE	Loop Rates for Line Splitting (In Ga. PSC ordered the line spli	tting lo														
<del></del>	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1			UEPSR UEPSB	UEALS UEABS	10.98	10.04	7.35	1.37	1.28						<b></b>
<del></del>	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	2	UEPSR UEPSB UEPSR UEPSB	UEALS	16.30	10.04 10.04	7.35 7.35	1.37	1.28 1.28						<b> </b>
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	i	2	UEPSR UEPSB	UEABS	16.30	10.04	7.35	1.37	1.28						·
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	1	3	UEPSR UEPSB	UEALS	34.73	10.04	7.35	1.37	1.28						
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	1		UEPSR UEPSB	UEABS	34.73	10.04	7.35	1.37	1.28						
PHYS	ICAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0202	0.00	0.00								ĺ
VIRT	JAL COLLOCATION			UEFOR UEFOB	FEILS	0.0202	0.00	0.00								<b></b>
1 1 1	Virtual Collocation-2 Wire Cross Connects (Loop) for Line									<del></del>	-					
	Splitting			UEPSR UEPSB	VE1LS	0.0192	0.00	0.00	0.00	0.00						ĺ
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															ļ
h <del>-</del>	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA	131.00 32.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						<del> </del>
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			000	OLODO .	11.00	0.00	0.00	0.00	0.00			• • • • • • • • • • • • • • • • • • • •			·
	deactivation (per LSOD)			ULS	ULSDG		72.34	0.00	68.76	0.00	ļ					l .
LINE SHARIN					ļ											
END I	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING															-
<del></del>	Line Sharing - per Line Activation (BST Owned splitter) Line Sharing - per Line Activation (BST Owned splitter)			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						<b></b>
	Line Sharing - per Line Activation (BST Owned splitter)  Line Sharing - per Subsequent Activity per Line			ULS	ULSUI	0.61	10.51	7.70	7.00	4.20						<del> </del>
	Rearrangement(BST Owned Splitter			ULS	ULSDS		36.23	13.23	16.94	1.69						l .
	Line Sharing - per Subsequent Activity per Line				1	· · · · · ·		10.20	13.31	1.00						
	Rearrangement(BST Owned Splitter			ULS	ULSCS		36.23	13.23	16.94	1.69						i
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC		29.88	16.28	12.08	7.34						
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCT		29.88	16.28	12.08	7.34						
	TERS-REMOTE SITE				-											<del> </del>
SPLII	Remote Site Line Share BellSouth Owned Splitter, 24 Port		$\vdash$	ULS	ULSRB	31,64	90.65		64.74							<i></i>
<del>   </del>	Remote Site Line Share Line Activation for End User Served at			000	CLOILD	31.04	30.03		04.74	-						
	RS, BST Splitter			ULS	ULSRT		43.54	17.28	6.82	3.82						i
	Remote Site Line Share Cable Pair Activation CLEC Owned at															
UNDUNE 5	RS and Deactivation			ULS	ULSTG		75.02		47.17							<b></b>
	DEDICATED TRANSPORT ROFFICE CHANNEL - DEDICATED TRANSPORT				<b>_</b>											
INTER	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0059		-			-					i
	Interoffice Channel - 2-Wire Voice Grade - per file			U1TVX	U1TV2	13.15	48.41	19.46	16.56	4.99						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0059	30.41	15,40	10.50	7.33						
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	13.15	48.41	19.46	16.56	4.99						
-	Interoffice Channel - 4-Wire Voice Grade - per mile		$\vdash$	U1TVX	1L5XX	0.0059										
ı <b>I</b>	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	11.01	48.41	19.46	16.56	4.99						
	Interoffice Channel - 4- while voice Grade - Facility Termination			U1TDX	1L5XX	0.0059	40.41	19.46	10.56	4.99						
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	8.00	48.41	19.46	16.56	4.99						
	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0059										
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	8.00	48.41	19.46	16.56	4.99						
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.1199										
$\longleftarrow$	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	34.93	110.92	80.20	31.33	21.71						
	Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination			U1TD3	1L5XX	2.63	200.10	96.04	- 60 -31							
	priceronice Charities - Doo - nacility Termination		LI	UITD3	U1TF3	349.42	320.16	86.24	66.71	52.76						

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	,				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
		ļ <u>.</u>	—			Rec	Nonrec		Nonrecurring					Rates(\$)		T
	Interoffice Channel - STS-1 - per mile	<b></b>	ļ	U1TS1	1L5XX	2.22	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del>  </del>	Interoffice Channel - STS-1 - Pariting  Interoffice Channel - STS-1 - Facility Termination	<del> </del>	<del> </del>	U1TS1	U1TFS	2.63 366.43	320.16	86.24	CC 71	F0.70						
UNBUN	VDLED DARK FIBER	<del> </del>	+	01131	101113	300.43	320.16	00.24	66.71	52.76	<del> </del>					
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	†	<del> </del>								<del> </del>				<del> </del>	
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	24.17			1		ĺ				1	
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															İ
	Route Mile Or Fraction Thereof	<b> </b>	1	UDF, UDFCX	UDF14		1,774.79	89.66	73.57	18.69					1	
	TY UNBUNDLED LOCAL LOOP TS-1 UNBUNDLED LOCAL LOOP - Stand Alone	<b></b>	-		1											<u> </u>
03-3/3	DS3 Unbundled Local Loop - per mile	┼──	1	UE3	1L5ND	11.40					-					
	DS3 Unbundled Local Loop - Facility Termination	<del> </del>	┼	UE3	UE3PX	258.44	1,751,51	131.77	112.80	75.81						
	STS-1Unbundled Local Loop - per mile	†	<b>†</b> • • • • • • • • • • • • • • • • • • •	UDLSX	1L5ND	11.40	1,701,01	131.77	112.00	75.01	<del>                                     </del>					<del> </del>
	STS-1 Unbundled Local Loop - Facility Termination	l ''		UDLSX	UDLS1	349.42	1,751,51	131.77	112.80	75.81						
	XTENDED LINK (EELs)													-		
Networ	rk Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1	ļ	1	UNCVX	UEAL2	13.32	195.75	36.35	18.40	6.86						
	2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3		2	UNCVX	UEAL2	18.66	195.75	36.35	18.40	6.86						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		3	UNCVX	UEAL2 UEAL4	36.33 21.04	195.75	36.35	18.40	6.86						
<u> </u>	4-Wire Analog Voice Grade Loop in Combination - Zone 2	<u> </u>	2	UNCVX	UEAL4	24.49	195.75 195.75	36.35 36.35	18.40 18.40	6.86	<del> </del>					
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	<b>-</b>	3	UNCVX	UEAL4	33.40	195.75	36.35	18.40	6.86						
	2-Wire ISDN Loop in Combination - Zone 1	1	1	UNCNX	U1L2X	22.73	195.75	36.35	18.40	6.86						<del> </del>
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.11	195.75	36.35	18.40	6.86						1
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	46.42	195.75	36.35	18.40	6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	25.81	195.75	36.35	18.40	6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.54	195.75	36.35	18.40	6.86						
<del></del>	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3     4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		3	UNCDX	UDL56	42.38	195.75	36.35	18.40	6.86						ļ
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	<del> </del>	2	UNCDX	UDL64 UDL64	25.81	195.75	36.35	18.40	6.86						ļ
<del></del>	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<del> </del>	3	UNCDX	UDL64	31.54 42.38	195.75 195.75	36.35 36.35	18.40 18.40	6.86 6.86				ļ		
	4-Wire DS1 Digital Loop in Combination - Zone 1	<b>-</b>	1	UNC1X	USLXX	49.41	209.25	70.37	37.87	6.86	<del>                                     </del>					<del> </del>
	4-Wire DS1 Digital Loop in Combination - Zone 2	1	2	UNC1X	USLXX	52.55	209.25	70.37	37.87	6.86	<del>                                     </del>					<del> </del>
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	68.40	209.25	70.37	37.87	6.86					1	· · · · · · · · · · · · · · · · · · ·
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	11.40										1
ļ	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	258.44	1,259.23	628.22	41.49	20.74						
<u> </u>	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	11.40										
	STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile			UNCSX UNCVX	UDLS1	349.42	1,259.23	628.22	41.49	20.74						
<del>                                     </del>	Interoffice Channel in combination - 2-wire VG - per mile			ONCVA	1L5XX	0.0059					-					<b>_</b>
	Termination			UNCVX	U1TV2	13.15	66.47	33.57	43.38	27.57				l		
	Interoffice Channel in combination - 4-wire VG - per mile		<b>†</b>	UNCVX	1L5XX	0.0059	55.47	30.57	10.00	27.07				<del> </del>		
	Interoffice Channel in combination - 4-wire VG - Facility	1	· · · ·											<del> </del>	1	l
	Termination			UNCVX	U1TV4	10.78	66.47	33.57	43.38	27.57				l		
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	Ļ. <u>.</u>		UNCDX	1L5XX	0.0059										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination	1	1	LINCDY	Luze	2.5										
<del></del>		├	ļ	UNCDX	U1TD5	8.00	66.47	33.57	43.38	27.57						
<del>                                     </del>	Interoffice Channel in combination - 4-wire 64 kbps - per mile Interoffice Channel in combination - 4-wire 64 kbps - Facility	<del> </del>	<del> </del>	UNCDX	1L5XX	0.0059					-			l		1
	Termination		-	UNCDX	U1TD6	8.00	66.47	33.57	43.38	27.57						
	Interoffice Channel in combination - DS1 - per mile	1		UNC1X	1L5XX	0.1199	55.47	55.57	10.00	27.57	<del> </del>			<b></b>		<del> </del>
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	34.93	87.67	45.69	43.76	27.95	T			<u> </u>	<u> </u>	1
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	2.63										
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	349.42	325.59	76.99	49.51	32.85						
<del></del>	Interoffice Channel in combination - STS-1 - per mile		<u> </u>	UNCSX	1L5XX	2.63										
ADDITIONAL	Interoffice Channel in combination - STS-1 Facility Termination		ļ	UNCSX	U1TFS	366.43	325.59	76.99	49.51	32.85						
	al Features & Functions:		├		1						-			ļ	<del>                                     </del>	ļ
Option	ar reactive a randitories.	<del> </del>	<del>  -  </del>	U1TD1,	+				<del> </del>		<del>                                     </del>			<del></del>	<del> </del>	ļ <u>.</u>
					4 I		- 1				1			1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:			<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$	;)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						nec .	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				U1TD1,							1				1	
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00			1					
	Clear Channel Capability (SF/ESF) Option - Subsequent	<b>I.</b>	1	ULDD1, U1TD1,	110000				!							
	Activity - per DS1	<del></del>	<b>├</b>	UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79						
	C-bit Parity Option - Subsequent Activity - per DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3	1 1	218.74	7.66	0.7591	0.00				1		
- 1 -	DS1/DS0 Channel System	<del> </del>	<del> </del>	UNC1X	MQ1	71.23	86.01	0.00	0.7591	0.00	<b></b>			-	<del> </del>	<del> </del>
	DS3/DS1Channel System	<del> </del>	<u> </u>	UNC3X, UNCSX	MQ3	124.39	0.00	0.00	0.00	0.00			<del></del>	l	-	<del></del>
	Voice Grade COCI in combination			UNCVX	1D1VG	0.479	27.30	2.90	16.85	1.04				<del> </del>		<del>                                     </del>
	Voice Grade COCI - for Stand Alone Local Loop		-	UEA	1D1VG	0.479	27.30	2.90	16.85	1.04						<del>                                     </del>
1	Voice Grade COCI - for connection to a channelized DS1 Local		1						1				· · · · · · · · · · · · · · · · · · ·			
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.479	27.30	2.90	16.85	1.04	1		ļ			
	OCU-DP COCI (2.4-64kbs) in combination		1	UNCDX	1D1DD	1.02	27.30	2.90	16.85	1.04		·	1			· · · · · · · · · · · · · · · · · · ·
	OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop			UDL	1D1DD	1.02	27.30	2.90	16.85	1.04						
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized			l '	]											
	DS1 Local Channel in the same SWC as collocation	l		U1TUD	1D1DD	1.02	27.30	2.90	16.85	1.04						
	2-wire ISDN COCI (BRITE) in combination		<u> </u>	UNCNX	UC1CA	1.70	27.30	2.90	16.85	1.04						
	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	1.70	27.30	2.90	16.85	1.04						ļ
	2-wire ISDN COCI (BRITE) - for connection to a channelized			l <u>-</u>												
	DS1 Local Channel in the same SWC as collocation		ļ	U1TUB	UC1CA	1.70	27.30	2.90	16.85	1.04				<b>_</b>	ļ	
	DS1 COCI in combination		<b></b>	UNC1X	UC1D1	7.50	27.30	2.90	16.85	1.04			ļ			
	DS1 COCI - for Stand Alone Local Channel		1	ULDD1 U1TD1	UC1D1 UC1D1	7.50 7.50	27.30	2.90 2.90	16.85	1.04	<u> </u>		<u> </u>		<u> </u>	
	DS1 COCI - for Stand Alone Interoffice Channel DS1 COCI - for Stand Alone Local Loop	<b></b>		USL	UC1D1	7.50	27.30 27.30	2.90	16.85 16.85	1.04						
	DS1 COCI - for stand Alone Local Loop  DS1 COCI - for connection to a channelized DS1 Local Channel		1	USL	OCIDI	7.50	27.30	2.90	16.85	1.04						
- 1	in the same SWC as collocation			UITUA	UC1D1	7.50	27.30	2.90	16.85	1.04		ļ	İ			
	In the same Swo as collocation		<del> </del>	UNCVX, UNCDX,	OCIDI	7.50	27.30	2.30	10.03	1.04						<del> </del>
				UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,												
	Wholesale - UNE, Switch-As-Is Conversion Charge	<b></b>	ļ	HFRST	UNCCC		5.69	5.69	6.60	6.60						
- 1	List of the Burel Conference of the Conference o			U1TVX, U1TDX,		<u> </u>			i I							
İ	Unbundled Misc Rate Element, SNE SAI, Single Network	l.		U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		00.05	10.17	1			Į.	ĺ			
	Element - Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network	<u> </u>	<del> </del>	U1TVX, U1TDX,	UHESL	<del> </del>	36.95	16.17		· · · · · · · · · · · · · · · · · · ·						
	Element - Switch As Is Non-recurring Charge, incremental			U1TD1, U1TD3.								1				
	charge per circuit on a spreadsheet	li .		U1TS1, UDF, UE3	URESP		1.49	1.49				1				
Acces	s to DCS - Customer Reconfiguration (FlexServ)	i –	1	01101, 001, 020	OTILO			1.40								+
110000	Customer Reconfiguration Establishment	t	1				1.40		1.63							
	DS1 DCS Termination with DS0 Switching	<b></b>			····	20.08	24.87	18.91	15.02	11.94						
	DS1 DCS Termination with DS1 Switching					7.24	18.16	12.19	11.13	8.05						· · · ·
	DS3 DCS Termination with DS1 Switching	1	1			128.34	24.87	18.91	15.02	11.94						
Node	(SynchroNet)															
	Node per month			UNCDX	UNCNT	13.98										
Service	e Rearrangements															
	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TVX, U1TDX, UEA, UDL., U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCVX, UNCDX, UNTTYX, U1TDX, UEA, UDL, U1TUC,	URETD		100.91	42.97								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.68	3.68								

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$				Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ļ	NRC - Order Coordination Specific Time - Dedicated Transport	<u>  </u>		UNC1X, UNC3X	OCOSR	<b> </b>	18.89	18.89								
<del></del>	UNE Reconfiguration Change Charge per Circuit	<del> </del>	<b>Ļ</b>	UNC1X	URERC	<b>4</b>	35.00	35.00								ļ
	UNE Reconfiguration Change Charge per Circuit Project	١.	1	UNC1X	URERP		3.68	3.68								
COMMINGLIN	Managed G	<del> </del> '	<del> </del>	UNCIA	UNERF		3.00	3.00								<del> </del>
				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,												
	Commingling Authorization	1		ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
Comm	ingled (UNE part of single bandwidth circuit and interfaces)	1	$\vdash$		1	1 5.00	5.50	2.00	5.00	5.00						<b>*</b>
	Commingled VG COCI	1		XDV2X, NTCVG	1D1VG	0.479	27.30	2.90	16.85	1.04						
	Commingled Digital COCI			XDV6X, NTCUD	1D1DD	1.02	27.30	2.90	16.85	1.04						
	Commingled ISDN COCI			XDD4X	UC1CA	1.70	27.30	2.90	16.85	1.04						
	Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	13.15	66.47	33.57	43.38	27.57						ļ
ļ	Commingled 4-wire VG Interoffice Channel	ļ		XDV6X	U1TV4	10.78	66.47	33.57	43.38	27.57						ļ
$\vdash$	Commingled 56kbps Interoffice Channel	<del> </del>		XDD4X XDD4X	U1TD5 U1TD6	8.00	66.47	33.57 33.57	43.38	27.57				ļ		<u> </u>
<del>  </del>	Commingled 64kbps Interoffice Channel	<del> </del>	ļ	XDV2X, XDV6X,	01106	8.00	66.47	33.57	43.38	27.57						
1 1	Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX	0.0059										1
	Commingled 2-wire Local Loop Zone 1	<del> </del>	1	XDV2X	UEAL2	13.32	195.75	36.35	18.40	6.86						
	Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	18.66	195.75	36.35	18.40	6.86		· ·				
	Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	36.33	195.75	36.35	18.40	6.86						
	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	21.04	195.75	36.35	18.40	6.86						
	Commingled 4-wire Local Loop Zone 2	ļ	2	XDV6X	UEAL4	24.49	195.75	36.35	18.40	6.86						
	Commingled 4-wire Local Loop Zone 3	<u> </u>	3	XDV6X	UEAL4	33.40	195.75	36.35	18.40	6.86						
	Commingled 56kbps Local Loop Zone 1		1 2	XDD4X XDD4X	UDL56 UDL56	25.81 31.54	195.75 195.75	36.35 36.35	18.40 18.40	6.86 6.86	_					<del></del>
	Commingled 56kbps Local Loop Zone 2 Commingled 56kbps Local Loop Zone 3	+	3	XDD4X	UDL56	42.38	195.75	36.35	18,40	6.86						<del> </del>
	Commingled 64kbps Local Loop Zone 1	<del> </del>	1	XDD4X	UDL64	25.81	195.75	36.35	18.40	6.86						<del> </del>
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	31.54	195.75	36.35	18.40	6.86					· · · · · · · · · · · · · · · · · · ·	
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	42.38	195.75	36.35	18.40	6.86	~~~~~					
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	22.73	195.75	36.35	18.40	6.86						
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	29.11	195.75	36.35	18.40	6.86						
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	46.42	195.75	36.35	18.40	6.86						
	Commingled DS1 COCI	-		XDH1X, NTCD1 XDH1X	UC1D1 U1TF1	7.50 34.93	27.30	2.90	16.85	1.04						<del> </del>
<del>                                     </del>	Commingled DS1 Interoffice Channel	<del> </del> -	ļ	XDH1X XDH1X	1L5XX	0.1199	87.67	45.69	43.76	27.95				ļ <del>.</del>		
	Commingled DS1 Interoffice Channel Mileage Commingled DS1/DS0 Channel System	<del> </del>		XDH1X XDH1X	MQ1	71.23	86.01	0.00	0.00	0.00						
	Commingled DS1 Local Loop Zone 1		1	XDHIX	USLXX	49.41	209.25	70.37	37.87	6.86				<del></del>		
	Commingled DS1 Local Loop Zone 2	<del>                                     </del>	2	XDH1X	USLXX	52.55	209.25	70.37	37.87	6.86						
	Commingled DS1 Local Loop Zone 3	<del> </del>	3	XDH1X	USLXX	68.40	209.25	70.37	37.87	6.86						ļ
	Commingled DS3 Local Loop			HFQC6	UE3PX	258.44	1,751.51	131.77	112.80	75.81						
	Commingled DS3/STS-1 Local Loop Mileage		Ĺ	HFQC6, HFRST	1L5ND	11.40										
	Commingled STS-1 Local Loop		L	HFRST	UDLS1	349.42	1,751.51	131.77	112.80	75.81						ļ
	Commingled DS3/DS1 Channel System	ļ	ļ	HFQC6	MO3	124.39	0.00	0.00	0.00	0.00				<b> </b>		<del></del>
<del></del>	Commingled DS3 Interoffice Channel Commingled DS3 Interoffice Channel Mileage		<b></b>	HFQC6	U1TF3 1L5XX	349.42 2.63	325.59	76.99	49.51	32.85				<b> </b>		<del>                                     </del>
	Commingled STS-1Interoffice Channel	+	<del> </del>	HERST	UITES	366.43	325.59	76.99	49.51	32.85	-			<del> </del>	<del> </del>	ļ
<del></del>	Commingled STS-1Interoffice Channel Mileage	1		HFRST	1L5XX	2.63	020.09	70.55	40.01	G2.00					1	<b>†</b>
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	24.17										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
ļ	Strands, Per Route Mile Or Fraction Thereof	₩	<u> </u>	HEQDL	UDF14		1,774,79	89,66	73.57	18.69					1	<del></del>
	UNE to Commingled Conversion Tracking	J	L	XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	L			L	L	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	;)			1	Submitted	Charge - Manual Svc	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			-		-		Nonrec	urrina	Nonrecurring	Disconnect		L	OSS	Rates(\$)	L	L
1			1			Rec	First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	SPA to Commingled Conversion Tracking		1	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00		1				
LNP Query Se	rvice										1					
	LNP Charge Per query					0.0008034						1				
	LNP Service Establishment Manual						12.49		11.09			Ī				
	LNP Service Provisioning with Point Code Establishment					1	574.87	293.68	251.47	184.91						
911 PBX LOCA	ATE											Ĭ				
911 PE	EX LOCATE DATABASE CAPABILITY				T											
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,825.00					1				
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.67									
	Per Telephone Number (Monthly)			9PBDC	9РВММ	0.07										
	Change Company (Service Provider) ID			9PBDC	9PBPC		536.23									
	PBX Locate Service Support per CLEC (MonthIt)		1	9PB <b>D</b> C	9PBMR	176.96						T			1	
	Service Order Charge		I	9PBDC	9PBSC		11.73			_		1				
911 PE	BX LOCATE TRANSPORT COMPONENT															
See At	t 3															
Note: I	Rates displaying an "I" in Interim column are interim as a re	sult of a C	ommis	sion order.												

RATE BLEMENTS								
ATEGORY  RATE BLEMENTS  Intel  No  DCS  BUSING  RATES  USO  RATES	emental Inc	ncrementa	ocrements	crements	rementa	emental	i Inc	ncremer
## ATT FLEMENTS   Interest   Zone   BCS   USOC   RATES(\$)	1	Charge -					1	Charge
ANTECHNIC PROPERTY OF THE CENTRAL PROPERTY OF THE CONTROL OF THE C	~	-	-	_	-	•		_
PREVENTIONS SUPPORT SYSTERS (SSS) - RECOVERAL PROPERTY IN STREET (SSS) - RECOVERAL PR		Manual Svo						Manual 9
Proceedings   Process		Order vs.						Order v
Part   Part	ctronic- El	Electronic-	Electronic	Jectronic	ectronic-	tronic-	· Ele	Electron
The Your Hown in the cacelines for stand-allows loops of loops as and of combination refers to Geographically Deservation of the process of	sc 1st D	Disc 1st	Disc 1st	Disc 1st	Disc 1st	sc 1st	Di	Disc Ad
The "Tome" shown in the certains for state-d-short loops as part of a combination rate is not Group spike and property of the property of th								
The "Zone" hown in the self-old or dark-dator loops at part of a combination refers to Geographically Deswraped UNE Zones. To view Geographically Deswraped UNE Zone Designations by Central Office, neet to internet Website Office Control of Destal Control Office Control Office (Destal Control Office Contro								
The Zone-Proton in the excellence for shared-dolor larger or loops at part of a combination refers to Geographically Desveraged UNE Zone. To view Geographically Desveraged UNE Zone Designations by Central Office, refer to infamiliar Vehicle Office Control Contro	? NAMC	SOMAN	SOMAN	SOMAN	SOMAN	MAN	7 5	SOMA
Property in Property in State (2015)   Property in State Commission and State of Property in State Commission and State of Property in State Commission and State of Property in State (2015)   Property in Stat							+-	
Property in Property in State (2015)   Property in State Commission and State of Property in State Commission and State of Property in State Commission and State of Property in State (2015)   Property in Stat	itar	abaitar	aboito:	haitar	- ita			
OPERATIONS SUPPORT SYSTEMS (OSS): "REGIONAL RATES"  NOTE OF LOCE should contact the contract registrate if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate achibit and this billing specific commission ordered grains for the service ordering charges, ordered specific commissions or the state specific commission ordered grains for the service ordering charges, ordered specific commissions or the state specific commission ordering charges, ordered specific commission ordered grains and the state of the two organizations of the service ordering charges to ordering charges, however, CLEC can not obtain an anisture of the two organizations of the service ordering charges in the category reflects the charge that would be billed to a CLEC once described commission for that ordered service ordering charges and the service ordering charges and the charge that would be billed to a CLEC once described control control management of the two organizations for that ordered. Otherwise, the mutual of OSS: Electrons Service Order Charges, Per Local Service.  OSS: Electrons Service Order Charges, Per Local Service that it is category reflects the charge that would be billed to a CLEC once described ordering charges into the control of the service ordering charges and the control of the service ordering charges and the control of the service ordering charges are control of the service ordering charges and the charges that would be billed to a CLEC once described ordering charges and the charges that would be billed to a CLEC once described ordering charges and the charges that would be billed to a CLEC once described ordering charges and the charges that would be billed to a CLEC once described ordering charges and the charges that would be billed to a CLEC once described ordering charges and the charges that would be billed to a CLEC once described ordering charges and the charges and the charges and the charges and the charges and the charges and the	He.	ensite.	eusite.	usite.	Site.	æ.		
NOTE: (1) ELEC should contact lis contract negotator if it prefers the "state specific "OSS charges so ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BillSQUIM "regional" service ordering a disease with the states specific Commission ordered readers for the service ordering a disease with the states specific Commission ordered readers for the service ordering a disease with the states specific Commission ordered readers for the SORE of the SO								
and est either the state specific Commission ordered rates for the savine ordering charge, and ELEC may be the regional service ordering charge. Any determination of the borrogardises of ELEC has a interconnection control by the product of the ordering descripation of the South State of Total product can be ordered descripation. If the state specific Commission is the state of South State of Total product can be ordered descripation. If the state specific Commission is the state of South State of Total product can be ordered descripation. If the state specific Commission is the state of South State of Total Product of South State of Total Product Can be ordered descripation. If the state of South State of Total Product Can be ordered descripation. If the state of South State								
Mode   Exp Any combined what can be ordered electronically with the factor of the combined o	charges. Cl	ng charges	ng charge	ig charge	រ្វ charges	:harges.	s. CL	JLEC m
Mode   Exp Any combined what can be ordered electronically with the factor of the combined o	ontract estal	n contract (	contract	contract	contract	ntract e	estab	ablishe
The content be ordered destroncially at green per the LON, the listed SONEC rate in this category reflects the charge that would be hilled to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual of Content Charge (LSR), MICE count Class (LSR), CLEC count Class (LSR), CLEC count Class (LSR), CLEC count Class (LSR), CLEC count Class (LSR), CLEC count Class (LSR), CLEC count Class (LSR), CLEC count Class (LSR), CLEC count Class (LSR), CLEC count Class (LSR), CLEC clas	For those ele	v. For thos	. For the	. For tho	For thos	or those	se ele	element:
Control   Cont	ordering ch	wal orderin	ual orderi	ual orderi	al orderir	orderin	aa ch	charge
Request (LSH) - UNE Cody	0.009	un orani	aut ordori			0.00	19 017	A.a. go,
OSS - Namual Service Order Charge, Per Local Service Request (1997), UNRF Child Charge will be maintained commensurate with BeltSouth's PCC No.1 Tartif, Section S as applicable.   O.00	1						1	
Company   Comp							+-	
UNIX SERVICE DATE ADVANCEMENT CHARGE   UNIX UNIX UNIX UNIX UNIX UNIX UNIX UNIX							1	
NOTE: The Expedite charge will be maintained commensurate with BellSouth's PCC No.1 Tariff, Section's 5 as applicable.    NOTE: The Expedite charge will be maintained commensurate with bellSouth's PCC No.1 Tariff, Section's 5 as applicable.   URL, URL, URL, URL, URL, URL, URL, URL,								
UNL USAN USC. UF, UPP, UEC, UF, UPP, UEC, UF, UPP, UEC, UF,								
URE, UDF, UER, UD, UER, UDL, UER, UDD, UER, UDL, UER, UDD, UER, UDL, UER, UDD, UDR, UDR, UDR, UDR, UDR, UDR, UD								
UNE Expedite Charge per Circuit or Line Assignable USOC, per DITURS, UTTOS, UTT								
URE LUTION LUTIONS, UTTON, UTTONS, UTTON, UTTONS, UTTON, UTTONS, UTTON, UTTONS, UTTON, UTTON, UCIDE, CUCICA, UCIDE, CUCICA, UCIDE, CUCICA, UCIDE, UCIDE, UCIFE, UCI								
USE, UTTO, UTTOB, UTTOB, UTTOB, UTTOB, UTTOB, UTTOD, UTTOD, UTTOD, UTTOD, UTTOD, UTTOX, UTTOB, UTTOX, UTTOS, UTTOX, UTTOX, UCTGG, CCCCL, UCTGC, CCCCL, UCTGC, CCCCL, UCTGC, CCCCL, UCTGCC, UCTGC, UCTGC, UCTGC, UCTGC, UCTGC, UCTGC, UCTGC, UCTGC, UCTGCCC, UCTGCC, UCTGCC, UCTGCC, UCTGCC, UCTGCC, UCTGCC, UCTGCC, UCTG								
USE, UTT2L, UTT3B, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UTTDT3, UT								
UITDI, UITDS, UITDX, UITDS, UITDX, UITDS, UITDX, UITDS, UITDX, UITDS, UITDX, UITDS, UITDX, UITDS, UITDS, UITDX, UITDS, UITDS, UITDS, UITDS, UITDS, UITDS, UITDS, UITDS, UITDS, UITDS, UITDS, UIDDS, UI								
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  ORDER MODIFICATION CHARGE  Order Modification Charge (OMC)  ORDER (OMC)  O						,		
UNTS1, UTTXX, UCIBC, UCIBL, UCICC, UCIDL, UCICC, UCIDL, UCICC, UCIDL, UCICC, UCIDL, UCICC, UCICL, UC	ļ						ļ	
UCIEC, UCICL, UCICC, UCICL, UC							1	
UCICC, UCICL UCIDC, UCIDL UCIEC, UCIEC UCIEC UCIC UCI								
UCIDC, UCIDL   UCIFC, UCIFC, UCIFC, U	ĺ						1	
UCIEC, UCIEL, UCIEC, UCIEL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UC						ı		
UCIEC, UCIEL, UCIEC, UCIEL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UCIGL, UCIEG, UC								
UCIFC, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UCIFL, UDI 12, UDIA8, UDIO3, UDISX, UE3, UDIO3, ULDS1, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, UNCOX, U						ı		
UC1GC, UC1HL, UDL12, UDL48, UDL03, UDL32, UDL03, UDL03, UDL03, UDD03, UD	1						1	
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  ORDER MODIFICATION CHARGE  ORDER MODIFICATION CHARGE  Order Modification Charge (OMCA)  Order Modification Additional Dispatch Charge (OMCAD)  UNBURDER STANCE OF STRUCK CHARGE STRUCK CHARG	- 1						1	
UDL12, UDL48, UDL03, UDL05, UDl05, UDL05, UDl05,	1					1	1	
DIDGS, UDIGS, UDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDDGS, ULDGS, ULDGS, ULDGS, UDGS, UDGS, UDGS, UDGS, UNCVX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXIDGS, UXTDG, UXTDG, UTTUD, UXTDGS, UXTDGS, UTTUD,								
UE3, ULD12, ULD14, ULD15, ULD15, ULD15, ULD05, UNC0X, UNC0, UT10, UT105, UT10								
ULD48, ULDD1, ULDD3, UNCNX, UNCNX, UNCNX, UNCNX, UNCNX, UNCNX, UNCNX, UNCNX, UNCNX, UNCNX, UNCNX, UNCNX, UNCNX, UNCD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTS1, UTUC, UTTUD, UTTUB, UTT								
ULDD3, ULDD4, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD7, UNCD2, UNCD3,								
ULDB3, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, ULDD5, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCD5,								
ULDO3, ULDS1, ULDO5, ULDS1, ULDO5, UNCOX, UN							1	
ULDVX, UNC1X, UNC3X, UNC0X, UNC3X, UNC0X,	1						1	
UNE Expedite Charge per Circuit or Line Assignable USOC, per   Day   UTUA, NTCVG, NTCUD, NTCUD   SDASP   200.00   UTUA, NTCVG   NTCUD, NTCUD   SDASP   200.00   UTUA, NTCUD, NTCUD   SDASP						- /	1	
UNCNX, UNCX, UNCDI, UNLD3, UXTD1, UNLD3, UXTD1, UNLD3, UXTD1, UNLD3, UXTD1, UNTUC, U1TUC, U1TUC, U1TUC, U1TUB, U1TUA, UTCUD, NTCD1 SDASP 200.00						- /	1	
UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD3, UXTD1, UXTD3, UXTD3, UXTD3, UXTD1, UTTUD, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, UT								
UNLE Expedite Charge per Circuit or Line Assignable USOC, per Day  UNE Expedite Charge per Circuit or Line Assignable USOC, per Day  ORDER MODIFICATION CHARGE  Order Modification Charge (OMC)  Order Modification Additional Dispatch Charge (OMCAD)  UNBUNDLED EXCHANGE ACCESS LOOP  2-WIRE ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1  1 UEA  UNLD3, UXTD1, UXTD1, UXTD1, UXTD2, VITUD, VITU	İ					ļ		
UNTE Expedite Charge per Circuit or Line Assignable USOC, per   U1TUA, VITUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUA, NTCVG, NTCUD, NTCD1 SDASP 200.00						ļ	1	
UNTE Expedite Charge per Circuit or Line Assignable USOC, per   U1TUA, VITUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUA, NTCVG, NTCUD, NTCD1 SDASP 200.00						- 1	1	
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNTUR, U1TUR, U1TUR, U1TUR, U1TUR, U1TUR, U1TUR, U1TUR, U1TUR, U1TUR, V1TUR,								
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UTUA,NTCVG, NTCD1 SDASP 200.00  ORDER MODIFICATION CHARGE  Order Modification Charge (OMC) 33.37 0.00 0.00 0.00 0.00 0.00 0.00 0.0								
UNE Expedite Charge per Circuit or Line Assignable USOC, per   Day   U1TUA,NTCVG, NTCUD, NTCD1   SDASP   200.00								
Day								
ORDER MODIFICATION CHARGE         Second Start Signaling - Zone 1         Onder Modification Charge (OMC)         33.37         0.00	- 1					- 1	1	
Order Modification Charge (OMC)   33.37   0.00   0.00   0.00   0.00							L	
Order Modification Additional Dispatch Charge (OMCAD)   150.00   0.00   0.00   0.00								
Order Modification Additional Dispatch Charge (OMCAD)   150.00   0.00   0.00   0.00							1	
UNBUNDLED EXCHANGE ACCESS LOOP    2-WIRE ANALOG VOICE GRADE LOOP							+	
2-Wire Analog Voice Grade Loop							+	
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 1 UEA UEAL2 12.67 134.89 81.87 73.65 14.88							+	
Ground Start Signaling - Zone 1 1 UEA UEAL2 12.67 134.89 81.87 73.65 14.88						$\longrightarrow$	+-	
						ļ	1	
1 IZ-YVIR ANAION VOICE GRADE LOOD - Service Level 2 w/Loop or 1 1 1						]		
						7		
Ground Start Signaling - Zone 2 2 UEA UEAL2 17.45 134.89 81.87 73.65 14.88	1					- 1	1	
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							1	
Ground Start Signaling - Zone 3 3 UEA UEAL2 33.22 134.89 81.87 73.65 14.88	i					l	1	
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-+-					$\overline{}$	+-	
Battery Signaling - Zone 1 1 UEA UEAR2 12.67 134.89 81.87 73.65 14.88	ı					ļ	1	

Version 2Q06 Standard ICA 06/13/06

Page 35 of 101

UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment 2	Exh A:		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Nonre		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
<u> </u>	Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						ļ
1 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		١ ,	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88						
h +	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	<u> </u>		UCA	ULANZ	33.22	134.09	01.07	73.05	14.00						
	DS0)			UEA	URESL		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<b></b>					2 1.00	CIOL								
	DS0)	ļ		UEA	URESP		26.44	5.01				1				
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)	<u> </u>	ļ	UEA	URETL		11.21	1.10								
4-WIF	E ANALOG VOICE GRADE LOOP		ļ.,													ļ
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEA UEA	UEAL4 UEAL4	29.26 34.25	164.11 164.11	112.36	78.91	18.66	ļ					<b> </b>
	4-Wire Analog Voice Grade Loop - Zone 2  4-Wire Analog Voice Grade Loop - Zone 3	-		UEA	UEAL4	34.25 85.06	164.11	112.36 112.36	78.91 78.91	18.66 18.66	<b> </b>	ļ		<del></del>		<del> </del>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		1	OL.,	SLALT	55.06	104.11	112,30	70.91	10.00		-		<del>- · · · · · · · · · · · · · · · · · · ·</del>		<del> </del>
	DSO)	1		UEA	URESL		24.96	3.52	I							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		26.44	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
2-WIF	E ISDN DIGITAL GRADE LOOP	ļ			_											
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	-		UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 2  2-Wire ISDN Digital Grade Loop - Zone 3			UDN UDN	U1L2X U1L2X	25.08 42.87	146.77 146.77	95.02 95.02	71.38 71.38	13.83						<del> </del>
-	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO	42.07	91.63	44.16	71.30	13.63			-			
2-WIF	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE			- 0112110		31.00	77.10								
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1	Ĺ	1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						1
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry		_						1							
	& facility reservation - Zone 3  2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	facility reservation - Zone 1		1	UAL	UAL2W	10.82	121,18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZV	10.02	121,10	09.00	09.09	11,54						
	facility reservation - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54	i					
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
ŀ	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						ļ
	& facility reservation - Zone 2		2	UHL.	UHL2X	9.56	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry		-	OTTE	UTILEX	0.50	151.54	03.23	03.03	11.54	<del> </del>		······································			
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry		<u>-</u>		1				1							
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
1	2 Wire Unbundled HDSL Loop without manual service inquiry		_	UHL	LINION	10.01	100 71	70.50	00.00							1
	and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UHL2W UREWO	10.61	130.74 86.14	78.56 40.40	69.09	11.54						<del> </del>
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIB! F	LOOP	OFFIC	JUNEWU	<del></del>	00.14	40.40		-						<u> </u>
1	4 Wire Unbundled HDSL Loop including manual service inquiry	T	<del>-30.</del>		1				<del> </del>		<del>                                     </del>					
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						ĺ
	4-Wire Unbundled HDSL Loop including manual service inquiry	· ·														
	and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						<b> </b>
	4-Wire Unbundled HDSL Loop including manual service inquiry		.		1											1
	and facility reservation - Zone 3	L	I3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69	1				L	L

UNBUNDLED	NETWORK ELEMENTS - Kentucky		,										Attachment 2			<del></del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec		Nonrecurring	j Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop without manual service inquiry															
1	and facility reservation - Zone 1	1	1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						l
	4-Wire Unbundled HDSL Loop without manual service inquiry		<b> </b>								<del> </del>					
	and facility reservation - Zone 2		1 2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80	1					
	4-Wire Unbundled HDSL Loop without manual service inquiry	· · · · · ·	╁			- 10.00		111.01	77.02	10.00						
	and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77 22	15.00						
<del> </del> -	CLEC to CLEC Conversion Charge without outside dispatch		<del> </del> -	UHL	UREWO	10.96			77.32	15.80						<del></del>
1-WIE	RE DS1 DIGITAL LOOP		├	UNL	UNEWO		86.14	40.40								
4-1111	4-Wire DS1 Digital Loop - Zone 1	<del> </del>	<del> </del>	LICI	USLXX	00.47	200 00	474.44								<b></b>
			-	USL		86.47	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 2	ļ			USLXX	114.10	306.69	174.44	65.83	14.55						<b></b>
	4-Wire DS1 Digital Loop - Zone 3	-	3	USL	USLXX	297.76	306.69	174.44	65.83	14.55						
l l	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	<b>!</b>		l	ļ	ļ	ı		1	\	l 1	i ''			1
	DS1)	<b>_</b>	⊢	USL	URESL	L	24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		!	l	1	]										1
	DS1)	ļ	ļ	USL	URESP		26.44	5.01				L				
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	27.59	157.81	106.06	78.91	18.66						[
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	UDL.	UDL2X	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	UDL	UDL2X	36.37	157.81	106.06	78.91	18.66					-	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1		UDL	UDL4X	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1		UDL	UDL4X	32.48	157.81	106.06	78.91	18.66				_		
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	36.37	157.81	106.06	78.91	18.66						<del></del>
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	<b></b>		UDL	UDL9X	27.59	157.81	106.06	78.91	18.66				···		
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	-		UDL	UDL9X	32.48						L				
<del></del>							157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	L		UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						· · · · · · · · · · · · · · · · · · ·
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	32.48	157.81	106.06	78.91	18.66						1
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ť		- 100201	00.07	107.01	100.00	70.51	10.00						
- 1	IDS0)	1	1	UDL	URESL		24.96	3.52								1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<del></del>	<del>                                     </del>		UILUL		24.30	3.32		<u> </u>	ļ			-		
	DS0)	1		UDL	URESP		26.44	5.01								1
	CLEC to CLEC Conversion Charge without outside dispatch		-	UDL	UREWO	<b></b>					ļ					<b>├</b>
2 4/10	RE Unbundled COPPER LOOP			OOL	UHEWO		102.13	49.75								<b>—</b> —
2-1111																
	2-Wire Unbundled Copper Loop-Designed including manual		Ι.													ĺ
	service inquiry & facility reservation - Zone 1		1 1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
ŀ	2-Wire Unbundled Copper Loop-Designed including manual	l									1	1				1
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54	Į į					
ì	2 Wire Unbundled Copper Loop-Designed including manual	ł	1													
	service inquiry & facility reservation - Zone 3	L	] 3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54	!!					1
1	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 1		1	UCL.	UCLPW	10.82	120.15	67.97	69.09	11.54						I
	2-Wire Unbundled Copper Loop-Designed without manual															·
	service inquiry and facility reservation - Zone 2	j	2	UCL.	UCLPW	11.79	120.15	67.97	69.09	11.54						ĺ
	2-Wire Unbundled Copper Loop-Designed without manual	· · · · ·												_		
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						ĺ
	Order Coordination for Unbundled Copper Loops (per loop)		<del>  </del>	UCL	UCLMC	12.07	9.00	9.00	03.09	11.04	<del>  </del>					
	CLEC to CLEC Conversion Charge without outside dispatch			JUL	COLIVIO	<del>   </del>	9.00	9.00					•			
1	(UCL-Des)	l	i	UCL	LIBEWO		07.00	40.40								i
4 2275	E COPPER LOOP	├	<del></del>	UUL	UREWO	L	97.23	42.48								l
4-WIH		<u> </u>														<b></b>
	4-Wire Copper Loop-Designed including manual service inquiry	l	Ι.								[					l .
	and facility reservation - Zone 1	L		UCL.	UCL4S	16.92	170.31	108.06	74.95	14.69	L					L

UNBUNDLED	NETWORK ELEMENTS - Kentucky			*****									Attachment 2	Exh A:		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					<u> </u>		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
	A West Constant of Decision of State of					Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						[
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3			UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
1	4-Wire Copper Loop-Designed without manual service inquiry												-			
	and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		·				
<u> </u>	and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
	(UCL-Des)			UCL	UREWO		97.23	42.48								1
				UEA, UDN, UAL,												
Rozer	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		23.01									ļ!
Incaire	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-				+											<b></b>
	SL2			UEA	UREEL		87.72	36.36								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.72	36.36								İ
	EEL to UNE-L. Retermination, per 2 Wire ISDN Loop			UDN	UREEL.		91.63	44.16								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL		102.13	49.75								
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		101.09	43.04								
	OMMINGLING															ļ
2-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>		1											j
	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	NTCVG	UEAL2	12.67	134.89	81.87	73.65	14.88						
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.45	134.89	81.87	73.65	14.88				_		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		,	NTCVG	UEAL2	33.22	124 90	01 07	70.65	14.00						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		- 3	NICVG	UEALZ	33.22	134.89	81.87	73.65	14.88				··-		
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_													
	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NTCVG	UEAR2	33.22	134.89	81.87	73.65	14.88						
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCVG	URESL		24.96	3.52								
	DS0)			NTCVG	URESP		26.44	5.01								1
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL.		11.21	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING															
<del>-  </del>	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			NTCVG NTCVG	UEAL4 UEAL4	29.26 34.25	164.11 164.11	112.36 112.36	78.91 78.91	18.66 18.66	-				-	
	4-Wire Analog Voice Grade Loop - Zone 3			NTCVG	UEAL4	85.06	164.11	112.36	78.91	18.66						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		24.96	3.52	70.01							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		26.44	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.72	36.36	<del></del>							
4-WIR	E DS1 DIGITAL LOOP - COMMINGLING						01.12	55.56								
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	86.47	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	114.10	306.69	174,44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NTCD1	USLXX	297.76	306.69	174.44	65.83	14.55						
	DS1) Switch-As-is Conversion rate per UNE Loop, Single LSR, (per			NTCD1	URESL		24.96	3.52								

UNBUND	LED N	ETWORK ELEMENTS - Kentucky		,	,	,								Attachment 2			
	i		l	1								Svc Order		Incremental	Incremental	Incremental	Incremental
				1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	l m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ŀ	1			1										Electronic-	Electronic-	Electronic-	Electronic-
i	ł		1	1		1						Į.		1st	Add'l	Disc 1st	Disc Add'l
	$\dashv$			<del> </del>				Nonrec	urring	Monrocurring	g Disconnect		l	066	Rates(\$)	<u> </u>	
			-			1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<del></del>				nec	riisi	Audi	FIISt	Auu	SOMEC	SOWAN	SOWAN	SUMAN	SOWIAN	SOWAN
	1	DS1)		1	NTCD1	URESP		26.44	5.01		1	İ					
- t	$\neg\dashv$	CLEC to CLEC Conversion Charge without outside dispatch	<del> </del>	+	NTCD1	UREWO		101.09	43.04	<del></del>	-	<del> </del>	<b></b>				<del> </del>
4-		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLIN	G	+	NICOL	ONLVVO		101.05	43.04	<del> </del>	<del>                                     </del>	<del> </del>					<del> </del>
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	<u> </u>	1	NTCUD	UDL2X	27.59	157.81	106.06	78,91	18.66	<del> </del>					
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	·		NTCUD	UDL2X	32.48	157.81	106.06	78.91	18.66	<del></del>			-		-
	-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			NTCUD	UDL2X	36.37	157.81	106.06	78.91	18.66		l			<del> </del>	
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			NTCUD	UDL4X	27.59	157.81	106.06	78.91	18.66					<del> </del>	
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	32.48	157.81	106.06	78.91	18.66					<del> </del>	
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	27.59	157.81	106.06	78.91	18.66					· · · · · · · · · · · · · · · · · · ·	<del></del>
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			NTCUD	UDL9X	32.48	157.81	106.06	78.91	18.66					T	<u> </u>
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD	UDL9X	36.37	157.81	106.06	78.91	18.66		-		<del>                                     </del>	<del> </del>	
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL19	27.59	157.81	106.06	78.91	18.66						
	$\neg \neg$	4 Wire Unbundled Digital 19.2 Kbps - Zone 2			NTCUD	UDL19	32.48	157.81	106.06	78.91	18.66	T				-	
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3	ļ	3	NTCUD	UDL19	36.37	157.81	106.06	78.91	18.66	<del></del>				1	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	27.59	157.81	106.06	78.91	18.66						_
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	32.48	157.81	106.06	78.91	18.66	į ·		· · · · · · · · · · · · · · · · · · ·	-	<del></del>	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	36.37	157.81	106.06	78.91	18.66						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		1									1				
	_	DS0)	l	l	NTCUD	URESL	ļ	24.96	3.52	1	]	J	ļ	ļ	j		ł
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1													
l I		DS0)	!	1	NTCUD	URESP		26.44	5.01		l						
		CLEC to CLEC Conversion Charge without outside dispatch			NTCUD	UREWO		102.13	49.75								
					NTCVG, NTCUD,												
		Order Coordination for Specified Conversion Time (per LSR)	L		NTCD1	OCOSL		23.01								l	
		XCHANGE ACCESS LOOP															
2-	-WIRE	ANALOG VOICE GRADE LOOP		l													
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL.	UEASL	31.11	46.66	22.57	26.65	7.65						
		Tag Loop at End User Premise		ļ	UEANL	URETL		8.93	0.88								
$\perp$		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	0.00								L
		Loop Testing - Basic Additional Half Hour	<u> </u>		UEANL	URETA		24.16	24.16			ļ				<u> </u>	<u> </u>
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1	_	1 -	1			-7		1	1			l	}	1	
		(per LSR)	L	1	UEANL	OCOSL		23.01	23.01			<u> </u>					
		Unbundled Non-Design Voice Loop, billing for BST providing	-			1		1							1	· —	
		make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
	Т	CLEC to CLEC Conversion Charge Without Outside Dispatch		-													
		(UVL-SL1)	<u> </u>	<b></b>	UEANL	UREWO		15.78	8.94								
2-		Unbundled COPPER LOOP													l		
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						ļ <u>.</u>
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<u> </u>		UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	Ĺ	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65					<u> </u>	<u> </u>
		Tag Loop at End User Premise	L	<b></b>	UEQ	URETL		8.93	0.88							ļ	
		Loop Testing - Basic 1st Half Hour	ļ	<u> </u>	UEQ	URET1		46.88	0.00								
$\vdash$		Loop Testing - Basic Additional Half Hour	L	<b></b>	UEQ	URETA		24.16	24.16								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -		1		I				1	1						
$\vdash$		Non-Designed (per loop)		ļ	UEQ	USBMC		9.00	9.00								
j		Unbundled Copper Loop - Non-Design, billing for BST providing		[				T		i					1		
		make-up (Engineering Information - E.I.)	i	1	UEQ	UEQMU		13.49	13.49	I	1	1	1	ſ	l	1	l .

Version 2Q06 Standard ICA 06/13/06

UNBUNDL	LED NETWORK ELEMENTS - Kentucky												Attachment 2	Exh A:		
CATEGOR	RY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>		1		Nonrec		Nonrecurring					Rates(\$)		
	0.50					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch			İ												
LOODAG	(UCL-ND) DDIFICATION			UEQ	UREWO		14.27	7.43								
LOOP MO	DUFFICATION		<u> </u>													
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Hemoval of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L_		9.24	9.24								
	less than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		9.24	9.24				ŀ				
SUB-LOO	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47		~						
	ub-Loop Distribution		<b></b>	L												
<del>                                     </del>	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		├		<del> </del>											
	Up		l	UEANL, UEF	USBSA	i					l .					
	ОР			DEANL, UEF	USBSA		207.91	207.91								
1	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		1	UEANL, UEF	USBSB	I	12.50	12.50								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder		<del>                                     </del>	OLYNIC, OLY	00200		12.50	12.50								
oxdot	Facility Set-Up			UEANL	USBSC		80.87	80.87								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel				1			00.01								
	Set-Up			UEANL	USBSD	+	45.04	45.04								
1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										·					
	Zone 1		1_1	UEANL.	USBN2	6.34	85.03	39.05	59.81	7.90		i				
ı I	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										· ·					
	Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
i l	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
<del></del>	Zone 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
í l	Order Coordination for Hobard Cub Language															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		9.00	9.00								
í l	IZone 1		١,	UEANL	USBN4	0.44	400.04	50.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
i I	Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	05.04	40.00						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		-	UEAINL	USBN4	0.03	102.31	56.32	65.24	10.88						
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
			-	02.00	1000111	25.00	102.51	30.32	03.24	10.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00	i				i			
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL,	USBR4	4.98	76.49	30.51	65.24	10.88						
. [																
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	0.00								
<del></del>	Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF UEF	UCS2X UCS2X	5.45 7.06	85.03	39.05	59.81	7.90						
+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		3		UCS2X UCS2X	9.67	85.03 85.03	39.05	59.81	7.90						
-	2 This copper chadrated out-coop distribution * Zone 3		-	061	00321	9.67	85.03	39.05	59.81	7.90						
.	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UCS4X	8.66	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3		UCS4X	19.40	102.31	56.32	65.24	10.88						
	Total Control of the		$\vdash$		33047	15,40	102.31	30.32	05.24	10.00						
j j	1		ı l	uee	Lucauco	i						1		1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			UEF	USBMC		9.00	9.00								

UNBUNDLED N	IETWORK ELEMENTS - Kentucky								·····				Attachment 2			<del> </del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						J	Nonrec		Nonrecurring					Rates(\$)		
		ļ				Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic 1st Half Hour	<u> </u>	├	UEF	URET1		46.88	0.00								
17-5	Loop Testing - Basic Additional Half Hour  dled Sub-Loop Modification	+	-	UEF	URETA	<del> </del>	24.16	24.16		<b></b>						<del></del>
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	<del>                                     </del>	<del> </del>		<del> </del>											<del> </del>
	Coil/Equip Removal per 2-W PR		1	UEF	ULM2X		5.23	5.23			1					ĺ
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	<del>                                     </del>		OCI	ULIVIER		5.20	3.20			1					
	Coil/Equip Removal per 4-W PR		1	UEF	ULM4X	ļ .	5.23	5.23			1					İ
	Unbundled Loop Modification, Removal of Bridge Tap, per	1														
}	unbundled loop	ļ	1	UEF	ULMBT	1	7.97	7.97								<u></u>
	dled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair	1	<u> </u>	UENTW	UENPP	0.53	23.51	23.51								
	k Interface Device (NID)				<u> </u>											<del> </del>
ļ	Network Interface Device (NID) - 1-2 lines	-	<u> </u>	UENTW	UND12	<u> </u>	73.53	49.47					-			
	Network Interface Device (NID) - 1-6 lines	-		UENTW	UND16	-	115.96	91.91								<del></del>
	Network Interface Device Cross Connect - 2 W	+	-	UENTW UENTW	UNDC2 UNDC4		8.56 8.56	8.56 8.56		<del></del>	-					
	Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE	<del> </del>	<del> </del>	OLIVIV	ONDC4	<del>   </del>	0.50	0.00			+		<del> </del>			
				UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												
	Unbundled Contact Name, Provisioning Only - no rate		<u> </u>	NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate	-	├	USL, NTCD1	CCOSF	0.00	0.00									<del></del>
	Unbundled DS1 Loop - Expanded Superframe Format option -	1	1	LIGI AFFORM	00000	1							}			
<u> </u>	no rate	ļ	<b>├</b> ──	USL, NTCD1	CCOEF	0.00	0.00									<del> </del>
	NID - Dispatch and Service Order for NID installation UNTW Circuit Establishment, Provisioning Only - No Rate		<b></b> -	UENTW UENTW	UNDBX	0.00	0.00									<del></del>
LOOP MAKE-U		<del> </del>	├	CENTV	OLINCE	0.00					+		<u> </u>			
	Loop Makeup - Preordering Without Reservation, per working or	<del> </del>	$\vdash$		<del> </del>					· · · · · ·	t					
	spare facility queried (Manual).			UMK	UMKLW		23.40	23.40			1					1
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85								
	Loop MakeupWith or Without Reservation, per working or		$\vdash$		1	1										
	spare facility queried (Mechanized)		l	UMK	UMKMQ		0.67	0.67								L.——
LINE SPLITTIN		I														
	SER ORDERING-CENTRAL OFFICE BASED		<u> </u>		ļ											
	Line Splitting - per line activation DLEC owned splitter	J	ļ	UEPSR UEPSB	UREOS	0.61										<del></del>
	Line Splitting - per line activation BST owned - physical	ļ .	<b> </b> -	UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87	1		ļ			
	Line Splitting - per line activation BST owned - virtual IDLED EXCHANGE ACCESS LOOP		ļ	UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87	-					<del></del>
	ANALOG VOICE GRADE LOOP	ļ	├		ļ	<del></del>					-					<del></del>
2-WINE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		├			<del>  </del>										<del></del>
	Zone 1	1	1	UEPSR UEPSB	UEALS	10.56	46.66	22,57	26.65	7.65			ļ l			1
	Zowire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	<b>†</b>		UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	Zone 2  Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	Zone 2  Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
	Zone 3  Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65				<del></del>		
	Zone 3  Zone 3  Zone 3	<b>†</b>	3	UEPSR UEPSB	UEABS	31,11	46.66	22.57	26.65	7.65						
PHYSIC	CAL COLLOCATION	†	┰		20,00		70.00	22.01	20.00	7.00	<del>                                     </del>			··		T
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	1	$\vdash$		1	1					<del>                                     </del>					
	Splitting	]		UEPSR UEPSB	PEILS	0.0333	24.68	23.68	12.14	10.95		1	ļ l			1
VIRTIL	AL COLLOCATION	1		<u> </u>	T				1		1					

Version 2Q06 Standard ICA 06/13/06
Page 41 of 101

UNBUNDI ED I	NETWORK ELEMENTS - Kentucky												Attachment 2	Exh A:		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						T	Nonrec	urring	Nonrecurring	Disconnect	<u> </u>		oss	Rates(\$)		
		<u> </u>			<del> </del>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
L l	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95	[	[				(
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	Ī														
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1 <b>TVX</b>	1L5XX	0.01										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.01										
			Į l		Į.	į į									1	1
<u> </u>	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.01										
1	Interest Charles A MC NA CO A STORY								J					-		1
<del></del>	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	ļ		U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75	<u> </u>	L				ļ
<del></del>	Interoffice Channel - 56 kbps - per mile	<b> </b>	ļ	U1TDX U1TDX	1L5XX	0.0115					L					<b></b>
ļ — · · · · ·	Interoffice Channel - 56 kbps - Facility Termination	ļ			U1TD5	20.97	47.34	31.78	22.77	8.75					<u> </u>	<b></b>
<del></del>	Interoffice Channel - 64 kbps - per mile Interoffice Channel - 64 kbps - Facility Termination	<del> </del>		U1TDX U1TDX	1L5XX	0.0115	47.01	01.70	20 77						ļ	<b></b>
<del></del>	Interoffice Channel - 64 kbps - Facility Termination Interoffice Channel - DS1 - per mile			U1TD1	U1TD6 1L5XX	20.97	47.34	31.78	22.77	8.75	L	<b></b>				<del></del>
<del></del>	Interoffice Channel - DS1 - per mile  Interoffice Channel - DS1 - Facility Termination		<del> </del> -	U1TD1	U1TF1	0.23 96.04	105.50	00.40	00.00	00.40	ļ					<del></del>
<del></del>	Interoffice Channel - DS3 - per mile						105.52	98.46	23.09	20,49						<u> </u>
	Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination			U1TD3 U1TD3	1L5XX U1TF3	4.97 1,175.15	205.40	219.24		07.75						
<del></del>	Interoffice Channel - STS-1 - per mile	-		U1TS1	1L5XX	4.97	335.40	219.24	89.57	87.75						ļ
H	Interoffice Channel - STS-1 - per mile			U1TS1	U1TFS	1,149.51	335,40	219,24	89.57	87.75						<del></del>
LIMBUR	IDLED DARK FIBER	ļ		01151	UIIFS	1,149.51	335.40	219.24	89.57	87.75						
UNBOI	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				<del> </del>						ļ			<del></del>		<del></del>
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	30.74						1				1
<del></del>	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			ODI, ODICA	TESDE	30.74										<b></b>
1	Route Mile Or Fraction Thereof	Ì	1	UDF, UDFCX	UDF14	1	732.53	192.67	377.27	241.67	i i					į.
HIGH CAPACIT	TY UNBUNDLED LOCAL LOOP			ODI, ODI OX	1001 14		702,00	132.07	377.27	241.07	<u> </u>					<del></del>
	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone				<del></del>											<del></del>
120 0.0	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	9.25										r
	DS3 Unbundled Local Loop - Facility Termination	<b></b>		UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
	STS-1Unbundled Local Loop - per mile	t		UDLSX	1L5ND	9.25	001100			720112						
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDL\$1	320.51	551.38	338.08	173.00	120.42						
ENHANCED EX	(TENDED LINK (EELs)	T														
Networ	k Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						I
	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						ĺ
	2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						1
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						1
ļļ	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	L		UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						<u> </u>
<del></del>	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	L		UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84					L	<b> </b>
ļ	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						ļ
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	L	2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
<del> </del>	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<b> </b>	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						<del> </del>
<del>  </del>	4-Wire DS1 Digital Loop in Combination - Zone 1	L	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						<del> </del>
<del></del>	4-Wire DS1 Digital Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						<del>                                     </del>
<del>                                     </del>	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						<del> </del>
<del></del>	DS3 Local Loop in combination - per mile	ļ	-	UNC3X UNC3X	1L5ND	9.25	227.00	147.00	02.15	20.07						·
<del></del>	DS3 Local Loop in combination - Facility Termination STS-1 Local Loop in combination - per mile	<del> </del>	<u> </u>	UNCSX	UE3PX 1L5ND	308.31	237.36	147.69	83.43	32.67						<del> </del>
<del></del>	STS-1 Local Loop in combination - per mile STS-1 Local Loop in combination - Facility Termination	L	<u> </u>	UNCSX	UDLS1	9.25 320.51	237.36	147.69	83.43	32.67	<b>_</b>					<del> </del>
<del></del>		ļ					237.36	147.69	83.43	32.67	_					<b> </b>
	Interoffice Channel in combination - 2-wire VG - per mile	L		UNCVX	1L5XX	0.01		-	Ll						<u> </u>	L

LINDINDI ED	NETWORK ELEMENTS - Kentucky												Attachment 2	Exh A:		
ONBONDEED	NETWORK ELEMENTS - Remotky				T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			1		İ						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			i								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
CATEGORY	HATE ELEMENTS	m	Lone	1000	0000						per Lon	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
1					1									Add'l	Disc 1st	Disc Add'I
					ŀ								1st	Addi	Disc 1st	DISC AUG I
			<del> </del>		<del>                                     </del>		Nonrec	urring	Nonrecurring	Disconnect		L	OSS	Rates(\$)		
L					<del> </del>	Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					<b> </b>	nec	FIISL	Auu	11131	Addi	SOMEO	JOHNAIT	- COMPAN			
	Interoffice Channel in combination - 2-wire VG - Facility	ĺ		L IN (C) O/	11477.60	23.95	98.09	53.67	56.31	22.42						i l
	Termination		<u> </u>	UNCVX	U1TV2 1L5XX	0.01	96.09	53.67	50.51	22.42						
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	IL5XX	0.01										
1 1	Interoffice Channel in combination - 4-wire VG - Facility					21.28	00.00	E0.07	56.31	22.42						(
ļ	Termination	ļ		UNCVX	U1TV4		98.09	53.67	30.31	22.42						
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.01									<del> </del>	
	Interoffice Channel in combination - 4-wire 56 kbps - Facility				===			50.07	56.31	22.42				ļ		1
	Termination	ļ		UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Interoffice Channel in combination - 4-wire 64 kbps - per mile		ļ	UNCDX	1L5XX	0.01										
	Interoffice Channel in combination - 4-wire 64 kbps - Facility		1							00.40				1		1
	Termination		ļ	UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42				<u> </u>	<del></del>	
	Interoffice Channel in combination - DS1 - per mile		1	UNC1X	1L5XX	0.19							ļ <u>.</u>			<b></b>
	Interoffice Channel in combination - DS1 Facility Termination		ļ	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	4.09										
	Interoffice Channel in combination - DS3 - Facility Termination		L	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		1				<del> </del>
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	4.09										
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	NETWORK ELEMENTS													ļ <del>.</del>		
Option	nal Features & Functions:															
			i i	U1TD1,												1
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												1 1
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						L
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												1 -
1	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.91	23.82	1.99	0.78				<u></u>		
				U1TD3, ULDD3,										1		1
1	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00						
	DS1/DS0 Channel System			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	158.20	115,48	56.53	15.12	5.30						
	Voice Grade COCI in combination			UNCVX	1D1VG	0.6228	6.71	4.84								l
	Voice Grade COCI - for Stand Alone Local Loop			UEA	1D1VG	0.6228	6.71	4.84			I					
	Voice Grade COCI - for connection to a channelized DS1 Local		1													
	Channel in the same SWC as collocation		1	U1TUC	1D1VG	0.6228	6.71	4.84								
	OCU-DP COCI (2.4-64kbs) in combination		1	UNCDX	1D1DD	1.32	6.71	4.84								
<del>                                     </del>	OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop	<u> </u>		UDL.	1D1DD	1.32	6.71	4.84			l					
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized	<b></b>	1		1											
	DS1 Local Channel in the same SWC as collocation	l		U1TUD	1D1DD	1.32	6.71	4.84			1	1	1	I	<u> </u>	L
<del></del>	2-wire ISDN COCI (BRITE) in combination	l	<b>—</b>	UNCNX	UC1CA	2.84	6.71	4.84					1			
<del>  </del>	2-wire ISDN COCI (BRITE) - for a Local Loop	<b>!</b>	<del>                                     </del>	UDN	UC1CA	2.84	6.71	4.84								
	2-wire ISDN COCI (BRITE) - for connection to a channelized	<del> </del>	+		1-5:5:								l	1		
	DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.84	6.71	4.84					1		1	1
<del></del>	DS1 COCI in combination	<del> </del>	<del> </del>	UNC1X	UC1D1	11.80	6.71	4.84				· · · · · · · · · · · · · · · · · · ·				
<del>  </del>	DS1 COCI in combination  DS1 COCI - for Stand Alone Local Channel	<del> </del>	├	ULDD1	UC1D1	11.80	6.71	4.84			-	<b>———</b>	† · · · · · · · ·	<del> </del>		
<del>                                     </del>	DS1 COCI - for Stand Alone Local Channel  DS1 COCI - for Stand Alone Interoffice Channel	<b></b>	+	U1TD1	UC1D1	11.80	6.71	4.84			<del></del>	<del> </del>	<del> </del>		1	
			-	USL	UC1D1	11.80	6.71	4.84	l		<del> </del>		<b></b>	-	<b></b>	
<del> </del>	DS1 COCI - for Stand Alone Local Loop  DS1 COCI - for connection to a channelized DS1 Local Channel	<b></b>	+	USL	100101	11.60	0.71	4,04			<b> </b>	<del> </del>	<b> </b>	t		
	in the same SWC as collocation		1	U1TUA	UC1D1	11.80	6.71	4.84			l			1	1	1
	In the same SWC as conocation		<del> </del>	UNCVX, U1TVX,	TOCIDI	11.00	0.71	4.04								
				UNCDX, UTTOX,	1						1		I	1	l	
				UNC1X,	1						1			1	1	
						[ ]			[		İ		l		l	
		l		U1TD1,UNC3X,	1						1		I	1	I	
				U1TD3, UNCSX,												
		l		U1TS1,	LINGGO		0.00	0.00			1		1			
	Wholesale to UNE, Switch-As-Is Conversion Charge	<u> </u>	<b> </b>	UDF,UDFCX	UNCCC	<b> </b>	8.98	8.98			ļ	<del> </del>	<del> </del>		<del> </del>	<del>                                     </del>
i l	L			U1TVX, U1TDX,	1									1		
	Unbundled Misc Rate Element, SNE SAI, Single Network	Ι.	1	U1TD1, U1TD3,	1	1										
1	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	l i	<u> </u>	U1TS1, UDF, UE3	URESL	<u> </u>	36.80	16.10	l	1	l	L	L	L	1	J

Version 2Q06 Standard ICA 06/13/06 Page 43 of 101

UNBUNDLER	D NETWORK ELEMENTS - Kentucky		-										Attachment 2	Exh A:		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			1		1	1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, SNE SAI, Single Network		1	U1TVX, U1TDX,	1											
i I	Element - Switch As Is Non-recurring Charge, incremental		1	U1TD1, U1TD3,	1		i		i			1			i	
	charge per circuit on a spreadsheet	i i	1	U1TS1, UDF, UE3	URESP	,	1.49	1,49								
	UNE Reconfiguration Change Charge per Circuit	1 1	· · · ·	UNC1X	URERC		35.00	35.00								
	UNE Reconfiguration Change Charge per Circuit Project	<b>—</b>				<del>                                     </del>									<del></del> -	
	Managed	1	1	UNC1X	URERP		1.49	1.49								
Acce	ess to DCS - Customer Reconfiguration (FlexServ)	1														
	Customer Reconfiguration Establishment	1					1.63		2.03	-						
	DS1 DCS Termination with DS0 Switching	T	1			25.69	32.88	23.58	21.09	15.88						
	DS1 DCS Termination with DS1 Switching	1	1			12.41	25.07	15.76	16.23	11.02				-		
	DS3 DCS Termination with DS1 Switching	1		vieni i		154.20	32.88	23.58	21.09	15.88						
Servi	ice Rearrangements	1			<u> </u>											
		·		U1TVX, U1TDX,	l											
	NRC - Change in Facility Assignment per circuit Service Rearrangement	1		UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		101.09	43.04								
		<del> </del>		U1TVX, U1TDX,	- CITETO		.01.00	-10.01								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		1.28	1.28								
	NRC - Order Coordination Specific Time - Dedicated Transport	1	<del>                                     </del>	UNC1X	OCOSR		18.87	18.87								
COMMINGLI		<del>                                     </del>	+	5,10,77	10000			10.07						_		
	Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
Comr	mingled (UNE part of single bandwidth circuit)								·							
	Commingled VG COCI			XDV2X, NTCVG	1D1VG	0.6228	6,71	4.84								
	Commingled Digital COCI			XDV6X, NTCUD	1D1DD	1.32	6.71	4.84								
	Commingled ISDN COCI			XDD4X	UC1CA	2.84	6.71	4.84								
	Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	21.28	98.09	53.67	56.31	22.42						
							00.00	53.67	56.31	22.42						
	Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	20.97	98.09									
	Commingled 56kbps Interoffice Channel Commingled 64kbps Interoffice Channel			XDD4X	U1TD5 U1TD6	20.97 17.25	98.09	53.67	56.31	22.42						
				XDD4X XDV2X, XDV6X,	U1TD6				56.31	22.42						
				XDD4X XDV2X, XDV6X, XDD4X	U1TD6		98.09			22.42						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage  Commingled 2-wire Local Loop Zone 1			XDD4X XDV2X, XDV6X, XDD4X XDV2X	U1TD6 1L5XX UEAL2	0.01 12.67	98.09	53.67 60.48	59.69	22.42 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage		2	XDD4X XDV2X, XDV6X, XDD4X XDV2X XDV2X	U1TD6 1L5XX UEAL2 UEAL2	17.25 0.01	98.09	53.67								
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage  Commingled 2-wire Local Loop Zone 1		3	XDD4X XDV2X, XDV6X, XDD4X XDV2X XDV2X XDV2X XDV2X	U1TD6 1L5XX UEAL2	0.01 12.67	98.09	53.67 60.48	59.69	7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage  Commingled 2-wire Local Loop Zone 1  Commingled 2-wire Local Loop Zone 2  Commingled 2-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 1		3	XDD4X XDV2X, XDV6X, XDD4X XDV2X XDV2X XDV2X XDV2X XDV6X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL2  UEAL4	0.01 12.67 17.45	98.09 125.22 125.22	53.67 60.48 60.48	59.69 59.69	7.84 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2 Commingled 2-wire Local Loop Zone 3 Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2		3	XDD4X XDV2X, XDV6X, XDD4X XDV2X XDV2X XDV2X XDV2X XDV6X XDV6X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL2  UEAL4  UEAL4	17.25 0.01 12.67 17.45 33.22 29.26 34.25	98.09 125.22 125.22 125.22 125.22 125.22 125.22	53.67 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69	7.84 7.84 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1  Commingled 2-wire Local Loop Zone 2  Commingled 2-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 1  Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 3		2 3 1 2 3	XDD4X XDV2X, XDV6X, XDD4X XDV2X XDV2X XDV2X XDV2X XDV6X XDV6X XDV6X XDV6X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL4  UEAL4  UEAL4	0.01 12.67 17.45 33.22 29.26 34.25 85.06	98.09 125.22 125.22 125.22 125.22 125.22 125.22	60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2 Commingled 2-wire Local Loop Zone 3 Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2		2 3 1 2 3	XDD4X XDV2X, XDV6X, XDD4X XDV2X XDV2X XDV2X XDV2X XDV6X XDV6X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL2  UEAL4  UEAL4	17.25 0.01 12.67 17.45 33.22 29.26 34.25	98.09 125.22 125.22 125.22 125.22 125.22 125.22	53.67 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1  Commingled 2-wire Local Loop Zone 2  Commingled 2-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 1  Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 3		2 3 1 2 3 1	XDD4X XDV2X, XDV6X, XDD4X XDV2X XDV2X XDV2X XDV2X XDV6X XDV6X XDV6X XDV6X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL4  UEAL4  UEAL4	0.01 12.67 17.45 33.22 29.26 34.25 85.06	98.09 125.22 125.22 125.22 125.22 125.22 125.22 125.22	53.67 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage  Commingled 2-wire Local Loop Zone 1  Commingled 2-wire Local Loop Zone 2  Commingled 2-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 1  Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 3  Commingled 56kbps Local Loop Zone 3  Commingled 56kbps Local Loop Zone 1		2 3 1 2 3 1	XDD4X XDV2X, XDV6X, XDD4X XDV2X XDV2X XDV2X XDV2X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL4  UEAL4  UEAL4  UEAL4  UEAL4  UDL56	0.01 12.67 17.45 33.22 29.26 34.25 85.06 27.59	98.09 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	53.67 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2 Commingled 2-wire Local Loop Zone 3 Commingled 2-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 1 Commingled 4-wire Local Loop Zone 2 Commingled 4-wire Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1 Commingled 56kbps Local Loop Zone 2 Commingled 56kbps Local Loop Zone 2 Commingled 56kbps Local Loop Zone 2		2 3 1 2 3 1 2	XDD4X XDV2X, XDV6X, XDD4X XDD4X XDV2X XDV2X XDV2X XDV2X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDD4X XDD4X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL4  UEAL4  UEAL4  UEAL4  UDL56  UDL56	0.01 12.67 17.45 33.22 29.26 34.25 85.06 27.59 32.48	98.09 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	53.67 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage  Commingled 2-wire Local Loop Zone 1  Commingled 2-wire Local Loop Zone 2  Commingled 2-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 1  Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 3  Commingled 56kbps Local Loop Zone 1  Commingled 56kbps Local Loop Zone 2  Commingled 56kbps Local Loop Zone 3  Commingled 56kbps Local Loop Zone 3  Commingled 56kbps Local Loop Zone 3		2 3 1 2 3 1 2 3 1 2	XDD4X XDV2X, XDV6X, XDD4X XDD4X XDV2X XDV2X XDV2X XDV6X XDV6X XDV6X XDV6X XDV6X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL2  UEAL4  UEAL4  UEAL4  UDL56  UDL56  UDL66  UDL66	0.01 12.67 17.45 33.22 29.26 34.25 85.06 27.59 32.48 36.37 27.59	98.09 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	53.67 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage  Commingled 2-wire Local Loop Zone 1  Commingled 2-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 1  Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 3  Commingled 65kbps Local Loop Zone 1  Commingled 56kbps Local Loop Zone 2  Commingled 56kbps Local Loop Zone 2  Commingled 56kbps Local Loop Zone 3  Commingled 66kbps Local Loop Zone 3  Commingled 66kbps Local Loop Zone 3  Commingled 64kbps Local Loop Zone 1  Commingled 64kbps Local Loop Zone 1		2 3 1 2 3 1 2 3 1 2 3 1 2	XDD4X XDV2X, XDV6X, XDD4X XDV2X XDV2X XDV2X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL4  UEAL4  UEAL4  UDL56  UDL56  UDL64  UDL64	17.25 0.01 12.67 17.45 33.22 29.26 34.25 85.06 27.59 32.48 36.37 27.59 32.48	98.09 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	53.67 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						
	Commingled 64kbps Interoffice Channel  Commingled VG/DS0 Interoffice Channel Mileage  Commingled 2-wire Local Loop Zone 1  Commingled 2-wire Local Loop Zone 2  Commingled 2-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 1  Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 3  Commingled 4-wire Local Loop Zone 3  Commingled 56kbps Local Loop Zone 1  Commingled 56kbps Local Loop Zone 2  Commingled 56kbps Local Loop Zone 3  Commingled 56kbps Local Loop Zone 3  Commingled 56kbps Local Loop Zone 3		2 3 1 2 3 1 2 3 1 2	XDD4X XDV2X, XDV6X, XDD4X XDD4X XDV2X XDV2X XDV2X XDV6X XDV6X XDV6X XDV6X XDV6X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X	U1TD6  1L5XX  UEAL2  UEAL2  UEAL2  UEAL2  UEAL4  UEAL4  UEAL4  UDL56  UDL56  UDL66  UDL66	0.01 12.67 17.45 33.22 29.26 34.25 85.06 27.59 32.48 36.37 27.59	98.09 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22 125.22	53.67 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48 60.48	59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69 59.69	7.84 7.84 7.84 7.84 7.84 7.84 7.84 7.84						

UNBUNDLED	NETWORK ELEMENTS - Kentucky												Attachment 2			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manualiy	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
		1			1	1	Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates(\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	42.87	125.22	60.48	59.69	7.84						
<b>.</b>	Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	11.80	6.71	4.84							-	
	Commingled DS1 Interoffice Channel			XDH1X	U1TF1	79.02	181.24	123.53	56.72	22,32	1					
	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.19										1
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	86.47	86.47	86.47	86.47	86.47				1		
L	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	114.10	114.10	114.10	114.10	114.10	1					
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	297.76	297.76	297.76	297.76	297.76						
	Commingled DS3 Local Loop			HFQC6	UE3PX	308.31					· · · · · · · · · · · · · · · · · · ·					
	Commingled DS3/STS-1 Local Loop Mileage		1	HFQC6, HFRST	1L5ND	9.25							******			
	Commingled STS-1 Local Loop		T	HFRST	UDLS1	320.51	237.36	147.69	83.43	32.67	† <del></del>					
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	158.20	115.48	56.53	15.12	5.30						
	Commingled DS3 Interoffice Channel			HFQC6	U1TF3	966.89	350.56	141.58	48.00	23.39						
	Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	4.09										
	Commingled STS-1Interoffice Channel	1		HFRST	U1TFS	945.79	350.56	141.58	48.00	23.39						
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	4.09										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber		1													
	Strands, Per Route Mile Or Fraction Thereof		1	HEQDL.	1L5DF	30.74										
i i	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		732.53	192.67	377.27	241.67	i l					!
SIGNALING (C	CCS7)	T - T														
NOTE:	"bk" beside a rate indicates that the parties have agreed to bi	ill and ke	ep for	that element pursu	ant to the ter	ms and condition	ns in Attachme	ent 3.								L
	CCS7 Signaling Usage, Per TCAP Message	Т	T			0.0000656bk								Γ		T
	CCS7 Signaling Usage, Per ISUP Message		1			0.0000164bk										<del></del>
LNP Query Se		<del>                                     </del>	†		+										-	<del>                                     </del>
1	LNP Charge Per guery	1	1		1	0.0008695										
	LNP Service Establishment Manual	1		1	1	0.0000000	13.82	13.82	12.71	12.71						<del>                                     </del>
	LNP Service Provisioning with Point Code Establishment	1	<u> </u>		1	† · · · · · · · · · · · · · · · · · · ·	953.27	487.00	431.95	317.61	<del> </del>					<del> </del>
911 PBX LOCA		<del>                                     </del>	†	<del> </del>	1	<del>         </del>	000.2.7	407.00	401.33	017.01						l
	BX LOCATE DATABASE CAPABILITY	1	<del>                                     </del>	<del> </del>		<del> </del>					<del> </del>				-	-
	Service Establishment per CLEC per End User Account		<del>                                     </del>	9PBDC	9PBEU	<del> </del>	1.814.00							-		<del>                                     </del>
	Changes to TN Range or Customer Profile	+	1	9PBDC	9PBTN	<del>                                     </del>	181.57									
	Per Telephone Number (Monthly)	+	<del>                                     </del>	9PBDC	9PBMM	0.07	101.57									
	Change Company (Service Provider) ID	+	<b>+</b>	9PBDC	9PBPC	0.07	533.00									
<del>  </del>	PBX Locate Service Support per CLEC (Monthit)	+	<del> </del>	9PBDC	9PBMR	179.88	333.00				<del> </del>		· · · · · · · · · · · · · · · · · · ·			
	Service Order Charge	+	<del> </del>	9PBDC	9PBSC	179.00	7.86				ļ · · · · · · ·					
911 PF	BX LOCATE TRANSPORT COMPONENT	+	<del> </del>	J 500	91 030	·	7.00				<u> </u>					
See At		+	<b>I</b>	<del> </del>	+	<del>                                     </del>				<del></del>						
	Rates displaying an "I" in Interim column are interim as a res	1	<u></u>	.L	1											L

LINBUN	DI ED N	NETWORK ELEMENTS - Louisiana					•				<u> </u>	,		Attachment 2	Fyh A·		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
									curring	Nonrecurrin			l		Rates(\$)	L	
<u> </u>							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	The "Z	1 one" shown in the sections for stand-alone loops or loops as	part of	a comb	ination refers to Ge	l ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	L e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
	http://w	www.interconnection.bellsouth.com/become_a_clec/html/inter					•			,		<b>-</b>					
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers th	o "etato	cnacif	ic" OSS charges as	ordered by t	ho State Comm	iccione The	CC charges o	urrently centri	and in this sat	a avbibit ar	the BallCo	oth "realess!	l comidee orde	rina abarasa	CLEC man
	elect ei	ther the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service	ordering charg	e. however. Cl	LEC can not of	neo in inis raio Itain a mixture	of the two	regardless i	utn regional f CLEC has a	interconnect	ering charges. Ion contract e	stablished in
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	rding t	o the SOMEC rate lis	sted in this	category. Pleas	se refer to Bells	South's Local	Ordering Hand	book (LOH) to	determine i	f a product	can be ordered	ed electronica	illy. For those	elements
	that ca	nnot be ordered electronically at present per the LOH, the list OSS - Electronic Service Order Charge, Per Local Service	ed SOM	EC rate	in this category ref	lects the cha	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the ma	anual ordering	charge,
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only									· ···· -····	<u> </u>					
UNE SE	RVICE	DATE ADVANCEMENT CHARGE				SOMAN		15.20	0.00	15.20	0.00				ļ		
		The Expedite charge will be maintained commensurate with	BellSou			n 5 as appli	cable.				L	l	l		L		
1					UAL, UEANL, UCL, UEF, UDF, UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
		!			USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,		:										
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,		i										
			Į.		UC1EC, UC1EL,							1					
			ŀ		UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX, UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,							•					
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1, UXTD3, UXTS1.												
					UITUC, UITUD,												
		LINE Constitution Character and Circuit and in a Assistant LICOCC			U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA,NTCVG, NTCUD, NTCD1	SDASP		200.00									
ORDER		ICATION CHARGE			,												
		Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)						26.21	0.00	0.00	0.00						
UNBUN		XCHANGE ACCESS LOOP						150.00	0.00	0.00	0.00						
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		,	UEA	UEAL2	14.93	102.10	ee 70								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	14.93	102.10	65.72								
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		2	UEA	UEAL2	50.46	100 10	05.70					·			
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	- 3	OLA .	ULALZ	50.46	102.10	65.72						-		
لــــــا		Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72								

Version 2Q06 Standard ICA 06/13/06

NURONDLED V	IETWORK ELEMENTS - Louisiana		,								12 2 .		Attachment 2			1
														Incremental		1
												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec		Manual Svc	Manual Svc		1
ATEGORY	HATE ELEMENTS	m	Zone	BCS	USUC			HATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	+												Electronic-	Electronic-	Electronic-	Electronic
	!				i l								1st	Add'I	Disc 1st	Disc Add'l
1							Nonrec	urring	Nonrecurring	g Disconnect	-		220	Rates(\$)		<del></del>
			<u> </u>			Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<del>                                     </del>				7,700	71007	11101	7.001	0011120	00117117	00111741			
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72		i						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															<u> </u>
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72								1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															1
	DS0)			UEA	URESL		24.98	3.52		L						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per										1					
	DS0)			UEA	URESP		26.47	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								
4 14455	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP			LIEA	- Luent	20.01										
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			UEA UEA	UEAL4 UEAL4	30.81	127,40	91.02			ļ					
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4 UEAL4	38.32 60.39	127.40 127.40	91.02 91.02		<del> </del>					ļ	<del>                                     </del>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		- 3	ULA.	UEAL4	60.39	127.40	91,02			ļ					
	DS0)			UEA	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			OLA	- OTTESE		24.90	3.32								-
	DS0)			UEA	URESP		26.47	5.01		l						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30		<del> </del>						
	ISDN DIGITAL GRADE LOOP				1									-		
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96								
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34	76,96							*	
	2-Wire ISDN Digital Grade Loop - Zone 3		3.	UDN	U1L2X	65.18	113.34	76.96								
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09								
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36								L .
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36								
	Wire Unbundled ADSL Loop including manual service inquiry     facility reservation - Zone 3		ا													1
	& facility reservation - Zone 3 2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL.	UAL2X	15.75	117.08	68.36						_		
	facility reservaton - Zone 1		4	UAL	UAL2W	10.00	00.00	rc 00								1
	2 Wire Unbundled ADSL Loop without manual service inquiry &		'	UAL	UALZVV	12.29	92.83	56.02								ļ
	facility reservation - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								1
	2 Wire Unbundled ADSL Loop without manual service inquiry &			O/ IC	UNLZVV	14.03	32.00	30.02			-					1
	facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								1
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO	15.75	86.07	40.34		_						<del></del>
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L			U.I.L.		00.07									<b></b>
	2 Wire Unbundled HDSL Loop including manual service inquiry				T											
	& facility reservation - Zone 1		- 1	UHL	UHL2X	9.79	125.50	76.77						!		ı
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								1
	2 Wire Unbundled HDSL Loop including manual service inquiry															(
	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77		_		1				i
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3			UHL			101 6:			1		i				1
	and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch				UHL2W	12.74	101.24	64.43								
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE		UHL	UREWO		86.00	40.34								
	4 Wire Unbundled HDSL Loop including manual service inquiry	HOLE L	JUP													<b></b>
	and facility reservation - Zone 1		,	UHL.	UHL4X	16.24	153.26	104.54	1							1
	4-Wire Unbundled HDSL Loop including manual service inquiry			OT IL	UILAA	10.24	153.26	104.54								<del></del>
	and facility reservation - Zone 2		ار	UHL	UHL4X	16.65	153.26	104.54					l			l .
	4-Wire Unbundled HDSL Loop including manual service inquiry		- 4	O'IL	OTIL4A	10.05	153.26	104.54								<del></del>
	and facility reservation - Zone 3		.	UHL	UHL4X	17.34	153.26	104.54				ŀ	i			i

LIMBUNDI EI	NETWORK ELEMENTS - Louisiana				,								Attachment 2	2 Exh A:		
UNBUNDLE	NETWORK ELEMENTS - Louisiana	Г	T		7						Svc Order			Incremental	Incremental	Incremental
					1 1							Submitted		Charge -	Charge -	Charge -
		1	i								Elec	Manually	Manual Svc		_	
	DATE ELEMENTO	Interi	-	BCS	usoc			RATES(\$)						l .	1	
CATEGORY	RATE ELEMENTS	m	Zone	BUS	USUC			HATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
		-	1										1st	Add'l	Disc 1st	Disc Add'l
		İ												<u> </u>	l	<u> </u>
			T				Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop without manual service inquiry		T													1
	and facility reservation - Zone 1		1 1	UHL	UHL4W	16.24	129.00	92.20							į	l
	4-Wire Unbundled HDSL Loop without manual service inquiry			·												
i l	and facility reservation - Zone 2		1 2	UHL	UHL4W	16.65	129.00	92.20			1	j		1		
	4-Wire Unbundled HDSL Loop without manual service inquiry	<del> </del>	+ -	OTIL	0176411	70.00	120.00	OL.LO			-	i				
i i		1		UHL	UHL4W	17.34	129.00	92.20			Į.					
<del>                                     </del>	and facility reservation - Zone 3		-	UHL	UREWO	17.54	86.00	40.34	<del> </del>		<del> </del>	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch	1-	<del> </del>	UNL	UNEWO		00.00	40.54					<del></del>	ļ		
4-W1	RE DS1 DIGITAL LOOP		<del>  .</del>		1101307	05.70	0.15.10	450.00						ļ	<del> </del>	
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	85.70	245.16	152.98			ļ			<b>_</b>	ļ	
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	194.96	245.16	152.98	l							-
	4-Wire DS1 Digital Loop - Zone 3	ļ	3	USL	USLXX	491.94	245.16	152.98	ļ l						ļ	<del> </del>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per													i	1	1
1 1	DS1)			USL	URESL		24.98	3.52				1				
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															1
1 1	DS1)			USL.	URESP		26.47	5.01	1							1
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	USL	UREWO		100.93	42.98								
4.30/1	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<del> </del>	†		1						· · · · · · ·			1		
4-101	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	<del> </del>	1	UDL	UDL2X	30.99	121.86	85.48								-
-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	<del> </del>		UDL	UDL2X	36.78	121.86	85.48			<del> </del>					<u> </u>
		<del> </del>				38.92		85.48	<del> </del>		<del>                                     </del>			<del> </del>	<del> </del>	-
$\vdash$	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	<del> </del>		UDL.	UDL2X	30.99	121.86	85.48	<del></del>		<del>                                     </del>				1	
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	ļ		UDL	UDL4X		121.86		<b></b>							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1		UDL	UDL4X	36.78	121.86	85.48								+
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	38.92	121.86	85.48			<b>.</b>				ļ	
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	30.99	121.86	85.48						<u> </u>	<b></b>	<del></del>
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL9X	36.78	121.86	85.48			ļ					
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	UDL	UDL9X	38.92	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	1	2	UDL	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<del> </del>		UDL.	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	<del> </del>		UDL	UDL56	36.78	121.86	85.48	<u> </u>		<b>!</b>		Ì	<del> </del>		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1		UDL	UDL56	38.92	121.86	85.48	<del></del>					<u> </u>	· · · · · · · · · · · · · · · · · · ·	1
<del> </del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	+		UDL	UDL64	30.99	121.86	85.48	· · · · <del>-  </del>		<del> </del>			<del> </del>		
l		<del>                                     </del>	<del></del>	UDL	UDL64	36.78	121.86	85.48						<del> </del>		
ļ	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-	1		UDL64	38.92	121.86	85.48			<del></del>			<del> </del>		+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	36.92	121.00	05.40	l		<b>-</b>			<del> </del>		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per													ì	1	
	DS0)	1		UDL	URESL		24.98	3.52			ļ			<del> </del>		<del> </del>
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1				1						l	1		
	DS0)	1		UDL	URESP		26.47	5.01			L			L		4
	CLEC to CLEC Conversion Charge without outside dispatch		1	UDL	UREWO		101.97	49.67					<u> </u>	ļ		L
2-WI	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual		1											1		1
	service inquiry & facility reservation - Zone 1	1	1 1	UCL	UCLPB	12.29	116.18	67.46	{			1	l	1		1
	2-Wire Unbundled Copper Loop-Designed including manual	<del>1</del>	+											1		
	service inquiry & facility reservation - Zone 2	1	1 2	UCL	UCLPB	14.09	116.18	67.46			1	1	1	1		1
<del>  </del>	2 Wire Unbundled Copper Loop-Designed including manual	1	+		000.0	17.03	. 10.10	07.40	<del>   </del>		<del> </del>	l	t	<del> </del>		1
		1	~	UCL.	UCLPB	15.75	116.18	67.46	]		1			1		1
<del>                                     </del>	service inquiry & facility reservation - Zone 3	<del> </del>	4	I VOL	UULFD	15.73	110.18	07.40	+ - +		<del> </del>	<u> </u>	<del> </del>	<del> </del>	<del> </del>	<del> </del>
1	2-Wire Unbundled Copper Loop-Designed without manual	1	1 .	Luci	LIOI EST	10.00	24.00	ee 40			1	1	1	1		1
	service inquiry and facility reservation - Zone 1	<b> </b>	<u> 1</u>	UCL	UCLPW	12.29	91.92	55.12	ļ		<del></del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del></del>
	2-Wire Unbundled Copper Loop-Designed without manual		1	l <u>.</u> .	1				j		1	I		1	ì	1
L	service inquiry and facility reservation - Zone 2	<u> </u>	2	UÇL	UCLPW	14.09	91.92	55.12	ļ				ļ	L	ļ	+
T	2-Wire Unbundled Copper Loop-Designed without manual										1		i	1		
	service inquiry and facility reservation - Zone 3	L	3	UCL	UCLPW	15.75	91.92	55.12				L			ļ	
	Order Coordination for Unbundled Copper Loops (per loop)	T		UCL	UCLMC		7.92	7.92			1		L	L		l
	CLEC to CLEC Conversion Charge without outside dispatch		1	1					1							
	(UCL-Des)	1	1	UCL	UREWO		91.92	42.47			1	I	1	1		1
4 1871	RE COPPER LOOP	+	+		5.12.770		UUL	16-177	1		1	<u> </u>			<u> </u>	1
	4-Wire Copper Loop-Designed including manual service inquiry	+-	+						· · · · · ·		<del> </del>	<del> </del>	<del> </del>	<del> </del>		<del> </del>
		1	١.	UCL	UCL4S	22.27	139.69	90.96			1	!	I			
	and facility reservation - Zone 1		<u> </u>	JUCL	JUUL40	22.21	139.69	30.90	.1.		٠	l	l	L		J

Version 2Q06 Standard ICA 06/13/06 Page 48 of 101

UNBUNDLED N	ETWORK ELEMENTS - Louisiana												Attachment 2			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
							Nonrec			g Disconnect				Rates(\$)	·····	,
	4-Wire Copper Loop-Designed including manual service inquiry					Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 2		,	UCL	UCL4S	18.95	139.69	90.96							ļ	
	4-Wire Copper Loop-Designed including manual service inquiry	i e	1		1002.10	10.00	100.00	30.30		<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·					<u> </u>
	and facility reservation - Zone 3	ļ	3	UCL	UCL4S	10.99	139.69	90.96						l		
1	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		Ι,	UCL	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,											
	4-Wire Copper Loop-Designed without manual service inquiry	1	+	IOCL	UCL4W	22.27	115.43	78.63		·						
	and facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
l	4-Wire Copper Loop-Designed without manual service inquiry												·			
<del></del>	and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	3	UCL.	UCL4W UCLMC	10.99	115.43	78.63		ļ						
	CLEC to CLEC Conversion Charge without outside dispatch	-	$\vdash$	UCL	OCLIVIC		7.92	7.92		<u> </u>						
	(UCL-Des)			UCL	UREWO		91.92	42.47				1				
				UEA, UDN, UAL,												
Rearra	Order Coordination for Specified Conversion Time (per LSR)	-	<del> </del>	UHL, UDL, USL	OCOSL		17.56				4					
ricuita	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-										ļ					<del></del>
	SL2			UEA	UREEL		87.59	36.30								
			-													
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop EEL to UNE-L Retermination, per 2 Wire ISDN Loop		<del> </del>	UEA	UREEL UREEL		87.59 91.49	36.30 44.09		ļ						<b></b>
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital	-	<del> </del>	ODIN	UNCEL		91.49	44.09		-	<del></del>				·····	├──
	Loop			UDL	UREEL		101.97	49.67				1			1	ĺ
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		100.93	42.98								
UNE LOOP CO	MMINGLING E ANALOG VOICE GRADE LOOP - COMMINGLING		<del> </del>													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	+		+											<del> </del>
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	14.93	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1 2	NTCVG	UEAL2	25.35	102.10	65.72			ļ					<del></del>
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	50.46	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>                                     </del>	1					00/12								
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	14.93	102.10	65.72								
İ	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		,	NTCVG	UEAR2	25.35	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			NICVG	UEAR2	25.35	102.10	65.72			-			ļ		<del> </del>
	Battery Signaling - Zone 3	l	3	NTCVG	UEAR2	50.46	102.10	65.72								1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			LTOVO	Lunge:											
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	├──	<del> </del>	NTCVG	URESL		24.98	3.52		-	ļ				<u> </u>	<del></del>
	DS0)		1	NTCVG	URESP	İ	26.47	5.01								İ
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.59	36.30			<del> </del>					
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.20	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP		<b>.</b>	NTOVO	UEAL4		107.10	24.05								
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	<del> </del>		NTCVG NTCVG	UEAL4	30.81 38.32	127.40 127.40	91.02 91.02	0.00							<b></b>
	4-Wire Analog Voice Grade Loop - Zone 3			NTCVG	UEAL4	60.39	127.40	91.02	0.00							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ť		-   -	00.00	727.50	31.02	0.00	0.00						
	DS0)	ļ		NTCVG	URESL		24.98	3.52		<u> </u>		ļ				<u> </u>
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	LIDECD		00.47	F 04								1
	CLEC to CLEC Conversion Charge without outside dispatch		<del> </del>	NTCVG NTCVG	URESP		26.47 87.59	5.01 36.30			+	-				<del></del>
4-WIRE	EDS1 DIGITAL LOOP	<del> </del>	$t^-$		0112110		07.59	50.50			<del> </del>	<b></b>				
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	85.70	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	194.96	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	-	3	NTCD1	USLXX	491.94	245.16	152.98		ļ	<del> </del>	ļ				<del></del>
1	DS1)	1		NTCD1	URESL	1	24.98	3.52								1

UNBUNDLED	NETWORK ELEMENTS - Louisiana							-					Attachment :	2 Exh A:		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			İ								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m	i									]	Electronic-	Electronic-	Electronic-	Electronic-
					ŀ						1		1st	Addil	Disc 1st	Disc Add'l
l			ļ									1	151	Auu	DISC 1St	DISC Add I
							Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1													
L	DS1)		1	NTCD1	URESP		26.47	5.01								1
	CLEC to CLEC Conversion Charge without outside dispatch		T	NTCD1	UREWO		100.93	42.98								
4-WIF	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		T		T											
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	NTCUD	UDL2X	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	NTCUD	UDL2X	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3	NTCUD	UDL2X	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1		1	NTCUD	UDL4X	30.99	121.86	85.48								1
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UDL9X	30.99	121.86	85.48								
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	36.78	121.86	85.48	l							
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	38.92	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL19	30.99	121.86	85.48						T		
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	36.78	121.86	85.48			1	T				
[	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	38.92	121.86	85.48				ļ				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	36.78	121,86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	NTCUD	UDL56	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	T	1	NTCUD	UDL64	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	36.78	121.86	85,48			1					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	38.92	121.86	85.48								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		T		1											
	DS0)	1	1	NTCUD	URESL		24.98	3.52								1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				1					· · · · · · · · · · · · · · · · · · ·		<del> </del>				
	DS0)		1	NTCUD	URESP		26.47	5.01		i	1					
	CLEC to CLEC Conversion Charge without outside dispatch	Ť		NTCUD	UREWO		101.97	49.67		<u> </u>	· · · · · · · · · · · · · · · · · · ·					<b></b>
			1	NTCVG, NTCUD,		1					†	l	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
] ]	Order Coordination for Specified Conversion Time (per LSR)	i		NTCD1	OCOSL		17.56		i		1					l
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIF	E ANALOG VOICE GRADE LOOP	T	<del> </del>			-					1					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	T	1	UEANL	UEAL2	12.90	36.54	16.87	· · · · · · · · · · · · · · · · · · ·							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL.	UEAL2	23.33	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	48.43	36.54	16.87	1					-		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	12.90	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	ÜEASL	23.33	36.54	16.87					f			
<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<b>—</b>		UEANL	UEASL	48.43	36.54	16.87		<u> </u>						
	Tag Loop at End User Premise	1	1 -	UEANL	URETL	1	8.92	0.88	1		t	<del> </del>	<u> </u>	· ·		1
	Loop Testing - Basic 1st Half Hour		1	UEANL.	URET1		33.17	0.00			1	T				T
	Loop Testing - Basic Additional Half Hour		1 -	UEANL	URETA	1	19.28	19.28	I	1				1		
	Manual Order Coordination for UVL-SL1s (per loop)	1		UEANL	UEAMC		7.92	7.92						1		
	Order Coordination for Specified Conversion Time for UVL-SL1	T	$\overline{}$	T	1	1							T	1		
	(per LSR)		1	UEANL	OCOSL	1	17.56	17.56	l		1		1			
	Unbundled Non-Design Voice Loop, billing for BST providing	1			T	t				1			Ī			
	make-up (Engineering Information - E.I.)	1	1	UEANL	UEANM	j	13.04	13.04	1				l	1		
	CLEC to CLEC Conversion Charge Without Outside Dispatch	T	1		T	<b>†</b>				<del> </del>			1			
1 1	(UVL-SL1)	1		UEANL	UREWO		15.75	8.93				1				
2-WIF	E Unbundled COPPER LOOP	1	1		1	1				1					l	
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	12.40	35.27	15.60	1					1		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	14.32	35.27	15.60			1			T		1
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	16.87	35.27	15.60			1	1	1			
l	Unbundled Miscellaneous Rate Element, Tag Loop at End User	T	1		1				T							
	Premise		1	UEQ	URETL		8.92	0.88			1			1		
	Loop Testing - Basic 1st Half Hour	1	1	UEQ	URET1		33.17	0.00	l		1					
	Loop Testing - Basic Additional Half Hour	<del>                                     </del>	1	UEQ	URETA		19.28	19.28	T	T				T		
<del></del>	Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	1		T				T	1			· · · · · ·			
	Non-Designed (per loop)	-		UEQ	USBMC		7.92	7.92						1		
	Unbundled Copper Loop - Non-Design, billing for BST providing	1	1	<u> </u>	1	1			1			T		T		
1 1	make-up (Engineering Information - E.I.)	1	1	UEQ	UEQMU	]	13.04	13.04			1	İ	1	1	l	

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana										Svc Order	Svc Order	Attachment 2 Incremental	Exh A: Incremental	Incremental	Incremental
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
		4	ļ		1		Nonred			g Disconnect				Rates(\$)		
<b>—</b>	CLEC to CLEC Community Change Will a Control of the Clean	<b></b>	ļ		-	Rec	First	Add'l	First	_ Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch	1									1					
LOOP MOE	(UCL-ND)  MFICATION	1	<u> </u>	UEQ	UREWO		14.25	7.42								
LOOP MUL	AFICATION	<del> </del>			<u> </u>											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
1 1	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
SUB-LOOP	Unbundled Loop Modification Removal of Bridged Tap Removal per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15								
	p-Loop Distribution	+	<del> </del>		+											<b>_</b>
1 1 300	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	<del> </del>	<del>                                     </del>		· · · · · · · · · · · · · · · · · · ·					<del> </del>						
1 1	Up			UEANL, UEF	USBSA		444.00	444.00			i					
			1	ULANL, UEF	USBSA		144.09	144.09	<del></del>	<del> </del>	<del> </del>					<del></del>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL, UEF	USBSB		10.99	10.99						·		
	Facility Set-Up			UEANL	USBSC		86.16	86.16								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	<u> </u>		UEANL	USBSD		27.13	27.13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.57	63.89	30.06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	12.75	63.89	30.06							****	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	21.45	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92				-				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		١.	UEANL	USBN4	11.76										
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	<del>                                     </del>		OLANL	USBINA	11.76	76.75	42.92			-					
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	↓	2	UEANL	USBN4	16.84	76.75	42.92								
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92								
1		I													•	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92	<u> </u>							l
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.91	51.48	17.65								
		1							-							
<b> </b>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		7.92	7.92			L					
<b> </b>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ļ		UEANL	USBR4	6.58	57.54	23.71								
		1														
<b>———</b>	Order Coordination for Unbundled Sub-Loops, per sub-loop paid	1		UEANL	USBMC		7.92	7.92								<u>i</u> _
	Loop Testing - Basic 1st Half Hour	ļ		UEANL	URET1		33.17	0.00								
$\vdash$	Loop Testing - Basic Additional Half Hour	<u> </u>		UEANL	URETA		19.28	19.28								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ļ		UEF	UCS2X	6.26	63.89	30.06								
ļ	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	L	2		UCS2X	10.07	63.89	30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.70	63.89	30.06			L					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	8.03	76.75	42.92		<b></b>	† ·					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2		UCS4X	10.71	76.75	42.92		· · · · · · · · · · · · · · · · · · ·	<del> </del>					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS4X	6.08	76.75	42.92						-		<del></del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	5.50	7.92	7.92								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops	"		UEF, UEANL	URETL		8.92	0.88		·				-		

CATLOON   PATE BLEMANTS	IDLED NETW	WORK ELEMENTS - Louisiana												Attachment 2	Fyh Δ·		
DOT SCHOOL STATE AND THE TABLE   DESCRIPTION   DESCRIPTI				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
Linco Testing Date Administration   UPF   UPF   1924   1922   1925   1											g Disconnect						
Logo Freing - Disse Address Half Hour   Logo   Lo	<del>  </del>						Rec			First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbounded Sub-Loop Meditedination   UFF   ULMX   0.00																	
Unbounded Collect Cop Modification - 24 Victory Copper Dist Load   UEF   ULARY   0,00   0,00   0.0					UEF	URETA	<del></del>	19.28	19.28		ļ						
Cooling-pit Permoy Berg 2 yr PF				<del>                                     </del>		<del>-</del>	ļ										
Unbounded Guine (Name) Personal of things Tap, per					UEF	LILM2X		0.00	0.00								
Unbounded Loop Meditedian, Remore of Bridge Tap, ppr   U.F.F. U.LET						- CENTER		0.00	0.00								
Unbounded Network Terminating Wire (UNTW) per Park					UEF	ULM4X		0.00	0.00								
Unbunded Network Interface Device (NO)											<del></del>					~	
Distunded Network Terminating Wee (UNIV) por Part   UNIV					UEF	ULMBT		224.55	4.29		]						
Network Interface Device (NB) - 1-12 ines						1											
Network Interface Device (NID) -1 of lines					UENTW	UENPP	0.3454	14.72	14.72								
Network Interface Diverse (200) - 1-6 lines   USNITW UNDC2   5.73   5.73					LICATOA	LIMENTO		40.00									
Network Interface Device Cross Connect - 3W			<del> </del>				<del>                                     </del>			<b> </b>							
Newtonk Interface Device Cross Connect -4W				_			<del> </del>				<u> </u>						
United Contact Name, Provisioning Only - no rate							<del> </del>										
Unburneled Contact Name, Provisioning Only - no rate   Unburneled Sist Loop - Superframe Format Option - no rate   Unburneled Sist Loop - Superframe Format Option - no rate   Unburneled Sist Loop - Superframe Format Option - no rate   USL, NTCOI   UNICON, NTCOI, USL   UNICON   UN						1	l	3.70	3.73								
Unbundled DSI Loop - Superfare Format Option - no rate   USL NTOD1   CCOSF   0,00   0,00					UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												
Unbundled OS Llaop - Expanded Superframe Format option no rate   USL NTCD1   CCOEF   0,00   0,00   0   0   0   0   0   0										*****							
No rate					USL, NTCD1	CCOSF	0.00	0.00									
NIP - Dispatch and Service Order for NID installation   UENTW   UINDEX   0.00   0.00					LIGI AFFOR												
UNTIW Circuit Establishment, Provisioning Only - No Rate   UENTW UENCE   0.00																	
LOOP Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).   UMK   UMKLW   23.29   23.29																	
Loop Makeup - Proordering Without Reservation, per working or spare facility queried (Manual).		W Great Establishment, 1 Townsorming Offiny - No Hate			OLIVIV	DENCE	0.00	0.00									
Spare facility queried (Manual).		p Makeup - Preordering Without Reservation, per working or															
Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).					UMK	UMKLW		23.29	23 29								
Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)						1					· · · · · · · · · · · · · · · · · · ·						
Spare facility queried (Mechanized)					UMK	UMKLP		24.70	24.70				1				
END USER ORDERING-CENTRAL OFFICE BASED   ULINE Splitting - per line activation DLEC owned splitter   UEPSR UEPSB   UREOS   0.61   17.97   10.29   ULINE Splitting - per line activation BST owned - physical   UEPSR UEPSB   UREBP   0.61   17.97   10.29   ULINE Splitting - per line activation BST owned - wirtual   UEPSR UEPSB   UREBP   0.61   17.97   10.29   ULINE Splitting - per line activation BST owned - wirtual   UEPSR UEPSB   UREBP   0.61   17.97   10.29   ULINE Splitting - per line activation BST owned - wirtual   UEPSR UEPSB   UREBP   0.61   17.97   10.29   ULINE SPRITTING - WIRTH - WIR										V							
END USER ORDERING-CENTRAL OFFICE BASED		re facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
Line Splitting - per line activation BET owned - physical   UEPSR UEPSB UREOS   UREOS   UEPSR UEPSB   UREOS   UEPSR UEPSB   UEPSR UEPSB   UEEPSB		ODDEDNIG SELECT AL OFFICE BASES															
Line Splitting - per line activation BST owned - physical   UEPSR UEPSB   UREBV   0.61   17.97   10.29					UEDOD LIEDOD	UBEGO											
Unbububle   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubble   Commonwealth   Unbubbble   Commonwealth   Unbubbble   Commonwealth   Unbubbble   Unbubbbble   Unbubbbble   Unbubbbble   Unbubbbbb   Unbubbbbb   Unbubbbbb   Unbubbbbb   Unbubbbbb   Unbubbbbb   Unbubbbbb   Unbubbbb   Unbubbbbb   Unbubbbb   Unbubbbbb   Unbubbbbb   Unbubbbbb   Unbubbbbb   Unbubbbb								17.07	10.00								
UNBUNDLED EXCHANGE ACCESS LOOP											-						
2-WIRE ANALOG VOICE GRADE LOOP			-		OLI OIT OLI OD	CUEDA	0.01	17.97	10.29								
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1						1	<del>                                     </del>										
Zone 1						<del> </del>											
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	Zone	e 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00			l			
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-   2 UEPSR UEPSB   UEALS   23.33   36.54   16.87   0.00   0.00   0.00   0.00   0.00											2.20						
Zone 2				_1_	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00			J			
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting Zone 2   UEPSR UEPSB   UEABS   23.33   36.54   16.87   0.00   0.00   0.00   0.00																	
Zone 2				2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-  2 UEPSR UEPSB   UEALS   48.43   36.54   16.87   0.00   0.00			l		HEDOD HEDOG				]								
Zone 3				2	OEPSH UEPSB	I UEABS	23.33	36.54	16.87	0.00	0.00						
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   3 UEPSR UEPSB UEABS				ا ر	HEDGD HEDGD	HEALS	40 40	26.54	40.07	0.00			1	i		ļ	ļ
Zone 3				٥	OLF OR OCFOR	UEALS	40.43	30.54	16.87	0.00	0.00						
PHYSICAL COLLOCATION  Physical Collocation-2 Wire Cross Connects (Loop) for Line				3	UEPSR UEPSR	UEABS	48 43	36 54	16.87	0.00	0.00		Ţ	I		ļ	
Physical Collocation-2 Wire Cross Connects (Loop) for Line						1	19.70	33.54	10.07	0.00	0.00						
	Phys	sical Collocation-2 Wire Cross Connects (Loop) for Line				<u> </u>											
	Splitt	iting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00	ļ	Ī	I			1
VIRTUAL COLLOCATION	VIRTUAL CO	OLLOCATION											1		-		

UNRUN	DI FD I	NETWORK ELEMENTS - Louisiana												Attachment 2	Fyh Δ·		<u> </u>
5DON			1	1		1	1					Syc Order		Incremental		Incremental	Incremental
						İ											
													Submitted	Charge -	Charge -	Charge -	Charge
	051/	B 4 5 5 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	Interi	l_		l						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEG	OHY	RATE ELEMENTS	m	Zone	BCS	USOC	į.		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1	i '		1	1					1	-	Electronic-	Electronic-	Electronic-	Electronic-
1			ļ				İ							1st	Add'l	Disc 1st	Disc Add'l
														151	Auui	DISC 15t	DISC AUG I
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	·	
						1	Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line	<b>—</b>	<del>†                                     </del>		1						COMILE	COMPAN	COMPAN	OOMAN	COMAN	30117111
		Splitting	ļ	1	UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		ļ i		l		ł
LINERIAL	DI ED I	DEDICATED TRANSPORT			OLF SH OLF 3D	VETES	0.0290	11.94	11.46	0.00	0.00						<u> </u>
		OFFICE CHANNEL - DEDICATED TRANSPORT															
<b>—</b>	INTEN					ļ											L
		Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.013										1
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination		<u>∟</u>	U1TVX	U1TV2	22.60	39.36	26.62								1
		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.013										1
				Ι -								<del> </del>					
1 1		Interoffice Channel - 2-Wire VG Rev Bat Facility Termination	1	i '	U1TVX	U1TR2	22.60	39.36	26.62	1	ļ						ſ
,		Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.013										
				<del>                                     </del>		1.20701	0.010						<b></b>		<del></del>		
1 1		Interoffice Channel - 4- Wire Voice Grade - Facility Termination	l		U1TVX	U1TV4	19.81	39.36	00.00			1					į.
1		Interoffice Channel - 56 kbps - per mile	<del> </del>					39.36	26.62	-	<b></b>	<b> </b>			ļ		<b></b>
$\vdash$			<del></del>	<del></del>	U1TDX	1L5XX	0.013					L			ļ		ł
		Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	15.61	39.36	26.62								L
-		Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.013										i_
		Interoffice Channel - 64 kbps - Facility Termination	L		U1TDX	U1TD6	15.61	39.36	26.62								
		Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.2652										
		Interoffice Channel - DS1 - Facility Termination		1	U1TD1	U1TF1	70.47	86.69	79.44	`							
		Interoffice Channel - DS3 - per mile	·		U1TD3	1L5XX	6.04	00.00			<b></b>						
		Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	850.45	270.69	158.05								
<del></del>		Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	6.04	270.09	156.05						ļ		
1			<b></b>									l					
-		Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	830.19	270.69	158.05								<b></b>
-	ONBOV	IDLED DARK FIBER				L											
1 1		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				1	1	- 1									1
		Route Mile Or Fraction Thereof	<u></u>		UDF, UDFCX	1L5DF	25.28	Į				Į į					1
1		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1														
1 1		Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		620.60	133.88					*			1
HIGH C	APACI	Y UNBUNDLED LOCAL LOOP				1		- 020:00									
		TS-1 UNBUNDLED LOCAL LOOP - Stand Alone				<del> </del>											, ———
-	0000	DS3 Unbundled Local Loop - per mile	<del> </del>		UE3	1L5ND	10.04								·		
$\vdash$		DS3 Unbundled Local Loop - Facility Termination						400.40									
					UE3	UE3PX	362.34	438.46	256.30								·
<b></b>		STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	10.04										
1		STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	374.56	438.46	256.30								
		(TENDED LINK (EELs)					<u> </u>										1
	Networ	k Elements Used in Combinations															
$\Box$		2-Wire VG Loop (SL2) in Combination - Zone 1		11	UNCVX	UEAL2	14.93	94.21	45.09								
		2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
		2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
T		4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	30.81	94.21	45.09								
<del></del>		4-Wire Analog Voice Grade Loop in Combination - Zone 1		2	UNCVX	UEAL4	38.32										
								94.21	45.09						L		
-		4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				L				
		2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	22.09	94.21	45.09								
<u> </u>		2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	35.28	94.21	45.09								
		2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09			<del></del>	<del></del>				
<del></del>		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64											
<del></del>			-				36.78	94.21	45.09								
<b></b>		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
$\vdash$		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89								
$\vdash$		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
1		4-Wire DS1 Digital Loop in Combination - Zone 3	L	3	UNC1X	USLXX	491.94	169.22	100.89								
		DS3 Local Loop in combination - per mile			UNC3X	1L5ND	10.04										
		DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	362.34	188.45	125.51								
	-	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	10.04				-						
		STS-1 Local Loop in combination - Facility Termination		$\vdash$	UNCSX	UDLS1	374.56	188.45	125.51								
		Interoffice Channel in combination - 2-wire VG - per mile		<del>                                     </del>	UNCVX	1L5XX	0,013	100.45	125.51	<del>-</del>					ļ		
		interonice channel in combination - 2-wife vo - per mile			OINCAY	Tirovy	0.013					L	l		L		

UNBUND	LED N	IETWORK ELEMENTS - Louisiana	-											Attachment 2	Exh A:		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				ļ			1 _	Nonrec		Nonrecurring			I		Rates(\$)		
		1.1		-		<del>                                     </del>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel in combination - 2-wire VG - Facility Termination			UNCVX	U1TV2	22.60	72.60	41.75								
		Interoffice Channel in combination - 4-wire VG - per mile		<del> </del>	UNCVX	1L5XX	0.013	72.00	41.75								<del> </del>
		Interoffice Channel in combination - 4-wire VG - Facility		t	0.10171	120751	9.010										
		Termination			UNCVX	U1TV4	19.81	72.60	41.75								
		Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.013										
		Interoffice Channel in combination - 4-wire 56 kbps - Facility			LINGEN	LUTDE	45.04	70.00									
		Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile		<u> </u>	UNCDX	U1TD5 1L5XX	15.61 0.013	72.60	41.75								<del> </del>
		Interoffice Channel in combination - 4-wire 64 kbps - Facility		<del> </del>	UNCDA	ILSAA	0.013										
		Termination			UNCDX	U1TD6	15.61	72.60	41.75								
		Interoffice Channel in combination - DS1 - per mile		1	UNC1X	1L5XX	0.2652										
		Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	70.47	143.58	103.88								
		Interoffice Channel in combination - DS3 - per mile	L	ļ	UNC3X	1L5XX	6.04										
		Interoffice Channel in combination - DS3 - Facility Termination	ļ		UNC3X UNCSX	U1TF3	850.45	296.68	121.16								
		Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 Facility Termination		<del> </del>	UNCSX	1L5XX U1TFS	6.04 830.19	296.68	121.16								
ADDITION	NALN	ETWORK ELEMENTS		<del> </del>	ONCOX	011173	030.19	290.08	121.10								
		al Features & Functions:				<del> </del>											
					U1TD1,												
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
					U1TD1,												
		Clear Channel Capability Super FrameOption - per DS1	l l	1	ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						<b></b>
-		Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	١,		ULDD1, U1TD1, UNC1X, USL	NRCCC	į į	184.65	23.79	1.97	0.77						l
		Activity - per 631	<u>-</u>		U1TD3, ULDD3,	INFICOC	l	104.03	23.19	1.97	0.77						
		C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3		218.78	7.66	0.7263	0.00						l
		DS1/DS0 Channel System		1	UNC1X	MQ1	105.09	59.97	12.96								
		DS3/DS1Channel System			UNC3X, UNCSX	MQ3	201.48	107.05	48.07								
		Voice Grade COCI in combination			UNCVX	1D1VG	0.6497	5.91	4.26								
		Voice Grade COCI - for Stand Alone Local Loop		ļ	UEA	1D1VG	0.6497	5.91	4.26								<b></b>
		Voice Grade COCI - for connection to a channelized DS1 Local			UITUC	1011/0	0.6497	5.01	4.00								1
_		Channel in the same SWC as collocation OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1VG 1D1DD	1.38	5.91 5.91	4.26 4.26								<del> </del>
		OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop			UDL	1D1DD	1.38	5.91	4.26								
		OCU-DP COCI (2.4-64kbs) - for connection to a channelized	· · · · · · · · · · · · · · · · · · ·	<b></b>		<del>                                     </del>	.,,,,,		20								
İ		DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	5.91	4.26								ĺ
		2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	2.96	6.39	4.58								
		2-wire ISDN COCI (BRITE) - for a Local Loop		ļ	UDN	UC1CA	2.96	6.39	4.58								<u> </u>
		2-wire ISDN COCI (BRITE) - for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.50	ļ							1
		DS1 COCI in combination		├	UNC1X	UC1D1	11.78	5.91	4.58 4.26								<del></del>
		DS1 COCI - for Stand Alone Local Channel	<u> </u>		ULDD1	UC1D1	11.78	5.91	4.26						···		
		DS1 COCI - for Stand Alone Interoffice Channel		<del> </del>	U1TD1	UC1D1	11.78	5.91	4.26								
		DS1 COCI - for Stand Alone Local Loop		1	USL	UC1D1	11.78	5.91	4.26								
		DS1 COCI - for connection to a channelized DS1 Local Channel		I													
		in the same SWC as collocation			U1TUA	UC1D1	11.78	5.91	4.26								<del></del>
					UNCVX, U1TVX, UNCDX, U1TDX, UNC1X, U1TD1,UNC3X, U1TD3, UNCSX,												
ſ					UTTO3, UNCSX,			ļ									1
1		Wholesale to UNE, Switch-As-Is Conversion Charge			UDF,UDFCX	UNCCC		5.43	5.43								1
$\neg \uparrow$					U1TVX, U1TDX,	1000		5.40	3.40								
1		Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)	ı		U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		36.83	16.12								

UNBU	NDLED	NETWORK ELEMENTS - Louisiana												Attachment :	2 Exh A:		
1011111111			T	Τ		Γ						Svc Order		Incremental		Incremental	Incremental
				i								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			l	l								Elec	Manually	Manual Svc			Manual Svc
CATEG	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m			5555						perLSR	percon				
			1			i						Ì		Electronic-	Electronic-	Electronic-	Electronic-
1			1				1							1st	Add'l	Disc 1st	Disc Add'l
	1		1	<b></b>		<b>—</b>	1	Nonrec	urring	Nonrecurrin	g Disconnect	<b></b>	L	OSS	Rates(\$)	·	
	1		<b> </b>			i	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Misc Rate Element, SNE SAI, Single Network		t	U1TVX, U1TDX,	·	<del>                                     </del>										
1	ì	Element - Switch As Is Non-recurring Charge, incremental			U1TD1, U1TD3,		1										
1	1	charge per circuit on a spreadsheet	i		U1TS1, UDF, UE3	URESP	1 1	1.49	1.49					1		Į.	
		UNE Reconfiguration Change Charge per Circuit	1		UNC1X	URERC		35.00	35.00						<del> </del>		
	1	UNE Reconfiguration Change Charge per Circuit Project								T	<u> </u>	T					
		Managed	1 1		UNC1X	URERP		1.49	1.49								1
	Acces	s to DCS - Customer Reconfiguration (FlexServ)	T			1											
		Customer Reconfiguration Establishment		1				1.43									
		DS1 DCS Termination with DS0 Switching	i				19.58	24.81	19.09							l	
		DS1 DCS Termination with DS1 Switching					10.95	17.93	12.22			1					
		DS3 DCS Termination with DS1 Switching					149.41	24.81	19.09								
L	Node (	SynchroNet)				L					l		[		1		
	<u> </u>	Node per month			UNCDX	UNCNT	15.43				L						
<u> </u>	Servic	e Rearrangements	ļ														
					U1TVX, U1TDX,										T		
					UEA, UDL, U1TUC,		1										
					U1TUD, U1TUB,		1			1						1	
					ULDVX, ULDDX,					1		ľ	l		ľ		
İ	1	NRC - Change in Facility Assignment per circuit Service	1	1	UNCVX, UNCDX,												
	<u> </u>	Rearrangement	1	<u> </u>	UNC1X	URETD		100.93	42.98								<u> </u>
	1		i		U1TVX, U1TDX,	-	i i					i					1
		+	1		UEA, UDL, U1TUC,	1	1					i				ŀ	
ļ	l		Į.	ļ	U1TUD, U1TUB,	l		Į.		Į.	<b>\</b>	ļ	ļ	1	ł	1	1
					ULDVX, ULDDX,												
		NRC - Change in Facility Assignment per circuit Project			UNCVX, UNCDX,		<u> </u>			1				l			
	-	Management (added to CFA per circuit if project managed)	1 1	<u> </u>	UNC1X	URETB		1.28	1.28								
00111		NRC - Order Coordination Specific Time - Dedicated Transport		ļ	UNC1X	OCOSR		18.85	18.85	ļ		ļ					<b></b>
COMIN	INGLIN	<u>G</u>		ļ	LINGS BY LINGS Y					ļ			ļ		<u> </u>		
					UNCVX, UNCDX,	İ	1			1					ł		
					UNC1X, UNC3X, UNCSX, U1TD1,											1	ĺ
	İ		1		U1TD3, U1TS1,		1			i	i						ĺ
1			i	1	UE3, UDLSX,		1									ı	
			1	1			1							İ			
ļ	1		1	1	U1TVX, U1TDX, U1TUB, ULDVX,	1	\ \	1		<b>\</b>	ł	1	<b>\</b>		ì	1	1
1	1				ULDD1, ULDD3,	i						1					
1	1	Commingling Authorization			ULDS1	CMGAU	0.00	0.00	0.00				1				
-	Comm	ingled (UNE part of single bandwidth circuit)	<del> </del>	<del> </del>	OLDS1	CIVICAO	0.00	0.00	0.00		<del>                                     </del>				<del> </del>		
	3011811	Commingled VG COCI	<del> </del>	+	XDV2X, NTCVG	1D1VG	0.6497	5.91	4.26	<del>                                     </del>	<del> </del>	<del>                                     </del>		<del> </del>	<del> </del>	<del>                                     </del>	
	1	Commingled Digital COCI	1	1	XDV6X, NTCUD	1D1DD	1.38	5.91	4.26	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>		<del> </del>	<del> </del>	<del>                                     </del>
	+	Commingled ISDN COCI	1	†	XDD4X	UC1CA	2.96	6.39	4.58	<del> </del>	<del>                                     </del>	<del> </del>		<u> </u>	<del> </del>	<del>                                     </del>	<del></del>
	<del> </del>	Commingled 2-wire VG Interoffice Channel	1	<del> </del>	XDV2X	U1TV2	22.60	72.60	41.75	<del> </del>	<del>                                     </del>				<del> </del>	<del> </del>	<del></del>
<b></b>	1	Commingled 2-wire VG Interoffice Channel	<del>                                     </del>	<del> </del>	XDV6X	U1TV4	19.81	72.60	41.75	<del> </del>	<del> </del>		<b></b>		<del>                                     </del>	<del>                                     </del>	
	1	Commingled 56kbps Interoffice Channel	<del>                                     </del>	1	XDD4X	U1TD5	15.61	72.60	41.75	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>		<del> </del>		$\vdash$
<del></del>	†	Commingled 64kbps Interoffice Channel	<del> </del>		XDD4X	U1TD6	15.61	72.60	41.75		<del>                                     </del>	<del> </del>	l-	<del>                                     </del>	<del> </del>	<del> </del>	
-	+	Some great of thops interential contained	1	<del> </del>	XDV2X, XDV6X,	51150	15.51	,2,00		1	<del> </del>		<u> </u>	<del>                                     </del>	<del> </del>	1	<del> </del>
1		Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX	0.013						j	1			1
<b>—</b>	+	Commingled 2-wire Local Loop Zone 1	<del>                                     </del>	1	XDV2X	UEAL2	14.93	94.21	45.09	· · · · · · · · · · · · · · · · · · ·	t		<del>                                     </del>	<b> </b>	<del>                                     </del>		
	+	Commingled 2-wire Local Loop Zone 2	<b>†</b>	2	XDV2X	UEAL2	25.35	94.21	45.09	· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>	1	<del>                                     </del>	<del> </del>	<del> </del>	t	
<b>——</b>	<del> </del>	Commingled 2-wire Local Loop Zone 3	<del> </del>	3	XDV2X	UEAL2	50.46	94.21	45.09	<u> </u>	<del>                                     </del>	<del> </del>		<del>                                     </del>	<del> </del>	1	
	1	Commingled 4-wire Local Loop Zone 1	1	1	XDV6X	UEAL4	30.81	94.21	45.09		1		<del>  · · · · · · · · · · · · · · · · · ·</del>	l	<u> </u>		
	<b></b>	Commingled 4-wire Local Loop Zone 2	1	2	XDV6X	UEAL4	38.32	94.21	45.09		1					1	
		Commingled 4-wire Local Loop Zone 3	†	3	XDV6X	UEAL4	60.39	94.21	45.09	1	1			<del>                                     </del>	-	1	
	1	Commingled 56kbps Local Loop Zone 1	T	1	XDD4X	UDL56	30.99	94.21	45.09		† <del></del>	<b> </b>	h			· · · · · ·	
	1	Commingled 56kbps Local Loop Zone 2	1	2	XDD4X	UDL56	36.78	94.21	45.09		T	1	-		<u> </u>	1	
	<del>                                     </del>	Commingled 56kbps Local Loop Zone 3	†	3	XDD4X	UDL56	38.92	94.21	45.09	†	<del> </del>		<u> </u>		<del></del>		l
<b></b>	1	Commingled 64kbps Local Loop Zone 1	1	1	XDD4X	UDL64	30.99	94.21	45.09		<del>                                     </del>	t	<b>†</b>			1	
	1	Commingled 64kbps Local Loop Zone 2	T	2	XDD4X	UDL64	36.78	94.21	45.09	1	1	<b>†</b>	· · · · · · ·	1	1		
	1	Commingled 64kbps Local Loop Zone 3			XDD4X	UDL64	38.92	94.21	45.09		T	T		T	T		
·		1			·			V 1				<del></del>	<u> </u>				

UNBUNDLED	NETWORK ELEMENTS - Louisiana			_									Attachment 2	Exh A:		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec	urring	Nonrecurrin	g Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled ISDN Local Loop Zone 1			XDD4X	U1L2X	22.09	94.21	45.09								
	Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	35.28	94.21	45.09								
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	65.18	94.21	45,09								
	Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	11.78	5.91	4.26								
	Commingled DS1 Interoffice Channel			XDH1X	U1TF1	70.47	143.58	103.88								
	Commingled DS1 Interoffice Channel Mileage		L	XDH1X	1L5XX	0.2652										
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	105.09	59.97	12.96								
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	85.70	169.22	100.89								
	Commingled DS1 Local Loop Zone 2		_ 2	XDH1X	USLXX	194.96	169.22	100.89				i				
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	491.94	169.22	100.89					*			
	Commingled DS3 Local Loop			HFQC6	UE3PX	362.34	188.45	125.51								
	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	10.04					· · · · · · · · · · · · · · · · · · ·					
	Commingled STS-1 Local Loop			HFRST	UDLS1	374.56	188.45	125.51		i	T					
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	201.48	107.05	48.07								
	Commingled DS3 Interoffice Channel			HFQC6	U1TF3	850.45	296.68	121.16		<del>                                     </del>	i					
	Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	6.04				<u> </u>						
	Commingled STS-1Interoffice Channel			HFRST	U1TFS	830.19	296.68	121.16			· · · · · · · · · · · · · · · · · · ·					
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	6.04			********	1						
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber									<u> </u>						
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	25.28	ļ			1		ŀ				
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1			<u> </u>	1										
	Strands, Per Route Mile Or Fraction Thereof	1		HEQDL	UDF14		620.60	133.88		ļ						
IGNALING (	CCS7)		T							<del>                                     </del>	<del>                                     </del>		-			
NOTE	"bk" beside a rate indicates that the parties have agreed to bi	II and ke	ep for	that element pursu	ant to the ter	ms and condition	ns in Attachme	ent 3.		<del></del>	1	<b>.</b>				
	CCS7 Signaling Usage, Per TCAP Message		Γ'		1	0.000064bk				T						
	CCS7 Signaling Usage, Per ISUP Message				ļ	0.000016bk					<b>†</b>					
NP Query Se	ervice	<b></b>	·								·					
· ·	LNP Charge Per query	· · · · · · ·			1	0.0008559				<u> </u>	·		• • • • • • • • • • • • • • • • • • • •			
	LNP Service Establishment Manual	<b>†</b>			1		12.16				<del> </del>					
	LNP Service Provisioning with Point Code Establishment				-		576,33	294.43								
11 PBX LOC					1		0,0.00	201.10								
911 P	BX LOCATE DATABASE CAPABILITY	<b>—</b>	<del> </del>		-					<b>-</b>						
	Service Establishment per CLEC per End User Account	1	<b>†</b>	9PBDC	9PBEU		1,819,00			<del> </del>						
	Changes to TN Range or Customer Profile	1		9PBDC	9PBTN	1	181,99			<del>†</del>					<del>-</del>	
	Per Telephone Number (Monthly)	1		9PBDC	9PBMM	0.07				<b>†</b>						
	Change Company (Service Provider) ID	1	1	9PBDC	9PBPC	1	534.22			<del>                                     </del>	·					
···	PBX Locate Service Support per CLEC (MonthIt)	1	1	9PBDC	9PBMR	178.58				<del>                                     </del>						<del></del>
	Service Order Charge	T	1	9PBDC	9PBSC		15.20									
911 PI	BX LOCATE TRANSPORT COMPONENT	†	<del> </del>		1	1				<u> </u>						<u> </u>
See A	tt 3		!		1	1				<del> </del>	1	-				
	Rates displaying an "I" in Interim column are interim as a res	ــــــــــــــــــــــــــــــــــــــ	<del></del>	·						1						

LINDIII	IDI ED I	IETWORK ELEMENTS - Mississippi					<del></del>							Attachment 2	Exh A:		
UNBUI	IDLEDI	IETWORK ELEWENTS - WISSISSIPPI	I	T			1					Svc Order	Svc Order			Incremental	Incremental
			•	1		i						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1			1	1		i						Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
UA.L.		THE ELLINEITO	m		200	0000						percan	percan	Electronic-	Electronic-	Electronic-	Electronic-
ļ				-										1st	Add'l	Disc 1st	Disc Add'l
							+	Nonrae	curring	Nonrecurring	Disconnect			OSS	Rates(\$)	·	
	<del> </del>				•		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							nec	FIISt	Audi	7 11 31	Addi	JOINEC	JOWAN	JOHAN	JOHIAN	JOWAN	OOMAN
	TL - UT						<u> </u>			LiII D	11115 7	D = -1				1	
		one" shown in the sections for stand-alone loops or loops as				ograpnicali	y Deaveraged U	NE Zones. 10	view Geograp	nically Deavera	agea UNE Zone	e Designatio	ons by Cent	rai Office, refe	er to internet	website:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m	,											
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	l	<u> </u>		L	1	L			<u> </u>	l	<u> </u>		<u> </u>		
		(1) CLEC should contact its contract negotiator if it prefers th															
	elect ei	ther the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	egional service	ordering charg	e, however, CI	LEC can not ob	tain a m <u>ixture</u>	of the two	regardless i	f CLEC has a	interconnect	on contract e	stablished in
	NOTE:	(2) Any element that can be ordered electronically will be bill	led acco	ording	to the SOMEC rate lis	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be order	ed electronica	illy. For those	elements
		nnot be ordered electronically at present per the LOH, the list															
		OSS - Electronic Service Order Charge, Per Local Service	Г	T		I	1			1		T	]	T	1		·
		Request (LSR) - UNE Only	1	1		SOMEC		3.50	0.00	3.50	0.00		1		1		
	<b> </b>	OSS - Manual Service Order Charge, Per Local Service Request	<b></b>				1	0.50	- 5.00	1	0.00	<del> </del>	<del> </del>	<del> </del>	l		
[	1	(ISR) - UNE Only	1	i		SOMAN	1	15.75	0.00	1,97	0.00	ŀ	1	I	İ		
LINE	ERVICE	DATE ADVANCEMENT CHARGE	+	<del></del>		JOIMAN	+	15./5	0.00	1,97	0.00	<b>!</b>		<del> </del>	ļ. <del></del>		
ONE 3			D-UC-	Abda EC	CN- 1 TW CW					l	L	1		L	L		<u> </u>
<u> </u>	NOTE:	The Expedite charge will be maintained commensurate with	Deligou	urs FC		ııı ə aş appı	icable.										
	1				UAL, UEANL, UCL,	1								!			
1	1 :				UEF, UDF, UEQ,	l	Į			Į	Į	l	ļ	Į.	ļ	Į į	
1	1				UDL, UENTW, UDN,												
ì					UEA, UHL, ULC,												
			ł		USL, U1T12, U1T48,								1				
			l		U1TD1, U1TD3,						}		ĺ				
			i		U1TDX, U1TO3,					İ	l					İ	
			Ì	l	U1TS1, U1TVX,									1			
				1	UC1BC, UC1BL,					]							
l				ŀ	UC1CC, UC1CL,					1			]				
į				1						j			1				
				}	UC1DC, UC1DL,								1				
				1	UC1EC, UC1EL,	ĺ		1				İ			ŀ		
	1		ł	1	UC1FC, UC1FL,								l				
l	1		1	1	UC1GC, UC1GL,												
	l		1	1	UC1HC, UC1HL,					l	l	Į.	ļ	Ļ	ļ		
1	1		l	1	UDL12, UDL48,	Ì	1								1		
	ŀ		l	l	UDLO3, UDLSX,	ļ						1			1		
			l		UE3, ULD12,						i	1					
			İ		ULD48, ULDD1,		1				i	1			1		
	1				ULDD3, ULDDX,	İ						}					
	l																
1	l		1	I	ULDO3, ULDS1,	1				1	1	1	I	l	I		
1	l		1	I	ULDVX, UNC1X,	1				1	1	1	I	I	I	i	
1			1	I	UNC3X, UNCDX,	i					1			Į.			
1			1	I	UNCNX, UNCSX,	l					1						
			1	I	UNCVX, UNLD1,	l					1			1			
			1	I	UNLD3, UXTD1,	l				1	1			1			
	1		1	I	UXTD3, UXTS1,	1	1			1	1	I	I	1	I		
Į.	Į.		Į.	Į.	UITUC, UITUD.	ļ	1	<b> </b>	ļ		<b>\</b>	1	1	1	1	\	
1			l	1	U1TUB.				İ	1	1		i	1		1	
1		UNE Expedite Charge per Circuit or Line Assignable USOC, per	1	1	U1TUA,NTCVG,					1	!		1	l .	1	1	
1	l		ŀ		NTCUD, NTCD1	SDASP		200.00			]						
0000	1	Day			INTOOD, NEODT	SUASP	+	200.00		<del></del>			ļ	<del></del>	ļ		
DKDE		ICATION CHARGE	1			<u> </u>						ļ	ļ		-	ļ	
L	ļ	Order Modification Charge (OMC)	l	↓		ļ		26.21	0.00	0.00	0.00	ļ	<b> </b>		<del></del>		
		Order Modification Additional Dispatch Charge (OMCAD)		<u> </u>				150.00	0.00	0.00	0.00	ļ	<b></b>		L		
UNBU		EXCHANGE ACCESS LOOP					.1					ļ					
	2-WIRE	ANALOG VOICE GRADE LOOP		1							L						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	T	I													
1	1	Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37	1			1		
	t	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	t	<del>                                     </del>			1			1 32.02			<del> </del>			_	
	1	Ground Start Signaling - Zone 2	1	ر	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37	1	I		İ		
<del></del>	<del> </del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del> </del>	<del> </del>	J-2.	ULALE	10.75	105.96	00.28	32.02	10.37	<del> </del>	<del>                                     </del>		<del> </del>	l	
1	1		1	_	LIE A	LIEALA	07.55	105.55	00.00	50.00	40.07	1		1	1	I	
<u> </u>	ļ	Ground Start Signaling - Zone 3	<b> </b>	13	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		ļ		<del> </del>		
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			l						1	1				
		Ground Start Signaling - Zone 4	L	4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		<u> </u>		L	L	

Version 2Q06 Standard ICA 06/13/06 Page 57 of 101

INBUNDLED N	ETWORK ELEMENTS - Mississippi											,	Attachment 2		ļ	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc		Charge - Manual Svc	Charge Manual S
ATEGORY	HATE ELEWENTS	m	Zone	bus	USOC			HA1 E3(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electroni Disc Add
							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 1	ł	1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		1				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									•						
	Battery Signaling - Zone 2	l	2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		•				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse											1				
	Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	ļ				l	L
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 4	<u> </u>	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37	<u> </u>					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA	URESL		25.01	3.53					,			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1							i i						1	
	DS0)	-		UEA	URESP		26.50	5.02	ļ	<del> </del>	-				<del> </del>	<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29			-				<del> </del>	<del></del>
4 34/105	Loop Tagging - Service Level 2 (SL2)  ANALOG VOICE GRADE LOOP	<del> </del>	<b>  </b>	UEA	URETL		11.19	1.10	<del> </del>		ļ				ļ	<del></del>
		<b></b>		UEA	UEAL4	27.47	132.27	94.59	60.68	14.64	<del> </del>					
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	ļ		UEA	UEAL4	38.26		94.59	60.68	14.64						<del></del>
		-		UEA			132.27				1					
	4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 4			UEA	UEAL4 UEAL4	50.03 50.03	132.27	94.59	60.68	14.64						
			- 4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						<del> </del>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA	URESL.		25.01	3.53						****		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1 1		1						1					
	DS0)	ļ		UEA	URESP		26.50	5.02								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								ļ
2-WIRE	ISDN DIGITAL GRADE LOOP	ļ														
	2-Wire ISDN Digital Grade Loop - Zone 1	ļ		UDN	U1L2X	21.01	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3	ļ		UDN	U1L2X	37.34	117.61	79.92	52.82	10.37						L
	2-Wire ISDN Digital Grade Loop - Zone 4	ļ		UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UDN	UREWO		91.46	44.07								
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry		l .l								İ					
	& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						ļ
	2 Wire Unbundled ADSL Loop including manual service inquiry				LINION	44.45	404.07	70.04	50.00	= 00						
	& facility reservation - Zone 2	ļ	2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						ļ
1 1	2 Wire Unbundled ADSL Loop including manual service inquiry		_													
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry		ا. ا	1161	LIMOV	40.00	404 ==	70.5		<b>-</b>	1				I	
-	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93	<u> </u>	<b></b>			<b>_</b>	<b></b>
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1		1141	LIALCIA			50.55							I	
	facility reservation - Zone 1	<b></b>		UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		ا ا	UAL	1111014	44.45	20.45	50.00	50.00	- 00						
	facility reservaton - Zone 2	ļ	2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
1 1	2 Wire Unbundled ADSL Loop without manual service inquiry &										1					
	facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		ا. ا		I I											
-	facility reservaton - Zone 4			UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		,	UHL	UHL2X	8.75	100.00	79.52	50.38	7.00					1	
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		'	UTIL	UNL2X	8.75	129.98	79.52	50.38	7.93	<del>                                     </del>				l	-
	& facility reservation - Zone 2		ا ا	UHL	LILLI OV	0.00	100.00	70.50	[	7.00					1	
	& facility reservation - Zone 2  2 Wire Unbundled HDSL Loop including manual service inquiry	<b> </b>	2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93	<del></del>	ļ			1	<del> </del>
		l	ا ا	1 11 21	Luuray	0.07	100.00	70.50	[ 50.00	7.00					1	1
-	& facility reservation - Zone 3	-	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						<del> </del>
	2 Wire Unbundled HDSL Loop including manual service inquiry		.		1										1	
	& facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93					ļ	
	2 Wire Unbundled HDSL Loop without manual service inquiry										1				1	
1 1	and facility reservation - Zone 1	l	1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93					1	L

	1				T	14.64	89.09	28.88	156.53	94.04	Inpre <sub>4</sub>	nan	E		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	, ,
						14.64	89.09	28.88	126.53	34.55	UDL64	חמר			4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	
						14.64	89.09	28.88	126.53	27.44	UDL64	חמר	į.	1	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	
	ļ		<b></b>			14.64	88.08	28.88	126.53	32.25	UDL56	חשר	Þ		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	
L	<b></b>		ļ	<u> </u>	ļ	19.41	88.08	28.88	156.53	92'07	NDF26	חסר	3		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	
			ļ	-	ļ <u>.</u>	49.41	89.09	28.88	126.53	38.4€	99700	ndr			4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	
	<b> </b>	<del></del>		<del> </del>	<del> </del>	14.64	89.09	28.88	126.53	44.72	NDF26	חסר			4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	
.,	<del> </del>	<del></del>	<del> </del>	<del> </del> -	<del> </del>	14.64	89.09	28.88	126.53	32.25	61700	חסר			4 Mire Unbundled Digital 19.2 Kbps - Zone 4	
	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del> -	49.41	88.08	28.88	126.53	97.04	61700	nor			4 Wire Unbundled Digital 19.2 Kbps - Zone 3	
	<del> </del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>	-		19.41	88.08	28.88 28.88	126.53	99.46	61.1QU	700			4 Wire Unbundled Digital 19.2 Kbps - Zone 2	
	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>		49.41	88.08	28.88	126.53	32.25	NDF18	nor		L	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	
	i	·	<del> </del>	·	+	49.41	88.08	38.88	126.53	92.04	NDF3X	nor			7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4	
	<del> </del>	<del> </del>		<del></del>	<del> </del>	19.41	89.09	38.88	126.53	95.4E	NDF6X	UDL.			6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	
				<del> </del>		19.41	88.08	28.88	126.63	27.44	X61GI	חסר			S and S - edd N 6.6 dood lighted belonding a Nive S - Son S -	
· · · · · · · · · · · · · · · · · · ·	i		<del>                                     </del>			14.64	89.09	28.88	126.53	32.25	UDLAX	חסר		<del>  </del>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	
		1	· · · · · · · · · · · · · · · · · · ·	ļ ··	1	79.41	89.09	28.88	126.53	97.04	UDL4X	nan			4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4	<b>├</b>
		1			1	49.41	88.08	28.88	126.53	33.46	UDL4X	700		<del>  </del>	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	<b></b>
				1	<del>                                     </del>	14.64	89.09	38.88	126.53	27.44	UDL4X	Tan			4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	
						14.64	89.09	28.88	126.53	32.25	norsx	חסר			4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4	
						49.41	89.09	28.88	126.53	97.04	UDIZX	nan		<del>                                     </del>	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	
						14.64	89.09	28.88	126.53	38.4£	UDLZX	חמר			4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	
						49.41	89.09	28.88	126.53	44.72	UDLZX	nor			4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1	
										I					19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	
	\		l			<u> </u>		42.96	06.001		NBEMO	ner .			CLEC to CLEC Conversion Charge without outside dispatch	
i	1	1		1	1			5.02	26.50		URESP	ารก			(150)	
	ļ	ļ	ļ		ļ										Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	
							1	83.53	25.01		URESL	ารก			D21)	
	<del> </del>		<del> </del>	<del> </del>	<del> </del>	12.07	D1:0+	CF:OC:	00:007	- ALIOC:	<del> </del>				Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	
	<del> </del>		<del>                                     </del>	<del> </del>	<del> </del>	70.21	01.94	24.821 24.821	253.93 253.93	94.834	XXTSO	TSN			4-Wire DS1 Digital Loop - Zone 4	
		<del> </del>	1	<del> </del>	<del> </del>	12.07	01.94	34.831	263.93	129.38 47.30S	XXTSO	ner 700		<b></b>	4-Wire DS1 Digital Loop - Zone 3	
	t	t	<del>                                     </del>	t	<del> </del>	12.01	01.94	35,831	253.93	80.97	NSFXX NSFXX	ner ner			4-Wire DS1 Digital Loop - Zone 2	<b></b> _
	1		1	<del> </del>	<del>                                     </del>	1-50.	+	12021	00 636	1 30 02	1 1011	1511	-	<b>_</b>	4-Wire DS1 Digital Loop - Zone 1	<u></u>
		1		†	t		T	40.33	86.28	<del> </del>	NEMO	7HO		<del>                                     </del>	EDS1 DIGITAL LOOP	14-WIRE
		T		T	<del>                                     </del>	89.01	57.88	03.86	133.62	94,41	UHL4W	7HO	<del>, -</del> -	<del>  </del>	CLEC to CLEC Conversion Charge without outside disperse	<del>  -</del>
								1	55 55,	1	TATA ILLII	11-11	r		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4	
				l		89.01	56.72	09:96	133.62	69:91	M#THO	'IHI'	E	<del></del>	and facility reservation - Zone 3	<del></del>
			L	L	l	L	1	1	1		"""	"""	-		4-Wire Unbundled HDSL Łoop without manual service inquiry	
						88.01	57.93	09'96	133.62	13.43	W4JHU	1HO	<del>z -  </del>		and facility reservation - Zone 2	
				<u> </u>	<u> </u>	L		<u> </u>	.1	1	1		}	1	4-Wire Unbundled HDSL Loop without manual service inquiry	
			I			88.01	56.72	09.36	133.62	87.51	UHL4W	THO	1		and facility reservation - Zone 1	
		L	<u> </u>					L		<u></u>					4-Wire Unbundled HDSL Loop without manual service inquiry	
	1		1	1		89.01	56,72	82.801	158.74	94.41	X#7H0	THO:	<b>7</b>		and facility reservation - Zone 4	
		<del> </del> -	<b></b>	ļ <u>.</u>				ļ							4-Wire Unbundled HDSL Loop including manual service inquiry	
		1	l	i		89.01	56.72	82.801	158.74	69.31	NHL4X	THO	6		and facility reservation - Zone 3	
	ļ					i .							٠,		ConoX goilergoon villiont back	
			-					<u> </u>	<del> </del>						4-Wire Unbundled HDSL Loop including manual service inquiry	
						89.01	SV.98	108.28	47.881	13.43	NHF4X	THO			and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry	
								<u> </u>	<u> </u>			THO	2		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry	
						88.01 88.01	57.88 55.72	82.801 82.801	47.821 47.821	87.61	NHL4X		2		and facility reservation - Zone I  4-Wire Unbundled HDSL Loop including manual service inquiry and iscility reservation - Zone 2  4-Wire Unbundled HDSL Loop including manual service inquiry	
								<u> </u>	<u> </u>			THO	2		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry and iscility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry	
								82.801	⊅Z.831		X#7HN	ПНП	2	1 ЭЛВІТК	- HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP.  4 Wire Unbundled HDSL Loop including manual service inquiry and iscility reservation - Zone 2 and iscility reservation - Zone 2  4-Wire Unbundled HDSL Loop including manual service inquiry and iscility reservation.	3AIW-4
						89.01	SV.99	82.801	\$6.38 \$7.831	87.61	UHL4X	THO THO THO	d007	1 ЭЛВЦУ	OLEC to CLEC Conversion Charge without outside dispatch  HIGH BIT MATE DIGITAL SUBSCRIBER LINE (HDSL) COMP)  ANTIE Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1  A-Wire Unbundled HDSL Loop including manual service inquiry and scility reservation - Zone 2  A-Wire Unbundled HDSL Loop including manual service inquiry	3HIW-Þ
								82.801	⊅Z.831		X#7HN	ПНП	d007	I 378ITE	and facility reservation - Zone 4  CLEC to CLEC Conversion Charge without outside dispatch and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquity and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquity and facility reservation - Zone 2  4-Wire Unbundled HDSL Loop including manual service inquity  4-Wire Unbundled HDSL Loop including manual service inquity	3HIW-b
						£6.7 88.01	86.03 SY.83	\$5.04 82.801	86.38 87.831	87.E1	UHL2W	THO THO THO	dQQ-	I 378ILF	White Unbundled HDSL Loop without manual service inquiry and secritish reservation. Sone 4     Awire Unbundled HDSL Loop including manual service inquiry 4 wire Unbundled HDSL Loop including manual service inquiry 4 wire Unbundled HDSL Loop including manual service inquiry and teclify reservation. Sone 2     Awire Unbundled HDSL Loop including manual service inquiry and teclify reservation. Sone 2     Awire Unbundled HDSL Loop including manual service inquiry and teclify reservation.	3HIW-b
						89.01	SV.99	82.801	\$6.38 \$7.831	87.61	UHL4X	THO THO THO	dQQ-	TIBITE	and facility reservation - Zone 3  2 Whre Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4  HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP) and facility reservation - Zone 1  4 Whre Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2  And the Unbundled HDSL Loop including manual service inquiry and scility reservation - Zone 2  And the Unbundled HDSL Loop including manual service inquiry and scility reservation - Zone 2  And the Unbundled HDSL Loop including manual service inquiry  And the Unbundled HDSL Loop including manual service inquiry  And the Unbundled HDSL Loop including manual service inquiry	391W-\$
						89'01 66'Z	86.08 SV.08	ν.Δ.83 82.801	38.401 38.401 86.38 47.821	87.61 87.61	WSJHU UHL2W UHL2W	7HA 7HA 7HA 7HA 1 7HA 1	dOOT	I 378ILY	Wire Unbundled HDSL Loop without manual service inquiry and Iscility reservation - Zone 3     Wire Unbundled HDSL Loop without manual service inquiry and Iscility reservation - Zone 4     HIGH BIT RATE DIGITEL SUBSCRIBER LINE (HDSL) COMPI and Iscility reservation - Zone 64     Wire Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 1     AWire Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 2     Aware Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 2     Aware Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 2     Aware Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 2     Aware Unbundled HDSL Loop including manual service inquiry de-Wire Unbundled HDSL Loop including manual service inquiry	391W-\$
						£6.7 88.01	86.03 SY.83	\$5.04 82.801	86.38 87.831	87.E1	UHL2W	THO THO THO	dOOT	J 318ILE	and facility reservation - Zone 2  S Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 3  Z Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry	38IW-Þ
NAMOS	NAMOS	NAMOS		NAMOS	SOMEC	89'01 66'Z	86.08 SV.08	ν.Δ.83 82.801	38.401 38.401 38.401 86.38 47.821	55.6 34.01 87.61	WSJHU UHL2W UHL2W	7HA 7HA 7HA 7HA 1 7HA 1	dOOT	VIIBLE I	Wire Unbundled HDSL Loop without manual service inquiry and Iscility reservation - Zone 3     Wire Unbundled HDSL Loop without manual service inquiry and Iscility reservation - Zone 4     HIGH BIT RATE DIGITEL SUBSCRIBER LINE (HDSL) COMPI and Iscility reservation - Zone 64     Wire Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 1     AWire Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 2     Aware Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 2     Aware Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 2     Aware Unbundled HDSL Loop including manual service inquiry and Iscility reservation - Zone 2     Aware Unbundled HDSL Loop including manual service inquiry de-Wire Unbundled HDSL Loop including manual service inquiry	3HIW-Þ
NAMOS	NAMOS	(\$)esnaR NAMOS		NAMOS	SOMEC	EQ.7 EQ.7 EQ.7 88.01	86.08 86.03 57.63	1'bbA 1'c 38 1	38.401 38.401 86.38 47.821	87.61 87.61	WSJHU UHL2W UHL2W	7HA 7HA 7HA 7HA 1 7HA 1	dOOT	1378IL	and facility reservation - Zone 2  S Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 3  Z Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry	3HW-4
		Rates(\$)	SSO	NAMOS	SOMEC	EQ.7 EQ.7 EQ.7 88.01	86.08 86.03 86.03 86.03	1'bbA 1'c 38 1	88.401 88.401 88.401 86.38 47.881	55.6 34.01 87.61	WSJHU UHL2W UHL2W	7HA 7HA 7HA 7HA 1 7HA 1	dOOT	ZIBLE I	and facility reservation - Zone 2  S Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 3  Z Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry	381W-p
l'bbA osiG	Disc 1st	l'bA Add'l Rates(\$)	1st SSO	NAMOS	SOMEC	EQ.7 EQ.7 EQ.7 88.01	86.08 86.03 86.03 86.03	1'bbA 1'c 38 1	88.401 88.401 88.401 86.38 47.881	55.6 34.01 87.61	WSJHU UHL2W UHL2W	7HA 7HA 7HA 7HA 1 7HA 1	dOOT	TIBLE I	and facility reservation - Zone 2  S Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 3  Z Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry	3HW-4
Electronic Disc Add'l	Electronic- Disc 1st	Electronic- Nadd'l Aates(\$)	Electronic- 1st OSS			EQ.7 EQ.7 EQ.7 88.01	86.08 86.03 86.03 86.03	PibbA 1'bbA 47,39 47,39 47,39 82,801	88.401 88.401 88.401 86.38 47.881	55.6 34.01 87.61	WSJHU UHL2W UHL2W	7HA 7HA 7HA 7HA 1 7HA 1	dOOT		and facility reservation - Zone 2  S Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 3  Z Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry	3HIW-\$
Order vs. Electronic- Disc Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Add'l Rates(\$)	Order vs. Electronic- 1st OSS	per LSR	Der LSR	EQ.7 EQ.7 EQ.7 88.01	86.08 86.03 86.03 86.03	1'bbA 1'c 38 1	88.401 88.401 88.401 86.38 47.881	55.6 34.01 87.61	WSJHU UHL2W UHL2W	7HA 7HA 7HA 7HA 7HA 7HA	dOOT	u	and facility reservation - Zone 2  S Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 3  Z Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry	4-WIRE
Manual Svo Order vs. Electronic- Disc Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc. Order vs. Electronic- Add'l Agtes(\$)	Manual Svc Order vs. Electronic- 1st OSS	Manually per LSR	Der LSR	EQ.7 EQ.7 EQ.7 88.01	86.08 86.03 86.03 86.03	PibbA 1'bbA 47,39 47,39 47,39 82,801	88.401 88.401 88.401 86.38 47.881	55.6 34.01 87.61	UHL2W UHL2W UHL2W	7HA 7HA 7HA 7HA 7HA 7HA	2 dQO7		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 4 2 Wire Unbundled HDSL Loop without manual service inquiry controlled HDSL Loop without outside dispatch and tacility reservation - Zone 4  2 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  5 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  5 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  5 Wire Unbun	
Charge - Manual Svo Order vs. Electronic- Disc Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Add'l Agtes(\$)	Charge - Manual Svc Order vs. Electronic- 1st	Submitted Manually RSJ 199	Submitted Elec per LSR	EQ.7 EQ.7 EQ.7 88.01	86.08 86.03 86.03 86.03	PibbA 1'bbA 47,39 47,39 47,39 82,801	88.401 88.401 88.401 86.38 47.881	55.6 34.01 87.61	UHL2W UHL2W UHL2W	7HA 7HA 7HA 7HA 7HA 7HA	2 dQO7	u	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 4 2 Wire Unbundled HDSL Loop without manual service inquiry controlled HDSL Loop without outside dispatch and tacility reservation - Zone 4  2 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  5 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  5 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  5 Wire Unbun	
Charge - Manual Svc Order vs. Electronic- Disc Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- 1st	Syc Order Submitted Manually REL LSR	Submitted Elec per LSR	EQ.7 EQ.7 EQ.7 88.01	86.08 86.03 86.03 86.03	PibbA 1'bbA 47,39 47,39 47,39 82,801	88.401 88.401 88.401 86.38 47.881	55.6 34.01 87.61	UHL2W UHL2W UHL2W	7HA 7HA 7HA 7HA 7HA 7HA	2 dQO7	u	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and tacility reservation - Zone 4 2 Wire Unbundled HDSL Loop without manual service inquiry controlled HDSL Loop without outside dispatch and tacility reservation - Zone 4  2 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 4  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  4 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  5 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  5 Wire Unbundled HDSL Loop including manual service inquiry and tacility reservation - Zone 2  5 Wire Unbun	ЕСОВА

UNBLINDI	LED N	ETWORK ELEMENTS - Mississippi									<del></del>			Attachment 2	Exh A:		
ONDONDE	CCD II	ETWORK CEEMENTO - MISSISSIPPI	1	1	T	1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			1	1		1						Submitted		Charge -	Charge -	Charge -	Charge -
	l		l			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEGO	''' i	TIATE ELEMENTO	m	-0		5555						per Lorr	per corr	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1		1						1		151	Addi	Disc ist	Disc Add 1
I	_	***************************************	<del> </del>	+				Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
			<del> </del>			1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	t -	4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	<del> </del>	1	552	10000											
		DS0)			UDL	URESL		25.01	3.53								,
$\vdash$		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<b>†</b>	1	USE	- OTTLE		20.01	0.00								
1 1		DS0)		1	UDL	URESP		26.50	5.02			1					
		CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66								
2-		Unbundled COPPER LOOP	· · · · · ·	1		1											
<u> </u>		2-Wire Unbundled Copper Loop-Designed including manual	<del> </del>	+		1	-										
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
		2-Wire Unbundled Copper Loop-Designed including manual	<b></b>	<b></b>		1005.0		120101	55.51								i -
		service inquiry & facility reservation - Zone 2		,	UCL	UCLPB	11,47	120.34	69.87	50.38	7.93	ŀ					
$\vdash$		2 Wire Unbundled Copper Loop-Designed including manual			1002	1000.10		120.01		00.00	7100						
		service inquiry & facility reservation - Zone 3	1	2	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
<del></del>		2 Wire Unbundled Copper Loop-Designed including manual	<del> </del>	+3	1000	300, 0	11.77	.20.04	00.07	50.50	1.55	<del> </del>					
				1 4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
$\vdash$		service inquiry & facility reservation - Zone 4 2-Wire Unbundled Copper Loop-Designed without manual	<del> </del>	+	TOOL	OOLI D	12.05	120.04	03.07	50.00	1.30	<del> </del>	-		_		
1 1				1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
		service inquiry and facility reservation - Zone 1	-	- '	UCL	OCEP VV	11,11	93.21	37.03	30.36	1.50	-					
		2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						1
		service inquiry and facility reservation - Zone 2	<del> </del>		TOOL	OCLFVV	11.47	90.21	37.09	50.56	7.90	<del> </del>					
		2-Wire Unbundled Copper Loop-Designed without manual		1 ,	UCL.	UCLPW	11.74	05.21	57.09	50.38	7.93						
-		service inquiry and facility reservation - Zone 3	ļ. —	)	UCL	UCLFVV	11.74	95.21	37.09	30.36	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual	1	١.	LICI	LICEDIA	10.00	05.04	57.09	E0 20	7.00						
		service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	8.20	50.38	7.93	ļ					
		Order Coordination for Unbundled Copper Loops (per loop)	<del> </del>		UCL	UCLMC		8.20	8.20					· <del></del>			
		CLEC to CLEC Conversion Charge without outside dispatch						05.04	40.40								
L		(UCL-Des)	ļ		UCL	UREWO		95.21	42.40								
4-		COPPER LOOP				<del> </del>						ļ	ļ				
		4-Wire Copper Loop-Designed including manual service inquiry				100.45	47.00	444.00	04.00	FC 70	10.00	1					
<b></b>		and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68	ļ				<del> </del>	
		4-Wire Copper Loop-Designed including manual service inquiry						444.00	04.00	F0.70	40.00	1					
		and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68	<del> </del>	ļ		<del> </del>	<del> </del>	<del> </del>
1		4-Wire Copper Loop-Designed including manual service inquiry	1	1		1											
		and facility reservation - Zone 3	ļ	3	UCL	UCL4S	21.33	144,68	94.22	56.72	10.68			-			-
		4-Wire Copper Loop-Designed including manual service inquiry	1	1											İ		
		and facility reservation - Zone 4	ļ	4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68				ļ		
1 1		4-Wire Copper Loop-Designed without manual service inquiry	1	1													
		and facility reservation - Zone 1	ļ	1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						<b></b>
		4-Wire Copper Loop-Designed without manual service inquiry	Į.				1										
		and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68	ļ					<del> </del>
	-	4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 3	L	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		ļ				
		4-Wire Copper Loop-Designed without manual service inquiry								Ì			l :				
		and facility reservation - Zone 4		4	UCL.	UCL4W	21.33	119.56	81.44	56.72	10.68					ļ	ļ
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20							<b></b>	
		CLEC to CLEC Conversion Charge without outside dispatch		[									1				
		(UCL-Des)	Ι.	J	UCL	UREWO		95.21	42.40								<u> </u>
			1		UEA, UDN, UAL,							1	1	1	l		
		Order Coordination for Specified Conversion Time (per LSR)	L		UHL, UDL, USL	OCOSL		18.19						L			<u> </u>
R	learra	ngements															<b></b>
		EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop	-										1		1		
		SL2			UEA	UREEL		87.56	36.29			ļ				<b></b>	
			]	1								1	-		l		
		EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	1	ł	UEA	UREEL.	L	87.56	36.29			<u> </u>					ļ
		EEL to UNE-L Retermination, per 2 Wire ISDN Loop		1	UDN	UREEL.		91.46	44.07	l							
<del> </del>		EEL to UNE-L Retermination, per 4 Wire Unbundled Digital	1	1											1		
		Loop		1	UDL	UREEL		101.94	49.66	1					L	I	
		EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	<b>†</b>	<b>-</b>	USL	UREEL		100.90	42.96	1							
UNE LOC	OP CO	MMINGLING	1 —	†	· · · · · · · · · · · · · · · · · · ·	1				<u> </u>							
		ANALOG VOICE GRADE LOOP - COMMINGLING	<b>+</b>	+		- <del> </del>				1		T					

Page 60 of 101

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment 2	Exh A:		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	1												
	Ground Start Signaling - Zone 1	1	1	NTCVG	UEAL2	13.89	105.96	68.28	52.82	10.37						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2	1	2	NTCVG	UEAL2	18.75	105.96	68.28	52.82	10.37						İ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		İ												
	Ground Start Signaling - Zone 3	ļ	3	NTCVG	UEAL2	27.55	105.96	68.28	52.82	10.37						
1 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.		l											1
<del></del>	Ground Start Signaling - Zone 4	<del> </del>	4	NTCVG	UEAL2	45.72	105.96	68.28	52.82	10.37						<b></b>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		Ι.	NITOVO		40.00			[							1
<del></del>	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del> </del>	<u> </u>	NTCVG	UEAR2	13.89	105.96	68.28	52.82	10.37						<b>└</b>
	Battery Signaling - Zone 2	1	1 .	NTCVG	UEAR2	18.75	405.00	00.00	====	40.00	j					1
<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	<del>}</del>	<del></del>	INICVG	UCARZ	10.75	105.96	68.28	52.82	10.37						
1 1	Battery Signaling - Zone 3		١ ،	NTCVG	UEAR2	27.55	105.96	68.28	52.82	10.37						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	<del>                                     </del>	MICVO	OLANZ	27.55	103.90	00.20	52.62	10.37						
	Battery Signaling - Zone 4		4	NTCVG	UEAR2	45.72	105.96	68.28	52.82	10.37						i .
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		1				100.00	00.20	5E.6E	10.07						
	DS0)	1	i	NTCVG	URESL		25.01	3.53			i l					1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	<b>†</b>													
1 1	DS0)	1		NTCVG	URESP		26.50	5.02				1				ĺ
	CLEC to CLEC Conversion Charge without outside dispatch		1	NTCVG	UREWO		87.56	36.29						-		
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.19	1,10					**********			
				NTCVG								~				
4-W	RE ANALOG VOICE GRADE LOOP - COMMINGLING															
	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3	ļ		NTCVG	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4	ļ	4	NTCVG	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															1
<u> </u>	DS0)	<u> </u>	ļ	NTCVG	URESL		25.01	3.53								
1 1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			1.000		ŀ										ĺ
<del></del>	CLEC to CLEC Conversion Charge without outside dispatch		<b>-</b>	NTCVG	URESP		26.50	5.02		· · · · · · · · · · · · · · · · · · ·						<b></b>
1 14	RE DS1 DIGITAL LOOP	<u> </u>	-	NTCVG	UREWO		87,56	36.29								
4-441	4-Wire DS1 Digital Loop - Zone 1	<del></del>	<del> </del>	NTCD1	USLXX	79.08	253.93	158.45	46.10	12.07						<del></del>
<del></del>	4-Wire DS1 Digital Loop - Zone 2	<del> </del>		NTCD1	USLXX	129.38	253.93	158.45	46.10	12.07						<del></del>
<del>                                     </del>	4-Wire DS1 Digital Loop - Zone 3	+		NTCD1	USLXX	206.74	253.93	158.45	46.10	12.07						
<del>                                     </del>	4-Wire DS1 Digital Loop - Zone 4	<del> </del>		NTCD1	USLXX	458.46	253.93	158.45	46.10	12.07	-					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	<del> </del>	<u> </u>	THOSE .	100000	100.40	230.30	130.43	40.10	12.07						
	DS1)			NTCD1	URESL	0.00	25.01	3.53	0.00	0.00			j			ł
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1							5.50	2.00	<u> </u>					
	DS1)			NTCD1	URESP	0.00	26.50	5.02	0.00	0.00						f .
	CLEC to CLEC Conversion Charge without outside dispatch		1	NTCD1	UREWO	0.00	100.90	42.96	0.00	0.00	<u> </u>					
4-W!	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				1											
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1			NTCUD	UDL2X	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	NTCUD	UDL2X	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	NTCUD	UDL2X	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4			NTCUD	UDL2X	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	ļ		NTCUD	UDL4X	27.44	126.53	88.85	60.68	14.64						
<del> </del>	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	ļ		NTCUD	UDL4X	34.55	126.53	88.85	60.68	14.64	L					<b></b>
<del></del>	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	<b>_</b>		NTCUD	UDL4X	40.76	126.53	88.85	60.68	14.64						
<del></del>	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4	<del> </del>		NTCUD	UDL4X	32.25	126.53	88.85	60.68	14.64						
1 1	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	<del> </del>		NTCUD	UDL9X	27.44	126.53	88.85	60.68	14.64						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	1		NTCUD NTCUD	UDL9X UDL9X	34.55 40.76	126.53 126.53	88.85	60.68	14.64	<b> </b>					
					ILIDIYA 1		126.53.1	88.85	60.68	14.64	1					
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	<del> </del>								14.04						•
	7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4		4	NTCUD	UDL9X	32.25	126.53	88.85	60.68	14.64		-				
			1							14.64 14.64 14.64						

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment 2	Exh A:	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>				Nonrecu		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps - Zone 4			NTCUD	UDL19	32.25	126.53	88.85	60.68	14.64						ļ
<u> </u>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			NTCUD	UDL56	27.44	126.53	88.85	60.68	14.64						ļ
<u> </u>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	34.55	126.53	88.85	60.68	14.64						<b>↓</b>
ļ	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			NTCUD NTCUD	UDL56 UDL64	32.25 27.44	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64		-				<b></b>
<del>  </del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			NTCUD	UDL64	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			NTCUD	UDL64	40.76	126.53	88.85	60.68	14.64						
<del></del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	ļ		NTCUD	UDL64	32.25	126.53	88.85	60.68	14.64						<del> </del>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		† '	111000	00201	02.23	120.50	00.00	00.00	14.04						
	DS0)			NTCUD	URESL	1	25.01	3.53								İ
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		<b>†</b>		1											
	DS0)		ļ	NTCUD	URESP	1	26.50	5.02								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCUD	UREWO		101.94	49.66								
			l	NTCVG, NTCUD,	1											
	Order Coordination for Specified Conversion Time (per LSR)		<u></u>	NTCD1	OCOSL		18.19									
	EXCHANGE ACCESS LOOP															L
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UÉAL2	12.03	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						Ļ
ļ	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4			UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25						ļ
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	12.03	37.92	17.55	23.48	5.25						<b></b>
$\vdash$	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	16.87	37.92	17.55	23.48	5.25						
<b>—</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	25.68	37,92	17.55	23.48	5.25						
<del></del>	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25						<del></del>
	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour			UEANL UEANL	URET1		8.92 34.36	0.88								<del> </del>
$\vdash$	Loop Testing - Basic 1st rian riour  Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		19.97	19.97								<del> </del>
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1	-	-	DEANL	DEAIVIC		6.20	0.20	-							
	(per LSR)			UEANL	OCOSL		18.19	18.19								
<b>—</b>	Unbundled Non-Design Voice Loop, billing for BST providing			OLANC	CCCSE		10.19	10.15								-
	make-up (Engineering Information - E.L.)			UEANL	UEANM		13.51	13.51								
<b> </b>	CLEC to CLEC Conversion Charge Without Outside Dispatch		<u> </u>	UEANL	UREWO	-	15.75	8.92	· · · · · · · · · · · · · · · · · · ·							
2-WIR	E Unbundled COPPER LOOP		<b>-</b>	027112	UNENG			0.02								
-	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11,01	36.53	16.16	22.66	4,42					1	
<del></del>	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	T		UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
<del></del>	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ī		UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	I		UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Tag Loop at End User Premise			UEQ	URETL		8.92	0.88								
· ·	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97	T					-		
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
I	Non-Designed (per loop)	L	<u>L</u>	UEQ	USBMC		8.20	8.20								
	Unbundled Copper Loop - Non-Design, billing for BST providing															1
	make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								<del> </del>
	CLEC to CLEC Conversion Charge Without Outside Dispatch		L	UEQ	UREWO		14.24	7.42								<del></del>
LOOP MODIF	CATION		<u> </u>		<u> </u>											ــــــ
				UAL, UHL, UCL,											1	İ
		1	1	UEQ, ULS, UEA,	1										l	1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1	1	UEANL, UEPSR,											1	1
<b></b>	pair less than or equal to 18k ft, per Unbundled Loop		<b></b>	UEPSB	ULM2L		32.57	32.57				L				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire				1											1
	less than or equal to 18K ft, per Unbundled Loop		<b> </b>	UHL, UCL, UEA	ULM4L		32.57	32.57							<del> </del>	<del> </del>
1		1	1	UAL, UHL, UCL,	1										1	1
	Habundled Lean Medification Democrat of Bridged Tor Democrat	1	1	UEQ, ULS, UEA, UEANL, UEPSR,	1		i								l	1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEPSB	ULMBT		32.59	32.59							1	
	per unbundled loop	L	<b></b>	UEFSB	TOPIND I	<u> </u>	32.59	32.59			L			L	J	<u> </u>

UNBU	NDLED	NETWORK ELEMENTS - Mississippi												Attachment 2	2 Exh A:		i
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
ļ								Nonrec		Nonrecurring					Rates(\$)		
CHBI	-OOPS			-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
30D-L		pop Distribution	ļ	<del> </del>													
	1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				+				<u> </u>	<del></del>						
	<del> </del>	Up	_!_	ļ	UEANL, UEF	USBSA		259.69									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1	l	UEANL, UEF	USBSB		22.77									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder				1											· · · · · · · · · · · · · · · · · · ·
	<del> </del>	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	1	L	UEANL	USBSC		178.47									
		Set-Up			UEANL	USBSD		56.39									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	+	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		1_	UEANL.	USBN2	7.15	66.18	31.14	45.36	6.71						
		Zone 2		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		į.				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	<del></del>	Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
		Zone 4		4	UEANL_	USBN2	18.26	66.18	31.14	45.36	6.71						
		Out-Cont. Cont. Cont. Cont.															
	+	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		8.20	8.20								
		Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					_										
	+	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						
		Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop															
		Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	'	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20	İii				ļ			
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
	'	Order Coordination for the Laboration of the Lab					1										
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANLUEANL	USBMC USBR4	4.40	8.20 59.60	8.20 24.55	51.07							
	1	Sas Esop 4 Wife Intrabalianty Network Cable (INC)			OEANL	USBN4	4.40	59.60	24.55	51.27	9.35		_				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	:	8.20	8.20								
	4	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00								
		Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL	URETA		19.97	19.97								
	+	2 Wire Copper Unburidled Sub-Loop Distribution - Zone 1			UEF UEF	UCS2X UCS2X	6.06 7.09	66.18 66.18	31.14 31.14	45.36 45.36	6.71						
	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	8.16	66.18	31.14	45.36	6.71 6.71						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
	!																
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	USBMC UCS4X		8.20	8.20								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		2		UCS4X UCS4X	5.10 9.11	79.49 79.49	44.45 44.45	51.27 51.27	9.35 9.35						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	14.00	79.49	44.45	51.27	9.35	·					
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20				٦				
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	_	<b>†</b>	<u> </u>	JOBINO		5.20	6.20								
		Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	0.00								
·		Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load				-											
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13								
	ــــــــــــــــــــــــــــــــــــــ	Concequip Homovai por = vv   11		ь	ULI	TOTIALY		1/0.80	5,13	<u></u>		Ll					

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment 2	2 Exh A:		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
			<del> </del>		-				r		<u> </u>	L		<u> </u>		1
					-			curring		g Disconnect	<del> </del>	r		Rates(\$)		· · · · · · · · · · · · · · · · · · ·
	Unbundled Lean Medification Company of Bridge Ten and					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
. !	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		070.04	0.45			i					
Unbur	ndled Network Terminating Wire (UNTW)	ļ	<del> </del>	UEF	OLIMBI		279.81	6.15			<u> </u>					
Onban	Unbundled Network Terminating Wire (UNTW) per Pair	-	<del> </del>	UENTW	UENPP	0.3366	20.55									
Netwo	ork Interface Device (NID)			DENTW	UENPP	0.3366	30.55				ļ			ļ		
Netwo	Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12		40.04	20.00			ļ					
	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines		<b></b>	UENTW	UND12		43.84	28.90			ļ					<b>_</b>
<del></del>	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W		-				65.30	50.36		ļ	ļ					<b></b>
	Network Interface Device Cross Connect - 2 W	-		UENTW UENTW	UNDC2 UNDC4		5.94	5.94								
UNE OTHER	PROVISIONING ONLY - NO RATE		<del> </del>	DENTW	UNDC4		5.94	5.94			ļ					
ONE OTHER, I	PROVISIONING ONLY - NO RATE	-	ļ	1141 1101 1100							ļ.					
į	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate		1	USL, NTCD1	CCOSF	0.00	0.00			t						<del> </del>
	Unbundled DS1 Loop - Expanded Superframe Format option -				100001	0.00	0.00		-	<u> </u>	<del> </del>	-				<del>                                     </del>
	no rate			USL, NTCD1	CCOEF	0.00	0.00				ł	l				
	NID - Dispatch and Service Order for NID installation	<b>——</b>		UENTW	UNDBX	0.00	0.00				<b></b>	i				
	UNTW Circuit Establishment, Provisioning Only - No Rate		<b></b>	UENTW	UENCE	0.00	0.00					l		-		
LOOP MAKE-L				OLIVIVV	OLIVOL	0.00	0.00				<del> </del>					
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
.	Loop Makeup - Preordering With Reservation, per spare facility	Ì			I											1
_	queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		25.58	25.58								<del>                                     </del>
	spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE SPLITTIN																
END U	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter		L	UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						
	NDLED EXCHANGE ACCESS LOOP															
2-WIRE	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	·	1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
PHYSIC	CAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
VIRTU	AL COLLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				I											
	Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		1				Į.
JNBUNDLED D	Splitting DEDICATED TRANSPORT		$\vdash$	UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45			-			

UNBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment :	2 Exh A:		
0	The state of the s	1				1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		1	1 .		Ī	1						Submitted	Charge -	Charge -	Charge -	Charge -
		l				1										
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	1		RATES(\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
	THE ELEMENTO	m	20.10	200	0000			Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		l									1	1	Electronic-	Electronic-	Electronic-	Electronic-
Į.		ļ		ı	ļ.	\					1	ì	1st	Add'i	Disc 1st	Disc Add'i
<u> </u>		<u> </u>	<del> </del>				Nonrec	urring	Nonrecurring	Disconnect		J	000	Rates(\$)		<u> </u>
<b></b>		<del> </del>			<del></del>	Rec	First	Add'I	First	Add'I	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>	Interoffice Channel - 2-Wire Voice Grade - per mile	<b></b> -		U1TVX	1L5XX	0.0098	71150	Muu I	riist	Addi	SOWIEC	SUMAN	SUMAIN	SOWAN	SOWAW	SOWAN
<u> </u>	Interoffice Channel - 2-Wire Voice Grade - Facility Termination	<del></del>		UITVX	U1TV2	22.52	40.77	27.57	17.26	7.11	<del> </del>	<del> </del>				
<del> </del>	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	<del> </del>		U1TVX	1L5XX	0.0098	40.77	27.37	17.20	/.11	<del> </del>					
<del></del>	interoffice channel - 2 wife voice drade flev bat per fille			OTTVA	TLSAA -	0.0098			· · · · · · · · · · · · · · · · · · ·		<del> </del>	ļ				<del></del>
1 1	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination		i i	U1TVX	U1TR2	22.52	40,77	27.57	17.26	7,11						İ
	Interoffice Channel - 4-Wire Voice Grade - per mile	<del> </del>		UITVX	1L5XX	0.0098	40.77	27.37	17.20	7.11	<del> </del>	-				
<del></del>	The voice drawer per file	<del> </del>		OTTVX	TLUAN	0.0096			<del></del>		<del> </del>					ļ
! !	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11		i		[		1
<del></del>	Interoffice Channel - 56 kbps - per mile	<del> </del>	-	UITDX	1L5XX	0.0098	40.77	27.37	17.20			ļ	ļ			
<del></del>	Interoffice Channel - 56 kbps - Facility Termination		<b>—</b>	UITDX	U1TD5	15.68	40.77	27.57	17.26	7.11	<del> </del>	<u> </u>	_	<del> </del>		t
<del>                                     </del>	Interoffice Channel - 64 kbps - per mile	<del> </del>		UITDX	1L5XX	0.0098	40.77	21.57	11.26	1.11	<del> </del>		<del> </del>	<u> </u>	<del></del>	<del></del>
<del>  </del>	Interoffice Channel - 64 kbps - Facility Termination	<del> </del>		U1TDX	U1TD6	15.68	40.77	27.57	17.26	7.11	<del> </del>	<del></del>	<del> </del>	ļ		<b></b>
<del></del>	Interoffice Channel - DS1 - per mile	<del> </del>		U1TD1	1L5XX	0.201	40.77	27.57	17.20	· · · · · · · · · · · · · · · · · · ·	<del> </del>			<b></b>		<del></del>
l	Interoffice Channel - DS1 - Facility Termination	<del> </del>		U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90	<del> </del>					ļ
<del></del>	Interoffice Channel - DS3 - per mile	<del> </del>		U1TD3	1L5XX	4.76	09.79	02.28	10.86	14.90		<del> </del>		ļ		<del> </del>
<del> </del>	Interoffice Channel - DS3 - Facility Termination	<del>                                     </del>		U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29	-	<del> </del>		ļ	<del></del>	<del> </del>
t	Interoffice Channel - STS-1 - per mile	<del> </del>		U1TS1	1L5XX	4.76	260.37	163.70	6∠.08	60.29						<del></del>
l	Interoffice Channel - STS-1 - Facility Termination	<del> </del>		U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29	<del> </del>					<b>I</b>
IINBUI	NDLED DARK FIBER	-		01131	UTIFS	044.21	280.37	163.70	62.08	60.29	ļ					<b></b>
10,100	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		-					<del></del>			<del> </del>					
	Route Mile Or Fraction Thereof	l		UDF, UDFCX	1L5DF	28.27										l
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			ODI, ODI CA	TESE	20.21					ļ					t
	Route Mile Or Fraction Thereof	l		UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85				Į į		ł.
HIGH CAPACE	TY UNBUNDLED LOCAL LOOP	<del> </del>	-	ODI, ODI CX	10DF 14		042.79	130.07	320.97	203.65		<b></b>				<b></b>
	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone		-		<del></del>											<del></del>
	DS3 Unbundled Local Loop - per mile	_		UE3	1L5ND	11.20										
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19						
<del></del>	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	11,20	54.15	203.47	120.20	00.13	ļ					
	STS-1 Unbundled Local Loop - Facility Termination	<del> </del>		UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19	<del> </del>					
ENHANCED E	XTENDED LINK (EELs)		-		ODLOT	000.55	707.10	200.47	120.20	00.19	·	·				
	rk Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37	<del></del>	i				
<del></del>	2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-Wire VG Loop (SL2) in Combination - Zone 4			UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	-		UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	i		UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						·
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	l		UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	<del> </del>	<del></del>				
	4-Wire Analog Voice Grade Loop in Combination - Zone 4			UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	<del> </del>					
	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37				·		<i></i>
	2-Wire ISDN Loop in Combination - Zone 2	l		UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		l	<u> </u>			
	2-Wire ISDN Loop in Combination - Zone 3	t		UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37	t					
<del></del>	2-Wire ISDN Loop in Combination - Zone 4			UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	<del> </del>					r
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<del> </del>		UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	<del> </del>	-		<del> </del>		ſ
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	<del> </del>		UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64			-	ļ		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4	<del>                                     </del>		UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64	<del> </del>					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	<del> </del>					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	<del> </del>		UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64	<u> </u>			<del></del>		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	l		UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	-					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4			UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64				<del> </del>		
	4-Wire DS1 Digital Loop in Combination - Zone 1	<b></b>		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		<b>-</b>				
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	<u> </u>					
	4-Wire DS1 Digital Loop in Combination - Zone 3	<del></del> -		UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	<del> </del>					
	4-Wire DS1 Digital Loop in Combination - Zone 4	<del></del>		UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	·					Γ
	DS3 Local Loop in combination - per mile	<del> </del>		UNC3X	1L5ND	11.20	255.83	130.45	40.10	12.07	<del></del>					
<del></del>	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	326.15	454.13	265.47	123.23	86.19		-				i
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	11.20	404.13	205.47	123.23	66.19	<del></del>	· · · · · · · · · · · · · · · · · · ·				
	STS-1 Local Loop in combination - per fille			UNCSX	UDLS1	338.55	454.13	265.47	123.23	86.19	<del> </del>	<del> </del>				
	1010-1 Godar Goop in Combination - Pacifity Termination	L	1	UNCOA	JUDIOI	330.55	404.13	200.47	123.23	00.19	L	L				

UNBUNDLED N	IETWORK ELEMENTS - Mississippi												Attachment 2	2 Exh A:		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
ļ							Nonrec		Nonrecurring					Rates(\$)		
<del>  </del>	1-1					Rec	First	Addʻl	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>	Interoffice Channel in combination - 2-wire VG - per mile	<b></b>		UNCVX	1L5XX	0.0098										
	Interoffice Channel in combination - 2-wire VG - Facility Termination			UNCVX	U1TV2	20.32	40.77					l	!		1	
<del></del>	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0098	40.77	27.57	17.26	7.11						
<u> </u>	Interoffice Channel in combination - 4-wire VG - Facility	<del> </del>		ONCVA	TESAA	0.0096						ļ				
	Termination			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11	ļ	i				
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0098			11.20	7.11						
	Interoffice Channel in combination - 4-wire 56 kbps - Facility															
	Termination			UNCDX	U1TD5	14.04	40.77	27.57	17.26	7.11			l i			
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0098										
	Interoffice Channel in combination - 4-wire 64 kbps - Facility				İ											
<del></del>	Termination Interoffice Channel in combination - DS1 - per mile			UNCDX UNC1X	U1TD6	14.04	40.77	27.57	17.26	7.11						
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	1L5XX U1TF1	0.201 51.72	89.79	00.00	10.00	1100						
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	4.76	89.79	82.28	16.86	14.90						
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	579.12	280.37	163.70	62.08	60.29				-		
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	4.76			02.00	00.20	<del></del>		l			
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	581.21	280.37	163.70	62.08	60.29						
	ETWORK ELEMENTS							-								
Option	al Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,			}									
	Activity - per DS1	. 1		UNC1X, USL	NRCCC		184.60	23.78	1.96	0.76						
	C-bit Parity Option - Subsequent Activity - per DS3			Ú1TD3, ULDD3, UE3, UNC3X	NRCC3	1	218.72	7.00	0.7004							
	DS1 to DS0 Channel System per month	-		UNC1X	MQ1	102.85	91.57	7.66 62.94	0.7201	0.00						
	DS3 to DS1 Channel System per month			UNC3X, UNCSX	MQ3	170.63	179,17	94.52	10.87 34.30	10.10 32.82						
	Voice Grade COCI in combination	· · · · ·		UNCVX	1D1VG	0.5737	6.62	4.74	34.30	32.02						
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1.5.110	0.0107	0.02	7.77			<u> </u>					
	used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1											
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	1,22	6.62	4.74								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1	0.00	4 74								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODE	וטוטט	1.22	6.62	4.74								
	month (2.4-64kbs) used for connection to a channelized DS1		1													
	Local Channel in the same SWC as collocation			UITUD	1D1DD	1.22	6.62	4,74								
1	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	2.62	6.62	4.74								
	2-wire ISDN COCI (BRITE) - for Local Loop			UDN	UC1CA	2.62	6.62	4.74							-	
	2-wire ISDN COCI (BRITE) - for connection to DS1 Local															
	Channel in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
	DS1 COCI in combination DS1 COCI - for Local Channel			UNC1X	UC1D1	12.96	6.62	4,74								
	DS1 COCI - for Local Channel DS1 COCI - for Interoffice Channel			ULDD1 U1TD1	UC1D1	12.96	6.62	4.74								
<del>  </del>	DS1 COCI - for Interoffice Channel DS1 COCI - for Loop			USL.	UC1D1 UC1D1	12.96 12.96	6.62 6.62	4.74 4.74								
	DS1 COCI - for DS1 Local Channel in the same SWC as		-+		55101	12.90	0.02	4.74	<del>                                     </del>							
	collocation			U1TUA	UC1D1	12.96	6.62	4.74						I		
				UNCVX, U1TVX, UNCDX, U1TDX, UNC1X, U1TD1,UNC3X, U1TD3, UNCSX,			3.02									
.	M/h-landa to LINE. Cuitat. As to Communica Obs			U1TS1,				_								
	Wholesale to UNE, Switch-As-Is Conversion Charge			UDF,UDFCX	UNCCC	LL	5.63	5.63								

UNBUNDLE	NETWORK ELEMENTS - Mississippi				· · · · · · · · · · · · · · · · · · ·								Attachment 2	Evh A	I	
										-	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
		m		500	0300			HATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
<b>,</b>	}	1	1								1	ì	Electronic-	Electronic- Add'l	Electronic- Disc 1st	Electronic-
<del></del>			<u> </u>												DISC 1St	Disc Add'l
-			ļ		ļ	I	Nonrec			g Disconnect		,		Rates(\$)		
		<del> </del>	<del> </del>	U1TVX, U1TDX.		Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, SNE SAI, Single Network		1	U1TD1, U1TD3,												-
ļ	Element - Switch As Is Non-recurring Charge, per circuit (LSR)	1		U1TS1, UDF, UE3	URESL		36.87	16.14		ŀ						
!	Unbundled Misc Rate Element, SNE SAI, Single Network	ļ		U1TVX, U1TDX,								<del></del>				
	Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet	Ι,	1	U1TD1, U1TD3,	LIDEOD	į į			ļ	l	į	ļ	!		ļ	ţ
<del></del>	UNE Reconfiguration Change Charge per Circuit	-	<del> </del>	U1TS1, UDF, UE3 UNC1X	URESP		1.49	1.49			ļ					<u></u>
	UNE Reconfiguration Change Charge per Circuit Project	<del>  '-</del>	<del> </del> -	UNCIX	UNERC	<del>                                     </del>	35.00	35.00			ļ					
	Managed	1		UNC1X	URERP		1.49	1.49			i		ľ			ĺ
Acce	ss to DCS - Customer Reconfiguration (FlexServ)						1,40	1.43	<del></del>	<del> </del>					<del></del> .	
	Customer Reconfiguration Establishment						1.49		1.90	<del>                                     </del>	<del> </del>	<del> </del>				<del> </del>
	DS1 DCS Termination with DS0 Switching DS1 DCS Termination with DS1 Switching		-			20.81	25.69	19.77	17.15	13.79					·	
	DS3 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching	<del> </del>	—-		ļ	10.73	18.57	12.65	12.60	9.24						
Servi	ce Rearrangements		+		<b> </b>	145.05	25.69	19.77	17.15	13.79	-					
		<del></del>	_	U1TVX, U1TDX,		<del> </del>			<del>-</del>		ļ					
İ			1	UEA, UDL, U1TUC.	1	! I			l			,				1
- 1			1	U1TUD, U1TUB,												1
ŀ			İ	ULDVX, ULDDX,	[		l									1
l	NRC - Change in Facility Assignment per circuit Service			UNCVX, UNCDX,	i											l .
	Rearrangement		<u> </u>	UNC1X	URETD		100.90	42.96								l .
ŀ		i		U1TVX, U1TDX,	}		1									
ļ		1	<b>\</b>	UEA, UDL, U1TUC, U1TUD, U1TUB,	1	<b>!</b> !	ł		}	1	1		1		l	1
İ				ULDVX, ULDDX,												l .
ļ	NRC - Change in Facility Assignment per circuit Project			UNCVX, UNCDX,	l			i		1						l
	Management (added to CFA per circuit if project managed)	1	l	UNC1X	URETB		1.28	1.28								l .
	NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X	OCOSR		18.87	18.87		-						
COMMINGLI	VG															·
1			ì	UNCVX, UNCDX,												
i				UNC1X, UNC3X,		1										i
1	1.	1	ł .	UNCSX, U1TD1, U1TD3, U1TS1,	ì	1	1			1				!		ł
ŀ				UE3, UDLSX,						1						ł
			l	U1TVX, U1TDX,		1	i									í
1				U1TUB, ULDVX,	1											i
			ŀ	ULDD1, ULDD3,		]										i
	Commingling Authorization			ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00	i i					i
Com	ningled (UNE part of single bandwidth circuit)															
	Commingled VG COCI Commingled Digital COCI			XDV2X, NTCVG	1D1VG	0.5737	6.62	4.74								1
	Commingled ISDN COCI			XDV6X, NTCUD XDD4X	1D1DD UC1CA	1.22	6.62	4.74		ļ	ļi					ļ
	Commingled 135N COCI			XDV2X	UCTCA U1TV2	2.62 22.52	6.62 40.77	4.74 27.57	17.00	ļ						
	Commingled 4-wire VG Interoffice Channel		-	XDV6X	U1TV4	19.79	40.77	27.57	17.26 17.26	7.11 7.11			·			
	Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	15.68	40.77	27.57	17.26	7.11						
	Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	15.68	40.77	27.57	17.26	7.11						
				XDV2X, XDV6X,												
	Commingled VG/DS0 Interoffice Channel Mileage		L	XDD4X	1L5XX	0.0098										l
	Commingled 2-wire Local Loop Zone 1 Commingled 2-wire Local Loop Zone 2			XDV2X	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Commingled 2-wire Local Loop Zone 2  Commingled 2-wire Local Loop Zone 3	<u> </u>		XDV2X XDV2X	UEAL2 UEAL2	18.75	105.96	68.28	52.82	10.37					· · · · · · · · · · · · · · · · · · ·	
	Commingled 2-wire Local Loop Zone 4			XDV2X	UEAL2	27.55 45.72	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37						
	Commingled 4-wire Local Loop Zone 1			XDV6X	UEAL4	27.47	132.27	94.59	60.68	10.37						
	Commingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	38.26	132.27	94.59	60.68	14.64	ļ					
	Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Commingled 4-wire Local Loop Zone 4		4	XDV6X	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Commingled 56kbps Local Loop Zone 1			XDD4X	UDL56	27,44	126.53	88.85	60.68	14.64						
	Commingled 56kbps Local Loop Zone 2 Commingled 56kbps Local Loop Zone 3			XDD4X	UDL56	34.55	126.53	88.85	60.68	14.64						
	Toominingled bokups Local Loop Zone 3		ತ	XDD4X	UDL56	40.76	126.53	88.85	60.68	14.64						

INBUNDLED I	NETWORK ELEMENTS - Mississippi												Attachment 2			<del> </del>
														Incremental		
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		١	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
ATEGORY	HATE ELEMENTS	m	1200								po. 2011		Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'I	Disc 1st	Disc Add
			ļ				Nonrecu		Nonrecurring	Disconnect Add'1	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		<u> </u>	ļ			Rec	First	Add'l	First 60.68	14.64	SOWIEC	SOWAIN	SOWAN	JONAN	John	
	Commingled 56kbps Local Loop Zone 4		1	XDD4X XDD4X	UDL56 UDL64	32.25 27.44	126.53 126.53	88.85 88.85	60.68	14.64						
	Commingled 64kbps Local Loop Zone 1			XDD4X XDD4X	UDL64	34.55	126.53	88.85	60.68	14.64	<del> </del>					
	Commingled 64kbps Local Loop Zone 2	1	2	XDD4X	UDL64	40.76	126.53	88.85	60.68	14.64			<del> </del>		<del> </del>	<del> </del>
	Commingled 64kbps Local Loop Zone 3	<del> </del>	3						60.68	14.64		<del> </del>	<u> </u>			<del>                                     </del>
	Commingled 64kbps Local Loop Zone 4	ļ	4	XDD4X	UDL64	32.25	126.53	88.85 79.92	52.82	10.37		<del> </del>			· · · · ·	
	Commingled ISDN Local Loop Zone 1	ļ	1	XDD4X	U1L2X	21.01	117.61									+
	Commingled ISDN Local Loop Zone 2	1	2	XDD4X	U1L2X	27.59	117.61	79.92	52.82	10.37		ļ	<u> </u>			<del> </del>
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	37.34	117.61	79.92	52.82	10.37			ļ		<del> </del>	<del> </del>
	Commingled ISDN Local Loop Zone 4		4	XDD4X	U1L2X	59.18	117.61	79.92	52.82	10.37				<u> </u>		
	Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	12.96	6.62	4.74				ļ			ļ	<del> </del>
	Commingled DS1 Interoffice Channel			XDH1X	U1TF1	57.33	89.79	82.28	16.86	14.90						<b>↓</b>
	Commingled DS1 Interoffice Channel Mileage	ŀ	T	XDH1X	1L5XX	0.201										
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	102.85	91.57	62.94	10.87	10.10		l		~		
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	79.08	253.93	158.45	46.10	12.07						
<del></del>	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Commingled DS1 Local Loop Zone 3	+	3	XDH1X	USLXX	206.74	253.93	158.45	46.10	12.07			1			
	Commingled DS1 Local Loop Zone 4	1	4	XDH1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Commingled DS1 Local Loop Zone 4  Commingled DS3 Local Loop	1	+	HFQC6	UE3PX	326.15	454.13	265.47	123.23	86.19	·	1				
		+	<del> </del>	HFQC6, HFRST	1L5ND	11.20	10,110									
	Commingled DS3/STS-1 Local Loop Mileage	<del> </del>	<del> </del>	HFRST	UDLS1	338.55	454.13	265.47	123.23	86.19		<del>                                     </del>	1			
	Commingled STS-1 Local Loop	<del> </del>	-	HFQC6	MQ3	170.63	179.17	94.52	34.30	32.82	<del> </del>	<del>                                     </del>	<del> </del>		<del> </del>	
	Commingled DS3/DS1 Channel System	ļ	-					163.70	62.08	60.29	<del> </del>		<del> </del>			+
	Commingled DS3 Interoffice Channel			HFQC6	U1TF3	641.90	280.37	163.70	62.08	60.29	ļ	<del> </del>	<del> </del>		+	+
	Commingled DS3 Interoffice Channel Mileage	ļ		HFQC6	1L5XX	4.76		100 70	60.00	60,29		ļ	<del> </del>	<del></del>	+	+
	Commingled STS-1Interoffice Channel	ļ		HFRST	U1TFS	644.21	280.37	163.70	62.08	60.29			<b>.</b>		+	+
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	4.76									<del> </del>	+
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber						i				Į.					
	Strands, Per Route Mile Or Fraction Thereof		1	HEQDL	1L5DF	28.27								<u> </u>		<del> </del>
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		642.79	138.67	326.97	203.85						↓
GNALING (	CCS7)										l		1	<u></u>	<u></u>	
NOTE	"bk" beside a rate indicates that the parties have agreed to bi	II and k	eep foi	that element pursu	ant to the ter	ms and condition	ns in Attachme	ent 3.								
1,107.2	CCS7 Signaling Usage, Per TCAP Message	1	T			0.0000597bk										
	CCS7 Signaling Usage, Per ISUP Message	1	1-	<del> </del>		0.0000149bk										
NP Query Se		<del> </del>	<b>—</b>										T			
ve Guery Se	LNP Charge Per query	<del> </del>	+			0.0008477										
	LNP Service Establishment Manual	+	<del> </del>		<del> </del>	0.0000111	12.59	12.59	11.58	11.58	<u> </u>					T
		+	<del> </del>				596.94	304.96	270.49	198.89		<b>†</b>	† · · · · · · · ·			T
	LNP Service Provisioning with Point Code Establishment	<del> </del>	+-	<u> </u>	<del></del>		330.34	004.50	270.10	100.00	+		†·			1
1 PBX LOC		<del></del>	-								<del> </del>	<del> </del>	<del>                                     </del>	-		_
911 P	BX LOCATE DATABASE CAPABILITY	1		app DO	ODDELL -		1,822.00				+	<del> </del>	<del> </del>		·	1
	Service Establishment per CLEC per End User Account		+-	9PBDC	9PBEU						1	+	<del> </del>	<del>                                     </del>		+
	Changes to TN Range or Customer Profile		1	9PBDC	9PBTN		182.29			<del> </del>	<del> </del>		1	+	<del> </del>	+
	Per Telephone Number (Monthly)	_L		9PBDC	9PBMM	0.07					<b></b>	+	<del> </del>	<del> </del>	<del> </del>	+
	Change Company (Service Provider) ID			9PBDC	9PBPC		535.11				<del> </del>		-		-	+
	PBX Locate Service Support per CLEC (Monthit)	⊥		9PBDC	9PBMR	178.43					<del> </del>	ļ		<del> </del>	+	
	Service Order Charge			9PBDC	9PBSC		15.75			<u> </u>			ļ	ļ		+
911 P	BX LOCATE TRANSPORT COMPONENT	<u> </u>								L			<b>↓</b>	<b> </b>		+
See A											J		1	1		
1000	Rates displaying an "I" in Interim column are interim as a res	10 - 4 -	<del></del>	Indian and a												

OUBOUDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(			•		Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sy Order vs. Electronic Disc Add
		-	┼			Rec		curring		g Disconnect		,		Rates(\$)		
		<del> </del>	<del> </del>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "	Zone" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographicall	v Deaveraged U	INF Zones To	view Geogram	hically Deaver	aged LINE Zon	n Docionatio	no by Cont	rol Office rofe		Website	
http://	/www.interconnection.bellsouth.com/become_a_clec/html/inte	rconnec	tion.h	tm	o grap moun	, Douvelagea C	AVE EUTICS: 10	view deograp	incarry beaver	aged ONE 2011	e Designant	ons by Cent	rai Office, refe	er to internet	website:	
OPERATIONS	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"								T	Γ				1	T	
NOTE	: (1) CLEC should contact its contract negotiator if it prefers the	ne "state	e speci	fic" OSS charges as	ordered by	the State Comm	nissions. The	OSS charges of	urrently conta	ned in this rat	e exhibit are	the BellSo	uth "regional"	" service orde	ering charges.	CLEC may
elect	either the state specific Commission ordered rates for the serv	ice orde	ering cl	narges, or CLEC may	y elect the re	gional service	ordering charg	je, however, C	LEC can not of	otain a mixture	of the two	regardless i	CLEC has a	interconnecti	ion contract e	stablished
each	of the 9 states.															
that o	: (2) Any element that can be ordered electronically will be bill	led acco	ording	to the SOMEC rate li	isted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be ordere	ed electronica	ally. For those	e elements
SOMA	annot be ordered electronically at present per the LOH, the list AN, will be applied to a CLECs bill when it submits an LSR to E	ted SON	IEC rat	e in this category ref	flects the ch	arge that would	d be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Other	erwise, the ma	anual ordering	g charge,
	OSS - Electronic Service Order Charge, Per Local Service	- Sout	T -				1	T			· · · · · · · · · · · · · · · · · · ·	т		T		
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	1					
1	OSS - Manual Service Order Charge, Per Local Service Request															
LINE CEDVICE	(LSR) - UNE Only E DATE ADVANCEMENT CHARGE	<u> </u>			SOMAN		15.20	0.00	15.20	0.00						
	: The Expedite charge will be maintained commensurate with	BallSau	th'e E	C No 1 Tariff Contin	on F on anni	achla										
1012	The Expedite charge will be maintained commensurate with	L	lin s Fe	UAL, UEANL, UCL,	on 5 as appil	cable.								ļ		
i		!		UEF, UDF, UEQ.	l						1					
				UDL, UENTW, UDN,			1		1							
1		1		UEA, UHL, ULC,					1	1			İ	İ		
1			1	USL, U1T12, U1T48,	1				ļ							
				U1TD1, U1TD3,					1							
				U1TDX, U1TO3, U1TS1, U1TVX,		1			İ						l i	
		1		UC1BC, UC1BL,		i l					1			1		
			1	UC1CC, UC1CL,	l											
				UC1DC, UC1DL,					1				j			
				UC1EC, UC1EL,	I								i			
			ļ	UC1FC, UC1FL,	l	!										
			l	UC1GC, UC1GL,												
		l		UC1HC, UC1HL, UDL12, UDL48,		1 1			i							
			i	UDLO3, UDLSX,		!									1 1	
				UE3, ULD12,					ŀ							
				ULD48, ULDD1,												
		i	i i	ULDD3, ULDDX,												
- 1				ULDO3, ULDS1,		!										
			i i	ULDVX, UNC1X,												
İ		i		UNC3X, UNCDX,	!											
1				UNCNX, UNCSX, UNCVX, UNLD1,	1								i			
				UNLD3, UXTD1,												
				UXTD3, UXTS1,												
1		1		U1TUC, U1TUD,	}											
i				U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,												
ORDER MODI	Day FICATION CHARGE	-		NTCUD, NTCD1	SDASP		200.00									
J. IDELT WOOD	Order Modification Charge (OMC)				<del></del>		26.21	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)						0.00	0.00	0.00	0.00	<u> </u>					
	EXCHANGE ACCESS LOOP						0.00	0.00	0.00	0.00						
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEAL2	10.82	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2				UEAL2	16.21	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	24.08	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL UEANL	UEASL	10.82 16.21	36.54 36.54	16.87 16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEASL	24.08	36.54	16.87								
	In this virging voice drade roop - Service rever in Zone 3		. 3	CEAINL	UEASL	24.08	36.54	16.87					i			

UNBUN	DLE	NETWORK ELEMENTS - North Carolina												Attachment: 2	2 Exh A		l
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$)			Su	bmitted :	Svc Order Submitted Manually per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecu	ırring	Nonrecurring Disco	nnect				Rates(\$)		
			ļ	L			nec	First	Add'l	First A	dd'I S	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u> </u>		Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour		ļ	UEANL UEANL	URETL URET1		8.93	0.88								
		Loop Testing - Basic Additional Half Hour	<del>                                     </del>		UEANL	URETA		33.17 19.28	0.00 19.28								
		Manual Order Coordination for UVL-SL1s (per loop)		ļ —	UEANL	UEAMC		7.92	7.92								<del> </del>
		Order Coordination for Specified Conversion Time for UVL-SL1	ł			- CEP THE		7.52	7.52								
		(per LSR)			UEANL	OCOSI.		17.56		l l							
I		Unbundled Non-Design Voice Loop, billing for BST providing													-		
<u> </u>		make-up (Engineering Information - E.I.)		<u></u>	UEANL	UEANM		13.04	13.04								1
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1) Bulk Migration, per 2 Wire Voice Loop-SL1	ļ	ļ	UEANL UEANL	UREWO	ļ	15.74	8.92								
<del></del>		Bulk Migration, per 2 Wire Voice Loop-SE1  Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1	<del> </del>		UEANL	UREPM		36.54	16.87								
2-	-WIRE	Unbundled COPPER LOOP	<del> </del>		DEMIL	UNEPW	<del> </del>	7.92	7.92								<b> </b>
<del>                                   </del>		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10,93	35.27	15.60								<del> </del>
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	-	2	UEQ	UEQ2X	12.75	35.27	15.60	<del></del>							<del></del>
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	13.92	35.27	15.60			-					
		Tag Loop at End User Premise			UEQ	URETL		8.93	0.88								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	0.00			1					
L .		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		7.92	7.92								
		Unbundled Copper Loop - Non-Design, billing for BST providing				1											
		make-up (Engineering Information - E.I.)		<u> </u>	UEQ	UEQMU		13.04	13.04								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.23	7,41	ľ		- 1					İ
		Bulk Migration, per 2 Wire UCL-ND	-		UEQ	UREPN	<del>                                     </del>	35.27	15.60								ļ
		Bulk Migration Order Coordination, per 2 Wire UCL-ND	<del> </del>	<del> </del>	UEQ	UREPM	-	7.92	7.92		+						
UNBUNDI		XCHANGE ACCESS LOOP			-	OTILET IN		7.52	1.52								<del></del>
2-	WIRE	ANALOG VOICE GRADE LOOP	-				<u> </u>									-	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1_	UEA	UEAL2	11.96	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					ľ										
L		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.36	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	i														l
		Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3_	UEA	UEAL2	25.23	102.10	65.72								
		Battery Signaling - Zone 1		١,	UEA	UEAR2	11.96	102.10	65.72								ĺ
<del>                                     </del>		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	ULATIE	11.50	102.10	05.72								
		Battery Signaling - Zone 2		2	UEA	UEAR2	17.36	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	25.23	102.10	65.72					-			
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ī													
		DS0)	L		UEA	URESL		25.03	3.53								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
		DS0)		L	UEA	URESP		26.52	5.02								
<u> </u>		CLEC to CLEC Conversion Charge without outside dispatch	ļ		UEA	UREWO		87.49	36.26								<b></b>
<del>  </del>		Loop Tagging - Service Level 2 (SL2)			UEA	URETL.	-	11.20	1.10								ļ
		Bulk Migration, per 2 Wire Voice Loop-SL2  Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA UEA	UREPM		0.00	65.72								<b></b>
	WIRE	ANALOG VOICE GRADE LOOP	<del> </del>	-	UEA	UMEPIVI	<del> </del>	0.00	0.00								<del> </del>
<del>-</del> -		4-Wire Analog Voice Grade Loop - Zone 1	<b></b>	1	UEA	UEAL4	19.52	127.40	91.02						-		<del> </del>
		4-Wire Analog Voice Grade Loop - Zone 2	<b> </b>	2	UEA	UEAL4	24.74	127.40	91.02					· · · · · ·			
		4-Wire Analog Voice Grade Loop - Zone 3	l		UEA	UEAL4	46.11	127.40	91.02								
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	l													
		DS0)			UEA	URESL		25.03	3.53								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per							-								
<b></b>		DS0)		<u> </u>	UEA	URESP	<b>.</b>	26.52	5.02								<b> </b> '
J		CLEC to CLEC Conversion Charge without outside dispatch	ļ		UEA	UREWO		87.49	36.26								<b></b> -
	WINE	ISDN DIGITAL GRADE LOOP	L	Щ.	L		L					i					L

JNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	,	Nonrecurring	Direc	Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+	Rec	First	Add'I	First	Add'I	COME	COMMAN			COMANI	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 1	<del> </del>	<del>-</del> -	UDN	U1L2X	19.78	113,34	76.96	First	Addi	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
<del>}</del>	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	26.16	113.34	76.96								ļ
	2-Wire ISDN Digital Grade Loop - Zone 3	<del> </del>		UDN	U1L2X	35.37	113.34	76.96								<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch		۳-	UDN	UREWO	00.07	91.39	44.04								<del> </del>
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF		JOHNE WO		31.00	77.07								
	2 Wire Unbundled ADSL Loop including manual service inquiry			T					,						<del> </del>	<del>                                     </del>
	& facility reservation - Zone 1		1_	UAL	UAL2X	10.14	117.08	68.36								1
!	2 Wire Unbundled ADSL Loop including manual service inquiry		1													
	& facility reservation - Zone 2		2_	UAL	UAL2X	11.59	117.08	68.36					i			
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		١,	UAL		40.00										
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL.	UAL2X	12.28	117.08	68.36							<u> </u>	
1	facility reservation - Zone 1		1	UAL	UAL2W	10.14	92.83	56.02	1		i i					ļ
	2 Wire Unbundled ADSL Loop without manual service inquiry &		<del></del>	0, 2	JALETT	10.14	32.03	50.02			<del></del>					
-	facility reservaton - Zone 2		2	UAL	UAL2W	11.59	92.83	56.02								
	2 Wire Unbundled ADSL Loop without manual service inquiry &				-									•		
	facility reservaton - Zone 3		3	UAL	UAL2W	12.28	92.83	56.02							ļ	1
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		78.06	32.38								
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
- 1	2 Wire Unbundled HDSL Loop including manual service inquiry				1 1											
	& facility reservation - Zone 1		1_	UHL	UHL2X	7.95	125.50	76.77								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	0.45	105.50	70.77					į		Į	1
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	9.15	125.50	76.77			-					
	& facility reservation - Zone 3		3	luhl	UHL2X	9.53	125.50	76.77					i			i i
	2 Wire Unbundled HDSL Loop without manual service inquiry	-	-	OTIL	UNLZA	9.55	125.50	76.77								
Į.	and facility reservation - Zone 1	ŀ	1	luhl	UHL2W	7.95	101.24	64.43	ĺ			,				i
	2 Wire Unbundled HDSL Loop without manual service inquiry	-														
	and facility reservation - Zone 2		2_	UHL	UHL2W	9.15	101.24	64.43	]				1			
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	9.53	101.24	64.43								
	CLEC to CLEC Conversion Charge without outside dispatch		L	UHL	UREWO		78.00	32.38								
4-WIH	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA  4 Wire Unbundled HDSL Loop including manual service inquiry	HIBLE I	OOP													
	and facility reservation - Zone 1	1	1	UHL	UHL4X	11.01	153.26	104.54	]							
	4-Wire Unbundled HDSL Loop including manual service inquiry			Oric	Unlay	11.01	153.20	104.54								
	and facility reservation - Zone 2		2	UHL	UHL4X	12.20	153.26	104.54								
-	4-Wire Unbundled HDSL Loop including manual service inquiry				- U		190.20									
	and facility reservation - Zone 3		3	UHL	UHL4X	13.49	153.26	104.54							Į	Į.
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	11.01	129.00	92.20								
ĺ	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	12.20	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry			l											ŀ	Į.
	and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch	·	3	UHL	UHL4W UREWO	13.49	129.00 78.00	92.20 32.38			ļ					
4-MID	RE DS1 DIGITAL LOOP	<del> </del>	<u> </u>	UTL	UHEWO		78.00	32.38								<b>_</b>
4-WIH	4-Wire DS1 Digital Loop - Zone 1	<b></b>	1-	USL	USLXX	63.62	245,16	152.98							<del> </del>	
	4-Wire DS1 Digital Loop - Zone 2	<b> </b>	2		USLXX	104.40	245.16	152.98							<b></b>	
	4-Wire DS1 Digital Loop - Zone 3		3_		USLXX	210.22	245.16	152.98								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	]													I	
	DS1)		L	USL	URESL		25.03	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)	<b>.</b>		USL	URESP		26.52	5.02							L	
4 1805	CLEC to CLEC Conversion Charge without outside dispatch RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<u> </u>	<u> </u>	USL	UREWO		100.82	42.93							ļ	<u> </u>
4-WIH	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	<b></b>	-	UDL	UDL2X	21.98	121.86	85.48							<del> </del>	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	<del> </del>		UDL	UDL2X	27.58	121.86	85.48								

NBUNDLE	D NETWORK ELEMENTS - North Carolina			1							leur out	Com Cont	Attachment:		Ingramant-1	Ingrement
FEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
			<u> </u>		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			UDL.	UDL4X UDL4X	21.98 27.58	121.86 121.86	85.48 85.48		ļ	ļ			<del></del>		<del> </del>
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	43.08	121.86	85.48		<del>                                     </del>	<del> </del>					<b>——</b>
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	21.98	121.86	85.48	-		<del> </del>					
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	UDL	UDL9X	27.58	121.86	85.48			<u> </u>					
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	43.08	121.86	85.48								ļ
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL.	UDL19	21.98	121.86	85.48								<del></del>
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		3	UDL	UDL19 UDL19	27.58 43.08	121.86 121.86	85.48 85.48		ļ	<del> </del>					├──
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL.	UDL56	21.98	121.86	85.48		<del> </del>	-					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	27.58	121.86	85.48			1					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	43.08	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	21.98	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	27.58	121.86	85.48		ļ	<b></b>					<b></b>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	43.08	121.86	85.48			<del> </del>					<b></b>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UDL.	URESL		25.03	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URESP		26.52	5.02								
	CLEC to CLEC Conversion Charge without outside dispatch		ļ	UDL	UREWO		101.86	49.62		ļ	-					-
Z-WIRE	Unbundled COPPER LOOP  2-Wire Unbundled Copper Loop-Designed including manual		-				-			<del> </del>	<del> </del>					
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.14	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual			1					-		1					
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.59	116.18	67.46								
	Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.28	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.14	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual										1				i .	
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.59	91.92	55.12								-
	2-Wire Unbundled Copper Loop-Designed without manual		3	UCL	UCLPW	12.28	91.92	55.12								
	service inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	12.20	61.38	61.38		<u> </u>						
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	002	0020					†···			, ,			
	(UCL-Des)			UCL	UREWO		89.06	34.45								
4-WIRE	COPPER LOOP		Ĺ													ļ
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	13.10	139.69	90.96								
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	15.17	139.69	90.96								
	4-Wire Copper Loop including manual service inquiry and facility				<u> </u>											
	reservation - Zone 3		3	UCL	UCL4S	17.03	139.69	90.96								
	4-Wire Copper Loop without manual service inquiry and facility										1					
	reservation - Zone 1		1	UCL	UCL4W	13.10	115.43	78.63								<del></del>
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 2		2	ncr	UCL4W	15.17	115.43	78.63								
	4-Wire Copper Loop without manual service inquiry and facility		١,	UCL	UCL4W	47.00	115.10	78.63								
	reservation - Zone 3		3	UCL.	UCL4W UCLMC	17.03	115.43 61.38	61.38			<del></del>				<del>-</del>	<del> </del>
	Order Coordination for Unbundled Copper Loops (per loop)  CLEC to CLEC Conversion Charge without outside dispatch		<del> </del>	OOL .	COLIVIO		01.56	01.00		1	<del>                                     </del>	-				
	(UCL-Des)			UCL	UREWO		89.06	34.45					l			
	Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, UHL, UDL, USL	OCOSL		17.56									
Rearra	ngements															
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2			UEA	UREEL		87.49	36.26								
-			T			•					T	l				

UNBUN	NDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	s)			Submitted	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						<del> </del>		Nonrec	urring	Nonrecurring	g Disconnect	ļ		OSS	Rates(\$)	l	<u> </u>
							Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.39	44.04								00
1		EEL to UNE-L Retermination, per 4 Wire Unbundled Digital															
		Loop			UDL	UREEL		101.86	49.62			ŀ					
UNIELO	OR CO	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL.		100.82	42.93								
		ANALOG VOICE GRADE LOOP - COMMINGLING				ļ. <u> </u>											
	- 441112	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<u> </u>								<del>                                     </del>						
		Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	11.96	102.10	er 70		1						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<b>—</b> —		NIOVA	OLALZ	11.90	102.10	65.72								
		Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.36	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or						102.10	00.72								<del> </del>
		Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	25.23	102.10	65.72			i					İ
- 1	- 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1	L	1	NTCVG	UEAR2	11.96	102.10	65.72				1				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.		1											
$\rightarrow$		Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.36	102.10	65.72		L_			L			1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		_	NITONIO												
<del></del>		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NTCVG	UEAR2	25.23	102.10	65.72								
		DS0)		1	NTCVG	URESL											
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NICVG	UHESL		25.03	3.53			ļ					
		DS0)		l	NTCVG	URESP	ľ	26.52	5.02	}		i i					
		CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.49	36.26								
		Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.20	1.10								
1	-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING							1110		<del></del>						-
		4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	19.52	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG	UEAL4	24.74	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	46.11	127.40	91.02								
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per													, <del></del> .		
		DS0)			NTCVG	URESL		25.03	3.53								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)															
		CLEC to CLEC Conversion Charge without outside dispatch			NTCVG NTCVG	URESP		26.52	5.02								
		DS1 DIGITAL LOOP			NICVG	UREWO		87.49	36.26								
		4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	63.62	245.16	152.98								
		4-Wire DS1 Digital Loop - Zone 2	-		NTCD1	USLXX	104.40	245.16	152.98								ļ
		4-Wire DS1 Digital Loop - Zone 3			NTCD1	USLXX	210.22	245.16	152.98								
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
		DS1)			NTCD1	URESL		25.03	3.53		l						
- 1		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
		DS1)			NTCD1	URESP		26.52	5.02								
<del> </del> ,		CLEC to CLEC Conversion Charge without outside dispatch 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			NTCD1	UREWO		100.82	42.93								
4		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	LIDIOV	04.00										
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X UDL2X	21.98 27.58	121.86 121.86	85.48						-		
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			NTCUD	UDL2X	43.08	121.86	85.48 85.48								
<u> </u>		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			NTCUD	UDL4X	21.98	121.86	85.48								
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	27.58	121.86	85.48								
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	43.08	121.86	85.48			<del></del>					<del> </del>
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	21.98	121.86	85.48						-		l
		5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	27.58	121.86	85.48		<u> </u>						
		6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD	UDL9X	43.08	121.86	85.48								
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL19	21.98	121.86	85.48						-		
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2			NTCUD	UDL19	27.58	121.86	85.48								
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	43.08	121.86	85.48								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			NTCUD	UDL56	21.98	121.86	85.48								
				2	NTCUD NTCUD NTCUD	UDL56 UDL56 UDL56	21.98 27.58 43.08	121.86 121.86 121.86	85.48 85.48 85.48								

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina	Γ	Τ	1							Svc Order	Svc Order	Attachment: Incremental	2 Exh A Incremental	Incremental	Incrementa
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$)				Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecu		Nonrecurring D					Rates(\$)		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	27.58	First 121,86	Add'l 85.48	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	43.08	121.86	85.48				-				-
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per						12.1.00	00.10			i	*				
	DS0)			NTCUD	URESL		25.03	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCUD	URESP		26.52	5.00								
	CLEC to CLEC Conversion Charge without outside dispatch		<del> </del>	NTCUD	UREWO		101.86	5.02 49.62								<del> </del>
				NTCVG, NTCUD,	0112110		101.00	10.02								
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		17.56									
LOOP MODIF	ICATION	ļ	<u> </u>	LINE COLOR				, ,								ļ
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS, UEQ	ULM2G		0.00	0.00								
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1													
	pair greater than 18k ft	ļ		UCL	ULM4G		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
SUB-LOOPS	per unbundled loop	<b></b> _	-	UEPSB	ULMBT		12.15	12.15								ļ
	oop Distribution				1											<del> </del>
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		144.09									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	İ		UEANL, UEF	USBSB		10.99	10.99								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder		<b></b>	OLANE, OLI	03030		10.99	10.33						_		
	Facility Set-Up			UEANL	USBSC		86.16									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD		27.13	27.13								
	Zone 1		1	UEANL	USBN2	6.70	63.89	30.06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<del>-</del>		30D, 4Z	0.70	00.00	30.00								<del> </del>
	Zone 2		2	UEANL	USBN2	9.93	63.89	30.06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL.	USBN2	12.79	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	10.81	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1											
	Zone 2		2	UEANL	USBN4	14.16	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	24.67	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	1	7.92	7.92	1							
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.34	51.48	17.65								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	L		UEANL UEANL	USBMC USBR4	4.18	7.92 57.54	7.92 23,71								
	1949-2000 4-Wile Intraodicting Network Cable (INC)			OCAINE	USBH4	4.18	57.54	23.71	-							<del> </del>
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	- [	7.92	7.92								
			_		+						·					
Service	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA		33.17 19.28	0.00 19.28			1					

CINDOIADE	ED NETWORK ELEMENTS - North Carolina		r										Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$					Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<b></b>		UEF	UCS2X	8.04	63.89	30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u> </u>	3	UEF	UCS2X	9.79	63.89	30.06								
1				İ	1											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<u> </u>	UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	6.34	76.75	42.92			<u> </u>					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<b>├</b>	3	UEF UEF	UCS4X	9.62	76.75	42.92			<u> </u>	<u> </u>				
	4 Wire Copper Gribandied Sub-Loop Distribution - Zone 3	<del> </del> -	-3	UEF	UCS4X	13.04	76.75	42.92								
, }	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	LIODAGO	1	1		)	1	)	1	ì	)		
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	<del> </del>		UEF	USBMC		7.92	7.92			ļ					
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.00			1					
	Loop Testing - Basic 1st Half Hour		<del> </del>	UEF, GEAINE	URET1			0.88								
	Loop Testing - Basic Additional Half Hour	-		UEF	URETA		33.17 19.28	0.00 19.28			<del></del>					
Unbi	undled Sub-Loop Modification	<del> </del> -	<del> </del>	OLI	ORETA		19.28	19.28			-					
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		╆		<del> </del>				<del></del>		<del> </del>					
	Coil/Equip Removal per 2-W PR	[	1	IUEF	ULM2X	1	0.00	0.00	}		1	1	1			
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	<del>                                     </del>	<del></del>	OC.	OLIVIZA		0.00	0.00								
1	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00			1		l i			
	Unbundled Loop Modification, Removal of Bridge Tap, per		<del>                                     </del>		OLIVITA		0.00	0.00	<u> </u>							
	unbundled loop			UEF	ULMBT	l l	224.55	4.29								
Unbu	undled Network Terminating Wire (UNTW)		-	<u> </u>	TOEWID!		224.55	4.23		·-	-					
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.51	14.72	14.72			<del> </del>	<del></del>		<del></del>		
Netw	rork Interface Device (NID)	<b></b>	ļ		1	0.01	17.72	17.72				ļ		-		
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69			<del> </del>					
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127.93	98.21			+	<del> </del>				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73			<del> </del>					
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73				<b></b>				
UNE OTHER	, PROVISIONING ONLY - NO RATE				1						<b> </b>	<b></b>				
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF		0.00									
-	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL, NTCD1	CCOEF		0.00						[			
<del></del>	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP MAKE																
1	Loop Makeup - Preordering Without Reservation, per working or				l									i		
	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility			l	1									ŀ		
	queried (Manual).			UMK	UMKLP		24.70	24.70								
į į	Loop MakeupWith or Without Reservation, per working or	l			l	ĺ		ì	l i		i i	i i	1	)	Ì	
	spare facility queried (Mechanized)		<b>-</b>	UMK	UMKMQ		0.19	0.19								
LINE COLUMN	3110				1							. ,				
LINE SPLITT												!	I			
	USER ORDERING-CENTRAL OFFICE BASED			LIEDOD LIEDOD	LUDEGO											
	USER ORDERING-CENTRAL OFFICE BASED  [Line Splitting - per line activation DLEC owned splitter]			UEPSR UEPSB	UREOS	0.61	15.53	7.79								
	USER ORDERING-CENTRAL OFFICE BASED  Line Splitting - per line activation DLEC owned splitter  Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6409	17.97	10.29								
END	USER ORDERING-CENTRAL OFFICE BASED Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual															
END	USER ORDERING-CENTRAL OFFICE BASED  Line Splitting - per line activation DLEC owned splitter  Line Splitting - per line activation BST owned - physical  Line Splitting - per line activation BST owned - virtual  USER ORDERING - REMOTE SITE LINE SPLITTING			UEPSR UEPSB	UREBP	0.6409	17.97	10.29								
END END UNBI	USER ORDERING-CENTRAL OFFICE BASED  Line Splitting - per line activation DLEC owned splitter  Line Splitting - per line activation BST owned - physical  Line Splitting - per line activation BST owned - virtual  USER ORDERING - REMOTE SITE LINE SPLITTING  UNDLED EXCHANGE ACCESS LOOP			UEPSR UEPSB	UREBP	0.6409	17.97	10.29								
END END UNBI	USER ORDERING-CENTRAL, OFFICE BASED  Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual USER ORDERING - REMOTE SITE LINE SPLITTING UNDLED EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP			UEPSR UEPSB	UREBP	0.6409	17.97	10.29								
END END UNBI	USER ORDERING-CENTRAL OFFICE BASED  Line Splitting - per line activation BLEC owned splitter  Line Splitting - per line activation BST owned - physical  Line Splitting - per line activation BST owned - virtual  USER ORDERING - REMOTE SITE LINE SPLITTING  UNDLED EXCHANGE ACCESS LOOP  RE ANALOG VOICE GRADE LOOP  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.6409 0.6325	17.97 17.87	10.29 10.29	0.00	0.00						
END END UNBI	USER ORDERING-CENTRAL, OFFICE BASED  Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual USER ORDERING - REMOTE SITE LINE SPLITTING UNDLED EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP		1	UEPSR UEPSB	UREBP	0.6409	17.97	10.29	0.00	0.00						

UNBUND	LEC	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	5)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						<del> </del>		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	L	<del></del>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ŀ	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2  2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	-	2	UEPSR UEPSB	UEALS	16.21	36.54	16.87	0.00	0.00	<u> </u>			<u> </u>		
	- [	2 whre Analog voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	40.04	20.54	10.07							]	1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEPSH UEPSB	UEABS	16.21	36.54	16.87	0.00	0.00					ļ	ļ
	- 1	Zone 3		3	UEPSR UEPSB	UEALS	24.08	36.54	16.87	0.00	0.00		i		]		
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	T	1		1	2.100	00.0	10.01		0.00	<del> </del>			<del> </del>	<del></del>	<del> </del>
		Zone 3		3	UEPSR UEPSB	UEABS	24.08	36,54	16.87	0.00	0.00					l	
PHY		AL COLLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		İ	LIEBOD LIEBOD	554.5											
VIE		L COLLOCATION		<del> </del>	UEPSR UEPSB	PE1LS	0.0309	19.77	14.95	0.00	0.00						ļ
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line		<del> </del>		<del> </del>					<del></del>						<del> </del>
		Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00					1	
		EDICATED TRANSPORT				T	313231	30.00	02.00	0.00	0.00						<del> </del> -
INT		FFICE CHANNEL - DEDICATED TRANSPORT															
	!	Interoffice Channel - 2-Wire Voice Grade - per mile			UtTVX	1L5XX	0.0095										
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.12	39.36	26.62								
_		Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0095										
	- Iı	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			UITVX	U1TR2	12.12	39.36	26.62						1		1
		Interoffice Channel - 4-Wire Voice Grade - per mile	<del> </del>		UITVX	1L5XX	0.0095	39.36	20.02						ļ		
						11	0.0000										<del></del>
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.19	39.36	26.62								1
	1	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0095										
		Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	7.47	39.37	26.62								
		Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0095										
		Interoffice Channel - 64 kbps - Facility Termination Interoffice Channel - DS1 - per mile	<del> </del>		U1TDX U1TD1	U1TD6	7.47	39.37	26.62								<del></del>
		Interoffice Channel - DS1 - Facility Termination			UITDI	1L5XX U1TF1	0.1938	86.69	79.44								<del>                                     </del>
		Interoffice Channel - DS3 - per mile	<b>—</b>	-	U1TD3	1L5XX	4.44	00.09	79.44								<b></b>
		Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	329.91	270.69	158.05								
		Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	4.44										
		Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	339.20	270.69	158.05								
		Y UNBUNDLED LOCAL LOOP		<u> </u>													
DS-3		S-1 UNBUNDLED LOCAL LOOP - Stand Alone			UE0	1											
		DS3 Unbundled Local Loop - per mile DS3 Unbundled Local Loop - Facility Termination		ļ	UE3 UE3	1L5ND UE3PX	12.95 229.90	438.46	050.00								ļ
		STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	12.95	438.46	256.30			<del> </del>					·
		STS-1 Unbundled Local Loop - Facility Termination		<u> </u>	UDLSX	UDLS1	257.82	438.46	256,30				<del></del>				l
UNE	BUNE	DLED DARK FIBER		L		1											
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		Γ													
		Route Mile Or Fraction Thereof		<u> </u>	UDF, UDFCX	1L5DF	24.77										
1		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		1	UDE LIDEON												1
ENHANCED		Route Mile Or Fraction Thereof TENDED LINK (EELs)		├	UDF, UDFCX	UDF14		620.60	133.88								
		Elements Used in Combinations		<del> </del>		<del> </del>											t
,,,,,,		2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	11.96	385.26	72.08								· · · · · · · · · · · · · · · · · · ·
		2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.36	385.26	72.08								i
	2	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	25.23	385.26	72.08						<del></del>		
		4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	19.52	385.26	72.08								I
		4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	24.74	385.26	72.08								
		4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	46.11	385.26	72.08								
		2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2			UNCNX UNCNX	U1L2X	19.78	385.26	72.08								
		2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X U1L2X	26.16 35.37	385.26 385.26	72.08		<del></del>	<b> </b>					
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	21.98	385.26	72.08 72.08								
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	-		UNCDX	UDL56	27.58	385.26	72.08								
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	43.08	385.26	72.08								

UNBUND	LED NETWORK ELEMENTS - North Carolina									······································			Attachment;	2 Exh A		I
CATEGORY		Interi m	Zone	BCS	usoc		RATES(\$)					Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			L.,			Rec	Nonrect			g Disconnect			oss	Rates(\$)		,
		<del></del>	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	21.98	385.26	72.08								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2     4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<del> </del>		UNCDX	UDL64 UDL64	27.58 43.08	385.26 385.26	72.08			ļ					
	4-Wire DS1 Digital Loop in Combination - Zone 1	+	1	UNC1X	USLXX	63.62	412.03	72.08 139.55								
	4-Wire DS1 Digital Loop in Combination - Zone 2	+	2	UNC1X	USLXX	104.40	412.03	139.55								
	4-Wire DS1 Digital Loop in Combination - Zone 3	+		UNC1X	USLXX	210.22	412.03	139.55			<del>                                     </del>					
	DS3 Local Loop in combination - per mile		1	UNC3X	1L5ND	12.95										
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	229.90	3,073.55	1,245.84			†					
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	12.95										
	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	257.82	3,073.55	1,245.84								
	Interoffice Channel in combination - 2-wire VG - per mile	ļ		UNCVX	1L5XX	0.0095										
	Interoffice Channel in combination - 2-wire VG - Facility			LINGVA	14270 65	[										
	Termination Interoffice Channel in combination - 4-wire VG - per mile	<del> </del>	$\vdash$	UNCVX	U1TV2 1L5XX	12.12 0.0095	131.81	78.34		ļ	L					
	Interoffice Channel in combination - 4-wire VG - Facility		<del> </del>	UNCVA	ILSAA	0.0095										
ı	Termination	1		UNCVX	U1TV4	10.19	131.81	78.34		i						l
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	+	<b>-</b> -	UNCDX	1L5XX	0.0095	131.01	70.04								
	Interoffice Channel in combination - 4-wire 56 kbps - Facility		1								<del>                                     </del>					
	Termination	İ		UNCDX	U1TD5	7.47	131.81	78.34								
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0095										
	Interoffice Channel in combination - 4-wire 64 kbps - Facility															
	Termination			UNCDX	U1TD6	7.47	131.81	78.34						_		
	Interoffice Channel in combination - DS1 - per mile		<u> </u>	UNC1X	1L5XX	0.1938										
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	31.06	234.02	162.52								
<del></del>	Interoffice Channel in combination - DS3 - per mile		ļ	UNC3X	1L5XX	4.44										
	Interoffice Channel in combination - DS3 - Facility Termination Interoffice Channel in combination - STS-1 - per mile			UNC3X UNCSX	U1TF3 1L5XX	329.91	802.81	146.02								
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	U1TFS	4.44 339.20	802.81	146.02		ļ						
ADDITIONA	L NETWORK ELEMENTS	+		UNCSA	UTIFS	339.20	802.81	146.02								
	ional Features & Functions:	<del> </del>	<b>-</b>		+ +						<del> </del>					
		1		U1TD1,	1											
	Clear Channel Capability Extended Frame Option - per DS1	<u> </u>	)	ULDD1,UNC1X	CCOEF	1	0.00				1		]			
		1		U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	ــــــــــــــــــــــــــــــــــــــ		ULDD1,UNC1X	CCOSF		0.00							i		
- 1	Clear Channel Capability (SF/ESF) Option - Subsequent	1.		ULDD1, U1TD1,	1						1					
	Activity - per DS1	<u> </u>	-	UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78						
- 1	C-bit Parity Option - Subsequent Activity - per DS3	1.		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.92	7.00	0.7570							
	DS1/DS0 Channel System		-	UNC1X	MQ1	70.84	170.57	7.66	0.7576	0.00						
<del></del>	DS3/DS1Channel System	+		UNC3X	MQ3	84.32	170.57							+		
<del></del>	Voice Grade COCI in combination	<del> </del>		UNCVX	1D1VG	0.4329	54,14	17.51			<del> </del>					
	Voice Grade COCI - for Local Loop	<b> </b>		UEA	1D1VG	0.4329	54.14	17.51		·						
	Voice Grade COCI - for connection to a channelized DS1 Local	<b> </b>												-		
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.4329	54.14	17.51			i					
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	0.9199	54.14	17.51								
	OCU-DP COCI (2.4-64kbs) - for Local Loop			UDL	1D1DD	0.9199	54.14	17.51								
ŀ	OCU-DP COCI (2.4-64kbs) - for connection to a channelized				ļ., l	1										
_	DS1 Local Channel in the same SWC as collocation	-		U1TUD	1D1DD	0.9199	54.14	17.51								
	2-wire ISDN COCI (BRITE) in combination	+	ļ	UNCNX UDN	UC1CA UC1CA	1.53	54.14	17.51		ļ- <del></del> -			}			
<del></del>	2-wire ISDN COCI (BRITE) - for Local Loop  2-wire ISDN COCI (BRITE) - for connection to a channelized	+	<b></b>	UUN	JUCICA	1.53	54.14	17.51			<b>  </b>					
	DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.53	54.14	17.51	ļ							
	DS1 COCI in combination	+		UNC1X	UC1D1	8.43	54.14	17.51			<del>  </del>					
	DS1 COCI - for Local Loop	1		USL	UC1D1	8.43	54.14	17.51			<del>  </del>					
	DS1 COCI - for connection to a channelized DS1 Local Channel	1			1-3.5.		57.14	17.31		<del></del>	<del> </del>					
i	in the same SWC as collocation	1		U1TUA	UC1D1	8.43	54.14	17.51					j			
	DS1 COCI - for Interoffice Channel DS1 COCI - for Local Channel		L_	U1TD1 ULDD1	UC1D1 UC1D1	8.43	54.14	17.51	I			l	i	1	Ī	

UNBUNDLED 1	NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$	;)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	urring	Nonrecurrin	g Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
W	holesale - UNE, Switch-As-Is Conversion Charge			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST	UNCCC		38.39	17,64								
Ele	nbundled Misc Rate Element, SNE SAI, Single Network ement - Switch As Is Non-recurring Charge, per circuit (LSR) nbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		36.90	16.15								
Ele ch	ement - Switch As Is Non-recurring Charge, incremental large per circuit on a spreadsheet			U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESP		1,49	1,49								
Access to	DCS - Customer Reconfiguration (FlexServ)							···								
	ustomer Reconfiguration Establishment						1.43	1.43		1	····				l	
DS	S1 DCS Termination with DS0 Switching	L				21.64	24.81	19.09								
DS	S1 DCS Termination with DS1 Switching					7.34	17.93	12.22								
	S3 DCS Termination with DS1 Switching					136.07	24.81	19.09								
Node (Syr																
	ode per month earrangements			UNCDX	UNCNT	16.00				<u> </u>						
Re	GC - Change in Facility Assignment per circuit Service earrangement  GC - Change in Facility Assignment per circuit Project			UEA, UDL, UTTUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX, UNCDX, UNCTX, UTTDX. UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, UNCDX, UNCVX, UNCDX,	URETD_		100.82	42.93								
Ma	anagement (added to CFA per circuit if project managed)	1		UNC1X	URETB		3.18	3.18								
	RC - Order Coordination Specific Time - Dedicated Transport	!			OCOSR		18.89	18,89		<u> </u>						
	NE Reconfiguration Change Charge per Circuit	!		UNC1X	URERC		35.00	35.00								
	NE Reconfiguration Change Charge per Circuit Project anaged	ſ,		UNC1X	URERP	1	3.18	3.18	ĺ	1	1 1		'		ì	
COMMINGLING				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TD1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX,				9.10								
	ommingling Authorization			ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00						,		
	led (UNE part of single bandwidth circuit)	<b>—</b>	<u> </u>	XDV2X, NTCVG	1D1VG	0.4329	54.14	17.51		ļ	<del>                                     </del>					
	ommingled Digital COCI	-		XDV6X, NTCVG	1D1VG 1D1DD	0.4329	54.14 54.14	17.51		<del> </del>					<del>                                     </del>	
	ommingled ISDN COCI	-		XDD4X	UC1CA	1.53	54.14	17.51		<del> </del>	<del>  </del>					
	ommingled 2-wire VG Interoffice Channel Facility Termination	<del> </del>	$\vdash$	XDV2X	U1TV2	12,12	131.81	78.34		<del> </del>		-				
	ommingled 4-wire VG Interoffice Channel Facility Termination	<b> </b>		XDV6X	U1TV4	10.19	131.81	78.34		<del>                                     </del>	<del>  </del>					
	ommingled 56kbps Interoffice Channel Facility Termination			XDD4X	U1TD5	7.47	131.81	78.34		<del> </del>	<del> </del>					
Co	ommingled 64kbps Interoffice Channel Facility Termination			XDD4X XDV2X, XDV6X,	U1TD6	7.47	131.81	78.34		ļ						
Co	ommingled VG/DS0 Interoffice Channel per mile ommingled 2-wire Local Loop Zone 1		1	XDD4X XDV2X	1L5XX UEAL2	0.0095 11.96	385.26	72.08								
	ommingled 2-wire Local Loop Zone 1	<b></b>		XDV2X	UEAL2	17.36	385.26	72.08		<del>                                     </del>					<del> </del>	

Version 2Q06 Standard ICA 06/13/06 Page 78 of 101

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$)	)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
1		<u> </u>	<del> </del>		<u> </u>	D	Nonrecu	urring	Nonrecurrin	g Disconnect	<del> </del>	L	OSS	Rates(\$)		l
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	25.23	385.26	72.08								
	Commingled 4-wire Local Loop Zone 1			XDV6X	UEAL4	19.52	385.26	72.08				T				
	Commingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	24.74	385.26	72.08								
	Commingled 4-wire Local Loop Zone 3	1		XDV6X	UEAL4	46.11	385.26	72.08								
	Commingled 56kbps Local Loop Zone 1	<u> </u>		XDD4X	UDL56	21.98	385.26	72.08		l						
	Commingled 56kbps Local Loop Zone 2			XDD4X	UDL56	27.58	385.26	72.08			}					
	Commingled 56kbps Local Loop Zone 3	<u> </u>		XDD4X	UDL56	43.08	385.26	72.08								
	Commingled 64kbps Local Loop Zone 1			XDD4X	UDL64	21.98	385.26	72.08			1					
	Commingled 64kbps Local Loop Zone 2			XDD4X	UDL64	27.58	385.26	72.08								
	Commingled 64kbps Local Loop Zone 3	ļ	3	XDD4X	UDL64	43.08	385.26	72.08			<u> </u>					
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	19.78	385.26	72.08								
	Commingled ISDN Local Loop Zone 2	ļ		XDD4X	U1L2X	26.16	385.26	72.08			ļ					
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	35.37	385.26	72.08								
	Commingled DS1 COCI	ļ	ļ	XDH1X, NTCD1	UC1D1	8.43	54.14	17.51		ļ						
	Commingled DS1 Interoffice Channel Facility Termination	<del> </del>	ļ	XDH1X	U1TF1	31.06	234.02	162.52		<b></b>					ļ	
	Commingled DS1 Interoffice Channel per mile	-		XDH1X	1L5XX	0.1938				<b>.</b>						
	Commingled DS1/DS0 Channel System		ļ.,	XDH1X	MQ1	70.84	170.57			<b>_</b>				_		
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	63.62	412.03	139.55			<b></b>					ļ
	Commingled DS1 Local Loop Zone 2	-	3	XDH1X	USLXX	104.40	412.03	139.55		ļ						ļ
	Commingled DS1 Local Loop Zone 3  Commingled DS3 Local Loop Facility Termination	+	3	XDH1X	USLXX	210.22	412.03	139.55						ļ		
	Commingled DS3/STS-1 Local Loop per mile	<del> </del>		HFQC6, HFRST	UE3PX 1L5ND	229.90	3,073.55	1,245.84			-					<b></b>
	Commingled STS-1 Local Loop Facility Termination	<b> </b>	├	HFRST	UDLS1	12.95 257.82	0.070.55	4.045.04		<u> </u>	-				-	
	Commingled DS3/DS1 Channel System	1	<del> </del>	HFQC6	MQ3	84.32	3,073.55	1,245.84			<del> </del>					
	Commingled DS3/DS1 Channel System  Commingled DS3 Interoffice Channel Facility Termination	-	<del> </del>	HFQC6	U1TF3	329.91	802.81	146.00						L		
	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	329.91	602.61	146.02	***					L		
	Commingled STS-1Interoffice Channel Facility Termination	<del> </del>	<del> </del>	HFRST	U1TFS	339.20	802.81	146.02			+					
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	339.20	802.81	146.02			+					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			ITENST	ILSAA	4,44					<del> </del>			L		
1	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	24.77					1				]	
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	-		INCOOL	TESDE	24.77				ļ					<b> </b>	
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		620.60	133.88			i					
	UNE to Commingled Conversion Tracking	<del> </del>		XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	1					
	SPA to Commingled Conversion Tracking	<del>†                                      </del>		XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
LNP Query Ser		<b> </b>	·	ADITIA, TII GOO	Civido:	0.00	0.00	0.00	0.00	0.00	<del> </del>					
1	LNP Charge Per query				<b>-</b>	0.0007579					· · · · · · · · · · · · · · · · · · ·					
	LNP Service Establishment Manual	<b>†</b>				0.0007070	12.16			† · · · · ·	<b>.</b>					
	LNP Service Provisioning with Point Code Establishment	<del>                                     </del>					576.33	294.43		<del> </del>	+	-				
911 PBX LOCA				-			0,0100	2011.0			<del> </del>					
	X LOCATE DATABASE CAPABILITY		_		1					-						
	Service Establishment per CLEC per End User Account	1		9PBDC	9PBEU		1,823.00			†	i –				<u> </u>	
	Changes to TN Range or Customer Profile	<del>                                     </del>		9PBDC	9PBTN	1	182.45			1	<del> </del>					· · · · · · · · · · · · · · · · · · ·
	Per Telephone Number (Monthly)	t		9PBDC	9PBMM	0.07				t	<del>                                     </del>					
1	Change Company (Service Provider) ID	<b>†</b>	l	9PBDC	9PBPC	T	535.57			† · · · · · · · · ·	1					
	PBX Locate Service Support per CLEC (Monthit)	<b>—</b> —	···	9PBDC	9PBMR	165.63	-55.51	-		<u> </u>	<u> </u>				<del>  </del>	
	Service Order Charge	T	T	9PBDC	9PBSC		15.20			1				-	1	
911 PB	X LOCATE TRANSPORT COMPONENT	T	<b> </b>							T	<del> </del>					
See Att		T	İ							1	1					
Note: E	Rates displaying an "I" in Interim column are interim as a resu	It of a C	ommis	sion order.	T	1					1					

UNR	UNDLE	D NETWORK ELEMENTS - South Carolina												Attachment	2 Evh *		
01401	CHULE	P HET WORK ELEMENTS - SOURI CATORINA			T	Т	ı					10		Attachment:			l
														Incremental		Incremental	
						1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	usoc		RATES(	\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			•••											Electronic-	Electronic-	Electronic-	Electronic
				1										1st	Add'l	Disc 1st	Disc Add'
L														150	Auu	Disc 1st	DISC MUU
							Rec	Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates(\$)	·	
						T	nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
											1						
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	eographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	Designation	ons by Centi	al Office refe	er to internet	Website:	
	http://v	www.interconnection.bellsouth.com/become a clec/html/inter	connec	tion.h	tm	• • •				,			,				
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	<u></u>	1	· · · · · · · · · · · · · · · · · · ·		T					1					
		(1) CLEC should contact its contract negotiator if it prefers the	o "ctate	cnoci	fic" OSS charges as	ordored by	ha Stata Comm	issions The	OCC =b======		1		L		L	·	01.50
	ologt o	ither the state exercise Commission ordered rates for the new	- 31416	s speci	harren - Ol CO	ordered by t	ile State Comin	nssions. The	Jos charges d	urrently conta	ined in this rat	e exhibit are	tne BellSol	utn "regional	service orac	ering charges.	. CLEC may
	GIOCI G	ither the state specific Commission ordered rates for the servi of the 9 states.	ce orue	ering c	narges, or CLEC may	elect the re	gionai service o	ordering charg	e, nowever, Ci	LEC can not of	otain a mixture	of the two	regardless if	CLEC has a	interconnecti	ion contract e	stablished
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate li	sted in this	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	f a product	can be order	ed electronica	ally. For those	e elements
	that ca	nnot be ordered electronically at present per the LOH, the list	ed SON	IEC rat	te in this category ref	flects the cha	arge that would	be billed to a	CLEC once el-	ectronic orderi	ng capabilities	come on-li	ne for that e	lement. Othe	erwise, the ma	anual ordering	g charge,
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	<u>ellS</u> out	th												•	•
		OSS - Electronic Service Order Charge, Per Local Service									T	T		· · · · · · · · · · · · · · · · · · ·			
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	1					
		OSS - Manual Service Order Charge, Per Local Service Request		T							1	· · · · · · · · · · · · · · · · · · ·			*		
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						ĺ
UNE S	ERVICE	DATE ADVANCEMENT CHARGE					· · · · · · · · · · · · · · · · · · ·					·	·				<del>-</del>
		The Expedite charge will be maintained commensurate with	BellSou	ith's F	CC No.1 Tariff, Section	on 5 as appli	cable.				1	Ι	· · · · · · · · · · · · · · · · · · ·				
	1			1	UAL, UEANL, UCL,	Т	1		-								
	İ			1	UEF, UDF, UEQ,	}						j					
					UDL, UENTW, UDN,											İ	
	1				UEA, UHL, ULC,							į					
	i				USL, U1T12, U1T48,	1											
					U1TD1, U1TD3,												
					U1TDX, U1TO3,						}						
					U1TS1, U1TVX.												
				1	UC1BC, UC1BL,						•					l .	
					UC1CC, UC1CL,												
					UC1DC, UC1DL,						•						
				i	UC1EC, UC1EL,												
				1	UC1FC, UC1FL,						İ						
	1				UC1GC, UC1GL,						i						
					UC1HC, UC1HL,												
	1				UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
				}	ULD48, ULDD1,												
				1	ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,							i .					
				1	UNCVX, UNLD1,												
					UNLD3, UXTD1,		i					-					
				i	UXTD3, UXTS1,		İ										
	1			I	U1TUC, U1TUD,	1											
	1			1	U1TUB,	1											
	1	UNE Expedite Charge per Circuit or Line Assignable USOC, per		1	U1TUA,NTCVG,	1										j	
		Day		1	NTCUD, NTCD1	SDASP		200.00									
ORDE	R MODIF	ICATION CHARGE		t	,			200.00			-						
		Order Modification Charge (OMC)		<b>!</b>				26.21	0.00	0.00	0.00					-	
		Order Modification Additional Dispatch Charge (OMCAD)		<del>                                     </del>		<del> </del>	-	150.00	0.00	0.00	0.00	L					
UNBLI		EXCHANGE ACCESS LOOP		<del>                                     </del>		<del> </del>		130.00	0.00	0.00	0.00		<b></b>		_	-	
		ANALOG VOICE GRADE LOOP		<del>                                     </del>		<del>                                     </del>											
~ <del>~~</del>	- ******	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32		<del>-</del>				
	<del> </del>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2		37.92									
	+						21.39		17.62	23.56	5.32						
	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32						
				2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32				1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	26.72	37.92	17.62	23.56	5.32						

Version 2Q06 Standard ICA 06/13/06

Page 80 of 101

JNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:			
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	;)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	oss	Rates(\$)	·	
						Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Tag Loop at End User Premise		1	UEANL	URETL.		8.95	0.88								
	Loop Testing - Basic 1st Half Hour			UEANL.	URET1		34.23	0.00			† · · · · · · · · · · · · · · · · · · ·	·				-
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								<u> </u>
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	***************************************	8.17	8.17								
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	OCOSL		18.13	18.13			1					
	Unbundled Non-Design Voice Loop, billing for BST providing		l									i				
	make-up (Engineering Information - E.I. )			UEANL	UEANM		13.47	13.47								
	CLEC to CLEC Conversion Charge Without Outside Dispatch						1									
	(UVL-SL1)			UEANL	UREWO		15.81	8.96	23.56	5.32						
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN		37.92	17.62	23.56	5.32						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		8.17	8.17								
2-WIRE	Unbundled COPPER LOOP				1						· · · · · · · · · · · · · · · · · · ·	<del></del>				
1	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4,42						<del>                                     </del>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						<del></del>
<u> </u>	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<del>                                     </del>	024	OEGEN	10.02	00.40	10.10	22.00	7.72						<del> </del>
1	Premise		1	UEQ	URETL	-	8.95	0.88								
	Loop Testing - Basic 1st Half Hour		-	UEQ	URET1		34.23	0.00								<del> </del>
	Loop Testing - Basic Additional Half Hour		-	UEQ	URETA	-	19.90	19.90								<del> </del>
	Manual Order Coordination 2 Wire Unbundled Copper Loop -			OEQ	UNLIA		19.90	19.90								<del> </del>
	Non-Designed (per loop)			UEQ	USBMC		8.17	0.17			l					
	Unbundled Copper Loop - Non-Design billing for BST providing			UEU	USBIVIC		0.17	8.17				ļ				
- }	make-up (Engineering Information - E.I.)		)	UEQ	UEQMU	,	40.47	40.47			J	ļ			J	
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEU	UEUNU		13.47	13.47				<b></b>				<del>                                     </del>
	(UCL-ND)			UEQ	UREWO		14.30	7.45	22.66	4.40						Į.
				UEQ	UREPN		36.40			4.42		ļ				ļ
	Bulk Migration, per 2 Wire UCL-ND Bulk Migration Order Coordination, per 2 Wire UCL-ND		ļ					16.10	22.66	4.42						
NEUNDI ED I	EXCHANGE ACCESS LOOP			UEQ	UREPM		8.17	8.17								
	ANALOG VOICE GRADE LOOP															<b>_</b>
2-WINE				-												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		Ι.													
	Ground Start Signaling - Zone 1		1 1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		l _		1											
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					ĺ	ſ				[					ĺ
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ŀ	1 1											1
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						L
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															ĺ
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
1	DS0)			UEA	URESL		24.88	3.51								1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
l l	DS0)		l i	UEA	URESP	1	26.37	4.99 (								ł
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1,10								
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		105.98	68.43							· · · · · ·	
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	-		UEA	UREPM		0.00	0.00								
	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		-				
<del>-</del>	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					5.50		300	00.00		<del> </del>					
	DS0)			UEA	URESL		24.88	3.51	1							1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				07,202		2.4.00	0.01				<del></del>				
ļ	DS0)			UEA	URESP		26.37	4.99								ĺ
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44								

UNB	UNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh A		
						1						Svc Order	Svc Order			Incremental	Incremental
												Submitted	1	Charge -	Charge -	Charge -	Charge -
CATE	GORY	DATE EL EMENTO	Interi	I_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RATES(\$	)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
			1	<b>!</b>				Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	OSS	Rates(\$)	l	L
							Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
<b>-</b>	<del></del>	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	ļ		UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
	<del> </del>	CLEC to CLEC Conversion Charge without outside dispatch	-	3	UDN	U1L2X UREWO	37.70	117.58 91.82	80.03 44.25	53.05	10.61						
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	PATIBLE	LOOP		IONEWO		91.62	44.25								
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	1	T	+						-		<del> </del>			<del> </del>
		& facility reservation - Zone 1	l	1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry								55.07	7.00			<del>                                     </del>	ł.———		
	ļ	& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	1	2 Wire Unbundled ADSL Loop including manual service inquiry				I											
<u> </u>	<del> </del>	& facility reservation - Zone 3	ļ	3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL												
	+	Wire Unbundled ADSL Loop without manual service inquiry &	<del> </del>	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93	ļ					
		facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	<del> </del>	-		JALL W	10.71	93.01	57.62	50.37	7.93	<del> </del>			<b></b>		
		facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48	00.07	7.00	-				-	
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP											<del>-</del>		
Ì		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop including manual service inquiry			l												
<b></b>	+	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
1		& facility reservation - Zone 3	1	3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry	<del></del>		OTIL	UTILZX	11.40	129.52	19.24	50.37	7.93					<del></del>	
		and facility reservation - Zone 1		1 1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
		2 Wire Unbundled HDSL Loop without manual service inquiry					0.00		00.00	30.07	7.50				-		
L	<u></u>	and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
1		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3		UHL2W	11.40	104.49	66.50	50.37	7.93						
	4.74000	CLEC to CLEC Conversion Charge without outside dispatch	<u></u>		UHL	UREWO		86.32	40.48								
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LOOP		ļ											
		and facility reservation - Zone 1	l	1	UHL	UHL4X	16.02	158.18	107.89	55.12	40.00	]					
-	<del>                                     </del>	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	UNL4A	16.02	156.16	107.89	55.12	10.38						
		and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158,18	107.89	55.12	10.38						
		4-Wire Unbundled HDSL Loop including manual service inquiry				1			107.00	00.12	10.00						
		and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
		4-Wire Unbundled HDSL Loop without manual service inquiry								""							
<u></u>	ļ	and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
		4-Wire Unbundled HDSL Loop without manual service inquiry			l	l	I T										
-	-	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry	-	2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
		and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	05.40		10.00						
	+	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO	16.84	133.14 86.32	95.16 40.48	55.12	10.38					-	
		DS1 DIGITAL LOOP			V. IL	STILVVO	<del></del>	00.02	40.48			<del> </del>					
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73				<u> </u>		
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	136.00	253.03	157.89	44.80	11.73						
		4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	229.15	253.03	157.89	44.80	11.73						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	ļ	DS1)		igwdown	USL	URESL		24.88	3.51								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			LIGI	Lupeca											
-		CLEC to CLEC Conversion Charge without outside dispatch			USL. USL	URESP UREWO		26.37	4.99								
-	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UHEWU		101.30	43.13								
<b>——</b>		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	-		UDL	UDL2X	29.93	126.66	89.12	59.35	14.61	<b>!</b>					
	1	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2		UDL2X	33.99	126.66	89.12	59.35	14.61						
						1 - 2 - 2 - 2 - 2	00.00	120.00	00,12	33.03	17,01	L					L

UNBUNDL	ED NETWORK ELEMENTS - South Carolina	-											Attachment:	2 Exh A	1	
0.1.201.22											Svc Order		Incremental		Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		l	İ								Elec	ř.	Manual Svc		1	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	ļ	RATES(\$	)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
On Eddin		m			5555			,			perLSH	perLSH				Electronic-
						ì						ŀ	Electronic-	Electronic-	Electronic-	
												İ	1st	Add'l	Disc 1st	Disc Add'l
I			<del> </del> -			<u> </u>	Nonrec	urrina	Nonrecurring	Disconnect		L	OSS	Rates(\$)	<del></del>	
			<b>-</b>	-		Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3	UDL	UDL2X	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1		1	UDL	UDL4X	29.93	126.66	89.12	59.35	14.61	1					
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UDL	UDL4X	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	34.74	126.66	89.12	59.35	14.61						,
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	29.93	126.66	89.12	59.35	14.61						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL9X	33.99	126.66	89.12	59.35	14.61					1	,
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	UDL.	UDL9X	34.74	126.66	89.12	59.35	14.61	1					1
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61					1	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2				UDL19	33.99	126,66	89.12	59.35	14,61						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	T		UDL	UDL56	29.93	126.66	89.12	59.35	14.61	<u> </u>					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1		UDL	UDL56	33.99	126.66	89.12	59.35	14.61				<del>  -                                   </del>		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	34.74	126.66	89.12	59.35	14.61				<u> </u>	T	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<b>—</b>		UDL	UDL64	29.93	126.66	89.12	59.35	14.61				l	<u> </u>	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1		UDL	UDL64	33.99	126.66	89.12	59.35	14.61					1	
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
ŀ	DS0)			UDL	URESL		24.88	3.51			•					
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		<del> </del>	332			255	0.01			-					
i	DS0)	1	1	UDL	URESP		26.37	4.99							1	
	CLEC to CLEC Conversion Charge without outside dispatch		<del> </del> -	UDL	UREWO	- 1	102.34	49.85						-		
2-WI	RE Unbundled COPPER LOOP	<del> </del>	<del> </del>		10.12.11											
	2-Wire Unbundled Copper Loop-Designed including manual		1		1						-					
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93	1				1	
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93	1					1
	2 Wire Unbundled Copper Loop-Designed including manual		<del> </del>		1											
	service inquiry & facility reservation - Zone 3		1 3	UCL.	UCLPB	14.14	119,91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual		<del> </del>													
- 1	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93	l					
	2-Wire Unbundled Copper Loop-Designed without manual		<del> </del>	000	1000	12.110		50.50	00.01	7.00						
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	<b>——</b>	+		1555			50.00	50.67	7.00						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14,14	94.87	56.89	50.37	7.93						1
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.17	8.17	33107				-			
	CLEC to CLEC Conversion Charge without outside dispatch		·		+											
	(UCL-Des)		1	UCL	UREWO		94.87	42.57								
4-WI	RE COPPER LOOP	·	<del></del>		31,21,5											
	4-Wire Copper Loop-Designed including manual service inquiry	·	<del> </del>													
	and facility reservation - Zone 1		1 1	UCL	UCL4S	19.64	144,17	93.88	55.12	10.38					ŀ	1
	4-Wire Copper Loop-Designed including manual service inquiry		<del></del>													
	and facility reservation - Zone 2	İ	1 2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38					ļ	1
	4-Wire Copper Loop-Designed including manual service inquiry	<del> </del>	<del>                                     </del>											-		
	and facility reservation - Zone 3	l	3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						1
	4-Wire Copper Loop-Designed without manual service inquiry		1	000	1000.0	70.01			00,12							
	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry		1													
	and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						1
	4-Wire Copper Loop-Designed without manual service inquiry	<b></b>	†- <u>-</u>	1	1						· · · · · · · · · · · · · · · · · · ·					ļ
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38					1	1
	Order Coordination for Unbundled Copper Loops (per loop)	·	1	UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch		t	1	1											
	(UCL-Des)			UCL	UREWO		94.87	42.57							ļ	1
		· · · · · · · · · · · · · · · · · · ·	1	UEA, UDN, UAL,	1			.2.07							1	
	Order Coordination for Specified Conversion Time (per LSR)	1	1	UHL, UDL, USL	OCOSL	1	18.13								1	1
Rear	rangements				1						· · · · · · · · · · · · · · · · · · ·					
1.00	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	<b></b>	<del> </del>		<del> </del>			-		-	····			· · ·	l	
ŀ	SL2	l	l	UEA	UREEL		87.90	36.44			1			1	1	1
	· · · · · · · · · · · · · · · · · · ·										•		·			<del></del>

UNBUNDLE	D NETWORK ELEMENTS - South Carolina							•					Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.90	36.44								
<b>.</b>	EEL to UNE-L Retermination, per 2 Wire SIDN Loop	1	<b>-</b>	UDN	UREEL		91.82	44.25			<del> </del>					<del> </del>
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital	<b>-</b>	<b></b>				01.52	11.20								
	Loop			UDL	UREEL	1	102.34	49.85								İ
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		101.30	43.13								
	OMMINGLING	<u> </u>	ļ													
2-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	ļ	1	NTCVG	UEAL2	16.68	105.98	68.43	53.05	10.61				_,		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	28.46	105.98	68.43	53.05	10.61						
<del>-   -</del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1 3	INTOVG	UEMLZ	20.46	105.98	00.43	53.05	10.61	<del>                                     </del>	<b> </b>				
	Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	NTCVG	UEAR2	16.68	105.98	68.43	53.05	10.61						
	Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61						
	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NTCVG	UEAR2	28.46	105.98	68.43	53.05	10.61	·					
	DS0)			NTCVG	URESI.		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		26.37	4.99			:			_		
	CLEC to CLEC Conversion Charge without outside dispatch	ļ	ļ	NTCVG NTCVG	UREWO		87.90 11.24	36.44								·
/-WID	Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE GRADE LOOP		-	NICVG	URETL		11.24	1.10								
4-17101	4-Wire Analog Voice Grade Loop - Zone 1	1	1	NTCVG	UEAL4	32.59	132.38	94.83	59.35	14,61					****	
	4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		26.37	4.99								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		87.90	36.44								
4-WIR	E DS1 DIGITAL LOOP - COMMINGLING															
	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	79.51	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	-	3	NTCD1 NTCD1	USLXX	136.00 229.15	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73						
+	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		-	NIODI	USLAA	223.13	233.03	137.09	44.00	11.73						-
	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCD1	URESL		24.88	3.51								
	DS1)			NTCD1	URESP		26.37	4.99								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCD1	UREWO	,	101.30	43.13								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				1											
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	NTCUD	UDL2X	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	NTCUD	UDL2X	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3	NTCUD	UDL2X	34.74	126.66	89.12	59.35	14.61	ļ					
<u> </u>	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	<b></b>	1	NTCUD	UDL4X	29.93	126.66	89.12	59.35	14.61 14.61		ļ				
<del></del>	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	-	3	NTCUD NTCUD	UDL4X UDL4X	33.99 34.74	126.66 126.66	89.12 89.12	59.35 59.35	14.61						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	29.93	126.66	89.12	59.35	14.61						<b> </b>
<del>                                     </del>	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	<del>                                     </del>		NTCUD	UDL9X	33.99	126.66	89.12	59.35	14.61	t	<b></b>			· · · · · · · · · · · · · · · · · · ·	<u> </u>
1	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD	UDL9X	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	I	3	NTCUD	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	29.93	126.66	89.12	59.35	14.61						

UNBUNDLE	NETWORK ELEMENTS - South Carolina						,						Attachment:	2 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>		<b></b>	ļ			Rec	Nonrect		Nonrecurring					Rates(\$)		1-201111
<del>   </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	34.74	First 126.66	Add'l 89.12	First 59.35	Add'l 14.61	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	29.93	126.66	89.12	59.35	14.61	<del>                                     </del>					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<del> </del>	2	NTCUD	UDL64	33.99	126.66	89.12	59.35	14.61		<del></del>				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	34.74	126.66	89.12	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)	ļ	<u> </u>	NTCUD	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NET COURT									1			
	CLEC to CLEC Conversion Charge without outside dispatch		├	NTCUD NTCUD	URESP		26.37 102.34	4.99								
	OLEO TO OLEO CONVENSION CHANGE WITHOUT OUTSIDE DISPARCIT			NTCVG, NTCUD,	UNEVVO		102.34	49.85					<del></del>		<del> </del>	<del> </del>
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		18.13									
LOOP MODIFIC					1	1						·				
	Unbundled Loop Modification, Removal of Load Coifs - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46								
1   '	less than or equal to 18K ft, per Unbundled Loop	İ		UHL, UCL, UEA	ULM4L		22.46	20.46								
<del> </del>	ress than or equal to 16K it, per Oribundied Loop		<b></b>	UAL, UHL, UCL,	ULIVIAL		32.46	32.46	-							ļ
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.48	32.48				Į				
SUB-LOOPS	- Pi-till at	<b>.</b>			<u> </u>											
	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		ļ <u>.</u>													
	Up			UEANL, UEF	USBSA		241.42	241.42						-		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	ļ		UEANL, UEF	USBSB		22.69	22.69								
	Facility Set-Up			UEANL	USBSC		177.84	177.84								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>														
	Set-Up			UEANL.	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
	120.00			OE/WE	OODINE	14.75	03.94	01.00	45.05	0.77						<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1_	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				1											
	Zone 3	<del></del>	3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANI.	USBMC	j	8.17	8.17			i i					1 1
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<u> </u>	<u> </u>	UEANL	USBR2	2.41	53.13	18.21	45.35	6.71	· · · · · ·		<b>-</b>			<del></del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL.	USBMC		8.17	8.17								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		<u> </u>	UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						L
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	0.47								I
	Loop Testing - Basic 1st Half Hour			UEANL UEANL	URET1		34.23	8.17 0.00	<del></del>					<u></u>		<del>                                     </del>
	Loop Testing - Basic Additional Half Hour	ļ · · · · ·	l	UEANL	URETA		19.90	19.90			t					<del> </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	7.11	65.94	31.03	45.35	6.71	<b></b>	L				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	L	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						

JNBUNDLF	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$	)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sw Order vs. Electronic Disc Add'l
			├			T	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		L
			<del> </del>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-			<del> </del>	<del> </del>	<del> </del>		11131	Addi	11131	Addi	JOINEC	JONAN	JOINAIT	JONAN	JOINAIT	JOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	ļ	UEF	USBMC		8.17	8.17	1							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	····	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09				<u> </u>		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<b></b>	2	UEF	UCS4X	14,17	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	l		UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
		·	<u> </u>		500 111		70.27	.,,,,,	10.02	0.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		İ													
	Designed and Distribution Subloops	1		UEF, UEANL	URETL		8.95	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.23	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	19.90								
Unbur	ndled Sub-Loop Modification					j										
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.17	5.11								
	Unbundled Loop Modification, Removal of Bridge Tap, per															
	unbundled loop		<u> </u>	UEF	ULMBT		278.82	6.13								
Unbur	ndled Network Terminating Wire (UNTW)		<u> </u>													
	Unbundled Network Terminating Wire (UNTW) per Pair		<u> </u>	UENTW	UENPP	0.3303	30.20	30.20								
Netwo	ork Interface Device (NID)		L													
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79								
	Network Interface Device (NID) - 1-6 lines		ļ	UENTW	UND16		64.42	49.53								
	Network Interface Device Cross Connect - 2 W		ļ	UENTW	UNDC2		5.92	5.92								
	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE		ļ	UENTW	UNDC4		5.92	5.92								
				UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												
	Unbundled Contact Name, Provisioning Only - no rate		ļ	NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate		ļ	USL, NTCD1	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -	ł	ĺ	l												
	no rate			USL, NTCD1	CCOEF	0.00	0.00									
	NID - Dispatch and Service Order for NID installation	<b>.</b>	ļ	UENTW	UNDBX	0.00	0.00									
000 1141/5	UNTW Circuit Establishment, Provisioning Only - No Rate		ļ	UENTW	UENCE	0.00	0.00									
OOP MAKE-U		<b>-</b>	<u> </u>													
	Loop Makeup - Preordering Without Reservation, per working or	İ		1.18.002	1.18.4921.187		04.04	04.04	i i							
-+	spare facility queried (Manual).	ł		UMK	UMKLW		24.04	24.04								
	Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLP		25.49	05.40								
	queried (Manual).			UIVIK	UWIKLP		25.49	25.49								
	Loop MakeupWith or Without Reservation, per working or		İ	UMK			0.34	0.04								
INE SPLITTI	spare facility queried (Mechanized)	<u> </u>	<del> </del>	UIVIK	UMKMQ		0.34	0.34						<b></b>	<del> </del>	
	JSER ORDERING-CENTRAL OFFICE BASED	<u> </u>	<b> </b>	<del> </del>	· · · · · ·			·					<del></del>			
LIVE	Line Splitting - per line activation DLEC owned splitter	<del> </del>	<del> </del>	UEPSR UEPSB	UREOS	0.61			ļ					<u> </u>	-	
<del></del>	Line Splitting - per line activation BST owned - physical	<u> </u>	<u> </u>	UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
	Line Splitting - per line activation BST owned - physical	<del> </del>	<del> </del> -	UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85				<del> </del>		
ENDI	JSER ORDERING - REMOTE SITE LINE SPLITTING	<u> </u>	$\vdash$	OL ON OLL OD	CHEDY	0.01	37,09	21.24	20.01	3.03					l	
	NDLED EXCHANGE ACCESS LOOP	<b></b>	<del> </del>												l	
10.100	E ANALOG VOICE GRADE LOOP	l	<b>†</b>	· ·	<u> </u>	-	ł		· · ·		-			<del> </del>		
2-W/IRI	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l -		t		<del>                                     </del>								<del> </del>		
2-WIR			1	I .	1			47.00	23.56	F 20	I			1		
2-WIR			1	LIEPSR LIEPSR	ILIEALS !	14041	37 02 1									
2-WIR	Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23,30	5.32				-		
2-WIR			1	UEPSR UEPSB UEPSR UEPSB	UEALS UEABS	14.94	37.92 37.92	17.62	23.56	5.32						

Version 2Q06 Standard ICA 06/13/06

Page 86 of 101

CCCS 313 of 597

ONBONDLE	D NETWORK ELEMENTS - South Carolina												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$	;)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
			<b>!</b>			Rec	Nonrec		Nonrecurring					Rates(\$)	!	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<b></b>		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32					:	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			OLI SIT OLI SD	OLADS	21.35	37.92	17.02	23.50	5.32						
	Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						i
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	i														
DUVE	Zone 3 CAL COLLOCATION		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32				_		
PHISI	Physical Collocation-2 Wire Cross Connects (Loop) for Line		├		<del></del>											ļ
	Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
VIRTU	AL COLLOCATION				1			11.00	0,01	0.10					<b> </b>	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
NIDIA ED	Splitting		<u> </u>	UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
	DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT	-												_		
	Interoffice Channel - 2-Wire Voice Grade - per mile		<del></del>	UITVX	1L5XX	0.0167										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination		<del>                                     </del>	U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	<b></b>		U1TVX	1L5XX	0.0167	.0.00		10.17	0.01					· ·	·
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination	<u> </u>	ļ	U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - 4-Wire Voice Grade - per mile		↓	U1TVX	1L5XX	0.0167										
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	ļ		UITVX	U1TV4	21.29	40.00	07.47	10.77	0.04						
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0167	40.63	27.47	16.77	6.91						
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - 64 kbps - per mile		1	U1TDX	1L5XX	0.0167	40.00	21.37	10.77	0.51				<del></del>		
	Interoffice Channel - 64 kbps - Facility Termination		1	U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.0167										
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel - DS3 - per mile		1	U1TD3	1L5XX	8.02										
	Interoffice Channel - DS3 - Facility Termination Interoffice Channel - STS-1 - per mile	ļ	<del> </del>	U1TD3 U1TS1	U1TF3 1L5XX	880.65 8.02	279.37	163.12	60.33	58.59						
	Interoffice Channel - STS-1 - Facility Termination	<del></del>	<del> </del>	U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						
UNBU	NDLED DARK FIBER		<del> </del>	01101	01113	860.33	219.01	103.12	60.33	50.59						
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	<del>                                     </del>	t —													
	Route Mile Or Fraction Thereof		1	UDF, UDFCX	1L5DF	36.41										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof	ļ	ļ	UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11						
	TY UNBUNDLED LOCAL LOOP TS-1 UNBUNDLED LOCAL LOOP - Stand Alone		ļ		ļ											
DS-3/S	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	12.26										
	DS3 Unbundled Local Loop - Facility Termination		1	UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
	STS-1Unbundled Local Loop - per mile		<del>                                     </del>	UDLSX	1L5ND	12.26	102.02	204.50	119.75	03.77			***			
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	KTENDED LINK (EELs)															
Netwo	rk Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1	ļ	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2 UEAL2	23.13 28.46	105.98	68.43	53.05	10.61						
<del>-  </del> -	4-Wire Analog Voice Grade Loop in Combination - Zone 1	<del> </del>	1	UNCVX	UEAL2 UEAL4	28.46 32.59	105.98 132.38	68.43 94.83	53.05 59.35	10.61						<u> </u>
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	<del>                                     </del>	2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	<del></del>	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						-
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	ļ	1_1_	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<del> </del>	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		3	UNCDX	UDL56 UDL64	34.74 29.93	126.66 126.66	89.12 89.12	59.35 59.35	14.61	ļ					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	├	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61	<b></b>					-

JNBUNDLF	ED NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh A		L
		1			'						Svc Order	Svc Order	Incremental		Incremental	Incrementa
		i										Submitted	Charge -	Charge -	Charge -	Charge -
			i													
ATEOODY.	DATE EL EMENTO	Interi	<b>-</b>	200	11000		DATEC/6	• • • • • • • • • • • • • • • • • • • •			Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	l m	Zone	BCS	usoc		RATES(\$	))			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		"	1									1	Electronic-	Electronic-	Electronic-	Electronic
			1		•							1	1st	Add'I	Disc 1st	Disc Add'l
			1		1							1	'''	Aug.	5.00 .00	5.007.007
T						-	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		-	-			
-+-	4-Wire DS1 Digital Loop in Combination - Zone 1	+	1	UNC1X	USLXX	79.51	253.03	157.89	44.80	11.73	-	<del> </del>				
	4-Wire DS1 Digital Loop in Combination - Zone 2	+	2	UNC1X	USLXX	136.00	253.03		44.80	11.73			<b></b>			
		ļ						157.89								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	229.15	253.03	157.89	44.80	11.73						
	DS3 Local Loop in combination - per mile	1		UNC3X	1L5ND	12.26										
	DS3 Local Loop in combination - Facility Termination	1		UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
i	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	12.26										
	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83,77						
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0167						· · · · · ·		-		
	Interoffice Channel in combination - 2-wire VG - Facility	+		0110171	120701	0.0107					<del> </del>			<del> </del>		
	Termination			UNCVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
							40.63	27.47	16.77	6.91			<b></b>	<u> </u>		
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0167					<u> </u>			L		
	Interoffice Channel in combination - 4-wire VG - Facility													1		
	Termination		i	UNCVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0167										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility															
	Termination	1	1	UNCDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
<del></del>	Interoffice Channel in combination - 4-wire 64 kbps - per mile	1-		UNCDX	1L5XX	0.0167	40.00	21.41	10.77	0.91						
				UNCDX	ILSXX	0.0167						ļ				
i	Interoffice Channel in combination - 4-wire 64 kbps - Facility	i			)						[					
	Termination	1	1	UNCDX	U1TD6	16.76	40.63	27.47	16.77	6.91					1	
	Interoffice Channel in combination - DS1 - per mile		]	UNC1X	1L5XX	0.0167										
	Interoffice Channel in combination - DS1 Facility Termination	T		UNC1X	U1TF1	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	8.02										
	Interoffice Channel in combination - DS3 - Facility Termination	<del> </del>	-	UNC3X	U1TF3	880.65	279.37	163.12	60.33	58.59	_					
$\longrightarrow$		<b> </b>					219.31	103.12	60.33	58.59						
	Interoffice Channel in combination - STS-1 - per mile	1		UNCSX	1L5XX	8.02										
	Interoffice Channel in combination - STS-1 Facility Termination		L	UNCSX	U1TFS	880.55	279.37	163.12	60.33	58.59						
ADDITIONAL	NETWORK ELEMENTS															
Optio	nal Features & Functions:															
				U1TD1,			,						1			
1	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1.UNC1X	CCOEF		0.00		i			Į.	Ì			
-+-	Orear Gridinier Gapability Extended France Option - per 801	<del> </del> '		UITD1.	10005		0.00						<b>.</b>			
	Class Channel Conshills Construction DC4				00005							ŀ				
	Clear Channel Capability Super FrameOption - per DS1	<u> </u>		ULDD1,UNC1X	CCOSF		0.00									
	Clear Channel Capability (SF/ESF) Option - Subsequent		l	ULDD1, U1TD1,					}							
	Activity - per DS1	11		UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78	L	L	L			
				U1TD3, ULDD3,		-										
	C-bit Parity Option - Subsequent Activity - per DS3	i	1	UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00				ļ		
	DS1/DS0 Channel System	Ť –	<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	DS3/DS1Channel System	+		UNC3X	MQ3	144.02	178.54	94.18	33.33		<del> </del>	ļ	ļ			
		<del> </del>							33.33	31.90						
	Voice Grade COCI in combination	ļ		UNCVX	1D1VG	0.56	6.59	4.73			ļ					
	Voice Grade COCI - for Local Loop	1	L	UEA	1D1VG	0.56	6.59	4.73								
	Voice Grade COCI - for connection to a channelized DS1 Local															
l	Channel in the same SWC as collocation	1		U1TUC	1D1VG	0.56	6.59	4.73					l			
	OCU-DP COCI (2.4-64kbs) in combination	1	· · ·	UNCDX	1D1DD	1,19	6.59	4.73	-				l			
	OCU-DP COCI (2.4-64kbs) - for Local Loop	<b>†</b>		UDL.	1D1DD	1.19	6.59	4.73			<del>                                     </del>		<u> </u>	<del></del>		
<del></del>	OCU-DP COCI (2.4-64kbs) - for connection to a channelized	+		UDL	10100	1,19	0.59	4.73			<b></b>					
		1			1.5.55				1		-		l			
$\longrightarrow$	DS1 Local Channel in the same SWC as collocation	-		U1TUD	1D1DD	1.19	6.59	4.73			[		ļ			
	2-wire ISDN COCI (BRITE) in combination		l	UNCNX	UC1CA	2.56	6.59	4.73	l .		į					
	2-wire ISDN COCI (BRITE) - for Local Loop	1	1	UDN	UC1CA	2.56	6.59	4.73								
	2-wire ISDN COCI (BRITE) - for connection to a channelized															
1	DS1 Local Channel in the same SWC as collocation	1		U1TUB	UC1CA	2.56	6.59	4.73			1					
	DS1 COCI in combination	1		UNC1X	UC1D1	8.64	6.59	4.73					l			
			<b></b>	USL									<b> </b>			
				USL	UC1D1	8.64	6.59	4.73			ļ	L				
	DS1 COCI - for Local Loop	<del> </del>														
	DS1 COCI - for connection to a channelized DS1 Local Channel	<b>†</b>											ŀ			
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI - for connection to a channelized DS1 Local Channel		-			8.64 8.64	6.59 6.59	4.73 4.73								

UNBUN	DLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh A		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RATES(\$					Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			1				Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates(\$)		
							1160	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,												
		Wholesale - UNE, Switch-As-Is Conversion Charge	<del></del>	ļ	HFRST	UNCCC		5.61	5.61								L
		Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network			U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3 U1TVX, U1TDX,	URESL		40.27	13.52								
		Element - Switch As Is Non-recurring Charge, incremental	1	}	, טודסו, טודס		1	1		<b>1</b>							1
		charge per circuit on a spreadsheet	ļ	4	U1TS1, UDF, UE3	URESP	1	23.80	12.11				<u> </u>				
A-		to DCS - Customer Reconfiguration (FlexServ)	ļ														
		Customer Reconfiguration Establishment DS1 DCS Termination with DS0 Switching	ļ				27.96	1.48	40.70	1.85							
		DS1 DCS Termination with DS1 Switching	<del> </del>	ļ <u>-</u>		· · · · · · · · · · · · · · · · · · ·	12.67	25.60 18.51	19.70 12.61	16.67 12.24	13.41 8.98		ļi				
		DS3 DCS Termination with DS1 Switching	<del> </del> -	-			176.51	25.60	19.70	16.67	13.41						
N,		SynchroNet)		1		<del> </del>	170.51	23.00	19.70	10.07	13.41	_					
		Node per month			UNCDX	UNCNT	14.55						-				
Sr	ervice	Rearrangements		1													
		NRC - Change in Facility Assignment per circuit Service Rearrangement	I		UITVX, UITDX, UEA, UDL, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX UITVX, UITDX,	URETD		101.30	43.13								
		NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	ı		UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.66	3.66								
		NRC - Order Coordination Specific Time - Dedicated Transport	Į .		UNC1X, UNC3X	OCOSR		18.90	18.90								
		UNE Reconfiguration Change Charge per Circuit	I		UNC1X	URERC		35.00	35.00								
		UNE Reconfiguration Change Charge per Circuit Project		1		LIDER											l
COMMING	CLINC	Managed	<u> </u>		UNC1X	URERP	<del> </del>	3.66	3.66								
		Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
Cc		ngled (UNE part of single bandwidth circuit)	<b></b>	ļ		L											
		Commingled VG COCI	1	<del> </del>	XDV2X, NTCVG	1D1VG	0.56	6.59	4.73								<u> </u>
+		Commingled Digital COCI Commingled ISDN COCI	<del> </del>	┼	XDV6X, NTCUD XDD4X	1D1DD UC1CA	1.19 2.56	6.59 6.59	4.73 4.73							<del></del>	
		Commingled 13DN COCI  Commingled 2-wire VG Interoffice Channel Facility Termination		+	XDV2X	U1TV2	24.30	40.63	27.47	16.77	6.91	-				<del></del>	
		Commingled 4-wire VG Interoffice Channel Facility Termination	<b>†</b>	1	XDV6X	U1TV4	21.29	40.63	27.47	16.77	6.91	ļ	<u> </u>				
				+		U1TD5	16.76	40.63	27.47	16.77	6.91	1					
		Commingled 56kbps Interoffice Channel Facility Termination	1	1	XDD4X	IOTTD5	10.70	40.00 [									
			<u> </u>		XDD4X	U1TD6	16.76	40.63	27.47	16.77	6.91						
		Commingled 56kbps Interoffice Channel Facility Termination		1													

JNBUNDLED N	ETWORK ELEMENTS - South Carolina												Attachment:	2 Exh A	1	1
					1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		1									Submitted		Charge -	Charge -	Charge -	Charge
											1		Manual Svc	Manual Svc		Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RATES(\$	1			Elec	Manually				1
ATEGORI	NATE ELEMENTS	m	Lone	003	0300		NATES(3	,			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		İ	l										Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	Disc Add
		<del>                                     </del>	<u> </u>												<u></u>	L
					ļ	Rec	Nonrec		Nonrecurring			r		Rates(\$)		
		<u> </u>	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	nmingled 2-wire Local Loop Zone 3			XDV2X	UEAL2	28.46	105.98	68.43	53.05	10.61						
	nmingled 4-wire Local Loop Zone 1			XDV6X	UEAL4	32.59	132.38	94.83	59.35	14.61						
	nmingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	43.89	132.38	94.83	59.35	14.61						
	nmingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	43.38	132.38	94.83	59.35	14.61						I
	mmingled 56kbps Local Loop Zone 1			XDD4X	UDL56	29.93	126.66	89.12	59.35	14.61						
Con	nmingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	33.99	126.66	89.12	59.35	14.61						
Con	nmingled 56kbps Local Loop Zone 3	]	3	XDD4X	UDL56	34.74	126.66	89.12	59.35	14.61					<u> </u>	
Con	nmingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	29.93	126.66	89.12	59.35	14.61	1				1	
	nmingled 64kbps Local Loop Zone 2			XDD4X	UDL64	33.99	126.66	89.12	59.35	14.61						
	nmingled 64kbps Local Loop Zone 3	1		XDD4X	UDL64	34.74	126.66	89.12	59.35	14.61	l				<b> </b>	<b></b>
	nmingled ISDN Local Loop Zone 1	1		XDD4X	U1L2X	25.21	117.58	80.03	53.05	10.61	<b>t</b>	<u> </u>			<b> </b>	ļ
	nmingled ISDN Local Loop Zone 2	1		XDD4X	U1L2X	32.76	117.58	80.03	53.05	10.61	<del> </del>				<del> </del>	<u> </u>
	nmingled ISDN Local Loop Zone 3	1		XDD4X	U1L2X	37.70	117.58	80.03	53.05	10.61	<del> </del>	<del> </del>			-	<del> </del>
	nmingled DS1 COCI	<del> </del>	<del>                                     </del>	XDH1X, NTCD1	UC1D1	8.64	6.59	4.73	55.05	10.01	<b>-</b>			_		<b></b>
	nmingled DS1 Interoffice Channel Facility Termination	<del>                                     </del>	<del> </del>	XDH1X	U1TF1	77.14	89.47	81.99	16.39	14.48						<b></b>
	nmingled DS1 Interoffice Channel per mile		<del>                                     </del>	XDH1X	1L5XX	0.0167	09.47	01.99	10.39	14,40						
	nmingled DS1/DS0 Channel System	<del> </del>	<del> </del>	XDH1X	MQ1	107.57	91.24	62.71	10.50	0.01	l					
	nmingled DS1/DS0 Charmer System	+	1						10.56	9.81						
				XDH1X	USLXX	79.51	253.03	157.89	44.80	11.73				. <u></u>		
	nmingled DS1 Local Loop Zone 2	ļ		XDH1X	USLXX	136.00	253.03	157.89	44.80	11.73	<b></b>					
	nmingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	229.15	253.03	157.89	44.80	11.73						
	nmingled DS3 Local Loop Facility Termination	<b></b>	ļ	HFQC6	UE3PX	306.36	452.52	264.53	119.75	83.77						
	nmingled DS3/STS-1 Local Loop per mile			HFQC6, HFRST	1L5ND	12.26					L					
	nmingled STS-1 Local Loop Facility Termination	ļ	L	HFRST	UDLS1	313.49	452.52	264.53	119.75	83.77						
	nmingled DS3/DS1 Channel System		L	HFQC6	MQ3	144.02	178.54	94.18	33.33	31.90						
Con	nmingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	880.65	279.37	163.12	60.33	58.59						
Con	nmingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	8.02										
Con	nmingled STS-1Interoffice Channel Facility Termination			HFRST	U1TFS	880.55	279.37	163.12	60.33	58.59						
Con	nmingled STS-1Interoffice Channel per mile	1		HFRST	1L5XX	8.02										
Com	nmingled Dark Fiber - Interoffice Transport, Per Four Fiber				1											
	ands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	36,41										
	nmingled Dark Fiber - Interoffice Transport, Per Four Fiber	<b>†</b>			1											
	ands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		640.51	138.17	317.76	198.11		1				
	to Commingled Conversion Tracking	<del> </del>	<del> </del>	XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	-					
	A to Commingled Conversion Tracking	<del>                                     </del>	-	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
IP Query Service		<del>                                     </del>		ADITIA, TII QCO	CIVIGGI	0.00	0.00	0.00	0.00	0.00						
	Charge Per query	<del> </del>	<del> </del>		<del>                                     </del>	0.0008837					-			·		
	P Charge Per query P Service Establishment Manual	+		,	<b></b>	0.0008837	05.00	05.00	00.07	00.5-	ļ <u>.</u>					
	P Service Establishment Manual P Service Provisioning with Point Code Establishment				-		25.09	25.09	23.07	23.07	ļ					<b> </b>
	Service Provisioning with Point Code Establishment	-			ļ		594.82	303.88	269.53	198.18						
1 PBX LOCATE																
	OCATE DATABASE CAPABILITY	ļ			l											
	vice Establishment per CLEC per End User Account	<b></b>	L	9PBDC	9PBEU		1,813.00									
	anges to TN Range or Customer Profile	<u> </u>	L	9PBDC	9PBTN		181.40									
	Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
	inge Company (Service Provider) ID			9PBDC	9PBPC		532.48									
PBX	CLocate Service Support per CLEC (Monthit)	1	I	9PBDC	9PBMR	181.29										
	vice Order Charge			9PBDC	9PBSC		15.69							-		
	OCATE TRANSPORT COMPONENT		1											-	-	
See Att 3		<b>†</b>	1		1											
	displaying an "I" in Interim column are interim as a resu	lt of a C	ommin	sion order	<del>                                     </del>						<del> </del>					

BUNDLE	ED NE	ETWORK ELEMENTS - Tennessee												Attachment 2	2 Exh A:		
			Interi										Svc Order Submitted	Incremental Charge - Manual Svc		Charge -	Increment Charge - Manual Sv
ATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
<del></del>			<u> </u>	<u> </u>						<del>,</del>						Disc 1st	Disc Add
	-						Rec	Nonrecurring First	Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
							1100	11130	Addi	Tilst	Addi	JOIVIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
The	e "Zoı	ne" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	INE Zones. To	view Geograp	hically Deavera	aged UNE Zone	Designation	ns by Cent	ral Office, refe	er to internet	Website:	
http	p://wv	ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m					•	_	•					
PERATIO	NS S	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"		L.,								1					
elec	r c. ( )	CLEC should contact its contract negotiator if it prefers the the state specific Commission ordered rates for the servi	e state	specii	nc" USS charges as	ordered by t	ne State Comn	nissions. The	OSS charges c	urrently contai	ned in this rate	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	. CLEC ma
NO	TE: (2	2) Any element that can be ordered electronically will be bill	ed acco	ordina	to the SOMEC rate lis	sted in this	gional service category. Plea:	ordering charg se refer to Bell:	e, nowever, CI	LEC can not of	book (LOH) to	of the two i	egardless i	Can be order	interconnect	on contract e	stablished
that	ıt canı	not be ordered electronically at present per the LOH, the list	ed SON	IEC rate	e in this category ref	lects the cha	arge that would	d be billed to a	CLEC once ele	ectronic orderi	ng canahilities	come on-li	ne for that e	dement Othe	eu electronica erwise the m	anual orderina	e element a charao
NO	HE; (3	3) OSS - Manual Service Order Charge, Per Element - UNE Or	ily "Pl	ease se	e applicable raté ele	ment for SC	MAN charge**				ng capacining		no tot that t	Actions, Other	si wioc, are in	andur orucini	g onarge,
	C	OSS - Electronic Service Order Charge, Per Local Service													I		
E CEDVI		Request (LSR) - UNE Only DATE ADVANCEMENT CHARGE		<u> </u>		SOMEC		3.50	0.00	3.50	0.00						
		The Expedite charge will be maintained commensurate with I	BallSau	thic EC	C No 1 Tariff Coation	n F on annii	anhla	l			L						
1.10	1 2. 1	The Expedite charge will be maintained commensurate with	Dell 300	IIII S FC	UAL, UEANL, UCL.	n 5 as appii	cable.	T									
	- 1				UEF, UDF, UEQ.												
-					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,		1										
					U1TDX, U1TO3, U1TS1, U1TVX,			-									ļ
					UC1BC, UC1BL,												1
					UC1CC, UC1CL,												
	i				UC1DC, UC1DL,		ľ										
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
	- 1				UC1HC, UC1HL, UDL12, UDL48,												ļ
					UDLO3, UDLSX,												ļ
					UE3, ULD12.												
					ULD48, ULDD1,												
Ì					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX.												
					UNCNX, UNCSX,												
	İ	İ			UNCVX, UNLD1,												
-	İ				UNLD3, UXTD1,												
					UXTD3, UXTS1,												
	- 1				U1TUC, U1TUD,												
	<sub>1</sub>	JNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUB, U1TUA.NTCVG.												
		Day			NTCUD, NTCD1	SDASP		200.00									
ER MO		CATION CHARGE		<b></b>	WOOD, WOD!	ODAGI		200.00									
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
		CHANGE ACCESS LOOP															
2-W		ANALOG VOICE GRADE LOOP -Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		.	UEA	UEAL2	14.74	75.06	40.00	00.70	17.64				40.54		
		-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	ULALZ	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.
	G	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.
	2	-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or								22.70				20.00	10.04	,0.02	10.
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.
	12	-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		t T													
		latter Circultura Zana d															
	В	lattery Signaling - Zone 1 -Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3

UNBUNDLED	NETWORK ELEMENTS - Tennessee										Svc Order	Svc Order	Attachment :		Incremental	Incremental
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually per LSR		Charge -	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	Ī														
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
. 1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per								· · · · · · · · · · · · · · · · · · ·							
	DS0)			UEA	URESL		23.42	3.30					20.35	10.54	13.32	13.32
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1														
<del></del>	DS0)			UEA	URESP		24.82	4.70								
	CLEC to CLEC Conversion Charge without outside dispatch		<b>├</b>	UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
4-WID	Loop Tagging - Service Level 2 (SL2)  E ANALOG VOICE GRADE LOOP		<b></b>	UEA	URETL		11,23	1.10								
4-44101	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.98	122.76	00.57	70.05	20.10			00.05	15.51	10.00	10.00
<del></del>	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.93	122.76	85.57 85.57	76.35 76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	54.99	122.76	85.57		39.16			20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		<del>  '</del>	OLA	UEAL4	34.99	122.70	65.57	76.35	39.16			20.35	10.54	13.32	13.32
. 1	IDS0)			UEA	URESL		23.42	3.30	l [			[	20.35	10.54	13.32	13.32
,	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<del>                                     </del>	+		UNLUC		25.42	3.30	<del> </del>		ļ		20.35	10.54	13.32	13.32
.	DS0)	i	1	UEA	URESP		24.82	4.70						}		i
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
2-WIR	E ISDN DIGITAL GRADE LOOP				1			00				~	20.00	10.01	10.02	10.02
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.77	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.63	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	49.47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22	, , , , ,				20.35	10.54	13.32	13.32
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP										20.00	10.01	10.02	10.02
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
İ	& facility reservation - Zone 1		1 1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry	t	<b>—</b>		1		1,50,00	55.	00.07	10.00			2.0.00	10.01	10.02	10.02
	& facility reservation - Zone 2	ļ	2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry															
.	& facility reservation - Zone 3		3	UAL.	UAL2X	30.77	156.95	64.54	89,64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &	i — –										****				
	facility reservaton - Zone 1		1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP						· · · · · · · · · · · · · · · · · · ·							
	2 Wire Unbundled HDSL Loop including manual service inquiry		1													
	& facility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry		T													
	& facility reservation - Zone 2		2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	9.64	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry		1													
	and facility reservation - Zone 2		<sup>2</sup>	UHL	UHL2W	14.44	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry	l	_	l			I						_			
	and facility reservation - Zone 3	<del></del>	3	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
4 25.05	CLEC to CLEC Conversion Charge without outside dispatch	TIDI =	LOOF	UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
1	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	l	.	UHL		10.40	100.00	75.00		10.55			20.00	10.51	10.00	1000
<del></del>	4-Wire Unbundled HDSL Loop including manual service inquiry	<del> </del>	<del> </del> -	UITL	UHL4X	12.40	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
1	and facility reservation - Zone 2	ŀ	1 .	UHL.	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32
			<del> </del>	OFIL	UNL4A	10.56	109.02	75.69	39.73	19.53			20.35	10.54	13.32	13.32
	M.Mire Unbundled HDSL Loop including manual control include:															1
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	i	,	CIHI	LIHI 4Y	31 02	160 62	75.80	30.72	10.53			20.25	10.54	13 33	19.99
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3     4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.32

UNBUNDLED NI	ETWORK ELEMENTS - Tennessee				*								Attachment 2	2 Exh A:		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect		·	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97	l		20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop without manual service inquiry	1			1 1	1			1 1							1
	and facility reservation - Zone 3	ļ	3	UHL	UHL4W	31.03	100.09	46.60	75.75	13.97	<u> </u>		20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge without outside dispatch DS1 DIGITAL LOOP	<u></u>	ļ	UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
	4-Wire DS1 Digital Loop - Zone 1	-		USL	LICLYY	F1 00	242.00	010.70	00.00	10.15						ļ
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	51.38 76.98	313.08 313.08	219.72 219.72	96.86 96.86	40.45 40.45	<b></b>		18.98	8.43 8.43	11.95 11.95	11.9
	4-Wire DS1 Digital Loop - Zone 3	<del> </del>		USL	USLXX	128.54	313.08	219.72	96.86	40.45			18.98 18.98	8.43	11.95	11.9
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		ļ	OOL	USLAA	120.54	313.06	219.12	90.00	40.45	<del>                                     </del>		18.98	8.43	11.95	11.8
	DS1)			USL	URESL		23.42	3.30			İ	1				
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<b>†</b>	<del>                                     </del>	<del></del>	1		20.72	0.50	<del></del>		<b> </b>	<del> </del>	<del> </del> -	<b>-</b>		<del> </del>
	DS1)			USL	URESP		24.82	4.70						1	1	1
	CLEC to CLEC Conversion Charge without outside dispatch	1		USL	UREWO		130.47	40.11	<del>                                     </del>		l		20.35	10.54	13.32	13.3
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		L						1				1	1	1	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	27.68	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL	UDL2X	41,47	207.01	141.38	90.70	44.18	1					
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			UDL.	UDL2X	69.24	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			UDL	UDL4X	27.68	207.01	141.38		44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	ļ		UDL	UDL4X	41.47	207.01	141.38	90.70	44.18		1				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	69.24	207.01	141.38	90.70	44.18	ļ					
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	<b></b>		UDL	UDL9X	27.68	207.01	141.38	90.70	44.18	ļ				ļ	ļ
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	ļ		UDL	UDL9X	41.47	207.01	141.38		44.18						ļ
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL UDL	UDL9X UDL19	69.24	207.01	141.38	90.70	44.18		ļ				
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2	<del> </del>		UDL	UDL19	27.68 41.47	207.01	141.38	90.70	44.18	ļ		20.35	10.54	13.32 13,32	13.3
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	69.24	207.01	141.38 141.38	90.70	44.18 44.18	ļ		20.35	10.54 10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<del> </del>		UDL	UDL56	27.68	207.01	141.38	90.70	44.18	<del> </del>		20.35 20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	<del> </del>		UDL	UDL56	41.47	207.01	141.38	90.70	44.18	<u> </u>		20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	69.24	207.01	141.38	90.70	44.18	<del> </del>		20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<b>†</b>		UDL	UDL64	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<b>.</b>		UDL	UDL64	41.47	207.01	141.38	90.70	44.18	<del>                                     </del>		20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	69.24	207.01	141.38	90.70	44.18	<b></b>		20.35	10.54	13.32	13.0
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UDL.	URESL		23.42	3.30					20.35	10.54	13.32	13.3
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per										1					
	DS0)			UDL	URESP		24.82	4.70								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL.	UREWO		102.28	49.82					20.35	10.54	13.32	13.3
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2-Wire Unbundled Copper Loop-Designed including manual															ŀ
	service inquiry & facility reservation - Zone 2	<u> </u>	2	UCL	UCLPB	17.59	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.3
	2 Wire Unbundled Copper Loop-Designed including manual	İ														
	service inquiry & facility reservation - Zone 3	ļ	3	UCL	UCLPB	29.37	31,99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2-Wire Unbundled Copper Loop-Designed without manual	l	l .	l	1											
	service inquiry and facility reservation - Zone 1	<u> </u>	1 1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2-Wire Unbundled Copper Loop-Designed without manual		١ ـ												40.00	
	service inquiry and facility reservation - Zone 2	-	<del>  2</del>	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41	<b> </b>	ļ	20.35	10.54	13.32	13.3
	2-Wire Unbundled Copper Loop-Designed without manual	1		UCL	UCLPW	29.37	21.00	20.00	10.65	1.44			20.35	10.54	13.32	13.3
	service inquiry and facility reservation - Zone 3	-	1 3	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41	<del> </del>	<b></b>	20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch	<del> </del>	<b>-</b>	UUL	UCLIVIC		36.52	36.52	<del>                                     </del>	<del>,</del>	<del>                                     </del>		<del> </del>	<del> </del>		<b>+</b>
	(UCL-Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
	COPPER LOOP	<del>                                     </del>	<del> </del>	UUL	Onewo		31.99	20.02				<del> </del>	20.35	10.54	10.02	10.0
	4-Wire Copper Loop-Designed including manual service inquiry	<del> </del>	<del> </del>		<del> </del>				<del> </del>		<del>                                     </del>		<del> </del>	<del> </del>		<del> </del>
	and facility reservation - Zone 1	1	1	UCL.	UCL4S	21.98	122.76	85.57	76.35	39.16	1		20.35	10.54	13.32	13.3
	4-Wire Copper Loop-Designed including manual service inquiry	<del> </del>	<del>  '</del>	332	30240	21.30	122.70	03.57	70.55	55.10	<del> </del>		20.00	10.54	10.02	1
	and facility reservation - Zone 2	1	ر ا	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16	1	1	20.35	10.54	13.32	13.3

CATEGORY	NETWORK ELEMENTS - Tennessee  RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed including manual service inquiry	<del></del>			+	nec	rirst	Auu	FIISt	Addi	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
1	and facility reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry	<del> </del>	۱Ť	002	100240	34.33	122.70	00.07	70.55	33.10			20.33	10.54	10.02	10.02
	and facility reservation - Zone 1	1	1 1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16	ļ .	ļ	20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry				-				70.00				20.00	10.01	10.02	10.02
	and facility reservation - Zone 2		2	UCL	UCL4W	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3	ļ	3	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	<b> </b>	<u> </u>	UCL.	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch														_	
<del></del> -	(UCL-Des)	ļ	—	UCL UEA, UDN, UAL,	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
- 1	Order Coordination for Specified Conversion Time (not LCD)		1		00001											
Boare	Order Coordination for Specified Conversion Time (per LSR)	<del> </del>		UHL, UDL, USL	OCOSL		34.29				<b></b>	L		L		ļ
nearra	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	<del> </del>	-		+								- <del></del>	-		<del> </del> -
	SL2	ļ.,	L	UEA	UREEL		75.06	36.41								
ì	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	1	]	UEA	1		!									
	EEL to UNE-L Retermination, per 4 Wire Unburidled Voice Loop  EEL to UNE-L Retermination, per 2 Wire ISDN Loop	<b>├</b>		UDN	UREEL	-	75.06	36.41					ļ			
<del></del>	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital		<del> </del>	ODIA	UREEL		91.77	44.22								
	Loop		1 :	UDL	UREEL		102.28	49.82			<u> </u>		ł			
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	· · · · · ·		USL	UREEL		130.47	40.11								
UNE LOOP CO	OMMINGLING				OTILLE		130.47	40.11								
	E ANALOG VOICE GRADE LOOP - COMMINGLING	1			+ -+											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	† - ·	<del> </del>		1				<del>                                     </del>		-					
	Ground Start Signaling - Zone 1	1	1	NTCVG	UEAL2	14.74	75.06	48.20	28.70	17.64	[ [					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	i			1					-						
	Ground Start Signaling - Zone 2	L	2	NTCVG	UEAL2	22.08	75.06	48.20	28.70	17.64						
l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				T											
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	36.87	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l														
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	14.74	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		ا ا	17010	l											
	Battery Signaling - Zone 2	ļ	2	NTCVG	UEAR2	22.08	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		۰	NTCVG	UEAR2	36.87	75.06	48.20	00.70	47.04						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		-3	NICVG	UEAHZ	30.87	75.06	48.20	28.70	17.64	<del> </del>					
	DS0)	i		NTCVG	URESL		23,42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	<del></del>		MOVA	UNLSL		20,42	3.30								
	DS0)	1		NTCVG	URESP		24.82	4.70								
	CLEC to CLEC Conversion Charge without outside dispatch			NTCVG	UREWO		75.06	36.41								
	Loop Tagging - Service Level 2 (SL2)	1		NTCVG	URETL		11.23	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP														· · · · · · · · · · · · · · · · · · ·	
	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	21.98	122.76	85.57	76.35	39.16						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	32.93	122.76	85.57	76.35	39.16						
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	54.99	122.76	85.57	76.35	39.16						
1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		23.42	3.30								
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	]		NTOVO			<b> </b>		T							
	DS0)	ļ		NTCVG	URESP		24.82	4.70								
A M/ID	CLEC to CLEC Conversion Charge without outside dispatch E DS1 DIGITAL LOOP - COMMINGLING	ļ		NTCVG	UREWO		75.06	36.41			ļ					
4-77114	4-Wire DS1 Digital Loop - Zone 1		├┤	NTCD1	USLXX	51.38	313.08	219.72	96.86	40.45						
	4-Wire DS1 Digital Loop - Zone 1	<del> </del>		NTCD1	USLXX	76.98	313.08	219.72	96.86	40.45						
	4-Wire DS1 Digital Loop - Zone 3			NTCD1	USLXX	128.54	313.08	219.72	96.86	40.45						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		ļΤĬ													
	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCD1	URESL	0.00	23.42	3.30	0.00	0.00						
	DS1)	1	ıl	NTCD1	URESP	0.00	24.82	4.70	0.00	0.00						

UNBUN	IDLED N	IETWORK ELEMENTS - Tennessee												Attachment 2	Exh A:		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
								Nonrecurring		Nonrecurring				oss	Rates(\$)		
			<u> </u>	<u> </u>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	ļ	NTCD1	UREWO	0.00	130.47	40,11	0.00	0.00						
	4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		ļ.,,													
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	27.68	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	ļ		NTCUD	UDL2X	41.47	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			NTCUD	UDL2X	69.24	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	ļ		NTCUD	UDL4X	27.68	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	<u> </u>		NTCUD	UDL4X	41.47	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	69.24	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	27.68	207.01	141.38	90.70	44.18						
	L	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	<b></b>		NTCUD	UDL9X	41.47	207.01	141.38	90.70	44.18						
			ļ. <u> </u>		NTCUD	UDL9X	69.24	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 1	<del> </del>		NTCUD	UDL19	27.68	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital 19.2 Kbps - Zone 2	<b></b>		NTCUD	UDL19	41.47	207.01	141.38	90.70	44.18						
	├	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-		NTCUD	UDL19	69.24	207.01	141.38	90.70	44.18						
	L	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	ļ		NTCUD	UDL56	27.68	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	41.47	207.01	141.38	90.70	44.18						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<del> </del>		NTCUD	UDL56	69.24	207.01	141.38	90.70	44.18						
+		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<b>├</b> ─-		NTCUD	UDL64	27.68	207.01	141.38	90.70	44.18						
	<del>  </del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<del> </del>		NTCUD	UDL64	41.47	207.01	141.38	90.70	44.18			_			
				3	NTCUD	UDL64	69.24	207.01	141.38	90.70	44.18						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCUD	URESL	0.00	23.42	3.30	0.00	0.00						
- 1		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	i '		1	1	l		1							
		DS0)	<u> </u>		NTCUD	URESP	0.00	24.82	4.70	0.00	0.00						
		CLEC to CLEC Conversion Charge without outside dispatch	L		NTCUD	UREWO	0.00	102.28	49.82	0.00	0.00						
		Order Coordination for Specified Conversion Time (per LSR)			NTCVG, NTCUD, NTCD1	OCOSL		34.29									
		XCHANGE ACCESS LOOP	L														
	2-WIRE	ANALOG VOICE GRADE LOOP				<u> </u>											
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL.	UEAL2	17.59	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<b>└</b>		UEANL	UEASL	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ	3	UEANL	UEASL	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Tag Loop at End User Premise			UEANL	URETL		8.95	0.88								
		Loop Testing - Basic 1st Half Hour	<u> </u>		UEANL	URET1		57.67	0.00								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		34.29			ļ		- 1		1		
		Unbundled Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		25.33	25.33								
T		CLEC to CLEC Conversion Charge Without Outside Dispatch													<del></del>		
		(UVL-SL1)			UEANL	UREWO	1	15.80	8.95				- 1	20.35	10.54	13.32	13.32
		Unbundled COPPER LOOP				T											
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
1		Tag Loop at End User Premise			UEQ	URETL		8.95	0.88								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		57.67	0.00								
		Loop Testing - Basic Additional Half Hour		LI	UEQ	URETA		37.44	37.44								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		36.52	36.52								
		Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		25.33	25.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch	<b></b>			1		25.00	25.55					20.35	10.34	10.02	10.02
		(UCL-ND)			UEQ	UREWO		14.29	7.44	- 1	I			20.35	10.54	13.32	13.32
- 1																	10.02

LINELIN	DLEDA	ETWORK ELEMENTS - Tennessee											<del></del>	Attachment 2	2 Exh A:	· · · · · ·	T
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		, again	Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				L				Nonrecurring		Nonrecurring					Rates(\$)		
	Camila	Order shares will salve salve salve salve sa		1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Service	Order charges will only apply once per Loop			UAL, UHL, UCL.					-		<del> </del>					<del> </del>
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40								
l		Unbundled Loop Modification Removal of Load Coils - 4 Wire				ULM4L		05.40	05.40	1			1				
		less than or equal to 18K ft, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT	<u>.</u>	65.40 65.44	65.44								
SUB-LC																	
	Sub-Lo	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		-		-						-					
		Up Up - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL, UEF	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - CLEC Feeder		1							-						
		Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	
		Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<b></b>	UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
		Statewide			UEANL.	USBN2	10.02	148.84	112.34	73.14	36.65	-		20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29				1				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
	!	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.35	94.56	29.35			<del> </del>	<b></b>	20.35	10.54	13.32	13.32
																	1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116,14	37.10					20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC		34.29	34.29								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		57.67	0.00								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	4.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	6.99	81.40	25.75	70.82	9.55			20.35	10.54	13.32	
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		34.29	34.29	]							
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.85	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8.76	81.74	26.08	74.08	11.55			20.35	10.54	13.32	
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UC\$4X	14.63	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops		1	UEF, UEANL	URETL		8.95	0.88								
		Loop Testing - Basic 1st Half Hour			UEF. OEANL	URET1		57.67	0.00		<del></del>	<del> </del>	<del>                                     </del>				
		Loop Testing - Basic Additional Half Hour		T	UEF	URETA		37.44	37.44			<b>†</b>	ļ		<b> </b>	<u> </u>	
	Unbun	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82								

CATEGORY   RATE ELEMENTS   Mide   Zone   BCS   USOC   RATES(3)   Security	UNBUNDLED N	IETWORK ELEMENTS - Tennessee												Attachment :	Exh A:		
Description of the Communica				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Charge -
Controlled Size his profession 4 w Copper land coard   Control Profession 4 w Copper land   Control Profession 4 w Copper land   Copper land							_						T-2-2				
Colificação Remons per 4-W FR   Colificação Principal Color Angles (Colificação Principal Color Angles (Colificação Principal Coli		Unbundled Cub Ican Medification A W Connex Dist Load	ļ				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Unbursted Large Marketon, Remort of Bridge Top, per			l		LIEE	LILMAX		335.36	7.82				1		1		
Information Number   Comparison   Comparis			<del>                                     </del>	<del> </del>	021	CLIVIAN		303.50	7.02								<del> </del>
Interceptive Network Terminating West (URTN) per first   UCHTW   UFFIR   0.455   2.46   2.48   0.9814   0.9814   0.905   10.90   10.		unbundled loop			UEF	ULMBT		528.48	9.74								
Network Interface Device (PRD)   1-2 lines   1-2 lin																	
Network Interface Driver, (NO) -1.5 inos   UEHTW   UNDT   6.346   31.06   0.6891   2.035   10.54   13.35   Network Interface Driver, (2015) -1.6 inos   UEHTW   UNDT   6.346   31.06   0.6822   6.692   2.035   10.54   13.35   13.3			ļ	ļ	UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54	13.32	13.32
Name   Name	Networ				LIENTW	LIND12	-	63.46	31.06	0.6391	0.6391	-	<b> </b>	20.35	10.54	13.32	13.32
Network mendage Device Costs Carmed - 2 W				1			<del></del>					<del> </del>					13.32
UNE OFFICE PROVISIONING ONLY - NO RATE  UNAL UCL, UDC, UDC, LUDR, UCA UCC, UDC, UDC, LUDR, UCA UCC, UDC, UDC, LUDR, UCA UCC, UDC, UDC, UDC, UDC, UDC, UDC, UDC,				1						0.000	010022						13.32
UAL, LUCL, LUCC, UDA, LUND, LUCR, UPAL, LUENAL, LEF, UPAL, LUENAL, LEF, UPAL, LUENAL, LUER, UPAL, LUENAL, LUER, UPAL, LUENAL, LUER, UPAL, LUENAL, LUER, UPAL, LUENAL, LUER, UNITOR, NICLUA, NICOS, NICLUA, NICOS, NICOLA, NICOS, NICOLA, NICOLA, NICOLA, UNITORNI, USI. Unbrunded OS1 Logo- Superframe Format Option - no rate Unbrunded OS1 Logo- Superframe Format Option - no rate Unbrunded OS1 Logo- Superframe Format Option - no rate USI, NICOLA USI, NICOLA USI, NICOLA USI, NICOLA USI, NICOLA USI, NICOLA USI, NICOLA UNITOR					UENTW	UNDC4		8.75	8.75					20.35	10.54	13.32	13.32
Unbunded Contact Name, Precisioning City - no rate   Unit, Unit, USA, USA, USA, USA, USA, USA, USA, USA	UNE OTHER, P	ROVISIONING ONLY - NO RATE															
Instrumental District Copy - Superins and Service Core - Depanded Systems Format option - Depanded Systems Format option - No rate					UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW.												
Ust. NTCO1																	<u></u>
No.   No.   Dispatch and Servec Order for NID installation   UENTW				ļ	USL, NTCD1	CCOSF	0.00	0.00				<u> </u>					
NID - Dispatch and Sevice Order for NID installation   UENTW   UENCE   0.00   0.00	l l		1		LICI NITODA	CCOFF	0.00								1		
UNIV Circuit Establishment, Provisioning Only - No Rate   UENTW   UENCE   0.00   0.00			<del> </del>	1								ļ .					
LOOP MAKEUP			<del> </del>	<del>†          </del>								<del> </del>			ļ		
Spare facility queried (Manual)	LOOP MAKE-U	P	· · · · · ·	1	<u> </u>	02.702	0.00	5.55				<del> </del>					
Loop Makeup - Preordering With Reservation, per spare facility queried (Menual).			1														
Quesided (Manual)					UMK	UMKLW		0.76	0.76					20.35	10.54	13.32	13.32
Spare facility queried (Mechanized)		queried (Manual).			UMK	UMKLP		0.76	0.76					20.35	10.54	13.32	13.32
LINE SPUTTING	ŀ			1													
END USER ORDERING-CENTRAL OFFICE BASED	LINE COLUTIN		<u> </u>	-	UMK	UMKMQ		0.76	0.76					20.35	10.54	13.32	13.32
Line Splitting-per line activation DLEC owned splitter   UEPSR UEPSB UREDS   U.								<b>-</b>				ļ	<del></del>		-		
Line Splitting - per line activation BST owned - physical   UEPSR UEPSB   UREBP   0.61   48.96   21.39   35.06   10.79   20.35   10.54   13.32	LIVE O		1	1	UEPSR UEPSB	UREOS	0.61	·		† <del>-</del>	_	<u> </u>			<b></b>		<b>†</b>
UNBUNOLED EXCHANGE ACCESS LOOP  2-WIRE ANALOG VOICE GRADE LOOP  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1  1 UEPSR UEPSB UEALS 11.74 31.99 20.02 10.65 1.41 20.35 10.54 13.32 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3  3 UEPSR UEPSB UEALS 17.59 31.99 20.02 10.65 1.41 20.35 10.54 13.32 10.54 13.32 10.54 13.32 10.54 13.32 10.55 10.5				i –				48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
2-WIRE ANALOG VOICE GRADE LOOP					UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1   UEPSR UEPSB   UEALS   11.74   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2   UEPSR UEPSB   UEALS   11.74   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2   UEPSR UEPSB   UEALS   17.59   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2   UEPSR UEPSB   UEALS   17.59   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   3 UEPSR UEPSB   UEALS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   3 UEPSR UEPSB   UEALS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   3 UEPSR UEPSB   UEALS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   3 UEPSR UEPSB   UEALS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   3 UEPSR UEPSB   UEALS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   3 UEPSR UEPSB   UEALS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   3 UEPSR UEPSB   UEALS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   3 UEPSR UEPSB   UEALS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32   2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3   3 UEPSR UEPSB   UEALS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32																	
Zone 1	2-WIRE										-	<u> </u>					
Zone 1		Zone 1		1	UEPSR UEPSB	UEALS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-   2 UEPSR UEPSB   UEALS   17.59   31.99   20.02   10.65   1.41   20.35   10.54   13.32				1	UEPSR UEPSB	UEABS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2   2 UEPSR UEPSB   UEALS   17.59   31.99   20.02   10.65   1.41   20.35   10.54   13.32		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2								<u> </u>					13.32
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-  3 UEPSR UEPSB UEALS 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32     2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-  3 UEPSR UEPSB UEALS 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32     2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-  3 UEPSR UEPSB UEALS 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32     PHYSICAL COLLOCATION		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		T					· · · · · · · · · · · · · · · · · · ·								
2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3			-	2	UEPSR UEPSB	UEABS	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Zone 3   3   UEPSR UEPSB   UEABS   29.37   31.99   20.02   10.65   1.41   20.35   10.54   13.32			<b> -</b>	3	UEPSR UEPSB	UEALS	29.37	31.99	20.02	10.65	1.41	ļ		20.35	10.54	13.32	13.32
Physical Collocation-2 Wire Cross Connects (Loop) for Line   UEPSR UEPSB   PE1LS   0.0475   11.62   9.90   10.38   8.66   0.00   0.00   0.00		Zone 3		3	UEPSR UEPSB	UEABS	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
Splitting	PHYSIC						<del>                                     </del>	<del> </del>				<b> </b>			<b> </b>	-	-
Virtual Collocation-2 Wire Cross Connects (Loop) for Line   Splitting		Splitting			UEPSR UEPSB	PE1LS	0.0475	11.62	9.90	10.38	8.66			0.00	0.00	0.00	0.00
Splitting				<del> </del>			ļ			ļ		ļ	<del> </del>				
		Splitting	<u></u>		UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
		OFFICE CHANNEL - DEDICATED TRANSPORT - Stand Alone	<b> </b>	<u> </u>								<b> </b>			ļ		
Interoffice Channel - 2-Wire Voice Grade - per mile			ļ	ļ					194							9.80	10.54

NRUNDLED	NETWORK ELEMENTS - Tennessee												Attachment 2	Exh A:		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Charge -	Increment Charge - Manual St Order vs. Electronic Disc Add
							Nonrecurring		Nonrecurring	Disconnect		·	OSS	Rates(\$)		·
			L	L		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	ļ		U1TVX	1L5XX	0.0054										
	Interesting Channel CAMPA-AND Dev Dat Facility T		l		1 1											
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51	L		20.35	21.09	9.80	10.5
	meronice Channel - 4-vville voice Grade - per mile	<del>                                     </del>		U1TVX	1L5XX	0.0054										
1	Interoffice Channel - 4- Wire Voice Grade - Facility Termination		l	U1TVX	U1TV4	04.00			, ,	ı				1	1	T
- 1	Interoffice Channel - 56 kbps - per mile	<del> </del>		U1TDX	1L5XX	24.09 0.0174	37.87	26.02	30.78	13.07			15.08	15.08	9.80	10.5
	Interoffice Channel - 56 kbps - Facility Termination	<del> </del>	<del> </del>	UITDX	U1TD5	17.98	55.39	17.07								
	Interoffice Channel - 64 kbps - per mile	-	<del> </del>	UITDX	1L5XX	0.0174	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.
	Interoffice Channel - 64 kbps - Facility Termination	<del> </del>		U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			00.00			
	Interoffice Channel - DS1 - per mile		1	U1TD1	1L5XX	0.3562	33.33	17.57	27.90	3.51			20.35	21.09	9.80	10.
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	- 40
	Interoffice Channel - DS3 - per mile	1		U1TD3	1L5XX	2.34	7.2.10	70.27	19.55	14.33			20.35	21.09	9.80	10.
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19,0
	Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	2.34			100.01	100.01			30.04	30.04	19.01	19.
	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.0
UNBU	NDLED DARK FIBER - Stand Alone or in Combination												00.01	00.04	13.01	15.0
[	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof	<u> </u>		UDF, UDFCX	1L5DF	28.74			1		1		'		Ì	
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	ł														<del> </del>
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		1,121.00	153.19							j	ŀ
	TY UNBUNDLED LOCAL LOOP															
D5-3/8	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone	ļ														
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	9.19										
	DS3 Unbundled Local Loop - Facility Termination STS-1Unbundled Local Loop - per mile			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.0
	STS-1 Unbundled Local Loop - Facility Termination	├	ļ. —	UDLSX	1L5ND	9.19										
VHANCED F	XTENDED LINK (EELs)		<b>-</b>	UDLSX	UDLS1	389.35	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.0
	rk Elements Used in Combinations	<del> </del>	<del></del>	<del> </del>												
1,0,11,0	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.74	108.76	05.47	70.04							
	2-Wire VG Loop (SL2) in Combination - Zone 2	_		UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire VG Loop (SL2) in Combination - Zone 3	<del> </del>		UNCVX	UEAL2	36.87	108.76	35.47 35.47	72.94 72.94	10.86			31.26	10.42		
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86			31,26	10.42		
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86			31,26 31,26	10.42 10.42		
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			31,26	10.42		ļ <u>.</u>
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.77	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.63	108.76	35.47	72.94	10.86			31.26	10.42		<del> </del>
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	49.47	108.76	35,47	72.94	10.86			31.26	10.42		<del></del>
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	69.24	_108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire DS1 Digital Loop in Combination - Zone 1		- 1	UNC1X	USLXX	51.38	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	76.98	228.40	161.74	79.87	24,88			18.98	8.43	11.95	
<del></del>	4-Wire DS1 Digital Loop in Combination - Zone 3	ļ	3	UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	9.19										
	DS3 Local Loop in combination - Facility Termination STS-1 Local Loop in combination - per mile			UNC3X	UE3PX	374.24	1,260.47	628.84	106.78	45.24			36.84	36.84	19.01	19.0
	STS-1 Local Loop in combination - per mile STS-1 Local Loop in combination - Facility Termination			UNCSX	1L5ND	9.19	1 222 17									
<del></del>	Interoffice Channel in combination - 2-wire VG - per mile			UNCSX UNCVX	UDLS1 1L5XX	389.35	1,260.47	628.84	79.87	24.88			36.84	36.84	19.01	19.0
	Interoffice Channel in combination - 2-wire VG - per mile	<u> </u>		ONCAV	ILEDAX	0.0174										
	Termination		i	UNCVX	U1TV2	18.58	79.83	44.00	00.00	2.22	l					.,
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0174	/9.83	44.08	69.32	31.00			20.35	21.09	9.80	10.
	Interoffice Channel in combination - 4-wire VG - Facility			5.10 <b>1</b> 1	TIESAA	0.0174										
- 1	Termination			UNCVX	U1TV4	24.09	79.83	44,08	69.32	31.00	i	J	15.08	15.08	8.66	
																8.6

Version 2Q06 Standard ICA 06/13/06

Page 98 of 101

CCCS 325 of 597

UNBUNDLED N	NETWORK ELEMENTS - Tennessee		1	T							In 0.1		Attachment 2			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		1
			<b></b>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
. ! '	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination			UNCDX	U1TD5	17.98	79.83	44.08		04.00		1			l	
	Interoffice Channel in combination - 4-wire 64 kbps - per mile		-	UNCDX	1L5XX	0.0174	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Interoffice Channel in combination - 4-wire 64 kbps - Facility		<del>                                     </del>	0.110.071	120701	0.0174			<del></del>		<del> </del>					·
· · · · · · · · · · · · · · · · · · ·	Termination			UNÇDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
· · · · · · · · · · · · · · · · · · ·	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.3562										
	Interoffice Channel in combination - DS1 Facility Termination		-	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
,	Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - DS3 - Facility Termination		1	UNC3X	1L5XX	2.34										ļ <u>.</u>
	Interoffice Channel in combination - DS3 - Facility Termination  Interoffice Channel in combination - STS-1 - per mile		-	UNC3X UNCSX	U1TF3 1L5XX	848.99 2.34	482.01	153.81	64.43	35.43	-		36.84	36.84	19.01	19.01
	Interoffice Channel in combination - STS-1 Facility Termination	1	<del> </del>	UNCSX	UITES	849.30	482.01	153.81	64.43	35.43	ļ		36.84	36.84	19.01	19.01
ADDITIONAL N	NETWORK ELEMENTS		<u> </u>		31113	040.00	+02.01	155.61	04.43	35.43	1		36.84	30.84	19.01	19.01
Option	al Features & Functions:	1	T		<b>†</b>					-						<u> </u>
7				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1		<u> </u>	ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0,00						
	Clear Channel Capability Super FrameOption - per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
.   '	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	١,		ULDD1, U1TD1,	LIBOOO				1							
	Activity - per US1	'	ļ	UNC1X, USL U1TD3, ULDD3,	NRCCC		185.16	23.86	2.03	0.79						
.   '	C-bit Parity Option - Subsequent Activity - per DS3	۱.		UE3. UNC3X	NRCC3		219.46	7.68	0.7007					İ		ļ
	DS1/DS0 Channel System		-	UNC1X	MQ1	80.77	105.76	14.48	0.7637	2.74						
	DS3/DS1Channel System	<del> </del>	<del> </del>	UNC3X, UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80	11.49	1.18
	Voice Grade COCI in combination		t —	UNCVX	1D1VG	0.91	5.70	4.42	1/:12	0.77	·		20.00	9.00	11.43	1.10
	Voice Grade COCI - for Stand Alone Local Loop			UEA	1D1VG	0.91	5.70	4.42		_						<b>†</b>
.   '	Voice Grade COCI - for connection to a channelized DS1 Local															1
	Channel in the same SWC as collocation		L	U1TUC	1D1VG	0.91	5.70	4.42								
	OCU-DP COCI (2.4-64kbs) in combination		ļ	UNCDX	1D1DD	1.82	5.70	4.42					20.35	9.80	11.49	1.18
	OCU-DP COCI (2.4-64kbs) - for Stand Alone Local Loop		<b>!</b>	UDL	1D1DD	1.82	5.70	4.42								
.   '	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	5.70	4.40							1	
	2-wire ISDN COCI (BRITE) in combination	<del> </del>	<del>                                     </del>	UNCNX	UC1CA	17.58	5.70	4.42					20.35	9.80	11,49	1.18
	2-wire ISDN COCI (BRITE) - for a Local Loop		<del> </del>	UDN	UC1CA	17.58	5.70	4.42			<del></del>		20.35	9.80	11.49	1.18
	2-wire ISDN COCI (BRITE) - for connection to a channelized		<b>†</b>	03.1	1001071	17.50	3.70	7.72								
	DS1 Local Channel in the same SWC as collocation		İ	U1TUB	UC1CA	17.58	5.70	4.42			1				[	
	DS1 COCI in combination			UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for Stand Alone Interoffice Channel		<u> </u>	U1TD1	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for Stand Alone Local Loop	ļ	<del> </del>	USL	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUA	UC1D1	17.58	5.70	4.42								
	Wholesale to UNE, Switch-As-Is Conversion Charge			UNCVX, U1TVX, UNCDX, U1TDX, UNC1X, U1TD1,UNC3X, U1TD3, UNCSX, U1TS1, UDF,UDFCX	UNCCC		52.73	24.62								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)			U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		34.53	15.11								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet	i		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESP		1.40	1.40								
	UNE Reconfiguration Change Charge per Circuit	ı		UNC1X	URERC		35.00	35.00								
	UNE Reconfiguration Change Charge per Circuit Project	ŀ	l	UNC1X	URERP		1.40	1.40								
i	Managed															

INBUNDLET	NETWORK ELEMENTS - Tennessee												Attachment :	2 Evh A:	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental		Charge -	Charge -
		1		,			Nonrecurring			g Disconnect				Rates(\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	UNE Reconfiguration Change Charge per Circuit Project		i	1				-								
	Managed	<u> </u>	<u> </u>	UNC1X	URERP		1.40	1,40								
Acce	ss to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment	<del></del>	ļ		L		2.78		3.32							
	DS1 DCS Termination with DS0 Switching		ļ			23.35	41.14	34.25	29.94	24.08						
	DS1 DCS Termination with DS1 Switching		<b>↓</b>			13.45	27.79	20.90	21,99	16.12						
Made	DS3 DCS Termination with DS1 Switching	1	<b> </b>			150.88	41.14	34.25	29.94	24.08						
Node	(SynchroNet)		<b>├</b>	LAIODY												
	Node per month		<b>├</b> ──	UNCDX	UNCNT	17.11										
Servi	ce Rearrangements			LIATE OF THE PROPERTY.								i				
	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		130.47	40.11								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	ı		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		1.28	1.28								
MMINGLI	NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X	OCOSR		18.93	18.93								
ļ				UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,												
	Commingling Authorization	1	1	ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00		}				
Comr	ningled (UNE part of single bandwidth circuit)	+	<b>├</b> ──	ULUST	CMGAU	0.00	0.00	0.00	0.00	0.00						
1001111	Commingled VG COCI	<del> </del>	├	XDV2X, NTCVG	1D1VG	1.82	5.70	4.42								
	Commingled Digital COCI	<del> </del>		XDV6X, NTCUD	1D1DD	0.91	5.70	4.42								
	Commingled ISDN COCI	+	<del> </del>	XDD4X	UC1CA	17.58	5.70	4.42						ļ		
_	Commingled 2-wire VG Interoffice Channel Facility Termination	<del>†                                      </del>		XDV2X	U1TV2	18.58	79.83	44.08	69.32	31.00						
	Commingled 4-wire VG Interoffice Channel Facility Termination			XDV6X	U1TV4	24.09	79.83	44.08	69.32	31.00						
	Commingled 56kbps Interoffice Channel Facility Termination			XDD4X	U1TD5	17.98	79.83	44,08	69.32	31.00						
	Commingled 64kbps Interoffice Channel Facility Termination	†		XDD4X	U1TD6	17.98	79.83	44.08	69.32	31.00						
				XDV2X, XDV6X,			73.00	17.00	03.32	01.00	<del></del>	· · · · · · · · · · · · · · · · · · ·				
1	Commingled VG/DS0 Interoffice Channel per mile			XDD4X	1L5XX	0.0174	]									
	Commingled 2-wire Local Loop Zone 1	1	1	XDV2X	UEAL2	14,74	108.76	35,47	72.94	10.86						-
	Commingled 2-wire Local Loop Zone 2			XDV2X	UEAL2	22.08	108.76	35.47	72.94	10.86						
	Commingled 2-wire Local Loop Zone 3			XDV2X	UEAL2	36.87	108.76	35.47	72.94	10.86						
	Commingled 4-wire Local Loop Zone 1		1_	XDV6X	UEAL4	21.98	108.76	35.47	72.94	10.86		<del>-</del>				
	Commingled 4-wire Local Loop Zone 2	1.	2	XDV6X	UEAL4	32.93	108.76	35.47	72.94	10.86				-		
	Commingled 4-wire Local Loop Zone 3			XDV6X	UEAL4	54.99	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 1			XDD4X	UDL56	27.68	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 2			XDD4X	UDL56	41.47	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 3			XDD4X	UDL56	69.24	108.76	35.47	72.94	10.86						
	Commingled 64kbps Local Loop Zone 1			XDD4X	UDL64	27.68	108.76	35.47	72.94	10.86						***************************************
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	41.47	108.76	35.47	72.94	10.86						
	Commingled 64kbps Local Loop Zone 3	\		XDD4X	UDL64	69.24	108.76	35.47	72.94	10.86						
	Commingled ISDN Local Loop Zone 1			XDD4X	U1L2X	19.77	108.76	35.47	72.94	10.86						
	Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	29.63	108.76	35.47	72.94	10.86						
1	Commingled ISDN Local Loop Zone 3	1	3	XDD4X	U1L2X	49.47	108.76	35.47	72.94	10.86						
	Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	17.58	5.70	4.42								

NRONDLED	NETWORK ELEMENTS - Tennessee			,·									Attachment :			
						1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi	}								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs
		1 ""	1		1								Electronic-	Electronic-	Electronic-	Electroni
					İ						1		1st	Add'I	Disc 1st	Disc Add
			<u> </u>												Disc 1st	Disc Add
			ļ	ļ			Nonrecurring		Nonrecurring					Rates(\$)		
	Commingled DS1 Interoffice Channel Facility Termination	+		MDITAN		Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled DS1 Interoffice Channel per mile	+	<u> </u>	XDH1X	U1TF1	77.86	171.24	113.12	70.07	30.90	<u> </u>	<b></b>			]	
	Commingled DS1/Interoffice Criamnel per mile  Commingled DS1/DS0 channelSystem		<b></b>	XDH1X	1L5XX	0.3562										
			<u> </u>	XDH1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	51.38	228.40	161.74	79.87	24.88						
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	76.98	228.40	161.74	79.87	24.88						
	Commingled DS1 Local Loop Zone 3		3_	XDH1X	USLXX	128.54	228.40	161.74	79.87	24.88						T
	Commingled DS3 Local Loop Facility Termination	<del></del> -	<u> </u>	HFQC6	UE3PX	374.24	1,260.47	628.84	106.78	45.24						T
	Commingled DS3/STS-1 Local Loop per mile			HFQC6, HFRST	1L5ND	9.19										T
	Commingled STS-1 Local Loop Facility Termination			HFRST	UDLS1	389.35	1,260.47	628.84	79.87	24.88						
	Commingled DS3/DS1 channelSystem			HFQC6	MQ3	222.98	156.02	49.41	17.12	6.77	1					
	Commingled DS3 Interoffice Channel Facility Termination		<u></u>	HFQC6	U1TF3	848.99	482.01	153.81	64.43	35.43	1					
	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	2.34										1
	Commingled STS-1Interoffice Channel Facility Termination	1		HFRST	U1TFS	849.30	482.01	153.81	64.43	35.43						<del> </del>
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	2.34					1					
i	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber										<del> </del>					
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	28.74	ľ				l					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber		1				-									<del> </del>
Į	Strands, Per Route Mile Or Fraction Thereof	1	Į.	HEQDL	UDF14	1	1,121,00	153.19	0.00	0.00	1	\		ì		ì
IGNALING (C	CCS7)					I				0.00	<del> </del>			·		<del></del>
NOTE:	"bk" beside a rate indicates that the parties have agreed to bi	II and ke	ep for	that element pursu	ant to the ter	ms and condition	ons in Attachme	nt 3	L		<u> </u>		L	l	L	
	CCS7 Signaling Usage, Per TCAP Message	T	Γ'			0.0000916bk								r		
	CCS7 Signaling Usage, Per ISUP Message	1		<u> </u>		0.0000373bk					<del></del>					
NP Query Se		-			<del> </del>	0.000007 OBK					<del> </del>			<del></del>		<del></del>
7	LNP Charge Per guery	_	<del> </del>	<del></del>	<del> </del>	0.0009277			<del></del>		<del> </del> _					<del> </del>
	LNP Service Establishment Manual	·	<del> </del>		-	0.0003277	23.60	13.83	23.60	12.71	<del> </del>					
	LNP Service Provisioning with Point Code Establishment	<del> </del>			+		1,119.00	571.71								
11 PBX LOCA		<del></del>	<del></del> -		+		1,119.00	5/1./1	1,119.00	571.71						<del> </del>
	X LOCATE DATABASE CAPABILITY	-			<del> </del>	- <del></del>					ļ					<del></del>
3,1,71	Service Establishment per CLEC per End User Account	<del> </del>	₩-	9PBDC	9PBEU	<del> </del>	1 700 00									<del></del>
	Changes to TN Range or Customer Profile	+	├	9PBDC	9PBEU 9PBTN		1,706.00				<del> </del>					<del> </del>
	Per Telephone Number (Monthly)	+		9PBDC		+	170.69				<del></del>					
	Change Company (Service Provider) ID				9PBMM	0.07										ļ
		+		9PBDC	9PBPC	l	501.06				ļ					ļ
_	PBX Locate Service Support per CLEC (MonthIt)	<del> </del>	<u> </u>	9PBDC	9PBMR	191.92										
-	Service Order Charge	ļ		9PBDC	9PBSC		23.20									L
	SX LOCATE TRANSPORT COMPONENT	ļ														
See At	t 3	1	l	ŀ	1	1	l"									

Version 2Q06 Standard ICA 06/13/06 Page 101 of 101 CCCS 328 of 597

UNBUNDL F	D NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	First	curring Add'l	First	ng Disconnect Add'l	SOMEC	NAMOS	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
							riist	Addi	riist	Auu	SOME	JOWAN	SOWAN	SOWAN	SOMAN	JOWAN
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP						1				***************************************			
	2 Wire Unbundled HDSL Loop including manual service inquiry					1										
	& facility reservation - Zone 1	<u> </u>	1	UHL	UHL2X	10.05										
	Wire Unbundled HDSL Loop including manual service inquiry     facility reservation - Zone 2		2	l	111 # 03/					1				]		
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	11.70			-							<b>_</b>
	& facility reservation - Zone 3	1	3	UHL	UHL2X	13.16			İ	İ	<u> </u>					l
	2 Wire Unbundled HDSL Loop without manual service inquiry	-	<del>  -</del> -	0112	- OTILEX	13.10					1					
	and facility reservation - Zone 1		1	UHL	UHL2W	10.05										
	2 Wire Unbundled HDSL Loop without manual service inquiry								i							
	and facility reservation - Zone 2		2	UHL	UHL2W	11.70										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
4 14/170	and facility reservation - Zone 3	TID! C		UHL	UHL2W	13.16										
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA  4 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE (	-000												ļ	<del> </del>
1	and facility reservation - Zone 1		١,	UHL	UHL4X	16.04									ŀ	
	4-Wire Unbundled HDSL Loop including manual service inquiry		<del>- '-</del>	one	OTILAX	10.04			<del> </del>	+						<del> </del>
	and facility reservation - Zone 2		2	UHL	UHL4X	17.89				į.						
	4-Wire Unbundled HDSL Loop including manual service inquiry						~		<del> </del>	1						ļ
	and facility reservation - Zone 3		3	UHL	UHL4X	17.54										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1_	UHL	UHL4W	16.04										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2  4-Wire Unbundled HDSt. Loop without manual service inquiry		2	UHL	UHL4W	17.89							<del> </del>			ļ
	and facility reservation - Zone 3		3	UHL	UHL4W	17.54										
4-WIRE	DS1 DIGITAL LOOP			OFIL	UNL4VV	17.54			<del> </del>	<del> </del>						
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	94,93				+		-				<del>                                     </del>
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	177.31				<del></del>						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	361.70										
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP								L							
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	9.64									_	
ŀ	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	LIEODY	200.00										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	308.98										-
	month			UDLSX	1L5ND	9.64										1
	High Capacity Unbundled Local Loop - STS-1 - Facility				720140	0.04				<del> </del>	<del> </del>					
	Termination per month			UDLSX	UDLS1	367.80										
	DEDICATED TRANSPORT				1					ļ						
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.21										<u> </u>
1	Interoffice Channel - Dedicated Tranport - DS1 - Facility			LHTD4	Lierre	20.45										1
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	U1TF1	69.18								L		
	month			U1TD3	1L5XX	4.70										1
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.100	TEO//A	4.70			1	+						<del> </del>
	Termination per month			U1TD3	U1TF3	809.05										1
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				1			-				******				
	month			U1TS1	1L5XX	4.70										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility												-			1
LINIOUS	Termination			U1TS1	U1TFS	806.58				<b></b>						-
UNBUN	DLED DARK FIBER - Stand Alone or in Combination  Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per								<del> </del>	ļ	<b> </b>				-	
l	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	25.69										1
	(TENDED LINK (EELs)			01.100	1.6001				1	1					L	

UNB	UNDLE	D NETWORK ELEMENTS - Alabama					•							Attachmen	t: 2 Exh. B		<del></del>
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	1					1	Rec	Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		***************************************
	T						1 Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The monthly recurring and non-recurring charges below will															
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurr	ing charges below w	ill apply for	UNE combination	ons provision	ed as ' Current	lly Combined'	Network Eleme	nts.					
	EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	ROFFICE TRANSPOF	रा											
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	94.93					1					
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	177.31										1
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	361.70			1						i	
		Interoffice Transport - Dedicated - DS1 combination - Per Mile								<u> </u>		1		·		İ	<del></del>
	1	per month			UNC1X	1L5XX	0.21						l	Ì			
		Interoffice Transport - Dedicated - DS1 combination - Facility		T												1	1
İ		Termination per month			UNC1X	U1TF1	69.18			İ				1			
	EXTE	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	OFFICE	TRANSPORT							†					1
		DS3 Local Loop in combination - per mile per month		T	UNC3X	1L5ND	9.54				1			l			
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.33										
	1	Interoffice Transport - Dedicated - DS3 - Per Mile per month		<b>†</b>	UNC3X	1L5XX	4.70	-				-					
	· · · · · · · · · · · · · · · · · · ·	Interoffice Transport - Dedicated - DS3 combination - Facility	T				†	•••		<del></del>	1	<del> </del>				· · · · ·	
	ł	Termination per month	ì	1	UNC3X	U1TF3	809.05										
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROF	ICE TRANSPORT					1	1						+
		STS-1 Local Loop in combination - per mile per month		T	UNCSX	1L5ND	9.54			· · · · · · · · · · · · · · · · · · ·		<u> </u>					1
	1	STS-1 Local Loop in combination - Facility Termination per	· ·			1	1			† ·	· · ·						1
1		month			UNCSX	UDLS1	367.80					1					1
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	806.58										

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. B		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i.																	
		XCHANGE ACCESS LOOP	L	<u> </u>													
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP							]						
		2 Wire Unbundled HDSL Loop including manual service inquiry		١.	l												
		& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		1_1_	UHL	UHL2X	8.30			<del> </del>	ļ						
		& facility reservation - Zone 2		2	UHL	UHL2X	11.80					]			1		ŀ
		2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	UNLZA	11.80				<del> </del>						
		& facility reservation - Zone 3		3	UHL	UHL2X	20.94					1					
		2 Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	3.12	UNICEA	20.54				<del>                                     </del>	<del>                                     </del>			ļ		
		and facility reservation - Zone 1		1	UHL	UHL2W	8.30							Ì		İ	
		2 Wire Unbundled HDSL Loop without manual service inquiry						····		<u> </u>	1	<b></b>					
		and facility reservation - Zone 2		2_	UHL	UHL2W	11.80				1						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3	L	3_	UHL	UHL2W	20.94								L		
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP								1					
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	  UHL	1	40.40										ł
		4-Wire Unbundled HDSL Loop including manual service inquiry		1-1-	UHL	UHL4X	12.49										
1		and facility reservation - Zone 2		2	UHL	UHL4X	17.70										
<del>                                     </del>		4-Wire Unbundled HDSL Loop including manual service inquiry			UNL	UHL4X	17.76										
		and facility reservation - Zone 3		3	UHL	UHL4X	31.50				İ					ŀ	
		4-Wire Unbundled HDSL Loop without manual service inquiry		<del>                                     </del>	OTIL	OTILAX	31.30			<del> </del> -							
		and facility reservation - Zone 1		1	UHL	UHL4W	12.49								İ		i
		4-Wire Unbundled HDSL Loop without manual service inquiry		<del> </del>		- CONTRACTOR	12.10			<b> </b>	<del> </del>	-					<del>                                     </del>
		and facility reservation - Zone 2		2	UHL	UHL4W	17.76										l
		4-Wire Unbundled HDSL Loop without manual service inquiry								-	<b> </b>	<b>—</b>		<del></del>			
		and facility reservation - Zone 3		3	UHL	UHL4W	31.50				ļ						
	4-WIRE	DS1 DIGITAL LOOP									1						
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	81.35					1.					
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	115.62				J						
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	205.15				ļ						
HIGH CA	APACI	Y UNBUNDLED LOCAL LOOP		<u> </u>						<u> </u>	<u> </u>						
		High Capacity Unbundled Local Loop - DS3 - Per Mile per		1	LIER		40.50				İ				l	:	
<u> </u>		month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	12.56										
		Termination per month		]	UE3	UE3PX	444.91										
<del> </del>		High Capacity Unbundled Local Loop - STS-1 - Per Mile per		<del> </del>	OE3	UESFA	444.91			<del> </del>		+					
		month		1	UDLSX	1L5ND	12.56								1		
<b></b>		High Capacity Unbundled Local Loop - STS-1 - Facility		<del>                                     </del>		1.00110	12.50			<del>                                     </del>	<del> </del>				-		
		Termination per month			UDLSX	UDLS1	490.59										
		DEDICATED TRANSPORT		1		1					T			1	<u> </u>		<u> </u>
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT								I.							
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		-											Ī		
		month			U1TD1	1L5XX	0.21			1					L		
T		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination		<u> </u>	U1TD1	U1TF1	101.71				L						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				1											
		month			U1TD3	1L5XX	4.45			<del> </del>	ļ						
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1001.65								1		
-		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		-	01103	U11F3	1231.65			+	-						
		month			U1TS1	1L5XX	4.45			1							]
<del> </del>		Interoffice Channel - Dedicated Transport - STS-1 - Facility	-	-	01131	11LOAA	4.45			<del> </del>	<del> </del>	<del> </del>			<b>L</b>		<del> </del>
1		Termination		1	U1TS1	U1TFS	1214.40			1			· '		1		
	UNBUN	DLED DARK FIBER - Stand Alone or in Combination			0.101	101113	1214.40			<del> </del>	<del> </del>	<del> </del>			<del> </del>		<u> </u>
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		<del>                                     </del>		1					<del> </del>	<del>                                     </del>		<b>-</b>	<del> </del>		
		Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	30.88							ļ			1
	0FD E\	TENDED LINK (EELs)			,	1						<b> </b>			<u> </u>		1

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attachmen	t; 2 Exh. B		
				I								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1					İ		1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
i												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order vs.
		,,,,, <u>,</u> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	m						, , ,			per Lorr	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
1				ļ.									1	1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The monthly recurring and non-recurring charges below will															
		The monthly recurring and the Switch-As-Is Charge and not t					UNE combination	ons provision	ed as ' Current	ly Combined' I	letwork Eleme	ents.					
		DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER													
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	81.35							ļ			
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	115.62		<u> </u>								
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15							L			
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	l	]													i
L		per month			UNC1X	1L5XX	0.21										
		Interoffice Transport - Dedicated - DS1 combination - Facility		Ţ											1		
		Termination per month		l	UNC1X	U1TF1	101.71						1				
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.56				-						
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	444.91										
	+	Interoffice Transport - Dedicated - DS3 - Per Mile per month	<del></del>		UNC3X	1L5XX	4.45		<del> </del>								
<u> </u>	-	Interoffice Transport - Dedicated - DS3 - Per Mile per Month			UNCOX	TESAA	4,45		<del> </del>			<del></del>					
		Termination per month	ļ		UNC3X	U1TF3	1231.65						l				
		IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 1 INT	EDOE		011153	1231.03		<u> </u>								
	EXICH	STS-1 Local Loop in combination - per mile per month	J-1 IN I		UNCSX	1L5ND	12.56		ļ			-					
<u> </u>	_	STS-1 Local Loop in combination - per mile per month	<b></b> -	<u> </u>	UNUSA	ILEDIAD	12.50		ļ		ļ						
1		month	ĺ	1	UNCSX	UDLS1	490.59		1					-			
<u> </u>			<u> </u>	$\vdash$	UNCOV	TODES1	490.59		ļ		<b>.</b>	ļ			L		
		Interoffice Transport - Dedicated - STS-1 combination - per mile		l	LINIOOV	41.500	1 445							1			
ļ		per month		<u> </u>	UNCSX	1L5XX	4.45					1	ļ				
1		Interoffice Transport - Dedicated - STS-1 combination - Facility	İ	l	LILLOON	Lutto	101110									İ	
<u> </u>		Termination per month	l	L	UNCSX	U1TFS	1214.40						L	L	L	L	L

Version: 2Q06 Standard ICA 06/13/06

ONRONDLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. B		
		1	Τ		1	T					Svc Order	Svc Order		Incremental	Incremental	Increment
											Submitted		Charge -	Charge -	Charge -	Charge -
		<b>\</b>	1	\		1										
ATECORY	DATE ELEMENTO	Interi	J	BCS	11000			RATES (\$)			Elec	Manually	Manual Svc		1	
CATEGORY	RATE ELEMENTS	l m	Zone	BCS	USOC			HATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
					1								1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>									L			<u> </u>	l.,
				J		Rec	Nonre	curring	Nonrecurrin	g Disconnect				Rates (\$)		
						THE C	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1													
UNBUNDLED I	EXCHANGE ACCESS LOOP									1						
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													<del>                                     </del>
	2 Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	T					<del> </del>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		· · · · · · ·			<del>                                     </del>	<del></del>	<del></del>
i	& facility reservation - Zone 1	1 1	1	UHL	UHL2X	9.06										
	2 Wire Unbundled HDSL Loop including manual service inquiry	<del></del> -	┿	0.16	OTILEX	3.00				<del>                                      </del>	<del> </del>					ļ
1	& facility reservation - Zone 2		2	UHL	UHL2X	10.45			i .			i I				
		<del> '</del>	-	UNL	UNLZA	10.45										
į.	2 Wire Unbundled HDSL Loop including manual service inquiry	١.	١	1		11		ì		1	ì	) )		ì	]	ì
<del>-</del> _	& facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	16.65										
	2 Wire Unbundled HDSL Loop without manual service inquiry							1				! [		ļ.		1
	and facility reservation - Zone 1		1	UHL	UHL2W	9.06			l							
į.	2 Wire Unbundled HDSL Loop without manual service inquiry	i	1													
	and facility reservation - Zone 2		2	UHL	UHL2W	10.45		l	I	I				1		1
	2 Wire Unbundled HDSL Loop without manual service inquiry													-		
1	and facility reservation - Zone 3		3	UHL	UHL2W	16.65				1		!		1		1
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		· <del>-</del>	<del>                                     </del>									-	<b></b>
	4 Wire Unbundled HDSL Loop including manual service inquiry		1			1				····				<b></b>		<del> </del>
ľ	and facility reservation - Zone 1	l ,	1 1	UHL	UHL4X	11.95		İ			ĺ				1	
	4-Wire Unbundled HDSL Loop including manual service inquiry	<del>- '-</del>	<del> </del>	OT 11.	OI IL4X	11.95				<del> </del>				ļ	ļ	<b></b>
	and facility reservation - Zone 2	١.	ا ا	UHL		40.00									i i	1
			2	UHL	UHL4X	13.80	<del></del>									
	4-Wire Unbundled HDSL Loop including manual service inquiry		1							1	i i					
	and facility reservation - Zone 3		3	UHL	UHL4X	21.93										l .
ļ	4-Wire Unbundled HDSL Loop without manual service inquiry	<b>\</b>	1			1				1						
	and facility reservation - Zone 1	1_	1	UHL	UHL4W	11.95				l .		ļ <u></u>		1		
	4-Wire Unbundled HDSL Loop without manual service inquiry															
Į.	and facility reservation - Zone 2	1 1	2	UHL	UHL4W	13.80			1	1						
	4-Wire Unbundled HDSL Loop without manual service inquiry			1										r		
	and facility reservation - Zone 3	l i	3	UHL	UHL4W	21.93										İ
4-WIRE	DS1 DIGITAL LOOP		<del>  </del>	0110	OTTE TVV	21.50										
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	56.82								-		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	60.43										<u> </u>
	4-Wire DS1 Digital Loop - Zone 3			USL		78.66			<u> </u>	-						
HOLL CARACI	TY UNBUNDLED LOCAL LOOP		3	USL	USLXX	/8.00										
HIGH CAPACI			<b></b>													
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	l	l						•							
	month			UE3	1L5ND	13.11										
	High Capacity Unbundled Local Loop - DS3 - Facility	l	1													
1	Termination per month		l	UE3	UE3PX	297.21			i							l
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1						1	<u> </u>				T		1
1	month	l	1	UDLSX	1L5ND	13.11			!			j		]		
	High Capacity Unbundled Local Loop - STS-1 - Facility				1	1			t							
I	Termination per month		1	UDLSX	UDLS1	401.83			l	ĺ		<b> </b>				
INBUNDI ED I	DEDICATED TRANSPORT	<del></del>	<del>  -</del>	33007	TODES!	401.00								<del> </del>		
	OFFICE CHANNEL - DEDICATED TRANSPORT		1	<del> </del>	<del></del> -	+				l						<b> </b>
- INTERV			<b> </b>	<del> </del>		1										
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l	l	l	1	1				l		[				1
	month		-	U1TD1	1L5XX	0.1379	_		<b></b>	<u> </u>						
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	1		1									ļ		]
	Termination		L	U1TD1	U1TF1	40.17								l		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1		1											
	month	L	<u></u>	U1TD3	1L5XX	3.02		_	1	<b>l</b> .						Ì
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	401.83										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															t
1	month	1	1	U1TS1	1L5XX	3.02		}	]	]	]	1				1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility		· · · · · ·	1		0.02			<del> </del>	<del> </del>		<del></del>		-		<del>                                     </del>
	Termination		1	U1TS1	U1TFS	421.39										1
	(TENDED LINK (EELs)			01131	UIIFS	421.39						<b>├</b>		L		ļ
こいけいりんじん こっ	VICINDED LINK (EELS)		L						L	L				L		
	The managed by a second of the	man on the co		Contract A La Ci												
NOTE:	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not the															

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	56.82										· · · · · · · · · · · · · · · · · · ·
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	60.43					<u> </u>					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	78.66										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1379										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		-	UNC1X	U1TF1	40.17							<u> </u>			
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC			101111	40.17			-							
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.11				· · · · · · · · · · · · · · · · · · ·	<del> </del>					
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	297.21				-						
<u> </u>	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.02										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	401.83										
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	13.11										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	401.83										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3.02										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	421.39										

ONBONDER	D NETWORK ELEMENTS - Kentucky													t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
JNBUNDLED	EXCHANGE ACCESS LOOP	<del> </del>														
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		1-											
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		1_1_	UHL	UHL2X	10.06										
	& facility reservation - Zone 2		2	UHL.	UHL2X	10.99										
	Wire Unbundled HDSL Loop including manual service inquiry     facility reservation - Zone 3		3_	UHL	UHL2X	12.20										
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	10.06										
<del></del>	2 Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHLZVV	10.06										l
	and facility reservation - Zone 2		2	UHL	UHL2W	10.99										
	2 Wire Unbundled HDSL Loop without manual service inquiry							······································								
4 144151	and facility reservation - Zone 3	TIBLE	3	UHL	UHL2W	12.20										
4-4411	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA  4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LUUP													
İ	and facility reservation - Zone 1		1	UHL	UHL4X	16.04			[							
	4-Wire Unbundled HDSL Loop including manual service inquiry	T														<del>-</del>
	and facility reservation - Zone 2	1	2	UHL	UHL4X	18.03										
	Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	19.53										
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL,	UHL4W	16.04										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	18.03										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL.	UHL4W	19.53										
4-WIR	E DS1 DIGITAL LOOP	-	3-	Orac,	Of ICAW	19.53		-								
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	99.44			-							
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	131.22										
UCU DADACI	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	342.42										
IIGH CAPACI	TY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per				<del> </del>											
	month			UE3	1L5ND	10.64										
	High Capacity Unbundled Local Loop - DS3 - Facility				1	10.07										
	Termination per month			UE3	UE3PX	354.56										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.64										
	High Capacity Unbundled Local Loop - STS-1 - Facility			LIDLEY	luni et	202 5-										
INBLINDI ED I	Termination per month DEDICATED TRANSPORT		<b></b>	UDLSX	UDLS1	368.59										
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1						-					
	month			U1TD1	1L5XX	0.26										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	110.45										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	5.72							1			,
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1351.42										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX											
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	ļ				5.72										
LINIDIN	Termination NDLED DARK FIBER	ļ		U1TS1	U1TFS	1321.94										<u></u>
UNBUI	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				<del>  </del>											
	Route Mile Or Fraction Thereof  XTENDED LINK (EEL.s)	<b></b>		UDF, UDFCX	1L5DF	35.35			\							

UNBUN	INDLED NETWORK ELEMENTS - Kentucky								-300				Attachmer	t; 2 Exh. B		
					T				*~		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec			Manual Svc	Manual Svc	Manual Svc
CATEGO	ORY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lan	per cur	Electronic-	Electronic-	Electronic-	Electronic-
ì			1	1	ł						ļ	1	1st	Add'i	Disc 1st	Disc Add'l
				i								1	181	Addi	Disc 1st	DISC Add I
						Rec		curring		g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE: The monthly recurring and non-recurring charges I															
	NOTE: The monthly recurring and the Switch-As-Is Charge					UNE combination	ns provisio	ed as ' Curren	tly Combined	Network Eleme	nts.					
E	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH	DEDICATED DS1							L	L						
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	99.44										
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	131.22			<u> </u>	<u> </u>						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	342.42		L	<u> </u>							
	Interoffice Transport - Dedicated - DS1 combination -	Per Mile														
	per month			UNC1X	1L5XX	0.22										
	Interoffice Transport - Dedicated - DS1 combination -	Facility	1						1	1	1		}			l
	Termination per month			UNC1X	U1TF1	90.87					l					
E	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICA	ATED DS3 INTER	OFFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month		Ľ.,	UNC3X	1L5ND	10.64										
1	DS3 Local Loop in combination - Facility Termination	per month		UNC3X	UE3PX	354.56										
	Interoffice Transport - Dedicated - DS3 - Per Mile per			UNC3X	1L5XX	4.70					1					
	Interoffice Transport - Dedicated - DS3 combination -															
	Termination per month			UNC3X	U1TF3	1111.92				1						
E	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDI	CATED STS-1 INT	EROFF	ICE TRANSPORT	1		···	· · · · · · · · · · · · · · · · · · ·	T							
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	10.64										
	STS-1 Local Loop in combination - Facility Termination	n per	1													
1 1	month	· 1	ſ	UNCSX	UDLS1	368.59		1	1	1	ł					<u> </u>
	Interoffice Transport - Dedicated - STS-1 combination	- per mile														
	per month	1		UNCSX	1L5XX	4.70		L		<u> </u>	L					
	Interoffice Transport - Dedicated - STS-1 combination	- Facility														
	Termination per month			UNCSX	U1TFS	1087.66				i	l					L

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana										T		Attachmen			
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonre First	curring Add'l	Nonrecurring First	g Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
				1													
		XCHANGE ACCESS LOOP															
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	11.26										
		& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		+	UHL	UHLZX	11.20			ļ	<del> </del>						
		& facility reservation - Zone 2		2	UHL	UHL2X	13.25		-		1						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	14.65										
		2 Wire Unbundled HDSL Loop without manual service inquiry		1	l		44.00				1						
		and facility reservation - Zone 1		1	UHL,	UHL2W	11.26										<del> </del>
		Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	13.25										
- 1		2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	+-		0	,0.23					<b> </b>			<b>-</b>		<b>†</b>
		and facility reservation - Zone 3		3	UHL	UHL2W	14.65			1							
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry					1		i								
		and facility reservation - Zone 1		1	UHL	UHL4X	18.68		ļ								<b></b>
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	İ	2	UHL	UHL4X	19.15		ĺ	İ							
		4-Wire Unbundled HDSL Loop including manual service inquiry			UNL	UHL4X	19.15										
		and facility reservation - Zone 3		3	UHL	UHL4X	19.94										
		4-Wire Unbundled HDSL Loop without manual service inquiry		T													
		and facility reservation - Zone 1		1	UHL	UHL4W	18.68										
		4-Wire Unbundled HDSL Loop without manual service inquiry								, i							
		and facility reservation - Zone 2		2	UHL	UHL4W	19.15										
I		4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL4W	19,94									1	
		and facility reservation - Zone 3 EDS1 DIGITAL LOOP	-	3	Unic	Unlaw	19,94										l
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	98.56					<b></b>					
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	224.20										
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	565.73										
HIGH C	APACIT	TY UNBUNDLED LOCAL LOOP	ļ						ļ	<b></b>							1
İ	İ	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1		LIEO	II END	11.55										
		month High Capacity Unbundled Local Loop - DS3 - Facility		-	UE3	1L5ND	11.55		<b> </b>								
		Termination per month			UE3	UE3PX	416.69				İ						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per	<del> </del>	†						1							
		month			UDLSX	1L5ND	11.55										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
LINE CO.	 	Termination per month	ļ		UDLSX	UDLS1	430.74		<u> </u>	<u> </u>	<del>                                     </del>					<del> </del>	<del>                                     </del>
		DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT	<del> </del>		<del> </del>	+											<del> </del>
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		+													
		month		1	U1TD1	1L5XX	0.30			<u> </u>	L						
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	81.04										
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	LIATER	1L5XX			1	1							
		month Interoffice Channel - Dedicated Transport - DS3 - Facility	<del> </del>	+	U1TD3	ILDAX	6.95		<del></del>	+	<u> </u>	<del>                                     </del>			<del></del>		
		Termination per month			U1TD3	U1TF3	978.02			1					ĺ		
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	1	100	5.5.52			1		<b></b>					1
		month		1	U1TS1	1L5XX	6.95								<u></u>		
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	l		1.2												
		Termination	1	4	U1TS1	U1TFS	954.72		<b> </b>	-	ļ	<b> </b>					
	UNBU	NDLED DARK FIBER	ļ	+	<del> </del>	-			<del> </del>	<del> </del>	<del> </del>	<b></b>				ļ	<b> </b>
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	29.07			1			1				
		XTENDED LINK (EELs)	<b></b>	<b></b>	1001,00107	1.000	20.01		+		<b>+</b>		<del> </del>	<del>                                     </del>	<del></del>		· · · · · · · · · · · · · · · · · · ·

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B		
											Submitted		Charge -	Charge -	Charge -
	Interi	ļ								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1				l .					ĺ	ĺ	Electronic-	Electronic-		Electronic-
			ĺ									1st	Add'l	Disc 1st	Disc Add'l
	<del>                                     </del>	<del>                                     </del>		<u> </u>		Nonre	curring	Nonrecurrin	g Disconnect	<del>                                     </del>		oss	Rates (\$)	· · · · · · · · · · · · · · · · · · ·	·
	1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	oly for UNE com	binations pro	visioned as ' (	Ordinarily Com	bined' Networl	Elements.					
NOTE: The monthly recurring and the Switch-As-Is Charge and not	the non-	-recurri	ing charges below v	vill apply for	UNE combination	ons provision	ed as ' Current	ly Combined'	Network Eleme	ents.					
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICA	TED DS1	INTER	OFFICE TRANSPO												
4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	98.56			1							
4-Wire DS1 Digital Loop in Combination - Zone 2	T	2	UNC1X	USLXX	224.20										
4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	565.73										
Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	ľ													
per month			UNC1X	1L5XX	0.30					_					
Interoffice Transport - Dedicated - DS1 combination - Facility		T		T											
Termination per month		1	UNC1X	U1TF1	81.04		<u> </u>								
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	OFFICE	TRANSPORT												
DS3 Local Loop in combination - per mile per month		1	UNC3X	1L5ND	11.55										
	1														
DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	416.69			<u> </u>							
Interoffice Transport - Dedicated - DS3 - Per Mile per month	L		UNC3X	1L5XX	6.95		L								
Interoffice Transport - Dedicated - DS3 combination - Facility				1			ļ					i			
Termination per month			UNC3X	U1TF3	978.02					1					
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED S	TS-1 INT	EROFF								<u> </u>					<u> </u>
STS-1 Local Loop in combination - per mile per month	1		UNCSX	1L5ND	11.55			1		L		ļ. <u></u>			
STS-1 Local Loop in combination - Facility Termination per	1	}		1	1		1	1	}					}	1
month	1		UNCSX	UDLS1	430.74				<u> </u>						
Interoffice Transport - Dedicated - STS-1 combination - per mile															
per month	<u>L</u>	L	UNCSX	1L5XX	6.95			<u> </u>	<b>_</b>						
Interoffice Transport - Dedicated - STS-1 combination - Facility															
Termination per month	I	1	UNCSX	U1TFS	954.72		1			L	l			L	

Version: 2Q06 Standard ICA 06/13/06

JNBUNDL	ED NETWORK ELEMENTS - Mississippi													t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
		-	<u> </u>			Rec	Nonrec	urring Add'l	Nonrecurrin	g Disconnect Add'l	SOMEC	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
		<del></del>	<del> </del>		<del> </del>			Auu		Addi	SUMEC	SOWAN	SOWAN	SUMAN	SUMAN	SUMAN
	D EXCHANGE ACCESS LOOP															
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
1	2 Wire Unbundled HDSL Loop including manual service inquiry		1													
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	10.06										
	& facility reservation - Zone 2		2	UHL	UHL2X	10.60										
	2 Wire Unbundled HDSL Loop including manual service inquiry	ļ		OTIL	UNLZX	10.60				<del> </del> -						
	& facility reservation - Zone 3		3	luhl	UHL2X	11.35			ļ							
	2 Wire Unbundled HDSL Loop including manual service inquiry		·		1	- 1100					t					
	& facility reservation - Zone 4		4	UHL	UHL2X	12.03										
İ	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	L	1	UHL	UHL2W	10.06				l						
	2 Wire Unbundled HDSL Loop without manual service inquiry			l												
	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry	ļ	2	UHL	UHL2W	10.60										
	and facility reservation - Zone 3	Į.	3	UHL	UHL2W	11.35	1		1	ì	1					
	2 Wire Unbundled HDSL Loop without manual service inquiry			IOTIL	UNLZW	11.35			ļ	ļ	<del> </del>					
į.	and facility reservation - Zone 4		4	luhi	UHL2W	12.03			i	ļ						
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		0.1	12.00	-			<del> </del>	<del> </del>					
	4 Wire Unbundled HDSL Loop including manual service inquiry	T			1					<del></del>						
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	15.85				į.						
- 1	4-Wire Unbundled HDSL Loop including manual service inquiry	1	1	1												
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44			<u> </u>		_					
	4-Wire Unbundled HDSL Loop including manual service inquiry									ļ						
	and facility reservation - Zone 3  4-Wire Unbundled HDSL Loop including manual service inquiry	ļ	3	UHL	UHL4X	17.93				ļ						
	and facility reservation - Zone 4		4	UHL.	UHL4X	16.63			i		1				i	
<b>—</b>	4-Wire Unbundled HDSL Loop without manual service inquiry	<del></del> -	<del>  -</del>	OTTE	UI IL4A	10.03			<del> </del>	<del> </del>	<del> </del>					
1	and facility reservation - Zone 1	1	1 1	luhl	UHL4W	15.85										
	4-Wire Unbundled HDSL Loop without manual service inquiry				1					<del></del>						
	and facility reservation - Zone 2		2_	UHL	UHL4W	15.44	i				1					
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	17.93					L l					
	4-Wire Unbundled HDSL Loop without manual service inquiry	l														
4 11/1	and facility reservation - Zone 4		4	UHL	UHL4W	16.63										
4-WI	RE DS1 DIGITAL LOOP  4-Wire DS1 Digital Loop - Zone f	ļ	1	USL	USLXX	440.00										
	4-Wire DS1 Digital Loop - Zone 2	<b></b>		USL	USLXX	118.62 148.79										
_   _	4-Wire DS1 Digital Loop - Zone 3	<del> </del>		USL	USLXX	237.75	-		<del></del>							
	4-Wire DS1 Digital Loop - Zone 4		4		USLXX	527.23										
SH CAPAC	CITY UNBUNDLED LOCAL LOOP			002	1002701	ULT.EU			<b></b>							
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			· · · · · · · · · · · · · · · · · · ·	†											
	month		L	UE3	1L5ND	12.88			L	1	]					
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month	ļ	L	UE3	UE3PX	375.07										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	l		UDLOV	1		ļ									
	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	12.88			<b> </b>		<u>  </u>					
	Termination per month			UDLSX	UDLS1	389.33				1			l			
BUNDLE	D DEDICATED TRANSPORT			JULUX	100001	309.33					<del>                                     </del>					
	ROFFICE CHANNEL - DEDICATED TRANSPORT	<u> </u>	h		<del>                                     </del>		<del></del> -			<del>                                     </del>	<del> </del>					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								<b></b>	<del>                                     </del>						
	month		L	U1TD1	1L5XX	0.23			l	ļ	ļ ļ	ļ	Į	ļ	ļ	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination		L	U1TD1	U1TF1	65.93				L						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month	L		U1TD3	1L5XX	5.47				L						

INBUNDLED NETWORK ELEMENTS - Mississippi											Attachmen	t: 2 Exh. B		
		T							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
			İ						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	1			1					Elec	Manually			Manual Svc	Manual Sv
ATEGORY RATE ELEMENTS	Interi	Zone	BCS	USOC		RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
	∤ m		1	,		***			per con	per Lon	Electronic-	]	Electronic-	Electronic
i i		ł		i										
											1st	Add'l	Disc 1st	Disc Add'l
		<del> </del>				Nonrecurring	Nonrecurri	ng Disconnect		1	oss	Rates (\$)		
					Rec	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoffice Channel - Dedicated Transport - DS3 - Facility							<del> </del>						C	
Termination per month			U1TD3	U1TF3	738,18	1					i			
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile	ner	<del> </del>					+	<b></b>	<del> </del>				<del> </del>	
month	, ,	l	U1TS1	1L5XX	5.47	1	-		Į.	1	l	}	ļ	ļ
Interoffice Channel - Dedicated Transport - STS-1 - Facility		ł	01101	1120/01	5.47			+	<del> </del>			<del> </del>		
Termination		i i	U1TS1	U1TES	740.84	1		į.		l				
UNBUNDLED DARK FIBER	_	<del> </del>	01101	01113	740.04		+			<b></b>			<del></del>	
Dark Fiber - Interoffice Transport, Per Four Fiber Strands, P	<u>,                                    </u>	<del>                                     </del>		+	<del></del>		<u> </u>		<del> </del>	<del> </del>		· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del> </del> -
Route Mile Or Fraction Thereof	"		UDF, UDFCX	1L5DF	32.51	1	ł							
IHANCED EXTENDED LINK (EELs)		<del> </del>	ODF , ODF CX	TESDI	32.31		<del></del>		<del> </del>		<del> </del>			
NOTE: The monthly recurring and non-recurring charges below	will apply a	nd the	Switch Ac Ic Char	no will not nor	ly for UNE combin	nations provisioned as '	Ordinarily Cor	nhinod' Notwor	Elemente				<del> </del>	·
NOTE: The monthly recurring and the Switch-As-Is Charge and													<del> </del>	
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDI					ONE COMOMANONS	s provisioned as Currei	iny Combined	Network Eleme	ins.		ļ		<u> </u>	
4-Wire DS1 Digital Loop in Combination - Zone 1	AIED DSI		UNC1X	USLXX	90.94		_	<u> </u>		<b></b>	ļ			
4-Wire DS1 Digital Loop in Combination - Zone 1				USLXX	148.79				<del></del>					<del> </del>
4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	237.75		ļ	<del>                                      </del>	<del> </del>					
		4	UNCIX	USLXX	527.23				<b></b>			ļ <u>-</u>	<del></del>	ļ
4-wire DS1 Digital Lcoal Loop in Combination - Zone 4		4	UNCIX	USLAA	527.23				<del></del>	ļ				ļ <u></u>
Interoffice Transport - Dedicated - DS1 combination - Per Mi	e		LINGAY	11.570	0.00	ł		ŀ	ĺ	1				
per month 2011			UNC1X	1L5XX	0.23		4							<del> </del>
Interoffice Transport - Dedicated - DS1 combination - Facility						f		ĺ	ĺ	ĺ	ĺ	i	i	i
Termination per month			UNC1X	U1TF1	59.48		4	<b>_</b>		ļ				
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED	S3 INTERC	PFICE												
DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.88									-
		İ	l								,			
DS3 Local Loop in combination - Facility Termination per mo	nth .		UNC3X	UE3PX	375.07									
Interoffice Transport - Dedicated - DS3 - Per Mile per month		<u> </u>	UNC3X	1L5XX	5.47				ļ <u></u>					
Interoffice Transport - Dedicated - DS3 combination - Facility								}	1					
Termination per month		<u> </u>	UNC3X	U1TF3	738.18		1						l	
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATE	STS-1 INT	EROFF												
STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	12.88									
STS-1 Local Loop in combination - Facility Termination per							· [ · · · · · · · · · · · · · · · · · ·							
month			UNCSX	UDLS1	389.33			1_						
Interoffice Transport - Dedicated - STS-1 combination - per r	nile													
per month	_	l	UNCSX	1L5XX	5.47	1		1					L	
Interoffice Transport - Dedicated - STS-1 combination - Facil	ty													
Termination per month	1	1	UNCSX	U1TFS	740.84	}	1	}	J			J	J	1

Version: 2Q06 Standard ICA 06/13/06

UNBUNDL	LED NETWORK ELEMENTS	- North Carolina												Attachmen	t: 2 Exh. B		
CATEGORY		LEMENTS	Interi m	Zone	вся	s uso			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	Boo	Nonre	curring	Nonrecurrin	g Disconnect		L	oss	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<u></u>																	
	D EXCHANGE ACCESS LOOP		<u></u>	L													
2-701	IRE HIGH BIT RATE DIGITAL SUI	including manual service inquiry	TIBLE	LOOP				ļ									
	& facility reservation - Zone 1	including manual service inquiry		1	UHL	UHL2X	9.14				1						
		including manual service inquiry			OI IL	UnitZX	3.14		<del> </del>							<del> </del>	
	& facility reservation - Zone 2	,		2	UHL	UHL2X	10.52		İ								
		including manual service inquiry															
	& facility reservation - Zone 3			3	UHL	UHL2X	10.96		l							1	
	2 Wire Unbundled HDSL Loop	without manual service inquiry			Ī												
	and facility reservation - Zone 1			1	UHL	UHL2W	9.14										
	2 Wire Unbundled HDSL Loop and facility reservation - Zone 2			2	UHL	UHL2W	10.52				1					1	1
	2 Wire Unbundled HDSL Loop		-	-	IOITL	UFIL2W	10.52	-		+						<del> </del>	-
-	and facility reservation - Zone 3			3	UHL	UHL2W	10.96				1	i i					
4-WI	IRE HIGH BIT RATE DIGITAL SUI	SCRIBER LINE (HDSL) COMPA	TIBLE I				10.00			<del>                                     </del>	1				·····	<del>                                     </del>	
	4 Wire Unbundled HDSL Loop	including manual service inquiry		Ī .					1	1							
	and facility reservation - Zone 1			1	UHL.	UHL4X	12.66				1						
1		including manual service inquiry															
	and facility reservation - Zone 2			2	UHL	UHL4X	14.03										
1		including manual service inquiry	!	١.		l				ı							
	and facility reservation - Zone 3			3	UHL	UHL4X	15.51		ļ		<b></b>						
	4-Wire Unbundled HDSL Loop and facility reservation - Zone 1			Ι.	UHL	UHL4W	12.66									į.	
-	4-Wire Unbundled HDSL Loop			<del>'</del>	UNL	UniL4VV	12.00		<del>                                     </del>	+·-	ļ						
	and facility reservation - Zone 2			2	UHL	UHL4W	14.03				1						
-   -	4-Wire Unbundled HDSL Loop							-		<del>                                     </del>	1						
	and facility reservation - Zone 3	· ' '		3	UHL	UHL4W	15.51										
4-WI	IRE DS1 DIGITAL LOOP																
	4-Wire DS1 Digital Loop - Zone				USL	USLXX	73.16										
	4-Wire DS1 Digital Loop - Zone				USL	USLXX	120.06										
UICH CABA	4-Wire DS1 Digital Loop - Zone CITY UNBUNDLED LOCAL LOOP			3	USL	USLXX	241.75			- · · · · · · · · · · · · · · · · · · ·	ļ						ļ
HIGH CAPAC	High Capacity Unbundled Loca																ļ
	month	1 Coop - Doo - 1 et Mile pel			UE3	1L5ND	14.89										
	High Capacity Unbundled Loca	LLoop - DS3 - Facility			020	1100140	14.03										<del></del>
	Termination per month				UE3	UE3PX	264.38									1	
	High Capacity Unbundled Loca	I Loop - STS-1 - Per Mile per					1		1	1							<del></del>
	month				UDLSX	1L5ND	14.89										
ŀ	High Capacity Unbundled Loca	Loop - STS-1 - Facility			l												
INDURES =	Termination per month				UDLSX	UDLS1	296.49										
	D DEDICATED TRANSPORT	D TO ANODODT								<del> </del>	4						
INIE	ROFFICE CHANNEL - DEDICATE Interoffice Channel - Dedicated		-							-	1						ļ
	month	Chaimer DST - Fer Mile per			U1TD1	1L5XX	0.2229							j			
	Interoffice Channel - Dedicated	Tranport - DS1 - Facility			0,101	TLOAN	0.2229		<del> </del>	+	<del> </del>						
	Termination	,			U1TD1	U1TF1	35.87		i							1	
	Interoffice Channel - Dedicated	Transport - DS3 - Per Mile per					3,0,0										
	month				U1TD3	1L5XX	5.11		<u> </u>		L						
	Interoffice Channel - Dedicated	Transport - DS3 - Facility															
	Termination per month	Towns of CTC 4 Do 15		ļ	U1TD3	U1TF3	379.40			<b></b>	<b>.</b>						
	Interoffice Channel - Dedicated month	Transport - STS-1 - Per Mile per			LISTES	11.630			I				1				
		T			U1TS1	1L5XX	5.11		-	-							
Į.	Interoffice Channel - Dedicated Termination	Fransport - STS-1 - Facility			U1T\$1	U1TFS	200.00		I				1				
LIME	UNDLED DARK FIBER				01151	UTIFS	390.08			<del> </del>	<del> </del>					ļ	
OND	Dark Fiber - Interoffice Transpo	rt. Per Four Fiber Strands Per					+			+	<del> </del>						
	Route Mile Or Fraction Thereof	.,			UDF, UDFC	X 1L5DF	28.49		I								
	EXTENDED LINK (EELs)								<del> </del>	· <del> </del>	<del>                                     </del>					<b></b>	h

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. B		
														Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)							Manual Svc	
			m		500	0000			20 (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1														Electronic-	Electronic-		Electronic-
1						1								1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurrir	g Disconnect		<b>L</b>	oss	Rates (\$)	l	·
			L				1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ply for UNE com	binations pro	visioned as ' C	rdinarily Con	bined' Networ	k Elements.					
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	recurr	ng charges below v	will apply for	UNE combination	ns provision	ed as ' Current	ly Combined'	Network Eleme	ents.			1		
	EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	RT				i i	T	T				i	
		4-Wire DS1 Digital Loop in Combination - Zone 1	I	1	UNC1X	USLXX	73.16										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	120.06		***************************************								
L	1.	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	241.75			ļ —	·	1.					
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				1					<b>-</b>				-		
		per month	1		UNC1X	1L5XX	0.2229							i			
		Interoffice Transport - Dedicated - DS1 combination - Facility			· · · · · · · · · · · · · · · · · · ·							<u> </u>			-		
		Termination per month			UNC1X	U1TF1	35.72				İ		İ		1		1
	EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT							<u> </u>	i				
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.89				<del> </del>						
		DOMESTIC STATE OF THE PARTY OF							******								
⊢—		DS3 Local Loop in combination - Facility Termination per month		<b></b>	UNC3X	UE3PX	264.38								<u></u>		
<b></b>	+	Interoffice Transport - Dedicated - DS3 - Per Mile per month		ļ <u> </u>	UNC3X	1L5XX	5.11										
1		Interoffice Transport - Dedicated - DS3 combination - Facility					1					1					
		Termination per month		<u></u>	UNC3X	U1TF3	379.40										
	EXIEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
ļ		STS-1 Local Loop in combination - per mile per month	<u> </u>		UNCSX	1L5ND	14.89				1						
l		STS-1 Local Loop in combination - Facility Termination per	l				1				1	1	1		1		
<u> </u>	ļ	month		ļ	UNCSX	UDLS1	390.08					L	İ				
		Interoffice Transport - Dedicated - STS-1 combination - per mile					1		i		1						
	1	per month			UNCSX	1L5XX	5.11				1	L		l	<u> </u>		
1	1	Interoffice Transport - Dedicated - STS-1 combination - Facility		1			1										
		Termination per month			UNCSX	U1TFS	390.08					ł					

UNBUND	LED NETWORK ELEMENTS - South Carolina												Attachmen	t; 2 Exh. B		
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring		g Disconnect				Rates (\$)		
		<del> </del>	├				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLE	ED EXCHANGE ACCESS LOOP	1	<del>                                     </del>						·	<del> </del>			<del> </del>		-	
2-W	VIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP.	ATIBLE	LOOP					·				<b></b>				
	2 Wire Unbundled HDSL Loop including manual service inquiry		1													
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry	-	1	UHL	UHL2X	11.02			-							
	& facility reservation - Zone 2		2	UHL	UHL2X	12.56										1
	2 Wire Unbundled HDSL Loop including manual service inquiry					12.00			-				·			<del> </del>
	& facility reservation - Zone 3	ļ <u>.</u>	3	UHL	UHL2X	13.11										L
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		١.	UHL	UHL2W	11.02										
	2 Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	<del>  '</del>	OTIL	UNILZVV	11.02					ļ <u>.</u>		ļ			<b></b>
	and facility reservation - Zone 2		2	UHL	UHL2W	12.56										1
	2 Wire Unbundled HDSL Loop without manual service inquiry															
4-30	and facility reservation - Zone 3 VIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	3	UHL	UHL2W	13.11										
	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LUUP													<u></u>
	and facility reservation - Zone 1	1	1	UHL	UHL4X	18.42				1						1
	4-Wire Unbundled HDSL Loop including manual service inquiry								1							
	and facility reservation - Zone 2		2	UHL	UHL4X	16.48										
i	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	10.07					1					l .
	4-Wire Unbundled HDSL Loop without manual service inquiry	<del> </del>		UNL	UNL4X	19.37			<del> </del>	<del> </del>	<del> </del>					<del></del>
	and facility reservation - Zone 1		1	UHL	UHL4W	18.42		}			-		İ			I
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	<b> </b>	2	UHL	UHL4W	16.48					<u> </u>					<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	19.37										1
4-W	VIRE DS1 DIGITAL LOOP		-	OTIL	OTIL4VV	19,37										
	4-Wire DS1 Digital Loop - Zone 1			USL.	USLXX	91.44			<u> </u>	<u> </u>	<del> </del>					
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	156.40	-									
HIGH CARA	4-Wire DS1 Digital Loop - Zone 3 ACITY UNBUNDLED LOCAL LOOP		3	USL	USLXX	263.52			ļ <u>.</u>							<b></b>
IIIGII CAFA	High Capacity Unbundled Local Loop - DS3 - Per Mile per	ļ	├		+				<del> </del>		<del> </del>					t
}	month	]	1	UE3	1L5ND	14.10										ł
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month	<u> </u>	<u> </u>	UE3	UE3PX	352.31			<del> </del>	<u> </u>	ļ					<b>——</b>
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	14.10										ı
	High Capacity Unbundled Local Loop - STS-1 - Facility				1.5.45	14.10		L	<del>                                     </del>	<b></b>	<b> </b>					
	Termination per month	L		UDLSX	UDLS1	360.51										L
	ED DEDICATED TRANSPORT	ļ	_													
INI	EROFFICE CHANNEL - DEDICATED TRANSPORT  Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	<u> </u>							<del> </del>		ļ					
	month		1	U1TD1	1L5XX	0.39				į						i
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1.20,01	5.55			<del>                                     </del>	<del> </del>	<del> </del>					
	Termination		L	U1TD1	U1TF1	88.71										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			LIXTDO	11.500	2.22	_		1							i
	Interoffice Channel - Dedicated Transport - DS3 - Facility	+		U1TD3	1L5XX	9.22			+		ļ		L			
	Termination per month			U1TD3	U1TF3	1012.75										i '
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per										,					
	month	<b>.</b>	ļ	U1TS1	1L5XX	9.22										
ĺ	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1012.63			1							i
UNE	BUNDLED DARK FIBER	<del> </del>		0.101	0111.3	1012.03			+	<del>                                     </del>	<del> </del>					
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				1				1		<u> </u>					
	Route Mile Or Fraction Thereof	L		UDF, UDFCX	1L5DF	41.87			<b></b>							
ENHANCE	D EXTENDED LINK (EELs)	L	L					L	1	1						

UNBL	INDLE	D NETWORK ELEMENTS - South Carolina							-					Attachmen	t: 2 Exh. B		
				Γ .			T					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
			İ	Į									Submitted	Charge -	Charge -	Charge -	Charge -
				İ	Į.							Elec				-	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	Į.		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1			m						***			per Lan	percon	Electronic-	Electronic-	Electronic-	Electronic-
		•			1		1							1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add 1
							Rec		curring	Nonrecurrin					Rates (\$)		
				<u> </u>	<u> </u>		1	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	will not app	oly for UNE com	pinations pro	visioned as ' (	Ordinarily Com	bined' Network	k Elements.					
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	recurr	ing charges below w	rill apply for	UNE combinatio	ns provision	ed as ' Current	ly Combined'	Network Eleme	ents.	1				
		DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT							I	, <u>.</u>		T					
	T .	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	104.50			1		1	İ				
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	178.74										
		4-Wire DS1 Digital Loop in Combination - Zone 3	1	3	UNC1X	USLXX	301.17										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.31			1			1		Ī		
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	88.71					1					
<b>-</b>	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	FEICE		01111	00.71					<del> </del>					<del> </del>
<b>———</b>	LXILIY	DS3 Local Loop in combination - per mile per month	1	1102	UNC3X	1L5ND	14,10					<del> </del>	<del></del>				<del>                                     </del>
<b>-</b>	<del>                                     </del>	Boo codi coop in combination per mile per month	<del> </del>	<del> </del>	ONOON	TESIND	14.10										<del> </del>
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	352.31					I	i				
	<del> </del>	Interoffice Transport - Dedicated - DS3 - Per Mile per month	1	1	UNC3X	1L5XX	9.22			<del> </del>		<del>                                     </del>	<del> </del>				<del></del>
	<b></b>	Interoffice Transport - Dedicated - DS3 combination - Facility	<del> </del>	1		1.000	V.E.					<del> </del>	<del>                                     </del>				
		Termination per month			UNC3X	U1TF3	1012.75				1				1		
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFE									<b> </b>				
<u> </u>		STS-1 Local Loop in combination - per mile per month	1	1	TUNCSX	1L5ND	14.10		· <del></del> · · · · · · · · · · · · · · · · · ·				<del> </del>				
	T	STS-1 Local Loop in combination - Facility Termination per		i –		1						<b> </b>			<del> </del>		<u> </u>
		month			UNCSX	UDLS1	360.51			1							1
		Interoffice Transport - Dedicated - STS-1 combination - per mile		1			1				1	† · · · · · · · · · · · · · · · · · · ·	†				1
1	1	per month			UNCSX	1L5XX	9.22				1	1	1				1
	1	Interoffice Transport - Dedicated - STS-1 combination - Facility		1						1		1					
1		Termination per month	1		UNCSX	U1TFS	1012.63			1	1	1	1		}		1

Version: 2Q06 Standard ICA 06/13/06

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachmen	t; 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
							Nonrecurring	·	Nonrocurrin	g Disconnect			220	Rates (\$)	L	
			-		<del> </del>	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			<del> </del>		-		11130	Augi	11100	Aug I	JOINEO	COMAN	COMPAN	00,00,00	Journa	001117111
INBUNDLED E	XCHANGE ACCESS LOOP	-	<del> </del>		1				-							
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		· ·		1			T						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	11.09			1	j						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	16.61										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	27.74										1
	2 Wire Unbundled HDSt, Loop without manual service inquiry		3	UHL	UHLZX	21.74										
	and facility reservation - Zone 1		1	UHL	UHL2W	11.09				i						
	2 Wire Unbundled HDSL Loop without manual service inquiry		† <u> </u>			11.03			<b>†</b>	<del> </del>	<b> </b>	J			<del> </del>	<b>-</b>
	and facility reservation - Zone 2		2	UHL	UHL2W	16.61									1	1
	2 Wire Unbundled HDSL Loop without manual service inquiry								1	T			· · · · · ·			
	and facility reservation - Zone 3	L	3	UHL	UHL2W	27.74										
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	14.26			1	ļ						
	4-Wire Unbundled HDSL Loop including manual service inquiry		_	l												
	and facility reservation - Zone 2		2	UHL	UHL4X	21.37										
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		2	UHL	UHL4X	35.68										
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	UNL	UnL4X	35,08			-	1					-	<u> </u>
	and facility reservation - Zone 1		1	UHL	UHL4W	14.26										
	4-Wire Unbundled HDSL Loop without manual service inquiry		╁		OTILATO	14.20		·	-	<del>                                     </del>					-	
1 1	and facility reservation - Zone 2		2	UHL	UHL4W	21.37			}							
	4-Wire Unbundled HDSL Loop without manual service inquiry									1						
	and facility reservation - Zone 3		3	UHL	UHL4W	35.68										
	DS1 DIGITAL LOOP		<u> </u>							<u> </u>						
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	59.09				ļ						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	88.53										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	147.82										
IGH CAPACIT	Y UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per		<b>-</b>	ļ	<del>- </del>		ļ			<del> </del>						
	month			UE3	1L5ND	10.57					ļ					
	High Capacity Unbundled Local Loop - DS3 - Facility			020	TESIND	10.57				<del>                                     </del>	<del> </del>			<del></del>	<del> </del>	
	Termination per month			UE3	UE3PX	430.38										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1					***								
	month		<u></u>	UDLSX	1L5ND	10.57										
	High Capacity Unbundled Local Loop - STS-1 - Facility														1	
	Termination per month		<u> </u>	UDLSX	UDLS1	447.75				ļ	1					
	EDICATED TRANSPORT		<u> </u>		<b>_</b>					ļ					l	
	DEFICE CHANNEL - DEDICATED TRANSPORT		ļ		-				-	<del> </del>				l	<del> </del>	ļ
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.40963										1
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility		-	ועווטו	ILOAA	0.40963			· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>	<del> </del>				+	<del> </del>
	Termination		1	U1TD1	U1TF1	89.54				1						1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<del> </del>		15	55.54				1				· · · · · ·	†	
1	month			U1TD3	1L5XX	2.69									L	<u> </u>
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	976.34				1						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1													
	month		ļ	U1TS1	1L5XX	2.69				ļ <u>.</u>					ļ	<u> </u>
	Interoffice Channel - Dedicated Transport - STS-1 - Facility		1	LUTO		070			1		1					
	Termination			U1TS1	U1TFS	976.70			1	-					ļ	<del> </del>
	DLED DARK FIBER - Stand Alone or in Combination  Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			<u> </u>	+				+	<del> </del>	ļ				<del> </del>	<del> </del>
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	33.05										
	TENDED LINK (EELs) AND THEIR COMPONETS	<del>                                     </del>	<del>                                     </del>	331, 331 OX	12301		<del> </del>		+	<del> </del>	<del>                                     </del>	l	<del> </del>			<del> </del>

		D NETWORK ELEMENTS - Tennessee		_	T										t: 2 Exh. B		
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual St Order vs
	ļ							Nonrecurring		Nonrecurrin	a Diagonara					Disc 1st	Disc Add'
	NOTE								Add'i	Firet	Disconnect	0011110			Rates (\$)		
	NOTE:	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not the	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE cor			Ordinarily Com	MOU I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EVTEN	The monthly recurring and the Switch-As-Is Charge and not to DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	he non-	recurri	ng charges below v	vill apply for I	UNE combinati	ons provisione	as ' Current	by Combined'	latuari Elam	Elements.					
	EXIEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	ED DS1	INTER	OFFICE TRANSPOR	श		one provisione.	as Curren	T Combined	vetwork Eleme	nts.					
	ļ	4-Wile DST Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	59.09										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	88.53										
	<del> </del>	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	147.82										
	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile				OSEAA	147.02										
	L	per month			UNC1X	1L5XX	0.40963			ı							
	i I	Interoffice Transport - Dedicated - DS1 combination - Facility			011017	1.1.577	0.40963										1
		Lermination per month			UNC1X	U1TF1											
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NTERO	FFICE	TRANSPORT	OTIFI	89.54				_					i	ĺ
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND											<del></del>
					ONCOX	ILSND	10.57										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UEODY				· · · · · · · · · · · · · · · · · · ·							
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	UE3PX	430.38						1	ı		ĺ	į.
		Interoffice Transport - Dedicated - DS3 combination - Facility			ONCOX	1L5XX	2.69										
	i i	Termination per month			UNC3X			]									
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS	1 INT	BOFF	ONC3X	U1TF3	976.34							i	- 1		i
		STS-1 Local Loop in combination - per mile per month	2-1 114 1 5														
		STS-1 Local Loop in combination - Facility Termination per			UNCSX	1L5ND	10.57										
		month		- 1		1 1	[										
$\neg$		Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	UDLS1	447.75			!			1				
	Į	per month	- 1														
		Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	1L5XX	2.69					i	- 1	- 1			
- 1	ŀ	Termination per month															
					UNCSX	U1TFS	976.70	1		1		[			I		

### **Attachment 3**

**Network Interconnection** 

Version: 2Q05 Standard ICA

## TABLE OF CONTENTS

1	General	
2	Definitions: (For the purpose of this Attachment)	
3	Network Interconnection	
4	Interconnection Trunk Group Architectures	
5	Network Design And Management For Interconnection	13
6	Forecasting for Trunk Provisioning	14
7	Local Dialing Parity	16
8	Interconnection Compensation	10
9	Ordering Charges	23
10	Basic 911 and E911 Interconnection	23
11	SS7 Network Interconnection	24
Rat	tes	Exhibit A
Bas	sic Architecture	Exhibit B
	e Way Architecture	Exhibit C
	o Way Architecture	Exhibit D
Sur	pergroup Architecture	Exhibit E

Version: 2Q05 Standard ICA

# NETWORK INTERCONNECTION

1	General
1.1	The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-Bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
2	<b>Definitions:</b> (For the purpose of this Attachment)
	For purposes of this attachment only, the following terms shall have the definitions set forth below:
2.1	<b>Automatic Location Identification (ALI)</b> is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
2.2	Automatic Number Identification (ANI) corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
2.3	<b>BellSouth Trunk Group</b> is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by ALEC.
2.4	911 Service is as described in this Attachment.
2.5	Call Termination has the meaning set forth for "termination" in 47 C.F.R. § 51.701(d).
2.6	Call Transport has the meaning set forth for "transport" in 47 C.F.R. § 51.701(c).
2.7	Call Transport and Termination is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
2.8	Common (Shared) Transport is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the The Telcordia® LERG <sup>TM</sup> Routing Guide (LERG).
2.9	<b>Dedicated Interoffice Facility</b> is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
2.10	End Office Switching is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.

Version: 2Q05 Standard ICA

2.11 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. 2.12 **Final Trunk Group** is defined as the last choice trunk group between two (2) switches for which there is no alternate route. 2.13 Integrated Services Digital Network User Part (ISUP) is a message protocol to support call set-up and release for interoffice voice connections over SS7 signaling. 2.14 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and ALEC. IntraLATA Toll Traffic is as defined in this Attachment. 2.15 2.16 **ISP-Bound Traffic** is as defined in this Attachment. 2.17 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.18 **Local Traffic** is as defined in this Attachment. 2.19 Public Safety Answering Point (PSAP) is the answering location for 911 calls. 2.20 Selective Routing (SR) is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.21 **Serving Wire Center (SWC)** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.22 Signaling System 7 (SS7)/Common Channel Signaling 7 (CCS7) is an out-of-band signaling system used to provide basic routing information, call set-up and other call termination functions. Signaling is removed from the voice channel and put on a separate data network. 2.23 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching. 2.24 **Transit Traffic** is traffic originating on ALEC's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by

Version: 2Q05 Standard ICA

9/02/05

BellSouth and delivered to ALEC's network.

#### 3 Network Interconnection

- 3.1 This Attachment pertains only to the provision of network interconnection where ALEC owns, leases from a third party or otherwise provides its own switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) Process set forth in Attachment 11.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-Bound Traffic exceeds 8.9 million minutes per month for three (3) consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP in a BellSouth Central Office where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).
- 3.3 <u>Interconnection via Dedicated Facilities</u>
- 3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party.

Version: 2Q05 Standard ICA

The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.

- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- Fiber Meet. Notwithstanding Sections 3.2.1, 3.2.2, and 3.2.3 above, if ALEC elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, ALEC and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic and ISP-Bound Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, ALEC's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.2 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the ALEC Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type CLLI code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.3 Upon verbal request by ALEC, BellSouth shall allow ALEC access to the fusion splice point for the Fiber Meet point for maintenance purposes on ALEC's side of the Fiber Meet point.

Version: 2Q05 Standard ICA

Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic and ISP-Bound Traffic. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates. Charges for switched and special access services shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and or BellSouth's FCC No. 1 Tariff.

#### 4 Interconnection Trunk Group Architectures

- 4.1 BellSouth and ALEC shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Attachment. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.
- 4.2 ALEC shall establish an interconnection trunk group(s) to at least one (1)
  BellSouth access tandem within the LATA for the delivery of ALEC's originated
  Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and for the receipt
  and delivery of Transit Traffic. To the extent ALEC desires to deliver Local
  Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to
  BellSouth access tandems within the LATA, other than the tandems(s) to which
  ALEC has established interconnection trunk groups, ALEC shall pay the
  appropriate rates for Multiple Tandem Access, as described in this Attachment.
- 4.2.1 Notwithstanding the forgoing, ALEC shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where ALEC has homed (i.e., assigned) its NPA/NXXs. ALEC shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. ALEC shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from IXCs based on ALEC's NXX access tandem homing arrangement as specified by ALEC in the LERG.
- Any ALEC interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to ALEC from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require ALEC to submit a BFR/NBR via the BFR/NBR Process as set forth in Attachment 11.

Version: 2Q05 Standard ICA

- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and ALEC are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic, the Parties shall be compensated at fifty percent (50%) of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. ALEC shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as SS7 capable where technically feasible. If SS7 is not technically feasible, multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where ALEC is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the Access Service Request (ASR) process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and ALEC's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than one hundred ninety-two (192) trunks on a single or multiple group(s) in a given BellSouth local calling area.
- 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic
- 4.10.1 Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. ALEC shall order such two-way trunks via the ASR process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts in accordance with Section 6 below. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the

delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party. Other trunk groups for operator services, directory assistance and intercept must be established pursuant to BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff.

- 4.10.2 <u>BellSouth Access Tandem Interconnection.</u> BellSouth Access Tandem interconnection at a single Access Tandem provides access to those End Offices subtending that access tandem (Intratandem Access). Access Tandem interconnection is available for any of the following access tandem architectures:
- 4.10.2.1 <u>Basic Architecture.</u> In the basic architecture, ALEC's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between ALEC and BellSouth Access Tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between ALEC and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing (MPB) arrangement with BellSouth, and other network providers with which ALEC desires to exchange traffic. This trunk group also carries ALEC originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to ALEC. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.
- 4.10.2.2 One-Way Trunk Group Architecture. In one-way trunk group architecture, the Parties interconnect using three (3) separate trunk groups. A one-way trunk group provides Intratandem Access for ALEC-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouth-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for ALEC End Users. A two-way trunk group provides Intratandem Access for ALEC's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between ALEC and ICOs, IXCs, other CLECs, CMRS providers that have a MPB arrangement with BellSouth, and other network providers with which ALEC exchanges traffic. This trunk group also carries ALEC originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to ALEC. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.
- 4.10.2.3 <u>Two-Way Trunk Group Architecture.</u> The two-way trunk group Architecture establishes one (1) two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between

Version: 2Q05 Standard ICA

ALEC and BellSouth. In addition, a separate two-way transit trunk group must be established for ALEC's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between ALEC and ICOs, IXCs, other CLECs, CMRS providers that have a MPB arrangement with BellSouth, and other network providers with which ALEC exchanges traffic. This trunk group also carries ALEC originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to ALEC. However, where ALEC is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-Bound Traffic and IntraLATA Toll Traffic. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.2.4 Supergroup Architecture. In the supergroup architecture, the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and ALEC's Transit Traffic are exchanged on a single two-way trunk group between ALEC and BellSouth to provide Intratandem Access to ALEC. This trunk group carries Transit Traffic between ALEC and ICOs, IXCs, other CLECs, CMRS providers that have a MPB arrangement with BellSouth, and other network providers with which ALEC desires to exchange traffic. This trunk group also carries ALEC originated Transit Traffic transiting a single BellSouth Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to ALEC. However, where ALEC is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

#### 4.10.2.5 <u>Multiple Tandem Access (MTA) Interconnection</u>

4.10.2.5.1 Where ALEC does not choose access tandem interconnection at every BellSouth Access Tandem within a LATA, ALEC must utilize BellSouth's MTA interconnection. To utilize MTA ALEC must establish an interconnection trunk group(s) at a minimum of one (1) BellSouth Access Tandem within each LATA as required. BellSouth will route ALEC's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. ALEC must also establish an interconnection trunk group(s) at all BellSouth Access Tandems where ALEC NXXs are homed as described in Section 4.2.1 above. If ALEC does not have NXXs homed at any particular BellSouth Access

Version: 2005 Standard ICA

Tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth Access Tandem, ALEC can order MTA in each BellSouth Access Tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate ALEC's Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to End Users served through those BellSouth Access Tandems where ALEC does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.2.5.2 ALEC may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an IXC. Switched access traffic originated by or terminated to ALEC will be delivered to and from IXCs based on ALEC's NXX access tandem homing arrangement as specified by ALEC in the LERG.
- 4.10.2.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.2.5.4 To the extent ALEC does not purchase MTA in a LATA served by multiple Access Tandems, ALEC must establish an interconnection trunk group(s) to every Access Tandem in the LATA to serve the entire LATA. To the extent ALEC routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, ALEC shall pay BellSouth the associated MTA charges.
- 4.10.3 Local Tandem Interconnection
- 4.10.3.1 Local Tandem Interconnection arrangement allows ALEC to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of ALEC-originated Local Traffic and ISP-Bound Traffic transported and terminated by BellSouth to BellSouth End Offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- When a specified local calling area is served by more than one (1) BellSouth local tandem, ALEC must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, ALEC may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. ALEC may deliver Local Traffic and ISP-Bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where ALEC does not choose to establish an interconnection trunk group(s). It is ALEC's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in

Version: 2Q05 Standard ICA

order for other third party network providers to determine appropriate traffic routing to ALEC's codes. Likewise, ALEC shall obtain its routing information from the LERG.

- 4.10.3.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, ALEC must also establish an interconnection trunk group(s) to BellSouth Access Tandems within the LATA on which ALEC has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access and toll traffic, and traffic to Type 2A CMRS connections located at the Access Tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth Access Tandem for completion. (Type 2A CMRS interconnection is defined in Section A35 of BellSouth's GSST).
- 4.10.3.4 BellSouth's provisioning of Local Tandem Interconnection assumes that ALEC has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.4 Direct End Office-to-End Office Interconnection
- 4.10.4.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.4.2 The Parties shall utilize direct end office-to-end office trunk groups under any one (1) of the following conditions:
- 4.10.4.2.1 <u>Tandem Exhaust.</u> If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between ALEC and BellSouth.
- 4.10.4.2.2 Traffic Volume. To the extent either Party has the capability to measure the amount of traffic between ALEC's switch and a BellSouth End Office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.4.2.3 <u>Mutual Agreement</u>. The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

Version: 2005 Standard ICA

#### 4.10.5 <u>Transit Traffic Trunk Group</u>

4.10.5.1 Transit Traffic trunks can either be two-way trunks or two (2) one-way trunks ordered by ALEC to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth Access and Local Tandems provides Intratandem Access to the third parties also interconnected at those tandems. ALEC shall be responsible for all recurring and nonrecurring charges associated with Transit Traffic trunks and facilities.

#### 4.10.5.2 <u>Toll Free Traffic</u>

- 4.10.5.2.1 If ALEC chooses BellSouth to perform the Service Switching Point (SSP)
  Function (i.e., handle Toll Free database queries) from BellSouth's switches, all
  ALEC originating Toll Free traffic will be routed over the Transit Traffic Trunk
  Group and shall be delivered using GR-394 format. Carrier Code "0110" and
  Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.5.2.2 ALEC may choose to perform its own Toll Free database queries from its switch. In such cases, ALEC will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, ALEC will route the post-query local or IntraLATA converted ten (10)-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, ALEC will route the post-query local or intraLATA converted ten (10)-digit local number to BellSouth over the Transit Traffic Trunk Group and ALEC shall provide to BellSouth a Toll Free call, ALEC will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to ALEC's network but that are connected to BellSouth's Access Tandem.
- 4.10.5.2.3 All post-query Toll Free calls for which ALEC performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth Access Tandem within the LATA.

#### 5 Network Design And Management For Interconnection

- 5.1 <u>Network Management and Changes.</u> The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- 5.2 <u>Interconnection Technical Standards.</u> The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and

Version: 2Q05 Standard ICA

traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS1 pursuant to Telcordia Standard No. GR-NWT-00499. Where ALEC chooses to utilize SS7 signaling, also known as CCS7, SS7 connectivity is required between the ALEC switch and the BellSouth STP. BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, GR-905-Core. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

5.3 <u>Network Management Controls.</u> Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

### **6** Forecasting for Trunk Provisioning

- 6.1 Within six (6) months after execution of this Agreement, ALEC shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of ALEC's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed Confidential Information under the General Terms and Conditions.
- At a minimum, the forecast shall include the projected quantity of Transit Trunks, ALEC-to-BellSouth one-way trunks (ALEC Trunks), BellSouth-to-ALEC one-way trunks (BellSouth Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six (6) months and shall include an estimate of the current year plus the next two (2) years total forecasted quantities. The Parties shall mutually develop BellSouth Trunk Groups and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (e.g., local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for ALEC location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, ALEC shall continue to provide interconnection trunk forecasts at mutually agreeable intervals. ALEC shall use its best efforts to make the forecasts as accurate as possible based

Version: 2Q05 Standard ICA

on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 6.1.1 above.

The submission and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

### 6.4 Trunk Utilization

- 6.4.1 For the BellSouth Trunk Groups that are Final Trunk Groups (BellSouth Final Trunk Groups), BellSouth and ALEC shall monitor traffic on each BellSouth Final Trunk Group that is ordered and installed. The Parties agree that the BellSouth Final Trunk Groups will be utilized at sixty percent (60%) of the time consistent busy hour utilization level within ninety (90) days of installation. The Parties agree that the BellSouth Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within one hundred eighty (180) days of installation. Any BellSouth Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. Subject to Section 6.4.2 below, BellSouth may disconnect any under-utilized BellSouth Final Trunk Groups and ALEC shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- BellSouth's CISC will notify ALEC of any under-utilized BellSouth Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated ALEC interface. ALEC will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which ALEC expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager (CCM) will discuss the information with ALEC to determine if agreement can be reached on the number of BellSouth Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to ALEC. The due date of these orders will be four (4) weeks after ALEC was first notified in writing of the underutilization of the trunk groups.
- 6.4.3 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk

Version: 2Q05 Standard ICA

groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

- 6.4.4 For the two-way trunk groups, BellSouth and ALEC shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within ninety (90) days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within one hundred eighty (180) days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. BellSouth will request the disconnection of any under-utilized two-way trunk(s) and ALEC shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- BellSouth's CISC will notify ALEC of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated ALEC interface. ALEC will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which ALEC expects to need such trunks. BellSouth's CISC Project Manager and CCM will discuss the information with ALEC to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, ALEC will issue disconnect orders to BellSouth. The due date of these orders will be four (4) weeks after ALEC was first notified in writing of the under-utilization of the trunk groups.
- 6.4.4.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

### 7 Local Dialing Parity

7.1 BellSouth and ALEC shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

### 8 Interconnection Compensation

8.1 Compensation for Call Transport and Termination for Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic

Version: 2Q05 Standard ICA

- 8.1.1 For the purposes of this Attachment and for intercarrier compensation for Local Traffic exchanged between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area (i.e.a corresponding Extended Area Service ("EAS") associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST.
- 8.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- For purposes of this Attachment and for intercarrier compensation for ISP-Bound Traffic exchanged between the Parties, ISP-Bound Traffic is defined as calls to an information service provider or Internet Service Provider (ISP) that are dialed by using a local dialing pattern (seven (7) or ten (10) digits) by a calling party in one (1) exchange to an ISP server or modem in either the same exchange or other local calling area (i.e. a corresponding Extended Area Service ("EAS") associated with the originating exchange as defined and specified in Section A3 of BellSouth's GSST. ISP-Bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 8.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and ALEC agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or ALEC that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and ALEC further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or ALEC that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 8.1.3.1 The Parties shall compensate each other for the costs of transporting and terminating all Local Traffic and ISP-bound Traffic as follows:
- 8.1.3.2 The Parties agree that the applicable single rate identified in 8.1.3.2.1 below, which is also set forth in Exhibit A to this Attachment, will be the only rate applicable for the call transport and termination of Local Traffic and ISP-bound Traffic in accordance with the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP Order on Remand) and through the expiration date of this Agreement. However, the elemental rates set forth in Exhibit A of this Attachment shall apply through the term of this Agreement for Multiple Tandem

Version: 2Q05 Standard ICA

Access, as described in Sections 4.10.1.5 above, and Transit Traffic, as described in Section 8.1.4 below.

- 8.1.3.2.1 The minute of use rate applicable to the compensation of Local Traffic and ISP-Bound Traffic shall be that rate approved by the FCC in the ISP Order on Remand, which is \$.0007 per minute of use.
- 8.1.3.3 Notwithstanding anything to the contrary in this Agreement, the volume of ISP-bound Traffic for which one Party may bill the other shall be capped as follows:
- 8.1.3.3.1 For ISP-bound Traffic exchanged through the Expiration Date of this Agreement, compensation as set forth above shall be billed by the terminating Party to the originating Party on the ISP-bound minutes up to a ceiling of ISP-bound minutes, which shall be calculated as set forth in the ISP Order on Remand. The Parties have exchanged data to determine the appropriate volume of minutes to be utilized.
- 8.1.3.3.2 Any ISP-bound Traffic that exceeds the minute of use caps described above shall be exchanged on a bill and keep basis, and no compensation shall be paid to the terminating Party.
- 8.1.4 The appropriate elemental rates set forth in Exhibit A shall apply for Transit Traffic as described in this Attachment and for MTA as described in this Attachment.
- 8.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-Bound Traffic for purposes of determining compensation for the call.
- 8.1.6 IntraLATA Toll Traffic is defined as all traffic, regardless of transport protocol method, that originates and terminates within a single LATA that is not Local Traffic or ISP-Bound traffic under this Attachment.
- 8.1.6.1 For terminating its intraLATA toll traffic on the other Party's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariffs and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one (1) Party is the other Party's End User's presubscribed interexchange carrier or if one (1) Party's End User uses the other Party as an interexchange carrier on a 101XXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission.

Version: 2Q05 Standard ICA

- 8.1.7 If ALEC assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to ALEC End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a ALEC customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, ALEC agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to ALEC at BellSouth's FCC No. 1 Tariff rates.
- 8.2 If ALEC does not identify such interLATA traffic to BellSouth, BellSouth will determine which whole ALEC NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. BellSouth shall make appropriate billing adjustments if ALEC can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-Bound Traffic.

### 8.3 <u>Jurisdictional Reporting</u>

- 8.3.1 Percent Local Use (PLU). Each Party shall report to the other a PLU factor. The application of the PLU will determine the amount of local or ISP-Bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month based on local and ISP-Bound usage for the past three (3) months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.2 Percent Local Facility (PLF). Each Party shall report to the other a PLF factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.
- 8.3.3 Percent Interstate Usage (PIU). Each Party shall report to the other the projected PIU factors, including but not limited to PIU associated with facilities (PIUE) and Terminating PIU (TPIU) factors. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's intrastate Access Services Tariff will apply to ALEC. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF

Version: 2Q05 Standard ICA

factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month, for all services showing the percentages of use for the past three (3) months ending the last day of December, March, June and September. Additional requirements associated with PIU calculations and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.

- 8.3.4 Notwithstanding the provisions in Sections 8.3.1, 8.3.2, and 8.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information may, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (i.e., PLU, PIU, and/or PLF), in lieu of those provided by the other Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least fifteen (15) days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. After such notification the terminating Party may provide supporting data to justify the reported factor. In the event a dispute arises, the Parties may seek to resolve the dispute related to BellSouth's determined factors thru the Dispute Resolution process in the General Terms and Conditions of this Agreement.
- 8.3.5 Audits. On thirty (30) days written notice, ALEC must provide BellSouth the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. ALEC shall retain records of call detail for a minimum of nine (9) months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by ALEC. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by an independent auditor chosen by BellSouth. ALEC's PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two (2) quarters following the completion of the audit. If, as a result of an audit, ALEC is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, ALEC shall reimburse BellSouth for the cost of the audit.
- 8.4 <u>Compensation for IntraLATA 8XX Traffic.</u> BellSouth will charge the appropriate switched access charges as set forth in the BellSouth intrastate Access Services Tariff to the IXC that is responsible for terminating the 8XX to the appropriate Wide Area Telecommunications Service (WATS) or Plain Old Telephone Service (POTS) number. ALEC will pay BellSouth the database query charge as set forth in the BellSouth Intrastate Access Services Tariff. ALEC will be responsible for any applicable Common Channel Signaling (SS7).

Version: 2005 Standard ICA

- 8.4.1 Records for 8XX Billing. Where technically feasible, each Party will provide to the other Party the appropriate records, in accordance with industry standards, necessary for billing intraLATA 8XX providers. The records provided will be in a standard EMI format.
- 8.4.2 <u>8XX Access Screening.</u> BellSouth's provision of 8XX TFD to ALEC requires interconnection from ALEC to BellSouth's 8XX Signal Channel Point. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. ALEC shall establish SS7 interconnection at the BellSouth LSTPs serving the BellSouth 8XX Signal Channel Points that ALEC desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's intrastate Access Services Tariff.

### 8.5 <u>Mutual Provision of Switched Access Service</u>

- 8.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any PSTN interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall be considered Switched Access Traffic.
- 8.5.2 If a BellSouth End User chooses ALEC as their presubscribed interexchange carrier, or if a BellSouth End User uses ALEC as an interexchange carrier on a 101XXXX basis, BellSouth will charge ALEC the appropriate BellSouth tariff charges for originating switched access services.
- Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate.
- When ALEC's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with

Version: 2Q05 Standard ICA

the exception of the interconnection charge. The interconnection charge will be billed by ALEC as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish MPB for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.

- When ALEC's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to ALEC, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 8.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 8.5.6 ALEC agrees not to deliver switched access traffic to BellSouth for termination except over ALEC ordered switched access trunks and facilities.

### 8.6 Transit Traffic

- BellSouth shall provide tandem switching and transport services for ALEC's Transit Traffic. Rates for local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable rate elements for Tandem Switching, Common Transport and Tandem Intermediary Charge as set forth in Exhibit A. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between ALEC and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between ALEC and Wireless Type 2A shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier have the capability to properly MPB in accordance with MECAB guidelines.
- 8.6.2 The delivery of traffic that transits the BellSouth network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that ALEC is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating

Version: 2005 Standard ICA

carrier or to ALEC. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, ALEC shall reimburse BellSouth for such charges or costs.

8.7 For purposes of intercarrier compensation, BellSouth will not be responsible for any compensation associated with the exchange of traffic between ALEC and a CLEC utilizing BellSouth switching. Where technically feasible, BellSouth will use commercially reasonable efforts to provide records to ALEC to identify those CLECs utilizing BellSouth switching with whom ALEC has exchanged traffic. Such traffic shall not be considered Transit Traffic from a routing or billing perspective, but instead will be considered as traffic exchanged solely between ALEC and the CLEC utilizing BellSouth switching.

### 9 Ordering Charges

- 9.1 The facilities purchased pursuant to this Attachment shall be ordered via the ASR process.
- 9.2 The rates, terms and conditions associated with submission and processing of ASRs are as set forth in BellSouth's FCC No. 1 Tariff, Section 5.

### 10 Basic 911 and E911 Interconnection

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. BellSouth will provide to ALEC a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. ALEC will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. ALEC will be required to route that call to the appropriate PSAP. When a municipality converts to E911 service, ALEC will be required to begin using E911 procedures.
- 10.3 E911 Interconnection. ALEC shall install a minimum of two (2) dedicated trunks originating from its SWC and terminating to the appropriate E911 tandem. The SWC must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, ALEC shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site.

Version: 2Q05 Standard ICA

If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. ALEC will be required to provide BellSouth daily updates to the E911 database. ALEC will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, ALEC will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. ALEC shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.

- Trunks and facilities for 911 Interconnection may be ordered by ALEC from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

### 11 SS7 Network Interconnection

- 11.1 SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable interoperability of CLASS features and functions except for call return. SS7 signaling parameters will be provided, including but not limited to ANI, originating line information (OLI) calling company category and charge number. Privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate SS7 based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges. Nothing herein shall obligate or otherwise require BellSouth to send SS7 messages or call-related database queries to ALEC's or any other third party's call-related database, unless otherwise agreed to by the Parties under a separate agreement.
- 11.2 <u>Signaling Call Information.</u> BellSouth and ALEC will send and receive ten (10) digits for Local Traffic. Additionally, BellSouth and ALEC will exchange the proper call information, (i.e., originated call company number and destination call company number, CIC, and OZZ) including all proper translations for routing between networks and any information necessary for billing.
- SS7 Network Interconnection is the interconnection of ALEC LSTP switches or ALEC local or tandem switching systems with BellSouth STP switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, ALEC local or tandem


Version: 2Q05 Standard ICA

- switching systems, and other third party switching systems directly connected to the BellSouth SS7 network.
- 11.3.1 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and ALEC or other third party switching systems with A-link access to the BellSouth SS7 network.
- 11.3.2 If traffic is routed based on dialed or translated digits between a ALEC local switching system and a BellSouth or other third party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (i.e., Automatic Callback, Automatic Recall, and Screening List Editing) between the ALEC LSTP switches and BellSouth or other third party local switch.
- 11.3.3 SS7 Network Interconnection shall provide:
- 11.3.3.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.3.3.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.3.3.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 11.3.4 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a ALEC local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of ALEC LSTPs and shall not include SCCP Subsystem Management of the destination.
- 11.3.5 SS7 Network Interconnection shall provide all functions of the ISUP as specified in ANSI T1.113.
- 11.3.6 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 11.3.7 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

Version: 2Q05 Standard ICA


- 11.4 <u>Interface Requirements.</u> The following SS7 Network Interconnection interface options are available to connect ALEC or ALEC-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 11.4.1 A-link interface from ALEC local or tandem switching systems; and
- 11.4.2 B-link interface from ALEC STPs.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the signaling points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- BellSouth shall set message screening parameters to accept messages from ALEC local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the ALEC switching system has a valid signaling relationship.
- Rates. The Parties shall institute a "bill and keep" compensation plan under which neither Party will charge the other Party recurring and nonrecurring charges as set forth in Exhibit A for CCS7signaling messages associated with Local Traffic. The portion of CCS7 signaling messages utilized for Local Traffic, which are subject to bill and keep in accordance with this section, shall be determined based upon the application of the applicable signaling factors set forth in BellSouth's Jurisdictional Factors Reporting Guide. The remaining portion of the CCS7 signaling messages, signaling ports, and signaling links, i.e. the portion associated with interstate calls and with intrastate non-local calls, shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and BellSouth's FCC No. 1 Tariff for switched access services.

Version: 2005 Standard ICA



Version: 2Q0 9/02/05

## One-Way Architecture




Version: 2Q0 9/02/05

CCCS 374 of 597

## **Two-Way Architecture**


### Exhibit D



Version: 2Q0 9/02/05

Exhibit E

# Supergroup Architecture



Version: 2Q05 Stanuaru 10.73 9/02/05

	RCONNECTION - Alabama												Attachment:	3 Exh A	l	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC				ES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<del> </del>	<u> </u>			Rec		curring	Nonrecurring					Rates(\$)		
			1		<del> </del>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CAL INTERC	ONNECTION (CALL TRANSPORT AND TERMINATION)	<del> </del>		<del></del>	<del> </del>											ļ
	ARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO	HIND TE	BAFFIC	<u> </u>	1											ļ
	Single Rate for Local Traffic and ISP-Bound Traffic, per MOU	1	I	<u>,                                      </u>	ļ	0.0007		<del></del>								ļ
	Tandem Switching Function Per MOU	<del> </del>	-		<del> </del>	0.0007										
	Multiple Tandern Switching, per MOU (applies to intial tandem only)					0.000498										
	Tandem Intermediary Charge, per MOU*	ļ	ļ		+	0.000498										<b></b>
	narge is applicable only to transit traffic and is applied in ad	dition to	annlie	cable switching and	Vor intercon	oction charges	ļ							ļ		ļ
TRUNK (	CHARGE	1	Гаррии	dable switching and	- Intercon	lection charges	· ·									ļ
41	nstallation Trunk Side Service - per DS0			OHD	TPP6X		21.56	8.12								<del></del>
	nstallation Trunk Side Service - per DS0			OHD	TPP9X		21.56	8.12								<del>                                     </del>
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00								<del></del>		
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDEIP	0.00									· · · · · · ·	
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										l
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** This ra	ate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	ching, per MOl	J rate elements	3								
	N TRANSPORT (Shared)				1											
	Common Transport - Per Mile, Per MOU				L	0.0000023										
	Common Transport - Facilities Termination Per MOU					0.0003224										
	ONNECTION (DEDICATED TRANSPORT) FFICE CHANNEL - DEDICATED TRANSPORT															
	nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade -		-		+					·						
F	Per Mile per month			ОНМ	1L5NF	0.008838										
F	nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade - acility Termination per month			ОНМ	1L5NF	21.13	40.54	27.41	16.74	6.90						
p	nteroffice Channel - Dedicated Transport - 56 kbps - per mile per month			ОНМ	1L5NK	0.008838										
т	nteroffice Channel - Dedicated Transport - 56 kbps - Facility  [ermination per month]			OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
р	nteroffice Channel - Dedicated Transport - 64 kbps - per mile per month			ОНМ	1L5NK	0.008838										
] Т	nteroffice Channel - Dedicated Transport - 64 kbps - Facility ermination per month			ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90						
	nteroffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1, OH1MS	1L5NL	0.18										
	nteroffice Channel - Dedicated Tranport - DS1 - Facility  ermination per month			OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44						
	nteroffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3, OH3MS	1L5NM	4.09									-	
	nteroffice Channel - Dedicated Transport - DS3 - Facility			OH3, OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46						
	CHANNEL - DEDICATED TRANSPORT		<b></b>	5.10, 51.0MG	LOIWI	100.02	210.15	102.70	00.20	56.46						<b></b>
	ocal Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	13.97	193,10	33.17	36.64	3.20						<b></b>
	ocal Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	14.93	193.53	33.60	37.11	3.67						<del> </del>
	ocal Channel - Dedicated - DS1 per month			OH1	TEFHG	35.76	177.47	153.72	22.19	15.26						
	ocal Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58						
LOCAL II	NTERCONNECTION MID-SPAN MEET								1.0.10	55.56					-	
	ocal Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	ocal Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00		******					-		
MULTIPL																
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63						
D	OS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70	6.58	4.72								
Notes: If	no rate is identified in the contract, the rates, terms, and co	ndition	s for th	ne specific service o	r function w	Il be as set fort	h in applicable	BellSouth tar	iff.							
	S7)		1			T										
NALING (CC	k" beside a rate indicates that the parties have agreed to bill				·											

	- i

LOCAL INT	ERCONNECTION - Alabama									*			Attachment:	3 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RAT	ES(\$)		Submitted	Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		i					Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
			T 1-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Usage, Per TCAP Message	1				0.0000569					1			1		
	CCS7 Signaling Connection, Per DS1 level link (A link)		U		TPP6A	15.46	35.53	35.53	16.44	16.44				1		
	CCS7 Signaling Connection, Per DS3 level link (A link)		U	ЭB	TPP9A	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)		UI	В	TPP6B	15.46	35.53	35.53	16,44	16.44						
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)		UI	)B	TPP9B	15.46	35.53	35.53	16.44	16.44					-	
	CCS7 Signaling Usage, Per ISUP Message					0.0000142bk			1 1 1 1 1 1							1
	CCS7 Signaling Usage Surrogate, per link per LATA		U	)B	STU56	650.33bk										<del>                                     </del>
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		Ut	В	CCAPO		29.01	29.01	35.57	35.57						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling		Ut	DB	TPP6X	15.46	35.53	35.53	16.44	16.44						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling		U	DB	TPP9X	15.46	35.53	35.53	16.44	16.44						

LOCAL INT	ERCONNECTION - Florida												Attachment:	3 Exh A	1	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc				ES(\$)			Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
<del></del>						Rec		curring		g Disconnect				Rates(\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)				<del></del>	ļ										
UNTER	RCARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BI	ALINID TO	AFFIC	Ļ		ļ										
	Single Rate for Local Traffic and ISP-Bound Traffic, per MOU	JUND IT	AFFIC	<del></del>		ļ		-	<u> </u>							
	Tandem Switching Function Per MOU					0.0007		<u></u>								
	Multiple Tandem Switching, per MOU (applies to intial tandem	<del></del>				0.0006019			L							
	only)				1						1			[		
	Tandem Intermediary Charge, per MOU*	-	_			0.0006019			<u> </u>							
* This	charge is applicable only to transit traffic and is applied in ad	l i		-1.4		0.0025										
TRUNI	K CHARGE	dition to	appii	cable switching an	d/or interconi	nection charges		ļ								
11.5	Installation Trunk Side Service - per DS0			OUD	70000											
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.73	8.19								
	Dedicated End Office Trunk Port Service-per DS0**	<del> </del>	<u>}</u>	OHD	TPP9X	<b> </b>	21.73	8.19								
<del></del>	Dedicated End Office Trunk Port Service-per DS0**  Dedicated End Office Trunk Port Service-per DS1**			OHD	TDEOP	0.00		ļ								
<del></del>	Dedicated Tandem Trunk Port Service-per DS0**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0*			OHD	TDWOP	0.00										
** This	rate element is recovered an accordance ber DS1			OH1 OH1MS	TDW1P	0.00										
COMM	s rate element is recovered on a per MOU basis and is included MON TRANSPORT (Shared)	in the l	end Of	fice Switching and	Tandem Swi	ching, per MOl	J rate element	\$					·			
COMIN																
<b> </b>	Common Transport - Per Mile, Per MOU					0.0000035										
0041 11:755	Common Transport - Facilities Termination Per MOU					0.0004372										
	CONNECTION (DEDICATED TRANSPORT)							1	· · · · · · · · · · · · · · · · · · ·							
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT												·			
i	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month		_	OHM	1L5NF	0.0091					]	1				i
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	l i														
	Facility Termination per month			OHM	1L5NF	25.32	47.35	31.78	18.31	7.03	1	1				i
ľ	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month		- 1	ОНМ	1L5NK	0.0091			ŀ			i				1
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month	i i	- 1	OHM	1L5NK	18.44	47.35	31.78	18.31	7.03	1	Į.	į			ı
1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile								10.01	7.00						
	per month			OHM	1L5NK	0.0091		j ,								1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility					0.000										
	Termination per month			ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03		1				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				<del>                                     </del>			01.70	10.01	7.03						
1	month	]	Ì	OH1, OH1MS	1L5NL	0.1856						İ				
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1	0.1000	*									
	Termination per month			OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05	1			i		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			orri, orrino	TESIVE	00.44	105.54	90.47	21.47	19.05						<del></del>
1	month		Į.	OH3, OH3MS	1L5NM	3.87					·	1	j	ì	Ì	
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10, 0110110	1251444	3.67										
ı	Termination per month		- 1	OH3, OH3MS	1L5NM	1,071.00	205.40	040.00								
LOCAL	CHANNEL - DEDICATED TRANSPORT			Orio, Orioivio	TESINIVI	1,071.00	335.46	219.28	72.03	70.56						
	Local Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEEVO	10.00										
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV2	19.66	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 4-Wire Voice Grade per month	<del>  </del>		OHM OH1	TEFV4	20.45	266.54	47,67	44.22	5.33						
	State State			OUI	TEFHG	36.49	216.65	183.54	24.30	16.95						
	Local Channel - Dedicated - DS3 Facility Termination per month		l.	OLIO	l.				i		T	T				
LOCAL	INTERCONNECTION MID-SPAN MEET			OH3	TEFHJ	531.91	556.37	343.01	139.13	96.84						
LOUAL	Local Channel - Dedicated - DS1 per month			OURING	1-E											
	Local Channel - Dedicated - DS3 per month			OH1MS	TEFHG	0.00	0.00									
MILITE	PLEXERS			OH3MS	TEFHJ	0.00	0.00									
WOLFI	Channelization - DS1 to DS0 Channel System			514 STILLS	1											
				OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07						
<del></del>	DS3 Interface Unit (DS1 COCI) per month	لمصل		OH1, OH1MS	SATCO	13.76	10.07	7.08								
Notes:	If no rate is identified in the contract, the rates, terms, and co	nditions	for the	e specific service o	r function wi	Il be as set forth	n in applicable	e BellSouth tar	iff.							
IGNALING (C																
NOTE:	"bk" beside a rate indicates that the parties have agreed to bill	and kee	p for the	hat element pursua	int to the tern	s and conditio	ns in Attachm	ent 3.								
	CCS7 Signaling Termination, Per STP Port			JDB	PT8SX	135.05										

OCAL INT	ERCONNECTION - Florida								•					Attachment:	3 Exh A		i
CATEGORY	RATE ELEMENTS	Interi m	Zone		BCS	usoc			RATI	ES(\$)		,	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
		1	i	<del> </del>				Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates(\$)		
			1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Usage, Per TCAP Message			1			0.0000607										
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB		TPP6A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per DS3 level link (A link)		T	UDB		TPP9A	17.93	43.57	43.57	18.31	18.31		<u> </u>				· ·
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB		TPP6B	17.93	43.57	43.57	18.31	18.31				Ĭ .		
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB		TPP9B	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message						0.0000152bk						1		<b></b>		<del> </del>
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB		STU56	694.32bk				***************************************		1				<u> </u>
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB		CCAPO		46.03	46.03	46.03	46.03						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB		CCAPD											
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB		TPP9X	17.93	43.57	43.57	18.31	18.31			-			

	NIE	RCONNECTION - Georgia												Attachment:	3 Exh A		
ATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATE	ES(\$)			Svc Order Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
				ļ				N		N	ъ.					Disc 131	Disc Add
						<del></del>	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
				1				riist	Auui	riist	Audi	SOMEC	SUMAN	SUMAN	SUMAN	SUVIAN	SUMAN
OCAL IN	TERC	ONNECTION (CALL TRANSPORT AND TERMINATION)														<del></del>	<del></del>
IN	TERC	ARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO	DUND TI	RAFFIC	<del></del>					······					<del>                                     </del>		<del></del>
		Single Rate for Local Traffic and ISP-Bound Traffic, per MOU					0.0007										+
		Tandem Switching Function Per MOU		1			0.0004186										<del>                                     </del>
		Multiple Tandem Switching, per MOU (applies to intial tandem															<del> </del>
		only)		<u> </u>			0.0004186										1
	7-7	Tandem Intermediary Charge, per MOU*	L	L			0.0025										1
	nis c	narge is applicable only to transit traffic and is applied in add CHARGE	dition to	o appli	cable switching ar	nd/or interconi	ection charges										
118		nstallation Trunk Side Service - per DS0		1	01.15												
		nstallation Trunk Side Service - per DS0	<u> </u>	<b>├</b>	OHD	TPP6X		21.53	8.11								1
		Dedicated End Office Trunk Port Service-per DS0**	<del> </del>	<b> </b>	OHD OHD	TPP9X		21.53	8.11			ļ <u>.</u>					
		Dedicated End Office Trunk Port Service-per DS0			OHI OHIMS	TDEOP TDE1P	0.00										
		Dedicated End Onice Hank Fort Service-per DS1  Dedicated Tandem Trunk Port Service-per DS0**	<b></b> -	<del> </del>	OHD	TDWOP	0.00					ļ					-
		Dedicated Tandem Trunk Port Service-per DS1**	-	<del> </del> -	OH1 OH1MS	TDW1P	0.00										
** 7	This r	ate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	d Tandem Swi	ching per MOI	I rato elemente									4
co	ММС	N TRANSPORT (Shared)	111111111111111111111111111111111111111		noc curtoring and	d validelli GWI	J. J. J	rate clements									<del> </del>
		Common Transport - Per Mile, Per MOU		<u> </u>			0.0000028										
		Common Transport - Facilities Termination Per MOU		1		<del> </del>	0.0001955					<del></del>					
OCAL IN	TERC	ONNECTION (DEDICATED TRANSPORT)					0.000.000					l					<del> </del>
INT	TERO	FFICE CHANNEL - DEDICATED TRANSPORT															<del></del>
		nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade -	-														+
	- 1	Per Mile per month			ОНМ	1L5NF	0.0059								ļ		1
		nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade -													· · · · · · · · · · · · · · · · · · ·		<del> </del>
		acility Termination per month			ОНМ	1L5NF	13.15	48.41	19.46	16.56	4.99						
		nteroffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHM	1L5NK	0.0059										
-		nteroffice Channel - Dedicated Transport - 56 kbps - Facility						`									<b> </b>
		Fermination per month			OHM	1L5NK	8.00	48.41	19.46	16.56	4.99						
		nteroffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHM	1L5NK	0.0059					<u> </u>					1
- 1		nteroffice Channel - Dedicated Transport - 64 kbps - Facility			_	i											
		Termination per month			ОНМ	1L5NK	8.00	48.41	19.46	16.56	4.99						
		nteroffice Channel - Dedicated Channel - DS1 - Per Mile per nonth															
		nonth nteroffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	1L5NL	0.1199										1
		Fermination per month			0111 011110												1
		nteroffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	34.93	110.92	80.20	31.33	21.71						
İ		nonth			OH3, OH3MS	1L5NM	2.63			İ							
		nteroffice Channel - Dedicated Transport - DS3 - Facility			Olio, Oliolvio	ILDMM	2.03										<del> </del>
		Termination per month		l i	OH3, OH3MS	1L5NM	349.42	320.16	86.24	66.71	F0.70						İ
LO		CHANNEL - DEDICATED TRANSPORT			OHO, OHOWS	1 LOIVIVI	349.42	320.16	86.24	00.71	52.76						
- 1-3		ocal Channel - Dedicated - 2-Wire Voice Grade per month		-	OHM	TEFV2	7.91	120.95	53.24	46.35	13.35						
		ocal Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	8.90	125.50	54.38	46.35	13.35						
		ocal Channel - Dedicated - DS1 per month		$\vdash$	OH1	TEFHG	22.82	149.31	111.09	40.32	26.09						<del>                                     </del>
									.11.03	-40.02	20.03						<del></del>
		ocal Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	150.05	444.58	145.04	112.80	75.81			-			1
LO		NTERCONNECTION MID-SPAN MEET													-		
		ocal Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00							-		<b></b>
		ocal Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
MU		LEXERS															
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	71.23	105.57	41.545	23.73	4.19						
$-\!\!\!\!+$		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	124.39	224.255	71.76	39.965	31.035						
I	[	DS3 Interface Unit (DS1 COCI) per month		لــــا	OH1, OH1MS	SATCO	7.50	15.79	11.375	6.60	6.60						
IMot	tes: I	f no rate is identified in the contract, the rates, terms, and co	ndition	s for th	ie specific service	or function w	Il be as set fort	h in applicable	BellSouth tari	ff.							
1001		en l		ı		1											
IGNALING		k" beside a rate indicates that the parties have agreed to bill		┖┈┈									1				

LOCAL INT	ERCONNECTION - Georgia												Attachment:	3 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RAT	ES(\$)		Submitted	Submitted	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	l	<del></del>
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3			UDB	TPP9A	8.93	34.74	34.74	16.90	16.90			[ ·			
<u> </u>	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	8.93	34.74	34.74	16.90	16.90	·					
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	8.93	34.74	34.74	16.90	16.90	1					<u> </u>
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	111.30							-	· · · · · · · · · · · · · · · · · · ·		
L	CCS7 Signaling Usage, Per Call Setup Message					.0000134bk				***************************************	1			1		
	CCS7 Signaling Usage, Per TCAP Message					0.0000536										
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)					.0000134bk					1					
	CCS7 Signaling Usage Surrogate, per link			UDB	STU56	921.93bk				-	† <del></del>					1
	CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB	CCAPO		28.12	28.12	33.29	33.29						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	8,93	34.74	34.74	16.90	16.90						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	8.93	34.74	34.74	16.90	16.90						

CATEGORY  LOCAL INTERCO INTERCA INTERC	RATE ELEMENTS  CONNECTION (CALL TRANSPORT AND TERMINATION) ARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO Single Rate for Local Traffic and ISP-Bound Traffic, per MOU Fandem Switching Function Per MOU fandem Switching Function Per MOU (applies to intial tandem only) Fandem Intermediary Charge, per MOU*	Interi m	Zone	BCS	usoc	- Pari		RATES(S)			1 1	Submitted	Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
INTERCA S T N N O T T THINK C	ARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO Single Rate for Local Traffic and ISP-Bound Traffic, per MOU Fandem Switching Function Per MOU Multiple Tandem Switching, per MOU (applies to intial tandem only) Fandem Intermediary Charge, per MOU  Tandem Intermediary Charge, per MOU	DUND TI			<del> </del>								Electronic- 1st	Add'l	Disc 1st	Disc Add'l
INTERCA S T N N O T T THINK C	ARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO Single Rate for Local Traffic and ISP-Bound Traffic, per MOU Fandem Switching Function Per MOU Multiple Tandem Switching, per MOU (applies to intial tandem only) Fandem Intermediary Charge, per MOU  Tandem Intermediary Charge, per MOU	OUND TI				Rec		urring	Nonrecurring					Rates(\$)		
INTERCA S T N N O T T THINK C	ARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO Single Rate for Local Traffic and ISP-Bound Traffic, per MOU Fandem Switching Function Per MOU Multiple Tandem Switching, per MOU (applies to intial tandem only) Fandem Intermediary Charge, per MOU  Tandem Intermediary Charge, per MOU	UND TI			ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERCA S T N N O T T THINK C	ARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO Single Rate for Local Traffic and ISP-Bound Traffic, per MOU Fandem Switching Function Per MOU Multiple Tandem Switching, per MOU (applies to intial tandem only) Fandem Intermediary Charge, per MOU  Tandem Intermediary Charge, per MOU	UND TI	<u> </u>		<del></del>	<del></del>										
S T N O T T This ch TRUNK C	Single Rate for Local Traffic and ISP-Bound Traffic, per MOU Fandern Switching Function Per MOU Multiple Tandern Switching, per MOU (applies to intial tandem only) Fandern Intermediary Charge, per MOU		BVEEK		<del>                                     </del>	+	-			<del></del>	<del> </del>					
T N OO T T T T T T T T T T T T T T T T T	Fandem Switching Function Per MOU  Multiple Tandem Switching, per MOU (applies to intial tandem  pinty)  Fandem Intermediary Charge, per MOU*	<del></del>	1	,		0.0007										
* This ch	Multiple Tandem Switching, per MOU (applies to intial tandem only) Fandem Intermediary Charge, per MOU*		<b>†</b>	,		0.0006772					-					<del></del>
* This character TRUNK C	Fandem Intermediary Charge, per MOU*					0.0006772										
* This character TRUNK C		<del></del>	-		<del> </del>	0.0006772										
TRUNK C	narge is applicable only to transit traffic and is applied in add	l dition to	annli.	cable switching and	/or intercon			L			11		L		L	L
In		I	Jappin	Cable switching and	T TREFCOM	liection charges			Т						г	
	nstallation Trunk Side Service - per DS0	t	<del> </del>	OHD	TPP6X	+	21.58	8.13	-		<del> </del>		-			<del></del>
l lir	nstallation Trunk Side Service - per DS0	-	<del>                                     </del>	OHD	TPP9X	+	21.58	8.13			t		<del></del>			<del></del>
D	Dedicated End Office Trunk Port Service-per DS0**		1	OHD	TDEOP	0.00		3			<del> </del>	L			l	
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00						<u></u>				
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	ate element is recovered on a per MOU basis and is included	in the	End Of	ffice Switching and	Tandem Swi	tching, per MOL	rate elements									
	N TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU		ļ		ļ	0.000003										
	Common Transport - Facilities Termination Per MOU	l	ļ		ļ	0.0007466										
	ONNECTION (DEDICATED TRANSPORT)		ļ													
	FFICE CHANNEL - DEDICATED TRANSPORT  nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade -	ļ				<del> </del>										<b></b>
P	Per Mile per month			ОНМ	1L5NF	0.01										
	nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	29.11	47.34	31.78	22.77	8.75						
	nteroffice Channel - Dedicated Transport - 56 kbps - per mile per month			ОНМ	1L5NK	0.0115										
ir	nteroffice Channel - Dedicated Transport - 56 kbps - Facility				1											
	Termination per month			ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75						1 '
	nteroffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			ОНМ	1L5NK	0.0115					L					
	nteroffice Channel - Dedicated Transport - 64 kbps - Facility Fermination per month			ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75						
	nteroffice Channel - Dedicated Channel - DS1 - Per Mile per			G7 IIII	1.001111	1		01170		0	1					
m	month			OH1, OH1MS	1L5NL	0.23										
T <sub>1</sub>	nteroffice Channel - Dedicated Tranport - DS1 - Facility Fermination per month			OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49					_	
	nteroffice Channel - Dedicated Transport - DS3 - Per Mile per nonth			OH3, OH3MS	1L5NM	4.97										
Ir	nteroffice Channel - Dedicated Transport - DS3 - Facility			1	1											
T-	ermination per month			OH3, OH3MS	1L5NM	1,175.15	335.40	219.24	89.57	87.75						l
	CHANNEL - DEDICATED TRANSPORT															
	ocal Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	18.57	265.78	46.96	46.79	4.98						
	ocal Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	19.86	266.48	47.65	47.54	5.73						
L	.ocal Channel - Dedicated - DS1 per month			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07						
	ocal Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	576.05	551.38	338.08	173.00	120.42						1
	NTERCONNECTION MID-SPAN MEET		T								1					
	ocal Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	ocal Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
MULTIPL						1					ļ					
	Channelization - DS1 to DS0 Channel System		ļ	OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04	1					<b></b>
	DS3 to DS1 Channel System per month	ļ		OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59	<b> </b>					-
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.80	10.07	7.08			<del> </del>					t
SIGNALING (CCS	S7)  k" beside a rate indicates that the parties have agreed to bill	l and les	on for	that alament nursur	nt to the to	me and condition	ne in Attach	ant 2	l				L	L	L	L
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	ана ке	ep ior	UDB	TPP6A	20.71	43.56	43.56	22.45	22.45			l			
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	l	<del> </del>	UDB	TPP9A	20.71	43.56	43.56	22.45	22.45	<del>                                     </del>	L	<b>-</b>		-	<del></del>

LOCAL INT	RCONNECTION - Kentucky	-											Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<del>                                     </del>				Nonrec	urring	Nonrecurring	Disconnect		<b></b>	OSS	Rates(\$)	<del></del>	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signating Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3		1	UDB	TPP9B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39		_								
	CCS7 Signaling Usage, Per Call Setup Message					0.0000164bk								1		
	CCS7 Signaling Usage, Per TCAP Message					0.0000656bk										
	CCS7 Signaling Usage, Per ISUP Message					0.0000164bk	_									
	CCS7 Signaling Usage Surrogate, per link per LATA		]	UDB	STU56	751.08bk										
.	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56,43	56.43						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	20.71	43.56	43.56	22.45	22.45						

LOCAL	INTE	RCONNECTION - Louisiana												Attachment:	3 Exh: A		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
				<del> </del>		+	† · · · · ·	Nonre	urring	Nonrecurring	g Disconnect	<del> </del>			Rates(\$)	L	<u></u>
						<del> </del>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
										11131	Auu	JOINEO	JONAN	SOWAN	JONAN	JONAN	JOHAN
LOCAL IN	TERC	ONNECTION (CALL TRANSPORT AND TERMINATION)		<b></b>		<u> </u>	<del> </del>				<b>-</b>	<del> </del>			<del>                                     </del>		-
IN	TERC	ARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO	UND TI	RAFFIC	<u> </u>	1					<del> </del>	<del> </del>				-	-
		Single Rate for Local Traffic and ISP-Bound Traffic, per MOU	Ī		I	1	0.0007				<del> </del>	<del>                                     </del>			<del> </del> -	<del></del>	
	- 1	Tandem Switching Function Per MOU					0.0005507									<u></u>	<del>                                     </del>
		Multiple Tandem Switching, per MOU (applies to intial tandem only)					0.0005507										
		Tandem Intermediary Charge, per MOU*		1			0.0025			<del> </del>		<del> </del>					<del> </del>
* -	This c	harge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	l/or intercon	nection charges			L	L	1		l			
T	RUNK	CHARGE				1	1			l				T-''-	Γ	ľ	1
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.64	8.15	-					<del> </del>		<del> </del>
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.64	8.15						<del> </del>		
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00								1		
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00			L <u>.</u>							
	ONAMAC	rate element is recovered on a per MOU basis and is included ON TRANSPORT (Shared)	in the	End Of	fice Switching and	Tandem Swi	tching, per MOL	J rate elements	<u> </u>	,	_						
		Common Transport - Per Mile, Per MOU		├		ļ <u>.</u>											
		Common Transport - Facilities Termination Per MOU	<u> </u>				0.0000032				ļ <u>.</u>	<u> </u>					
LOCAL IN	JTERC	ONNECTION (DEDICATED TRANSPORT)	-			<del> </del>	0.0003748					<del> </del>					ļ
		FFICE CHANNEL - DEDICATED TRANSPORT		├		<del></del>	ļ										L
<del></del>		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		├		<del> </del>											ļ
		Per Mile per month			ОНМ	1L5NF	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			ОНМ	1L5NK	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHM	1L5NK	0.013										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility									<del> </del>	<del> </del>					
-	ľ	Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	-	ļ	ОНМ	1L5NK	15.61	39.37	26.62								
	- 1	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	1L5NL	0.2652										
		Termination per month			OH1, OH1MS	1L5NL	70.47	86.69	79.44					!			
	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3, OH3MS	1L5NM	6.04										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3, OH3MS	1L5NM	850.45	270.69	158.05					-			
LC		CHANNEL - DEDICATED TRANSPORT													l —		T
		Local Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	18.32	187.51	32.21						T		<del>                                     </del>
$-\bot$		Local Channel - Dedicated - 4-Wire Voice Grade per month			ОНМ	TEFV4	19.41	187.94	32.63								1
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	39.18	172.34	149.27								
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	469.44	438.46	256.30								
LC		INTERCONNECTION MID-SPAN MEET															1
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00				T					
		Local Channel - Dedicated - DS3 per month	L	<u> </u>	OH3MS	TEFHJ	0.00	0.00									
N		LEXERS		ļ													
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	105.09	88.41	60.76								
-		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	201.48	172.99	91.25								
	10 (65	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.78	6.39	4.58	·						L	
CICALAL	ar : (C.C	(5/)				1	l				1				1		l
SIGNALIN	OTC	tt <sup>0</sup> boolds a usta indicator that the site is the site of the sit			Mr. and all arms										<del></del>		
SIGNALIA	OTE:"l	ok" beside a rate indicates that the parties have agreed to bill CCS7 Signating Termination, Per STP Port	and ke	ep for	that element pursua UDB	Int to the terr	ms and conditio	ns in Attachm	ent 3.		r						T

OCAL INT	ERCONNECTION - Louisiana												Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			<b></b>				Nonrecu	ırring	Nonrecurrin	g Disconnect	· · · · · · · · · · · · · · · · · · ·	1	OSS	Rates(\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	15.77	34.50	34.50								<b></b>
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	15.77	34.50	34.50					,,			
	CCS7 Signaling Usage, Per ISUP Message		T			0.000016bk				·	<del> </del>					
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.1bk					·				_	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.77	34.50	34.50								
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.77	34.50	34.50								

LOCAL IN I	ERCONNECTION - Mississippi												Attachment:	3 Exh: A	l	1
		η				T					Cup Order	Sug Code	Incremental		Ingramant-1	Ingreme
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc	Į.		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									het rou	percon				
													Electronic-	Electronic-	Electronic-	Electronic
												i	1st	Add'l	Disc 1st	Disc Add'l
<del></del>	<del></del>					<del> </del>	<del></del>							<u> </u>	L	L
	_ <del></del>				ļ	Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add¹l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)										<u> </u>					
	RCARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO	IIND TE	AFFIC		<del></del>	<del> </del>										
	Single Rate for Local Traffic and ISP-Bound Traffic, per MOU	, O. I.	<u> </u>			0.0007					<del> </del>					
					<del> </del>											
	Tandem Switching Function Per MOU					0.0005379						ŀ				
	Multiple Tandem Switching, per MOU (applies to intial tandem	[														
1	only)	1 1			f	0.0005379								Ì		ŀ
	Tandem Intermediary Charge, per MOU*					0.0025										<u> </u>
* This	charge is applicable only to transit traffic and is applied in ad-	dition to	annli	abla suitabina sad	1				L		L	Li			L	L
TDU	IK CHARGE	JILIOH 10	аррії	able switching and	/or intercon	lection charges	·									
INUN		ļ			<u> </u>									I		
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58	8.13							l	
	Installation Trunk Side Service - per DS0			OHD	TPP9X	1	21.58	8.13							1	† <del>************************************</del>
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00					<del> </del> -	<u> </u>		<del> </del>		
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00					<del> </del>			<del> </del>	ļ	<del> </del>
	Dedicated Tandem Trunk Port Service-per DS0**			OHIOHIMS	TDWOP						<b></b>			<del> </del>	L	
						0.00					<u> </u>					
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00					1					
** Thi	s rate element is recovered on a per MOU basis and is included	in the E	End Of	fice Switching and	Tandem Swi	tching, per MOL	I rate elements									
COM	MON TRANSPORT (Shared)				T											T
	Common Transport - Per Mile, Per MOU					0.0000026	· · · · · · · · · · · · · · · · · · ·									<u> </u>
	Common Transport - Facilities Termination Per MOU				<del> </del>	0.0004541										L
LOCAL INTE	DCONNECTION (DEDICATED TO A NODO DE		_			0.0004541										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)										i					1
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT													1		
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
1	Per Mile per month			ОНМ	1L5NF	0.0098					1				i	l
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OT 1101	TESTA	0.0030										ļ
ŀ					1	i	1									
	Facility Termination per month			ОНМ	1L5NF	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHM	1L5NK	0.0098								l	Į.	Į
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility								···		<del> </del>					
i	Termination per month			ОНМ	1L5NK	15.68	40.70	07.57	47.00	7.44	i				ŀ	
				OHIVI	ILSINK	15.00	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile													ł		
	per month			OHM	1L5NK	0.0098										1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															†
	Termination per month	1		OHM	1L5NK	15.68	40.78	27.57	17.26	7.11				l .	1	{
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			9.11	TESTAIN	10.00	70.70	27.01	17.20	7.11						ļ
											l					
	month			OH1, OH1MS	1L5NL	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			*	1											
Į.	month			OH3, OH3MS	AL CAMA	4.70	l l				i '	1		ì	Ĭ	ì
				OFFO, OFFOINS	1L5NM	4.76					ļ			ļ	L	L
	Interoffice Channel - Dedicated Transport - DS3 - Facility			L	1		J		1							1
	Termination per month		_	OH3, OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29				1		1
LOCA	AL CHANNEL - DEDICATED TRANSPORT				1	T										1
	Local Channel - Dedicated - 2-Wire Voice Grade per month		-	ОНМ	TEFV2	14.91	194.22	33.36	37.79	3.30	·			<del> </del>		
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	15.99					<del> </del>	ļ		ļ		
		-					194.66	33.80	38.27	3.78						ļ
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.83	178.50	154.61	22.89	15.74	L					
.																
.	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19	1			l		1
LOCA	AL INTERCONNECTION MID-SPAN MEET				1									·		
1-307	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00							ļ	<del></del>	<del> </del>
	Local Channel - Dedicated - DS1 per month								<b></b>		<b></b>			ļ		
				OH3MS	TEFHJ	0.00	0.00									
MULT	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10				T		1
	DS3 to DS1 Channel System per month		$\neg \neg$	OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82	1			<del></del>		<del>                                     </del>
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.96	6.62	4.74	07.00	32.02	<del></del>		<del></del>	ļ	<del></del>	+
SIGNALING (				OLLI, OLLING	SAICO	12.96	6.62	4./4			<b> </b>					<b></b>
		1		<u> </u>	1	<u> </u>			1					L		<u> </u>
INOTE	"bk" beside a rate indicates that the parties have agreed to bill	and ke	ep for				ns in Attachm	ent 3.								
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21			1		<u> </u>			ſ		T
	CCS7 Signaling Usage, Per TCAP Message				t	0.0000597bk					<del> </del>			ļ	<del></del>	<del></del>

LOCAL INTE	RCONNECTION - Mississippi													Attachment:	3 Exh: A		
CATEGORY	RATE ELEMENTS	Interi m	Zone		BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
								Nonrec	urring	Nonrecurring Disconnect			<b>'</b>	oss	Rates(\$)	L	<del></del>
			1	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB		TPP6A	16.55	35.74	35.74	16.53	16.53			i .	-		
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB		TPP9A	16.55	35.74	35.74	16.53	16.53				· · · · · · · · · · · · · · · · · · ·		
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB		TPP6B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB		TPP9B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Usage, Per ISUP Message						0.0000149bk	1									
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB		STU56	683.55bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB		CCAPO		29.18	29.18	35.78	35.78						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB		CCAPD											
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB		TPP9X	16,55	35.74	35.74	16.53	16.53						

LOCAL IN	TERCONNECTION - North Carolina												Attachment:	3 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATI	ES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		·
						Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	ERCONNECTION (CALL TRANSPORT AND TERMINATION)	ļ			<del> </del>											
	ERCARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-B	OLIND T	DAFEIC								ļ					
	Single Rate for Local Traffic and ISP-Bound Traffic, per MOU	OUND I	HAFFIC	, 		0.0007				<del> </del>	ļ <u>.</u>		· · · · · · · · · · · · · · · · · · ·			
	Tandem Switching Function Per MOU		<b> </b>		-	0.0004788										
	Multiple Tandem Switching, per MOU (applies to intial tandem only)				<u> </u>											
	Tandem Intermediary Charge, per MOU*				<del>                                     </del>	0.0004788										
* Thi	is charge is applicable only to transit traffic and is applied in a	ddition to	o appli	cable switching and	l/or intercon	nection charges				<del> </del>						
TRU	INK CHARGE	T		,	1		•			·						
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.55	8.12								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.55	8.12								
	Dedicated End Office Trunk Port Service-per DS0**	1	ļ	OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**  Dedicated Tandem Trunk Port Service-per DS0**	<b>_</b>	—	OH1 OH1MS OHD	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0  Dedicated Tandem Trunk Port Service-per DS1**	+	ļ	OH1 OH1MS	TDW0P TDW1P	0.00										
** Th	nis rate element is recovered on a per MOU basis and is include	d in the			Tandom Suit	ching per MOI	L rata alamant									
COM	MMON TRANSPORT (Shared)	T TITLE	T O	noc Switching and	Tandem Swit	l ling, per wiod	rate element	•								
	Common Transport - Per Mile, Per MOU	1				0.0000023				<del> </del>						
	Common Transport - Facilities Termination Per MOU	1			1	0.0001676				· · · · · · · · · · · · · · · · · · ·						
	ERCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Per Mile per month	-		ОНМ	1L5NF	0.0095										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade Facility Termination per month	-		ОНМ	1L5NF	12.12	39.36	20.00					- "			
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile						39.30	26.62								
	per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility	1		ОНМ	1L5NK	0.0095										
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			ОНМ	1L5NK	7.47	39.37	26.62								
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			ОНМ	1L5NK	0.0095										
	Termination per month			ОНМ	1L5NK	7.47	39.37	26.62								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1, OH1MS	1L5NL	0.1938										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility														• • • •	
	Termination per month  Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	31.19	86.69	79.44								
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			OH3, OH3MS	1L5NM	4.44										
	Termination per month			OH3, OH3MS	1L5NM	329.91	270.69	158.05								
LOC	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month	<b> </b>		OHM	TEFV2	6.29	187.51	32.21								
	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month	<b> </b>		OHM	TEFV4	7.08	187.94	32.63								
	Local Orlaimer - Dedicated - DST per month		-	OH1	TEFHG	22.13	172.34	149.27								
	Local Channel - Dedicated - DS3 Facility Termination per month	<u> </u>		ОН3	TEFHJ	82.89	438.46	256.30								
Loc	AL INTERCONNECTION MID-SPAN MEET	-		011110	1											
	Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month	<del> </del>		OH1MS OH3MS	TEFHG	0.00	0.00									
MU	TIPLEXERS	+		UNJIVIS	TEFHJ	0,00	0.00									
	Channelization - DS1 to DS0 Channel System	<del> </del>		OH1, OH1MS	SATN1	146.69	197.78	140.06								
	DS3 to DS1 Channel System per month	<del> </del>		OH3, OH3MS	SATIN	233.10	403.97	234.40		-						
	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	16.07	13.09	9.38					<del></del>			
Note	s: If no rate is identified in the contract, the rates, terms, and o	ondition						BellSouth tar	iff.							• • • • • • • • • • • • • • • • • • • •
SIGNALING	(CCS7)															
NOTI	E:"bk" beside a rate indicates that the parties have agreed to bi	ll and ke	ep for	that element pursua	int to the terr											
	CCS7 Signaling Connection, Per DS1 level link (A link)	1	ıl	UDB	TPP6A	8.13	34.50	34.50								

LOCAL INT	ERCONNECTION - North Carolina												Attachment:	3 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATI	ES(\$)			Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec			Nonrecurrin	ng Disconnect			oss	Rates(\$)		
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	8.13	34.50	34.50								
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	8.13	34.50	34.50								
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	8.13	34.50	34.50								
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.19	- 000			<del></del>	<del> </del>			-		
	CCS7 Signaling Usage, Per ISUP Message	1	1			0.0000094bk					·	<del> </del> -				<del>                                     </del>
	CCS7 Signaling Usage, Per TCAP Message					0.0000374			-		<del></del>		<del></del>			
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	644.04bk						<del> </del>		t		
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		55.77	55.77								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00				-		<u> </u>		
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			LIDB												
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB UDB	TPP6X TPP9X	8.13	34.50 34.50	34.50								

LOCAL I	INTE	RCONNECTION - South Carolina												Attachment:	3 Exh A		
CATEGOF		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATI	ES(\$)		Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonre	curring	Nonrecurring	Disconnect			088	Rates(\$)		
						1	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 0041 111																	
		ONNECTION (CALL TRANSPORT AND TERMINATION)															
1114	ILENC	ARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO	DUND TE	RAFFIC	; 	<u> </u>											
		Single Rate for Local Traffic and ISP-Bound Traffic, per MOU Tandem Switching Function Per MOU				4	0.0007										
		Multiple Tandem Switching, per MOU (applies to intial tandem					0.000736										
		only)					0.000736										
		Tandem Intermediary Charge, per MOU*			<u>-</u>	<del> </del>	0.000736										
* 1	This c	harge is applicable only to transit traffic and is applied in ad	dition to	annlic	cable switching and	l/or intercon	nection charges										
TF	RUNK	CHARGE					leotron onarges	-						ļ			
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.65	8.16							-	
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.65	8.16			<del> </del>					
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00		30	,					<u> </u>		
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00					<u> </u>			· · · · · · · · · · · · · · · · · · ·		
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
**	This is	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
CC	THIS	ate element is recovered on a per MOU basis and is included ON TRANSPORT (Shared)	in the l	end Of	fice Switching and	Tandem Swit	ching, per MOL	J rate element	3								-
		Common Transport - Per Mite, Per MOU															
		Common Transport - Fer Mile, Per MOU  Common Transport - Facilities Termination Per MOU					0.0000045									_	
LOCALIN		ONNECTION (DEDICATED TRANSPORT)				<del> </del>	0.0004095										
		FFICE CHANNEL - DEDICATED TRANSPORT				+											
		nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade -					ļ										
		Per Mile per month			ОНМ	1L5NF	0.0167										
		nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTIVI	ILSINE	0.0167										
ľ		Facility Termination per month	1		ОНМ	1L5NF	24.30	40.63	27,47	16.77	6.91					Ì	
		nteroffice Channel - Dedicated Transport - 56 kbps - per mile				12011	21.00	40.00	27,47	10.77	0.91						
	- 1	per month			OHM	1L5NK	0.0167					ł I					
		nteroffice Channel - Dedicated Transport - 56 kbps - Facility					-					<del> </del>					
		Termination per month		ŀ	OHM	1L5NK	16.76	40.63	27.47	16.77	6.91	i l					
		interoffice Channel - Dedicated Transport - 64 kbps - per mile	ı T														
		per month			ОНМ	1L5NK	0.0167										
		nteroffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			ОНМ	1L5NK	16.76	40.63	27.47	16.77	6.91						
		nteroffice Channel - Dedicated Channel - DS1 - Per Mile per				l											
		nonth  nteroffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	1L5NL	0.3415										
ŀ		Termination per month			OUR OURNE												
		nteroffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						
ĺ		month		- 1	OH3, OH3MS	1L5NM	8.02					i I					
		nteroffice Channel - Dedicated Transport - DS3 - Facility			Ono, Onomo	TESINIVI	0.02				_						
		Termination per month			OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59						
LO		CHANNEL - DEDICATED TRANSPORT			Orio, Oriolvio	TESINIVI	000.03	219.31	103.12	60.33	58.59	<b></b>					
		ocal Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	15.33	193.53	33.24	36.72	3.21						
		ocal Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	16.54	193.97	33.68	37.19	3.68	<b></b>					
		ocal Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30		•		-		
-																	······
	البيي	ocal Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77						
LO		NTERCONNECTION MID-SPAN MEET															
		ocal Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
p.a.		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
IVIC		Channelization - DS1 to DS0 Channel System			OLIT OLITMC	CATNIA	107.55										
		DS3 to DS1 Channel System per month			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81						
<del></del>		DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATNS	144.02	178.54	94.18	33.33	31.90						
No		f no rate is identified in the contract, the rates, terms, and co	ndition	for th	OTTI, OFTIMS	JOATCO	8.64	6.59	4.73	144							
SIGNALIN	G (CC	S7)	T	, 101 111	e opecinic service o	Tunction Wi	in De as Set TOR	ı ın applicable	ellSouth tar	ш.							
		ok" beside a rate indicates that the parties have agreed to bill	and kee	n for t	hat element nursus	nt to the torn	ne and conditio	ne in Attachm	ont 2								
INC					mas ordinoms pursua	··· ··· ··· ··· ··· ··· ···										I	

LOCAL INT	ERCONNECTION - South Carolina												Attachment:	3 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATI	ES(\$)			Submitted	Charge - Manual Svc	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
		<b>†</b>					Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	<del></del>
						Rec	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3		U	OB .	TPP9A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1		U	DB .	TPP6B	16.93	35,61	35.61	16.48	16.48					,	
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3		Ü	DB	TPP9B	16.93	35.61	35.61	16.48	16.48			· · · · · · · · · · · · · · · · · · ·			
	CCS7 Signaling Termination, Per STP Port	F	Ü	)B	PT8SX	163.49										
	CCS7 Signaling Usage, Per TCAP Message					0.0000692										
	CCS7 Signaling Usage, Per ISUP Message					0.0000173bk									T	1
	CCS7 Signating Usage Surrogate, per link per LATA	I	U	)B	STU56	791.37bk							i			
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		U	В	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		U	ОВ	CCAPD		29.08	29.08	35.65	35.65						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling		U	np.	TPP6X	16.93	35.61	25.64	10.40							
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream							35.61	16.48	16.48						
	signaling	L	UI	DB .	TPP9X	16.93	35.61	35.61	16.48	16.48	l	l		l		

LOCA	AL INTE	RCONNECTION - Tennessee												Attachment:	3 Exh: A		
CATEC	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
							Rec	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)	٠	
							Hec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u> </u>																
LOCAL		CONNECTION (CALL TRANSPORT AND TERMINATION)	L	L		.											
	INTER	CARRIER COMPENSATION FOR LOCAL TRAFFIC AND ISP-BO	DUND TI	RAFFIC	;												
		Single Rate for Local Traffic and ISP-Bound Traffic, per MOU		<u> </u>			0.0007										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)						1									
		Tandem Intermediary Charge, per MOU*	<b></b>	ļ			0.0009778										ļ
	* This	charge is applicable only to transit traffic and is applied in ad-	dition to	a annii		1/	0.0025	L		l	L						<u> </u>
	TRUNK	CHARGE	l	Тарріі	cable switching and	or intercon	nection charges	5. 				· · · · · · · · · · · · · · · · · · ·					
	11111111	Installation Trunk Side Service - per DS0	<b></b>	<del>                                      </del>	OHD	TPP6X	<del>-</del>	21.59	8.09								
	<b>†</b>	Installation Trunk Side Service - per DS0	<b></b>	<del> </del>	OHD	TPP9X	<del> </del>	21.59	8.09								ļ <u>.                                    </u>
		Dedicated End Office Trunk Port Service-per DS0**		<del> </del>	OHD	TDEOP	0.00	21.59	6.09							ļ	ļ <u>.</u>
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										<b></b>
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										ļ <u> </u>
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00					-					
	** This	rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	tching, per MO	U rate elements			L	i				·	L
	COMM	ON TRANSPORT (Shared)		Γ.		T	7,7	I			[	· · · · · · · · · · · · · · · · · · ·					
		Common Transport - Per Mile, Per MOU					0.0000064				· · · · · · · · · · · · · · · · · · ·						
		Common Transport - Facilities Termination Per MOU					0.0003871										
LOCAL	. INTER	CONNECTION (DEDICATED TRANSPORT)															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															-
	1	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			ОНМ	1L5NF	0.0174									1	1
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			ОНМ	1L5NF	18.58	55.39	17.37	27.96	3.51						1
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHM	1L5NK	0.0174					1 1					1
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility													•	7	
		Termination per month			OHM	1L5NK	17.98	55.39	17.37	27.96	3.51			i			1
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month				1.	!										
	-	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OHM	1L5NK	0.0174										
		Termination per month		i I	ОНМ							li					1
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
		month			OH1, OH1MS	41.550											i
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			OHI, OHIMS	1L5NL	0.3562										<b></b>
		Termination per month			OH1, OH1MS	1L5NL	77.86	112.40									ĺ
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OHI, OHING	ILSINL	17.86	112.40	76.27	19.55	14.99						<b></b>
		month			OH3, OH3MS	1L5NM	2.34										1
		Interoffice Channel - Dedicated Transport - DS3 - Facility			O. IO, OTTORIO	LOINIVI	2.34										·
		Termination per month			OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91						ĺ.
		CHANNEL - DEDICATED TRANSPORT		-	Orio, Oriolio	TEGINI	040.33	033.23	170.50	109.04	105.91						<del> </del>
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	15.29	199.33	24.16	54.81	4.80						<del></del>
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	16.18	201.53	24.10	55.52	5.51						<del> </del>
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	32.25	277.35	233.26	33.18	22.30	-					<b> </b>
					J	12	02.25	277.00	233.20	55.16	22.30						<del> </del>
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	611.30	595.37	304.50	215.82	151.15			- 1			l
	LOCAL	INTERCONNECTION MID-SPAN MEET			·	1	511.00	555.57	00 1.00	2,0.02	131.13						
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00				-					
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
		PLEXERS									-						
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	80.77	141.87	77.11	14.51	13.46						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	222.98	308.03	108.47	44.47	42.62						· · · · · · · · · · · · · · · · · · ·
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	17.58	6.07	4.66				**				
SIGNAL	LING (CO			L		<u> </u>											
	NOTE:"	bk" beside a rate indicates that the parties have agreed to bill	and ke	ep for t	that element pursua	nt to the terr	ms and condition	ons in Attachme	ent 3.								
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
		CCS7 Signaling Usage, Per TCAP Message		· I			0.0000916bk										ı
		CCS7 Signaling Osage, Fer TCAP Message CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	17.84	130.84	130,84					20.35	0.00	0.00	0.00

LOCAL INT	ERCONNECTION - Tennessee													Attachment:	3 Exh: A	l	
CATEGORY	RATE ELEMENTS	Interi m	Zone		BCS	usoc			RATES(\$)			1	Submitted		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		4
							nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB		TPP9A	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB		TPP6B	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB		TPP9B	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Usage, Per ISUP Message			I			0.0000373bk				· · · · · · · · · · · · · · · · · · ·		T			1	
	CCS7 Signaling Usage Surrogate, per link per LATA	T		UDB		STU56	352.3bk						i				
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB		CCAPO		121.77	121.77					20.35	0.00	0.00	0.00
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB		TPP9X	17.84	130.84	130.84					20.35	0.00	0.00	0.00

### **Attachment 4**

**Central Office Physical Collocation** 

Version: 2Q05 Standard ICA

07/06/05

# **Table of Contents**

1.	Scope of Attachment3
2	Optional Space Availability Report5
3	Collocation Options6
4	Occupancy12
5	Use of Collocation Space13
6	Ordering and Preparation of Collocation Space20
7	Construction and Provisioning24
8	Rates and Charges30
9	Insurance
10	Mechanics Lien40
11	Inspections40
12	Security and Safety Requirements41
13	Destruction of Collocation Space43
14	Eminent Domain44
15	Nonexclusivity44
Env	vironmental & Safety PrinciplesExhibit A
Rat	esExhibit B
Ter	nessee Regulatory Authority (TRA) Offered Language and RatesExhibit C

Version: 2Q05 Standard ICA

# BELLSOUTH CENTRAL OFFICE PHYSICAL COLLOCATION

#### 1. Scope of Attachment

BellSouth Premises. The rates, terms and conditions contained within this Attachment shall only apply when ALEC is physically collocated as a sole occupant or as a Host within a BellSouth Premises pursuant to this Attachment. BellSouth Premises, as defined in this Attachment includes BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. If the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and/or intervals may apply in addition to the terms and conditions contained in this Attachment.

# 1.2 Right to Occupy

- 1.2.1 BellSouth shall offer to ALEC collocation on rates, terms and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow ALEC to occupy a certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by ALEC and agreed to by BellSouth (hereinafter "Collocation Space"). Except as otherwise specified, any references to Collocation Space shall be for physical collocation. The necessary rates, terms and conditions for a premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.2 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.2.1 In all states other than Florida, the size specified by ALEC may contemplate a request for space sufficient to accommodate ALEC's growth within a twenty-four (24) month period.
- 1.2.2.2 In the state of Florida, the size specified by ALEC may contemplate a request for space sufficient to accommodate ALEC's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall assign ALEC Collocation Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC), lighting and available power), if such space is available for collocation. Otherwise, BellSouth shall attempt to accommodate ALEC's requested space preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, BellSouth shall not materially increase ALEC's cost or materially delay ALEC's occupation and use of the Collocation Space, assign Collocation Space that will impair the

Version: 2005 Standard ICA

quality of service or otherwise limit the service ALEC wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the BellSouth Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the BellSouth Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- Transfer of Collocation Space. ALEC shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the central office is not at or near space exhaustion; (2) the transfer of space shall be contingent upon BellSouth's approval, which will not be unreasonably withheld; (3) ALEC has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with ALEC's sale of all or substantially all, of the in-place collocation equipment to the same CLEC.
- 1.4.1 The responsibilities of ALEC shall include: (1) submitting a letter of authorization to BellSouth for the transfer; (2) entering into a transfer agreement with BellSouth and the acquiring CLEC; and (3) returning all Security Access Devices to BellSouth. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to BellSouth for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with BellSouth; (3) submitting a letter to BellSouth for the assumption of services; and (4) entering into a transfer agreement with BellSouth and ALEC.
- 1.4.2 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.
- 1.5 Space Reclamation
- In the event of space exhaust within a BellSouth Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the BellSouth Premises. ALEC will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5.2 BellSouth may reclaim unused Collocation Space when a BellSouth central office is at, or near, space exhaustion and ALEC must demonstrate that ALEC will utilize the Collocation Space within the time defined by the appropriate state commission as defined in 1.5.3. In the event of space exhaust or near exhaust within a BellSouth Premises, BellSouth will provide written notice to ALEC requesting that ALEC release non-utilized Collocation Space to BellSouth, when

Version: 2005 Standard ICA

one hundred percent (100%) of the Collocation Space in ALEC's collocation arrangement is not being utilized.

- 1.5.3 Within twenty (20) days of receipt of written notification from BellSouth, ALEC shall either: (1) return the non-utilized Collocation Space to BellSouth in which case ALEC shall be relieved of all obligations for charges associated with that portion of the Collocation Space applicable from the date the Collocation Space is returned to BellSouth; or (2) for all states, with the exception of Florida, provide BellSouth with information demonstrating that the Collocation Space will be utilized within twenty-four (24) months from the date ALEC accepted the Collocation Space (Acceptance Date) from BellSouth. For Florida, ALEC shall provide information to BellSouth demonstrating that the Collocation Space will be utilized within eighteen (18) months from the Acceptance Date.
- 1.5.4 Disputes concerning BellSouth's claim of central office space exhaust, or near exhaust, or ALEC's refusal to return requested Collocation Space should be resolved by BellSouth and ALEC pursuant to the dispute resolution language contained in Section 8 of General Terms and Conditions.
- 1.6 <u>Use of Space.</u> ALEC shall use the Collocation Space for the purpose of installing, maintaining and operating ALEC's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of Telecommunications Services, as specifically set forth in this Agreement. The Collocation Space assigned to ALEC may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and Charges.</u> ALEC agrees to pay the rates and charges identified in Exhibit B.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day and Christmas Day.
- 1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

#### 2 Optional Space Availability Report

2.1 Upon request from ALEC and at ALEC's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular BellSouth Premises. This report will include the amount of Collocation Space available at the BellSouth Premises

Version: 2Q05 Standard ICA

requested, the number of collocators present at the BellSouth Premises, any modifications in the use of the space since the last report on the BellSouth Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the BellSouth Premises for which the Space Availability Report was requested by ALEC.

- 2.1.1 The request from ALEC for a Space Availability Report must be in writing and include the BellSouth Premises street address, as identified in the LERG, and the CLLI code for the BellSouth Premises requested. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular BellSouth Premises within ten (10) days of the receipt of such request.
- 2.1.3 BellSouth will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two (2) or more states within the BellSouth Region, shall be negotiated between the Parties.

#### **3** Collocation Options

23.1 Cageless Collocation. BellSouth shall allow ALEC to collocate ALEC's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow ALEC to have direct access to ALEC's equipment and facilities in accordance with Section 5.1.2 below. BellSouth shall make cageless collocation available in single bay increments. Except where ALEC's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, ALEC must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

# 3.2 <u>Caged Collocation</u>

3.2.1 BellSouth will make caged Collocation Space available in fifty (50) square foot increments. At ALEC's option and expense, ALEC will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications, ALEC and ALEC's BellSouth Certified Supplier must comply with the more stringent local building code requirements. ALEC's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or

Version: 2Q05 Standard ICA

BellSouth's designated agent or contractor shall provide, at ALEC's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for ALEC's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. ALEC's BellSouth Certified Supplier shall bill ALEC directly for all work performed for ALEC. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by ALEC's BellSouth Certified Supplier. ALEC must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access ALEC's locked enclosure prior to notifying ALEC at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to ALEC's Collocation Space is required. Upon request, BellSouth shall construct the enclosure for ALEC.

In the event ALEC's BellSouth Certified Supplier will construct the collocation 3.2.2 arrangement enclosure, BellSouth may elect to review ALEC's plans and specifications, prior to allowing the construction to start, to ensure compliance with BellSouth's wire mesh enclosure specifications. BellSouth will notify ALEC of its desire to conduct this review in BellSouth's Application Response, as defined herein, to ALEC's Initial Application. If ALEC's Initial Application does not indicate its desire to construct its own enclosure and ALEC subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then ALEC will resubmit its Initial Application, indicating its desire to construct its own enclosure. If ALEC subsequently decides construct its own enclosure after the bona fide firm order (hereinafter "BFFO") has been accepted by BellSouth, ALEC will submit a Subsequent Application, as defined in Section 6.2 below. If BellSouth elects to review ALEC's plans and specifications, then BellSouth will provide notification to ALEC within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of ALEC's plans and specifications. Regardless of whether or not BellSouth elects to review ALEC's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to ALEC's submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of ALEC's written notification that the enclosure has been completed. Within seven (7) days after BellSouth has completed its inspection of ALEC's caged Collocation Space, BellSouth shall require ALEC, at ALEC's expense, to remove or correct any structure that does not meet ALEC's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

# 3.3 <u>Shared Caged Collocation</u>

Version: 2005 Standard ICA

- 3.3.1 ALEC may allow other telecommunications carriers to share ALEC's caged Collocation Space, pursuant to the terms and conditions agreed to by ALEC (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to ALEC. BellSouth shall be notified in writing by ALEC upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by ALEC that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and ALEC. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between BellSouth and ALEC.
- ALEC, as the Host, shall be the sole interface and responsible Party to BellSouth 3.3.2 for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide ALEC with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, ALEC shall be the responsible Party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's Access Customer Name and Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written Application Response to the Guest(s) Bona Fide application.
- 3.3.3 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable BellSouth Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.4 ALEC shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of ALEC's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation
- 3.4.1 Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on BellSouth Premises' property only when space within the requested BellSouth Premises is

legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the BellSouth Premises' property. An Adjacent Arrangement shall be constructed or procured by ALEC or ALEC's BellSouth Certified Supplier and must be in conformance with the provisions of BellSouth's design and construction specifications. Further, ALEC shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.

- 3.4.2 If ALEC requests Adjacent Collocation, pursuant to the conditions stated in Section 3.4 above, ALEC must arrange with a BellSouth Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with BellSouth's specifications. BellSouth will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than BellSouth's own specifications, ALEC and ALEC's BellSouth Certified Supplier shall comply with the more stringent local building code requirements. ALEC's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. ALEC's BellSouth Certified Supplier shall bill ALEC directly for all work performed for ALEC to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay such charges imposed by ALEC's BellSouth Certified Supplier. ALEC must provide the local BellSouth Central Office Building Contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access ALEC's locked enclosure prior to notifying ALEC at least fortyeight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.3 ALEC must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review ALEC's plans and specifications prior to the construction of an Adjacent Arrangement to ensure ALEC's compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of the plans and specifications from ALEC for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to ALEC's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of ALEC's written notification that the Adjacent Arrangement has been completed. Within seven (7) days after BellSouth has completed its inspection of ALEC's Adjacent Arrangement, BellSouth shall require ALEC, at ALEC's expense, to remove or correct any structure that does not meet its submitted plans and specifications or BellSouth's specifications, as applicable.
- 3.4.4 ALEC shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation.

Version: 2Q05 Standard ICA

At ALEC's option and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at ALEC's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes and any local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. ALEC will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. ALEC's BellSouth Certified Supplier shall be responsible, at ALEC's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.

# 3.5 <u>Direct Connect</u>

- 3.5.1 BellSouth will permit ALEC to directly interconnect between its own physical/virtual Collocation Spaces within the same BellSouth central office (Direct Connect). ALEC shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by ALEC. A Direct Connect shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by ALEC to provision the Direct Connect between its physical/virtual Collocation Spaces. In those instances where ALEC's physical/virtual Collocation Spaces are contiguous in the central office, ALEC will have the option of using ALEC's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. ALEC will deploy such electrical or optical connections directly between its own equipment without being routed through BellSouth's equipment or common cable support structure. ALEC may not self-provision a Direct Connect on any BellSouth distribution frame, Point of Termination (POT) Bay, Digital System Cross-Connect (DSX) panel or Light Guide Cross-Connect (LGX) panel. ALEC is solely responsible for ensuring the integrity of the signal.
- 3.5.2 To place an order for a Direct Connect, ALEC must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in

Version: 2005 Standard ICA

Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that BellSouth provides an Application Response to ALEC.

#### 3.6 Co-Carrier Cross Connect (CCXC)

- 3.6.1 A CCXC is a cross connection between ALEC and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Premises. Where technically feasible, BellSouth will permit ALEC to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same BellSouth Premises via a CCXC, pursuant to the FCC's Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of a CCXC between the two (2) collocated carriers. The applicable BellSouth charges will be assessed to ALEC upon ALEC's request for the CCXC. ALEC is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- ALEC must contract with a BellSouth Certified Supplier to place the CCXC. The 3.6.2 CCXC shall be provisioned using facilities owned by ALEC. Such crossconnections to other collocated telecommunications carriers may be made using either electrical or optical facilities. ALEC shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by ALEC to provision the CCXC to the other collocated telecommunications carrier. In those instances where ALEC's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, ALEC may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. ALEC shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. ALEC shall not provision CCXC on any BellSouth distribution frame, POT Bay, DSX panel or LGX panel. ALEC is solely responsible for ensuring the integrity of the signal.
- 3.6.3 To place an order for a CCXC, ALEC must submit an application to BellSouth. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a

Version: 2Q05 Standard ICA

Subsequent Application Fee will apply, pursuant to Section 6.2 below. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to ALEC.

### 4 Occupancy

- 4.1 <u>Space Ready Notification.</u> BellSouth will notify ALEC in writing when the Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 Acceptance Walkthrough. ALEC will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with BellSouth within fifteen (15) days after the Space Ready Date. BellSouth will correct any identified deviations from ALEC's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If ALEC completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of ALEC's acceptance of the Collocation Space (Space Acceptance Date). In the event ALEC fails to complete an acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by ALEC on the Space Ready Date and billing will commence from that date.
- 4.3 <u>Early Space Acceptance.</u> If ALEC decides to occupy the Collocation Space prior to the Space Ready Date, the date ALEC occupies the space is deemed the Space Acceptance Date and billing will begin from that date.
- 4.4 ALEC shall notify BellSouth in writing that its collocation equipment installation is complete. ALEC's collocation equipment installation is complete when ALEC's equipment is connected to BellSouth's network for the purpose of provisioning Telecommunication Services to ALEC's End Users. BellSouth may refuse to accept any orders for cross-connects until it has received such notice from ALEC.

#### 4.5 Termination of Occupancy.

4.5.1 In addition to any other provisions addressing termination of occupancy in this Agreement, ALEC may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy for such Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that ALEC and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that ALEC signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals any discrepancies, billing will cease on the date that BellSouth

Version: 2Q05 Standard ICA

and ALEC jointly conduct an inspection, confirming that ALEC has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B. BellSouth may terminate ALEC's right to occupy Collocation Space in the event ALEC fails to comply with any provision of this Agreement, including payment of the applicable fees contained in Exhibit B, for such Collocation Space.

- 4.5.2 Upon termination of occupancy, ALEC, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by ALEC from the Collocation Space. ALEC shall have thirty (30) days from the Bona Fide Firm Order (BFFO) date (Termination Date) to complete such removal, including the removal of all equipment and facilities of ALEC's Guest(s), unless ALEC's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Collocation Space to the Guest(s) prior to ALEC's Termination Date.
- 4.5.3 ALEC shall continue the payment of all monthly recurring charges to BellSouth until the date ALEC, and if applicable ALEC's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If ALEC or ALEC's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of ALEC or ALEC's Guest(s), in any manner that BellSouth deems fit, at ALEC's expense and with no liability whatsoever for ALEC's property or ALEC's Guest(s) property.
- 4.5.4 Upon termination of ALEC's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's central office space inventory. ALEC shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by ALEC, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. ALEC's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. ALEC shall be responsible for the cost of removing any ALEC constructed enclosure, as well as any supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

# 5 Use of Collocation Space

- 5.1 Equipment Type
- 5.1.1 BellSouth shall permit the collocation and use of any equipment necessary for interconnection to BellSouth's network and/or access to BellSouth's unbundled network elements in the provision of Telecommunications Services, as the term

Version: 2005 Standard ICA

"necessary" is defined by FCC 47 C.F.R. § 51.323 (b). The primary purpose and function of any equipment collocated in a BellSouth Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of Telecommunications Services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.

- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a BellSouth Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.
- Such equipment must, at a minimum, meet the following Telcordia Network
  Equipment Building Systems (NEBS) General Equipment Requirements: Criteria
  Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1.
  Except where otherwise required by a Commission, BellSouth shall comply with
  the applicable FCC rules relating to denial of collocation equipment based on
  ALEC's failure to comply with this Section.
- 5.2 Terminations. ALEC shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If full network termination capacity of the equipment being installed is not requested in the application submitted by ALEC, additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event ALEC submits an application for terminations that will exceed the total capacity of the collocated equipment, ALEC will be informed of the discrepancy by BellSouth and required to submit a revision to the application.
- 5.3 <u>Security Interest in Equipment.</u> Commencing with the most current calendar quarter after the effective date of this Attachment, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, ALEC will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34A55, 675 W. Peachtree

Version: 2Q05 Standard ICA

Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or to another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.

- No Marketing. ALEC shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the BellSouth Premises.
- Equipment Identification. ALEC shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of ALEC's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify ALEC's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- 5.6 Entrance Facilities. ALEC may elect to place ALEC-owned or ALEC leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the BellSouth Premises housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. ALEC will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. ALEC will provide and install a sufficient length of fire retardant riser cable, to which BellSouth will splice the entrance cable. The fire retardant riser cable will extend from the splice location to ALEC's equipment in ALEC's Collocation Space. In the event ALEC utilizes a non-metallic, riser-type entrance facility, a splice will not be required. ALEC must contact BellSouth for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. ALEC is responsible for the maintenance of the entrance facilities. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of ALEC's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.
- 5.6.1 <u>Microwave Transmission Facilities.</u> At ALEC's request, BellSouth will accommodate, where technically feasible and space is available, a microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.
- 5.6.2 Copper and Coaxial Cable Entrance Facilities. In Florida and Georgia, BellSouth shall permit ALEC to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where ALEC demonstrates a necessity and entrance capacity is not at or near exhaust in a particular BellSouth Premises in which ALEC's Collocation Space is located. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation

Version: 2Q05 Standard ICA

point, unless BellSouth determines that limited space is available for the placement of these entrance facilities.

Dual Entrance Facilities. BellSouth will provide at least two (2) interconnection points at each BellSouth Premises where at least two (2) such interconnection points are available and capacity exists. Upon receipt of a request by ALEC for dual entrance facilities to its physical Collocation Space, BellSouth shall provide ALEC with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for the installation of a second entrance facility to ALEC's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to a lack of capacity, BellSouth will provide this information to ALEC in the Application Response.

# 5.8 Shared Use

- 5.8.1 ALEC may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to ALEC's Collocation Space within the same BellSouth Premises.
- BellSouth shall allow the splice, as long as the fiber is non-working dark fiber. ALEC must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the ALEC-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If ALEC desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from ALEC authorizing BellSouth to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on ALEC's entrance facility.

# 5.9 Demarcation Point

- 5.9.1 In Tennessee, if ALEC elects the Tennessee Regulatory Authority (TRA) rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Demarcation Point, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- BellSouth will designate the point(s) of demarcation between ALEC's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. ALEC shall be responsible for providing the necessary cabling and ALEC's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 below. ALEC or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation

Version: 2Q05 Standard ICA

point, pursuant to Section 5.10 below and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.

Equipment and Facilities. ALEC, or if required by this Attachment, ALEC's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring and maintenance/repair of the equipment and network facilities used by ALEC, which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and POT connections. ALEC and its designated BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564.

# 5.11 BellSouth's Access to Collocation Space

- 5.11.1 From time to time, BellSouth may require access to ALEC's Collocation Space. BellSouth retains the right to access ALEC's Collocation Space for the purpose of making BellSouth equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, BellSouth will give notice to ALEC at least forty-eight (48) hours before access to ALEC's Collocation Space is required. ALEC may elect to be present whenever BellSouth performs work in the ALEC's Collocation Space. The Parties agree that ALEC will not bear any of the expense associated with this type of work.
- 5.11.2 In the case of an emergency, BellSouth will provide oral notice of entry as soon as reasonably practicable after such entry.
- 5.11.3 ALEC must provide the local BellSouth Central Office Building Contact with two (2) Access Devices that will allow BellSouth entry into any enclosed and locked Collocation Space including, but not limited to, an Adjacent Arrangement, pursuant to the requirements contained in this Section.

#### 5.12 ALEC's Access

5.12.1 Pursuant to Section 12 below, ALEC shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. ALEC agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier or agent of ALEC or ALEC's Guest(s) with ALEC's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by ALEC and returned to BellSouth Access Management within fifteen (15) days of ALEC's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Charges for Security Access System and for Security Access Devices will be billed at the rates set forth

Version: 2Q05 Standard ICA

in Exhibit B. Access Devices may not be duplicated under any circumstances. ALEC agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of ALEC's employees, suppliers, agents or Guests after termination of the employment relationship, the contractual obligation with ALEC ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation Space in a specific BellSouth Premises. ALEC shall pay all applicable charges associated with lost or stolen Access Devices.

- 5.12.2 BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one (1) hour, to ALEC's designated Collocation Space, after receipt of the BFFO, without charge to ALEC. ALEC must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date ALEC desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, ALEC may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event ALEC desires access to its designated Collocation Space after the first accompanied free visit and ALEC's access request form(s) has not been approved by BellSouth or ALEC has not yet submitted an access request form to BellSouth, ALEC shall be permitted to access the Collocation Space accompanied by a BellSouth security escort, at ALEC's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. ALEC must request that escorted access be provided by BellSouth to ALEC's designated Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever ALEC or it's approved agent or supplier requires access to the entrance manhole.
- 5.13 Lost or Stolen Access Devices. ALEC shall immediately notify BellSouth in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of ALEC's employees, suppliers, agents or Guest(s) to return an Access Device(s), ALEC shall pay for the costs of re-keying the building or deactivating the Access Device(s).
- 5.14 Interference or Impairment
- Notwithstanding any other provisions of this Attachment, ALEC shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that (1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; (2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; (3) compromises the privacy of any communications routed through the BellSouth Premises; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of ALEC

Version: 2Q05 Standard ICA

violates the provisions of this paragraph, BellSouth shall provide written notice to ALEC, which shall direct ALEC to cure the violation within forty-eight (48) hours of ALEC's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.

- 5.14.2 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if ALEC fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to ALEC's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to ALEC prior to the taking of such action and BellSouth shall have no liability to ALEC for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.14.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and ALEC fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible. BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to ALEC or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by ALEC is significantly degrading the performance of other advanced services or traditional voice band services, ALEC shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.15 <u>Personalty and Its Removal.</u> Facilities and equipment placed by ALEC in the Collocation Space shall not become a part of the Collocation Space, even if

Version: 2Q05 Standard ICA

nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by ALEC at any time. Any damage caused to the Collocation Space by ALEC's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by ALEC at its sole expense. If ALEC decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by BellSouth and ALEC's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill ALEC the Administrative Only Application Fee associated with the type of removal activity performed by ALEC, as set forth in Exhibit B. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response to ALEC.

- Alterations. Under no condition shall ALEC or any person acting on behalf of ALEC make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by ALEC. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee associated with the type of alteration requested, as set forth in Sections 6.2.1 and 7.1.4 below, which will be billed by BellSouth on the date that BellSouth provides ALEC with an Application Response.
- 5.17 <u>Janitorial Service.</u> ALEC shall be responsible for the general upkeep of its Collocation Space. ALEC shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, BellSouth shall provide a list of such suppliers on a BellSouth Premisesspecific basis.

#### 6 Ordering and Preparation of Collocation Space

- Initial Application. For ALEC's or ALEC's Guest's(s') initial equipment placement, ALEC shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by ALEC and will be billed by BellSouth on the date BellSouth provides ALEC with an Application Response.
- 6.2 <u>Subsequent Application.</u> In the event ALEC or ALEC's Guest(s) desires to modify its use of the Collocation Space after a BFFO, ALEC shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 above

Version: 2Q05 Standard ICA 07/06/05

(Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. BellSouth shall determine what modifications, if any, to the BellSouth Premises are required to accommodate the change(s) requested by ALEC in the Subsequent Application. Such modifications to the BellSouth Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.2.1 Subsequent Application Fees. The application fee paid by ALEC for an Alteration shall be dependent upon the level of assessment needed to complete the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires BellSouth to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, removal of equipment from the Collocation Space (where the removal requires no physical work to be performed by BellSouth), an Alteration made to a Bona Fide application by ALEC prior to BellSouth's receipt of the BFFO, and a virtual-to-physical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when ALEC submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same BellSouth Premises or between its physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same BellSouth Premises. The Power Reconfiguration Only Application Fee will apply when ALEC submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that BellSouth is currently providing to ALEC's physical Collocation Space. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable support structure, HVAC, power and terminations are available), shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that BellSouth provides ALEC with an Application Response.
- 6.3 Space Preferences. If ALEC has previously requested and received a Space Availability Report for the BellSouth Premises, ALEC may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate ALEC's space preference(s), ALEC may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same BellSouth Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides ALEC with an Application Response.

Version: 2005 Standard ICA

# 6.4 Space Availability Notification

- 6.4.1 For all states except Florida and Tennessee, BellSouth will respond to an application within ten (10) days as to whether space is available or not available within the requested BellSouth Premises. In Florida and Tennessee, BellSouth will respond to an application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when ALEC's application is Bona Fide. If the application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the application to become Bona Fide.
- 6.4.2 If the amount of space requested is not available, BellSouth will notify ALEC of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by ALEC or space that is configured differently, no application fee will apply. If ALEC decides to accept the available space, ALEC must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When ALEC resubmits its application to accept the available space, BellSouth will bill ALEC the appropriate application fee.
- 6.5 <u>Denial of Application.</u> If BellSouth notifies ALEC that no space is available (Denial of Application), BellSouth will not assess an application fee to ALEC. After notifying ALEC that BellSouth has no available space in the requested BellSouth Premises, BellSouth will allow ALEC, upon request, to tour the entire BellSouth Premises within ten (10) days of such Denial of Application. In order to schedule this tour, BellSouth must receive the request for the tour of the BellSouth Premises within five (5) days of the Denial of Application.
- Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. §251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit ALEC to inspect any floor plans or diagrams that BellSouth provides to the Commission.

# 6.7 Waiting List

6.7.1 On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. BellSouth will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.

Version: 2Q05 Standard ICA

- In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a BellSouth Premises is out of space, have submitted a Letter of Intent to collocate in that BellSouth Premises. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.
- When physical Collocation Space becomes available, ALEC must submit an updated, complete and accurate application to BellSouth within thirty (30) days of notification by BellSouth that physical Collocation Space will be available in the requested BellSouth Premises previously out of space. If ALEC has originally requested caged Collocation Space and cageless Collocation Space becomes available, ALEC may refuse such space and notify BellSouth in writing, within the thirty (30) day timeframe referenced above, that ALEC wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.
- 6.7.4 ALEC may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If ALEC does not submit an application or notify BellSouth in writing within the thirty (30) day timeframe as described in Section 6.7.2 above, BellSouth will offer the available space to the next telecommunications carrier on the waiting list and remove ALEC from the waiting list. Upon request, BellSouth will advise ALEC as to its position on the waiting list for a particular BellSouth Premises.
- 6.8 Public Notification. BellSouth will maintain on its Interconnection Web site, a notification document that will indicate all BellSouth Premises that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical Collocation. BellSouth will also post a document on its Interconnection Web site that contains a general notice when space becomes available in a BellSouth Premises previously on the space exhaust list.
- 6.9 Application Response
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide

Version: 2Q05 Standard ICA

application. The Application Response will be a written response that includes sufficient information to enable ALEC to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.

- In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable ALEC to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee and any other applicable space preparation fees, as described in Section 8 below. When ALEC submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.
- 6.10 Application Modifications. If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of ALEC or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge ALEC the appropriate application fee associated with the level of assessment performed by BellSouth, pursuant to Sections 6.1 and 6.2 above.

#### 6.11 BFFO

- 6.11.1 ALEC shall indicate its intent to proceed with a Collocation Space request in a BellSouth Premises by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to ALEC's Bona Fide application or ALEC's application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of ALEC's BFFO. BellSouth will acknowledge the receipt of ALEC's BFFO within seven (7) days of receipt, so that ALEC will have positive confirmation that it's BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

#### 7 Construction and Provisioning

- 7.1 Construction and Provisioning Intervals
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, BellSouth will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For

Version: 2Q05 Standard ICA

Alterations requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by ALEC. If additional space has been requested by ALEC, BellSouth will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and ALEC cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.

In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and 7.1.2 South Carolina, BellSouth will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant.) Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or BellSouth may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.

#### 7.2 Records Only Change

- 7.2.1 When ALEC adds equipment, that was originally included on ALEC's Initial Application or a Subsequent Application, and the addition of this equipment requires no additional space preparation work or cable terminations on the part of BellSouth, then BellSouth will impose no additional charges or intervals.
- 7.2.2 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to ALEC, when ALEC requests an Alteration specifically identified in Sections 7.2.2.1 through 7.2.2.9 below as an "Augment". Except as otherwise set forth in Section 7.2.2.10 below, such Augment will require a

Version: 2Q05 Standard ICA

Subsequent Application and will result in the assessment of the appropriate application fee associated with the type of Augment requested by ALEC. BellSouth will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to ALEC.

- 7.2.2.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
  - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
  - Fuse Change and/or Increase or Decrease -48V DC Power from Existing BellSouth Battery Distribution Fuse Bay (BDFB)
- 7.2.2.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:
  - 168 DS1 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 96 DS3 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 99 Fiber terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - Maximum of 2000 Service Ready DS0 Terminations at the BellSouth Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.2.2.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
  - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - Installation of Cable Racking or Other Support Structure, as Required, to Support CCXCs (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection structure for Fiber Patch Cord is Excluded)

Version: 2Q05 Standard ICA

- 7.2.2.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. This category includes all requests for additional Physical Collocation Space (caged or cageless).
- 7.2.2.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.2.2.6 If ALEC submits an Augment that includes two (2) Augment items from the same category in either Sections 7.2.2.1, 7.2.2.2 or 7.2.2.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two (2) items from the Minor Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.2.2.7 If ALEC submits an Augment that includes three (3) Augment items from the same category in either Sections 7.2.2.1, 7.2.2.2, or 7.2.2.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three (3) items from the Simple Augment category are requested on the same request for a physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if three (3) items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).
- 7.2.2.8 If ALEC submits an Augment that includes one (1) Augment item from two (2) separate categories in Sections 7.2.2.1, 7.2.2.2 and 7.2.2.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.2.2.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by ALEC and BellSouth. If ALEC and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Sections 7.2.2.4 and Section 7.2.2.5 above, would apply based on whether the Augment is for ALEC's physical or virtual Collocation Space.
- 7.2.2.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If ALEC requests multiple items from different Augment categories, BellSouth will bill ALEC the Augment application fee, as identified in Exhibit B, associated with the higher Augment category only. The appropriate application fee will be assessed to ALEC at the time BellSouth provides ALEC with the Application Response. ALEC will be assessed a Subsequent Application Fee for all Major Augments (Major Augments are

Version: 2005 Standard ICA

defined above in Sections 7.2.2.4 and 7.2.2.5 above for physical and virtual Collocation Space, respectively). The Subsequent Application Fee is also reflected in Exhibit B.

- 7.3 <u>Joint Planning.</u> Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and ALEC will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- 7.4 Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.
- 7.5 <u>Circuit Facility Assignments</u>
- 7.5.1 Unless otherwise specified, BellSouth will provide Circuit Facility Assignments (CFAs) to ALEC prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those BellSouth Premises in which ALEC has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by BellSouth. BellSouth cannot provide CFAs to ALEC prior to the Provisioning Interval for those BellSouth Premises in which ALEC has physical Collocation Space with a POT bay provided by ALEC or virtual Collocation Space, until ALEC has provided BellSouth with the following information:
- 7.5.1.1 For physical Collocation Space with a ALEC-provided POT bay, ALEC shall provide BellSouth with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.; or
- 7.5.1.2 For virtual Collocation Space, ALEC shall provide BellSouth with a complete layout of ALEC's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by ALEC's BellSouth Certified Supplier.
- 7.5.2 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form has been received from ALEC. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of BellSouth's receipt of the EIU form.
- 7.5.3 BellSouth will bill ALEC a nonrecurring charge, as set forth in Exhibit B, each time ALEC requests a resend of its original CFA information for any reason other than a BellSouth error in the CFAs initially provided to ALEC.
- 7.6 <u>Use of BellSouth Certified Supplier.</u> ALEC shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. ALEC, if a BellSouth Certified Supplier or ALEC's BellSouth

Version: 2Q05 Standard ICA

Certified Supplier must follow and comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities. ALEC must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide ALEC with a list of BellSouth Certified Suppliers, upon request. ALEC, if a BellSouth Certified Supplier, or ALEC's BellSouth Certified Supplier(s) shall be responsible for installing ALEC's equipment and associated components. extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and ALEC upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by ALEC. the BellSouth Certified Supplier shall bill ALEC directly for all work performed for ALEC pursuant to this Attachment. BellSouth shall have no liability for nor responsibility to pay, such charges imposed by ALEC's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to ALEC or any supplier proposed by ALEC and will not unreasonably withhold certification. All work performed by or for ALEC shall conform to generally accepted industry standards.

- Alarms and Monitoring. BellSouth shall place environmental alarms in the BellSouth Premises for the protection of BellSouth equipment and facilities. ALEC shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service ALEC's Collocation Space. Upon request, BellSouth will provide ALEC with an applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by ALEC. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- 7.8 Virtual to Physical Relocation. In the event physical Collocation Space was previously denied at a BellSouth Premises due to technical reasons or space limitations and physical Collocation Space has subsequently become available, ALEC may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Collocation arrangement, as set forth in Exhibit B. If BellSouth knows when additional physical Collocation Space may become available at the BellSouth Premises requested by ALEC, such information will be provided to ALEC in BellSouth's written denial of physical Collocation Space. ALEC must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Collocation Space to the new physical Collocation Space.
- 7.8.1 In Alabama, BellSouth will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days

Version: 2Q05 Standard ICA

from BellSouth's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from BellSouth's receipt of a BFFO.

- 7.9 Virtual to Physical Conversion (In-Place)
- 7.9.1 Virtual collocation arrangements may be converted to "in-place" physical caged collocation arrangements if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; (2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and (3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill ALEC an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to ALEC.
- 7.9.2 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.9.1 above.
- 7.10 Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, ALEC cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if ALEC cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, ALEC will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of ALEC up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if ALEC cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill ALEC for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.
- 7.11 <u>Licenses.</u> ALEC, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in a BellSouth Premises.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

#### **8** Rates and Charges

8.1 <u>Rates.</u> ALEC agrees to pay the rates and charges identified in Exhibit B attached hereto.

Version: 2Q05 Standard ICA

- 8.1.1 In Tennessee, if ALEC elects the TRA rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Application Fee, Space Preparation, Floor Space and Caged Collocation Power Usage metering, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- 8.1.2 Should ALEC elect to transition to the TRA Option after the execution of this Agreement, ALEC shall notify BellSouth in writing sixty (60) days prior to the implementation of this election.
- 8.2 <u>Application Fees.</u> BellSouth shall assess any nonrecurring application fees within thirty (30) days of the date that BellSouth provides an Application Response to ALEC or on ALEC's next scheduled monthly billing statement.
- 8.3 Recurring Charges. If ALEC has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event ALEC fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If ALEC occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in ALEC's next billing cycle and will include any prorated charges for the period from ALEC's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by BellSouth.
- 8.3.1 Unless otherwise stated in Section 8.6 below, monthly recurring charges for -48V DC power will be assessed per fused ampere (amp), per month, based upon the total number of fused amps of power capacity requested by ALEC on ALEC's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested, consistent with Commission orders.
- 8.3.2 BellSouth shall have the right to inspect and inventory any DC power fuse installations at a BellSouth BDFB or DC power circuit installations at BellSouth's main power board for any ALEC collocation arrangement, to verify that the total number of fused amps of power capacity installed by ALEC's BellSouth Certified Supplier matches the number of fused amps of DC power capacity requested by ALEC on ALEC's Initial Application and all Subsequent Applications. If BellSouth determines that ALEC's BellSouth Certified Supplier has installed more DC capacity than ALEC requested on its Initial Application and all Subsequent Applications, BellSouth shall notify ALEC in writing of such discrepancy and shall assess ALEC for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. BellSouth

Version: 2Q05 Standard ICA

shall also revise ALEC's recurring DC power charges, on a going-forward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.

- 8.4 Nonrecurring Charges. Unless specified otherwise herein, BellSouth shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that BellSouth provides an Application Response to ALEC or on ALEC's next scheduled monthly billing statement, if ALEC's current month's billing cycle has already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by BellSouth within thirty (30) days of BellSouth's confirmation of ALEC's BFFO or on ALEC's next scheduled monthly billing statement.
- 8.5 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, ALEC shall remit the payment of the nonrecurring Firm Order Processing Fee coincident with the submission of ALEC's BFFO. In Florida, the nonrecurring Firm Order Processing Fee will be billed by BellSouth, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and modification costs for network, building and support systems.
- 8.6 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the BellSouth Premises; however, this charge does not include any expenses associated with AC or DC power supplied to ALEC's Collocation Space for the operation of ALEC's equipment. For caged physical Collocation Space, ALEC shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is fifty (50) square feet. Additional caged Collocation Space may be requested in increments of fifty (50) square feet. For cageless Collocation Space, ALEC shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event ALEC's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, ALEC shall be required to request an

Version: 2Q05 Standard ICA

amount of floor space sufficient to accommodate the total equipment arrangement.

#### 8.7 Power

- 8.7.1 BellSouth shall make available -48 Volt (-48V) Direct Current (DC) power for ALEC's Collocation Space at a BellSouth BDFB. When obtaining DC power from a BellSouth BDFB, ALEC's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by ALEC's BellSouth Certified Supplier, in accordance with the number of fused amps of DC power requested by ALEC on ALEC's Initial Application and any Subsequent Applications. ALEC is also responsible for contracting with a BellSouth Certified Supplier to run the power distribution feeder cable from the BellSouth BDFB to the equipment in ALEC's Collocation Space. The BellSouth Certified Supplier contracted by ALEC must provide BellSouth with a copy of the engineering power specifications prior to the day on which ALEC's equipment becomes operational (hereinafter "Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB and ALEC's Collocation Space. ALEC shall contract with a BellSouth Certified Supplier who shall be responsible for performing those power provisioning activities required to enable ALEC's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within ALEC's Collocation Space, power cable feeds and terminations of the power cabling. ALEC and ALEC's BellSouth Certified Supplier shall comply with all applicable NEC, BellSouth TR 73503, Telcordia and ANSI Standards that address power cabling, installation and maintenance.
- 8.7.2 In Florida only, pursuant to technical feasibility, commercial availability and safety limitations, BellSouth will permit ALEC to request DC power in five (5) amp increments from five (5) amps up to one hundred (100) amps from the BellSouth BDFB. However, in accordance with industry standard fuse sizing, ALEC may request that BellSouth provision DC power of seventy (70) amps or greater directly from BellSouth's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at a BellSouth main power board in all BellSouth Premises is a two hundred twenty-five (225) amp circuit breaker.
- 8.7.3 BellSouth will revise ALEC's recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when ALEC submits a Subsequent Application requesting an increase in the number of fused amps it is currently receiving from BellSouth for its Collocation Space. If ALEC's existing fuses and power cables (for the A&B power feed) are not sufficient to support the additional number of fused amps requested, ALEC's BellSouth Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, BellSouth TR 73503, Telcordia and ANSI Standards, as well as the requirements

Version: 2Q05 Standard ICA

- noted in Sections 8.7 and 8.7.1 above. ALEC's BellSouth Certified Supplier shall provide notification to BellSouth when these activities have been completed.
- 8.7.4 BellSouth will revise ALEC's recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from ALEC, certifying the completion of the power reduction work, including the removal of any associated power cabling by ALEC's BellSouth Certified Supplier. Notwithstanding the foregoing, if ALEC's BellSouth Certified Supplier has not removed or, at BellSouth's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at BellSouth's discretion, cut by ALEC's BellSouth Certified Supplier and ALEC shall pay for the amount of power that had been requested prior to the power reduction request for the period up to the date the power cabling is actually removed.
- 8.7.5 If ALEC requests an increase or a reduction in the amount of power that BellSouth is currently providing, ALEC must submit a Subsequent Application. In all states other than Florida and Tennessee if no modification to the Collocation Space is requested other than the increase or reduction in power, the Simple Augment fee will apply. In Florida and Tennessee the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to ALEC's Subsequent Application.
- 8.7.6 If ALEC has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, ALEC must submit a Subsequent Application. BellSouth will respond to such application within seven (7) days and a Subsequent Application fee will apply for this reconfiguration to a BellSouth BDFB.
- 8.7.7 If ALEC elects to install its own DC Power Plant, BellSouth shall provide AC power to feed ALEC's DC Power Plant. Charges for AC power will be assessed on a per breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by ALEC's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. ALEC's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At ALEC's option, ALEC may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.

Version: 2Q05 Standard ICA

- 8.7.8 ALEC shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within ALEC's arrangement and terminations of cable within the Collocation Space.
- 8.7.9 <u>Fused Amp Billing.</u> In all states, except as noted in Section 8.7.1 above for Florida, BellSouth shall make available -48V DC power on a per fused amp, per month basis, pursuant to the following formula:

For power provisioned from a BDFB. The number of fused amps requested by ALEC on its application should reflect a multiplier of one point five (1.5) to convert its requested amps to fused amps, with a minimum of ten (10) fused amps required. The number of fused amps requested by ALEC on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B.

For existing power configurations that are provisioned from BellSouth's main power board. The number of fused amps made available at the main power board, in increments of two hundred and twenty-five (225) amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B. In Florida, the number of fused amps requested by ALEC on its collocation application will be multiplied by the DC power fused amp rate set forth in Exhibit B.

Version: 2Q05 Standard ICA

# 8.7.10 Florida Power Usage Option

In Florida only, ALEC may request that -48 DC power provisioned by BellSouth 8.7.10.1 to ALEC's Collocation Space be assessed per amp, per month based upon amps used, pursuant to the rates set forth in Exhibit B. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. If ALEC desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by ALEC to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power ALEC requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular BellSouth Premises on ALEC's Initial Application or Subsequent Application. BellSouth shall allow ALEC at ALEC's option, to order a power feed that is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by ALEC. BellSouth is not required to build its central office power infrastructure to meet ALEC's forecasted DC power demand. ALEC must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from BellSouth's power plant for each existing collocation arrangement ALEC converts to the FL Option or for any new collocation arrangements ALEC establishes under the FL Option.

8.7.10.2 BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of ALEC's power usage under the FL Option for a specific collocation arrangement in a particular BellSouth Premises, based on a meter reading(s) taken by BellSouth of the amount of power being consumed by ALEC's collocation arrangement. BellSouth may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%) or five (5) amps from the power usage that has been requested by ALEC for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate BellSouth's reading, then BellSouth shall adjust ALEC's billing to reflect BellSouth's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by BellSouth.

8.7.10.3 BellSouth shall assess ALEC a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B. ALEC shall notify BellSouth of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by ALEC. The requested change in DC power usage will be reflected in ALEC's next scheduled monthly billing cycle.

Version: 2Q05 Standard ICA

- 8.7.11 In Alabama and Louisiana, ALEC has the option to purchase power directly from an electric utility company. Under such option, ALEC is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by ALEC. ALEC's BellSouth Certified Supplier must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If ALEC currently has power supplied by BellSouth, ALEC may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc., utilized by ALEC in provisioning said power will be billed by BellSouth on an ICB basis.
- 8.7.12 In South Carolina, ALEC has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such option, ALEC is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by ALEC. ALEC's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the NESC standards, in the installing of this power arrangement, just as BellSouth is required to comply with these codes. ALEC must submit an application to BellSouth for the appropriate amount of Collocation Space that ALEC requires in order to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the BellSouth Premises for the installation of ALEC's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the BellSouth Premises that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. ALEC shall be responsible for the recurring charges associated with the additional space needed in the BellSouth Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested BellSouth Premises, BellSouth may seek a waiver of these

Version: 2Q05 Standard ICA

requirements from the Commission for the BellSouth Premises requested. ALEC would have the option to order its power needs directly from BellSouth.

- 8.7.13 In Alabama and Louisiana, if ALEC has existing power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific BellSouth Premises, ALEC must submit a Subsequent Application to BellSouth. BellSouth will provide a response to such application within seven (7) days and no application fee will be assessed by BellSouth for this one time only power reconfiguration to a BellSouth BDFB. For any power reconfigurations thereafter, ALEC will submit a Subsequent Application and the appropriate application fee will apply.
- 8.8 <u>Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by BellSouth upon receipt of ALEC's BFFO. Charges for cable racking, cable support structure and entrance fiber structure are recurring fees and will also be billed at the rates set forth in Exhibit B.
- 8.9 <u>Cable Records.</u> Cable Records charges apply for work activities required to build or remove existing cable records assigned to ALEC in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of thirty-six hundred (3,600) records per request. The fiber cable record charge is for a maximum of ninety-nine (99) records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of ALEC's BFFO, in all BellSouth states, except Louisiana. In Louisiana, Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of ALEC's BFFO.
- 8.10 Security Escort. After ALEC has used its one (1) accompanied site visit, pursuant to Section 5.12.1 above, and prior to ALEC's completion of the BellSouth Security Training requirements, contained in Section 12 below, a security escort will be required when ALEC's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or a BellSouth Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and ALEC shall pay for such half-hour charges in the event ALEC's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.11 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

#### 9 Insurance

9.1 ALEC shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.

Version: 2Q05 Standard ICA

- 9.2 ALEC shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of ALEC's real and personal property situated on or within a BellSouth Premises.
- 9.2.4 ALEC may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement, upon thirty (30) days notice to ALEC, to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by ALEC shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Agreement or until all of ALEC's property has been removed from BellSouth's Premises, whichever period is longer. If ALEC fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from ALEC.
- 9.5 ALEC shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. ALEC shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from ALEC's insurance company. ALEC shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office – Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, GA 30375

Version: 2Q05 Standard ICA

- 9.6 ALEC must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self Insurance. If ALEC's net worth exceeds five hundred million dollars (\$500,000,000), ALEC may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. ALEC shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to ALEC in the event that self-insurance status is not granted to ALEC. If BellSouth approves ALEC for self-insurance, ALEC shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of ALEC's corporate officers. The ability to self-insure shall continue so long as ALEC meets all of the requirements of this Section. If ALEC subsequently no longer satisfies the requirements of this Section, ALEC is required to purchase insurance as indicated by Section 9.2 above.
- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to ALEC to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

#### 10 Mechanics Lien

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or ALEC), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

#### 11 Inspections

BellSouth may conduct an inspection of ALEC's equipment and facilities in ALEC's Collocation Space(s) prior to the activation of facilities and/or services between ALEC's equipment and equipment of BellSouth. BellSouth may conduct an inspection if ALEC adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide ALEC with a minimum of forty-eight (48) hours or two

Version: 2Q05 Standard ICA

(2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

# 12 Security and Safety Requirements

- Unless otherwise specified, ALEC will be required, at its own expense, to conduct a statewide investigation of criminal history records for each ALEC employee hired in the past five (5) years being considered for work on a BellSouth Premises, for the states/counties where the ALEC employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. ALEC shall not be required to perform this investigation if an affiliated company of ALEC has performed an investigation of the ALEC employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if ALEC has performed a pre-employment statewide investigation of criminal history records of the ALEC employee for the states/counties where the ALEC employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- ALEC will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at BellSouth's Interconnection Web site, www.interconnection.bellsouth.com/guides.
- ALEC shall provide its employees and agents with picture identification, which must be worn and visible at all times while in ALEC's Collocation Space or other areas in or around the BellSouth Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and ALEC's name. BellSouth reserves the right to remove from a BellSouth Premises any employee of ALEC not possessing identification issued by ALEC or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. ALEC shall hold BellSouth harmless for any damages resulting from such removal of ALEC's personnel from a BellSouth Premises. ALEC shall be solely responsible for ensuring that any Guest(s) of ALEC is in compliance with all subsections of this Section.
- ALEC shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. ALEC shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any of ALEC's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event ALEC chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, ALEC may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

Version: 2Q05 Standard ICA

- 12.4.1 ALEC shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 ALEC shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each ALEC employee or agent hired by ALEC within the last five (5) years, who requires access to a BellSouth Premises to perform work in ALEC Collocation Space(s), ALEC shall furnish BellSouth certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, ALEC will disclose the nature of the convictions to BellSouth at that time. In the alternative, ALEC may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- For all other ALEC employees requiring access to a BellSouth Premises pursuant to this Attachment, ALEC shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, ALEC shall promptly remove from the BellSouth
  Premises any employee of ALEC that BellSouth does not wish to grant access to a
  BellSouth Premises: 1) pursuant to any investigation conducted by BellSouth, or
  2) prior to the initiation of an investigation if an employee of ALEC is found
  interfering with the property or personnel of BellSouth or another collocated
  telecommunications carrier, provided that an investigation shall be promptly
  commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview ALEC's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to ALEC's Security representative of such interview. ALEC and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving ALEC's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill ALEC for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that ALEC's employees, agents, suppliers, or Guests are responsible for the alleged

Version: 2Q05 Standard ICA

act(s). BellSouth shall bill ALEC for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of ALEC's employees, agents, suppliers, or Guests and where ALEC agrees, in good faith, with the results of such investigation. ALEC shall notify BellSouth in writing immediately in the event that ALEC discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. ALEC shall hold BellSouth harmless for any damages resulting from such removal of ALEC's personnel from a BellSouth Premises.

- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

#### 13 Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, 13.1 windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for ALEC's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for ALEC's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to ALEC, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. ALEC may, at its own expense, accelerate the rebuild of its Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the

Version: 2Q05 Standard ICA

necessary space preparation has been completed. If ALEC's acceleration of the project increases the cost of the project, then those additional charges will be incurred at ALEC's expense. Where allowed and where practical, ALEC may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, ALEC shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for ALEC's permitted use, until such Collocation Space is fully repaired and restored and ALEC's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where ALEC has placed an Adjacent Arrangement pursuant to Section 3.4 above, ALEC shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

#### 14 Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and ALEC shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

#### 15 Nonexclusivity

15.1 ALEC understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

Version: 2Q05 Standard ICA

#### ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

# 1. General Principles

- 1.1 Compliance with Applicable Law. BellSouth and ALEC agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and Occupational Safety and Healthy Act (OSHA) regulations issued under the OSHA of 1970, as amended and National Fire Protection Association (NFPA), NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and ALEC shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. ALEC should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for ALEC to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. ALEC will require its suppliers, agents, Guests, and others accessing the BellSouth Premises to comply with these practices. Section 2 below lists the Environmental categories where BellSouth practices should be followed by ALEC when operating in the BellSouth Premises.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the ALEC space with proper notification. BellSouth reserves the right to stop any ALEC work operation that imposes Imminent Danger to the environment, employees or other persons in or around a BellSouth Premises.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned at a BellSouth Premises by ALEC are owned by and considered the property of ALEC. ALEC will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without

Version: 2Q05 Standard ICA

prior written BellSouth approval, no substantial new safety or environmental hazards can be created by ALEC or different hazardous materials used by ALEC at a BellSouth Premises. ALEC must demonstrate adequate emergency response capabilities for the materials used by ALEC or remaining at a BellSouth Premises.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by ALEC to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and ALEC will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and ALEC will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, ALEC must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and ALEC shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a BellSouth Premises.

#### 2. Categories for Consideration of Environmental Issues

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, ALEC agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. ALEC further agrees to cooperate with BellSouth to ensure that ALEC's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps, which apply to the specific Environmental function being performed by ALEC, its employees, agents, suppliers, and/or Guests.
- The most current version of the reference documentation must be requested from ALEC's BellSouth Regional Contract Manager (RCM).

Version: 2Q05 Standard ICA

Environmental Categories	Environmental Issues	Addressed By The Following Documentation	
Disposal of hazardous	Compliance with all	Std T&C 450	
material or other regulated material (e.g., batteries, fluorescent tubes, solvents &	applicable local, state & federal laws and regulations	Fact Sheet Series 17000	
cleaning materials)	Pollution liability insurance	Std T&C 660-3	
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)	
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises)	
Contract labor/outsourcing for services with environmental implications to be performed	Compliance with all applicable local, state and federal laws and regulations	Std T&C 450	
on BellSouth Premises (e.g.,		Std T&C 450-B	
disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	(Contact RCM Representative for copy of appropriate E/S M&Ps.)	
	Insurance	Std T&C 660	
Transportation of hazardous	Compliance with all	Std T&C 450	
material	applicable local, state & federal laws and regulations	Fact Sheet Series 17000	
	Pollution liability insurance EVET approval of supplier	Std T&C 660-3	
		Approved Environmental Vendor List (Contact RCM Representative)	
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450	
Other maintenance work	Protection of BST employees and equipment	29 C.F.R. § 1910.147 (OSHA Standard) 29 C.F.R. § 1910 Subpart O (OSHA Standard)	

Version: 2Q05 Standard ICA 07/06/05

Janitorial service	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 for questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

# 3. Definitions

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. OSHA hazard communications standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

Version: 2Q05 Standard ICA

<u>Imminent Danger</u>. Any conditions or practices at a BellSouth Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. Acronyms

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST - BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> – Department Environmental Coordinator/Local Department Environmental Coordinator

E/S - Environmental/Safety

**EVET** – Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC – National Electrical Safety Codes

<u>P&SM</u> – Property & Services Management

Std T&C – Standard Terms & Conditions

Version: 2Q05 Standard ICA

# Attachment 4

**Remote Site Collocation** 

Version: 2Q05 Standard ICA

# REMOTE SITE COLLOCATION TABLE OF CONTENTS

1.	Scope of Attachment	3
2.	Space Availability Optional Report	4
3.	Collocation Options	6
4.	Occupancy	10
5.	Use of Remote Collocation Space	12
6.	Ordering and Preparation of Remote Collocation Space	18
7.	Construction and Provisioning	21
8.	Rates and Charges	25
9.	Insurance	26
10.	Mechanics Liens	28
11.	Inspections	28
12.	Security and Safety Requirements	29
13.	Destruction of Remote Collocation Space	31
14.	Eminent Domain	32
15.	Nonexclusivity	33
Env	vironmental and Safety Principles	Exhibit A
Dat	tas	Evhihit R

Version: 2Q05 Standard ICA

#### REMOTE SITE COLLOCATION

# 1. Scope of Attachment

- 1.1 Scope. The rates, terms, and conditions contained within this Attachment shall only apply when ALEC is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location (Remote Collocation Space) pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter BellSouth Premises). This Attachment is applicable to BellSouth Premises owned or leased by BellSouth. However, if the BellSouth Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to occupy. BellSouth shall offer to ALEC Remote Collocation Space on rates, terms, and conditions that are just, reasonable, nondiscriminatory, and consistent with the rules of the FCC. Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow ALEC to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by ALEC and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

#### 1.3 Space Reservation

- 1.3.1 In all states other than Florida, the number of bays specified by ALEC may contemplate a request for space sufficient to accommodate ALEC's growth within a two (2) year period.
- 1.3.2 In the state of Florida, the number of bays specified by ALEC may contemplate a request for space sufficient to accommodate ALEC's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies ALEC that

Version: 2Q05 Standard ICA

BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon ALEC's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for ALEC. ALEC agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for ALEC. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for ALEC as above, ALEC shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with ALEC in obtaining such permission.

- 1.5 <u>Space Reclamation.</u> In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. ALEC will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> ALEC shall use the Remote Collocation Space for the purposes of installing, maintaining and operating ALEC's equipment (which may include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth UNEs in accordance with the Act, FCC and Commission rules. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day, and Christmas Day.
- 1.8 <u>Compliance.</u> Subject to Section 24 of General Terms and Conditions, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

#### 2. Space Availability Optional Report

- 2.1 Space Availability Optional Report
- 2.1.1 Upon request from ALEC, BellSouth will provide a written report (Space Availability Report), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site

Version: 2Q05 Standard ICA

Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.2 The request from ALEC for a Space Availability Report must be written and must include the CLLI code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the NECA Tariff FCC No. 4. If ALEC is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, ALEC may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, ALEC should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. ALEC should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.3 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) days of receipt of such request.
- 2.1.4 BellSouth will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) BellSouth Premises within the same state. The response time for Space Availability Report requests of more than five (5) BellSouth Premises, whether the request is for the same state or for two (2) or more states within the BellSouth region, shall be negotiated between the Parties.

# 2.2 Remote Terminal Information

- 2.2.1 Upon request, BellSouth will provide ALEC with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- BellSouth will provide this information on a first come, first served basis within thirty (30) days of a ALEC request subject to the following conditions: (i) the information will only be provided on a compact disc in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by ALEC, up to a maximum of thirty (30) wire centers per ALEC request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) ALEC agrees to pay the costs incurred by BellSouth in providing the information. Multiple Wire Center CLLI code requests may be place on one compact disc.

Version: 2Q05 Standard ICA

# 3. Collocation Options

3.1 <u>Cageless Collocation.</u> BellSouth shall allow ALEC to collocate ALEC's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow ALEC to have direct access to ALEC's equipment and facilities in accordance with Section 5.8 below. BellSouth shall make cageless collocation available in single bay increments. Except where ALEC's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, ALEC must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.4 below.

# 3.2 <u>Caged Collocation</u>

- 3.2.1 At ALEC's option and expense, ALEC may arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than BellSouth's wire mesh enclosure specifications. ALEC and ALEC's BellSouth Certified Supplier must comply with the more stringent local building code requirements. ALEC's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth or BellSouth's designated agent or contractor shall provide, at ALEC's expense, documentation, which may include existing building architectural drawings, enclosure drawings, and specifications etc., necessary for ALEC's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. ALEC's BellSouth Certified Supplier shall bill ALEC directly for all work performed for ALEC pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by ALEC's BellSouth Certified Supplier. ALEC must provide the local BellSouth Remote Site Location contact with two (2) Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access ALEC's locked enclosure prior to notifying ALEC at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to ALEC's Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for ALEC.
- 3.2.2 BellSouth may elect to review ALEC's plans and specifications, if ALEC has indicated its desire to have ALEC's BellSouth Certified Supplier construct the collocation arrangement enclosure, prior to allowing the construction to start, to ensure ALEC's compliance with BellSouth's wire mesh enclosure specifications.

Version: 2005 Standard ICA

BellSouth will notify ALEC of its desire to execute this review in BellSouth's Application Response to ALEC's application. The Application Response is defined for purposes of this Attachment as BellSouth's written response that includes sufficient information for ALEC to place a firm order for the Remote Collocation Space it is requesting. If ALEC's application does not indicate their desire to construct their own enclosure and ALEC subsequently decides to construct its own enclosure prior to BellSouth's Application Response, then ALEC will resubmit its application, indicating its desire to construct its own enclosure. BellSouth shall complete its review within fifteen (15) days after BellSouth's receipt of ALEC's plans and specifications. Regardless of whether or not BellSouth elects to review ALEC's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's wire mesh enclosure specifications, as applicable. If BellSouth decides to inspect the constructed Remote Collocation Space, BellSouth will complete its inspection within fifteen (15) days after receipt of ALEC's written notification that the enclosure has been completed. BellSouth shall require ALEC, at ALEC's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of ALEC's caged Remote Collocation Space, any structure that does not meet ALEC's plans and specifications or BellSouth's wire mesh enclosure specifications, as applicable.

#### 3.3 Shared Caged Collocation

- 3.3.1 ALEC may allow other telecommunications carriers to sublease ALEC's Remote Collocation Space pursuant to terms and conditions agreed to by ALEC (Host) and other telecommunications carriers (Guests) and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. ALEC shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest prior to any application. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by ALEC that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and ALEC.
- 3.3.2 ALEC, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide ALEC with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each. BellSouth will not allocate less than one (1) bay per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing,

Version: 2Q05 Standard ICA

ALEC shall be the responsible Party to BellSouth for the purpose of submitting applications for bay placement for the Guest. In Florida the Guest may submit its own initial bay placement applications using the Host's ACNA. A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written Application Response to the Guest(s) bona fide application.

- 3.3.3 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services, and/or access to UNEs. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable BellSouth tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.4 ALEC shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of ALEC's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

#### 3.4 Adjacent Collocation

- 3.4.1 Subject to technical feasibility and space availability, BellSouth will permit an adjacent Remote Site collocation arrangement (Adjacent Arrangement) on the property on which BellSouth's Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Adjacent Arrangement shall be constructed or procured by ALEC and in conformance with BellSouth's design and construction specifications. Further, ALEC shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Adjacent Arrangement.
- 3.4.2 Should ALEC elect Adjacent Collocation, ALEC must arrange with a BellSouth Certified Supplier to construct or procure an Adjacent Arrangement structure in accordance with BellSouth's specifications. Where local building codes require specifications more stringent than BellSouth's own specifications, ALEC and ALEC's BellSouth Certified Supplier must comply with local building code requirements. ALEC's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. ALEC's BellSouth Certified Supplier shall bill ALEC directly for all work performed for ALEC pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by ALEC's BellSouth Certified Supplier. ALEC must provide the local BellSouth Remote Site Location contact with two (2) cards, keys or other access device used to enter

Version: 2Q05 Standard ICA

the locked enclosure. Except in cases of emergency, BellSouth shall not access ALEC's locked enclosure prior to notifying ALEC at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.

- 3.4.3 ALEC must submit its plans and specifications to BellSouth with its firm order. BellSouth shall review ALEC's plans and specifications prior to construction of an Adjacent Arrangement to ensure compliance with BellSouth's specifications. BellSouth shall complete its review within fifteen (15) days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) days after receipt of ALEC's written notification that the Adjacent Arrangement has been completed. BellSouth shall require ALEC, at ALEC's expense, to remove or correct within seven (7) days after BellSouth has completed its inspection of ALEC's Adjacent Arrangement, any structure that does not meet its submitted plans and specifications or, BellSouth's specifications, as applicable.
- 3.4.4 ALEC shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting, and all facilities that connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At ALEC's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, at ALEC's request and expense, BellSouth will provide DC power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. BellSouth will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the NEC, any and all safety and local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and intervals. ALEC will pay for any and all (one hundred percent (100%)) DC power construction and provisioning costs to an Adjacent Arrangement through ICB pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins, and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. ALEC's BellSouth Certified Supplier shall be responsible, at ALEC's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared caged Host/Guest collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.

#### 3.5 CCXCs

3.5.1 A CCXC is a cross-connection between ALEC and another collocated telecommunications carrier, other than BellSouth, in the same BellSouth Remote

Version: 2Q05 Standard ICA

Site Location. Where technically feasible, BellSouth will permit ALEC to interconnect between its Remote Collocation Space(s) and Remote Collocation Space(s) of another (or other) collocated telecommunications carrier(s) within the same BellSouth Remote Site Location via a CCXC, pursuant to FCC Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before BellSouth will permit the provisioning of CCXC between the two (2) collocated carriers. The applicable BellSouth charges will be assessed to the collocated telecommunications carrier that requests the CCXC. ALEC is prohibited from using the Remote Collocated telecommunications carriers.

- 3.5.2 ALEC must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by ALEC. Such crossconnections to other collocated telecommunications carriers may be made using either optical or electrical facilities. ALEC shall be responsible for providing a LOA, with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by ALEC to provision the CCXC to the other collocated telecommunications carrier. In those instances where ALEC's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Remote Collocation Spaces, ALEC may use its own technicians to install the CCXCs using either electrical or optical facilities between the sets of equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. ALEC shall deploy such optical or electrical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through BellSouth's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. ALEC shall not provision CCXC on any BellSouth distribution frame, POT Bay, DSX panel or LGX panel. ALEC is solely responsible for ensuring the integrity of the signal.
- 3.5.3 To place an order for a CCXC, ALEC must submit an application to BellSouth. If no modification to the Remote Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross-connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, the Application Fee will apply. BellSouth will bill this nonrecurring charge on the date that it provides an Application Response to ALEC.

#### 4. Occupancy

4.1 <u>Space Ready Date.</u> BellSouth will notify ALEC in writing that the Remote Collocation Space is ready for occupancy (Space Ready Date).

Version: 2Q05 Standard ICA

- 4.2 Acceptance Walkthrough. ALEC will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) days after BellSouth notifies ALEC that Remote Collocation Space is ready for occupancy (Space Ready Date). BellSouth will correct any deviations to ALEC's original or jointly amended requirements within seven (7) days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If ALEC completes its acceptance walkthrough within the fifteen (15) day interval(s) associated with the applicable Space Ready Date, billing will begin upon the date of ALEC's acceptance of the Remote Collocation Space (Space Acceptance Date). In the event that ALEC fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Remote Collocation Space shall be deemed accepted by ALEC on the Space Ready Date and billing will commence from that date.
- 4.3 <u>Early Space Acceptance.</u> If ALEC decides to occupy the Remote Collocation Space prior to the Space Ready Date, the date ALEC occupies the space is deemed the Space Acceptance Date and billing will begin from that date. ALEC must notify BellSouth in writing that its collocation equipment installation is complete. ALEC's collocation equipment installation is complete, which is when ALEC's equipment has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to ALEC's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from ALEC.
- 4.4 ALEC must notify BellSouth in writing that its collocation equipment installation is complete. ALEC's collocation equipment installation is complete, when ALEC's equipment has been cross-connected to BellSouth's network for the purpose of provisioning Telecommunication Services to ALEC's customers. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice from ALEC.

# 4.5 <u>Termination of Occupancy</u>

4.5.1 In addition to any other provisions addressing termination of occupancy in this Attachment, ALEC may terminate occupancy in a particular Remote Collocation Space by submitting an application requesting termination of occupancy for such Remote Collocation Space. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date ALEC and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that ALEC signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals any

Version: 2Q05 Standard ICA

discrepancies, billing will cease on the date that BellSouth and ALEC jointly conduct an inspection, which confirms that ALEC has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate ALEC's right to occupy the Remote Collocation Space in the event ALEC fails to comply with any provision of this Agreement, for such Remote Collocation Space.

- 4.5.2 Upon termination of occupancy, ALEC, at its sole expense, shall remove its equipment and other property from the Remote Collocation Space. ALEC shall have thirty (30) days from the BFFO date (Termination Date) to complete such removal, including the removal of all equipment and facilities of ALEC's Guest(s), unless ALEC's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth to transfer the Remote Collocation Space to the Guest(s) prior to ALEC's Termination Date.
- 4.5.3 ALEC shall continue payment of all monthly recurring charges to BellSouth until the date ALEC, and if applicable ALEC's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. If ALEC or ALEC's Guest(s) fails to vacate the Remote Collocation Space within thirty (30) days from the Termination Date, BellSouth shall have the right to remove and dispose of the equipment and any other property of ALEC or ALEC's Guest(s), in any manner that BellSouth deems fit, at ALEC's expense and with no liability whatsoever for ALEC's property or ALEC's Guest(s)'s property.
- 4.5.4 Upon termination of ALEC's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and ALEC shall surrender such Remote Collocation Space to BellSouth in the same condition as when it was first occupied by ALEC, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. For CEVs and huts, ALEC's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth specifications including, but not limited to, Record Drawings and ERMA Records. ALEC shall be responsible for the cost of removing any ALEC constructed enclosure, as well as any support structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

# 5. Use of Remote Collocation Space

- 5.1 Equipment Type
- 5.1.1 BellSouth permits the collocation and use of any type of equipment that is necessary and will be used primarily for interconnection to BellSouth's network or for access to UNEs in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical,

Version: 2Q05 Standard ICA

economical, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any affiliate, subsidiary, or other party.

- Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc.

  BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment.

  BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia NEBS General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation equipment based on ALEC's failure to comply with this Section.
- 5.1.3.1 All ALEC equipment installation shall comply with TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- ALEC shall identify to BellSouth whenever ALEC submits a MOP adding equipment to ALEC's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in ALEC's Remote Collocation Space. ALEC shall submit a copy of the list of any lien holders or other entities that have a financial interest to ALEC's ATCC Representative.
- No Marketing. ALEC shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.

Version: 2Q05 Standard ICA

- Equipment Identification. ALEC shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of ALEC's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify ALEC's equipment in the case of an emergency. For caged Remote Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- Entrance Facilities. ALEC may elect to place ALEC-owned or ALEC-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. ALEC will provide and place copper cable through conduit from the Remote Collocation Space to the feeder distribution interface to the splice location of sufficient length for splicing by BellSouth. ALEC must contact BellSouth for authorization and instruction prior to placing any entrance facility cable. ALEC is responsible for maintenance of the entrance facilities that terminate into ALEC's Remote Collocation Space. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of ALEC's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.
- 5.5 <u>Shared Use.</u> ALEC may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to ALEC's Remote Collocation Space within the same BellSouth Remote Site Location.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between ALEC's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. ALEC or its agent must perform all required maintenance to ALEC equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, below.
- Equipment and Facilities. ALEC, or if required by this Attachment, ALEC's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and network facilities used by ALEC which must be performed in compliance with all applicable BellSouth specifications. Such equipment and network facilities may include but are not limited to cable(s), equipment, and point of termination connections. ALEC and its selected BellSouth Certified Supplier must follow and comply with all BellSouth specifications outlined in the following BellSouthTechnical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.8 <u>BellSouth Access.</u> From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation

Version: 2Q05 Standard ICA

Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to ALEC at least forty-eight (48) hours before access to the Remote Collocation Space is required. ALEC may elect to be present whenever BellSouth performs work in the Remote Collocation Space. The Parties agree that ALEC will not bear any of the expense associated with this work. In the case of an emergency, BellSouth will provide oral notice of entry as soon as possible and, upon request, will provide subsequent written notice.

- Customer Access. Pursuant to Section 12 below, ALEC shall have access to its 5.9 Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. ALEC agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of ALEC or ALEC's Guest(s) with ALEC's written request for access keys or cards (Access Devices) for specific BellSouth Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the Collocation Acknowledgement Sheet for access cards and the Key Acknowledgement Form for keys) must be signed by ALEC and returned to BellSouth Access Management within fifteen (15) days of ALEC's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by BellSouth until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Devices may not be duplicated under any circumstances. ALEC agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of ALEC's employees, suppliers, agents, or Guests after termination of the employment relationship, the contractual obligation with ALEC ends, upon the termination of this Agreement, or upon the termination of occupancy of Remote Collocation Space in a specific BellSouth Premises. ALEC shall pay all applicable charges associated with lost or stolen Access Devices.
- BellSouth will permit one (1) accompanied site visit, which will be limited to no more than one (1) hour, to ALEC's designated Remote Collocation Space, after receipt of the BFFO, without charge to ALEC. ALEC must submit to BellSouth the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to a BellSouth Premises at least thirty (30) days prior to the date ALEC desires to gain access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, ALEC may submit a request for its one (1) free accompanied site visit to its designated Remote Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event ALEC desires access to its designated Remote Collocation Space after the first accompanied free visit and ALEC's access request form(s) has not been approved by BellSouth or ALEC\_has not yet submitted an access request form to BellSouth, ALEC shall be permitted to access the Remote Collocation Space accompanied by a BellSouth security escort, at ALEC's

Version: 2Q05 Standard ICA

expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. ALEC must request that escorted access be provided by BellSouth to ALEC's designated Remote Collocation Space at least three (3) business days prior to the date such access is desired. A BellSouth security escort will be required whenever ALEC or its approved agent or supplier requires access to the entrance manhole.

5.10 <u>Lost or Stolen Access Keys.</u> ALEC shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), ALEC shall pay for all reasonable costs associated with the re-keying or deactivating the device(s).

# 5.11 <u>Interference or Impairment</u>

- 5.11.1 Notwithstanding any other provisions of this Attachment, ALEC shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that: (1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; (2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; (3) compromises the privacy of any communications routed through the Remote Site; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of ALEC violates the provisions of this Section, BellSouth shall provide written notice to ALEC, which shall direct ALEC to cure the violation within forty-eight (48) hours of ALEC's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct the inspection of the Remote Collocation Space.
- 5.11.2 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if ALEC fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character which poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to ALEC's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to ALEC prior to the taking of such action and BellSouth shall have no liability to ALEC for any damages arising

Version: 2Q05 Standard ICA

from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.11.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and ALEC fails to take curative action within forty-eight (48) hours, or such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, BellSouth will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to ALEC or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. Where BellSouth demonstrates that a certain technology deployed by ALEC is significantly degrading the performance of other advanced services or traditional voice band services, ALEC shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.
- Personalty and Its Removal. Facilities and equipment placed by ALEC in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personal property and may be removed by ALEC at any time. Any damage caused to the Remote Collocation Space by ALEC's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by ALEC at its sole expense.
- Alterations. Under no condition shall ALEC or any person acting on behalf of ALEC make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location, hereinafter referred to individually or collectively as "Alterations", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by ALEC. An Alteration shall require the submission of an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides ALEC with an Application Response.
- 5.14 <u>Upkeep of Remote Collocation Space.</u> ALEC shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. ALEC shall be responsible for removing any of ALEC's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

Version: 2005 Standard ICA

# 6. Ordering and Preparation of Remote Collocation Space

- Procedures and Intervals. Should any state or federal regulatory agency impose procedures or intervals applicable to ALEC and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Attachment, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted after the effective date thereof.
- Remote Site Application. When ALEC or ALEC's Guest(s) desires to install a bay in a Remote Site Location, ALEC shall input a BellSouth Physical Expanded Interconnection Application Document (Application) directly into BellSouth's electronic application (e.App) system for processing. The Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Application are completed with the appropriate type of information. An Application Fee, as set forth in Exhibit B, will apply to each Application submitted by ALEC and will be billed on the date BellSouth provides ALEC with an Application Response. The placement of an additional bay at a later date will be treated in the same fashion and an Application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.7 above, within an existing bay, does not require an Application.
- Availability of Space. Upon submission of an Application, BellSouth will permit ALEC to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 below shall apply, or BellSouth may elect to deny space in accordance with this Section, in which case, virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify ALEC of the amount that is available.
- Space Availability Notification. For all states except Florida and Tennessee, BellSouth will respond to an Application within ten (10) days as to whether space is available or not available within a BellSouth Remote Site Location. In Florida and Tennessee, BellSouth will respond to an Application within fifteen (15) days as to whether space is available or not available within a BellSouth Premises. BellSouth's e.App system will reflect when ALEC's Application is Bona Fide. If the Application cannot be Bona Fide, BellSouth will identify what revisions are necessary for the Application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify ALEC of the amount of space that is available and no Application fee will apply. When BellSouth's response includes an amount of space less than that requested by ALEC or space that is configured

Version: 2Q05 Standard ICA

differently, no Application Fee shall apply. If ALEC decides to accept the available space, ALEC must resubmit its Application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When ALEC resubmits its Application to accept the available space, BellSouth will bill ALEC the appropriate Application Fee.

- 6.5 <u>Denial of Application.</u> If BellSouth notifies ALEC that no space is available (Denial of Application), BellSouth will not assess an Application Fee to ALEC. After notifying ALEC that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow ALEC, upon request, to tour the Remote Site Location within ten (10) days of such Denial of Application. In order to schedule this tour within ten (10) days, BellSouth must receive the request for the tour of the Remote Site Location within five (5) days of the Denial of Application.
- 6.6 Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit ALEC to inspect any plans or diagrams that BellSouth provides to the Commission.

# 6.7 Waiting List

- 6.7.1 On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers who have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that a Remote Site Location is out of space, have submitted a Letter of Intent to collocate in that Remote Site Location. Sixty (60) days prior to Remote Collocation Space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If BellSouth does not know sixty (60) days in advance of when Remote Collocation Space will become available, BellSouth will notify the Commission and the telecommunications

Version: 2Q05 Standard ICA

carriers on the waiting list within two (2) business days of the determination that space will become available.

- 6.7.3 When Remote Collocation Space becomes available, ALEC must submit an updated, complete, and accurate Application to BellSouth within thirty (30) days of such notification that Remote Collocation Space will be available in the requested Remote Site Location previously out of space. If ALEC has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, ALEC may refuse such space and notify BellSouth in writing, within the thirty (30) day timeframe referenced above, that ALEC wishes to maintain its place on the waiting list for caged Remote Collocation Space, without accepting the available cageless Remote Collocation Space. ALEC may accept an amount of space less than what it originally requested by submitting an Application as set forth above, and, upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If ALEC does not submit an Application or notify BellSouth in writing within the thirty (30) day timeframe as described above, BellSouth will offer the available Remote Collocation Space to the next telecommunications carrier on the waiting list and remove ALEC from the waiting list. Upon request, BellSouth will advise ALEC as to its position on the waiting list for a particular Remote Site Location.
- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services Web site, a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services Web site that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- Application Response. In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide Application, when Remote Collocation Space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the Remote Collocation Space available, BellSouth will provide an Application Response including sufficient information to enable ALEC to place a firm order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below. When ALEC submits ten (10) or more Applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when Remote Collocation Space has been determined to be available, BellSouth will provide an Application Response within twenty (20) days of receipt of a Bona Fide Application. The Application Response will be a written response

Version: 2Q05 Standard ICA

that includes sufficient information to enable ALEC to place a firm order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.

6.10 Application Modifications. If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of ALEC or as necessitated by technical considerations, the Application shall be considered a new Application and handled as a new Application with respect to the response and provisioning intervals. BellSouth will charge ALEC the Application Fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

# 6.11 <u>BFFO</u>

- 6.11.1 ALEC shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a BFFO to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) days after BellSouth's Application Response to ALEC's Bona Fide Application or ALEC's Application will expire.
- 6.11.2 BellSouth will establish a Firm Order date based upon the date BellSouth is in receipt of ALEC's BFFO. BellSouth will acknowledge the receipt of ALEC's BFFO within seven (7) days of receipt, so that ALEC will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

# 7. Construction and Provisioning

# 7.1 Construction and Provisioning Intervals

7.1.1 In Florida and Tennessee, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Remote Collocation Space after the initial space has been completed, BellSouth will complete construction for Remote Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by ALEC. If additional space has been requested by ALEC, BellSouth will complete construction for the requested Remote Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Remote Collocation Space and forty-five (45) days from receipt of a BFFO for virtual Remote Collocation Space. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and ALEC

Version: 2Q05 Standard ICA

cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for Remote Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant). Extraordinary conditions, include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Remote Collocation Space requested or BellSouth may seek a waiver from the interval, as set forth above, from the appropriate Commission, if BellSouth does not believe that construction will be completed within the relevant provisioning interval.
- 7.1.3 If BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect, but not be limited, to make additional space available by rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide ALEC with the estimated completion date in its Application Response.
- 7.2 <u>Joint Planning.</u> Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and ALEC will commence within a maximum of twenty (20) days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Remote Collocation Space and the equipment configuration requirements, as reflected in the Application and affirmed in the BFFO.
- Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) days of the completion of finalized construction designs and specifications.
- 7.4 <u>Use of BellSouth Certified Supplier.</u> ALEC shall select a supplier, which has been approved as a BellSouth Certified Supplier to perform all construction, engineering (as specified in TR 73503), installation, and removal work. ALEC, if a BellSouth Certified Supplier, or ALEC's BellSouth Certified Supplier must follow and

Version: 2005 Standard ICA

comply with all of BellSouth's specifications and the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. Unless the BellSouth Certified Supplier has met the requirements for all of the required work activities, ALEC must use a different BellSouth Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide ALEC with a list of BellSouth Certified Suppliers, upon request. ALEC, if a BellSouth Certified Supplier, or ALEC's BellSouth Certified Supplier(s) shall be responsible for installing ALEC's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and ALEC upon successful completion of the installation and any associated work. When a BellSouth Certified Supplier is used by ALEC, the BellSouth Certified Supplier shall bill ALEC directly for all work performed for ALEC pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by ALEC's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to ALEC or any supplier proposed by ALEC and will not unreasonably withhold certification. All work performed by or for ALEC shall conform to generally accepted industry standards.

- Alarms and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. ALEC shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service ALEC's Remote Collocation Space. Upon request, BellSouth will provide ALEC with applicable BellSouth tariffed service(s) to facilitate remote monitoring of collocated equipment by ALEC. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- 7.6 Virtual to Physical Remote Collocation Space Relocation
- 7.6.1 In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations and physical Remote Collocation Space has subsequently become available, ALEC may relocate its existing virtual Remote Collocation Space(s) to physical Remote Collocation Space and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Remote Collocation Space. If BellSouth knows when additional physical Remote Collocation Space may become available at the Remote Site Location requested by ALEC, such information will be provided to ALEC in BellSouth's written denial of physical Remote Collocation Space. To the extent that: (i) physical Remote Collocation Space becomes available to ALEC within one hundred eighty (180) days of BellSouth's written denial of ALEC's request for physical Remote Collocation Space; (ii) BellSouth had knowledge that the Remote Collocation Space was going to become available; and (iii) ALEC was not informed in the written denial that physical Remote Collocation Space would become available

Version: 2Q05 Standard ICA

within such one hundred eighty (180) day period, then ALEC may relocate its virtual Remote Collocation Space to a physical Remote Collocation Space and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. ALEC must arrange with a BellSouth Certified Supplier for the relocation of equipment from a virtual Remote Collocation Space to a physical Remote Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Remote Collocation Space to the new physical Remote Collocation Space.

- 7.6.2 In Alabama, BellSouth will complete a relocation of a virtual Remote Collocation Space to a cageless physical Remote Collocation Space within sixty (60) days from BellSouth's receipt of a BFFO and from a virtual Remote Collocation Space to a caged physical Remote Collocation Space within ninety (90) days from BellSouth's receipt of a BFFO.
- 7.7 <u>Virtual to Physical Conversion (In-Place)</u>
- 7.7.1 Virtual Remote Collocation Space may be converted to "in-place" physical caged Remote Collocation Space if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Remote Collocation Space; (2) the conversion of the virtual Remote Collocation Space will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; and (3) any changes to the existing Remote Collocation Space can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, BellSouth will complete virtual to physical Remote Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. BellSouth will bill ALEC an Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to ALEC.
- 7.7.2 In Alabama and Tennessee, BellSouth will complete virtual to physical conversions (in-place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.7 above.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, ALEC cancels its order for Remote Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if ALEC cancels its order for Remote Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by BellSouth; however, ALEC will be responsible for reimbursing BellSouth for any costs specifically incurred by BellSouth on behalf of ALEC up to the date that the written notice of cancellation was received by BellSouth. In Georgia, if ALEC cancels its order for Remote Collocation Space at any time prior to Space Acceptance, BellSouth will bill ALEC for all costs incurred prior to the date of Cancellation and for any costs

Version: 2005 Standard ICA

incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the firm order not been cancelled.

- 7.9 <u>Licenses.</u> ALEC, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Remote Collocation Space.
- 7.10 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

## 8. Rates and Charges

- 8.1 Rates. ALEC agrees to pay the rates and charges identified in Exhibit B.
- Recurring Charges. If ALEC has met the applicable fifteen (15) day acceptance walkthrough interval specified in Section 4 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event ALEC fails to complete an acceptance walkthrough within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If ALEC occupies the space prior to the Space Ready Date, the date ALEC occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in ALEC 's next billing cycle and will include any prorated charges for the period from ALEC's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by BellSouth.
- 8.3 <u>Application Fee.</u> BellSouth shall assess a nonrecurring Application Fee, via a service order, on the date that BellSouth provides an Application Response.

  BellSouth will bill the appropriate nonrecurring Application Fee on the date that BellSouth provides an Application Response to ALEC.
- 8.4 <u>Bay Space.</u> The bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power ALEC's equipment. ALEC shall remit bay space charges based upon the number of bays requested. BellSouth will assign Remote Collocation Space in conventional remote site bay lineups where feasible.
- 8.5 <u>Power.</u> BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for ALEC's Remote Collocation Space at a BellSouth Battery Distribution Fuse Bay (BDFB) within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced above in Section 8.4 above. If the power requirements for ALEC's equipment exceed the capacity available, then such additional power requirements shall be assessed on an

Version: 2Q05 Standard ICA

individual case basis. BellSouth will revise ALEC's recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by ALEC's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from ALEC certifying the completion of the power reduction, including the removal of the power cabling by ALEC's BellSouth Certified Supplier.

- 8.6 Adjacent Collocation Power. Charges for AC power will be assessed on a per breaker ampere, per month basis. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by ALEC's BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install the protection devices and power cables for Adjacent Collocation. ALEC's BellSouth Certified Supplier must provide a copy of the engineering power specifications prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At ALEC's option, ALEC may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.7 <u>Security Escort.</u> After ALEC has used its one accompanied site visit, pursuant to Section 5.9.1 above, and prior to ALEC's completion of the BellSouth Security Training requirements, contained in Section 12 below, a security escort will be required when ALEC's employees, approved agent, supplier, or Guest(s) desire access to the Remote Site Location. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. BellSouth will wait for one half (1/2) hour after the scheduled escort time to provide such requested escort service and ALEC shall pay for such half hour charges in the event ALEC's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.8 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

#### 9. Insurance

- 9.1 ALEC shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 ALEC shall maintain the following specific coverage:

Version: 2Q05 Standard ICA

- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of ALEC's real and personal property situated on or within a BellSouth Premises and BellSouth's Remote Site Locations.
- 9.2.4 ALEC may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days notice to ALEC to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by ALEC shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to a BellSouth Remote Site Location and shall remain in effect for the term of this Agreement or until all of ALEC's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If ALEC fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from ALEC.
- 9.5 ALEC shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. ALEC shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation or non-renewal from ALEC's insurance company. ALEC shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office - Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

Version: 2Q05 Standard ICA

- 9.6 ALEC must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to such recommendations.
- 9.7 Self-Insurance. If ALEC's net worth exceeds five hundred million dollars (\$500,000,000), ALEC may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. ALEC shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to ALEC in the event that self-insurance status is not granted to ALEC. If BellSouth approves ALEC for self-insurance, ALEC shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of ALEC's corporate officers. The ability to self-insure shall continue so long as ALEC meets all of the requirements of this Section. If ALEC subsequently no longer satisfies the requirements of this Section, ALEC is required to purchase insurance as indicated by Section 9.2 above.
- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days' notice to ALEC to at least such minimum limits as shall then be customary with respect to comparable occupancy of a BellSouth Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

## 10. Mechanics Liens

10.1 If any mechanics lien or other liens are filed against property of either Party (BellSouth or ALEC), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

## 11. Inspections

BellSouth may conduct an inspection of ALEC's equipment and facilities in ALEC's Remote Collocation Space(s) prior to the activation of facilities and/or

Version: 2Q05 Standard ICA

services between ALEC's equipment and equipment of BellSouth. BellSouth may conduct an inspection if ALEC adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide ALEC with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by BellSouth.

## 12. <u>Security and Safety Requirements</u>

- Unless otherwise specified, ALEC will be required, at its own expense, to conduct a statewide investigation of criminal history records for each ALEC employee hired in the past five (5) years being considered for work on a BellSouth Remote Site Location, for the states/counties where the ALEC employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. ALEC shall not be required to perform this investigation if an affiliated company of ALEC has performed an investigation of the ALEC employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if ALEC has performed a pre-employment statewide investigation of criminal history records of the ALEC employee for the states/counties where the ALEC employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- ALEC will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth at BellSouth's Interconnection Web site:

  www.interconnection.bellsouth.com/guides.
- ALEC shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in ALEC's Remote Collocation Space or other areas in or around the Remote Site Location. The photo identification card shall bear, at a minimum, the employee's name and photo, and ALEC's name. BellSouth reserves the right to remove from its Remote Site Location any employee of ALEC not possessing identification issued by ALEC or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. ALEC shall hold BellSouth harmless for any damages resulting from such removal of ALEC's personnel from BellSouth Remote Site Location. ALEC shall be solely responsible for ensuring that any Guest(s) of ALEC is in compliance with all subsections of this Section.
- 12.4 ALEC shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. ALEC shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any of ALEC's personnel who have been identified to have misdemeanor criminal

Version: 2Q05 Standard ICA

convictions. Notwithstanding the foregoing, in the event ALEC chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, ALEC may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 ALEC shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 ALEC shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to the commission of a criminal offense, whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each ALEC employee or agent hired by ALEC within five (5) years prior to being considered for work on the BellSouth Premises or BellSouth's Remote Site Locations, who requires access to a BellSouth Remote Site Location to perform work in ALEC's Remote Collocation Space(s), ALEC shall furnish BellSouth, a certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by BellSouth before an employee or agent will be granted such access to a BellSouth Premises. The certification will contain a statement that no felony convictions were found and certifying that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, ALEC will disclose the nature of the convictions to BellSouth at that time. In the alternative, ALEC may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other ALEC employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, ALEC shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, ALEC shall promptly remove from the BellSouth Remote Site Location any employee of ALEC that BellSouth does not wish to grant access to a Remote Site Location: (1) pursuant to any investigation conducted by BellSouth, or (2) prior to the initiation of an investigation if an employee of ALEC is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by BellSouth.

Version: 2Q05 Standard ICA

- 12.7 Security Violations. BellSouth reserves the right to interview ALEC's employees, agents, suppliers, or Guests in the event of wrongdoing in or around a BellSouth Premises or Remote Site Location or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to ALEC's Security representative of such interview. ALEC and its employees, agents, suppliers, or Guests shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving ALEC's employees, agents, suppliers, or Guests. Additionally, BellSouth reserves the right to bill ALEC for all reasonable costs associated with investigations involving its employees, agents, or suppliers, or Guests if it is established and mutually agreed in good faith that ALEC's employees, agents, suppliers, or Guests are responsible for the alleged act(s). BellSouth shall bill ALEC for BellSouth property, which is stolen or damaged, where an investigation determines the culpability of ALEC's employees, agents, suppliers, or Guests and where ALEC agrees, in good faith, with the results of such investigation. ALEC shall notify BellSouth in writing immediately in the event that ALEC discovers one of its employees, agents, suppliers, or Guests already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from a BellSouth Premises or Remote Site Location, any employee found to have violated the security and safety requirements of this Section. ALEC shall hold BellSouth harmless for any damages resulting from such removal of ALEC's personnel from a BellSouth Premises.
- 12.8 <u>Use of Supplies.</u> Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g., plug-in cards) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

## 13. Destruction of Remote Collocation Space

In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar Acts of God or force majeure circumstances beyond a Party's reasonable control to such an extent as to be rendered wholly unsuitable for ALEC's permitted use hereunder, then either Party

Version: 2005 Standard ICA

may elect within ten (10) days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for ALEC's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to ALEC, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. ALEC may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided, however, that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. A BellSouth Certified Vendor must perform a rebuild of equipment. If ALEC's acceleration of the project increases the cost of the project, then those additional charges will be incurred at ALEC's expense. Where allowed and where practical, ALEC may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, ALEC shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for ALEC's permitted use, until such Remote Collocation Space is fully repaired and restored and ALEC's equipment installed therein (but in no event later than thirty (30) days after the Remote Collocation Space is fully repaired and restored). Where ALEC has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4 above, ALEC shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

## 14. Eminent Domain

If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with a proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and ALEC shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

Version: 2Q05 Standard ICA

## 15. <u>Nonexclusivity</u>

ALEC understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of Remote Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

Version: 2Q05 Standard ICA

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

## 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and ALEC agree to comply with applicable federal, state, and local environmental and safety laws and regulations including USEPA regulations issued under the CAA, CWA, RCRA, CERCLA, SARA, the TSCA, OSHA regulations, NFPA, NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and ALEC shall provide notice to the other, including any MSDSs, of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. ALEC should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for ALEC to follow when working at a BellSouth Remote Site Location (see Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. ALEC will require its suppliers, agents, Guests and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 below lists the Environmental categories where BST practices should be followed by ALEC when operating in the BellSouth Remote Site Location.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect ALEC's Remote Collocation Space with proper notification. BellSouth reserves the right to stop any ALEC work operation that imposes Imminent Danger to the environment, employees or other persons in or around a Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned a BellSouth Remote Site Location by ALEC are owned by and considered the property of ALEC. ALEC will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or

Version: 2Q05 Standard ICA

environmental hazards can be created by ALEC or different hazardous materials used by ALEC at the BellSouth Remote Site Location. ALEC must demonstrate adequate emergency response capabilities for the materials used by ALEC or remaining at a BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by ALEC to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and ALEC will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, SPCC plans and community reporting. If fees are associated with filing, BellSouth and ALEC will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, ALEC must comply with all of BellSouth's permit conditions and environmental processes, including environmental "BMP" (see Section 2, below) and the selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and ALEC shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at a Remote Site Location.

## 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, ALEC agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety M&Ps, incorporated herein by this reference. ALEC further agrees to cooperate with BellSouth to ensure that ALEC's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by ALEC, its employees, agents, suppliers and/or Guests.
- 2.1.1 The most current version of reference documentation must be requested from ALEC's BellSouth Regional Contract Manager (RCM).

Version: 2Q05 Standard ICA

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency         Operations Plan (EOP)         (specific to and located on Remote Site Location)     </li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps  InsuranceALEC	<ul> <li>Std T&amp;C 450-B</li> <li>(Contact ATCC Representative for copy of appropriate E/S M&amp;Ps.)</li> <li>Std T&amp;C 660</li> </ul>
Transportation of hazardous	Compliance with all applicable	• Std T&C 450
material	local, state, & federal laws and regulations	Fact Sheet Series 17000
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Maintenance/operations work which may produce a waste  Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
One municipality work	Protection of BST employees and equipment	<ul> <li>29 C.F.R. § 1910.147 (OSHA Standard)</li> <li>29 C.F.R. § 1910 Subpart O</li> </ul>

Version: 2Q05 Standard ICA 07/06/05

		(OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	<ul> <li>-Procurement Manager         (CRES Related Matters)-BST         Supply Chain Services</li> <li>Fact Sheet Series 17000</li> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS         (Hazcom)</li> </ul>
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR         Issue A, August 1996 </li> <li>Std T&amp;C 660-3</li> <li>Approved Environmental         Vendor List (Contact ATCC Representative) </li> </ul>
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3     For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center:     AL, MS, TN, KY & LA (local area code) 557-6194     FL, GA, NC & SC (local area code) 780-2740

## 3. **DEFINITIONS**

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the OSHA hazard communication standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Version: 2Q05 Standard ICA

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

## 4. ACRONYMS

ATCC - Account Team Collocation Coordinator

**BST** – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

Version: 2Q05 Standard ICA

# Attachment 4 - Collocation Tennessee Regulatory Authority Election

- ALEC may elect the terms, conditions and rates pursuant to orders entered by the TRA in Dockets 97-01262, 99-00430, and 00-00544 for Collocation (TRA Option) for Tennessee. The terms and conditions as set forth in this Exhibit C shall replace Sections 5.9.1, 8.2, 8.5, 8.6 and 8.7.10 through 8.7.10.10 in this Attachment 4. By electing the TRA Option, ALEC accepts the TRA rates, terms and conditions of this Exhibit C in their entirety in conjunction with the other terms and conditions of this Attachment.
- 1.1 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between ALEC's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, ALECmay request that the demarcation point be a POT bay in a common area within the BellSouth Premises, which ALEC shall be responsible for providing and ALEC's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling. ALEC's BellSouth Certified Supplier shall also be responsible for installing the necessary cabling between ALEC's Collocation Space and the POT bay. ALEC, its agent, or ALEC's BellSouth Certified Supplier must perform all required maintenance to the equipment/network facilities on its side of the demarcation point and may self-provision cross-connects that it requires within its own Collocation Space to activate service requests. If ALEC desires to avoid the use of a POT bay or any other intermediary device as contemplated by the TRA. BellSouth shall negotiate alternative rates, terms and conditions for such requested demarcation point.
- 1.2 Application Fee. The application fee for caged Collocation Space shall be the Application Cost Planning Fee for both Initial Applications and Subsequent Applications submitted by ALEC. Likewise, for cageless Collocation Space, the same Cageless Application Fee applies for both Initial Applications and Subsequent Applications placed by ALEC. BellSouth will bill the appropriate nonrecurring application fee at the rates set forth in Exhibit C on the date that BellSouth provides an Application Response to ALEC.
- 1.3 <u>Space Preparation Fees.</u> ALEC shall pay space preparation fees consisting of nonrecurring charges for Firm Order Processing and Power Cables, per cable. Nonrecurring fees will be assessed upon the ALEC's submission of

Version: 2Q05 Standard ICA

Attachment 4 – Central Office Exhibit C Page 2

ALEC's BFFO. In addition to the nonrecurring charges ALEC shall pay monthly recurring charges for grounding per location and space enclosures. The Space Enclosure fee is assessed per enclosure, per location with a one hundred (100) square foot minimum enclosure. The cost for additional square feet is applicable only when ordered with the first one hundred (100) square feet and shall be provided in fifty (50) square feet increments. The rates for Space Preparation are as set forth in Exhibit C.

- 1.4 <u>Floor Space.</u> Recurring charges for Land and Buildings are as set forth in Exhibit C and are based upon the number of square feet enclosed.
- 1.5 <u>Caged Physical Collocation Power Usage Metering</u>
- 1.5.1 BellSouth will assess ALEC for -48V DC power using the following two components: (1) the actual measured AC usage, and (2) the DC power plant infrastructure provisioned by BellSouth to support the total number of fused amps of DC power requested by ALEC on ALEC's Initial Collocation Application and all Subsequent Collocation Applications. These recurring power charges will be assessed by BellSouth on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. Upon ALEC's election of the TRA Option, ALECwill convert existing physical caged collocation arrangements to the TRA Option. The recurring power charges contained in Exhibit C will be assessed on the Space Ready Date associated with the Subsequent Application submitted by ALEC to convert all existing physical caged collocation arrangement to the TRA Option.
- 1.5.2 BellSouth, or its BellSouth Certified Supplier, will perform all metering activities, which will include providing the necessary ammeter or other measurement device for measurement of the actual power usage (AC usage) being drawn by ALEC's collocation equipment on both the A and B power feeds. The AC usage component of the DC power charge will be based upon the sum of either the instantaneous or busy-hour average electric current readings, depending on the capabilities of the ammeter or other measurement device. ALEC may, at its sole cost and expense, install its own meters on those BDFBs located in its own caged Collocation Space(s) and may notify BellSouth if it would like to offer BellSouth the option of using such meters for the purposes of measuring ALEC's actual power usage. In such case, BellSouth, or its BellSouth Certified Supplier, will have the option of reading and recording the actual power usage from either the meter installed or maintained by ALEC on ALEC's own BDFB(s) or via a BellSouth provided measurement device. The usage reading for the option elected by BellSouth shall be used for purposes of calculating the DC power usage billing.
- 1.5.3 If BellSouth, or its BellSouth Certified Supplier, requires access to ALEC's caged Collocation Space(s) for purposes of measuring the power usage, BellSouth or its BellSouth Certified Supplier shall provide ALEC

Version: 2Q05 Standard ICA

Attachment 4 – Central Office Exhibit C Page 3

with a minimum of forty-eight (48) hours notice that access is required. ALEC shall respond to such request for access within twenty-four (24) hours for the purpose of establishing the date and time of access to ALEC's caged Collocation Space(s). Once the date and time of access to ALEC's caged Collocation Space(s) has been agreed upon, ALEC and BellSouth, or its BellSouth Certified Supplier, shall adhere to the agreed upon date and time, or provide a minimum of twenty-four (24) hours notice to the other Party if the original appointment(s) will be missed or must be canceled and rescheduled. If ALEC fails to provide access to its caged Collocation Space(s) or fails to provide BellSouth, or its BellSouth Certified Supplier, with sufficient notification of the missed appointment(s), as noted above, then ALEC shall pay the nonrecurring "Additional Meter Reading Trip Charge", as set forth in Exhibit C, for each additional meter reading trip that must be rescheduled to measure ALEC's power usage for such caged Collocation Space(s). ALEC and the BellSouth Certified Supplier may jointly agree to less stringent notification requirements to address, for example, any service interruption or restoration of service situations, on a location-by-location basis.

1.5.4 For each new caged collocation arrangement, ALEC shall indicate on ALEC's Initial Application that the TRA Option is elected. For each existing location that ALEC converts to the TRA Option, the submission of a Subsequent Application is required and agrees to include in the Comments section of the Subsequent Application the following comment:

This Subsequent Application is ALEC's certification that ALEC is converting this caged collocation arrangement to the TRA Options and will permit BellSouth, or the BellSouth Certified Supplier, to measure its actual power usage on all power feeds.

Version: 2Q05 Standard ICA

- 1.5.5 BellSouth will bill ALEC a Power Reconfiguration Only Application Fee. as set forth in Exhibit C, on the date that BellSouth provides an Application Response to each Subsequent Application submitted by ALEC converting its caged collocation arrangements to the TRA Option. BellSouth shall then arrange for the measurement of ALEC's actual power usage on each power feed (each A and B power feed) once each quarter at each of ALEC's caged collocation arrangements for which ALEC has submitted an Initial or Subsequent Application electing the TRA Option. Based upon the actual power usage measurement taken by BellSouth or the BellSouth Certified Supplier, BellSouth shall assess ALEC for AC power usage for the following quarter based upon ALEC's actual metered usage for each power feed (both the A and B power feeds) or a minimum of ten (10) amps of -48V DC power usage for the sum of the A and B feeds for each power cable, whichever is greater. Such usage shall then be multiplied by the AC power consumption rate, set forth in Exhibit C, to determine the appropriate monthly recurring AC usage charge that will be billed to ALEC for the following three (3) months or until the next AC power usage measurement is taken, whichever is later.
- 1.5.6 Either Party, within fifteen (15) days of notice of the usage measurement established by the scheduled meter reading, may challenge the accuracy of that reading by requesting a new reading. If ALEC requests that an additional (prior to the next scheduled quarterly power reading date) power usage reading be taken, then ALEC will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit C. If BellSouth requests a power usage reading be taken in this instance, then ALEC will not be charged the "Additional Meter Reading Trip Charge" for the unscheduled meter reading. If the readings vary by more than ten percent (10%) or five (5) Amps, whichever is greater, the Parties shall work cooperatively to reconcile such discrepancies and establish the appropriate usage figure in a reasonable and expeditious manner. If the readings do not vary outside these ranges, the initial reading will be used to calculate ALEC's AC usage charge for the next three (3) months.
- In the event BellSouth elects to measure ALEC's power using ALEC's BDFB meter, then BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of ALEC's BDFB meter by performing its own meter reading via an alternate method, such as, but not limited to, an ammeter. If the meter readings vary significantly, the Parties agree to perform a joint investigation. If ALEC's BDFB meter is found to be in error, then ALEC agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are instantaneous readings that can experience minor fluctuations due to usage traffic, voltage fluctuations, and calibration of the meters themselves. The readings must vary by more than ten percent (10%) or five (5) Amps, whichever is greater, before any recalibration, repair, or replacement will be required. If the BellSouth reading is

Version: 2Q05 Standard ICA

Attachment 4 – Central Office Exhibit C Page 5

substantiated, BellSouth shall adjust ALEC's billing retroactive to the beginning of the quarter for which the last meter reading was taken.

1.5.8 When ALEC submits the appropriate Initial or Subsequent Application electing the TRA Option for a specific physical caged collocation arrangement in a particular BellSouth Premises, BellSouth will provide the associated Application Response pursuant to Section 6 above. It will then be the responsibility of ALEC to submit a BFFO. After BellSouth receives the BFFO from ALEC, the arrangement requested on the Initial or Subsequent Application will be provisioned by BellSouth within the provisioning intervals contained in Section 7 above and ALEC will be notified of the Space Ready Date or when the appropriate record and database changes have been made by BellSouth to reflect ALEC's election or conversion to the TRA Option (which will be considered the "Space Ready Date" for purposes of a Subsequent Application submitted to convert a specific caged collocation arrangement in a particular BellSouth Premises to the TRA Option). ALEC shall not elect an earlier Space Acceptance Date than the Space Ready Date for any request submitted via a Subsequent Application for an existing caged collocation arrangement. When a Subsequent Application is used to elect the TRA Option and there are no other changes requested, billing for the recurring charges associated with the AC Usage and DC Power Infrastructure components will begin upon the Space Ready Date. If ALEC occupies the space prior to the Space Ready Date, for Initial Application requests only, the date ALEC occupies the space will be deemed the new Space Acceptance Date and billing for the AC Usage and DC Power Infrastructure components will begin on that date. When ALEC elects the TRA Option, the number of fused amps of DC Power infrastructure capacity requested by ALEC on its Initial or Subsequent Application will be used for calculating the number of amps to be billed for the AC Usage component until such time as BellSouth or its BellSouth Certified Supplier can perform, under the currently existing quarterly meter reading schedule, a reading of ALEC's power usage for the requested caged Collocation Space. As soon as this reading has been taken, BellSouth will adjust ALEC's billing accordingly to reflect the actual metered usage back to the Space Acceptance Date. BellSouth will also use this reading for billing purposes until the next quarterly meter reading is performed by BellSouth or its BellSouth Certified Supplier.

1.5.9 BellSouth shall assess ALEC the monthly recurring charge as set forth in Exhibit C for BellSouth's power plant infrastructure component of the DC power charges based upon the number of fused DC power amps requested by ALEC, as reflected by ALEC on its Initial Application, as well as any Subsequent Applications (i.e., augment applications), for the particular caged collocation arrangement(s) converted to the TRA Option or any new caged collocation arrangement(s) for which ALEC has chosen the TRA Option.

Version: 2Q05 Standard ICA

Attachment 4 – Central Office Exhibit C Page 6

- 1.5.10 ALEC agrees to submit a Subsequent Application to notify BellSouth when ALEC has removed or installed telecommunications equipment in ALEC's physical Collocation Space to ensure that ALEC's existing fused DC power capacity is sufficiently engineered to accommodate the power requirements associated with the installation of additional equipment in ALEC's Collocation Space. An associated change in power usage will be reflected in the next quarterly power measurement billing cycle.
- 1.5.11 BellSouth will bill ALEC a monthly recurring charge per caged Collocation Space on each arrangement for which ALEC has elected or converted to the TRA Option. This "Meter Reading" monthly recurring rate element will be assessed to ALEC for the first twelve (12) power circuits (each A and B feed counts as two (2) circuits), and then for each additional two (2) circuits, read by BellSouth or its BellSouth Certified Supplier, at the rates set forth in Exhibit C and based on whether the power meter is provided by BellSouth or its BellSouth Certified Supplier or ALEC.

Version: 2Q05 Standard ICA

COLLOCATI	ON - Alabama				-								Attachment:	4 Exh C		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonred			Disconnect	201150	001111		Rates(\$)	001111	001111
							First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HYSICAL CO	LLOCATION		<del> </del>		<del>                                     </del>					<del> </del>	1 -					-
Applic			<u> </u>		1						<del> </del>					
· · · · · · · · · · · · · · · · · · ·	Physical Collocation - Initial Application Fee		T	CLO	PE1BA		1,879.48		0.51	*	<del> </del>					<del> </del>
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,566.60		0.51		+					
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect, Application Fee, per application		<u> </u>	CLO	PE1DT		584.22									
	Physical Collocation Administrative Only - Application Fee	ļ		CLO	PE1BL		742.15									
<del>-   -</del>	Physical Collocation - Application Cost, Simple Augment	ļ		CLO	PE1KS		594.41		1.21	ļ						
	Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment			CLO CLO	PE1KM PE1K1		833.47		1.21	ļ						
	Physical Collocation - Application Cost, Intermediate Augment  Physical Collocation - Application Cost - Major Augment	<del></del>		CLO	PE1K1 PE1KJ		1,058.00 2,410.00		1.21	<del> </del>	<del> </del>	L		ļ		ļ
Space	Preparation	<del> </del>	<del> </del>	020	I.E.IVA		2,410.00		1,21		+					<del> </del>
	Physical Collocation - Floor Space, per sq feet		<b></b>	cro	PE1PJ	3.22										
	Physical Collocation - Space Enclosure, welded wire, first 50					U.E.		-			·					
l	square feet	l	į	CLO	PE1BX	140.99										
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	156.33										
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet		L	CLO	PE1CW	15.34										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	ļ		CLO	PE1SK	1.96				<u></u>						
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot	ļ	<del> </del>	CLO	PE1SL	2.62			ļ							
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	00.00			1	1						
	Physical Collocation - Space Preparation - Firm Order			CLO	PEISM	88.86										
İ	Processing			Cro	PE1SJ		600.71									ĺ
	Physical Collocation - Space Availability Report, per Central			OLO	FEISS		600.71		<del> </del> -							
	Office Requested			CLO	PE1SR		1,075.17		i							į
Power			-	020	1 1 1011	h	1,073.17								-	
	Physical Collocation - Power, -48V DC Power - per Fused Amp		1			***************************************			<u> </u>		<del></del>					
	Requested			CLO	PE1PL	7.83										
	Physical Collocation - Power, 120V AC Power, Single Phase,										<u> </u>					
	per Breaker Amp	l.		CLO	PE1FB	4.91				ļ						
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	9.84				l	1					
	Physical Collocation - Power, 120V AC Power, Three Phase, per	1														
	Breaker Amp	L		CLO	PE1FE	14.74				<u> </u>	<u> </u>					
1	Physical Collocation - Power, 277V AC Power, Three Phase, per	l		CLO	DETEC	0.00					1					
Cross	Breaker Amp Connects (Cross Connects, Co-Carrier Cross Connects, and P	l larta\	<u> </u>	CLO	PE1FG	34.06			-							
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	ons)		UEANL,UEQ.					-		-					
İ				UNCNX, UEA, UCL,												
		1		UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.03	12.30	11.80	6.03	5.44						
	, and the state of	<u> </u>		UEA, UHL, UNCVX,		5.55	72.50	11.00	0.00	3.44						
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.05	12.39	11.87	6.39	5.73						
	· · · · · · · · · · · · · · · · · · ·			WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
	Physical Collocation -DS1 Cross-Connect for Physical	]		USL, UEPEX,												
1	Collocation, provisioning	I	1	UEPDX	PE1P1	1.11	22.03	15.93	6,40	5.79	1				t e	l

COLLOCAT	TION - Alabama												Attachment:	4 Exh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec		curring		Disconnect				Rates(\$)		,
ļ							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP	PE1P3	14.16	20.89	15.20	7.38	5.92						1
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48,	PE1F2	2.81	20.89	15.20	7.38	5.92						
				UDLO3, UDL12,												i '
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	4.99	25.55	19.86	9.71	8.25						Í
	Physical Collocation - Co-Carrier Cross Connects/Direct							†								
	Connect - Fiber Cable Support Structure, per linear foot, per															Í
	Cable.			CLO	PE1ES	0.0011										i
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
1 1	Copper/Coax Cable Support Structure, per linear foot, per				İ			-	i							i
	cable.			CLO	PE1DS	0.0016										i
				UEPSR, UEPSP, UEPSE, UEPSB,												l
	Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.03	12.30	11.80	6.03	5.44						
Secur	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.05	12.39	11.87	6.39	5.73						
Secur	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour		·	CLO	PE1BT		16.93	10.73								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLO	PE1PT		27.17	16.98								
	Physical Collocation - Security Access System - Security System per Central Office  Physical Collocation - Security Access System - New Card			CLO	PE1AX	45.70										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27.79									<del> </del>
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.79									ļ <del> </del>
	Stolen Card, per Card			CLO	PE1AR		22,78	I					-			ı
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.10	<b>†</b>	<b> </b>							
	Physical Collocation - Security Access - Key, Replace Lost or															
<del></del>	Stolen Key, per Key			CLO	PE1AL		13.10			L		L				
CFA	Dhariad Callagation CEA Life and E															
	Physical Collocation - CFA Information Resend Request, per			CLO	DE100											1
Cabia	premises, per arrangement, per request  Records - Note: The rates in the First & Additional columns will	Lactur	lu bo '	CLO	PE1C9	ont C" roomset	77.56				-					
Cable	Physical Collocation - Cable Records, per request	actual	iy be b	CLO	PE1CR	ent 5 respectiv	rely 1 759.29	S 488.11	133.00		<del></del>	ļ				
$\vdash$	Physical Collocation - Cable Records, per request  Physical Collocation, Cable Records, VG/DS0 Cable, per cable			ULU	PEICH	<del> </del>	759.29	3 400.11	133.00		<b>-</b>	ļ				
	record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		326.92		189.12							<del></del>
ļļ	100 pair			CLO	PE1CO		4.81		5.90							ļ
ļ <u>.</u>	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.25		2.76							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3	l	7.88	L	9.66	L		LI				

COLLOCA	<u>ATIO</u> N	N - Alabama												Attachment:	4 Exh C		<u> </u>
												Svc Order		Incremental		Incremental	Increment
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	-		Interi	1		İ						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	/	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
			m			1			,			per Lan	percon				
				1		1								Electronic-	Electronic-	Electronic-	Electronic-
				1										1st	Add'l	Disc 1st	Disc Add'l
				<del> </del>		<del> </del>	<u> </u>	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)	L	L
				<u> </u>		1	Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ph	nysical Collocation - Cable Records, Fiber Cable, per cable				1		7.100		11131		SOME	JOWAN	SOWAN	JOINAIN	SOWAN	JONIAN
l		cord (maximum 99 records)		i	CLO	PE1CB		84.49		77.13							ĺ
***		nysical Collocation, Cable Records, CAT5/RJ45	<b>——</b>	<del>                                     </del>	CLO	PE1C5		2.25		2.76						<del></del>	<del></del>
Virtu	ual to	Physical		1		1				2.70		<del> </del>					
	Ph	hysical Collocation - Virtual to Physical Collocation Relocation,		1												· · · · · · · · · · · · · · · · · · ·	
		er Voice Grade Circuit		1	CLO	PE1BV		33.00									1
	Ph	nysical Collocation - Virtual to Physical Collocation Relocation,													,		
		er DSO Circuit			CLO	PE1BO		33.00									ĺ
		nysical Collocation - Virtual to Physical Collocation Relocation,	I														
		er DS1 Circuit			CLO	PE1B1		52.00				1					1
	Ph	nysical Collocation - Virtual to Physical Collocation Relocation,		1								-					
		r DS3 Circuit			CLO	PE1B3		52.00									l
- 1		nysical Collocation - Virtual to Physical Collocation In-Place,												-			
		er Voice Grade Circuit		L	CLO	PE1BR		22.44		<u> </u>							1
l	Ph	nysical Collocation Virtual to Physical Collocation In-Place, Per															
		60 Circuit			CLO	PE1BP		22.44									1
		nysical Collocation - Virtual to Physical Collocation In-Place,															l
		er DS1 Circuit	L		CLO	PE1BS		32.62		L [							ł
		ysical Collocation - Virtual to Physical Collocation In-Place,															
		r DS3 Circuit			CLO	PE1BE		32.62									1
Entr	rance (																
l		ysical Collocation - Fiber Cable Installation, Pricing, non-		1													
		curring charge, per Entrance Cable		<u> </u>	CLO	PE1BD		859.71		22.49							i
		nysical Collocation - Fiber Cable Support Structure, per				1 :											
		trance Cable			CLO	PE1PM	17,11										i
!		ysical Collocation - Fiber Entrance Cable Installation, per				1											
		per		ļ	CLO	PE1ED		3.87									i
VIRTUAL CO			ļ	ļ													
Аррі	licatio									ļ							
		tual Collocation - Application Fee			AMTES	EAF		1,205.26		0.51							ļ
		tual Collocation - Co-Carrier Cross Connects/Direct Connect,					1										i
		plication Fee, per application		<b></b>	AMTES	VE1CA		584.22		ļ							
Sna		tual Collocation Administrative Only - Application Fee	<b>-</b>	<b></b>	AMTES	VE1AF		742.15		1							
Spat			ļ	<u> </u>	ALITEC	FORIA											
Pow		tual Collocation - Floor Space, per sq. ft.			AMTF\$	ESPVX	3.22										
FOW		tual Collocation - Power, per fused amp	<u> </u>	<b></b>	AMTES	505.41											
Cros		nnects (Cross Connects, Co-Carrier Cross Connects, and P	l auto)		AMIFS	ESPAX	7.83										
0103	35 COI	medis (cross connects, co-carrier cross connects, and P	oris)		UEANL, UEA, UDN,												
İ					UAL, UHL, UCL,					†							ı
					UEQ, UNCVX,												ı
	Vir	tual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	LIEACO	0.00	40.00	44.00		- 44						l
	V111	tual Collocation - 2-wife cross-conflect, loop, provisioning			UEA, UHL, UCL,	UEAC2	0.03	12.30	11.80	6.03	5.44						
				1	UDL, UNCVX.		j										ı
- 1	Vie	tual Collocation - 4-wire cross-connect, loop, provisioning		l	UNCDX	UEAC4	0.05	40.00	44.07	0.00	F 70						l
	-   "	war constant - T-wire cross-connect, roop, provisioning		-	ULR, UXTD1,	UEAU4	0.05	12.39	11.87	6.39	5.73						
- 1			1		UNC1X, ULDD1,			i		1							1
					U1TD1, USLEL,	]		1		1 1							ı
	\/in	tual collocation - Special Access & UNE, cross-connect per	1		UNLD1, USLEL,			Ì									ı
I	DS				UEPEX, UEPDX	CNC1X	1.11	22.03	15.93		F 70						I
	100	, i	<b></b>		USL, UE3, U1TD3,	CINCIA	1.11	22.03	15.93	6.40	5.79	L					
ı					UXTS1, UXTD3,			l									ı
- 1			1		UNC3X, UNCSX,			l		į į							ı
								l									I
1	Vie	tual collocation - Special Access & UNE, cross-connect per			ULDD3, U1TS1, ULDS1, UDLSX,			l									
	DS				ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92			İ			i

COLLOCAT	ION - Alabama					· · · · · · · · · · · · · · · · · · ·						-	Attachment:	4 Exh C	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
<del></del>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.84	20.89	15.20	7.38	5.92						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25						
<u> </u>	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTES	VE1CB	0.0011										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTES	VE1CD	0.0016										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.03	12.30	11.80	6.03	5.44			:			
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.73						
CFA																
İ	Virtual Collocation - CFA Information Resend Request, per						T									
Cabla	Premises, per Arrangement, per request	ll action		AMTES	VE1QR	A Cil association	77.56	AF-T								ļI
Cable	Records - Note: The rates in the First & Additional columns wi Virtual Collocation Cable Records - per request	ii actual		AMTES	"Subsequen VE1BA	t 5" respectively	759.29	488.11	133.00							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTES	VE1BB		326.92	488.11	189.12		~					
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4.81		5.90							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.25		2,76							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE		7.88		9.66							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.49		77.13							
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.25		2.76	-						
Securi	ty															
1	Virtual collocation - Security escort, basic time, normally															
	scheduled work hours	]		AMTES	SPTBX		16.93	10.73								
	Virtual collocation - Security escort, overlime, outside of normally scheduled work hours on a normal working day			AMTFS	SPTOX		22.05	13.86								
	Virtual collocation - Security escort, premium time, outside of a scheduled work day			AMTFS	SPTPX		27.17	16.98								
Mainte	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX											
	Virtual collocation - Maintenance in CO - Basic, per hair nour  Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS AMTFS	SPTOM		27.93 36.47	10.73 13.86								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		45.02				~~~					
Entran	ce Cable			CIVILI O	OI IFIVI		45.02	16.98								
	Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX		859.71		22.49							
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	14.97	555.71		LL. 10							
	N IN THE REMOTE SITE								-							
Physic	al Remote Site Collocation															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70		168.22							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42							-			
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		13.10									
	Report per Premises Requested			CLORS	PE1SR		115.87									

	ON - Alabama												Attachment:		ļ	+
ŀ												Svc Order	Incremental		Incremental	
ŀ						ŀ					Submitted	Submitted	Charge -	Charge -	Charge -	Charge
ŀ		Interi			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
ŀ		m				1					p =	<b>P</b>	Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'i	Disc 1st	Disc Add
						ļ ,	<u>-</u> -		1			l			D130 130	Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI	-					FIISL	Addi	riisi	Auu	SOMEC	SOMAN	SOMAN	SOWAIN	SOWAI	JONIA
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56							i		
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38	·		ļ			<b>.</b>	<u> </u>		+
	Power, DC Power Provisioning (Alabama Only ICB Rate)			CLORS	PEINN		233.30									<del> </del>
	Physical Collocation - Security Escort for Basic Time - normally								ļ	ļ						+
'	scheduled work, per half hour			CLORS	PE1BT		16.93	10.73								
				CLORS	PEIDI	<del> </del>	10.93	10.73				<del> </del>				<del></del>
-   '	Physical Collocation - Security Escort for Overtime - outside of					1										
	normally scheduled working hours on a scheduled work day,			01.000	DC4.OT											
	per half hour			CLORS	PE1OT		22.05	13.86							ļ	<b>↓</b>
	Physical Collocation - Security Escort for Premium Time -	l	j	0,000	DEADY		07.1-	40	1	1			1	I	1	
	outside of scheduled work day, per half hour	ļ	<b> </b>	CLORS	PE1PT		27.17	16.98				ļ	ļ	<b>_</b>		<del> </del>
	nt Remote Site Collocation				L											
——'	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	ļl	755.62	755.62	<u> </u>	L	ļ	ļ		ļ		
'		l			L											
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134										<u> </u>
-   '		l			ł											
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	<u> </u>		CLORS	PE1RS	6.27		****								
	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or adja	cent remote site col	liocation, the	Parties will ne	gotiate approp	riate rates.							ļ.,	
Virtual	Remote Site Collocation															<u> </u>
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		307.70	307.70	168.22	168.22						
-   '													[	l		
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	201.42										
	Virtual Collocation in the Remote Site - Space Availability Report				1									1		1
!	per Premises requested			VE1RS	VE1RR		115.87	115.87		L						
	Virtual Collocation in the Remote Site - Remote Site CLLI Code													1	i	
	Request, per CLLI Code Requested			VE1RS	VE1RL		37.56	37.56		l						
JACENT CC	DLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41										
										l		Ī				
-   '		l		UEANL, UEQ, UEA, U					1	1	1		ı	1	1	
	Adjacent Collocation - 2-Wire Cross-Connects	1		CL, UAL, UHL, UDN		0.02	12.30	11.80	6.03	5.44	1		1			
	Adjacent Collocation - 4-Wire Cross-Connects	l		UEA,UHL,UDL,UCL		0.04	12.39	11.87	6.39	5.73						
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.03	22.03	15.93	6.40	5.79						
	Adjacent Collocation - DS3 Cross-Connects	1		UE3	PE1JH	13.95	20.89	15.20	7.38	5.92						T
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.36	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 4-Fiber Cross-Connect	·		CLOAC	PE1JK	4.52	25.55	19.86	9.71	8.25	· · · · · · · · · · · · · · · · · · ·	t	<u> </u>			1
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,576.69		0,51							1
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	<u> </u>					1,010.00									
-   '	per AC Breaker Amp			CLOAC	PE1JL	4.91						1				
-	Adjacent Collocation - 240V, Single Phase Standby Power Rate			020/10	1. C.10C	1.51	-					-				<del> </del>
	Iper AC Breaker Amp		1	CLOAC	PE1JM	9.84	j									1
/	Adjacent Collocation - 120V, Three Phase Standby Power Rate	<b></b>		OCONO	1 - 1000	5.04						<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del></del>
-   '	per AC Breaker Amp	l		CLOAC	PE1JN	14.74			1	l		1		1	1	
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			02000	LIOIN	14.74				-	<del></del>	<del> </del>		<del> </del>	<del> </del>	<del> </del>
		l		CLOAC	PE1JO	34.06			1			1		1		
	per AC Breaker Amp			OLUAU	LE 190	34.06			-	<del></del>		<b> </b>	ļ	<del> </del>		+
	Adjacent Collocation - DC power provisioning (Alabama Only	l				1	1		1	]		1		1		1
	Mandate ICB)	ļ			-	1			-						-	<del> </del>
	CB means Individual Case Basis	ı		l	1	1			1	1	l .	1 .	I	1		

COLLOCAT	ION - Florida												Attachment:	4 Exh C		1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Increment Charge - Manual St Order vs
		""									por zorr	por 2011	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
			ļ			Rec	Nonred			g Disconnect			OSS	Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
HAGICAL CO	LLOCATION				ļ			_								
Applie			<del> </del>													
Дрри	Physical Collocation - Initial Application Fee		├	CLO	PE1BA		0.705.00		1	<b>_</b>						<b>_</b>
	Physical Collocation - Subsequent Application Fee	<del></del>		CLO	PE1CA	<del> </del>	2,785.00 2,236.00		1.20							
	Physical Collocation - Co-Carrier Cross Connects/Direct	<b></b>		OLO	FEICA	<del> </del>	2,236.00		1.20		<u> </u>					
	Connect, Application Fee, per application		ļ	CLO	PE1DT	1	564.81									1
	Physical Collocation - Power Reconfiguration Only, Application			020	1 - 101	· · · · · · · · · · · · · · · · · · ·	304.01			<del> </del>				-		
	Fee			CLO	PE1PR		409.50									l .
	Physical Collocation Administrative Only - Application Fee	-		CLO	PE1BL		760.91		1.20							
Space	Preparation									1						
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.28										
	Physical Collocation - Space Enclosure, welded wire, first 50 square feet			CLO	PE1BX	171.12										
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CL.O	PE1BW	189.73										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	18.61										
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.38										i
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.50										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	84.93										
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		287.36									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		572.66									
Power																
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	7.80										
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.26										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			cro	PE1FD	10.53										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	15.80										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	36.47										
C	Physical Collocation - Power - DC power, per Used Amp			CLO	PE1FN	10.69										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		UEANL, UEQ, UNCN												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			X, UEA, UCL, UAL, UHL, UDN, UNCVX UEA, UHL, UNCVX,	PE1P2	0.0208	7.32	5.37	4.58	2.71						
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL WDS1L, WDS1S,	PE1P4	0.0416	8.00	5.75	5.00	2.69						
	Physical Collocation -DS1 Cross-Connect for Physical			UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX,												
	Collocation, provisioning			UEPDX	PE1P1	0.3786	7.88	6.25	1.35	0.9899						

OLLOCAT	ION - Florida												Attachment:	4 Exh C		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge -
		ļ	ļ			Rec		curring	Nonrecurring			r		Rates(\$)		111 = 222 - 2.
			<del> </del>	UE3, U1TD3,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	4.40	20.40	01.00								
	1 Hysical Collocation - D33 Closs-Collifect, provisioning		ļ	CLO, ULDO3,	PEIPS	4.16	32.40	31.03	11.15	10.98						
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF ULD03, ULD12, ULD48, U1T03, U1T12, U1T48,	PE1F2	1.71	28.26	25.85	13.78	11.01						
		l		UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	3.34	37.92	35.51	18.20	15.44					1	
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0008				,						
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0040										
	cable.	-		UEPSR, UEPSP,	PEIDS	0.0012										
				UEPSE, UEPSB,												
	Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0208	7.32	5.37	4.58	2.71						
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0416	8.00	5.75	5.00	2.69						
Securi	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.65	22.05								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.63	28.89								
	Physical Collocation - Security Escort for Premium Time -			CLO	PE1PT		FF 00	05.70								
	outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System	-		CLO	PEIPI		55.62	35.73								ļ
	per Central Office, per Sq. Ft.		L	CLO	PE1AY	0.0101										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1		38.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		8.84									
	Stolen Card, per Card			CLO	PE1AR		28.78									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		23.28			-						-
	Physical Collocation - Security Access - Key, Replace Lost or									<del></del>						
	Stolen Key, per Key			CLO	PE1AL		23.28									
CFA	Physical Collocation - CFA Information Resend Request, per			0.0	DE100	,				· · · · · ·				<u></u>		
Cablo	premises, per arrangement, per request Records - Note: The rates in the First & Additional columns wi	II actus		CLO	PE1C9	nt S" respective	79.52									
Capie	Physical Collocation - Cable Records, per request	actua		CLO	PE1CR	in a respectiv	l 1515	S 973.64	256.35							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD	,	646.84	0 070.04	362.41							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.11		10.80							
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		4.52		5.35							
	Physical Collocation, Cable Records, DS3, per T3 TIE	L		CLO	PE1C3		15.81	L	18.73		1					

COLLOCAT	ION - Florida					-							Attachment:	4 Exh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<del> </del>		<u> </u>	<del> </del>	Nonrec	urring	Nonrecurring	Disconnect		l	OCC	Rates(\$)	İ	L
			<del> </del>		ļ	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable						- 11.01	Addi	1 1131	Auu	JOMEC	SOWAN	JOWAN	JONIAN	JONAN	JONAN
İ	record (maximum 99 records)			CLO	PE1CB		169.96		149.97		J					
	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C5		4.52		5.35		· · · · · · · · · · · · · · · · · · ·				·	<del> </del>
Virtual	to Physical								1		1					·
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00	-								
	Physical Collocation - Virtual to Physical Collocation Relocation,				1											
-	per DS1 Circuit  Physical Collocation - Virtual to Physical Collocation Relocation,		-	CLO	PE1B1		52.00				<del></del>					
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,	ļ		CLO	PE1B3		52.00									
	Per Voice Grade Circuit  Physical Collocation Virtual to Physical Collocation In-Place, Per		ļ	CLO	PE1BR		22.51									
	DSO Circuit			CLO	PE1BP		22.51									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			cro	PE1BS		32.73								!	
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		32.73									
Entran	ce Cable															
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	5.19										
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC	3.13	994.12		43.84							
	Physical Collocation - Fiber Entrance Cable Installation, per								43.84							<del> </del>
VIRTUAL COL				CLO	PE1ED		7.43									
Applic			<del> </del>													ļ
- 1,455	Virtual Collocation - Application Fee	<del> </del>	<del>                                     </del>	AMTES	EAF	· · · · · · · · · · · · · · · · · · ·	1,241.00		1.20	-						<del></del>
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,						1,211.00		1.20		<u> </u>			-		
	Application Fee, per application		Ì	AMTFS	VE1CA		564.81									
	Virtual Collocation Administrative Only - Application Fee		L	AMTES	VE1AF		760.91		1.20							
Space	Preparation		L													
- I	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.28										
Power	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	6.95										
	Virtual Collocation - Power, DC power, per Used Amp		ł	AMTES	VE1PF	10.69					ļ					
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		PAVIII O	VC111	70.03			<del> </del>							
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0201	7.32	F 27	4.59	2.74						
	virtual Collocation - 2-wire cross-conflect, roop, provisioning		-	UEA, UHL, UCL,	UEAGZ	0.0201	1.32	5.37	4.58	2,71						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UDL, UNCVX, UNCDX	UEAC4	0.0403	8.00	5.75	5.00	2.69						
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	0.3786	7.88	6.26	1.35	0.9915						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4.16	32.40	31.03		10.98						

COLLOCAT	ION - Florida	-											Attachment:	4 Exh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
		ļ			<u> </u>	Rec	Nonrec		Nonrecurring					Rates(\$)		
		ļ				<del> </del>	First	Addil	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	F CNC2F	1.75	28.26	25.85	13.78	¥1.01						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	- CNC4F	3.50	37.92	35.51	18.20	15.44						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0008										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0012										
	Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0201	7.32	5.37	4.58	2.71						
CFA	vindar Conocation 4-vviie Cross Connect, Port		<b>—</b> —	UEPDD, UEPEX	VE1R4	0.0403	8.00	5.75	5.00	2.69	ļ					
	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTFS	VE1QR		79.52									
Cable	Records - Note: The rates in the First & Additional columns wi	II actual	ly be t	illed as "Initial I" &	"Subsequer	nt S" respectively	y									
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		1,515.00 646.84	973.64	256.35 362.41							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.11		10.80							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.52		5.35							
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records	-		AMTFS	VE1BE VE1BF		15.81 169.96		18.73 149.97							
	Virtual Collocation Cable Records - CAT 5/RJ45			AMITES	VE1B5	+	4.52		5.35		<b></b>					
Securi	ty				1	<del> </del>			3.03							
	Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		33.65	22.05		•						
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		44.63	28.89								
Mainte				AMTFS	SPTPX		55.62	35.73								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX	1	54.05	22.05								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		72.18	28.89								
Entran	Virtual collocation - Maintenance in CO - Premium per half hour ce Cable			AMTFS	SPTPM		90.31	35.73		<u> </u>						
	Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX		1,473.00		43.84							
COLLOCATION	Virtual Collocation - Cable Support Structure, per cable  N IN THE REMOTE SITE			AMTFS	ESPSX	4.54										
	al Remote Site Collocation				<del> </del>	1										
Priysic	Physical Collocation in the Remote Site - Application Fee			CLORS	DEIDA	<del> </del>	610.00		670.00							
	Cabinet Space in the Remote Site - Application Fee			CLORS	PE1RA PE1RB	154.59	612.23		270.35							
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		23.28									
	Report per Premises Requested			CLORS	PE1SR		223.91									

COLLO	CATI	ON - Florida												Attachment:	4 Exh C		
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(S)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrect		Nonrecurring		L			Rates(\$)		
							1100	First	Add'l	First	Add'l_	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI	1	1						1							
		Code Request, per CLLI Code Requested	<u> </u>		CLORS	PE1RE	<b></b>	73.39									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	<b> </b>		CLORS	PE1RR		208.02					ļ				
		Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLORS	PE1BT		33.65	22.05					Į			
		Physical Collocation - Security Escort for Overtime - outside of	<b>├</b> ──	}	CLORS	PEIDI	<del> </del>	33.65	22.05			<b>_</b>				<del> </del>	<del> </del>
1		normally scheduled working hours on a scheduled work day,															
i		per half hour			CLORS	PE1OT		44.63	28.89				-				
	_	Physical Collocation - Security Escort for Premium Time -	<u> </u>		CLORS	FEIOI		44.03	20.09			<b>_</b> -	<b>-</b>	<b>_</b>			
		outside of scheduled work day, per half hour			CLORS	PE1PT		55.62	35.73								
Α.		nt Remote Site Collocation		<del> </del>	CLORO	T C I F I		33.02	33.73			-	<del>                                     </del>				
A		Remote Site Adjacent Collocation-Application Fee		<del>                                     </del>	CLORS	PE1RU		755.62	755.62				<del> </del>				
<del></del>		Hemote Site-Adjacent Collocation-Application Lee			CLONS	FEINU	<del> </del>	755.02	133.02			<b></b>	ļ		-	<del>                                     </del>	
l		Remote Site-Adjacent Collocation - Real Estate, per square foot	ļ	ļ	CLORS	PE1RT	0.134	1				Ì	}	ļ	<b>\</b>	1	1
				1												· · · · · · · · · · · · · · · · · · ·	<del></del>
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PEIRS	6.27	İ						i			
NO	OTE:	f Security Escort and/or Add'l Engineering Fees become nec	essary f	for adja	acent remote site col	location, the	Parties will neg	otiate appropr	riate rates.								
Vi	irtual	Remote Site Collocation															
		Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		612.23		270.35							
	- 1																
		Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	154.59					L	ļ.,,		<u> </u>		
		Virtual Collocation in the Remote Site - Space Availability Report				, i	1									l	Į
		per Premises requested		<u> </u>	VE1RS	VE1RR		223.91	-			L	<u></u>				
	- 1	Virtual Collocation in the Remote Site - Remote Site CLLI Code						1		1			i				Į.
		Request, per CLLI Code Requested			VE1RS	VE1RL		73.39				<u> </u>	ļ				
ADJACEN	IT CO	LLOCATION														<b></b>	
		Adjacent Collocation - Space Charge per Sq. Ft.		ļ	CLOAC	PE1JA	0.1666			<u> </u>							
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.		L	CLOAC	PE1JC	4.62									L	
							l i	İ									1
1		i	i		UEANL,UEQ,UEA,U										{		
		Adjacent Collocation - 2-Wire Cross-Connects	L	ļ	CL, UAL, UHL, UDN		0.0194	7.32	5.37	4.58	2.71						
		Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.0388	8.00	5.75	5.00	2.69	L			L		
		Adjacent Collocation - DS1 Cross-Connects		ļ	USL	PEIJG	0.3708	7.88	6.26	1.35	0.9915	<u> </u>	ļ <u></u>		L		
		Adjacent Collocation - DS3 Cross-Connects		ļ	UE3	PE1JH	4.14	32.40	31.03	11,15	10.98						
		Adjacent Collocation - 2-Fiber Cross-Connect		ļ	CLOAC	PE1JJ	1.70	28.26	25.85	13.78	11.01						
		Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	3.33	37.92	35.51	18.20	15.44					ļ	
		Adjacent Collocation - Application Fee		<del> </del>	CLOAC	PE1JB		2,763.00		1.02							
		Adjacent Collocation - 120V, Single Phase Standby Power Rate		1								1	1			1	1
		per AC Breaker Amp		<b>├</b>	CLOAC	PE1JL	5.26					ļ	<del></del>				
	-	Adjacent Collocation - 240V, Single Phase Standby Power Rate	<b>\</b>	{	CLOAC	DE1 134	10.50	\ \		1		1	1	1		1	1
		per AC Breaker Amp	<u> </u>	<del> </del>	CLOAC	PE1JM	10.53					ļ			<b> </b>	<del> </del>	<u> </u>
		Adjacent Collocation - 120V, Three Phase Standby Power Rate	l		CLOAC	DE LINI	15.50					1			1	1	1
-+		per AC Breaker Amp	<u> </u>	<del> </del>	CLOAC	PE1JN	15.80			<b></b>		<u> </u>			ļ		
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.47	[							1	1	1
		per AC Breaker Amp Adjacent Collocation - Cable Support Structure per Entrance	<del> </del>	├	CLUAC	FEIJU	30.47	<del>+</del>				<del> </del>	<del> </del>		ļ		
		Adjacent Collocation - Cable Support Structure per Entrance Cable			CLOAC	PE1JP	5.19						1		ľ	1	1
- 1		Cable lates displaying an "I" in Interim column are interim as a resu	L	L		ILCIAL	5.19						1			1	<b></b>

COLLOCAT	ION - Georgia		-										Attachment:	4 Exh C		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	<u>.</u>			Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Increment Charge Manual S Order vs
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
			L			1100	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			L													
	DLLOCATION															
Applie	Physical Collocation - Initial Application Fee		<del>                                     </del>	010												
	Physical Collocation - Initial Application Fee  Physical Collocation - Subsequent Application Fee	<del></del>	ļ	CLO CLO	PE1BA		1,285.98		0.59							
	Physical Collocation - Subsequent Application Fee  Physical Collocation - Co-Carrier Cross Connects/Direct		<u> </u>	CLO	PE1CA		1,085.48		0.59							
	Connect, Application Fee, per application	i		CLO	PE1DT		583.18								ļ.	
	Physical Collocation Administrative Only - Application Fee		+	CLO	PE1BL		740.83									
	Physical Collocation - Application Cost, Simple Augment		<del> </del>	CLO	PEIKS		594.05		1.21		<del></del>					
	Physical Collocation - Application Cost, Minor Augment		<del> </del> -	CLO	PE1KM		832.95		1.21						<del></del>	
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1.057.00	******	1.21		<del></del>	-		<del></del>		
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,408.00		1.21		+			<del> </del>	-	<u> </u>
Space	Preparation								T		<del> </del>					
	Physical Collocation - Floor Space, per sq feet			CLO	PEIPJ	4.52							<del></del>		· · · · · · · · · · · · · · · · · · ·	
	Physical Collocation - Space Enclosure, welded wire, first 50															
	square feet			CLO	PE1BX	144.71					1				i	
1	Physical Collocation - Space enclosure, welded wire, first 100										1					
	square feet		ļ	CLO	PE1BW	160.45										
	Physical Collocation - Space enclosure, welded wire, each		į													
	additional 50 square feet		L	CLO	PE1CW	15.74										
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.01			.1.							
1	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.23			1							
	Physical Collocation - Space Preparation - Common Systems					ł										
	Modifications-Caged, per cage		ļ	CLO	PE1SM	75.61					4					
	Physical Collocation - Space Preparation - Firm Order		1		l											
	Processing			CLO	PE1SJ		141.10									
	Physical Collocation - Space Availability Report, per Central Office Requested			a. a												
Power				CLO	PE1SR		248.75									
Power	Physical Collocation - Power, -48V DC Power - per Fused Amp		<b></b>													
	Requested			CLO	DCADI	4.70										
	Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	PE1PL	4.78										
	per Breaker Amp			CLO	PE1FB	5.14					i					
	Physical Collocation - Power, 240V AC Power, Single Phase,			CLO	PEIFB	5.14										
	per Breaker Amp			CLO	PE1FD	10.30										
	Physical Collocation - Power, 120V AC Power, Three Phase, per		-	OLO .	T CITU	10.30			<del>- </del>							
	Breaker Amp			CLO	PE1FE	15.44	ļ									
	Physical Collocation - Power, 277V AC Power, Three Phase, per			0.0	1 11 -	13.44			<del> </del>	-	+					
	Breaker Amp			CLO	PE1FG	35.65	ļ									
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	orts)			1.2	00.00			<del> </del>	-	+					
1	, and the state of			UEANL,UEQ,	+ +				<del> </del>	-	+					
				UNCNX, UEA, UCL.			l				1					
				UAL, UHL, UDN,							1					
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0197					1					
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0393					1					
				WDS1L, WDS1S,												
				UXTD1, ULDD1,		- 1										
			Ì	USLEL, UNLD1,		1					1					
				U1TD1, UNC1X,		[					1					
				UEPSR, UEPSB,		ĺ					1					
	Physical Collegation, DS1 Grang Comment for Physical			UEPSE, UEPSP,					1							
	Physical Collocation -DS1 Cross-Connect for Physical			USL, UEPEX,	DE4D:						1					
	Collocation, provisioning		L	UEPDX	PE1P1	0.3726	1				1 .	1				

OLLOCAT	ION - Georgia												Attachment:	4 Exh C		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order		<del></del>	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						D	Nonre	curring	Nonrecurrin	Disconnect			OSS	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3, U1TD3,												
				UXTD3, UXTS1,					i							
				UNC3X, UNCSX, ULDD3, U1TS1.					]	,	ĺ					
				ULDS1, UNLD3,					i							
				UEPEX, UEPDX,												
1				UEPSR, UEPSB,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP	PE1P3	4.06										
				CLO, ULDO3,	1											
				ULD12, ULD48,												
				U1TO3, U1T12,												
	Physical Collocation - 2-Fiber Cross-Connect			U1T48, UDLO3, UDL12, UDF	PE1F2	1.72				1						
	Thysical Consociation E Fiber Oross-Connect			ULDO3, ULD12,	PEIFZ	1.72										
				ULD48, U1TO3.	1											
				U1T12, U1T48,		l										
				UDLO3, UDL12,												
<del></del>	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	3,30					i l					
	Physical Collocation - Co-Carrier Cross Connects/Direct	1			1											
	Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	DE1ES						1					
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		-	CLO	PE1ES	0.001				***************************************						
	Copper/Coax Cable Support Structure, per linear foot, per				1 1											
	cable.			CLO	PE1DS	0.0015										
				UEPSR, UEPSP,	1	0.0010					<del></del>					
		- 1		UEPSE, UEPSB,	1 1						ĺ					
	Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0197						ļ				
C	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0393										
Securi	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLO	PE1BT		10.50	40.00								
	Physical Collocation - Security Escort for Overtime - outside of			CLO	FEIBI		16.52	10.83								
	normally scheduled working hours on a scheduled work day,				1	i					[	i				
	per half hour			CLO	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLO	PE1PT		27.31	17.55				1				
	Physical Collocation - Security Access System - Security System															
	per Central Office, per Sq. Ft. Physical Collocation -Security Access System - New Card			CLO	PE1AY	0.0106										
Į.	Activation, per Card Activation (First), per State			CLO	PE1A1		22.00									
	Physical Collocation - Security Access System - New Access			CLO	FEIAI		22.00									
	Card Deactivation, per Card		ļ	CLO	PE1A4	ĺ	8.72	8.72					ľ			
				····	1		0	0.72	-							
i	Physical Collocation-Security Access System-Administrative		ŀ		1						i		i	1		
	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		5.38									
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		17.01									
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		13.20									
	Stolen Key, per Key			CLO	PE1AL		13.20				1					
CFA				OLO	FETAL		13.20									
	Physical Collocation - CFA Information Resend Request, per				<del> </del>	· · · · · · · · · · · · · · · · · · ·										
	premises, per arrangement, per request	- 1	- 1	CLO	PE1C9		77.42				l					
Cable I	Records - Note: The rates in the First & Additional columns will	actual	ly be b	illed as "Initial I" ar	nd "Subseque	nt S" respective	ely									
_	Physical Collocation - Cable Records, per request			CLO	PE1CR	l l	743.65	S 478.06	125.75							*****
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable	T														
	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each		$\rightarrow$	CLO	PE1CD		317.60		177.77				i			

COLLOCAT	ION - Georgia					·							Attachment:	4 Exh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ	ļ			Rec	Nonrec			Disconnect				Rates(\$)		
	Physical Collocation, Cable Records, DS1, per T1 TIE	<u> </u>		CLO	DE101		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>	Physical Collocation, Cable Records, DS1, per 11 TE		<del> </del>	CLO	PE1C1 PE1C3		2.22		2.63 9.19						ļ	<b>_</b>
	Physical Collocation - Cable Records, Fiber Cable, per cable		<del></del>	CLO	FEIG		7.76		9.19							<del></del>
	record (maximum 99 records)	1	İ	CLO	PE1CB		83.45		73.57							1
	Physical Collocation, Cable Records, CAT5/RJ45		<del>                                     </del>	CLO	PE1C5	-	2.22		2.63		<del></del>					<del></del>
Virtual	to Physical	<u> </u>	<del>                                     </del>		. 2.00	1	2.22		2.03							<del> </del>
	Physical Collocation - Virtual to Physical Collocation Relocation,					<u> </u>									-	<del></del>
	per Voice Grade Circuit		1	CLO	PE1BV		33.00		1						l	l .
	Physical Collocation - Virtual to Physical Collocation Relocation,								1		<u> </u>	-				
	per DSO Circuit			CLO	PE1BO		33.00									1
	Physical Collocation - Virtual to Physical Collocation Relocation,															
<del></del>	per DS1 Circuit			CLO	PE1B1		52.00									L
	Physical Collocation - Virtual to Physical Collocation Relocation,															
<del></del>	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00		<b>_</b>							<u> </u>
	Per Voice Grade Circuit		1	01.0	55.55											ĺ
<del></del>	Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		22.59									L
l i	DSO Circuit			CLO	PE1BP		00.50		1							ſ
	Physical Collocation - Virtual to Physical Collocation In-Place,	ļ		CLO	PEIBP	<u> </u>	22.59		-		1					<del></del>
	Per DS1 Circuit			CLO	PE1BS	1	32.85									l .
	Physical Collocation - Virtual to Physical Collocation In-Place,			OLO	F C 100		32.05	-								<del></del>
ľ	per DS3 Circuit			CLO	PE1BE		32.85									í
Entran	ce Cable			020			32.00									r
	Physical Collocation - Fiber Cable Installation, Pricing, non-					1			+		+					
	recurring charge, per Entrance Cable			CLO	PE1BD		736.93		21.51							i
	Physical Collocation - Fiber Cable Support Structure, per	Ť.									1					
	Entrance Cable			CLO	PE1PM	7.21			İ							i
	Physical Collocation, Entrance Cable Support Structure,										1					
	Copper, per each 100 pairs or fraction thereof (CO Manhole to											1				í
	Collocation Space)			CLO	PETEE	0.2629						1				í
	Physical Collocation, Entrance Cable Installation, Copper, per															
	Cable (CO Manhole to Collocation Space)			CLO	PE1EF		755.15		21.51							i
	Physical Collocation, Entrance Cable Installation, Copper, per		i													i
	each 100 pairs or fraction thereof (CO Manhole to Collocation Space)			01.0	DE.EO		_									i
	Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PE1EG	ļ	9.12		<b></b>		<b> </b>					
	Fiber			CLO	PE1ED		2.00		1				İ	i		1
VIRTUAL COL			$\vdash$	OLO .	LEIED	<del> </del>	3.90				<del>  </del>					
Applic									+	-	<del> </del>					
1.77	Virtual Collocation - Application Fee	-		AMTES	EAF		609.52		0.59		+					
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,						003.52		0.59		<del> </del>					
[	Application Fee, per application			AMTFS	VE1CA		583.18				] [					ı
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		609.52		1		†					
Space	Preparation										+					
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.52									i	
Power											T					
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	4.78			1							
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
1		_		UEANL, UEA, UDN,												
1				UAL, UHL, UCL,					1			ŀ				
1	Mistual Collegation Quin annual Land			UEQ, UNCVX,									I			
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.0188					<b>_</b>					
1				UEA, UHL, UCL,								1	I		l	
	Virtual Collocation - 4 wire erose sensest feen exertains for			UDL, UNCVX,	   	0.0075			1 1				I		l	
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0375					J					

	ION - Georgia												Attachment:	4 Exh C		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						riec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
e e	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	0.3726										
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4.06										
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.73										
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.45										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTES UEPSX, UEPSB,	VE1CD	0.0015		· · · · · · · · · · · · · · · · · · ·								
		1		UEPSE, UEPSP,												
Į	Virtual Collocation 2-Wire Cross Connect, Port	1		UEPSR, UEP2C	VE1R2	0.0188					·					
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0375				·						
CFA	Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTFS	VE1QR		77.42									
Cable	Records - Note: The rates in the First & Additional columns wi	ill actua	lly be I			S" respectively										
$\overline{}$	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable	<b></b>	-	AMTFS	VE1BA		743,65	478.06	125.75		ļ			<del></del>		
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record  Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		317.60	·	177.77					-		
	100 pair			AMTFS	VE1BC		4.48		5.30							
	Virtual Collocation Cable Records - DS1, per T1TIE		L	AMTES	VE1BD		2.22		2.63							
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTFS	VE1BE		7.76		9.19							
	records		<b> </b>	AMTES	VE1BF		83.45		73,57					<u> </u>		
Securit	Virtual Collocation Cable Records - CAT 5/RJ45		-	AMTFS	VE1B5		2.22		2.63							-
Securit	ty Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		16.52	10.83								
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day			AMTES	SPTOX		21.92	14.19								
Mainte	Virtual collocation - Security escort, premium time, outside of a scheduled work day			AMTES	SPTPX		27.31	17.55								
iviainte	Virtual collocation - Maintenance in CO - Basic, per half hour		<u> </u>	AMTFS	CTRLX		26.54	10.83							<del> </del>	<del> </del>
	Virtual collocation - Maintenance in CO - Dasic, per maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.44	14.19								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		44.34	17.55								

Version: 2Q06 Standard ICA 06/13/06

COLLOCA	ATION - Georgia												Attachment:	4 Exh C	1	l
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
		L									<u>.</u>					DISOFILE
<del></del>	<del> </del>				ļ	Rec	Nonrec		Nonrecurring					Rates(\$)		
	Virtual Collocation - Cable Installation Charge, per cable		<del> </del>	AMTES	ESPCX		First 736.93	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Cable Installation Charge, per cable  Virtual Collocation - Cable Support Structure, per cable		<del> </del>	AMTES	ESPSX	7.57	736.93		21.51		-					
	Virtual Collocation - Cable Support Structure, per cable		<del> </del>	AWIIFS	ESPSA	7.57								<del></del>	ļ	
	Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VEIEE	0.23										
	Virtual Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame)			AMTFS	VE1EF		755.15		21.51							
	Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EG		9.12									
	ION IN THE REMOTE SITE															
Phys	sical Remote Site Collocation		L													
	Physical Collocation in the Remote Site - Application Fee		ļ	CLORS	PE1RA		300.61		132.62							
	Cabinet Space in the Remote Site per Bay/ Rack	ļ	<b>⊢</b> —	CLORS	PE1RB	143.23										
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		13.20									
	Report per Premises Requested  Physical Collocation in the Remote Site - Remote Site CLLI			CLORS	PE1SR		109.94									
	Code Request, per CLLI Code Requested			CLORS	PE1RE		36.04									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR	<del>                                     </del>	116.64									
	Physical Collocation - Security Escort for Basic Time - normally		<del> </del>	OLONO	T E HIII	<del></del>	110.04		i		<del> </del>					
	scheduled work, per half hour			CLORS	PE1BT	1	16.52	10.83							!	
	Physical Collocation - Security Escort for Overtime - outside of		_	CEGINO	1.2101		10.52	10.00	ļ		<del> </del>					<del> </del>
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		21.92	14,19								
	Physical Collocation - Security Escort for Premium Time -										<del>                                     </del>					
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.31	17.55								
Adja	cent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62						-		
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134					L					
	Decrete Cha Adia and Callered and AG Community			0.000	55.66											
NOT	Remote Site-Adjacent Collocation - AC Power, per breaker amp	L		CLORS	PE1RS	6.27					L					
	E: If Security Escort and/or Add'l Engineering Fees become nec- ual Remote Site Collocation	essary 1	for adja	cent remote site coi	location, the	Parties will ne	gotiate approp	riate rates.			<b>_</b>					
Virtu	Virtual Collocation in the Remote Site - Application Fee		ļ	VE1RS	VE1RB	<del> </del>	300,61		132.62							
	Vitual Conceation in the Hemote Site - Application Fee	ļ	├	VEINS	VEIND		300.61		132.02		-					
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	143.23										
	Virtual Collocation in the Remote Site - Space Availability Report									74	<b>-</b>					
	per Premises requested	l	l	VE1RS	VE1RR	į l	109.94		į į						<b>\</b>	
	Virtual Collocation in the Remote Site - Remote Site CLLI Code		T													· · · · · · · · · · · · · · · · · · ·
	Request, per CLLI Code Requested			VE1RS	VE1RL		36.04				l					
ADJACENT	COLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.164		****								
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<u> </u>	CLOAC	PE1JC	4.01						,				
	Adianas Calleratina A Mira Court			UEANL,UEQ,UEA,U	DE 1 IE	0.0470										
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects			CL, UAL, UHL, UDN UEA, UHL, UDL, UCL		0.0172 0.0344					ļI				ļ	
<del></del>	Adjacent Collocation - 4-Wire Cross-Connects  Adjacent Collocation - DS1 Cross-Connects	-	<del> </del>	USL	PE1JG	0.3608			<del> </del>	·	ļ			L <del></del>	ļ	<del> </del>
	Adjacent Collocation - DS3 Cross-Connects		<del> </del>	UE3	PEIJH	4.73			<del> </del>		<b></b>				<del> </del>	
	Adjacent Collocation - 2-Fiber Cross-Connect		+	CLOAC	PE1JJ	1,66					<del> </del>				<del>                                     </del>	
	Adjacent Collocation - 4-Fiber Cross-Connect		+	CLOAC	PE1JK	3.24					<del> </del>					
	Adjacent Collocation - Application Fee		<del>                                     </del>	CLOAC	PE1JB	3.24	1,382.19		0.50		<del>                                     </del>			<del> </del>		
***	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.14	1,002.19		0.30							<del></del>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJM	10.30							_		l	

COLLOC	COLLOCATION - Georgia											∢	Attachment: 4 Exh C	Exh C		
CATEGORY	RY RATE ELEMENTS	Interi	Zone	BCS	osn			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Ir Submitted Manually N per LSR	Svc Order Svc Order Incremental Incremental Incremental Submitted Submitted Charge Charge Charge Charge Blec Manual Svc M	Charge - Manual Svc I Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						000	Nonrec	Nonrecurring	Nonrecurring Disconnect	Disconnect			A SSO	OSS Rates(\$)		
						2	First	Addil	First	Add'I	SOMEC	SOMEC SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp		CLOAC		PE1JN	15.44										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp	_	CLOAC		PE1JO	35.65										-
_	Adjacent Collocation - 240V, Three Phase Standby Power Rate															
	per AC Breaker Amp		CLOAC		PE1JD	35.65										
Ž	Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order	lt of a C.	o noissimme	rder.						-						

COLLOCA	TION - Kentucky												Attachment:	4 Exh C		]
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
		<del> </del>		ļ	<del> </del>	<del> </del>	Nonrec	. und a c	N	Di	<b></b>			Rates(\$)	L	L
			<del> </del>		<del> </del>	Rec	First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		<del> </del>	-		<del> </del>	<del> </del>	rirst	Addi	rirst	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
PHYSICAL C	OLLOCATION		<del> </del>		<del> </del>								ļ	<b></b>		
	ication	<del> </del>	<del> </del>		<del> </del>	<del> </del>					1		<b></b>	<b></b>	ļ	<b></b>
- 1.45	Physical Collocation - Initial Application Fee	<del>                                     </del>	+	CLO	PE1BA		3,773.54		1,01							
	Physical Collocation - Subsequent Application Fee	<del>                                     </del>	+	CLO	PE1CA		3,145.35		1.01		ļ				<del> </del>	
	Physical Collocation - Co-Carrier Cross Connects/Direct		<del> </del>	0.00	LION		0,140.00		1.01		<del></del>			<del></del>		
F	Connect, Application Fee, per application			CLO	PE1DT	l i	584.20						i			
	Physical Collocation Administrative Only - Application Fee	<del>                                     </del>	<del>                                     </del>	CLO	PE1BL		742.12						<del> </del>		<del> </del>	
	Physical Collocation - Application Cost, Simple Augment	<b>—</b> —	_	CLO	PE1KS	1	594.98		1,21	<del></del>	<del> </del>			i		
	Physical Collocation - Application Cost, Minor Augment	T	<b>—</b>	CLO	PE1KM		834.26		1.21		<del> </del>				<del> </del>	
	Physical Collocation - Application Cost, Intermediate Augment		1	CLO	PE1K1		1,059.00		1.21						<del> </del>	
	Physical Collocation - Application Cost - Major Augment		1	CLO	PE1KJ		2,412.00		1.21							1
Spac	e Preparation		1		· · · · · · · · · · · · · · · · · · ·								<del></del>			
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	7.99										
1	Physical Collocation - Space Enclosure, welded wire, first 50															
	square feet			CLO	PE1BX	166.83							ĺ			
	Physical Collocation - Space enclosure, welded wire, first 100	ľ														
	square feet		L.	CLO	PE1BW	184.97							!	İ	ļ	
	Physical Collocation - Space enclosure, welded wire, each		!													
	additional 50 square feet		Į.	CLO	PE1CW	18.14	Į.				<b>\</b>		}	}	1	1
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	L		CLO	PE1SK	2.32										
1	Physical Collocation - Space Preparation, Common Systems												·			
	Modifications-Cageless, per square foot	L		CLO	PE1SL_	3.26							ļ			
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage	<u> </u>	<u> </u>	CLO	PE1SM	110.57							ì	ì	)	1
	Physical Collocation - Space Preparation - Firm Order		1	1												
	Processing	L	<b></b>	CLO	PE1SJ		1,206.07									
	Physical Collocation - Space Availability Report, per Central		1													Ī
	Office Requested		L	CLO	PE1SR		2,158.67									
Powe																
1	Physical Collocation - Power, -48V DC Power - per Fused Amp	i	1			) i	1				Ì		1	]		
	Requested		<del> </del>	CLO	PE1PL	8.06										
	Physical Collocation - Power, 120V AC Power, Single Phase,		1													
	per Breaker Amp			CLO	PE1FB	5.44										
- 1	Physical Collocation - Power, 240V AC Power, Single Phase,	l		0.0										-		ļ
	per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per	<u> </u>	<del> </del>	CLO	PE1FD	10.88									Ļ	ļ
1	Breaker Amp	1	ì	0.0	DE4EE	10.00										
	Physical Collocation - Power, 277V AC Power, Three Phase, per	-		CLO	PE1FE	16.32									ļ	
	Breaker Amp		1	CLO	PE1FG	27.00					i					
Cros	s Connects (Cross Connects, Co-Carrier Cross Connects, and P	Latel	<del> </del>	CLO	PEIFG	37.68										
Cros	s Connects (Cross Connects, Co-Carner Cross Connects, and P	orts)	<del> </del>	UEANL,UEQ.										ļ		ļ
		l	l	UNCNX, UEA, UCL.		ļļ	ļ						<b>,</b>	}	ļ	}
ì			1	UAL, UHL, UDN.	İ						ĺ					
į.	Physical Collocation - 2-wire cross-connect, loop, provisioning		ı	UNCVX	PE1P2	0.0333	24.00	00.00		10.05						
	Physical Collocation - 2-wire cross-connect, toop, provisioning	ļ	ł		PE1P2	0.0333	24.68	23.68	12.14	10.95	<b></b>					ļ
1	Physical Collocation - 4-wire cross-connect, loop, provisioning	İ		UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0665	24.88	23.82	42.77	11.10						!
-+	i riyacai Conocation - 4-wire cross-connect, loop, provisioning	├		WDS1L, WDS1S.	FE1P4	0.0665	24.88	∠3.82	12.77	11.46				L	<del> </del>	ļ
ļ		ļ	1	UXTD1, ULDD1,		<b>\</b>	ļ			'	<b>`</b>		\ \	ì	1	)
				USLEL, UNLD1,												
- 1				U1TD1, UNC1X.												
		1		UEPSR, UEPSB,									l	Ī		1
			1		1	1 1			. 1		1		I	I	I	l
		l		JUEPSE, UEPSP			1							1	1	
	Physical Collocation -DS1 Cross-Connect for Physical			UEPSE, UEPSP, USL, UEPEX,					ĺ							

COLLOCAT	ION - Kentucky												Attachment:	4 Exh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
1		1										i l	1st	Add'l	Disc 1st	Disc Add'l
		<b></b>	ļ				Nonrec	urring	Nonrecurring	Disconnect		J	OSS	Rates(\$)	·	L
		<u> </u>	1		1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3, U1TD3, UXTD3, UXTS1,												
				UNC3X, UNCSX,	ĺ										1	
				ULDD3, U1TS1,	ŀ	l				l	l	[		į	Į.	
1 1		1	ì	ULDS1, UNLD3,	1	]										
1 1				UEPEX, UEPDX,						i					ļ	
1 1	Physical Collocation - DS3 Cross-Connect, provisioning	1		UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	18.89	41.93	20.51	11.75	11.00	İ					
<del>                                     </del>	Physical Collocation - DS3 Cross-Connect, provisioning	+		CLO, ULDO3,	PE IP3	18.89	41.93	30.51	14.75	11.83	<u> </u>					
1 1		1		ULD12, ULD48,		\ \ \	1		1	}	İ				1	1
			1	U1TO3, U1T12,						1						ľ
1 1				U1T48, UDLO3,	İ										1	
ļ	Physical Collocation - 2-Fiber Cross-Connect	ļ	ļ	UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84						
				ULDO3, ULD12,					-	[	Į.	Į į			Į.	
1 1		ì	1	ULD48, U1TO3, U1T12, U1T48,	1	)								f		1
1 1				UDLO3, UDL12,			İ					İ				
1 1	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	6.65	51.29	39.87	19.41	16,49	İ					
	Physical Collocation - Co-Carrier Cross Connects/Direct	1							1							
l	Connect - Fiber Cable Support Structure, per linear foot, per	ļ	į.	ļ	(	, l	ļ		1	\	}		ł	ŀ	1	
	cable.	<u> </u>		CLO_	PE1ES	0.0012										<u> </u>
1 1	Physical Collocation - Co-Carrier Cross Connect/Direct Connect	1	ļ	i	1											ľ
	Copper/Coax Cable Support Structure, per linear foot, per cable.	İ		CLO	PE1DS	0.0018								ļ		
<del></del>	icable.	<del> </del>	<del> </del>	UEPSR, UEPSP,	PEIDS	0.0018			<del> </del>							<del> </del>
1 1		ì	1	UEPSE, UEPSB,	}	i i			1	ĺ	Ì					
1 1	Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1B2	0.0333	24.68	23.68	12.14	10.95					i	
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0665	24.88	23.82	12.77	11.46						
Securi																
1 1	Physical Collocation - Security Escort for Basic Time - normally	į .			DE 107	ļ ļ				}	1		ł	1	1	}
<del></del>	scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of	<b></b>		CLO	PE1BT		33.98	21,53	ļ					ļ	<del> </del>	<del> </del>
	normally scheduled working hours on a scheduled work day,				DELOT								!			
<del></del>	per half hour  Physical Collocation - Security Escort for Premium Time -	<del> </del>	<del> </del>	CLO	PE1OT	<b> </b>	44.26	27.81			<del>                                     </del>				<b>_</b>	
1 1	outside of scheduled work day, per half hour	1		CLO	PE1PT	l !	54.54	34.09	1	1	}		1			1
	Physical Collocation - Security Access System, Security System,			-	†											l
	per Central Office			CLO	PE1AX	76.10									<u> </u>	
1 1	Physical Collocation -Security Access System - New Card		1		L											
<del></del>	Activation, per Card Activation (First), per State		<b></b>	CLO	PE1A1	0.058	55.79				<del> </del>				ļ	<del>                                     </del>
1 1	Physical Collocation-Security Access System-Administrative			]						1						
1 1	Change, existing Access Card, per Request, per State, per Card		İ	CLO	PE1AA		15.64									
	Physical Collocation - Security Access System - Replace Lost or				1											
	Stolen Card, per Card			CLO	PE1AR		45.74									
	Physical Collocation - Security Access - Initial Key, per Key		ļ	CLO	PE1AK		26.29									
1 1	Physical Collocation - Security Access - Key, Replace Lost or		1	0.0	DE4.11											
CFA	Stolen Key, per Key	<del> </del>	<del> </del>	CLO	PE1AL		26.29		<del> </del>	<del> </del>	<del> </del>	<del> </del>				<del> </del>
Tora-	Physical Collocation - CFA Information Resend Request, per	<del>†</del>	<del> </del>		<del> </del>			······	<del> </del>	<del></del>	<del>                                     </del>	<del>                                     </del>				
1.	premises, per arrangement, per request	t		CLO	PE1C9	į l	77.55	ı	1	Į.	Į.	Į l				l
Cable	Records - Note: The rates in the First & Additional columns w	ill actua	lly be I			ent S" respectiv										
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1524.45	S 980.01	267.02							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable	1		CLO	DETCO		CEO 0-			1						
<u>ii</u>	record (maximum 3600 records)	1	L	CLO	PE1CD		656.37		379.70		<del> </del>					
I	Physical Collegation, Cobia Records, VC/DCC Cobia	T														1
	Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PEICO	<b>\</b>	0.65	1	11.04	ì	1	1	Ì	ì	Ì	1
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1CO PE1C1		9.65 4.52		11.84 5.54	<u> </u>					<b>_</b>	

COLLOCAT	TION - Kentucky				***************************************								Attachment:	4 Exh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)		,	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			L						,						Disc 1st	DISC AUG I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Dhysical Callessian Cable Boards 5th Cable annually	ļ	·				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)	i		CLO	PE1CB		169.63		151.05							
	Physical Collocation, Cable Records,CAT5/RJ45	<del> </del>	+	CLO	PE1C5		4.52		154.85 5.54		<del> </del>					
Virtua	al to Physical	-	<del></del>	020	I LICS		4.52		5.54							
	Physical Collocation - Virtual to Physical Collocation Relocation,	<b></b>	<del> </del>								<del> </del>					
	per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,	1	i i								<del> </del>	***************************************				
	per DSO Circuit	1	1	CLO	PE1BO		33.00								İ	
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS1 Circuit		ļ	CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,	1		l												
	per DS3 Circuit	<b> </b>	ļ	CLO	PE1B3		52.00		<b></b>					<u></u>	ļ	
1	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit		1	CLO	PE1BR		00.10		1							1
	Physical Collocation Virtual to Physical Collocation In-Place, Per		╁	CLO	PEIBH		22.49									
	DSO Circuit		1	CLO	PE1BP		22.49									Ì
	Physical Collocation - Virtual to Physical Collocation In-Place,		<del> </del>	CLO	FEIDE		22.49		<del> </del>					L		
	Per DS1 Circuit			CLO	PE1BS		32.71									Ï
	Physical Collocation - Virtual to Physical Collocation In-Place,		1	000	1 2100		32.71									
ı	per DS3 Circuit			CLO	PE1BE		32.71				•				1	[
Entra	nce Cable		<b> </b>		1.2.02				<u> </u>		<del> </del>				<del> </del>	
	Physical Collocation - Fiber Cable Installation, Pricing, non-								····						<del> </del>	
	recurring charge, per Entrance Cable			CLO	PE18D		1,729.11		45.16							
	Physical Collocation - Fiber Cable Support Structure, per	I			1	-										
	Entrance Cable			CLO	PE1PM	19.86										
	Physical Collocation - Fiber Entrance Cable Installation, per	İ														
	Fiber		<u> </u>	CLO	PE1ED		7.75		1							
VIRTUAL CO		ļ	-						ļ							
Appli	cation	<b></b>		TITEC .												
	Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	-	ļ	AMTFS	EAF		2,419.86		1.01							
1	Application Fee, per application			AMTFS	VE1CA		584.20									
	Virtual Collocation Administrative Only - Application Fee	<del> </del>	<del> </del>	AMTES	VE10A VE1AF		742.12		<u> </u>							
Space	Preparation	<del> </del>	+	AWIII S	VLIA		142.12				-					·
- CPAG	Virtual Collocation - Floor Space, per sq. ft.	<del>                                     </del>	<del>                                     </del>	AMTFS	ESPVX	7.99			<del> </del>						<del> </del>	
Powe		l -	1		1	1100										
1	Virtual Collocation - Power, per fused amp		ļ	AMTFS	ESPAX	8.06					T					
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL, UEA, UDN.												
- 1				UAL, UHL, UCL,					:							
1				UEQ, UNCVX,		i										
	Virtual Collocation - 2-wire cross-connect, loop, provisioning	ļ	<u> </u>	UNCDX, UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95						
l			1	UEA, UHL, UCL,		i	ŀ								1	
				UDL, UNCVX,	l											
	Virtual Collocation - 4-wire cross-connect, loop, provisioning	ļ	<b></b>	UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46					ļ. <u></u>	ļ
ŀ			1	ULR, UXTD1,		1	ŀ								[	
			1	UNC1X, ULDD1, U1TD1, USLEL,		I	ļ								[	
	Virtual collocation - Special Access & UNE, cross-connect per	1	1	UNLD1, USLEL,		[			1			i			ĺ	
	DS1	l	1	UEPEX, UEPDX	CNC1X	1.48	44.23	31.98	12,81	11.57		l			1	
		<del>                                     </del>	<del>                                     </del>	USL, UE3, U1TD3,	OINC IA	1.40	44.23	31,98	12.01	11.57					<del> </del>	<del> </del>
İ				UXTS1, UXTD3,					1						[	
		1		UNC3X, UNCSX,			ŀ		1						ĺ	
1				ULDD3, U1TS1,		ŀ	1		1			İ			[	
	1	1	1	ULDS1, UDLSX,	i l				1 1		1	1				
	Virtual collocation - Special Access & UNE, cross-connect per	1		ULDO I, UDLOX,	1		I		1 1							

COLLO	OCATI	ON - Kentucky					<del></del>							Attachment:	4 Exh C		
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49						
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTES	VE1CB	0.0012										
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0018										
					UEPSX, UEPSB,										<del></del>		
1 1		NEL TOURS OF THE PARTY OF THE P			UEPSE, UEPSP,					1							
-		Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port		ļ	UEPSR, UEP2C UEPDD, UEPEX	VE1R2	0.0309	24.68	23.68	12.14	10.95						
	CFA	Virtual Collocation 4-Wile Closs Connect, Port			DEPDD, DEPEX	VE1R4	0.0619	24.88	23.82	12.77	11.46						
		Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTFS	VE1QR		77.55									
	Cable	Records - Note: The rates in the First & Additional columns wi	II actua	ily be t	oilled as "Initial I" & "	'Subsequen	t S" respectivel										
		Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record		-	AMTFS AMTFS	VE1BA VE1BB		1,524.45 656.37	980.01	267.02 379.70							
		Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		9.65		11.84							
		Virtual Collocation Cable Records -DS1, per T1TIE			AMTES	VE1BD		4.52		5.54							
		Virtual Collocation Cable Records - DS3, per T3TIE  Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS AMTFS	VE1BE VE1BF		15.81 169.63		19.39 154.85							
		Virtual Collocation Cable Records - CAT 5/RJ45		}	AMTES	VE1B5	<del>  </del>	4.52		5.54							
	Securi			ļ	741	12.130				3.54					<u> </u>		
		Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		33.98	21.53								
		Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day  Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		44.26	27.81								
]		scheduled work day			AMTES	SPTPX		54.54	34.09								
	Mainte					OTTO V											
		Virtual collocation - Maintenance in CO - Basic, per half hour  Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS AMTFS	SPTOM		56.07 73.23	21.53								
		Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.39	34.09								
	Entran	ce Cable															
		Virtual Collocation - Cable Installation Charge, per cable		<b> </b>	AMTES	ESPCX	47.00	1,729.11		45.16							ļ <u>.</u>
COLLO	CATIO	Virtual Collocation - Cable Support Structure, per cable			AMTES	ESPSX	17.38					ļ					<del> </del>
		al Remote Site Collocation								<del> </del>							
	. rrysrt	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA	<del> </del>	617.78		338.89						<del> </del>	-
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67	317.70		000.09		<b> </b>			<del></del>	<b> </b>	<u> </u>
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29									
İ		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR	_	232.64									

OLLOCAT	FION - Kentucky												Attachment:	4 Exh C	1	1
		T	т	l							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
			1								Submitted		Charge -	Charge -	Charge -	Charge
			1								1			_	1 -	
		Interi	l_					O 4 TEO(4)			Elec	Manually	Manual Svc		Manual Svc	
TEGORY	RATE ELEMENTS	l m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
		""									1		Electronic-	Electronic-	Electronic-	Electron
		ĺ										i	1st	Add'l	Disc 1st	Disc Ad
		1	i .									ŀ	'3'	Addi	D130 131	Diso Au
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
		1				Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Physical Collocation in the Remote Site - Remote Site CLLI	†														
	Code Request, per CLLI Code Requested			CLORS	PETRE	1	75.40					ŀ				
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	+		CLORS	PE1RR	<del></del>	233.42		<del></del>		<del>                                     </del>					
	Physical Collocation - Security Escort for Basic Time - normally	<del> </del>	<del> </del>	OCONO			233.42				<del> </del>	<del></del>				ļ
		l	l	01.000	DEADT	l i		0. 50			1					1
	scheduled work, per half hour			CLORS	PE1BT		33.98	21.53							ļ <u></u>	<b>.</b>
	Physical Collocation - Security Escort for Overtime - outside of		1				i					1		1		ŀ
	normally scheduled working hours on a scheduled work day,		1								i				ı	
	per half hour	1	l _	CLORS	PE1OT		44.26	27.81			1				1	
	Physical Collocation - Security Escort for Premium Time -															
- 1	outside of scheduled work day, per half hour			CLORS	PE1PT		54.54	34.09					1			
Adiac	ent Remote Site Collocation	Ť														
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								<del> </del>
	Total Control of the	<del>                                     </del>		020710	120		700.02				<b> </b>					
	Remote Site-Adjacent Collocation - Real Estate, per square foot	i	1	CLORS	PE1RT	0.134							ļ			
	Memote Site-Adjacent Collocation - Heal Estate, per square foot	<u> </u>		CLONS	FEINI	U.134										<del> </del>
					l i						1			1		
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		<u> </u>	CLORS	PE1RS	6.27										ļ
	: If Security Escort and/or Add'l Engineering Fees become nec	essary	for adja	cent remote site col	location, the	Parties will ne	gotiate approp	riate rates.							<u> </u>	
Virtua	Remote Site Collocation	1														
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		617.78		338.89						I	
			1													
i	Virtual Collocation in the Remote Site - Per Bay/Rack of Space		l	VE1RS	VE1RC	219.67								1		1
	Virtual Collocation in the Remote Site - Space Availability Report	1	<u> </u>			***										
- !	per Premises requested		ļ	VE1RS	VE1RR		232.64				1		i			
	Virtual Collocation in the Remote Site - Remote Site CLLI Code	<del> </del>	<u> </u>		12						<del> </del>					<del> </del>
	Request, per CLLI Code Requested			VE1RS	VE1RL		75.40									
LACENT O	OLLOCATION		<b>├</b> ──	VE 1113	VEINE		75.40				ļ					<del> </del>
JACENT			<b>├</b> ──	0.010							ļ			L		
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173										<u> </u>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	ļ		CLOAC	PE1JC	5.35										
l l		l .	Į į				1				1			<b>{</b>	1	ł
		İ	1	UEANL,UEQ,UEA,U								l		l	l	
	Adjacent Collocation - 2-Wire Cross-Connects	1		CL, UAL, UHL, UDN	PE1JE	0.0258	24.68	23.68	12.14	10.95		l		l	l	
	Adjacent Collocation - 4-Wire Cross-Connects			UEA.UHL.UDL.UCL	PEIJF	0.0515	24.88	23.82	12.77	11.46						
	Adjacent Collocation - DS1 Cross-Connects	†·	<del>                                     </del>	USL	PE1JG	1.37	44.23	31.98	12.81	11.57	· · · · · · · · · · · · · · · · · · ·			-		<del> </del>
	Adjacent Collocation - DS3 Cross-Connects	1	_	UE3	PE1JH	18.61	41.93	30.51	14.75	11.83	<del> </del>		<del></del>			
	Adjacent Collocation - 2-Fiber Cross-Connect		<del> </del>	CLOAC	PE1JJ	3.15	41.93	30.51	14.76	11.84	<del></del>				_	<u> </u>
			-	CLOAC											-	<del> </del>
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1JK	6.02	51.29	39.87	19.41	16.49						ļ
	Adjacent Collocation - Application Fee	<u> </u>		CLOAC	PE1JB		3,165.50									ļ
1	Adjacent Collocation - 120V, Single Phase Standby Power Rate	1						į			1			1		
	per AC Breaker Amp	L		CLOAC	PE1JL	5.44										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate				_											
1	per AC Breaker Amp	i		CLOAC	PE1JM	10.88						İ				
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	· · · ·	1								<b></b>					
	per AC Breaker Amp	I		CLOAC	PE1JN	16.32		l			1					l
	Adjacent Collocation - 277V, Three Phase Standby Power Rate	<b>—</b> ——		OLONO	LISIN	10.32									-	1
				i	1		- 1				1			1	1	l .
	per AC Breaker Amp			CLOAC	PE1JO	37.68										li .

COLLOCAT	ION - Louisiana												Attachment:	4 Exh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<b></b>		<u> </u>	Rec	Nonrec		Nonrecurring					Rates(\$)		
			<b></b>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BHASICVI CO	DLLOCATION		<b>-</b>						-							<b>—</b>
	cation				<del></del>				<del> </del>	ļ				ļ		
120011	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,837.24				ļ			<del></del>		ļ
	Physical Collocation - Subsequent Application Fee			CLO	PEICA		1,533.41									-
	Physical Collocation - Co-Carrier Cross Connects/Direct		<del>                                     </del>	OLO	TEIOA		1,555.41		<del> </del>		-					
1	Connect, Application Fee, per application			CLO	PE1DT		583.30									
	Physical Collocation Administrative Only - Application Fee		-	CLO	PE1BL		741.97									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		596.35		1.22			·			<u> </u>	
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		836.18		1.22							
	Physical Collocation - Application Cost, Intermediate Augment		1	CLO	PE1K1		1,061.00		1.22							
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,418.00		1.22							
Space	Preparation		L													
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.30										
	Physical Collocation - Space Enclosure, welded wire, first 50			0.0	DE 10 V									1		
	square feet Physical Collocation - Space enclosure, welded wire, first 100			CLO	PE1BX	166.40										
	square feet			CLO	PE1BW	184.50			Į.		1					
	Physical Collocation - Space enclosure, welded wire, each		<b></b>	CLO	PEIBW	184.50					<b> </b>					ļ
1	additional 50 square feet			CLO	PE1CW	18.10			Ī							
	Physical Collocation - Space Preparation - C.O. Modification per			020	1 2,000	10.10			<del></del>		<u> </u>			<u> </u>		
	square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems									·						
	Modifications-Caged, per cage			CLO	PE1SM	91.60				l						
	Physical Collocation - Space Preparation - Firm Order												-	T		
	Processing			CLO	PE1SJ		583.33									
ŀ	Physical Collocation - Space Availability Report, per Central															ľ
	Office Requested			CLO	PE1SR		1,044.07									
Powe																
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO	PE1PL	8.32										
	Physical Collocation - Power, 120V AC Power, Single Phase,	-		CLO	FEIFL	0.32								ļ		<del></del>
	per Breaker Amp			CLO	PE1FB	5.45										
	Physical Collocation - Power, 240V AC Power, Single Phase.			0.0	1, 2,11, 5	3.43										
	per Breaker Amp			CLO	PE1FD	10.92										1
	Physical Collocation - Power, 120V AC Power, Three Phase, per		·			10102				-	<del>                                     </del>					<b></b>
	Breaker Amp			CLO	PE1FE	16.37										1
	Physical Collocation - Power, 277V AC Power, Three Phase, per										1					
	Breaker Amp			CLO	PE1FG	37.80										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	orts)														
				UEANL,UEQ,												
				UNCNX, UEA, UCL,			1									
	District Outleast of the second			UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0318	11.94	11.46								
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX,	DE4D4											
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL WDS1L, WDS1S,	PE1P4	0.0636	12.04	11.53								
				UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,		į										
	Physical Collocation -DS1 Cross-Connect for Physical			USL, UEPEX,			1		l i							1
	Collocation, provisioning			UEPDX	PE1P1	1.04	21.39	15.47								1

COLLOCAT	ION - Louisiana			· · · · · · · · · · · · · · · · · · ·									Attachment:			ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		Nonrec	RATES(\$)	l. Nooro ouvin	g Disconnect	Svc Order Submitted Elec per LSR	1	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
<del></del>			<del> </del>			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>			-	UE3, U1TD3,	<del>                                     </del>		FIISI	Audi	FIISL	Addi	SOIVIEC	SOWAN	SOWAN	SOWAN	SOWAN	JONIAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	13.21	20.28	14.76								
	- Nysoca consocial cost order control, providenting			CLO, ULDO3,	1.0	10.27	20.20	11.70			+					····
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.62	20.28	14.76								
. 1				UDLO3, UDL12,		1			1		İ	:				i
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	4.65	24.81	19.29								
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			1000	1 2,20	0.007				<del> </del>	<b>-</b>	<u> </u>	<del>                                     </del>	<del> </del>		
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0015										
				UEPSR, UEPSP, UEPSE, UEPSB,	05104											
	Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0318	11,94	11.46								
	Physical Collocation 4-Wire Cross Connect, Port		ļ	UEPEX, UEPDD	PE1R4	0.0636	12.04	11.53	ļ	ļ						
Securi	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.44	10.42								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		26.38	16.49								
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PE1AY	0.0224					ļ					
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74									
ŀ	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.64									
<del></del>	Physical Collocation - Security Access - Initial Key, per Key		<del> </del>	CLO	PE1AK	<del>                                     </del>	13.01			<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>		l	<del> </del>
	Physical Collocation - Security Access - Milar Key, per Key  Stolen Key, per Key			CLO	PE1AL		13.01									
CFA	otolon rtoy, por rtoy		<del>                                     </del>	1020	- L 17 NL	<del> </del>	10.01		<b></b>	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	t	<b> </b>	<b> </b>
0.7	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.43									
Cable	Records				1									L		ļ
	Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable			CLO	PE1CU	10.97										
	record Recurring Collocation Cable Records - VG/DS0 Cable, per each			CLO	PE1CE	5.29				<u> </u>						
	100 pair	L	ļ	CLO	PE1CT PE1C2	0.08			ļ	<u> </u>	<b>+</b>	<b></b>	-	<u> </u>		<del> </del>
	Recurring Collocation Cable Records - DS1, per T1TIE															

Version: 2Q06 Standard ICA 06/13/06

COLLC	CATI	ON - Louisiana											-	Attachment:	4 Exh C		
·····			Γ			T						Svc Order		Incremental		Incremental	Incrementa
ATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Charge -	Charge -	Charge -
														1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>	ļ		ļ	Rec	Nonrec			g Disconnect				Rates(\$)	,	
-		Recurring Collocation Cable Records - Fiber Cable, per 99 fiber	<del> </del>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		records	-		CLO	PE1CG	1.37										
		Physical Collocation, Cable Records, CAT5/RJ45	l	†	CLO	PE1C6	0.04				-						
1	∕irtual	to Physical									<u> </u>					<del> </del>	1
		Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
		Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
		Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
		Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
		Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		22.52									
		Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			cro	PE1BP		22.52									
		Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1B\$		32.74									
		Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit æ Cable			cro	PE1BE		32.74	***								
-		Physical Collocation - Fiber Cable Installation, Pricing, non-									ļ				L		<b>_</b>
_		recurring charge, per Entrance Cable Physical Collocation - Fiber Cable Support Structure, per		ļ	CLO	PE1BD		841.54									
		Entrance Cable Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PE1PM	18.31										1
		Fiber		1	CLO	PE1ED		3.88									
		OCATION							***								
/	Applica																
		Virtual Collocation - Application Fee		<del> </del>	AMTFS	EAF		1,770.40									
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application Virtual Collocation Administrative Only - Application Fee			AMTES	VE1CA VE1AF		583.30									
- 5		Preparation		<u> </u>	AMTFS	VEIME		741.97			<b></b>						
- 1	<u>'                                    </u>	Virtual Collocation - Floor Space, per sq. ft.	<del>                                     </del>	<del>                                     </del>	AMTFS	ESPVX	3.20			<b> </b>	ļ	+				<del> </del>	<del> </del>
F	ower											+					
I.		Virtual Collocation - Power, per fused amp			AMTES	ESPAX	8.32										
C	ross C	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	<u> </u>	LIFANII LIFA LIDA	ļ				ļ							
					UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX,												
		Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX UEA, UHL, UCL,	UEAC2	0.0296	11.94	11.46								
		Virtual Collocation - 4-wire cross-connect, loop, provisioning		ļ	UDL, UNCVX, UNCDX	UEAC4	0.0591	12.04	11.53								
		Virtual collocation · Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	1.04	21.39	15.47								
		Virtual collocation - Special Access & UNE, cross-connect per			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX,												
		DS3	L	<u> </u>	UNLD3	CND3X	13.21	20.28	14.76	l	<u> </u>						

COLLO	CATI	ON - Louisiana												Attachment:	4 Exh C		
				Г										Incremental	Incremental	Incremental	1
CATEGOF	RΥ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurrin	g Disconnect		<u> </u>		Rates(\$)		
							riec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.65	20.29	14.76								
		Virtual Collocation - 4-Fiber Cross Connects	-		UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.31	24.81	19.29								
		Nistral Callesolisa Ca Cania Casa Casa A-/Disat Casa 4															1
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001	1			1						1
		r loci Cable Support Structure, per linear locit, per cable			AWITS	VETOD	0.001					+	<u> </u>		-		
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
					UEPSX, UEPSB,												
		Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0296	11.94	11.10								1
		Virtual Collocation 4-Wire Cross Connect, Port				VE1R2 VE1R4	0.0296	12.04	11.46 11.53		<del> </del>	<del></del>			<u> </u>		<del></del>
CF	FA	Villada Salissadari i Villa Sicos Salineat, i dit		<u> </u>	OCT DD, OCT CX	VEIII	0.0331	12.04	11.55		<del></del>						
		Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request			AMTES	VE1QR		77.43									
Ca		Records								'							
		Virtual Collocation Cable Records - per request(LA only) Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTFS	VE1BG	10.97										<del></del>
		Virtual Collocation Cable Records - VG/DSU Cable, per cable record(LA only)  Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BH	5.29										
1		100 pair(LA only)	İ	1	AMTES	VE1BJ	0.08										1
		Virtual Collocation Cable Records - DS1, per T1TIE(LA only)				VE1BK	0.04				t	<del> </del>					
		Virtual Collocation Cable Records - DS3, per T3TIE(LA only)				VE1BL	0.13		•			<del> </del>					·
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records(LA only)			AMTFS	VE1BM	1.37										
		Virtual Collocation Cable Records - CAT 5/RJ45 (LA only)			AMTFS	VE1B6	0.04										
Se	curit											I					
		Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		16.44	10.42								
		Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		21.41	13.45					!			
		scheduled work day			AMTFS	SPTPX		26.38	16.49								ĺ
Ma	ainter	nance	<b></b>	$\vdash$				20.00	10.43	<b> </b>	<del> </del>	<del> </del>	<del> </del>				<u> </u>
		Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.12	10.42								
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.42	13.45								
	. Aug :-	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		43.72	16.49			ļ					
En	itrane	ce Cable Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX		841.54									
		Virtual Collocation - Cable Support Structure, per cable			AMTES	ESPSX	16.02	041.54			<del> </del>	<del> </del>					<u> </u>
COLLOCA	TION	I IN THE REMOTE SITE	<b></b>			20,00	10.02			<del> </del>	<del> </del>	+	<del> </del>				( <del></del>
		al Remote Site Collocation										<del>                                     </del>					i
1	•	Physical Collocation in the Remote Site - Application Fee	l		CLORS	PE1RA		298.80		<del> </del>	1						
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01									
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		112.52									

OLLOCAL	TION - Louisiana		т.										Attachment:			<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect		-	oss	Rates(\$)		<del></del>
						Rec	First	Addʻi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47								ŀ	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21									
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLORS	PE1BT		16.44	10.42							•	
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,	l	,													
	per half hour		<u> </u>	CLORS	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort for Premium Time -	ŀ	ŀ			1										
	outside of scheduled work day, per half hour		ļ	CLORS	PE1PT		26.38	16.49								
Adjac	ent Remote Site Collocation		<b>.</b>													ļ
	Remote Site-Adjacent Collocation-Application Fee		ļ	CLORS	PE1RU		755.62	755.62								
	Describe City Adjusted College Co. D. 15 Adjust Co.			0.000	DE.DT											
_	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										ļ
	Barrata 6th Adiracat Calles dia 40 Barrata			01.000	DE . DO		+									
NOTE	Remote Site-Adjacent Collocation - AC Power, per breaker amp	L		CLORS	PE1RS	6.27		<del></del>								
	: If Security Escort and/or Add'l Engineering Fees become nec Il Remote Site Collocation	essary 1	ror adja	cent remote site coi	ocation, the	Parties will ne	gotiate approp	riate rates.								ļ
Virtua				VEADO	VELDE		044.70		200.00							
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		614.73		336.08							ļ
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	257.01										
	Virtual Collocation in the Remote Site - Space Availability Report		<del>                                     </del>	VEINS	VEING	257.01										ļ
	per Premises requested		i	VE1RS	VE1RR		231.49									
_	Virtual Collocation in the Remote Site - Remote Site CLLI Code		<del> </del>	VEINS	VEINN		231.49									<del></del>
	Request, per CLLI Code Requested			VE1RS	VE1RL		75.02									
ACENT C	OLLOCATION		<del> </del>	VEITIO	VETTL		73.02									
	Adjacent Collocation - Space Charge per Sq. Ft.		<u> </u>	CLÓAC	PE1JA	0.0552										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<del></del>	CLOAC	PE1JC	5.61							_			
	A Square Control of Electrical Facility Charge per Elinear Ft.		<del> </del>	OLONO	1 2100	J.01										
				UEANL, UEQ, UEA, U		l										
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PE1JE	0.0245	11.94	11.46								
_	Adjacent Collocation - 4-Wire Cross-Connects		<del>                                     </del>		PE1JF	0.0491	12.04	11.53								
	Adjacent Collocation - DS1 Cross-Connects		t	USL	PE1JG	0.9605	21.39	15.47								
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	13.01	20.28	14.76								<del> </del>
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.20	20.28	14.76	-							
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.21	24.81	19.29								
	Adjacent Collocation - Application Fee		T	CLOAC	PE1JB		1,543.20									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate									-						
	per AC Breaker Amp		l	CLOAC	PE1JL	5.45	I					1				1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		l .									_				
	per AC Breaker Amp			CLOAC	PE1JM	10.92	I									1
	Adjacent Collocation - 120V, Three Phase Standby Power Rate					******								•		
	per AC Breaker Amp		l	CLOAC	PE1JN	16.37	I									1
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
L	per AC Breaker Amp		1	CLOAC	PE1JO	37.80	l								•	1
	Rates displaying an "I" in Interim column are interim as a resu	It of a f	Commi	ssion order				***								

COLLOCAT	ION - Mississippi												Attachment:	4 Exh C		1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
												<u></u>				
					<u> </u>	Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1						1					ļ
	LLOCATION															
Applic																
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,890.38				<del> </del>					<u> </u>
	Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1CA		1,575.69									
	Connect, Application Fee, per application			CLO	PE1DT		583.13				i	ļ				
-	Physical Collocation Administrative Only - Application Fee		<del>                                     </del>	CLO	PE1BL		740.76				<del></del>	<del></del>			ļ	
	Physical Collocation - Application Cost, Simple Augment		-	CLO	PE1KS		597.34	<del></del>	1.22						<u> </u>	
	Physical Collocation - Application Cost, Minor Augment	ļ		CLO	PE1KM	-	837.57		1.22		+		<del></del>			-
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,063.00		1.22		<del> </del>				<b>-</b>	<del></del>
	Physical Collocation - Application Cost - Major Augment		<del> </del>	CLO	PE1KJ		2,422.00		1.22		1				<del> </del>	
Space	Preparation		<b>†</b>				2, 722.00		1.6.6	<u> </u>	+	<u> </u>	t		<del> </del>	<del> </del>
	Physical Collocation - Floor Space, per sq feet		<b>†</b>	CLO	PE1PJ	5.74					<u> </u>				<b>†</b>	<b></b>
	Physical Collocation - Space Enclosure, welded wire, first 50								-		1				<b></b>	
	square feet			CLO	PE1BX	165,23									ļ	
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	183.20					1					
	Physical Collocation - Space enclosure, welded wire, each							•		· · · · · · · · · · · · · · · · · · ·	1					
	additional 50 square feet			CLO	PE1CW	17.97					1					
	Physical Collocation - Space Preparation - C.O. Modification per		T								1					
	square ft.			CLO	PE1SK	2.30								i	1	
	Physical Collocation - Space Preparation, Common Systems										1					
	Modifications-Cageless, per square foot			CLO	PE1SL	2.52									1	ŀ
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	85.67	l l				1					
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		604.19								1	
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		1,081.40									
Power			1								<u> </u>					
1	Physical Collocation - Power, -48V DC Power - per Fused Amp		j						1							1
	Requested			CLO	PE1PL	7.33										<b></b>
	Physical Collocation - Power, 120V AC Power, Single Phase,													ŀ		1
	per Breaker Amp		ļ	CLO	PE1FB	5.29					ļ	ļ				ļ
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp		ļ	CLO	PE1FD	10.58			ļ	ļ	<del> </del>					
	Physical Collocation - Power, 120V AC Power, Three Phase, per				DE . E E	45.07				ļ						
	Breaker Amp			CLO	PE1FE	15.87					ļ		-			
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	36.65				-	1					
C	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orto)	-	CLO	FEIFG	30.00			<del> </del>	<del></del>	<del> </del>		<del>                                     </del>			
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	ļ	UEANL,UEQ,						ļ	<del> </del>		<del> </del>			<del> </del>
+				UNCNX, UEA, UCL,												
				UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
	1 Trysteat Collectation - 2-wire cross-connect, 100pt, provisioning		<del>                                     </del>	UEA, UHL, UNCVX,	16112	0.0200	12.07	11.07	0.04	9.49	+	·	<b> </b>	<b>!</b>		
	Physical Collocation - 4-wire cross-connect, loop, provisioning	1		UNCDX, UCL, UDL	PE1P4	0.0576	12.47	11.94	6.59	5.91	1	1		I		
	1 hysical contocation - 4 wife cross-connect, loop, provisioning			WDS1L, WDS1S,	1 - 11 -	0.0070		11.54	0.55	0.01	<del>                                     </del>	<u> </u>	<del> </del>	<del> </del>		
				UXTD1, ULDD1,												
				USLEL, UNLD1,	1							İ			l	
		1		U1TD1, UNC1X,	1					ĺ	1	l		I		
ŀ		1		UEPSR, UEPSB,	1						1	l		I	1	
	L	l		UEPSE, UEPSP,	1						1	l		I	ŀ	1
	Physical Collocation -DS1 Cross-Connect for Physical	l		USL, UEPEX,						l	1			!		1
1	Collocation, provisioning	l	l	UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97	1	L	L	L	<u> </u>	<u></u>

	ATION - Mississippi	Ι			T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually per LSR	Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		-					Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,			04.04	15.00	7.64	6.10						
	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1P3	14.49	21.01	15.29	7.61	6.10						
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10						1
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	5.10	25.70	19.97	10.01	8.50						<del>                                     </del>
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001		i								
-+	Physical Collocation - Co-Carrier Cross Connect/Direct Connect			020	LILO	0.001										
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0015										
				UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port	-		UEPEX, UEPDD	PE1R4	0.0266	12.47	11.94	6.59	5.91		15.75				1
Sec	purity	1		021 27, 021 55												
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		17.02	10.79								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,			CLO	PE1OT		22.17	13.94								
	per half hour  Physical Collocation - Security Escort for Premium Time -			CLO	FEIOI		22.17	13.84			<del>                                     </del>					<b>—</b>
	outside of scheduled work day, per half hour  Physical Collocation - Security Access System, Security System			CLO	PE1PT		27.32	17.08			ļ					1
	per Central Office Physical Collocation -Security Access System - New Card	,		CLO	PE1AX	75.23					ļ <u>-</u>					
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0576	27.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card	1		CLO	PE1AA		7.84									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.91									
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or	-		CLO	PE1AK		13.17						-		-	
	Stolen Key, per Key	-	<b> </b>	CLO	PE1AL		13.17				+				<del>                                     </del>	+
CF	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request	<del>                                     </del>		CLO	PE1C9		77.41									
Ca	ple Records - Note: The rates in the First & Additional columns w	ill actua	lly be	billed as "Initial I" a	nd "Subsequ	ent S" respectiv	vely									
	Physical Collocation - Cable Records, per request		Ĺ	CLO	PE1CR		763.69	S 490.94	133.77			-	ļ			
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)		ļ	CLO	PE1CD		328.81		190.22		ļ	ļ				
	Physical Collocation, Cable Records, VG/DS0 Cable, per each	1	1	1	1	1			5.93				1	1		
	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE		ļ	CLO	PE1CO PE1C1		4.84 2.27		2.78			<del></del>		<del> </del>		

COLL	OCATI	ON - Mississippi												Attachment:	4 Exh C	I	
			I .	Г	T	<u> </u>	[					Svc Order	Svc Order	Incremental		Incremental	Incrementa
				1								Submitted		Charge -	Charge -	Charge -	Charge -
				1		1						Elec	Manually	Manual Svc		Manual Svc	_
CATEG	OBV	RATE ELEMENTS	Interi	Zone	BCS	usoc	İ		RATES(\$)							Order vs.	Order vs.
CATEG	UNI	NATE ELEMENTS	m	2000	DC3	0300			117.150(4)			per LSR	per LSR	Order vs.	Order vs.		
				1										Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<sub>1</sub>				<del> </del>		<del> </del>	1	Nonrec	urring	Nonrecurring	Disconnect		L	220	Rates(\$)		
				+			Rec -	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Dh College Colleg		1				FIISt	Addi	riist	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	JOWAN
		Physical Collocation - Cable Records, Fiber Cable, per cable			CLO	PE1CB	ļ .	04.00		77.58							
		record (maximum 99 records)		<del> </del>	CLO			84.98				<b></b>					
		Physical Collocation, Cable Records, CAT5/RJ45		ļ	CLO	PE1C5		2.27		2.78		<b></b>					
		to Physical	<u> </u>	<b>├</b>								ļ				ļ	
		Physical Collocation - Virtual to Physical Collocation Relocation,	1	1								-					
		per Voice Grade Circuit		1	CLO	PE1BV	ļ	33.00									ļ <u>.</u>
		Physical Collocation - Virtual to Physical Collocation Relocation,				Į.											
		per DSO Circuit			CLO	PE1BO		33.00									
		Physical Collocation - Virtual to Physical Collocation Relocation,					1										1
		per DS1 Circuit			CLO	PE1B1		52.00									
		Physical Collocation - Virtual to Physical Collocation Relocation,															
		per DS3 Circuit			CLO	PE1B3	]	52.00				1		1			
		Physical Collocation - Virtual to Physical Collocation In-Place,	T	T	1	1											
	ŀ	Per Voice Grade Circuit			CLO	PE1BR		22.54					ŀ	l			
		Physical Collocation Virtual to Physical Collocation In-Place, Per	· · · · ·	1			<u> </u>										
		DSO Circuit			CLO	PE1BP		22.54									
		Physical Collocation - Virtual to Physical Collocation In-Place,	1	<b>-</b>	OLO	1 2 7 5 7	· · · · · · · · · · · · · · · · · · ·	ZE.94				<del> </del>					· ·
i i	i	Per DS1 Circuit			CLO	PE1BS	,	32.78							i		
				+	CLO	PEIDS	<del> </del>	32.76					<b> </b>				
i l		Physical Collocation - Virtual to Physical Collocation In-Place,	i		0.0	D=+D=						ł	i			Ì	
		per DS3 Circuit	<u> </u>	ļ	CLO	PE1BE	<u> </u>	32.78									
	Entran	ce Cable	ļ													<u> </u>	ļ
		Physical Collocation - Fiber Cable Installation, Pricing, non-				1		i				ļ				i	
		recurring charge, per Entrance Cable			CLO	PE1BD		926.27		22.62		ļ					
		Physical Collocation - Fiber Cable Support Structure, per	l				1										
		Entrance Cable	l	1	CLO	PE1PM	17.42										
		Physical Collocation - Fiber Entrance Cable Installation, per	T													1	
		Fiber		1	CLO	PE1ED		3.89		ļ							1
VIRTUA	AL COLI	LOCATION	†	-										<del> </del>		· · · · · · · · · · · · · · · · · · ·	i -
	Applica		<u> </u>	+												<del> </del>	†
	1.19.17.03	Virtual Collocation - Application Fee	<del> </del>	+	AMTES	EAF	<del> </del>	1,212.25		0.51		<del> </del>		<del> </del>			···
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	<del> </del>	+	744110	1274	<del>                                     </del>	1,212.20		0.01		<del> </del>	<del> </del>	<b></b>			<del> </del>
		Application Fee, per application	1		AMTES	VE1CA		583.13							ŀ		
-		Virtual Collocation Administrative Only - Application Fee	<del> </del>	+	AMTES	VETAF	<del> </del>	740.76		<del>                                     </del>						·	<del> </del>
				-	AWIIFO	VETAP		740.76		<del> </del>		<b></b>					
	Space	Preparation	<b>├</b>	<del> </del>												ļ	-
		Virtual Collocation - Floor Space, per sq. ft.		1	AMTES	ESPVX	5.74										
	Power			<u> </u>		<u> </u>											
		Virtual Collocation - Power, per fused amp		ļ	AMTFS	ESPAX	7.33										
	Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
					UEANL, UEA, UDN,							i				1	
					UAL, UHL, UCL,							1					
	ŀ				UEQ, UNCVX,	1	i					1					
		Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45	1					
			<b>†</b>	1	UEA, UHL, UCL,	1	1					· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·
					UDL. UNCVX.							1				1	
		Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91	1		}			
-	<b>-</b>	Timed Constitution 4 wife cross connect, loop, provisioning	<del> </del>	+	ULR, UXTD1,	102,101	0.0000	16.71	11.07	0.00	3.51	<b> </b>		†		1	1
	ĺ		1	1	UNC1X, ULDD1,	1				1		1		1	l		
	l		1	1	U1TD1, USLEL,	1				1	1	1	1	i	l	1	
	l	Visitual Callegation Consist Assess 9 1 MJC areas	1	1		1		i		1	1	1	1	l		1	
	l	Virtual Collocation - Special Access & UNE, cross-connect per	1	1	UNLD1, USL,	CNOW	1	on : -	40.00				1		1	1	1
	ļ	DS1	<u> </u>	-	UEPEX, UEPDX	CNC1X	1.14	22.16	16.02	6.60	5,97	<del> </del>					
	İ		1	1	USL, UE3, U1TD3,	1	1			1							1
	l		1	1	UXTS1, UXTD3,	1				1			1		1		
	İ		1	ı	UNC3X, UNCSX,	1				1			1				l
1	[		1	1	ULDD3, U1TS1,	1				1							1
	l	Virtual collocation - Special Access & UNE, cross-connect per	1	1	ULDS1, UDLSX,					1	1	1	1		1		
		DS3		1	UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10	1	1	1	1	1	1

COLLO	CATI	ON - Mississippi												Attachment:	4 Exh C		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(S)	I. Namana in an in an in an in an in an in an in an in an in an in an in an in an in an in an in an in an in a		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
-				<del> </del>			Rec	Nonrec		Nonrecurring					Rates(\$)		
				<del> </del>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50						
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTES	VE1CD	0.0015										
		Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0268	12.37	11.87	6.04	5.45				<u> </u>		
<del>                                     </del>	FA	vinuai Conocation 4-Wire Cross Connect, Port	<del> </del>		UEPDD, UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91		-				
		Virtual Collocation - CFA Information Resend Request, per		<u> </u>	AMTFS	VE100											
<del></del>	able F	Premises, per Arrangement, per request lecords - Note: The rates in the First & Additional columns wi	:114			VE1OR	1.0"	77.41									
<b>├</b>	able	Virtual Collocation Cable Records - per request	III açtua				t 5 respective		100.01	400 77							
		Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		763.69 328.81	490.94	133.77 190.22							
		Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4.84		5.93							
		Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27		2,78							
		Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92		9.72							
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.98		77.58							
		Virtual Collocation Cable Records - CAT 5/RJ45	<b>.</b>	ļ	AMTES	VE1B5		2.27		2.78							
		y Virtual collocation - Security escort, basic time, normally scheduled work hours			AMTFS	SPTBX		17.02	10.79								
		Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day			AMTES	SPTOX		22.17	13.94						-		
		Virtual collocation - Security escort, premium time, outside of a scheduled work day			AMTFS	SPTPX		27.32	17.08								
IN.	lainter		<del> </del>	<del> </del>		<del> </del>	ļ										
-+		Virtual collocation - Maintenance in CO - Basic, per half hour	<del> </del>		AMTES	CTRLX		28.09	10.79								
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM		36.69	13.94								
E	ntranc	Virtual collocation - Maintenance in CO - Premium per half hour ce Cable			AMTFS	SPTPM		45.28	17.08								
		Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		926.27		22.62							
		Virtual Collocation - Cable Support Structure, per cable	ļ	<b></b>	AMTFS	ESPSX	15.24										
		IN THE REMOTE SITE		<u> </u>		1											ļ
P		I Remote Site Collocation		ļ	0.000	l											<u> </u>
		Physical Collocation in the Remote Site - Application Fee	L	<b>├</b>	CLORS	PE1RA		309.48		168.63							<u> </u>
		Cabinet Space in the Remote Site per Bay/ Rack	-		CLORS	PE1RB PE1RD	210.05	10 17									
		Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability Report per Premises Requested		<b> </b>	CLORS	PE1SR		13.17							<u> </u>		

DLLOCA	TION - Mississippi												Attachment:			
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		i					Nonrec	urring	Nonrecurring	Disconnect	ļ	<del></del>	OSS	Rates(\$)		
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77									
-+	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		<del> </del>	CLORS	PE1RR		233.14		ļ		<del> </del>					-
	Physical Collocation - Security Escort for Basic Time - normally		<del> </del>	CLORS	FEIRN		233.14									
ľ	scheduled work, per half hour			CLORS	PE1BT		17.00	10.70		f						
	Physical Collocation - Security Escort for Overtime - outside of		-	CLUNS	PEIBI		17.02	10.79			ļ <u></u>					ļ
	normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		22.17	13.94								
- 1	Physical Collocation - Security Escort for Premium Time -	1														
	outside of scheduled work day, per half hour	1		CLORS	PE1PT		27.32	17.08						ŀ		1
Adja	cent Remote Site Collocation										<del> </del>			1		1
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								<del></del>
											1	-				
-	Remote Site-Adjacent Collocation - Real Estate, per square foot	-		CLORS	PE1RT	0.134										ļ
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		ļ	CLORS	PE1RS	6.27										
NOTI	E: If Security Escort and/or Add'l Engineering Fees become nec	essary	for adja	cent remote site col	location, the	Parties will neg	otiate approp	riate rates.								
Virtu	al Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee	1		VE1RS	VE1RB		309.48		168.63	<u> </u>	<u> </u>					
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	210.05										
	Virtual Collocation in the Remote Site - Space Availability Report								·			1				<del> </del>
	per Premises requested			VE1RS	VE1RR		116.54							1		
	Virtual Collocation in the Remote Site - Remote Site CLLI Code		1													
	Request, per CLLI Code Requested			VE1RS	VE1RL		37.77									
ACENT (	COLLOCATION		1													<b></b>
	Adjacent Collocation - Space Charge per Sq. Ft.	t	<b>—</b>	CLOAC	PE1JA	0.0678				·	<del> </del>					<del></del>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	<b></b>		CLOAC	PE1JC	4.68										
	and the state of t	t	<del> </del>	0207.0	1 2100	4.00										
Į		!		UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects	İ	ľ	CL, UAL, UHL, UDN	PE1 IE	0.0223	12.37	11.87	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects	<del>                                     </del>		UEA,UHL,UDL,UCL		0.0446	12.47	11,94	6.59	5.91	<del> </del>					
+-	Adjacent Collocation - DS1 Cross-Connects				PE1JG	1.05	22.16	16.02	6.60	5.97	<del> </del>					ļ
+	Adjacent Collocation - DS3 Cross-Connects				PE1JH	14.27	21.01	15.29	7.61	6.10				ļ		<del> </del>
<del> </del>	Adjacent Collocation - 2-Fiber Cross-Connect	t		CLOAC	PEIJJ	2.42	21.01	15.29	7.61	6.10	<del> </del>	ļ			ļ	<del></del>
	Adjacent Collocation - 4-Fiber Cross-Connect	t	<del> </del>	CLOAC	PE1JK	4.62	25.70	19.97	10,01	8.50	<del> </del>	<b>_</b>		<b>_</b>		<del></del>
	Adjacent Collocation - Application Fee	<del>                                     </del>	1-	CLOAC	PEIJB	7.02	1,585.83	19.97	10.01	6.50	<del> </del>			<u> </u>		
+-	Adjacent Collocation - Application - ee  Adjacent Collocation - 120V, Single Phase Standby Power Rate	<del> </del>	<del> </del>	OLO/AO	1 - 130	<del> </del>	1,000.00				<del> </del>	<del> </del>		<del> </del>		<del></del>
	per AC Breaker Amp	1		CLOAC	PE1JL .	5.29					1					
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	<del></del>		OLONO	I E IVL	5.29					<b>_</b>	<b></b>		<b>_</b>	L	+
	per AC Breaker Amp			CLOAC	PE1JM	10.50	ļ							l		
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	<b> </b>	<del> </del>	CECAC	FEIJIVI	10.58			<u> </u>							<b></b>
				CLOAC	PE1JN	15.87							L			
	per AC Breaker Amp			OLUTIO												
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.65										

COLLOCAT	ION - North Carolina												Attachment:	4 Exh C	L	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	,		RATES(\$)			Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
			<b></b>				*1		_ N	D:		l	000	D-4(ft)	l	L
			┼──			Rec	Nonrec First		Nonrecurring		201150	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		ļ	<del> </del>		<del> </del>		FIRST	Add'l	First	Add'l	SOMEC	SUMAN	SOWAN	SUMAN	SUMAIN	SUVIAN
HASICAL CO	DLLOCATION	-	+									<b></b>			· · · · · · · · · · · · · · · · · · ·	<del> </del>
Applic			<del> </del>		1						<del> </del>	<del> </del>				
- Ppin	Physical Collocation - Initial Application Fee			CLO	PE1BA	<del> </del>	2,322.00				<del> </del>					<del></del>
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,311.00					-				
	Physical Collocation - Co-Carrier Cross Connects/Direct		<del> </del>	0.0	1.2.0.	- 1	2,017.00			<u> </u>	<del>                                     </del>	·				
	Connect, Application Fee, per application		1	CLO	PE1DT		317.20									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.44									
	Physical Collocation - Application Cost, Simple Augment		1	CLO	PE1KS		269.83		1.15							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		493.40		1.15							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,012.00		1.15							
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,343.00		1.15							
Space	Preparation															L
	Physical Collocation - Floor Space, per sq feet		<del> </del>	CLO	PE1PJ	2.69										ļ
i	Physical Collocation - Space Enclosure, welded wire, first 50														i	
	square feet			CLO	PE1BX		534.44				ļ					
i	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	DEADIM		550.04									
	Physical Collocation - Space enclosure, welded wire, each		-	CLO	PE1BW		559,81									<del></del>
	ladditional 50 square feet			cro	PE1CW		05.07									
	Physical Collocation - Space Preparation - C.O. Modification per	-		CLO	PEICW		25.37									<del></del>
	square ft.			CLO	PE1SK	2.42									1	
	Physical Collocation - Space Preparation, Common Systems		<b></b>	CLO	FEISK	2.42										<del> </del>
ł	Modifications-Cageless, per square foot			CLO	PE1SL	2.88										
-	Physical Collocation - Space Preparation - Common Systems	-	ļ	CLO	FEISE	2.00					-	-				
	Modifications-Caged, per cage	ŀ	1	CLO	PE1SM	97.98	-									
	Physical Collocation - Space Preparation - Firm Order		<u> </u>	020	1 2,000	07.00					- "				<del></del>	
	Processing	İ	Ī	CLO	PE1SJ		1,196.00									
	Physical Collocation - Space Availability Report, per Central						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					·			···	·
	Office Requested			CLO	PE1SR	i	2,140.00									
Power			T		1									<del></del>		
	Physical Collocation - Power, -48V DC Power - per Fused Amp													-		
	Requested			CLO	PE1PL	7.65										l
	Physical Collocation - Power, 120V AC Power, Single Phase,	· ·														
	per Breaker Amp			CLO	PE1FB	5.50										
İ	Physical Collocation - Power, 240V AC Power, Single Phase,		i													1
	per Breaker Amp		ļ	CLO	PE1FD	11.01		-								<b></b>
	Physical Collocation - Power, 120V AC Power, Three Phase, per						1									1
	Breaker Amp		ļ	CLO	PE1FE	16.51										-
	Physical Collocation - Power, 277V AC Power, Three Phase, per			0.0							i				1	1
	Breaker Amp	I	ļ. —	CLO	PE1FG	38.12										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	-	UEANL,UEQ.	ļ											<del></del>
		!		UNCNX, UEA, UCL.	i l						i				!	1
				UAL, UHL, UDN,												1
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0309	19.77	14.95							•	1
	1 Hydrodi Gollodalon 2 Wile Gross Connect, 1869, providening		<del> </del>	UEA, UHL, UNCVX,	1 5 11 5	0.0000	13.77	14.33							····	
ı	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0618	19.95	15.05								l .
	, and a second s			WDS1L, WDS1S,	:- <del>-</del>	3.0013	10.00	10.00	<del> </del>							
				UXTD1, ULDD1,												1
		1		USLEL, UNLD1,												1
		1		U1TD1, UNC1X,			ŀ									1
			ŀ	UEPSR, UEPSB,			į									1
			1	UEPSE, UEPSP,												1
	Physical Collocation -DS1 Cross-Connect for Physical	1	1	USL, UEPEX,												1
1	Collocation, provisioning		L	UEPDX	PE1P1	1.38	39.15	23.20	<u> </u>							

CATEGORY   PATE BLANKTS   1966   1965   1960   19	COLLOC	ATION - North Carolina											-	Attachment:	4 Exh C		
Mile   Windows   Mile   Windows   Mile   Windows   Mile   Windows   Window				Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc
Mile   Windows   Mile   Windows   Mile   Windows   Mile   Windows   Window	$\vdash$			-		-	1	Nonre	curring	Nonrecurring	Disconnect	-		220	Rates(\$)	l	L
Care   Care	<del>  </del>		<b></b>	<del> </del>	<u> </u>	1	Rec					SOMEC	SOMAN			SOMAN	SOMAN
WOTE A WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 2, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 1, WITS 2, WITS					UE3 111TD3	<b>+</b>		riist	Auui	11151	Addi	SOMEC	SOMAN	JOINAN	JOINAN	JOWAN	JOWAN
Physical Collection - 2-Fiber Cores-Connect   Displayer   Displa					UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX,												
CLO   LEDGE   LID   LI	1 1	Physical Collocation - DS3 Cross-Connect, provisioning				PE1P3	17.62	38.25	21.94								
Physical Celecution - 4-Reg Closs-Connect   UDCAS , UD172					CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3,												
Physical Collectation - Courter Cross Connect United   Connect - Fiber Cable Support Structure, per Innear foot, per   Co.	1						l										
Physical Collectation - Co-Carnet Cross Connectificities   CLO   PETES   0.0002	1 1	Physical Collocation - 4-Fiber Cross-Connect				PE1F4	6.20	43.96	26.17								
CLO   PELS   0.0028						1											
Physical Colocation - Co-Carrier Cross Connect Conne	1 1	Connect - Fiber Cable Support Structure, per linear foot, per		l								1					
CopperCoss Cable Support Structure, per linear foot, per cable   CLO   PEIDS   0.0041					CLO	PE1ES	0.0028										
Cable   Cable   City   Cable   City   Cable   City   Cit			1														
Physical Collocation 2-Wire Cross Connect, Port   UEPSE, UEPSB, UEPBB, UEPBB, UEPBB, UEPBB, UEPBB,				l		1						l					
Physical Collocation 2-Wire Cross Connect, Port   UEPSX, UEPSC   PETR2   0.0309   19.77   14.95   26.94   12.76		cable.				PE1DS	0.0041										
Physical Collocation - Wine Cross Connect, Port   UEPSX, UEPC/   PE1R2   0.0309   19.77   14.95   26.94   12.76     Physical Collocation - Security Escort for Basic Time - normally scheduled work, get half hour   CLO   PE1BT   33.68   21.34																	
Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour   CLO   PETBT   33.68   21.34		Physical Collocation 2-Wire Cross Connect, Port		l		PE1R2	0.0309	19.77	14.95					26.94	12.76		
Physical Collocation - Security Escot for Basic Time - normally scheduled with per half hour Physical Collocation - Security Escot for Overtime - outside of normally scheduled working hours a scheduled work day, per half hour CLO PETOT 43.87 27.57 Physical Collocation - Security Escot for Premium Time - outside of scheduled working hours a scheduled working hours on a scheduled work day, per half hour CLO PETOT 43.87 27.57 Per hours of the physical Collocation - Security Escot for Premium Time - outside of scheduled work day, per half hour CLO PETOT 43.87 27.57 Per hours of the physical Collocation - Security Recess System - Security System per Central Office, per Sq. 14.  Physical Collocation - Security Access System - Security System per Central Office, per Sq. 14.  Physical Collocation - Security Access System - New Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation, per Card Activation (First), per State Close PETAT 15.50 Per hours of Collocation - Security Access System - Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or South Access System - Replace Lost or South Access System - Replace Lost or Clo PETAT 15.00 PETAT 15.								19.95				·					
Scheduled work, per half hour	Sec																-
normally scheduled working hours on a scheduled work day, per half hour   CLO   PETOT   43.87   27.57		scheduled work, per half hour			CLO	PE1BT		33.68	21.34								
Outside of scheduled work day, per half hour		normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		43.87	27.57								
Physical Collocation - Security Access System - New Card   Physical Collocation - Security Access System - New Card   Activation, per Card Activation (First), per State   CLO   PETAT   0.0622   15.00	1 1					Ī											
Der Central Office, per Sq. Ft.   CLO   PE1AV   0.0135				<u> </u>	CLO	PEIPI		54.06	33.80								
Activation, per Card Activation (First), per State		per Central Office, per Sq. Ft.			CLO	PE1AY	0.0135										
Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card CLO PETAA 15.51  Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card CLO PETAR 15.00  Physical Collocation - Security Access - Initial Key, per Key CLO PETAR 15.00  Physical Collocation - Security Access - Initial Key, per Key CLO PETAR 15.00  CFA  Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PETAR 15.00  CFA  Physical Collocation - CFA Information Resend Request, per permises, per arrangement, per request Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial II" and "Subsequent S" respectively Physical Collocation, Cable Records, per request CLO PETCD 62.69 622.69 346.35 346.35  Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, DST, per T1 TIE CLO PETCD 4.35 4.35 5.11 5.11					CLO	PE1A1	0.0622	15.00									
Stolen Card, per Card		Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15,51									
Physical Collocation - Security Access - Initial Key, per Key  Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key  CLO  PETAL  15.00  CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  CLO  PETO  PETO  77.48  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, VG/DS0 Cable, per each 200 per CLO  PETCD  PETCD  8.77  8.77  10.32  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PETCI  8.77  10.32  PETCI  8.77  10.32  10.32  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PETCI  8.77  8.77  10.32  10.32  10.32					ao	DE1AD		15.00									
Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	<del>  </del>			-													
Stolen Key, per Key	<del></del>					1 1/41		15.00				<del>                                     </del>			_	-	-
CFA		Stolen Key, per Key			Cro	PE1AL		15.00									
Description   Percent   CLO   PETC9   77.48     Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively   Physical Collocation - Cable Records, Per request   CLO   PETCR   I 1458   S 937.29   245.00   245.00   245.00   Physical Collocation - Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)   CLO   PETCD   622.69   622.69   346.35   346.35   Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair   CLO   PETCD   8.77   8.77   10.32   10.32   Physical Collocation, Cable Records, DS1, per T1 TIE   CLO   PETCI   4.35   4.35   5.11   5.11   5.11	CF	1				T						<b></b>					
Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively   Physical Collocation - Cable Records, per request					CLO	BE1CO		77.40					***************************************				
Physical Collocation - Cable Records, per request	Cat		ll actual	lly ha b			ant S" reenactiv										
Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)	Cat		n actual	y be L			an a respectiv		S 937 29	245.00	245.00	<del> </del>	ļ				
record (maximum 3600 records)	<del></del>				OLO	, cron		1430	J 331.23	245.00	245.00	<del> </del>					
100 pair		record (maximum 3600 records)			CLO	PE1CD		622.69	622.69	346.35	346.35	<u> </u>					
Physical Collocation, Cable Records, DS1, per T1 TIE         CLO         PE1C1         4.35         4.35         5.11         5.11		100 pair			CLO	PE1CO		8.77	8.77	10.32	10.32						
												<u> </u>					
		Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		15.22	15.22	17.90	17.90						,

JOLLO	CATI	ON - North Carolina												Attachment:	4 Exh C		
ATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
														1st	Addi	DISC 1St	DISC AGOT
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
				ļ			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Cable Records, Fiber Cable, per cable			0.0	05.00				i							
		record (maximum 99 records) Physical Collocation, Cable Records, CAT5/RJ45		<u> </u>	CLO	PE1CB		163.61	163.61	143.32	143.32						
W		to Physical	-		CLO	PE1C5		2.27		2.78							
		Physical Collocation - Virtual to Physical Collocation Relocation,		-						ļ							ļ <u>.</u>
		per Voice Grade Circuit	l		CLO	PE1BV		33.00									
		Physical Collocation - Virtual to Physical Collocation Relocation,		1	CLO	I LIDV		33.00				<del> </del>					
i		per DSO Circuit		1	CLO	PE1BO		33.00									
		Physical Collocation - Virtual to Physical Collocation Relocation,			1020	1 2100		00.00									
		per DS1 Circuit			CLO	PE1B1		52.00									
		Physical Collocation - Virtual to Physical Collocation Relocation,		1	<b>†</b>			52.00				<b></b>					
		per DS3 Circuit	l		CLO	PE1B3		52.00								1	
		Physical Collocation - Virtual to Physical Collocation In-Place,		l						<del>                                     </del>		<b></b>				<del>                                     </del>	<u> </u>
		Per Voice Grade Circuit			CLO	PE1BR		69.51	20.45								
		Physical Collocation Virtual to Physical Collocation In-Place, Per															
		DSO Circuit			CLO	PE1BP		69.51	20.45								
		Physical Collocation - Virtual to Physical Collocation In-Place,					_										
		Per DS1 Circuit		L	CLO	PE1BS		78.93	29.87								
		Physical Collocation - Virtual to Physical Collocation In-Place,	İ														
		per DS3 Circuit		<u> </u>	CLO	PE1BE		75.11	26.04		_						
Er		e Cable		ļ													
l		Physical Collocation - Fiber Cable Installation, Pricing, non-		ł	l., .												
-+		recurring charge, per Entrance Cable		-	CLO	PE1BD		1,233.00									
ì		Physical Collocation - Fiber Cable Support Structure, per			01.0												
		Entrance Cable		-	CLO	PE1PM	20.57										
		Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	DETED		7.70									
/IDTIIAL		OCATION		-	CLO	PE1ED		7.79									
	pplica																
<del></del>	ppiica	Virtual Collocation - Application Fee		<del> </del>	AMTFS	EAF		1,195.00	- 4/4								
-+	$\dashv$	Virtual Collocation - Application res Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,		<del>                                     </del>	AWIII	LAI.		1,195.00					-				
		Application Fee, per application			AMTFS	VE1CA		317.20									
		Virtual Collocation Administrative Only - Application Fee		<del> </del>	AMTFS	VE1AF		741,44									
Sı		Preparation		<del> </del>	741111	1.277		7 11.44	****			-					<del> </del>
		Virtual Collocation - Floor Space, per sq. ft.	ī		AMTFS	ESPVX	2.69										
Pr	ower									1							<del> </del>
		Virtual Collocation - Power, per fused amp	1	T	AMTFS	ESPAX	7.65			<u> </u>		<b></b>			-	· · · · · ·	<u> </u>
Cı	ross C	onnects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
	- 1				UEANL, UEA, UDN,												
	]			İ	UAL, UHL, UCL,					1							
				i	UEQ, UNCVX,					1		1 1					
		Virtual Collocation - 2-wire cross-connect, loop, provisioning		ļ	UNCDX, UNCNX	UEAC2	0.0225	19.77	14.95								
- 1	- 1				UEA, UHL, UCL,						•						
					UDL, UNCVX,												
$-\!\!\!\!+$		Virtual Collocation - 4-wire cross-connect, loop, provisioning		<u> </u>	UNCDX	UEAC4	0.0449	19.95	15.05								
				ł	ULR, UXTD1,												
	ĺ				UNC1X, ULDD1,												
		Virtual collocation - Special Access & UNE, cross-connect per			U1TD1, USLEL,			1									1
		VITUAL COLOCATION - Special Access & UNE, cross-connect per DS1			UNLD1, USL, UEPEX, UEPDX	CNC1V	0.410	20.15	22.22			!!	}				1
		UO I		-	USL, UE3, U1TD3,	CNC1X	0.4195	39.15	23.20								<del>                                     </del>
					UXTS1, UXTD3,												1
	ł				UNC3X, UNCSX,							[					]
					ULDD3, U1TS1,												1
	1	Virtual collocation - Special Access & UNE, cross-connect per		1	ULDS1, UDLSX,												
		vilual collocation - Special Access & UNE, closs-connect per - i															

COLLOC	CATI	ON - North Carolina												Attachment:	4 Exh C		
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Charge -	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
				<b></b>		,		Nonre	curring	Nonrecurring	Disconnect	t		OSS	Rates(\$)	·	·
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.96	38.25	21.94								
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.93	43.96	26.17								
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTES	VE1CB	0.0028										
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0041										
		Virtual Collocation 2-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0225	19.77	14.95								
		Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0449	19.95	15.05								
CF		Virtual Collocation - CFA Information Resend Request, per Premises, per Arrangement, per request	L		AMTFS	VE1QR		77.48									
Ca		Records - Note: The rates in the First & Additional columns wi	II actua	lly be b			t S" respectively										
		Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		1,458.00 622.69	937.29	245.00 346.35	245.00 346.35						
	- 1	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS AMTFS	VE1BC		8.77	8.77	10.32	10.32						
		Virtual Collocation Cable Records - DS3, per T1TIE  Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BD		4.35	4.35	5.11	5.11	ļ					ļ
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BE VE1BF		15.22 163.61	15.22 163.61	17.90 143.32	17.90 143.32						
		Virtual Collocation Cable Records - CAT 5/RJ45			AMTES	VE1B5		4.35	4.35	5.11	5.11						
Se	curity			L													
		Virtual collocation - Security escort, basic time, normally scheduled work hours  Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		33.68	21.34								
	_	normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		43.87	27.57								
M/-		scheduled work day nance			AMTFS	SPTPX	<del>                                     </del>	54.06	33.80	ļ							
Ivid		Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		52.03	21,22								
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		69.48	27.81								
En	tranc	Virtual collocation - Maintenance in CO - Premium per half hour se Cable			AMTFS	SPTPM		86.94	34.40								
		Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX		1,233.00									
100.004	TION	Virtual Collocation - Cable Support Structure, per cable IN THE REMOTE SITE		$\vdash$	AMTFS	ESPSX	13.28			ļ							
		IN THE REMOTE SITE								ļ l		ļ					
- I'm		Physical Collocation in the Remote Site - Application Fee		<b> </b>	CLORS	PE1RA	<del> </del>	589.38		258.38						<u> </u>	
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	218.07	369.38		258.38		<del>                                     </del>				<del></del>	
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		15.00									
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		215.55									

OLLUCA	ION - North Carolina		, ,								T	Ta	Attachment:		ļ <del></del>	<del> </del>
													Incremental		Incremental	1
												Submitted	Charge -	Charge -	Charge -	Charge -
	DATE	Interi	l_					D. T. T. C. (A)			Elec	Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	l m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
			1										1st	Add'l	Disc 1st	Disc Add'
		1	1				Nonrec	urring	Nonrecurring	Disconnect	<del> </del>	L	OSS	Rates(\$)	l	l
		<b>-</b>	<b> </b>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Reguest, per CLLI Code Requested	ŀ		CLORS	PE1RE		70.65									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94		·		·					1
	Physical Collocation - Security Escort for Basic Time - normally															<del> </del>
	scheduled work, per half hour			CLORS	PE1BT	}	33.68	21.34			1					
	Physical Collocation - Security Escort for Overtime - outside of	T									1					1
1	normally scheduled working hours on a scheduled work day,		1 1		J							1				ŀ
L	per half hour	1	1 1	CLORS	PE1OT		43.87	27.57								
	Physical Collocation - Security Escort for Premium Time -										1					
	outside of scheduled work day, per half hour	ł		CLORS	PE1PT		54.06	33.80								
Adjac	ent Remote Site Collocation	1									1					1
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
			1						·						<del>                                     </del>	<del></del>
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134	l		1						ŀ	
			$\vdash$													
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	i	1	CLORS	PE1RS	6.27	1									1
NOTE	If Security Escort and/or Add'l Engineering Fees become nec	essary f	for adia	cent remote site col	ocation, the	Parties will ned	otiate appropr	riate rates.	l		<del> </del>			<del></del>		<del> </del>
Virtua	Remote Site Collocation	Τ – –	Γ			1	,									<del>                                     </del>
	Virtual Collocation in the Remote Site - Application Fee	1	1	VE1RS	VE1RB		589.38		258.38		<u> </u>					<u> </u>
						-	550.55		200.00		<del> </del>				<del></del>	<del> </del>
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space	1		VE1RS	VE1RC	218.07										]
	Virtual Collocation in the Remote Site - Space Availability Report	t	t			2.0.07					+					
	per Premises requested			VE1RS	VE1RR		215.55		,		1					l
	Virtual Collocation in the Remote Site - Remote Site CLLI Code	-	<del>  </del>				215.00				+					+
	Request, per CLLI Code Requested			VE1RS	VE1RL		70.65									
JACENT C	OLLOCATION	<del> </del>			VE TILE		70.00		-		<del> </del>					
1	Adjacent Collocation - Space Charge per Sq. Ft.	-	<del>                                     </del>	CLOAC	PE1JA	0.1555			-		<del> </del>				<del></del>	<del> </del>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	<del>                                     </del>		CLOAC	PE1JC	5.78					<del>                                     </del>					<del></del>
	Adjacent condeation Electrical Facility charge per Elifear Ft.	<u> </u>		CLOAC	LIJC	3.70					ļ					<del> </del>
			i I	UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects				PEIJE	0.0239	19.77	14.95								
	Adjacent Collocation - 4-Wire Cross-Connects	-		UEA,UHL,UDL,UCL		0.0239	19.95	15.05			ļ	<del></del>				
_	Adjacent Collocation - DS1 Cross-Connects				PE1JG	1.28	39.15	23.20			ļ					ļ
	Adjacent Collocation - DS3 Cross-Connects				PE1JH	17.35	38.25	23.20								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.94	38.25	21.94	L							<del> </del>
	Adjacent Collocation - 4-Fiber Cross-Connect	<del></del>		CLOAC	PE1JK	5.62										<u> </u>
	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC		5.62	43.96	26.17	0.7040							ļ
	Adjacent Collocation - Application Fee  Adjacent Collocation - 120V, Single Phase Standby Power Rate		<del>                                     </del>	CLUAC	PE1JB		2,266.00		0.5842		ļ	L				
	per AC Breaker Amp		l Ì	CLOAC	DE4.11		1				1	]				1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	<b>-</b>	<del> </del> —	CLOAG	PE1JL	5.50					+					-
1				CLOAC	DE4.104											
	per AC Breaker Amp	<u> </u>		CLOAC	PE1JM	11.01										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate		ļ	01040	DE. II.		-		!		l					Į.
	per AC Breaker Amp		1	CLOAC	PE1JN	16.51			<u> </u>		<b>_</b>	ļ		l		ļ
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		1 1	~. ~ . ~												
	per AC Breaker Amp	L		CLOAC	PE1JO	38.12		-	l							
INote.	Rates displaying an "I" in Interim column are interim as a resu	ilt of a C	Commis	sion order.			T		I		1					1

COLLO	CATI	ON - South Carolina		<u> </u>	[	T	[				γ	T		Attachment:	4 Exh C		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	1		1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			<u> </u>					Nonrec	urring	Nonrecurring	Disconnect	<del> </del>		OSS	Rates(\$)		
			· · ·			T	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		LLOCATION															
L 1	Applica		<u> </u>			-											
<b></b>		Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee	<b>├</b> ─	<b> </b>	CLO	PE1BA PE1CA		1,883.67		0.51		ļ					
$\vdash$		Physical Collocation - Subsequent Application Fee  Physical Collocation - Co-Carrier Cross Connects/Direct	├		CLO	PEICA	<del> </del>	1,570.10		0.51	ļ. <u></u>	<b>-</b>					
		Connect, Application Fee, per application			CLO	PE1DT		584.42									
		Physical Collocation Administrative Only - Application Fee	<u> </u>		CLO	PE1BL	<del> </del>	743.66			<del> </del>				<del></del>		
		Physical Collocation - Application Cost, Simple Augment	†		CLO	PE1KS	†**	594.27		1.21							
		Physical Colfocation - Application Cost, Minor Augment			CLO	PE1KM		833.26		1.21		1					
		Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,058.00		1.21							
		Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,409.00		1,21							
		Preparation	ļ	L													
		Physical Collocation - Floor Space, per sq feet	ļ	ļ	CLO	PE1PJ	3.95				ļ <u></u>					ļ	
		Physical Collocation - Space Enclosure, welded wire, first 50 square feet	ļ		CLO	PE1BX	197.69										
<del></del>		Physical Collocation - Space enclosure, welded wire, first 100	-		CLO	PEIBA	197.69				-	<del> </del>			<b></b>		····
		square feet	İ		CLO	PE1BW	219.19										
		Physical Collocation - Space enclosure, welded wire, each	<b> </b>		020	1.2.000	210.10					<del>                                     </del>					
ŀ		additional 50 square feet	ŀ		CLO	PE1CW	21.50				ļ				ļ	İ	
		Physical Collocation - Space Preparation - C.O. Modification per				1											
		square ft.			CLO	PE1SK	2.75	·			!					l _	
		Physical Collocation - Space Preparation, Common Systems	[														
		Modifications-Cageless, per square foot	ļ		CLO	PE1SL	3.24									ļ	
		Physical Collocation - Space Preparation - Common Systems	l								•						
		Modifications-Caged, per cage			CLO	PE1SM	110.16										
		Physical Collocation - Space Preparation - Firm Order Processing	ļ		CLO	PE1SJ		602.05									
		Physical Collocation - Space Availability Report, per Central	<del>                                     </del>		OLO .	1 1133	<del>                                     </del>	002.03								·	
l l		Office Requested		Ì	CLO	PE1SR		1,077.57									
F	ower		1					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
		Physical Collocation - Power, -48V DC Power - per Fused Amp															
		Requested			CLO	PE1PL	9.19									<u> </u>	
		Physical Collocation - Power, 120V AC Power, Single Phase,				_											
		per Breaker Amp			CLO	PE1FB	5.67										
		Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp	ĺ		CLO	DETER	11.00										
		Physical Collocation - Power, 120V AC Power, Three Phase, per	<del> </del>		OLO	PE1FD	11.36								ļ	<del> </del>	
		Breaker Amp			CLO	PE1FE	17.03	j								i	
		Physical Collocation - Power, 277V AC Power, Three Phase, per					77.00					<b>——</b>				l	
		Breaker Amp			CLO	PE1FG	39.33									l	
C	Cross (	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
					UEANL,UEQ,												
-					UNCNX, UEA, UCL.			j								ĺ	
		Discribed College No. 1			UAL, UHL, UDN,	DE4D-											
-+		Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX UEA, UHL, UNCVX,	PE1P2	0.0341	12.32	11.83	6.04	5.45	ļ					
- 1		Physical Collocation - 4-wire cross-connect, loop, provisioning	1			PE1P4	0.0682	12.42	11.90	6.40	5.74					l .	
		r rysical conceanon - 4-vine cross-connect, roop, provisioning	<del> </del>	<b></b>	WDS1L, WDS1S,	1 5 11:4	0.0002	12.42	11.90	0.40	5.74					<del> </del>	
					UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
. 1		Physical Collocation -DS1 Cross-Connect for Physical	1		USL, UEPEX,	DELE	]										
LL		Collocation, provisioning	L	L	UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80	L			L	L	

COLLOCAT	ON - South Carolina												Attachment:	4 Exh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<del></del>		-			<del> </del>	Rec	Nonre First	curring	Nonrecurring					Rates(\$)		
				UE3, U1TD3,	<del> </del>	<del>                                     </del>	FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	14.21	20.04	45.00								
	- Hydrata Golfactation - Boo Gress-Conflicett, provisioning			CLO, ULDO3,	PEIPS	14.21	20.94	15.23	7.39	5.93						ļ
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULD03, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.82	20.94	15.23	7.40	5.93						
i l				UDLO3, UDL12,	1											1 '
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	5.01	25.61	19.90	9.73	8,26						1
1 1	Physical Collocation - Co-Carrier Cross Connects/Direct									0,20						
	Connect - Fiber Cable Support Structure, per linear foot, per cable.					1										I
<del></del>	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	PE1ES	0.001										L
1 1	Copper/Coax Cable Support Structure, per linear foot, per	l							i		ĺ					l
	cable.		l	CLO	PE1DS	0.0015										ĺ
				UEPSR, UEPSP,										··		
i l	Physical Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0044	10.00									(
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R2	0.0341 0.0682	12.32 12.42	11.83 11.90	6.04	5.45 5.74		15.69 15.69				ļ
Securit				02. 24, 02. 00		0.0002	12.42	11.50	0.40	5.74		15.09				<del></del>
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.96	10.75								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.10	13.89								
,	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.23	17.02								
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	74.72	21.23	17.02								
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0601	27.85									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA	0.0001	7.81									
	Physical Collocation - Security Access System - Replace Lost or														*	
	Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR		22.83									
	Physical Collocation - Security Access - Initial Key, per Key  Physical Collocation - Security Access - Key, Replace Lost or			CLU	PE1AK		13.13									
	Stolen Key, per Key			CLO	PE1AL		13.13									.
CFA																
	Physical Collocation - CFA Information Resend Request, per			CI O	DE400											
Cable I	premises, per arrangement, per request Records - Note: The rates in the First & Additional columns wil	Lactual	lv ba b	CLO illed as "Initial I" an	PE1C9	nt S" rossoni	77.71									
- Casie I	Physical Collocation - Cable Records, per request	- acruali			PE1CR	an o respective		S 489.2	133.29							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable					'	100.00	5 TOO.2	100.23							
	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		327.65		189.54							
	100 pair			CLO	PE1CO		4.82		5.91							
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.26		2.77							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.90		9.68							

COLLOCAT	ION - South Carolina		T		1				I	1	Τ		Attachment	4 Evh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)	1	1		Submitted		4 Exh C Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		<del> </del>	1		<u> </u>	_	Nonred	curring	Nonrecurring	Disconnect				Rates(\$)		L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
}	Physical Collocation - Cable Records, Fiber Cable, per cable												00	COMPAN	00	JOINAN
	record (maximum 99 records)  Physical Collocation, Cable Records, CAT5/RJ45	<u> </u>		CLO CLO	PE1CB		84.68		77.30							L
Virtua	I to Physical	<del> </del>		CLO	PE1C5		2.26		2.77							
	Physical Collocation - Virtual to Physical Collocation Relocation,	<del> </del>			<del>                                     </del>											<u></u>
	per Voice Grade Circuit		l j	CLO	PE1BV		33.00		İ							ĺ
	Physical Collocation - Virtual to Physical Collocation Relocation,						00.00				<del> </del>					· · · · · · · · · · · · · · · · · · ·
	per DSO Circuit			CLO	PE1BO		33.00				1					l
ļ	Physical Collocation - Virtual to Physical Collocation Relocation,	l											***************************************			
	per DS1 Circuit	ļ		CLO	PE1B1		52.00									ł
Į	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit		J 1.	CLO	PE1B3											1
	Physical Collocation - Virtual to Physical Collocation In-Place,	<del> </del>	<del>                                     </del>	CLO	FEID3		52.00				ļ					
	Per Voice Grade Circuit			CLO	PE1BR		22.43									i
	Physical Collocation Virtual to Physical Collocation In-Place, Per															<del></del>
	DSO Circuit		- (	CLO	PE1BP		22.43									1
ŀ	Physical Collocation - Virtual to Physical Collocation In-Place,		1													
	Per DS1 Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,	-		CLO	PE1BS		32.61									1
	per DS3 Circuit	1		CLO	PE1BE	İ										
Entrar	ce Cable		<del> </del>	ULU	PEIBE		32.61									
	Physical Collocation - Fiber Cable Installation, Pricing, non-															
	recurring charge, per Entrance Cable		l le	CLO	PE1BD		794.22		22.54	1						1
	Physical Collocation - Fiber Cable Support Structure, per						70		22.54	·						
	Entrance Cable			CLO	PE1PM	21.33										
l l	Physical Collocation - Fiber Entrance Cable Installation, per						* * * * * * * * * * * * * * * * * * * *							~~		
UDTUAL COL	Fiber		(	CLO	PE1ED		3.87									
/IRTUAL COL																
Applic	Virtual Collocation - Application Fee			AMTES												
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,			AVIIFS	EAF		1,207.95		0.51							
	Application Fee, per application			AMTES	VE1CA		584.42									
	Virtual Collocation Administrative Only - Application Fee			AMTES	VE1AF		743.66			<del></del>	<del> </del>					
Space	Preparation						7.10.00				<del> </del>					
	Virtual Collocation - Floor Space, per sq. ft.		A	AMTES	ESPVX	3.95					<del>                                     </del>					
Power	Vita I O II									<del></del>						
Cross	Virtual Collocation - Power, per fused amp		- /	MTFS	ESPAX	9.19										
CIOSS	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	orts)		JEANN LIEA LIENT												
İ		1		JEANL, UEA, UDN, JAL, UHL, UCL,				i								
				JEQ. UNCVX.			1						1			ļ
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			JNCDX, UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45		ĺ	i	!		ļ
				JEA UHL UCL	OL/ IOL	0.0017	12.02	11,00	0.04	5.45						
			i li	JDL, UNCVX,		ļ						1		ŀ		ļ
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			JNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74		i	1			ļ
i				JLR, UXTD1,												
				JNC1X, ULDD1,												ļ
	Virtual collocation - Special Access & UNE, cross-connect per			J1TD1, USLEL,									i	1	I	
	DS1			JNLD1, USL, JEPEX, UEPDX	CNC1X	1 10	22.00	45.00	2.40			1				ļ
				JSL, UE3, U1TD3,	CINCIA	1.12	22.08	15.96	6.42	5.80	<u></u>					
				JXTS1, UXTD3,												
1				JNC3X, UNCSX,			-	1	1		ŀ		-		l	ļ
				JLDD3, U1TS1,					j			ļ	İ	i	!	ļ
	Virtual collocation - Special Access & UNE, cross-connect per DS3	1		JLDS1, UDLSX,					ļ			İ		I	İ	j
			- 11	JNLD3	CND3X	14.21	20.94	15.23	7.39	5.93						1

COLLOCAT	ION - South Carolina	Ĭ									I	I	Attachment:	4 Exh C		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<del></del>	· · · · · · · · · · · · · · · · · · ·		Rec	First	curring Add'l	First	g Disconnect	COMEO	COMMAN		Rates(\$)		
				UDL12, UDLO3,			First	Addi	FIRST	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4E	5.71	25.61	19.90								
				OLD IL, OLD IO, ODI	CINO4I	3.71	25.01	19.90	9.73	8.26						i
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
				UEPSX, UEPSB,												
.   '	Wintered California a O Maria Const. Co. 10			UEPSE, UEPSP,		İ										1
<del></del>	Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.0317	12.32	11.83	6.04	5.45						
CFA	Vilida Collocation 4-VVIIIe Cross Conflect, Fort		-	UEPDD, UEPEX	VE1R4	0.0634	12.42	11.90	6.40	5.74						
	Virtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request			AMTES	VE1QR		77.74				!	1				
Cable F	Records - Note: The rates in the First & Additional columns wi	II actual	ly he h	illed as "Initial I" & "	Subsequent	S" recognitively	77.71									
	Virtual Colfocation Cable Records - per request	- GOLGG	1,000	AMTFS	VE1BA	3 respectively	760.98	489.20	133.29							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		327.65	469.20	189.54							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair		-													
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BC		4.82		5.91							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS AMTFS	VE1BD		2.26		2.77							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AIVITES	VE1BE		7.90		9.68							
.	records			AMTFS	VE1BF		84.68		77.30					I		
	Virtual Collocation Cable Records - CAT 5/RJ45				VE1B5		2.26		2.77							
Security																
	Virtual collocation - Security escort, basic time, normally							***************************************								
	scheduled work hours			AMTES	SPTBX		16.96	10.75								
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day			ALTEC		T										
<del>-   -  </del>	Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX		22.10	13.89								
	scheduled work day		- 1	AMTFS	SPTPX		07.00	17.00								
Mainten				WILL	OI. ILV		27.23	17.02								
	Virtual collocation - Maintenance in CO - Basic, per half hour	$\dashv$		AMTES	CTRLX	-	27.99	10.75								
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				O TILA		21.99	10.75								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89							-	
Entranc	Virtual collocation - Maintenance in CO - Premium per half hour te Cable				SPTPM		45.12	17.02							-	
	Virtual Collocation - Cable Installation Charge, per cable				ESPCX		794.22		22.54							
COLLOCATION	Virtual Collocation - Cable Support Structure, per cable IN THE REMOTE SITE			AMTFS I	ESPSX	18.66										
	IN THE REMOTE SITE	-														
	Physical Collocation in the Remote Site - Application Fee		<del>-</del> - ,	CLORS	DE 4 DA		200.5-						T			
	Cabinet Space in the Remote Site per Bay/ Rack				PE1RA PE1RB	246.44	308.38		168.60							
						240.44										
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS I	PE1RD		13.13									
	Report per Premises Requested			CLORS I	PE1SR		116.13									

LLOCATION	ON - South Carolina									L	L		Attachment:			ļ
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Order vs.
												<u> </u>	1st	Add'l	Disc 1st	Disc Add'l
		ļ				Rec	Nonrec			Disconnect		F* = = = = = = = = = = = = = = = = = = =		Rates(\$)		
	Dh. da l Callandia da Barrata Cita Barrata Cita Cita Cita						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested		1 1	CLORS	PE1RE		07.04				i		ŀ			
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	├		CLORS	PE1RR		37.64 234.50									
	Physical Collocation - Security Escort for Basic Time - normally		-	CLORS	PEIRA		234.50						ļ			
	scheduled work, per half hour			CLORS	PE1BT		16.96	10.75								
	Physical Collocation - Security Escort for Overtime - outside of		┼──┤	OLONS	FEIDI		10.90	10.75					ļ			
i i	normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort for Premium Time -	· · · · · ·			1						1					
1 _1	outside of scheduled work day, per half hour		1 1	CLORS	PE1PT		27.23	17.02							]	
Adjacer	t Remote Site Collocation	I														
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62						· · · · · · · · · · · · · · · · · · ·		
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	L		CLORS	PE1RS	6.27										
	Security Escort and/or Add'l Engineering Fees become nec	essary 1	for adja	cent remote site co	llocation, the	Parties will ne	otiate approp	riate rates.								
	Remote Site Collocation		1	1.5.50	1											ļ
	Virtual Collocation in the Remote Site - Application Fee		<b> </b>	VE1RS	VE1RB		616.76		337.19		ļ					
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space		ļ	VE1RS	VE1RC	246.44										
	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested			VE1RS	VE1RR		232.25									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			VE1RS	VE1RL		75.27									
	LLOCATION										<u> </u>					
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
1	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	<b>}</b>	1	CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.0264	12.32	11.83	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0527	12.42	11.90	6.40	5.74						<del> </del>
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.03	22.08	15.96	6.42	5.80						
1	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	14.00	20.94	15.23	7.39	5.93	<del> </del>		-			
1	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.37	20.94	15.23	7.40	5.93	<del> </del>			-		<del></del>
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.53	25.61	19.90	9.73	8.26	<del> </del>					
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20	.5.50		3,20	1					
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.67										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	11.36										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	17.03					<u> </u>					
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	39.33										

ILLUCA.	TION - Tennessee												Attachment:				1
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	c
<del></del>						Rec	Nonrecurring		Nonrecurring		-			Rates(\$)		0011111	+
		+				<b></b>	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	+
SICAL CO	DLLOCATION	1			<del> </del>					<del> </del>	<del> </del>						+
	cation	<b>†</b>					1			<del></del>	<del> </del>						+
	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		2,633.00			<del> </del>	<del> </del>						+
	Physical Caged Collocation-App Cost(initial & sub)-Planning, per									-				· · · · · · · · · · · · · · · · · · ·			+
	request			CLO	PE1AC	16.16	2,903.66				1						1
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		585.09										Ī
1	Physical Collocation - Power Reconfiguration Only, Application																+
	Fee			CLO	PE1PR		400.10						]				
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.25				1						I
Space	e Preparation				ļ						1						$\perp$
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1SB	4.32					1						
+	Physical Collocation, Caged Collocation - Space Prep-Power	+		OLO	FISE	4.32				<del> </del>	<del></del>		<b></b>				+
	Cable, 40 AMP, includes 20 AMP A and B Feed		- 1	CLO	PE1SN	[	142.40			1	1						1
	Physical Collocation, Caged Collocation - Space Prep-Power	1	$\neg$		1		40			<del>                                     </del>	<del>                                     </del>						+
	Cable, 100 AMP, includes 50 AMP A and B Feed	<u></u>		CLO	PE1SO		185.72			(			ļ	Į į			- [
	Physical Collocation, Caged Collocation - Space Prep-Power																+
	Cable, 200 AMP, includes 100 AMP A and B Feed	4		CLO	PE1SP		242.05				L		L	l			
-	Physical Caged Collocation-Space Enclosure-Cage Preparation,				L												T
+-	per first 100 sq. ft.	1		CLO	PE1S1	110.97				<u> </u>	<del> </del>						$\perp$
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per add/l 50 sq. ft.			CLO	PE1S5	55.49	1				1						
+ -	Physical Caged Collocation-Floor Space-Land & Buildings, per sq.	1		OLO	1. [135	55.49		-		+	<del> </del>	<del></del>					+
	It.	1		CLO	PE1FS	5.94					1						
	Physical Collocation - Cageless - Floor Space, per sq. ft.			CLO	PE1ZB	3.91	1			<del> </del>	<b> </b>	-					+
1						1	T				1						+
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		1,204.00							L	L		-
	Physical Collocation - Space Availability Report, per Central Office	,								1							T
	Requested			CLO	PE1SR		2,027.00			<u> </u>	ļ						1
Powe		11			1		-			<u> </u>	<b></b>						4
- 1	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.60							-				
	Physical Collocation - Power, 240V AC Power, Single Phase, per	-		CLO	FEIFB	3.60				<del>                                     </del>	+		· · · · · · · · · · · · · · · · · · ·				+
Ī	Breaker Amp	1		CLO	PE1FD	11.22					1			l			
	Physical Collocation - Power, 120V AC Power, Three Phase, per				1						<del> </del>						+
	Breaker Amp		- 1	CLO	PE1FE	16.82											1
	Physical Collocation - Power, 277V AC Power, Three Phase, per				T						T						+
	Breaker Amp			CLO	PE1FG	38.84											$\perp$
	Physical Caged Collocation-Power-Power Construction, per amp			0.0													Т
	DC plant	+-		CLO	PE1PN	3.55				ļ	ļ						4
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2.03											
+	Physical Collocation - Cageless - Power, per Fused Amp	1 1		CLO	PE1PO PE1ZC	6.79				<del> </del>	<del> </del>				<del></del>	<u> </u>	+
<del>                                     </del>	Physical Collocation - Meter Reading - per CLEC per CO, First 12	1 1		<u></u>	1-5120	3.73	<del>   </del>			<del>                                     </del>	<del> </del>			<del> </del>			+
	Circuits w/BST Meter			CLO	PE1FO	102.24	[				1						
	Physical Collocation - Meter Reading -per CLEC per CO, per	1		· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>	l	T				<del>                                     </del>						+
	Each Additional 2 Circuits w/BST Meter			CLO	PE1FP	8.94							1				
	Physical Collocation - Meter Reading - per CLEC per CO, First 12																T
	Circuits w/CLEC Meter	ļ		CLO	PE1FQ	98.25	ļ			1							4
1	Physical Collocation - Meter Reading - per CLEC per CO, per			01.0	DE4ED					1			Ì				1
+	Each Additional 2 Circuits w/CLEC Meter  Physical Collocation - Additional Meter Reading Trip Charge, per	+-1		CLO	PE1FR	8.94	ļ			<b> </b>	<del> </del>						+
	Central Office, per Occurrence			CLO	PE1FM	l	307.64			1							1
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)		0.0	I CITIVI		307.64		<del></del>	<del>                                     </del>	ļ						+
				UEANL,UEQ, UNCNX, UEA, UCL,													†
1		1 1		UAL, UHL, UDN,	1	ì	) i			1	1		1				1
	Physical Collocation - 2-wire cross-connect, loop, provisioning	1		UNCVX	PE1P2	0.0475	7.68			1							4
	Physcial Collocation - Cageless - 2-Wire Cross-Connects	1		UNCNX	PE1ZD	0.57	11.62	9.90		1	ļ		2.07	2.81	0.67	1.41	1
1	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX,	DE4D4					1	1		ĺ				
	prinysical Colocation - 4-wire cross-connect, loop, provisioning	1 1		UNCDX, UCL, UDL	PE1P4	0.0475	7.68		ı	1	1		ı				- 1

COLLOCA	TION - Tennessee												Attachment:	4 Exh C	1		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrecurring		Nonrecurring					Rates(\$)			
		ļ .		MDC41 MDC40			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Physical Collocation -DS1 Cross-Connect for Physical			WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP.													
	Collocation, provisioning			USL	PE1P1	0.38	41.65		l i		ı						
	Physical Collocation - Cageless - DS1 Cross Connects			WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX UE3, U1TD3,	PE1ZF	1.32	32.22	17.76					2.07	2.81	0.67	1,41	
	Physical Callogation DC2 Cone Courts and the			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,	25455	_											
<del></del>	Physical Collocation - DS3 Cross-Connect, provisioning	<del> </del>		UEPSE, UEPSP UE3,U1TD3,	PE1P3	9.32	298.03				ļ						
	Physical Callogation Casalogo DCS Casa Counsely			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,	DE170	40.00											
	Physcial Collocation - Cageless - DS3 Cross Connects	<u> </u>		UNLD3	PE1ZG	12.32	29.97	16.30			ļ		2.07	2.81	0.67	1.41	
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	15.64	41.56	29.82									
	Physical Collocation - Cageless - 2 Fiber Cross Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,						,							
	Physical collocation - Catgletess - 2 Fiber Cross Connect		·	UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1CK	3.03	41.56	29.82									
	Physical Collocation - 4-Fiber Cross-Connect			UDLO3, UDL12, UDF, UDFCX	PE1F4	28.11	50.53	20.70			1					[	
				ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,				38.78									
<del>   </del>	Physical Collocation - Cageless - 4-Fiber Cross-Connect			UDF	PE1CL	6.06	50.53	38.78									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect- Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0013											
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															j	
	Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP. UEPSE, UEPSB,	PE1DS	0.0019											
	Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0475	7.68										
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3,	PE1R4	0.0475	7.68										
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per circuit.			U1TS1,ULDS1, UNLD3	PE11S	7.68	41.65										

-	TION - Tennessee		T	T	1	I					Svc Order	Syc Order	Attachment: 4	Incremental	Incremental	Incremental	1
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
							[ 81		Name of the								<del> </del>
			<del> </del>		·	Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'I	SOMEÇ	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per circuit			U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE13S	53.96	298.03	7941	Tust	Addi	JOWLO	SOMAIN	SOMAN	SOMAN	SUMAN	SUMMIN	
POT B										<del> </del>	+						₩
-1	Physical Caged Collocation - 2-fiber POT Bay			CLO	PE1B2	38.79											$\vdash$
Securit	Physical Caged Collocation - 4-fiber POT Bay		ļ	CLO	PE1B4	52.31											
Jecum	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76.10				-						$\vdash$
	Physcial Collocation - Cageless - Security Escort - Basic, per Half Hour			CLO	PE1ZM		33.15	20.44				- <b></b>			· · · · · · · · · · · · · · · · · · ·		H
	Physical Collocation - Cageless - Security Escort - Overtime, per Half Hour			CLO	PE1ZN		41.50	25.61									H
	Physical Collocation - Cageless - Security Escort - Premium, per Half Hour			Cro	PE1ZO		49.86	30.79									Г
ļ.,	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.91	21.49									
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.17	27.76									
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		54.42	34.02									Γ
ļ	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	55.99											
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.059	55.67										
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.61										
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.64										Γ
	Physical Collocation - Security Access - Initial Key, per Key  Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AK		26.24										F
CFA	Globit Rey, per Key			CLO	PE1AL		26.24										├
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.67										Γ
Cable F	Records				1.2.00		77.07										г
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1CR		1,711.00						****				F
-	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		925.06		· · · · · · · · · · · · · · · · · · ·								$\vdash$
+	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		18.05 8.45										-
-	Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, Fiber Cable, per cable			CLO	PE1C3		29.57										
	record (maximum 99 records) Physical Collocation, Cable Records, CAT5/RJ45			CLO CLO	PE1CB PE1C5		279.42 8.45			-							<u> </u>
	to Physical  Physical Collocation - Virtual to Physical Collocation Relocation,				2.00		0.43										_
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BV		33.00										<b> </b>
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BO		33.00										
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	-		CLO	PE1B1		52.00										_
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Per			cro	PE1B3		52.00										_
	Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		23.00	-									_

COLLC	CATI	ON - Tennessee												Attachment:	4 Exh C			
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add't	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
			<b></b>	ļ		<b>.</b>	Rec	Nonrecurring		Nonrecurring				oss	Rates(\$)	,		
		Division of the second of the	ļ		<u> </u>			First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit		ľ	CLO	PE1BS		33.00					i			İ		ļ
		Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit																
-		e Cable	-		CLO	PE1BE		37.00			ļ	<del> </del>			ļ			
		Physical Caged Collocation - Cable Installation - Entrance Fiber	+	<del></del>		-	<del> </del>				<del></del>		<del> </del>					<del> </del>
		Structure, interduct per foot	ļ		CLO	PE1CP	0.0156											
		Physical Caged Collocation - Cable Installation - Entrance Fiber, per cable			CLO	PE1CQ	2.56	944.27										
		Physical Caged Collocation - Cable Support Structure - Cable						344.27				<del> </del>			<del> </del>			
		Racking, per entrance cable Physical Collocation - Cageless - Cable Installation Cost, per	ļ <u>.</u>	<u> </u>	CLO	PE1CS	21.47				<u> </u>							
		cable			CLO	PE1ZA		1,749.00							1			
		Physical Collocation - Cageless - Cable Support Structure, per Entrance Cable			CLO													<b>†</b>
VIRTUA	L COLL	OCATION		<u> </u>	CLO	PE1CJ	17.87								<b>-</b>			<b></b>
	Applicat	ion									<b>-</b>		<del> </del>		<del> </del>			$\vdash \!$
$\rightarrow$		Virtual Collocation - Application Fee	Ϊ		AMTFS	EAF		2.633.00							-			<del></del>
- 1		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,		i														1
-		Application Fee, per application Virtual Collocation Administrative Only - Application Fee	ļ	├	AMTFS AMTFS	VE1CA VE1AF		585.09 743.25						<b></b>				<b></b>
		Preparation	<del> </del>	-	AWITES	VETAF		743.25										<b>├</b> ──
		Virtual Collocation - Floor Space, per sq. ft.	<del>                                     </del>		AMTFS	ESPVX	3.91					<del></del>		<del> </del>		<del></del>		├
	Power																	
		Virtual Collocation - Power, per fused amp	1		AMTFS	ESPAX	6.79											
	Cross C	onnects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)		LICANI LICA LICAL		<u> </u>											
					UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX,													
		Virtual Collocation - 2-wire cross-connect, loop, provisioning	1		UNCDX, UNCNX	UEAC2	0.57	11.62	9.90				l	2.07	2.81	0.67	1.41	
ŀ					UEA, UHL, UCL, UDL, UNCVX,													
		Virtual Collocation - 4-wire cross-connect, loop, provisioning		İ	UNCDX	UEAC4	0.57	11.81	10.04				İ	2.07	2.81	0.67	1.41	
			<u> </u>	T	ULR, UXTD1,				70.01			<del> </del>		2.07	2.01	0.07	1.41	<b>—</b>
	ŀ				UNC1X, ULDD1,				1		1							
		Virtual collocation - Special Access & UNE, cross-connect per DS1		1	U1TD1, USLEL,													
-+		DS1	<b></b>	_	UNLD1, USL USL, UE3, U1TD3.	CNC1X	1.32	32.22	17.76					2.07	2.81	0.67	1,41	<b>_</b>
					UXTS1, UXTD3, UNC3X, UNCSX,													
					ULDD3, U1TS1,						1							1
- 1		Virtual collegation Coopiel Agent 6 LINE : DOG			ULD\$1, UDL\$X, UNLD3	CNIDOY		20.0=					1					
-+		Virtual collocation - Special Acess & UNE, cross-connect per DS3	<del> </del>		UNLD3	CND3X	12.32	29.97	16.30	,		ļ		2.07	2.81	0.67	1,41	<del> </del>
					UDL12, UDLO3,				!									
					U1T48, U1T12,							1						
i		Virtual Collocation - 2-Fiber Cross Connects			U1TO3, ULDO3,	CNICOE	2.00	44.50	00.00		ļ	ŀ						ļ
-+		VIII DOI O GOLO GALLON - Z-FIDEL GLOSS COMPECTS	<del> </del>	<del> </del>	ULD12, ULD48, UDF	CINCZE	3.03	41.56	29.82						<del>                                     </del>			<del> </del>
	1			ŀ	UDL12, UDLO3,	I												
			1		U1T48, U1T12,			ļ			1	1	1	1	1			
		Wirtual Callagation A Fiber Cross Connects			U1TO3, ULDO3, ULD12, ULD48, UDF	CNC45		50 -0	20.70		1		i					
+		Virtual Collocation - 4-Fiber Cross Connects	<del>                                     </del>	-	OLD 12, OLD48, UDF	UNU4F	6.06	50.53	38.78				<del> </del>		<del> </del>			<del> </del>
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0013											
		Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -																
		Copper/Coax Cable Support Structure, per linear foot, per cable	<u> </u>		AMTFS	VE1CD	0.0019											
			1		UEPSX, UEPSB,													
			1	l	UEPSE, UEPSP,						1	1	1					
	- 1	Virtual Collogation 2 Wire Cross Consest, Bost																
		Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port	<del> </del>		UEPSR, UEP2C UEPDD, UEPEX	VE1R2 VE1R4	0.57 0.57	11.62 11.81	9.90									<del>                                     </del>

OLLOCAL	ION - Tennessee												Attachment: 4				1
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
		1				Rec	Nonrecurring		Nonrecurring		ļ.,		oss	Rates(\$)			
	Virtual Collocation - CFA Information Resend Request, per						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	₩
l l	Premises, per Arrangement, per request	, ,		AMTFS	VETOR		77.67		}	1	1	l	1	·			1
Cable F	Records			7441113	VETON		77.07						<del> </del>				+
	Virtual Collocation Cable Records - per request			AMTES	VE1BA	·	1,711.00		<del> </del>		<del></del>	ļ	<del> </del>				+
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable						1,711,00			<del> </del>	<del> </del>						+
	record			AMTES	VE1BB		925.06		!	1		ļ		İ			
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100										-						T
	pair	<u> </u>		AMTFS	VE1BC		18.05										
_+_	Virtual Collocation Cable Records - DS1, per T1TIE Virtual Collocation Cable Records - DS3, per T3TIE	<del> </del>		AMTES	VE1BD	ļ	8.45				ļ			- 1			1
	Virtual Collocation Cable Records - D33, per 1311E  Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	<del> </del>		AMTFS	VE1BE		29.57						ļ				₩
	records	1 1		AMTFS	VE1BF		279.42		1	i							
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5	<del> </del>	8.45		<del> </del>	<del> </del>	<del> </del>					·	+-
Securit	у				1	1	<del> </del>		<del></del>	<del> </del>	<del>                                     </del>		<del> </del>	<del> </del>			+
	Virtual collocation - Security escort, basic time, normally scheduled						T				1		1				$\top$
	work hours	$oxed{oxed}$		AMTFS	SPTBX	L	33.15	20.44		1							
1	Virtual collocation - Security escort, overtime, outside of normally	1															Т
	scheduled work hours on a normal working day	1		AMTFS	SPTOX		41.50	25.61			1		ļ				$\perp$
- 1	Virtual collocation - Security escort, premium time, outside of a			*******	Lorenz						1						
Mainter	scheduled work day	<del>                                     </del>		AMTFS	SPTPX		49.86	30.79		ļ	<del> </del>						$\perp$
Iwanite	Virtual collocation - Maintenance in CO - Basic, per half hour	<del> </del>		AMTFS	CTRLX		30.64				ļ			ļ <u>.</u>			╄
	Tirkda dolikotatori irralinentine iri oo basie, per kali noti	† · · · · · · †		AWIT 3	CINEX		30.64				<del> </del>			··· · · · ·			╀
	Virtual collocation - Maintenance in CO - Overtime, per half hour	1 !		AMTFS	SPTOM	İ	35.77				1			[			
							1			<del>                                     </del>	t			<del></del>			╁
	Virtual collocation - Maintenance in CO - Premium per half hour	L 1		AMTES	SPTPM		40.90						1	ĺ			
Entran	ce Cable										1						$\vdash$
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,749.00										
	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	17.87											Щ
	I IN THE REMOTE SITE																┺
Physica	Physical Collocation in the Remote Site - Application Fee	-		CLORS	PEIRA		500.00		040.70								ــــ
	Cabinet Space in the Remote Site per Bay/ Rack	$\vdash$		CLORS	PEIRB	220.41	580.20		312.76	i	<del> </del>		<del> </del>				₩
_	Cabinet Opace in the Fieldote Site per Bay Hack	<del>                                     </del>	-	CLORG	TETRO	220.41	1		<del></del>	<del> </del>	+		<del> </del>				┼
	Physical Collocation in the Remote Site - Security Access - Key	1 1		CLORS	PE1RD		24.69										-
	Physical Collocation in the Remote Site - Space Availability Report						27.00										╆
	per Premises Requested			CLORS	PE1SR	•	218.49			}							L
	Physical Collocation in the Remote Site - Remote Site CLLI Code																T
	Request, per CLLI Code Requested			CLORS	PE1RE		70.81										L
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15										
- 1	Physical Collocation - Security Escort for Basic Time - normally	1 1	1			ì	11	. 1	i	Ì	ì		1				1
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of	<del>  </del>		CLORS	PE1BT	ļ <u>-</u>	33.91	21.49					-				⊢
	normally scheduled working hours on a scheduled work day, per					Ì				1	1						L
	half hour			CLORS	PE1OT		44.17	27.76									
	Physical Collocation - Security Escort for Premium Time - outside	<del>  </del>		OCOTIO	12101		44.17	7.7.70			<del> </del>						╁
	of scheduled work day, per half hour	1		CLORS	PE1PT		54.42	34.02									
Adjace	nt Remote Site Collocation										<b> </b>						$\vdash$
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62									
																	Г
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134	<del>  </del>		L					L			↓_
	Remote Cite Adingent Collegeties AC Province			CLODE	DE4DO												
NOTE:	Remote Site-Adjacent Collocation - AC Power, per breaker amp If Security Escort and/or Add'l Engineering Fees become neces:	sany for a		CLORS	PE1RS	6.27	to appropriate an	100		ļ	ļ		<b></b>				⊬
	Remote Site Collocation	sary ior a	ujacen	it remote site collor	vaudii, tile Parti	ies will negotia	ic appropriate ra	ies.					1				+-
1	Virtual Collocation in the Remote Site - Application Fee	<del>  -  </del>	+	VE1RS	VE1RB	<b></b>	580.20		312.76	<b></b>	t						$\vdash$
	· pproducti vo	† †			1		500.20	-	5.2.76	<u> </u>							t-
$\perp$	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	220.41	1			1							
	Virtual Collocation in the Remote Site - Space Availability Report						1 1						1				
	per Premises requested			VE1RS	VE1RR	L	218.49				L						_
	Virtual Collocation in the Remote Site - Remote Site CLLI Code																
11.051:5 5	Request, per CLLI Code Requested	<b>  </b>		VE1RS	VE1RL	L	70.81				Ļ		ļ				ـ
	LLOCATION			0.0.0			-		<u> </u>		ļ		ļ				₩
	LLOCATION Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656					<u> </u>						

TEGORY	ION - Tennessee  RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)					Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect	L		OSS	Rates(\$)		
						nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53										
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL. UHL, UDN UEA,UHL,UDL,UCL		0.34	11.12	10.18 10.31	11.33 11.62	10.23			1,77	1.77	1.12	1.12
+	Adjacent Collocation - DS1 Cross-Connects	<del> </del>			PEIJG	1.70		16.88	11.65	10.54	<del></del>	<del></del>	1.77	1.77	1.12	1.12
+	Adjacent Collocation - DS3 Cross-Connects	· · · · ·	┼		PE1JH	19.03		15.51	13.40	10.77		<del> </del>	1.77	1.77	1.12	1.12
+	Adjacent Collocation - 2-Fiber Cross-Connect	+	+		PE1JJ	3.49		15.51	13.41	10.78			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Fiber Cross-Connect	<del> </del>	+-		PE1JK	6.50		19.02	17.60	14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee	<b>†</b>	+		PE1JB	0.00	2.973.00	10.02	0.95						1.72	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp				PE1JL	5.81	2.070.00		0.50							
<b>_</b>	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	11.64										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	17.45										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	40.30										

# **Attachment 5**

Access to Numbers and Number Portability

Version: 2Q05 Standard ICA

## TABLE OF CONTENTS

1.	Non-Discriminatory Access to Telephone Numbers	3
2.	Local Number Portability	4
3.	Service Order Charges	5
4.	LNP In Conjunction with Local Switching	5

Version: 2Q05 Standard ICA 07/06/05

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

### 1. Non-Discriminatory Access to Telephone Numbers

- During the term of this Agreement, where ALEC is utilizing its own switch, ALEC shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.
- 1.2 Where BellSouth provides local switching or resold services to ALEC, BellSouth will provide ALEC with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. ALEC acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. ALEC may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to ALEC) telephone numbers per rate center if the following conditions are met:
- 1.2.1 ALEC must: (1) indicate that all of the intermediate numbers currently held by ALEC in each rate center where ALEC will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where ALEC will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by ALEC in the rate center where ALEC is requesting telephone numbers has reached at least seventy-five percent (75%).
- 1.2.2 The above information will be provided by ALEC by submitting to BellSouth a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where ALEC will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by ALEC to End Users by the total number of intermediate numbers held by ALEC in the rate center and multiplying the result by one hundred (100).
- 1.2.3 If fulfilling ALEC's request for intermediate numbers results in BellSouth having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), BellSouth will submit the required numbering request to the national numbering administrator to satisfy ALEC's request for intermediate numbers. BellSouth will also pursue all appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the

Version: 2Q05 Standard ICA

numbering request is denied by the national administrator) to satisfy ALEC's request for intermediate numbers. In these cases, BellSouth is not obligated to fulfill the request by ALEC for intermediate numbers unless, and until, BellSouth's request for additional numbering resources is granted.

- 1.2.4 ALEC agrees to supply supporting information for any numbering request and/or safety valve request that BellSouth files pursuant to Section 1.2.3 above.
- 1.3 ALEC acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, BellSouth may request that ALEC cancel all or a portion of its unassigned intermediate numbers. ALEC's consent to BellSouth's request shall not be unreasonably withheld.

## 2. Local Number Portability

- 2.1 The Parties will offer LNP in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>Service Management System (SMS) Administration.</u> The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.
- 2.3 <u>Network Architecture.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.
- 2.4 <u>Signaling.</u> In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.
- 2.5 <u>N-1 Query.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.
- 2.6 Porting of Reserved Numbers and Suspended Lines. End Users of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, End Users of each Party may port reserved numbers that the End User has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's End User may reserve additional telephone numbers and include them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.
- 2.7 <u>Splitting of Number Groups.</u> The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and MultiServ groups) to be split in connection with an LNP request. BellSouth and

Version: 2Q05 Standard ICA

ALEC shall permit End Users who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable charges for doing so as set forth in Attachment 2. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.

- 2.8 The Parties will set Location Routing Number (LRN) unconditional or ten (10) digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.10 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.11 BellSouth and ALEC will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry foras addressing LNP.
- Where ALEC utilizes BellSouth's LNP Query Service, BellSouth shall bill and ALEC shall pay the query charge associated with LNP Query Service as set forth in Attachment 2. To receive the LNP Query Service charge set forth in Attachment 2, ALEC shall fill out and submit the Interconnection data sheet for BellSouth LNP Query Service. The form can be obtained on BellSouth's Interconnection Web site under BellSouth LNP Query Service and click on forms. Once the form has been filled out and submitted the LNP Query charge will take effect on the approved date. This charge is not subject to the resale discount set forth in Attachment 1.

#### 3. Service Order Charges

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Attachment 6 and Exhibit A of Attachment 2.

#### 4. LNP In Conjunction with Local Switching

- Where ALEC purchases local switching from BellSouth, the Parties shall adhere to the following processes:
- 4.1.1 When ALEC submits an LSR for services, if the telephone number associated with the services requested resides in a switch other than BellSouth's, then BellSouth will submit an LNP LSR to the appropriate switch owner. ALEC shall be responsible for reimbursing BellSouth for any costs or charges imposed on BellSouth by the switch owner resulting from the submission of the LNP LSR. In addition, ALEC shall pay to BellSouth the manual service order charges or electronic service order charges as specified in Exhibit A of Attachment 2 for

Version: 2Q05 Standard ICA

BellSouth's creation and submission of the LNP LSR to the appropriate switch owner.

Working telephone numbers, telephone numbers for which payment has been made to reserve and telephone numbers that are in a denied state (but not disconnected) or suspended status may be subject to porting.

Version: 2Q05 Standard ICA

# Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version: 2Q05 Standard ICA 07/06/05

## TABLE OF CONTENTS

1.	Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair3
2.	Access to Operations Support Systems
3.	Miscellaneous

Version: 2Q05 Standard ICA

### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1.1 BellSouth shall provide to ALEC nondiscriminatory access to its OSS and the necessary information contained therein in order that ALEC can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide ALEC with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's Interconnection Web site. BellSouth shall ensure that its OSS are designed to accommodate requests for both current and projected demands of ALEC and other CLECs in the aggregate.

### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide ALEC nondiscriminatory access to its OSS and the necessary information contained therein in order that ALEC can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of ALEC to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for ALEC's access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site.
- 2.1.1 ALEC agrees to comply with the provisions of the OSS Interconnection Volume Guidelines as set forth at BellSouth's Interconnection Web site.

### 2.2 <u>Pre-Ordering</u>

2.2.1 BellSouth will provide electronic access to its OSS and the information contained therein in order that ALEC can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and ALEC will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below. ALEC shall provide to BellSouth access to customer record information, including

Version: 2005 Standard ICA

circuit numbers associated with each telephone number where applicable. ALEC shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, ALEC shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

2.2.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. ALEC will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit ALEC's access to customer record information. If a BellSouth audit of ALEC's access to customer record information reveals that ALEC is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to ALEC may take corrective action, including but not limited to suspending or terminating ALEC's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by Section 7, Proprietary and Confidential Information in General Terms and Conditions.

### 2.3 Ordering

- 2.3.1 BellSouth will make available to ALEC electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and ALEC will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.3.2 ALEC shall place orders for services by submitting a LSR to BellSouth. BellSouth shall bill ALEC an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. BellSouth shall bill ALEC a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g., mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its PON.
- 2.3.2.1 ALEC may submit an LSR to request that an End User's service be temporarily suspended, denied, or restored. Alternatively, ALEC may submit a list of such

Version: 2005 Standard ICA

End Users if ALEC provides a separate PON for each location on the list. BellSouth will bill an electronic or manual service order charge for each location.

- 2.3.2.2 BellSouth will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.2.3 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.

### 2.4 <u>Provisioning</u>

- 2.4.1 BellSouth shall provision services during its regular working hours. To the extent ALEC requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project managers to work outside of regular working hours, overtime charges set forth in BellSouth's intrastate Access Services Tariff, Section E13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of ALEC, BellSouth will not assess ALEC additional charges beyond the rates and charges specified in this Agreement.
- 2.4.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by ALEC (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill ALEC for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.4.3 <u>Cancellation Charges.</u> If ALEC cancels an LSR for network elements or resold services subsequent to BellSouth's generation of a service order, any costs incurred by BellSouth in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart found on BellSouth's Interconnection Web site. In addition, BellSouth reserves the right to assess cancellation charges if ALEC fails to respond within nine (9) business days to a Missed Appointment order notification.
- 2.4.3.1 Notwithstanding the foregoing, if ALEC places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this

Version: 2Q05 Standard ICA

Section shall not apply. Where ALEC places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, ALEC may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should ALEC elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

- 2.4.4 Service Date Advancement Charges (Expedites). For Service Date Advancement requests by ALEC, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in Exhibit A of Attachment 2.
- 2.4.5 Order Modification Charges. If ALEC modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by ALEC in accordance with Exhibit A of Attachment 2.
- 2.5 <u>Maintenance and Repair</u>
- 2.5.1 BellSouth will make available to ALEC electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and ALEC will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and ALEC agree to adhere to BellSouth's Operational Understanding. The Operational Understanding may be accessed via BellSouth's Interconnection Web site.
- 2.5.2 If ALEC reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge ALEC a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. BellSouth, will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.5.3 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by ALEC (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill ALEC for each additional dispatch required to repair the circuit due to the incorrect/incomplete

Version: 2Q05 Standard ICA

information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.

- 2.6 <u>Billing.</u> BellSouth will provide ALEC nondiscriminatory access to billing information as specified in Attachment 7.
- 2.7 <u>Change Management.</u> BellSouth and ALEC agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and ALEC agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to ALEC at BellSouth's Interconnection Web site.
- 2.8 Rates. Unless otherwise specified herein, charges for the use of BellSouth's OSS, and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.
- 2.9 The Commissions in some states have ordered per element manual additive nonrecurring charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive nonrecurring charges will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

#### 3. MISCELLANEOUS

- 3.1 Pending Orders. To the extent that ALEC submits an LSR with incomplete, incorrect or conflicting information, BellSouth will return the LSR to ALEC for clarification. ALEC shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR. If ALEC does not submit a supplement LSR within thirty (30) days, BellSouth will cancel the original LSR and ALEC shall be required to submit a new LSR, with a new PON.
- 3.2 <u>Single Point of Contact.</u> ALEC will be the single point of contact with BellSouth for ordering activity for network elements and other services used by ALEC to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. ALEC and BellSouth shall each execute a blanket LOA with respect to customer requests so that prior proof of End User authorization will not

Version: 2005 Standard ICA

be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by ALEC to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify ALEC that such a request has been processed but will not be required to notify ALEC in advance of such processing.

- 3.2.1 Neither BellSouth nor ALEC shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- The Parties shall return a FOC and LSR rejection/clarification in accordance with the intervals specified in Attachment 9.
- 3.2.3 <u>Use of Facilities.</u> When an End User of ALEC elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to ALEC by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer service from an End User or from a CLEC. BellSouth will notify ALEC that such a request has been processed after the disconnect order has been completed.
- 3.3 Contact Numbers. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed twenty-four (24) hours per day, seven (7) days per week. BellSouth will close trouble tickets after making a reasonable effort to contact ALEC for authorization to close a ticket. BellSouth will place trouble tickets in delayed maintenance status after making a reasonable effort to contact ALEC to request additional information or to request authorization for additional work deemed necessary by BellSouth.
- 3.4 <u>Subscription Functions.</u> In cases where BellSouth performs subscription functions for an IXC (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the OCN of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.4.1 When ALEC's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill

Version: 2005 Standard ICA

the PIC or LPIC change charge to ALEC, which has the billing relationship with that End User, and ALEC may pass such charge to the End User.

Version: 2Q05 Standard ICA

# Attachment 7

Billing

Version: 2Q05 Standard ICA

# TABLE OF CONTENTS

1.	Payment and Billing Arrangements	3
2.	Billing Disputes	9
3.	Revenue Accounting Office (RAO) Hosting	10
4.	Optional Daily Usage File (ODUF)	14
5	Access Daily Usage File (ADUF)	16
6.	Rates for ODUF and ADUF	19
Ra	ntes	Exhibit A

Version: 2Q05 Standard ICA

#### **BILLING**

### 1. Payment and Billing Arrangements

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to ALEC under this Agreement. BellSouth will format all bills in CABS Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format may change in accordance with applicable industry standards.
- 1.1.1 For any service(s) BellSouth receives from ALEC, ALEC shall bill BellSouth in CBOS format or the existing format currently being used between the Parties.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of ALEC's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in BellSouth's Non-Regulated Services Pricing List N6.
- 1.1.4 The Parties will bill each other in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill ALEC, and ALEC will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for ALEC as a result of the execution of this Agreement.
- 1.2 <u>Establishing Accounts.</u> After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, ALEC will provide the appropriate BellSouth Local Contract Manager responsible for new CLEC activation, the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network

Version: 2Q05 Standard ICA

Elements and Other Services and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate OCN for each state as assigned by the NECA, CIC, if applicable, ACNA, if applicable, BellSouth's blanket form LOA, Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, ALEC may not order services under a new account established in accordance with this Section until thirty (30) days after all information specified in this Section is received from ALEC.

- 1.2.1 <u>ACNAs.</u> ALEC shall provide BellSouth with documentation from Telcordia identifying the ACNA assigned to it by Telcordia (as applicable) in the same legal name as reflected in the preamble to this Agreement. Such ACNA will be used by ALEC to order services pursuant to this Agreement and will not be shared by ALEC with another entity.
- 1.2.2 Company Identifiers. If ALEC needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when ALEC has already been conducting business utilizing those Company Identifiers, ALEC shall pay all charges as a result of such change, addition, elimination or conversion to the new Company Identifiers. Such charges include, but are not limited to, all time required to make system updates to all of ALEC's End User records and any other changes to BellSouth systems or ALEC records, and will be handled in a separately negotiated agreement or as otherwise required by BellSouth.
- 1.2.3 Tax Exemption. It is the responsibility of ALEC to provide BellSouth with a properly completed tax exemption certificate at intervals required by the appropriate taxing authorities. A tax exemption certificate must be supplied for each individual ALEC entity purchasing Services under this Agreement. Upon BellSouth's receipt of a properly completed tax exemption certificate, subsequent billings to ALEC will not include those taxes or fees from which ALEC is exempt. Prior to receipt of a properly completed exemption certificate, BellSouth shall bill, and ALEC shall pay all applicable taxes and fees. In the event that ALEC believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to BellSouth's receipt of a properly completed exemption certificate, BellSouth shall assign to ALEC its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by BellSouth, BellSouth shall, after receiving a written request from ALEC and at ALEC's sole expense, pursue such refund claim on behalf of ALEC, provided that ALEC promptly reimburses BellSouth for any costs and expenses incurred by BellSouth in pursuing such refund claim, and provided further that BellSouth shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to ALEC. ALEC shall be solely responsible for the

Version: 2Q05 Standard ICA

computation, tracking, reporting and payment of all taxes and fees associated with the services provided by ALEC to its End Users.

- Deposit Policy. Prior to the inauguration of service or, thereafter, upon BellSouth's request, ALEC shall complete the BellSouth Credit Profile (BellSouth form) and provide information to BellSouth regarding ALEC's credit and financial condition. Based on BellSouth's analysis of the BellSouth Credit Profile and other relevant information regarding ALEC's credit and financial condition, BellSouth reserves the right to require ALEC to provide BellSouth with a suitable form of security deposit for ALEC's account(s). If, in BellSouth's sole discretion, circumstances so warrant and/or ALEC's gross monthly billing has increased, BellSouth reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in ALEC's "accounts receivables and proceeds".
- 1.3.1 Security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by ALEC. Any such security deposit shall in no way release ALEC from its obligation to make complete and timely payments of its bill(s). If BellSouth requires ALEC to provide a security deposit, ALEC shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of BellSouth's request, as applicable. Deposit request notices will be sent to ALEC via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in BellSouth's GSST.
- 1.3.2 Security deposits collected under this Section shall not exceed two (2) months' estimated billing. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if ALEC has received service from BellSouth during such period at a level comparable to that anticipated to occur over the next six (6) months. If either ALEC or BellSouth has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, ALEC and BellSouth shall agree on a level of estimated billings based on all relevant information.
- 1.3.3 In the event ALEC fails to provide BellSouth with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to ALEC may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upon Termination of services, BellSouth shall apply any security deposit to ALEC's final bill for its account(s).

Version: 2Q05 Standard ICA

- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by ALEC as security under this Agreement, ALEC shall renew such letter of credit or provide BellSouth with evidence that ALEC has obtained a suitable replacement for the letter of credit. If ALEC fails to comply with the foregoing, BellSouth shall thereafter be authorized to draw down the full amount of such letter of credit and utilize the cash proceeds as security for ALEC accounts(s). If ALEC provides a security deposit or additional security deposit in the form of a surety bond as required herein, ALEC shall renew the surety bond or provide BellSouth with evidence that ALEC has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If ALEC fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for ALEC's account(s). If the credit rating of any bonding company that has provided ALEC with a surety bond provided as security hereunder has fallen below B, BellSouth will provide written notice to ALEC that ALEC must provide a replacement bond or other suitable security within fifteen (15) days of BellSouth's written notice. If ALEC fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for ALEC's account(s). Notwithstanding anything contained in this Agreement to the contrary, BellSouth shall be authorized to draw down the full amount of any letter of credit or take action on any surety bond provided by ALEC as security hereunder if ALEC defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein.
- Payment Responsibility. Payment of all charges will be the responsibility of ALEC. ALEC shall pay invoices by utilizing wire transfer services or automatic clearing house services or utilizing existing payment methods. ALEC shall make payment to BellSouth for all services billed including disputed amounts. BellSouth will not become involved in billing disputes that may arise between ALEC and ALEC's End User.
- 1.4.1 Payment Due. Payment for services provided by BellSouth, excluding disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify BellSouth of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by BellSouth. If the Remittance Information is not received with payment, BellSouth will be unable to apply amounts paid to ALEC's accounts. In such event, BellSouth shall hold such funds until the Remittance Information is received. If BellSouth does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.
- 1.4.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day

following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.

- 1.4.1.2 <u>Late Payment.</u> If any portion of the payment (except disputed amounts) is not received by the billing party on or before the payment due date as set forth above, or if any portion of the payment is received by the billing party in funds that are not immediately available to the billing party, then a late payment and/or interest charge shall be due to the billing party. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of BellSouth's GSST, Section B2 of the Private Line Service Tariff or Section E2 of the BellSouth intrastate Access Services Tariff, or pursuant to the applicable state law as determined by the billing party. In addition to any applicable late payment and/or interest charges, ALEC may be charged a fee for all returned checks at the rate set forth in Section A2 of BellSouth's GSST or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to ALEC.</u> The procedures for discontinuing service to ALEC are as follows:
- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.
- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's End Users or customers. Additionally, at the time of Discontinuance, BellSouth will remove any Local Service Freezes in place on the billed Party's End Users.
- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.
- 1.5.2 BellSouth reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by ALEC of the rules and regulations of BellSouth's tariffs.
- 1.5.3 <u>Suspension.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteen (15) days from the date

Version: 2005 Standard ICA

of a deposit request in the case of security deposits, BellSouth will provide written notice to ALEC that services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1 above: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for Security deposit requests.

- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, BellSouth will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that BellSouth provides the Suspension notice.
- Discontinuance. If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, BellSouth will provide written notice that BellSouth may Discontinue the provision of existing services to ALEC if payment of such amounts, and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1 above, within thirty (30) days following such written notice; provided, however, that BellSouth may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.5 below.
- 1.5.5 BellSouth may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after BellSouth provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) ALEC has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:
  - (1) BellSouth has sent the subject bill(s) to ALEC within seven (7) business days of the bill date(s), verifiable by records maintained by BellSouth:
    - i. in paper or CDROM form via the United States Postal Service (USPS), or

Version: 2Q05 Standard ICA

- ii. in magnetic tape form via overnight delivery, or
- iii. via electronic transmission; or
- (2) BellSouth has sent the subject bill(s) to ALEC, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.
- 1.5.6 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.7 ALEC is solely responsible for notifying the End User of the Discontinuance of service. If, within seven (7) days after ALEC's services have been Discontinued, ALEC pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of BellSouth's GSST, then BellSouth will reestablish service for ALEC.
- 1.5.7.1 <u>Termination.</u> If within seven (7) days after ALEC's service has been Discontinued and ALEC has failed to pay all past due charges as described above, then ALEC's service will be Terminated.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, disconnection of services for nonpayment of charges, and rejection of additional orders from ALEC, shall be forwarded to the individual and/or address provided by ALEC in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by ALEC as the contact for billing. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from ALEC to BellSouth's billing organization, the notice of discontinuance of services purchased by ALEC under this Agreement provided for in Section 1.5.4 above shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions.

#### 2. Billing Disputes

ALEC shall electronically submit all billing disputes to BellSouth using the form specified by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of BellSouth's denial, or partial denial, of the billing dispute, if ALEC is not satisfied with BellSouth's resolution of the billing dispute or if no response to the billing dispute has been received by ALEC by such sixtieth (60<sup>th</sup>) day, ALEC must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix, set forth on BellSouth's Interconnection Services Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to

Version: 2Q05 Standard ICA

pursue the dispute shall pursue dispute resolution in accordance with General Terms and Conditions.

For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 above of a specific amount of money actually billed by BellSouth. The billing dispute must be clearly explained by ALEC and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within BellSouth's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide complete information may be rejected by BellSouth. Claims by ALEC for damages of any kind will not be considered a billing dispute for purposes of this Section. If BellSouth resolves the billing dispute, in whole or in part, in favor of ALEC, any credits and interest due to ALEC as a result therof shall be applied to ALEC's account by BellSouth upon resolution of the billing dispute.

### 3. RAO Hosting

- 3.1 Centralized Message Distribution System (CMDS) is a national message exchange system administered by Telcordia Technologies (Telcordia) used to transmit alternately billed calls (e.g., credit card, third number and collect) from the Earning Company, as defined herein, to the Billing Company, as defined herein, to permit the Earning Company and the Billing Company to receive appropriate compensation. It is also used to transmit access records from one company to another.
- 3.2 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the CMDS Data Center and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center (Indirect Participants).
- 3.3 RAO Hosting is a hosting relationship where an Indirect Participant sends and receives CMDS eligible messages to and from its Host, who then interfaces, on behalf of the Indirect Participant, with other Direct Participants for distribution and collection of these messages. RAO Hosting also includes the Direct Participant's provision of revenue settlements functions (compensation) for alternately billed calls based upon reports generated by Credit Card and Third Number Settlement (CATS) and Non-InterCompany Settlement (NICS) as described herein. CATS and NICS are collectively referred to as Intercompany Settlements.
- The CATS System is a national system administered by Telcordia, used to settle revenues for calls that are sent from one CMDS Direct Participant to another for billing. CATS applies to calls that originate within one Regional Bell Operating Company's (RBOC) territory, as defined at Divestiture, and bill in another RBOC's territory. CATS calculates the amounts due to Earning Companies (i.e., billed revenue less the billing and collection fee). For alternately billed calls,

Version: 2Q05 Standard ICA

the originating company, whose facilities are used to place the call, is the Earning Company and the company that puts the charges on the End User's bill is the Billing Company

- 3.5 The NICS is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two (2) different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within BellSouth's territory.
- 3.6 RAO Hosting, CATS and NICS services provided to ALEC by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.7 ALEC shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.8 Charges or credits, as applicable, will be applied by BellSouth to ALEC on a monthly basis in arrears. Amounts due (excluding adjustments) are due on or before the next bill date.
- 3.9 ALEC must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, ALEC must request that BellSouth establish a unique hosted RAO code for ALEC. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.10 BellSouth will receive messages from ALEC that are to be processed by BellSouth, another Local Exchange Carrier (LEC) in the BellSouth region or a LEC outside the BellSouth region. ALEC shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.11 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from ALEC.
- 3.12 All data received from ALEC that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.13 All data received from ALEC that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.

Version: 2Q05 Standard ICA

- 3.14 BellSouth will receive messages from the CMDS network that are destined to be processed by ALEC and will forward them to ALEC on a daily basis for processing.
- 3.15 Transmission of message data between BellSouth and ALEC will be distributed via FTP mailbox. It will be created on a daily basis Monday through Friday, except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move ALEC to CONNECT:Direct file delivery.
- 3.15.1 If ALEC is moved to CONNECT:Direct, data circuits (private line or dial-up) may be required between BellSouth and ALEC for the purpose of data transmission. Where a dedicated line is required, ALEC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. ALEC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to ALEC. Additionally, all message toll charges associated with the use of the dial circuit by ALEC will be the responsibility of ALEC. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the ALEC end for the purpose of data transmission will be the responsibility of ALEC.
- 3.15.2 If ALEC utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of ALEC.
- 3.16 All messages and related data exchanged between BellSouth and ALEC will be EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.17 ALEC will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.18 Should it become necessary for ALEC to send data to BellSouth more than sixty (60) days past the message date(s), ALEC will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or ALEC, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two (2) Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data.

- 3.20 Should an error be detected by the EMI format edits performed by BellSouth on data received from ALEC, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify ALEC of the error. ALEC will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, ALEC will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.21 In association with message distribution service, BellSouth will provide ALEC with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.22 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.23 <u>Intercompany Settlements Messages</u>
- 3.23.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by ALEC as a facilities based provider of local exchange telecommunications services.
- 3.23.2 BellSouth will receive the monthly NICS and CATS reports from Telcordia on behalf of ALEC and will distribute copies of these reports to ALEC on a monthly basis.
- 3.23.3 Through CATS, BellSouth will collect the revenue earned by ALEC from the RBOC in whose territory the messages are billed, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of ALEC. BellSouth will remit the revenue billed by ALEC to the RBOC in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of ALEC. These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to ALEC via a CABS miscellaneous bill on a monthly basis in arrears.
- 3.23.4 Through NICS, BellSouth will collect the revenue earned by ALEC within the BellSouth territory from another LEC also within the BellSouth territory where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of ALEC. BellSouth will remit the revenue billed by ALEC within the BellSouth region to the LEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to ALEC via a CABS miscellaneous bill on a monthly basis in arrears.

- 3.23.5 BellSouth and ALEC agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.
- Rates. Rates for CMDS are as set forth in Exhibit A. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

#### 4. Optional Daily Usage File

- 4.1 Upon written request from ALEC, BellSouth will provide the ODUF Services to ALEC pursuant to the terms and conditions set forth in this section.
- 4.2 ALEC shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed provides ALEC messages that ALEC has purchased from BellSouth that were carried over the BellSouth network and processed by BellSouth for ALEC.
- 4.4 Charges for the ODUF Service will appear on ALEC's monthly bills for the previous month's usage in arrears.
- The ODUF feed will contain both rated and unrated messages. All messages will be in the standard ATIS EMI record format.
- 4.6 Messages that error in the billing system of ALEC will be the responsibility of ALEC. If, however, ALEC should encounter significant volumes of errored messages that prevent processing by ALEC within its systems, BellSouth will work with ALEC to determine the source of the errors and the appropriate resolution.
- 4.7 ODUF Specifications
- 4.7.1 ODUF Messages to be Transmitted.
- 4.7.2 The following messages recorded by BellSouth will be transmitted to ALEC:
- 4.7.2.1 Message recording for per use/per activation type services (examples: Three-Way Calling, Verify, Interrupt, Call Return, etc.)
- 4.7.2.2 Measured local calls;
- 4.7.2.3 Directory Assistance messages;
- 4.7.2.4 IntraLATA Toll;
- 4.7.2.5 WATS and 800 Service;

Version: 2Q05 Standard ICA

- 4.7.2.6 N11;
- 4.7.2.7 Information Service Provider Messages;
- 4.7.2.8 Operator Services Messages;
- 4.7.2.9 Operator Services Message Attempted Calls;
- 4.7.2.10 Credit/Cancel Records; and
- 4.7.2.11 Usage for Mail Message Service
- 4.7.3 Rated Incollects (messages BellSouth receives from other revenue accounting offices) also appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 4.7.4 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to ALEC.
- 4.7.5 In the event that ALEC detects a duplicate on ODUF they receive from BellSouth, ALEC will drop the duplicate message and will not return the duplicate to BellSouth.
- 4.7.6 ODUF Physical File Characteristics
- 4.7.6.1 ODUF will be distributed to ALEC via FTP. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the ALEC to CONNECT:Direct file delivery.
- 4.7.6.2 If the ALEC is moved to CONNECT:Direct, data circuits (private line or dial-up) will be required between BellSouth and ALEC for the purpose of data transmission. Where a dedicated line is required, ALEC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. ALEC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be ALEC's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to ALEC. Additionally, all message toll charges associated with the use of the dial circuit by ALEC will be the responsibility of ALEC. Associated

equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on ALEC's end for the purpose of data transmission will be the responsibility of ALEC.

- 4.7.6.3 If ALEC utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of ALEC.
- 4.7.7 ODUF Packing Specifications
- 4.7.7.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety nine (99) packs and a minimum of one (1) pack.
- 4.7.7.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to ALEC which BellSouth RAO is sending the message. BellSouth and ALEC will use the invoice sequencing to control data exchange. ALEC will notify BellSouth of sequence failures identified by ALEC and BellSouth will resend the data as appropriate.
- 4.7.8 ODUF Pack Rejection. ALEC will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. ALEC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to ALEC by BellSouth.
- 4.7.9 ODUF Control Data. ALEC will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate ALEC's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by ALEC for reasons stated in the above section.
- 4.7.10 ODUF Testing. Upon request from ALEC, BellSouth shall send ODUF test files to ALEC. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that ALEC set up a production (live) file. The live test may consist of ALEC's employees making test calls for the types of services ALEC requests on ODUF. These test calls are logged by ALEC, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.
- 5 Access Daily Usage File (ADUF)

Version: 2Q05 Standard ICA

- 5.1 Upon written request from ALEC, BellSouth will provide the ADUF Services to ALEC pursuant to the terms and conditions set forth in this section.
- 5.2 ALEC shall furnish all relevant information required by BellSouth for the provision of ADUF Services.
- The ADUF provides ALEC originating and terminating access and third party messages associated with a port that ALEC has purchased from BellSouth.
- Charges for ADUF Services will appear on ALEC's monthly bills for the previous month's usage in arrears.
- Messages that error in the billing system of ALEC will be the responsibility of ALEC. If, however, ALEC should encounter significant volumes of errored messages that prevent processing by ALEC within its systems, BellSouth will work with ALEC to determine the source of the errors and the appropriate resolution.
- 5.6 <u>ADUF Messages to be Transmitted</u>
- 5.6.1 The following messages recorded by BellSouth will be transmitted to ALEC:
- 5.6.2 Recorded originating and terminating interstate and intrastate access records associated with Wholesale Switch Port Services and Wholesale Local Platform Services.
- 5.6.3 Recorded terminating access records for undetermined jurisdiction access records associated with Wholesale Switch Port Services and Wholesale Local Platform Services.
- 5.6.4 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to ALEC.
- 5.6.5 In the event that ALEC detects a duplicate on ADUF they receive from BellSouth, ALEC will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.7 ADUF Physical File Characteristics
- 5.7.1 ADUF will be distributed to ALEC via Secure FTP Mailbox. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (210 bytes). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the ALEC to CONNECT:Direct file delivery.

- 5.7.2 If the ALEC is moved to CONNECT: Direct, data circuits (private line or dial-up) will be required between BellSouth and ALEC for the purpose of data transmission. Where a dedicated line is required, ALEC will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. ALEC will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be ALEC's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to ALEC. Additionally, all message toll charges associated with the use of the dial circuit by ALEC will be the responsibility of ALEC. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on ALEC's end for the purpose of data transmission will be the responsibility of ALEC.
- 5.7.2.1 If ALEC utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of ALEC.
- 5.7.3 ADUF Packing Specifications
- 5.7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- 5.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to ALEC which BellSouth RAO is sending the message. BellSouth and ALEC will use the invoice sequencing to control data exchange. ALEC will notify BellSouth of sequence failures identified by ALEC and BellSouth will resend the data as appropriate.
- 5.7.4 <u>ADUF Pack Rejection.</u> ALEC will notify BellSouth within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. ALEC will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to ALEC by BellSouth.
- 5.7.5 <u>ADUF Control Data.</u> ALEC will send one (1) confirmation record per pack that is received from BellSouth. This confirmation record will indicate ALEC's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be

populated using standard ATIS EMI error codes for packs that were rejected by ALEC for reasons stated in the above section.

5.7.6 <u>ADUF Testing.</u> Upon request from ALEC, BellSouth shall send a test file of generic data to ALEC via CONNECT:Direct or Text File via e-mail. The Parties agree to review and discuss the test file's content and/or format.

### 6. Rates for ODUF and ADUF

6.1 The rates for ODUF and ADUF are as set forth in Exhibit A.

Version: 2Q05 Standard ICA

DUF & CMD	S - Alabama												Attachment:	7 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted	Submitted	Charge - Manual Svc	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect		<del></del>	oss	Rates(\$)		
						Hec	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	Mana															
			<u> </u>		ļ										<u> </u>	
	S DAILY USAGE FILE (ADUF)		L						<u> </u>							
<u> </u>	ADUF: Message Processing, per message					0.007037					I	1				
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.000113										
	NAL DAILY USAGE FILE (ODUF)				1	1			1		1					<del></del>
	ODUF: Recording. per message					0.000011					· · · · · ·	<del> </del>	<u> </u>			
	ODUF: Message Processing, per message					0.004101					<del>                                     </del>					<del></del>
	ODUF: Message Processing, per Magnetic Tape provisioned					42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				<u> </u>	0.000094										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)	L														
L	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUF & C	CMDS - Florida												Attachment:	7 Exh A		
	T T										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1	1		1		]						Submitted	Submitted		Charge -	Charge -	Charge -
		nteri									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY I RATE ELEMENTS I	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		141			1						· ·		Electronic-	Electronic-	Electronic-	Electronic-
1					l							1	1st	Add'l	Disc 1st	Disc Add'l
1					<del> </del>	Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						nec -	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADU	HIF/CMDS				<del> </del>	<del> </del>			<del>                                     </del>							
	CCESS DAILY USAGE FILE (ADUF)								<del> </del>		<del> </del>	·	·	<del> </del>		
	ADUF: Message Processing, per message					0.001656			1		<del> </del>	<del> </del>				
	ADUF: Data Transmission (CONNECT:DIRECT), per message				l .	0.0001245			1 1			Į.	ļ	l		
OF	PTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000071										
L. I	ODUF: Message Processing, per message					0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91										
\ \	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375								]		
CE	ENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)								1			T				
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUF (	& CMD	S - Georgia												Attachment:	7 Exh A		
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				1			D 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	·	·
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUE	ADUF/C	MDC	<b> </b>			<del>-</del>		···									
ODUF		SS DAILY USAGE FILE (ADUF)	<del></del>			<del> </del>											
<b>—</b>			<b></b> -									ļ					
	ļ	ADUF: Message Processing, per message		$\vdash$			0.001713										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013027										
		NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				1	0.0000068			1							
		ODUF: Message Processing, per message				1	0.002167										
		ODUF: Message Processing, per Magnetic Tape provisioned					36.06										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010856										
L		RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUF & CMD	S - Kentucky												Attachment:	7 Exh A		_
					1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		ļ	1 1		}	4					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi				İ					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1	l l								Į.	[ ]	Electronic-	Electronic-	Electronic-	Electronic-
					]						•		1st	Add'l	Disc 1st	Disc Add'l
T		<b>—</b> —			<del> </del>	Rec	Nonre	curring	Nonrecurrin	g Disconnect	<del>                                     </del>	<u> </u>	oss	Rates(\$)		
						Hec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS	<del> </del> -	-		<del></del>				<del> </del>	<del> </del> -	<del> </del> -					
	S DAILY USAGE FILE (ADUF)	_	1		<del></del>				<del></del>	<del> </del> ·	<del> </del>	<del> </del>	<b>-</b>	ļ		
	ADUF: Message Processing, per message				<del>                                     </del>	0.001857			<u> </u>			<u> </u>				<del></del>
	ADUE DATE TO SEE TO COMMENT DIDECT					0.00010447										
	ADUF: Data Transmission (CONNECT:DIRECT), per message  NAL DAILY USAGE FILE (ODUF)		+	·····	+	0.00012447								ļ		
					<del> </del>	0.0000136			ļ		<del> </del>	<del> </del>	<u> </u>	ļ		
	ODUF: Recording, per message ODUF: Message Processing, per message	<del> </del>	<del>}</del>		<del></del>	0.002506			<del></del>	<del> </del>	<del></del>				ļ	<u> </u>
	ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned		1-1		+	35.90			<del> </del>	<del> </del>	<del> </del>					
<del></del>	ODOT: Nessage Flocessing, per Magnetic Tape provisioned	<del> </del>	<del>  </del>		<del> </del>	33.90			<del></del>		<del> </del> -	<del> </del>	<del></del>			<del></del>
	ODUF: Data Transmission (CONNECT:DIRECT), per message		1 1		1	0.00010372					1		<u> </u>	1		
CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001		l		1					Ì	

DUF & 0	CMDS - Louisiana	-											Attachment:	7 Exh A		
CATEGO	ORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted	Submitted Manually	Charge -	Charge -	1	Charge -
			1				Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									<u> </u>							<del></del>
	DUF/CMDS														ļ	<b></b>
A	ACCESS DAILY USAGE FILE (ADUF)								<u></u>							
	ADUF: Message Processing, per message					0.007983			.							<del> </del>
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012681										
0	OPTIONAL DAILY USAGE FILE (ODUF)				T											
	ODUF: Recording, per message					0.0000117										
	ODUF: Message Processing, per message					0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568							<b></b>			
C	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)		L													
	CMDS: Message Processing, per message				<u> </u>	0.004			_							ļ
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001							_			

DUF &	CMD	S - Mississippi												Attachment:			
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Charge -	Charge - Manual Svc	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			<b></b>					Nonre	curring	Nonrecurring	Disconnect	<del>                                     </del>		OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/A	DUE/C	MDS										ļ					
		S DAILY USAGE FILE (ADUF)				<del> </del>	<del> </del>			<del> </del>		<del> </del>	<del> </del>		ļ	<del> </del>	<del> </del>
		ADUF: Message Processing, per message					0.008087			1	<u> </u>	<del>                                     </del>					<del> </del>
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012803										
$\longrightarrow$		NAL DAILY USAGE FILE (ODUF)	<u> </u>	ļ		ļ	1										
		ODUF: Recording, per message		<u> </u>			0.0000063			ļ		ļ	L				
		ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned		<del> </del>		<del> </del>	0.004707 49.04			<u> </u>							<u> </u>
		Obor : Message Frocessing, per Magnetic Tape provisioned	ļ			<del> </del>	49.04	·· ·· · · · · · · · · · · · · · · · ·	<b></b>				<del></del>			<b></b>	
		ODUF: Data Transmission (CONNECT:DIRECT), per message				i	0.00010669					ļ					
	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)				1				<u> </u>		<del>                                     </del>	†				<b></b>
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUF & CMD	S - North Carolina					<del></del>		-					Attachment:	7 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted	Submitted Manually	Charge -	Charge - Manual Svc	ì	Charge -
					1		Nonre	curring	Nonrecurring	Disconnect		•	oss	Rates(\$)	• • • • • • • • • • • • • • • • • • • •	
				` '		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C					1											
	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.001614					ļ					
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013235										
	NAL DAILY USAGE FILE (ODUF)	L	l													
	ODUF: Recording, per message					0.0000174										
	ODUF: Message Processing, per message					0.001647										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00011029										
CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				1	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

DUF & CMD	S - South Carolina						-			-			Attachment:	7 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES(\$)		Submitted	Submitted Manually	Charge -	Charge -		Charge - Manual Svo Order vs.			
1		<del></del>	+ +				Nonrecurring		Nonrecurring	Disconnect	·	·	OSS Rates(\$)			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS		-		+	<del> </del>			<del> </del>		<del> </del>	ļ				<del></del>
ACCESS DAILY USAGE FILE (ADUF)		<u> </u>	1								<del> </del>	<del></del>				<del> </del>
	ADUF: Message Processing, per message					0.008061					<u> </u>					<del> </del>
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013036										
	NAL DAILY USAGE FILE (ODUF)											·	T			
	ODUF: Recording, per message					0.0000216			T		1			† ···· · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	ODUF: Message Processing, per message					0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned	<u> </u>				48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863									-	
CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)											T					1
	CMDS: Mossage Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0,001										

Version: 2Q05 Standard ICA 07/06/05

DUF & CMD	S - Tennessee												Attachment:	7 Exh A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RATES(\$)				Submitted	Submitted	Charge -	Charge -		Charge -
							Nonrecurring		Nonrecurring Disconnect		OSS Rates(\$)					
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS				ļ						ļ					
ACCESS DAILY USAGE FILE (ADUF)																<del> </del>
	ADUF: Message Processing, per message					0.001825			-							<del> </del>
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012147										
	NAL DAILY USAGE FILE (ODUF)															<del> </del>
	ODUF: Recording, per message				T	0.0000044									····	
	ODUF: Message Processing, per message					0.002446										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.54										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)								T							<del></del>
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										

## **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

Version: 2Q05 Standard ICA

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with BellSouth.

Version: 2Q05 Standard ICA

## Attachment 9

# **Performance Measurements**

Version: 2Q05 Standard ICA 07/06/05

## PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at <a href="http://pmap.bellsouth.com">http://pmap.bellsouth.com</a>.

Version: 2Q05 Standard ICA

# **Attachment 10**

# **BellSouth Disaster Recovery Plan**

<u>CONTENTS</u>		<u>s</u>		PAGE							
1.0	Purpo	ose		2							
2.0	Single	e Point of	Contact	2							
3.0	Identifying the Problem										
	3.1	Site Co	ontrol	3							
	3.2	Enviro	nmental Concerns	4							
4.0	The E	The Emergency Control Center (ECC)									
5.0	Recovery Procedures										
	5.1	CLEC		5							
	5.2	5.2 BellSouth Outage									
		5.2.1	Loss of Central Office	6							
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6							
		5.2.3	Loss of a Central Office with Tandem Functions	6							
		5.2.4	Loss of a Facility Hub	7							
	5.3 Combined Outage (CLEC and BellSouth Equipment)										
6.0	T1 Identification Procedures										
7.0	Acror	ivms		8							

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a CLEC, general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the FCC to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available at the following BellSouth Interconnection Services Web site: <a href="http://interconnection.bellsouth.com/products/vertical/tsp.html">http://interconnection.bellsouth.com/products/vertical/tsp.html</a>. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

#### 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's ECC and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

#### 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

Version: 2Q05 Standard ICA

For long-term outages, recovery efforts will be coordinated by the ECC. Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

#### 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

Version: 2Q05 Standard ICA

#### 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

#### 4.0 THE ECC

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

Version: 2005 Standard ICA

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

#### 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

#### 5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

#### **5.2 BELLSOUTH OUTAGE**

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the CO is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

Version: 2Q05 Standard ICA

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

#### 5.2.1 Loss of a CO

When BellSouth loses a CO, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary:
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

#### 5.2.2 Loss of a CO with SWC Functions

The loss of a CO that also serves as a SWC will be restored as described in Section 5.2.1.

#### 5.2.3 Loss of a CO with Tandem Functions

When BellSouth loses a CO building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally

Version: 2Q05 Standard ICA

found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

#### 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

#### 5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

#### 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

Version: 2Q05 Standard ICA

#### 7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Version: 2Q05 Standard ICA

### **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/index.html">http://www.interconnection.bellsouth.com/network/disaster/index.html</a>. Information concerning Mechanized Disaster Reports can also be found at this Web site by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrdocs.html">http://www.interconnection.bellsouth.com/network/disaster/mdrdocs.html</a>.

#### **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

# **Attachment 11**

**Bona Fide Request and New Business Request Process** 

#### BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

#### 1. BONA FIDE REQUEST

- 1.1 The Parties agree that ALEC is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A BFR is to be used when ALEC makes a request of BellSouth to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.
- 1.2 A BFR shall be submitted in writing by ALEC and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include ALEC's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e., a BFR). The request shall be sent to ALEC's designated BellSouth Sales contact or Local Contract Manager (LCM).
- 1.3 Within two (2) business days of receipt of a BFR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from ALEC at any time during the processing of the BFR.
- 1.4 Within thirty (30) business days of BellSouth's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall respond to ALEC by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the new or modified Network Element, interconnection option or service option or confirm that BellSouth will not offer the new or modified Network Element, interconnection option or service option.
- 1.5 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that BellSouth will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to,

Version: 2Q05 Standard ICA 07/06/05

request parameters analysis, determination of impacted BellSouth departments, determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that BellSouth will not offer the new or modified Network Element, interconnection option or service option, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element, interconnection option or service option, should actually be submitted as a NBR or is otherwise not required to be provided under the Act. If BellSouth cannot provide the Network Element, interconnection option or service option by the requested date, BellSouth shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet ALEC's requested date.

- 1.6 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall notify ALEC within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If ALEC accepts the complex request evaluation fee proposed by BellSouth, ALEC shall submit such fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required. Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to ALEC by providing a preliminary analysis, consistent with Section 1.4 above.
- 1.7 ALEC may cancel a BFR at any time up until thirty (30) business days after receiving BellSouth's preliminary analysis. If ALEC cancels the BFR within thirty (30) business days after receipt of BellSouth's preliminary analysis, BellSouth shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6 above,

Version: 2Q05 Standard ICA

minus those costs included in the fee that have not been incurred as of the date of cancellation.

- 1.8 ALEC will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If ALEC fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of ALEC's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of ALEC's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of ALEC's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- 1.10 ALEC shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- 1.11 Unless ALEC agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- 1.12 If ALEC believes that BellSouth's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in General Terms and Conditions.
- Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.
- 2 New Business Request

Version: 2Q05 Standard ICA

- ALEC also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options are specified in this Attachment. A NBR is to be used by ALEC to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.
- An NBR shall be submitted in writing by ALEC and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to ALEC's designated BellSouth Sales contact or LCM.
- 2.3 Within two (2) business days of receipt of an NBR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from ALEC at any time during the processing of the NBR.
- If the preliminary analysis of the request NBR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, BellSouth shall respond to ALEC by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested NBR Services or confirm that BellSouth will not offer the Requested NBR Services.
- 2.5 If the preliminary analysis states that BellSouth will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If BellSouth cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet ALEC's requested date.
- 2.6 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, BellSouth shall notify ALEC

Version: 2Q05 Standard ICA

within ten (10) business days of BellSouth's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request. If ALEC accepts the complex request evaluation fee amount proposed by BellSouth, ALEC shall submit such complex request evaluation fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required.

- 2.7 Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to ALEC by providing a preliminary analysis of such Requested NBR Services.
- ALEC may cancel an NBR at any time. If ALEC cancels the request more than ten (10) business days after submitting it, ALEC shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- 2.9 ALEC will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If ALEC fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- 2.11 BellSouth shall propose a firm price quote including the firm Development Rate, the firm nonrecurring rate, and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of ALEC's accurate NBR application for a Requested NBR Service that is operational at the time of the request and within sixty (60) business days of receipt of ALEC's accurate NBR application for the Requested NBR Services not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- 2.12 ALEC shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, BellSouth will credit ALEC's account for the difference.

Version: 2Q05 Standard ICA

2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.

Version: 2Q05 Standard ICA 07/06/05