Adams & Company, P.A.
CERTIFIED PUBLIC ACCOUNTANTS

JOHN Q. ADAMS II
Certified Public Accountant

AUSTIN K. VEALEY
Certified Public Accountant

VANESSA L. KING
Enrolled Agent

August 9, 2011

DISTRIBUTION CENTER
11 AUG 10 AM 9:34

Ms. Ann Cole, Commission Clerk
Office of Commission Clerk
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, FL 32399

Re: Docket No. 100048-WU
Sunshine Utilities of Central Florida, Inc.
10230 E. Highway 25
Belleview, FL 34420
Application for an Increase in Water Rates in
Marion County, FL.

RECEIVED-FPSC
11 AUG 10 PM 3:36
COMMISSION
CLERK

Dear Ms. Cole:

Enclosed are the following items requested in the two deficiency letters.

1. One copy of the corrected schedules (Volume I).
2. One copy of the corrected Billing Analysis schedules (Volume II).
3. One copy of the Additional Engineering Information (Volume III)
4. Copies of the two deficiency letters dated June 30th, and July 15th with the responses associated with each question. Most of the responses are included in numbers 1-3 of this letter.

Please send us a written receipt of this filing. Should you have any questions regarding this filing, please do not hesitate to give me a call.

Very truly yours,

John Q. Adams II
Certified Public Accountant

DOCUMENT NUMBER-DATE
04490 AUG 10
FPSC-COMMISSION CLERK

COMMISSIONERS:
ART GRAHAM, CHAIRMAN
LISA POLAK EDGAR
RONALD A. BRISÉ
EDUARDO E. BALBIS
JULIE I. BROWN

STATE OF FLORIDA

Public Service Commission

MARSHALL WILLIS, DIRECTOR
DIVISION OF ECONOMIC REGULATION
(850) 413-6900

RECEIVED-FPSC
11 JUL -1 AM 9:58
COMMISSION CLERK

June 30, 2011

Mr. John Q. Adams II, CPA
Adams & Company, P.A.
910 SW 1st Avenue, Suite 201
Belleview, FL 34420

Re: Docket No. 100048-WU - Application for increase in water rates in Marion County by Sunshine Utilities of Central Florida, Inc.

Dear Mr. Adams:

We have reviewed the minimum filing requirements (MFRs) submitted on June 1, 2011, on behalf of Sunshine Utilities of Central Florida, Inc. (Sunshine or Utility). After reviewing this information, we find the MFRs to be deficient. The specific deficiencies are identified below:

Unified Rate Structure Systems - MARION COUNTY OTHER

✓1. The Utility Plant in Service amount on schedule A-18 for the test year ended 12/31/2010 does not match the Utility Plant in Service amount found on schedule A-4 (combined).

✓2. The Accumulated Depreciation amount on schedule A-18 for the test year ended 12/31/2010 does not match the Accumulated Depreciation amount found on schedule A-8 (combined).

✓3. The Non-Used and Useful amount on schedule A-5 is not found on schedule A-1.

✓4. The Used and Useful percentage calculation on schedule F-7 is not consistent with the Used and Useful percentage on schedules A-5 and A-9.

✓5. The Consumer Price Index amounts found on schedule B-7 for 5/31/1990 to 12/31/2010 are incorrect. Please update schedule B-7 using correct amounts.

✓6. On schedule B-7, no explanations were provided for the differences not attributable to the change in customer growth and CPI. Please provide these explanations.

DOCUMENT NUMBER-DATE
05644 AUG 10 =
FPSC-COMMISSION CLERK
DOCUMENT NUMBER-DATE
04520 JUL-1 =
FPSC-COMMISSION CLERK

✓ 7. The total balance for Taxes Other Than Income found on schedule B-15 does not match the amount found on schedule B-1.

✓ 8. The balance of customer deposits found on schedule D-7 (combined) does not match the customer deposits found on schedule D-2.

✓ 9. The maps provided for the Marion County unified rate structure systems do not show the location of the Utility's customers. Please provide maps showing the location of the Utility's customers.

✓ 10. The dosage rates for chemicals utilized by the Marion County unified rate structure systems were not provided. Please provide the dosage rates for chemicals.

✓ 11. The most recent chemical analysis for the Marion County unified rate structure systems conducted by a certified laboratory was not provided. Please provide the most recent chemical analysis.

✓ 12. Please provide the following operating reports:

- Belleview Oaks - November 2010 report
- Lakeview Hills - July, August, September, October, November, December 2010 reports; and January 2009 report
- Emil Marr - July 2010 report
- Country Walk – April, May, and Jun 2010 reports
- Oak Hurst - page 2 for the July 2010 report; and the February 2009 report
- Ocala Heights - page 2 for September 2010 report
- Eleven Oaks - page 2 for the December 2010 report; and the January 2009 report
- Ashley Heights - February 2009 report

✓ 13. The sanitation surveys for Emil Marr and Lakeview Hills were not provided. Please provide the sanitation surveys.

NONE ✓ 14. No health department permits, DEP construction permits, or operating permits were provided for the Marion County unified rate structure systems. Please provide these permits.

NONE ✓ 15. No notices, consent orders, letters of notice, or warning notices were provided for the Marion County unified rate structure systems. Please provide these, if applicable. If there are none, the utility should state there are none.

✓ 16. The gallons of water sold on schedule E-2 does not match the Annual Report.

✓ 17. The sum of all bills for a residential 5/8" x 3/4" meter (or flat rate, if applicable) presented on schedules E-2, p. 1, do not equal the consolidated number of bills presented on schedules E-2, p. 2 of 2.

✓18. The number of billing determinants presented on schedules E-2 do not match the number of billing determinants on schedules E-14 because each schedule E-14 was presented in consolidated (combined customer classes, meter sizes and consumption) format, rather than by individual customer class and meter size.

✓19. The annual bills totals from schedules E-3 do not match the corresponding number of annual bills presented on schedules E-2.

✓20. A separate schedule E-14 is required for each customer class and meter size. In addition, each page of schedule E-14 that was filed is either missing or has incorrectly calculated information regarding the following: 1) the reversed bills column was left blank; and 2) the consolidated factor column was calculated incorrectly.

✓21. The gallons sold information on the F-1 schedules do not match the gallons sold figures on the corresponding schedules E-2 and E-14.

Quail Run system

✓1. Utility Plant in Service amount on schedule A-18 for the test year ended 12/31/2010 does not match the Utility Plant in Service amount found on schedule A-4 (combined).

✓2. The Accumulated Depreciation amount on schedule A-18 for the test year ended 12/31/2010 does not match the Accumulated Depreciation amount found on schedule A-8 (combined).

✓3. The Non-Used and Useful amount on schedule A-5 is not consistent with the Non-Used and Useful amount found on schedule A-1.

✓4. The Consumer Price Index amounts found on schedule B-7 for 12/31/2005 to 12/31/2010 are incorrect. Please update schedule B-7 using correct amounts.

✓5. On schedule B-7, no explanations were provided for the differences not attributable to the change in customer growth and CPI. Please provide these explanations.

✓6. The balance of customer deposits found on schedule D-7 (combined) does not match the customer deposits found on schedule D-2.

✓7. The maps provided for the Quail Run system do not show the location of the Utility's customers. Please provide maps showing the location of the Utility's customers.

✓8. The dosage rates for chemicals utilized by the Quail Run system were not provided. Please provide the dosage rates for chemicals.

✓9. The most recent chemical analysis for the Quail Run system conducted by a certified laboratory was not provided. Please provide the most recent chemical analysis.

NONE ✓ 10. No health department permits, DEP construction permits, or operating permits were provided for the Quail Run system. Please provide these permits.

NONE ✓ 11. No notices, consent orders, letters of notice, or warning notices were provided for the Quail Run system. Please provide these, if applicable. If there are none, the utility should state there are none.

✓ 12. The sum of all bills for a residential 5/8" x 3/4" meter (or flat rate, if applicable) presented on schedules E-2, p. 1, do not equal the consolidated number of bills presented on schedules E-2, p. 2 of 2.

✓ 13. The number of billing determinants presented on schedules E-2 do not match the number of billing determinants on schedules E-14 because each schedule E-14 was presented in consolidated (combined customer classes, meter sizes and consumption) format, rather than by individual customer class and meter size.

✓ 14. The annual bills totals from schedules E-3 do not match the corresponding number of annual bills presented on schedules E-2.

Sandy Acres system

✓ 1. Utility Plant in Service amount on schedule A-18 for the test year ended 12/31/2010 does not match the Utility Plant in Service amount found on schedule A-4 (combined).

✓ 2. The Accumulated Depreciation amount on schedule A-18 for the test year ended 12/31/2010 does not match the Accumulated Depreciation amount found on schedule A-8 (combined).

✓ 3. The Non-Used and Useful amount on schedule A-5 is not consistent with the Non-Used and Useful amount found on schedule A-1.

✓ 4. The total balance for Taxes Other Than Income found on schedule B-15 does not match the amount found on schedule B-1.

✓ 5. The Consumer Price Index amounts found on schedule B-7 for 12/31/2005 to 12/31/2010 are incorrect. Please update schedule B-7 using correct amounts.

✓ 6. On schedule B-7, no explanations were provided for the differences not attributable to the change in customer growth and CPI. Please provide these explanations.

✓ 7. The balance of customer deposits found on schedule D-7 (combined) does not match the customer deposits found on schedule D-2.

✓ 8. The dosage rates for chemicals utilized by the Sandy Acres system were not provided. Please provide the dosage rates for chemicals.

9. The most recent chemical analysis for the Sandy Acres system conducted by a certified laboratory was not provided. Please provide the most recent chemical analysis.

NONE 10. No health department permits, DEP construction permits, or operating permits were provided for the Sandy Acres system. Please provide these permits.

NONE 11. No notices, consent orders, letters of notice, or warning notices were provided for the Sandy Acres system. Please provide these, if applicable. If there are none, the utility should state there are none.

12. The gallons of water sold on schedule E-2 does not match the Annual Report.

13. The sum of all bills for a residential 5/8" x 3/4" meter (or flat rate, if applicable) presented on schedules E-2, p. 1, do not equal the consolidated number of bills presented on schedules E-2, p. 2 of 2.

14. The number of billing determinants presented on schedules E-2 do not match the number of billing determinants on schedules E-14 because each schedule E-14 was presented in consolidated (combined customer classes, meter sizes and consumption) format, rather than by individual customer class and meter size.

15. The annual bills totals from schedules E-3 do not match the corresponding number of annual bills presented on schedules E-2.

16. A separate schedule E-14 is required for each customer class and meter size. In addition, each page of schedule E-14 that was filed is either missing or has incorrectly calculated information regarding the following: 1) the reversed bills column was left blank; and 2) the consolidated factor column was calculated incorrectly.

17. The gallons sold information on the F-1 schedules do not match the gallons sold figures on the corresponding schedules E-2 and E-14.

Ponderosa Pines system

1. Utility Plant in Service amount on schedule A-18 for the test year ended 12/31/2010 does not match the Utility Plant in Service amount found on schedule A-4 (combined).

2. The Accumulated Depreciation amount on schedule A-18 for the test year ended 12/31/2010 does not match the Accumulated Depreciation amount found on schedule A-8 (combined).

3. The Consumer Price Index amounts found on schedule B-7 for 12/31/2005 to 12/31/2010 are incorrect. Please update schedule B-7 using correct amounts.

4. On schedule B-7, no explanations were provided for the differences not attributable to the change in customer growth and CPI. Please provide these explanations.

5. The balance of customer deposits found on schedule D-7 (combined) does not match the customer deposits found on schedule D-2.

6. The maps provided for the Ponderosa Pines system do not show the location of the Utility's customers. Please provide maps showing the location of the Utility's customers

7. The dosage rates for chemicals utilized by the Ponderosa Pines system were not provided. Please provide the dosage rates for chemicals.

8. The most recent chemical analysis for the Ponderosa Pines conducted by a certified laboratory was not provided. Please provide the most recent chemical analysis.

NONE 9. No health department permits, DEP construction permits, or operating permits were provided for the Ponderosa Pines system. Please provide these permits.

NONE 10. No notices, consent orders, letters of notice, or warning notices were provided for the Ponderosa Pines system. Please provide these, if applicable. If there are none, the utility should state there are none.

11. The sum of all bills for a residential 5/8" x 3/4" meter (or flat rate, if applicable) presented on schedules E-2, p. 1, do not equal the consolidated number of bills presented on schedules E-2, p. 2 of 2.

12. The number of billing determinants presented on schedules E-2 do not match the number of billing determinants on schedules E-14 because each schedule E-14 was presented in consolidated (combined customer classes, meter sizes and consumption) format, rather than by individual customer class and meter size.

13. The annual bills totals from schedules E-3 do not match the corresponding number of annual bills presented on schedules E-2.

If any above corrections require a corresponding change to any MFR schedules, those corrected schedules must also be submitted. Your petition will not be deemed filed until the deficiencies identified in this letter have been corrected. These corrections should be submitted no later than August 1, 2011.

Sincerely,

Marshall Willis
Director

MW:jd

cc: Division of Economic Regulation (Bulecza-Banks, Maurey, Fletcher, Brown, Daniel, Stallcup, Lingo, Thompson)
Office of the General Counsel (Jaeger)
Office of Commission Clerk

CLASS B
WATER AND/OR WASTEWATER UTILITIES

FINANCIAL, RATE, AND ENGINEERING MINIMUM REQUIREMENTS

OF

Sunshine Utilities of Central Florida, Inc.

Exact Legal Name of Utility

Applies To: Marion County Other

REVISED SCHEDULES AS OF AUGUST 9, 2011

VOLUME I

FOR

Test Year Ended: December 31, 2010

Schedule of Water Rate Base

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Schedule Year Ended: December 31, 2010
Interim [ ] Final [X]
Historical [X] Projected [ ]

Schedule: A-1(Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of average rate base for the test year, showing all adjustments. All non-used and useful items should be reported as Plant Held For Future Use.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Adjustments	(4) Adjusted Utility Balance	(5) Staff Adjustments	(6) Staff Adjusted Balance	(7) Supporting Schedule(s)
1	Utility Plant in Service	$ 2,614,646	$ -	$ 2,614,646	$ -	$ 2,614,646	A-5
2							
3	Utility Land & Land Rights	70,737	-	70,737	-	70,737	A-5
4							
5	Less: Non-Used & Useful Plant	-	(71,286)	(217,623)	-	(217,623)	A-7
6							
7	Construction Work in Progress	67	-	67	-	67	-
8							
9	Less: Accumulated Depreciation	(1,799,429)	-	(1,799,429)	-	(1,799,429)	A-9
10							
11	Less: CIAC	(1,753,895)	-	(1,753,895)	-	(1,753,895)	A-12
12							
13	Accumulated Amortization of CIAC	1,042,459	-	1,042,459	-	1,042,459	A-14
14							
15	Acquisition Adjustments	-	-	-	-	-	-
16							
17	Accum. Amort. of Acq. Adjustments	-	-	-	-	-	-
18							
19	Advances For Construction	(85,357)	85,357	-	-	-	A-16
20							
21	Working Capital Allowance	93,215	(332)	92,883	-	92,883	A-17
22							
23	Total Rate Base	$ 182,443	$ 13,739	$ 49,845	$ -	$ 49,845	
24							

Schedule of Water Rate Base

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Schedule Year Ended: December 31, 2010
Interim [ ] Final [X]
Historical [X] Projected [ ]

Florida Public Service Commission

Schedule: A-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of average rate base for the test year, showing all adjustments. All non-used and useful items should be reported as Plant Held For Future Use.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Adjustments	(4) Adjusted Utility Balance	(5) Staff Adjustments	(6) Staff Adjusted Balance	(7) Supporting Schedule(s)
1	Utility Plant in Service	$ 2,813,902	$ -	$ 2,813,902	$ -	$ 2,813,902	A-5
2		-	-	-			
3	Utility Land & Land Rights	80,737	-	80,737	-	80,737	A-5
4		-	-	-			
5	Less: Non-Used & Useful Plant	-	(73,928)	(73,928)	-	(73,928)	A-7
6		-	-	-			
7	Construction Work in Progress	67	-	67	-	67	-
8		-	-	-			
9	Less: Accumulated Depreciation	(1,848,044)	-	(1,848,044)	-	(1,848,044)	A-9
10		-	-	-			
11	Less: CIAC	(1,888,114)	-	(1,888,114)	-	(1,888,114)	A-12
12		-	-	-			
13	Accumulated Amortization of CIAC	1,114,096	-	1,114,096	-	1,114,096	A-14
14		-	-	-			
15	Acquisition Adjustments	29,838	(29,838)	-	-	-	-
16		-	-	-			
17	Accum. Amort. of Acq. Adjustments	(5,222)	5,222	-	-	-	-
18		-	-	-			
19	Advances For Construction	(85,357)	85,357	-	-	-	A-16
20		-	-	-			
21	Working Capital Allowance	105,963	(332)	105,631	-	105,631	A-17
22							
23	Total Rate Base	$ 317,866	$ (13,520)	$ 304,347	$ -	$ 304,347	
24							

Schedule of Water Plant in Service By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-5 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1 A-1, A-4

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**	$ -	$ -	$ -	$ -	$ -
2	Organization	1,660	1,660	1,660	-	-
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment					
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-	-	-	-
6	Land & Land Rights	70,737	70,737	70,737	-	-
7	Structures & Improvements	2,752	2,752	2,752	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	94,714	94,714	94,714	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	107,156	107,156	107,156	-	-
13	Power Generation Equipment	52,678	52,678	52,678	-	-
14	Pumping Equipment	405,857	408,287	407,072	-	-
15	Other Plant & Misc. Equipment					
16	**WATER TREATMENT PLANT**					
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	191,122	193,236	192,179	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**					
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	24,174	24,174	24,174	-	-
25	Transm. & Distribution Mains	1,049,196	997,727	1,023,462	21%	217,623
26	Services	118,155	119,691	118,923	-	-
27	Meters & Meter Installations	174,781	175,976	175,379	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	25,858	25,858	25,858		
30	**GENERAL PLANT**	-	-	-	-	-
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	30,000	30,853	30,427	-	-
34	Transportation Equipment	92,109	92,109	92,109	-	-
35	*Stores Equipment*	4,069	4,069	4,069	-	-
36	Tools, Shop & Garage Equipment	-	-	-	-	-
37	Laboratory Equipment	19,965	19,965	19,965	-	-
38	Power Operated Equipment	-	-	-	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	235,393	235,393	235,393	-	-
42						
43	TOTAL	$ 2,728,724	$ 2,685,383	$ 2,707,054		$ 217,623
44						

Schedule of Water Plant in Service By Primary Account
Beginning and End of Year Average

Florida Public Service Commission

Schedule: A-5 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Recap Schedules: A-1 A-1, A-4

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**	$ -	$ -	$ -	$ -	$ -
2	Organization	1,660	1,660	1,660	-	-
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-			
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-	-	-	-
6	Land & Land Rights	80,737	80,737	80,737	-	-
7	Structures & Improvements	7,959	7,959	7,959	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	140,857	140,857	140,857	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	107,156	107,156	107,156	-	-
13	Power Generation Equipment	57,253	57,253	57,253	-	-
14	Pumping Equipment	437,669	446,075	441,872	-	-
15	Other Plant & Misc. Equipment	-	-			
16	**WATER TREATMENT PLANT**	-	-			
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	197,460	199,916	198,688	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**	-	-			
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	33,545	33,545	33,545	-	-
25	Transm. & Distribution Mains	1,093,680	1,042,211	1,067,946	21%	220,862
26	Services	125,365	130,760	128,063	-	-
27	Meters & Meter Installations	195,282	196,495	195,889	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	25,858	25,858	25,858		
30	**GENERAL PLANT**	-	-	-	-	-
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	35,521	37,441	36,481	-	-
34	Transportation Equipment	92,383	92,383	92,383	-	-
35	Stores Equipment	4,425	4,425	4,425	-	-
36	Tools, Shop & Garage Equipment	1,002	1,002	1,002	-	-
37	Laboratory Equipment	19,965	19,965	19,965	-	-
38	Power Operated Equipment	5,200	5,200	5,200	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	235,393	235,393	235,393	-	-
42						
43	TOTAL	$ 2,926,718	$ 2,894,639	$ 2,910,679		$ 220,862
44						

Non-Used and Useful Plant - Summary

Florida Public Service Commission

Schedule: A-7 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a summary of the items included in non-used and useful plant for the test year. Provide additional support schedules, if necessary.

Line No.	(1) Description	(2) Average Amount Per Books	(3) Utility Adjustments	(4) Balance Per Utility
1	WATER			
2				
3	Plant in Service	$ 217,623	$ -	$ 217,623
4				
5	Land	-	-	-
6				
7	Accumulated Depreciation	(146,337)	-	(146,337)
8				
9	Other (Explain)	-	-	-
10				
11				
12	Total	$ 71,286	$ -	$ 71,286
13				
14				
15	WASTEWATER			
16				
17	Plant in Service	$ -	$	$ -
18				
19	Land	-	-	-
20			Not Applicable	
21	Accumulated Depreciation	-	-	-
22				
23	Other (Explain)	-	-	-
24				
25				
26	Total	$ -	$ -	$ -
27				
28				
29	Supporting Schedules: A-5,A-6,A-9,A-10			
30	Recap Schedules: A-1,A-2			

Non-Used and Useful Plant - Summary

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a summary of the items included in non-used and useful plant for the test year. Provide additional support schedules, if necessary.

Schedule: A-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) Description	(2) Average Amount Per Books	(3) Utility Adjustments	(4) Balance Per Utility
1	WATER			
2				
3	Plant in Service	$ 220,862	$ -	$ 220,862
4				
5	Land	-	-	-
6				
7	Accumulated Depreciation	(146,934)	-	(146,934)
8				
9	Other (Explain)	-	-	-
10				
11				
12	Total	$ 73,928	$ -	$ 73,928
13				
14				
15	WASTEWATER			
16				
17	Plant in Service	$ -	$	$ -
18				
19	Land	-	-	-
20			Not Applicable	
21	Accumulated Depreciation	-	-	-
22				
23	Other (Explain)	-	-	-
24				
25				
26	Total	$ -	$ -	$ -
27				
28				
29	Supporting Schedules: A-5,A-6,A-9,A-10			
30	Recap Schedules: A-1,A-2			

Schedule of Water Accumulated Depreciation By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-9 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1,A-8

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**					
2	Organization	$ 1,049	$ 1,089	$ 1,069	-	$ -
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**					
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	1,152	1,393	1,273	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	61,262	64,419	62,841	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	12,567	15,628	14,098	-	-
13	Power Generation Equipment	31,071	34,583	32,827	-	-
14	Pumping Equipment	296,780	315,463	306,122	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**					
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	187,037	193,146	190,092	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**					
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	20,074	21,173	20,624	-	-
25	Transm. & Distribution Mains	701,995	674,426	688,211	21%	146,337
26	Services	15,424	18,186	16,805	-	-
27	Meters & Meter Installations	101,350	106,958	104,154	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	20,091	21,126	20,609	-	-
30	**GENERAL PLANT**					
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	15,936	15,649	15,793	-	-
34	Transportation Equipment	50,894	66,246	58,570	-	-
35	Stores Equipment	950	1,154	1,052	-	-
36	Tools, Shop & Garage Equipment	13,227	14,474	13,851	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	-	-	-	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	176,544	205,968	191,256	-	-
42						
43	TOTAL	$ 1,735,751	$ 1,799,429	$ 1,767,590		$ 146,337
44						

Schedule of Water Accumulated Depreciation By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-9 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1,A-8

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**					
2	Organization	$ 6,256	$ 6,296	$ 6,276	-	$ -
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-			
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	1,152	1,393	1,273	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	70,194	74,889	72,542	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	12,567	15,628	14,098	-	-
13	Power Generation Equipment	31,605	35,422	33,514	-	-
14	Pumping Equipment	303,759	321,799	312,779	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**	-	-			
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	188,184	193,440	190,812	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**	-	-			
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	23,375	24,900	24,138	-	-
25	Transm. & Distribution Mains	711,705	685,544	698,625	21%	146,934
26	Services	16,051	19,024	17,538	-	-
27	Meters & Meter Installations	104,026	110,184	107,105	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	20,091	21,126	20,609	-	-
30	**GENERAL PLANT**	-	-			
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	17,882	17,639	17,761	-	-
34	Transportation Equipment	51,111	66,508	58,810	-	-
35	Stores Equipment	1,033	1,255	1,144	-	-
36	Tools, Shop & Garage Equipment	13,316	14,626	13,971	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	3,940	4,055	3,998	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	176,544	205,968	191,256	-	-
42						
43	TOTAL	$ 1,781,139	$ 1,848,044	$ 1,814,592		$ 146,934
44						

Comparative Balance Sheet - Assets

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown.

Schedule: A-18 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) ASSETS	(2) Test Year Ended 12/31/2010	(3) Prior Year Ended 12/31/2009
1	Utility Plant in Service	$ 2,894,640	$ 2,926,785
2	Construction Work in Progress	-	-
3	Other Utility Plant Adjustments	-	-
4			
5	GROSS UTILITY PLANT	2,894,640	2,926,785
6	Less: *Accumulated Depreciation*	(1,848,046)	(1,781,138)
7			
8	NET UTILITY PLANT	1,046,594	1,145,647
9			
10	Cash	46,213	48,916
11	Accounts Rec'b - Customer	47,774	41,056
12	Notes & Accts. Rec'b - Assoc. Cos.	-	-
13	Accounts Rec'b - Other	-	-
14	Allowance for Bad Debts	-	-
15	Materials & Supplies	-	-
16	Miscellaneous Current & Accrued Assets	70,901	71,739
17			
18	TOTAL CURRENT ASSETS	164,888	161,711
19			
20	Unamortized Debt Discount & Exp.	-	-
21	Prelim. Survey & Investigation Charges	-	-
22	Clearing Accounts	-	-
23	Deferred Rate Case Expense	10,675	-
24	*Other Miscellaneous Deferred Debits*	32,351	54,731
25	Accum. Deferred Income Taxes	-	-
26			
27	TOTAL DEFERRED DEBITS	43,026	54,731
28			
29	TOTAL ASSETS	$ 1,254,508	$ 1,362,089
30			

Comparative Balance Sheet - Equity Capital & Liabilities

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown.

Florida Public Service Commission

Schedule: A-19 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) EQUITY CAPITAL & LIABILITIES	(2) Test Year Ended 12/31/2010	(3) Prior Year Ended 12/31/2009
1	Common Stock Issued	$ 98	$ 98
2	Preferred Stock Issued	-	-
3	Additional Paid in Capital	421,351	421,351
4	Retained Earnings	(199,177)	(203,143)
5	Other Equity Capital	-	-
6			
7	TOTAL EQUITY CAPITAL	222,272	218,306
8			
9	Bonds	-	-
10	Reacquired Bonds	-	-
11	Advances From Associated Companies	-	-
12	Other Long-Term Debt	-	-
13			
14	TOTAL LONG-TERM DEBT	-	-
15			
16	Accounts Payable	60,596	113,795
17	Notes Payable	44,580	45,323
18	Notes & Accounts Payable - Assoc. Cos.	-	-
19	Customer Deposits	45,420	49,888
20	Accrued Taxes	20,623	22,010
21	Accrued Interest	10	43
22	Accrued Dividends	-	-
23	Misc. Current & Accrued Liabilities	1,633	-
24			
25	TOTAL CURRENT & ACCRUED LIABILITIES	172,862	231,059
26			
27	Advances For Construction	85,358	85,719
28	Other Deferred Credits	-	-
29	Accum. Deferred ITCs	-	-
30	Operating Reserves	-	-
31			
32	TOTAL DEFERRED CREDITS & OPER. RESERVES	85,358	85,719
33			
34	Contributions in Aid of Construction	1,888,113	1,918,337
35	Less: Accum. Amortization of CIAC	(1,114,097)	(1,091,332)
36			
37	Accumulated Deferred Income Taxes	-	-
38			
39	TOTAL EQUITY CAPITAL & LIABILITIES	$ 1,254,508	$ 1,362,089
40			

Schedule of Water Net Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of net operating income for the test year. If amortization (Line 4) is related to any amount other than an acquisition adjustment, submit an additional schedule showing a description and calculation of charge.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Test Year Adjustments	(4) Utility Adjusted Test Year	(5) Requested Revenue Adjustment	(6) Requested Annual Revenues	(7) Supporting Schedule(s)
1	OPERATING REVENUES	$ 859,176	$ (7,277)	$ 851,899	$ 147,200	$ 999,099	B-4
2							
3	Operation & Maintenance	745,722	(2,661)	743,061	8,746	751,807	B-5
4							
5	Depreciation, net of CIAC Amort.	67,166	(7,726)	59,440	-	59,440	B-13
6							
7	Amortization	-	-	-	3,125	3,125	
8							
9	Taxes Other Than Income	80,396	(310)	80,086	6,624	86,710	B-15
10							
11	Provision for Income Taxes	-	-	-	-	-	C-1
12							
13	OPERATING EXPENSES	893,283	(10,697)	882,587	18,495	901,082	
14							
15	NET OPERATING INCOME	$ (34,107)	$ 3,420	$ (30,688)	$ 128,705	$ 98,017	
16							
17							
18	RATE BASE	267,468		267,468		267,468	
19							
20							
21	RATE OF RETURN	-3.97%		-3.60%		9.81%	
22							

Schedule of Water Net Operating Income

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: B-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of net operating income for the test year. If amortization (Line 4) is related to any amount other than an acquisition adjustment, submit an additional schedule showing a description and calculation of charge.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Test Year Adjustments	(4) Utility Adjusted Test Year	(5) Requested Revenue Adjustment	(6) Requested Annual Revenues	(7) Supporting Schedule(s)
1	OPERATING REVENUES	951,110 $	(7,277) $	943,833 $	199,850 $	1,143,683	B-4
2							
3	Operation & Maintenance	847,702	(2,661)	845,041	9,769	854,810	B-5
4							
5	Depreciation, net of CIAC Amort.	71,871	(7,801)	64,070	-	64,070	B-13
6							
7	Amortization	746	-	746	12,500	13,246	
8							
9	Taxes Other Than Income	90,667	(310)	90,357	8,993	99,350	B-15
10							
11	Provision for Income Taxes	-	-	-	-	-	C-1
12							
13	OPERATING EXPENSES	1,010,986	(10,772)	1,000,213	31,263	1,031,476	
14							
15	NET OPERATING INCOME	(59,876) $	3,495 $	(56,380) $	168,587 $	112,207	
16							
17							
18	RATE BASE	267,468		267,468		267,468	
19							
20							
21	RATE OF RETURN	-6.30%		-5.97%		9.81%	
22							

2010 Leverage Formula

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-1(a) Revised
Page 1 of 1
Preparer: John Q. Adams II

Water & Wastewater Leverage Formula
Docket 110006-WS
YEAR 2011

Leverage Formula **7.13%** + **1.610%** Divided by Equity Ratio

Aqua Utilities Florida Company Equity Ratio **60.0%** **Insert Equity Ratio**

Company's ROE **9.81%**

Range
8.74% - 11.16%

Schedule of Adjustments to Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-3 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a detailed description of all adjustments to operating income per books, with a total for each line item shown on the net operating income statement.

Line No.	Description			Water	Wastewater
1	**Test Year Revenue Adjustment**				
2					
3	Lakeview Revenue Adjustment				
4					
5					
6	Current year revenue			(7,277)	
7	(Lakeview sold in 2010)				
8				==========	==========
9	Total Adjustments to Revenues			(7,277)	Not Applicable
10				==========	==========
11					
91	**Test Year Expense Adjustments**				
92					
93	Lakeview O&M Expenses				
94					
95	Current rate case annual O&M expenses			(2,661)	
96	(Lakeview sold in 2010)				
97				----------	----------
98	Adjustment required			(2,661)	Not Applicable
99				==========	==========
100					
101	Depreciation Adjustment				
102					
103	Less: Non-used and useful transmission and distribution plant			(7,726)	
104				----------	----------
105	Adjustment required			(7,726)	Not Applicable
106				==========	==========
107					
108	Taxes Other Than Income				
109					
110	RAF Assessment on Lakeview			(310)	
111	(Lakeview sold in 2010)			----------	----------
112					
113	Adjustment Required			(310)	Not Applicable
114				==========	==========
136					
137	**Pro Forma Revenue Adjustments**				
138					
139	Revenue Increase			147,200	
140	Adjustment due to increase in RAF			-	
141	Increase in revenue required by the utility to realize a 9.81% rate of return				
142				----------	----------
143	Total Adjustments to Revenues			147,200	Not Applicable
144				==========	==========
145	**Pro Forma Expense Adjustment**				
146					
147	Requested final revenue increase			147,200	
148	RAF tax rate			4.50%	
149				----------	----------
150	Adjusted test year RAF's			6,624	Not Applicable
151				==========	==========
152					
153	Price Index Adjustments				
154	Adjust various O&M Expenses for Pro Forma Increases for the next twelve				
155	months using the change in the price index from 2010 to 2011 223.600 / 218.056 = 1.025 - 1 = .025 increase				
156					
157					
158			B-5 Workpaper		
159	615 Purchased Power		59,970	0.025	1,499
160	618 Chemicals		19,519	0.025	488
161	620 Materials & Supplies		18,476	0.025	462
162	632 Contractual Services - Acct.		5,883	0.025	147
163	635 Contractual Services - Testing		39,351	0.025	984
164	636 Contractual Services - Other		60,147	0.025	1,504
165	641 Rental of Building/Real Prop.		45,445	0.025	1,136
166	642 Rental of Equipment		5,817	0.025	145
167	650 Transportation Expenses		28,211	0.025	705
168	656 Insurance - Vehicle		6,551	0.025	164
169	658 Insurance - Workman's Comp.		7,543	0.025	189
170	675 Miscellaneous Expenses		52,945	0.025	1,324
171					----------
172				8,746	Not Applicable
173				==========	==========
174					
175	Rate Case Expense				
176					
177	Current rate case annual expense amortization (Schedule B-10) 1/4 of annual expense			3,125	
178	Prior rate case annual expense amortization (Schedule B-10)			-	
179				----------	----------
180	Total			3,125	
181				----------	----------

Schedule of Adjustments to Operating Income

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: B-3 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a detailed description of all adjustments to operating income per books, with a total for each line item shown on the net operating income statement.

Line No.	Description	Water	Wastewater
1	**Test Year Revenue Adjustment**		
2			
3	Lakeview Revenue Adjustment		
4			
5			
6	Current year revenue	(7,277)	
7	(Lakeview sold in 2010)		
8		==========	==========
9	Total Adjustments to Revenues	(7,277)	Not Applicable
10		==========	==========
11			
91	**Test Year Expense Adjustments**		
92			
93	Lakeview O&M Expenses		
94			
95	Current rate case annual O&M expenses	(2,661)	
96	(Lakeview sold in 2010)		
97		----------	----------
98	Adjustment required	(2,661)	Not Applicable
99		==========	==========
100			
101	Depreciation Adjustment		
102			
103	Less: Non-used and useful transmission and distribution plant	(7,801)	
104		----------	----------
105	Adjustment required	(7,801)	Not Applicable
106		==========	==========
107			
108	Taxes Other Than Income		
109			
110	RAF Assessment on Lakeview	(310)	
111	(Lakeview sold in 2010)	----------	----------
112			
113	Adjustment Required	(310)	Not Applicable
114		==========	==========
137	**Pro Forma Revenue Adjustments**		
138			
139	Revenue Increase	199,850	
140	Adjustment due to increase in RAF	-	
141	Increase in revenue required by the utility to realize a 9.81% rate of return		
142		----------	----------
143	Total Adjustments to Revenues	199,850	Not Applicable
144		==========	==========
145	**Pro Forma Expense Adjustment**		
146			
147	Requested final revenue increase	199,850	
148	RAF tax rate	4.50%	
149		----------	----------
150	Adjusted test year RAF's	8,993	Not Applicable
151		==========	==========
152			
153	Price Index Adjustments		
154	Adjust various O&M Expenses for Pro Forma Increases for the next twelve		
155	months using the change in the price index from 2010 to 2011 223.600 / 218.056 = 1.025 - 1 = .025 increase		
156			
157	615 Purchased Power		
158	618 Chemicals	1,791	
159	620 Materials & Supplies	514	
160	632 Contractual Services - Acct.	531	
161	635 Contractual Services - Testing	174	
162	636 Contractual Services - Other	1,048	
163	641 Rental of Building/Real Prop.	1,638	
164	642 Rental of Equipment	1,166	
165	650 Transportation Expenses	166	
166	656 Insurance - Vehicle	817	
167	658 Insurance - Workman's Comp.	191	
168	675 Miscellaneous Expenses	217	
169		----------	----------
170		8,252	Not Applicable
171		==========	==========
172			
173	Rate Case Expense		
174			
175	Current rate case annual expense amortization (Schedule B-10) 1/4 of annual expense	12,500	
176	Prior rate case annual expense amortization (Schedule B-10)	-	
177		----------	----------
178	Total	12,500	
179		----------	----------

Test Year Operating Revenues

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Complete the following revenue schedule for the historical test year or base year.

Florida Public Service Commission

Schedule: B-4 (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Line No.	WATER SALES Account No. and Description	Total Water	WASTEWATER SALES Account No. and Description	(1) Total Wastewater
1	460 Unmetered Water Revenue	-	521.1 Flat Rate - Residential	-
2	461.1 Metered - Residential	817,549	521.2 Flat Rate - Commercial	-
3	461.2 Metered - Commercial	-	521.3 Flat Rate - Industrial	-
4	461.3 Metered - Industrial	-	521.4 Flat Rate - Public Authorities	-
5	461.4 Metered - Public Authorities	-	521.5 Flat Rate - Multi-Family	-
6	461.5 Metered - Multi-Family	-	521.6 Flat Rate - Other	Not Applicable
7	462.1 Public Fire Protection	-	522.1 Measured - Residential	-
8	462.2 Private Fire Protection	-	522.2 Measured - Commercial	-
9	464 Other Sales - Public Authorities	-	522.3 Measured - Industrial	-
10	465 Irrigation Customers	-	522.4 Measured - Public Authority	-
11	466 Sales for Resale	-	522.5 Measured - Multi-Family	-
12	467 Interdepartmental Sales	-	523 Other Sales - Public Authorities	-
13			524 Revenues from Other Systems	-
14	TOTAL WATER SALES	817,549	525 Interdepartmental Sales	-
15				
16	OTHER WATER REVENUES		TOTAL WASTEWATER SALES	-
17	470 Forfeited Discounts	-		
18	471 Misc. Service Revenues	41,627	OTHER WASTEWATER REVENUES	
19	472 Rents From Water Property	-	531 Sale of Sludge	-
20	473 Interdepartmental Rents	-	532 Forfeited Discounts	-
21	474 Other Water Revenues	-	534 Rents From Wastewater Property	-
22			535 Interdepartmental Rents	-
23	TOTAL OTHER WATER REVENUES	41,627	536 Other Wastewater Revenues	-
24				
25	TOTAL WATER OPERATING REVENUES	859,176	TOTAL OTHER WASTEWATER REVENUES	-
26				
27			TOTAL WASTEWATER OPERATING REVENUE	-

Test Year Operating Revenues

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Complete the following revenue schedule for the historical test year or base year.

Schedule: B-4 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Line No.	WATER SALES Account No. and Description	Total Water	WASTEWATER SALES Account No. and Description	(1) Total Wastewater
1	460 Unmetered Water Revenue	46,521	521.1 Flat Rate - Residential	-
2	461.1 Metered - Residential	855,394	521.2 Flat Rate - Commercial	-
3	461.2 Metered - Commercial	-	521.3 Flat Rate - Industrial	-
4	461.3 Metered - Industrial	-	521.4 Flat Rate - Public Authorities	-
5	461.4 Metered - Public Authorities	-	521.5 Flat Rate - Multi-Family	-
6	461.5 Metered - Multi-Family	-	521.6 Flat Rate - Other	Not Applicable
7	462.1 Public Fire Protection	-	522.1 Measured - Residential	-
8	462.2 Private Fire Protection	-	522.2 Measured - Commercial	-
9	464 Other Sales - Public Authorities	-	522.3 Measured - Industrial	-
10	465 Irrigation Customers	-	522.4 Measured - Public Authority	-
11	466 Sales for Resale	-	522.5 Measured - Multi-Family	-
12	467 Interdepartmental Sales	-	523 Other Sales - Public Authorities	-
13			524 Revenues from Other Systems	-
14	TOTAL WATER SALES	901,915	525 Interdepartmental Sales	-
15				
16	OTHER WATER REVENUES		TOTAL WASTEWATER SALES	-
17	470 Forfeited Discounts	-		
18	471 Misc. Service Revenues	49,195	OTHER WASTEWATER REVENUES	
19	472 Rents From Water Property	-	531 Sale of Sludge	-
20	473 Interdepartmental Rents	-	532 Forfeited Discounts	-
21	474 Other Water Revenues	-	534 Rents From Wastewater Property	-
22			535 Interdepartmental Rents	-
23	TOTAL OTHER WATER REVENUES	49,195	536 Other Wastewater Revenues	-
24				
25	TOTAL WATER OPERATING REVENUES	951,110	TOTAL OTHER WASTEWATER REVENUES	-
26				
27			TOTAL WASTEWATER OPERATING REVENUE	-

Operation & Maintenance Expense Comparison - Water

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-7 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Complete the following comparison of the applicant's current and prior test year O&M expenses before this Commission. Provide an explanation of all differences which are not attributable to the change in customer growth and the CPI-U. If the applicant has not had a previous rate case, use the year 5 years prior to the test year for comparison. Provide an additional schedule, if necessary, to explain differences.

Line No.	(1) Account No. and Name	(2) Prior TY 5/31/1990	(3) Current TY 12/31/2010	(4) $ Difference	(5) % Difference	(6) Explanation
1	601 Salaries & Wages - Employees	$ 149,694	$ 208,404	$ 58,710	% 39.22%	
2	603 Salaries & Wages - Officers, Etc.	69,055	117,321	48,266	69.90%	Wages increased since the past 20 years
3	604 Employee Pensions & Benefits	8,871	66,819	57,948	653.23%	Cost of health insurance went up as well as payroll went up
4	610 Purchased Water	-	-	-	0%	
5	615 Purchased Power	26,580	59,970	33,390	125.62%	Increase in rates and hookups over the last twenty years
6	616 Fuel for Power Purchased	-	77	77	0%	
7	618 Chemicals	6,723	19,518	12,795	190.32%	Prices increase as well as more residents and hookups.
8	620 Materials & Supplies	30,453	18,476	(11,977)	-39.33%	
9	631 Contractual Services - Engr.	4,191	-	(4,191)	0%	
10	632 Contractual Services - Acct.	6,259	5,718	(541)	-8.64%	
11	633 Contractual Services - Legal	7,849	165	(7,684)	-97.90%	
12	634 Contractual Services - Mgmt. Fees	-	-	-	0%	
13	635 Contractual Services - Other	40,649	99,499	58,850	144.78%	Prices increase as well as more residents and hookups.
14	641 Rental of Building/Real Prop.	6,411	45,445	39,034	608.86%	Prices increase as well as more residents and hookups.
15	642 Rental of Equipment	805	5,818	5,013	622.73%	Prices increase as well as more residents and hookups.
16	650 Transportation Expenses	12,030	28,211	16,181	0%	
17	656 Insurance - Vehicle	12,446	6,469	(5,977)	-48.02%	
18	657 Insurance - General Liability	-	-	-	0%	
19	658 Insurance - Workman's Comp.	6,127	7,542	1,415	23.09%	
20	659 Insurance - Other	-	84	84	0%	
21	660 Advertising Expense	636	-	(636)	0%	
22	666 Reg. Comm. Exp. - Rate Case Amort.	-	-	-	0%	
23	667 Reg. Comm. Exp. - Other	2,000	-	(2,000)	-100.00%	
24	670 Bad Debt Expense	7,120	3,241	(3,879)	-54.48%	
25	675 Miscellaneous Expenses	24,820	52,945	28,125	113.32%	Prices increase as well as more residents and hookups.
26	TOTAL	$ 422,719	$ 745,722	$ 323,003	% 76.41%	
27	Total Customers	2,144	3,088	944	44.03%	
28	Consumer Price Index - U	130.70	218.056	87.36	66.84%	

Operation & Maintenance Expense Comparison - Water

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Complete the following comparison of the applicant's current and prior test year O&M expenses before this Commission. Provide an explanation of all differences which are not attributable to the change in customer growth and the CPI-U. If the applicant has not had a previous rate case, use the year 5 years prior to the test year for comparison. Provide an additional schedule, if necessary, to explain differences.

Line No.	(1) Account No. and Name	(2) Prior TY 5/31/1990	(3) Current TY 12/31/2010	(4) $ Difference	(5) % Difference	(6) Explanation
1	601 Salaries & Wages - Employees	$ 173,672	$ 237,674	$ 64,002	% 36.85%	
2	603 Salaries & Wages - Officers, Etc.	88,720	136,620	47,900	53.99%	
3	604 Employee Pensions & Benefits	16,282	77,780	61,498	377.71%	Cost of health insurance went up as well as payroll went up
4	610 Purchased Water	-	-	-	0%	
5	615 Purchased Power	34,376	71,624	37,248	108.35%	Increase in rates and hookups over the last twenty years
6	616 Fuel for Power Purchased	-	77	77	0%	
7	618 Chemicals	7,814	20,569	12,755	163.23%	Prices increase as well as more residents and hookups.
8	620 Materials & Supplies	35,070	21,252	(13,818)	-39.40%	
9	631 Contractual Services - Engr.	4,191	-	(4,191)	0%	
10	632 Contractual Services - Acct.	6,928	6,799	(129)	-1.86%	
11	633 Contractual Services - Legal	7,849	165	(7,684)	-97.90%	
12	634 Contractual Services - Mgmt. Fees	2,324	-	(2,324)	0%	
13	635 Contractual Services - Other	49,556	107,409	57,853	116.74%	Prices increase as well as more residents and hookups.
14	641 Rental of Building/Real Prop.	8,095	46,655	38,560	476.34%	Prices increase as well as more residents and hookups.
15	642 Rental of Equipment	2,189	6,633	4,444	203.02%	Prices increase as well as more residents and hookups.
16	650 Transportation Expenses	16,650	32,683	16,033	0%	
17	656 Insurance - Vehicle	13,317	7,530	(5,787)	-43.46%	
18	657 Insurance - General Liability	191	-	(191)	0%	
19	658 Insurance - Workman's Comp.	6,819	8,673	1,854	27.19%	
20	659 Insurance - Other	-	98	98	0%	
21	660 Advertising Expense	636	-	(636)	0%	
22	666 Reg. Comm. Exp. - Rate Case Amort.	-	-	-	0%	
23	667 Reg. Comm. Exp. - Other	2,000	-	(2,000)	-100.00%	
24	670 Bad Debt Expense	8,744	4,777	(3,967)	-45.37%	
25	675 Miscellaneous Expenses	30,602	60,684	30,082	98.30%	Prices increase as well as more residents and hookups.
26	TOTAL	$ 516,025	$ 847,702	$ 331,677	% 64.28%	
27	Total Customers	2,668	3,633	965	36.17%	
28	Consumer Price Index - U	130.70	218.056	87.36	66.84%	

Analysis of Rate Case Expense

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-10 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the total amount of rate case expense requested in the application. *State whether the total includes the* amount up to proposed agency action or through a hearing before the Commission. Provide a list of each firm providing services for the applicant, the individuals for each firm assisting in the application, including each individual's hourly rate, and an *estimate of the total charges* to be incurred by each firm, as well as a description of the type of services provided. Also provide the additional information for amortization and allocation method, including support behind this determination.

Line No.	(1) Firm or Vendor Name	(2) Counsel, Consultant or Witness	(3) Hourly Rate Per Person	(4) Total Estimate Of Charges By Firm	(5) Type of Service Rendered	Time Log (hours) Preparing MFR's	Total Invoiced Amounts	Type of Service Rendered	Time Log (hours estimated) PAA Process	Total Estimated Costs
1	Adams & Company PA	John Q. Adams II	$ 150	$ 50,000	Preparation of MFR's	91	$ 13,650	Answer, assist with	28.25	$ 4,238
2		Austin K. Vealey	100		Preparation of MFR's	232	$ 23,200	questions, and corrections	84.00	$ 8,400
4					Supplies		512			
5										
6		Total Billed				323	37,362		112.25	12,638
7	Total									
8										
9	Estimate Through									
10	[x] PAA									
11	[ ] Commission Hearing									
12										
13	Amortization Period 4 Years									
14	Explanation if different from Section 367.0816, Florida Statutes:									
15										
16										
17										

	Amortization of Rate Case Expense:	(A) Water	(B) Wastewater	(C) Total	(B) Wastewater	(B) Wastewater
18						
19						
20						
21	Prior Unamortized Rate Case Expense	$ -	$ -	$ -	-	-
22	Current Rate Case Expense	50,000		50,000		
23						
24	Total Projected Rate Case Expense	$ 50,000	$ Not Applicable	$ 50,000	Not Applicable	Not Applicable
25						
26	Annual Amortization	$ 12,500	$ -	$ 12,500	-	-
27						
28	Method of Allocation Between Systems:					
29	The company provides water service only; therefore, no allocation is necessary					

Taxes Other Than Income

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: B-15 (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Explanation: Complete the following schedule of all taxes other than income.
For all allocations, provide description of allocation and calculations.

Line No.	(1) Description	(2) Regulatory Assessment Fees (RAFs)	(3) Payroll Taxes	(4) Real Estate & Personal Property	(5) Other	(6) Total
WATER						
1	Test Year Per Books	$ 38,664	$ 25,723	$ 16,009	$ -	$ 80,396
	Adjustments to Test Year (Explain)					
2	RAF Assessment on Lakeview		(310)			(310)
3						
4						
5						
6	Total Test Year Adjustments	-	(310)	-	-	(310)
7	Adjusted Test Year	38,664	25,413	16,009	-	80,086
8	RAFs Assoc. with Revenue Increase					
9	Total Balance	$ 38,664	$ 25,413	$ 16,009	$ -	$ 80,086
WASTEWATER						
10	Test Year Per Books					
	Adjustments to Test Year (Explain)					
11				Not Applicable		
12						
13						
14						
15	Total Test Year Adjustments					
16	Adjusted Test Year					
17	RAFs Assoc. with Revenue Increase					
18	Total Balance					

Taxes Other Than Income

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: B-15 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Explanation: Complete the following schedule of all taxes other than income.
For all allocations, provide description of allocation and calculations.

Line No.	(1) Description	(2) Regulatory Assessment Fees (RAFs)	(3) Payroll Taxes	(4) Real Estate & Personal Property	(5) Other	(6) Total
WATER						
1	Test Year Per Books	$ 42,801	$ 29,559	$ 18,307	$ -	$ 90,667
	Adjustments to Test Year (Explain)					
2	RAF Assessment on Lakeview	-	(310)	-	-	(310)
3						
4						
5						
6	Total Test Year Adjustments	-	(310)	-	-	(310)
7	Adjusted Test Year	42,801	29,249	18,307	-	90,357
8	RAFs Assoc. with Revenue Increase					
9	Total Balance	$ 42,801	$ 29,249	$ 18,307	$ -	$ 90,357
WASTEWATER						
10	Test Year Per Books					
	Adjustments to Test Year (Explain)					
11				Not Applicable		
12						
13						
14						
15	Total Test Year Adjustments					
16	Adjusted Test Year					
17	RAFs Assoc. with Revenue Increase					
18	Total Balance					

Schedule of Requested Cost of Capital
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: D-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a schedule which calculates the requested Cost of Capital on a beginning and end of year average basis. If a year-end basis is used submit an additional schedule reflecting year-end calculations.

Line No.	Class of Capital		(1) Reconciled To Requested Rate Base	(2) Percent of Total	(3) Cost	(4) Weighted Cost
1	Long-Term Debt	$	-	-		
2						
3	Short-Term Debt		127,442	32.25%	5.83%	1.88%
4						
5	Preferred Stock		-	-		
6						
7	Customer Deposits		45,420	11.49%	6.00%	0.69%
8						
9	Common Equity		222,272	56.25%	10.85%	6.10%
10						
11	Tax Credits - Zero Cost		-	-		
12						
13	Tax Credits - Wtd. Cost		-	-		
14						
15	Accum. Deferred Income Taxes		-	-		
16						
17	Other (Explain)		-	-		
18						
19	Total	$	395,134	100.00%		8.67%
20						
21						
22	Note: Equity cost rate based on the most recent leverage graph approved by					
23	the Commission.					
24						
25	Schedule represents the entire company as a whole, and could not be broken down by plant.					
26						
27	Supporting Schedules: D-2					
28	Recap Schedules: A-1,A-2					

Reconciliation of Capital Structure to Requested Rate Base
Beginning and End of Year Average

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Schedule: D-2 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a reconciliation of the simple average capital structure to requested rate base. Explain all adjustments. Submit an additional schedule if a year-end basis is used.

Line No.	(1) Class of Capital	(2) Test Year Per Books	(3) Reconciliation Adjustments Specific	(4) Prorata %	(5) Prorata *	(6) Reconciled To Requested Rate Base
1	Long-Term Debt	$ -	$	-	$ -	$ -
2	Short-Term Debt	127,442		32.25%	76,672	204,114
3	Preferred Stock	-				
4	Common Equity	222,272		56.25%	133,723	355,995
5	Customer Deposits	45,420		11.49%	27,326	72,746
6	Tax Credits - Zero Cost	-				
7	Tax Credits - Wtd. Cost	-				
8	Accum. Deferred Income Tax	-				
9	Other (Explain)	-				
10						
11	Total	$ 395,134	$	100.00%	$ (237,721)	$ 157,413
12						
13						
14						
15						
16						
17	Description			Amount		
18						
19						
20	Note: Capital structure was reconciled to rate base on a prorata basis, using the percent					
21	ratios of the components of total capital structure applied to the rate base shown above.					
22	reconciliation was reconciled to the company as a whole as the debt and equity					
23	would be skewed breaking it out per rate case.					
24						
25						
26						
27						
28	Supporting Schedules: A-19,C-7,C-8,D-3,D-4,D-5,D-7					
29	Recap Schedules: D-1					

Revenue Schedule at Present and Proposed Rates

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: E-2 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a calculation of revenues at present and proposed rates using the billing analysis. Explain any differences between these revenues and booked revenues. If a rate change occurred during the test year, a revenue calculation must be made for each period.

(1) Class/Meter Size	(2) Number Bills	(3) Consumption in MG	(4) Present Rate	(5) Revenues at Present Rates	(6) Proposed Rate	(7) Revenues at Proposed Rates
Residential						
5/8" x 3/4"	36,467		8.34	$ 304,135	9.80	357,377
Gallonage charge per 1,000 MG		197,060	2.04	402,002	2.32	457,179
1" Etc.	26		20.82	541	24.00	624
Gallonage charge per 1,000 MG		207	2.04	423	2.32	481
1-1/4"	56		31.23	1,749	33.00	1,848
Gallonage charge per 1,000 MG		345	2.04	705	2.32	801
1-1/2"	13		41.65	541	45.00	585
Gallonage charge per 1,000 MG		46	2.04	94	2.32	107
2"	50		66.63	3,332	71.00	3,550
Gallonage charge per 1,000 MG		357	2.04	729	2.32	829
3"			133.47	-	150.00	-
Gallonage charge per 1,000 MG			2.04		2.32	-
4"	11		208.22	2,290	225.00	2,475
Gallonage charge per 1,000 MG		31	2.04	63	2.32	71
6"			416.47		470.00	-
Gallonage charge per 1,000 MG			2.04		2.32	-
Total Residential	36,623	198,047		716,604		825,927
Average Bill				$ 20		$ 23
General Service						
5/8" x 3/4"	601		8.34	5,012	9.80	5,890
Gallonage charge per 1,000 MG		5,214	2.04	10,636	2.32	12,095
1" Etc.	54		20.82	1,124	24.00	1,296
Gallonage charge per 1,000 MG		777	2.04	1,586	2.32	1,803
1-1/4"	8		31.23	250	33.00	264
Gallonage charge per 1,000 MG		162	2.04	331	2.32	377
1-1/2"	13		41.65	541	45.00	585
Gallonage charge per 1,000 MG		27	2.04	56	2.32	64
2"	23		66.63	1,532	71.00	1,633
Gallonage charge per 1,000 MG		1,510	2.04	3,080	2.32	3,502
3"	-		133.47	-	150.00	
Gallonage charge per 1,000 MG		-	2.04	-	2.32	-
4"	-		208.22	-	225.00	
Gallonage charge per 1,000 MG		-	2.04	-	2.32	-
6"	-		416.47	-	470.00	
Gallonage charge per 1,000 MG		-	2.04	-	2.32	-
Total Gen. Serv.	699	7,690		24,149		27,509
Average Bill				$ 35		$ 39
Multi Family Residence						
5/8" x 3/4"	80		8.34	667	9.80	784
Gallonage charge per 1,000 MG		8,029	2.04	16,379	2.32	18,628
1" Etc.	12		20.82	250	24.00	288
Gallonage charge per 1,000 MG		250	2.04	510	2.32	580
1-1/4"	570		31.23	17,801	33.00	18,810
Gallonage charge per 1,000 MG		8,174	2.04	16,676	2.32	18,965
1-1/2"	121		41.65	5,040	45.00	5,445
Gallonage charge per 1,000 MG		2,729	2.04	5,567	2.32	6,331
2"	5		66.63	333	71.00	355
Gallonage charge per 1,000 MG		407	2.04	831	2.32	945
3"	11		133.47	1,468	150.00	1,650
Gallonage charge per 1,000 MG		541	2.04	1,104	2.32	1,255
4"	11		208.22	2,290	225.00	2,475
Gallonage charge per 1,000 MG		4,122	2.04	8,409	2.32	9,563
6"	0		416.47		470.00	-
Gallonage charge per 1,000 MG			2.04		2.32	-
Total Multi Family Serv.	810	24,253		77,326		86,074
Average Bill				$ 95		$ 106
List Other Classes As Above						
Totals				818,078		939,510
Unbilled Revenues						
Other Revenue						
Misc. Serv. Charges				41,627		41,627
Total Revenue				859,705		981,137
Booked Revenue				859,176		999,099
Difference (Explain)				529		(17,962)

Note: Proposed rates are based on the new leverage formula for the ROR. In addition the proposed rates are indicative of all four rate cases being combined into one rate case. If this does not happen then a revised E-2 will need to be provided to adjust each rate case to its ROR.

Revenue Schedule at Present and Proposed Rates

Company: Sunshine Utilities of Central Florida, Inc
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: E-2 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a calculation of revenues at present and proposed rates using the billing analysis. Explain any differences between these revenues and booked revenues. If a rate change occurred during the test year, a revenue calculation must be made for each period.

(1) Class/Meter Size	(2) Number Bills	(3) Consumption in MG	(4) Present Rate	(5) Revenues at Present Rates	*Flat Rate Systems* Number Bills	*Flat Rate Systems* Gallons Sold Assumption	(6) Proposed Rate	(7) Revenues at Proposed Rates
Residential								
5/8" x 3/4"	39,072			316,352	3,635		9.80	418,529
Gallonage charge per 1,000 MG		213,945	Various	426,824		23,657	2.32	551,239
1" Etc.	26		*Various*	541			24.00	624
Gallonage charge per 1,000 MG		207	Various	423			2.32	481
1-1/4"	56		Various	1,749			33.00	1,848
Gallonage charge per 1,000 MG		345	Various	705			2.32	801
1-1/2"	13		Various	541			45.00	585
Gallonage charge per 1,000 MG		46	Various	94			2.32	107
2"	50		Various	3,332			71.00	3,550
Gallonage charge per 1,000 MG		357	Various	729			2.32	*829*
3"				-			150.00	-
Gallonage charge per 1,000 MG							2.32	-
4"	11			2,290			225.00	2,475
Gallonage charge per 1,000 MG		31		63			2.32	71
6"							470.00	-
Gallonage charge per 1,000 MG							2.32	-
Total Residential	39,228	214,932		753,643	3,635	23,657		981,139
Average Bill								25
General Service								
5/8" x 3/4"	637			5,181			9.80	6,243
M Gallons		5,333		10,812			2.32	12,374
1" Etc	54			1,124			24.00	1,296
M Gallons Etc.		777		1,586			2.32	1,803
1-1/4"	8			250			33.00	264
Gallonage charge per 1,000 MG		162		331			2.32	377
1-1/2"	13			541			45.00	585
M Gallons		27		56			2.32	64
2"	23			1,532			71.00	1,633
M Gallons		1,510		3,080			2.32	3,502
3"	-			-			150.00	-
M Gallons		-		-			2.32	-
4"	-			-			225.00	-
M Gallons		-		-			2.32	-
6"	-			-			470.00	-
M Gallons		-		-			2.32	-
Total Gen. Serv.	735	7,810		24,494				28,140
Average Bill				33				38
Multi Family Residence								
5/8" x 3/4"	80			667			9.80	784
M Gallons		8,029		16,379			2.32	18,628
1" Etc.	12			250			24.00	288
M Gallons Etc.		250		510			2.32	580
1-1/4"	570			17,801			33.00	18,810
M Gallons		8,174		16,676			2.32	18,965
1-1/2"	121			5,040			45.00	5,445
M Gallons		2,729		5,567			2.32	6,331
2"	5			333			71.00	355
M Gallons		407		831			2.32	*945*
3"	11			1,468			150.00	1,650
M Gallons		541		1,104			2.32	1,255
4"	11			2,290			225.00	2,475
M Gallons		4,122		8,409			2.32	9,563
6"	-						470.00	-
M Gallons				-			2.32	-
Total Multi Family Serv.	810	24,253		77,326				86,074
				95				106
List Other Classes								
Flat Rate	3,635			47,623				
Totals	3,635			903,085				1,095,353
Unbilled Revenues								
Other Revenue								
Misc. Serv. Charges				49,297				49,297
Total Revenue				952,382				1,144,650
Booked Revenue				951,110				1,143,683
Difference (Explain)				1,272				967

Gallons of Water Pumped, Sold and Unaccounted For
In Thousands of Gallons

Florida Public Service Commission

Schedule F-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Historic [X] or Projected [ ]

Explanation: Provide a schedule of gallons of water pumped, sold and unaccounted for each month of the test year. The gallons pumped should match the flows shown on the monthly operating reports sent to DEP. The other uses may include plant use, flushing of hydrants and water and wastewater lines, line breakages and fire flows. Provide all calculations to substantiate the other uses. If unaccounted for water is greater than 10%, provide an explanation as to the reasons why; if less than 10%, Columns 4 & 5 may be omitted.

	(1)	(2)	(3)	(4)	(5)	(6)
Month/ Year	Total Gallons Pumped	Gallons Purchased	Gallons Sold	Other Uses	Unaccounted For Water (1)+(2)-(3)-(4)	% Unaccounted For Water
Jan	21,156,480	-	17,037,076	-	4,119,404	19.47%
Feb	20,079,740	-	16,383,580	-	3,696,160	18.41%
Mar	18,212,080	-	14,364,471	-	3,847,609	21.13%
Apr	22,584,710	-	20,249,136	-	2,335,574	10.34%
May	24,856,050	-	21,016,383	-	3,839,667	15.45%
Jun	26,128,720	-	22,922,089	-	3,206,631	12.27%
Jul	24,172,390	-	19,798,254	-	4,374,136	18.10%
Aug	25,227,415	-	21,880,927	-	3,346,488	13.27%
Sep	23,245,430	-	19,174,330	-	4,071,100	17.51%
Oct	22,571,940	-	20,433,801	-	2,138,139	9.47%
Nov	23,541,490	-	19,230,653	-	4,310,837	18.31%
Dec	22,605,400	-	17,499,292	-	5,106,108	22.59%
Total	274,381,845	-	229,989,992	-	44,391,853	16.18%

Explanation:
Due to broken main lines and flushing. Ocklawaha and Oakhaven account for most of this due to sulfur wells which require more flushing.

Gallons of Water Pumped, Sold and Unaccounted For
In Thousands of Gallons

Florida Public Service Commission

Schedule F-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Historic [X] or Projected [ ]

Explanation: Provide a schedule of gallons of water pumped, sold and unaccounted for each month of the test year. The gallons pumped should match the flows shown on the monthly operating reports sent to DEP. The other uses may include plant use, flushing of hydrants and water and wastewater lines, line breakages and fire flows. Provide all calculations to substantiate the other uses. If unaccounted for water is greater than 10%, provide an explanation as to the reasons why; if less than 10%, Columns 4 & 5 may be omitted.

Month/ Year	(1) Total Gallons Pumped	(2) Gallons Purchased	(3) Gallons Sold	(4) Other Uses	(5) Unaccounted For Water (1)+(2)-(3)-(4)	(6) % Unaccounted For Water
Jan	26,224,580	-	18,147,762	-	8,076,818	30.80%
Feb	24,064,340	-	17,730,261	-	6,334,079	26.32%
Mar	21,949,980	-	15,325,597	-	6,624,383	30.18%
Apr	27,261,010	-	21,520,383	-	5,740,627	21.06%
May	29,438,450	-	22,438,936	-	6,999,514	23.78%
Jun	31,197,320	-	24,632,709	-	6,564,611	21.04%
Jul	29,000,290	-	21,713,344	-	7,286,946	25.13%
Aug	29,816,015	-	23,459,224	-	6,356,791	21.32%
Sep	27,838,430	-	20,849,181	-	6,989,249	25.11%
Oct	26,531,140	-	21,876,510	-	4,654,630	17.54%
Nov	28,476,690	-	20,686,380	-	7,790,310	27.36%
Dec	27,749,600	-	18,615,252	-	9,134,348	32.92%
Total	329,547,845	-	246,995,539	-	82,552,306	25.05%

Explanation:
Due to broken main lines and flushing. Ocklawaha and Oakhaven account for most of this due to sulfur wells which require more flushing.
Sandy acres has a lot of flushing due to dead end lines. In addition there has been a large amount of sand buildup in wells which also contributed to more flushing.

Used and Useful Calculations
Water Distribution and Wastewater Collection Systems

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]

Schedule F-7 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide all calculations, analyses and governmental requirements used to determine the used and useful percentages for the water distribution and wastewater collection systems for the historical and the projected test year (if applicable). The capacity should be in terms of ability to serve a designated number of connections. It should then be related to actual connected density for historical year calculations. Explain all assumptions for projected calculations. If the distribution and collection systems are entirely contributed or built-out, this schedule is not required.

System	Total Lots with Lines	Occupied Lots with Lines	Percentage Used & Useful
Ashley Heights	50	50	100%
Belleview Oaks	95	88	93%
Burks/Ocala Garden	29	25	86%
Country Walk	77	68	88%
Eleven Oaks	44	40	91%
Emil Marr	87	81	93%
SunRay	97	92	95%
Sugar Plum	67	64	96%
Stonehill	95	90	95%
Baldwin Heights	11	8	73%
Carol Estates	239	236	99%
Pearl Britain	32	32	100%
Boulder Hill	32	30	94%
Jason's Landing	51	48	94%
Florida Heights	118	110	93%
Floyd Clard/Hodges	50	50	100%
Northwoods	28	24	86%
Foreoaks	58	51	88%
Coventry	168	158	94%
Ballard Acres	23	23	100%
Hilltop	64	61	95%
Hilltop Phase II	37	29	78%
Hilltop Phase III	159	106	67%
Lakeview Hills	81	65	80%
Little Lake Weir	787	436	55%
Oakhaven	82	82	100%
Oakhurst	115	115	100%
Ocala Heights	168	106	63%
Reynolds	91	87	96%
Silverwood Villas	84	83	99%
Spanish Palms	129	45	35%
Country Aire	25	21	84%
Lexington Estates	72	15	21%
Ocklawaha	529	346	65%
Sanctuary	24	18	75%
Sunlight Acres	84	80	95%
Sun Resorts	33	32	97%
Whispering Sands	128	128	100%
Winding Waters	191	191	100%
Lake Forrest	8	5	63%
Lake Bryant Ridge	33	21	64%
Total	4,375	3,440	79%

Recap Schedules: A-5,A-6,A-9,A-10,B-13,B-14

Used and Useful Calculations
Water Distribution and Wastewater Collection Systems

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]

Schedule F-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide all calculations, analyses and governmental requirements used to determine the used and useful percentages for the water distribution and wastewater collection systems for the historical and the projected test year (if applicable). The capacity should be in terms of ability to serve a designated number of connections. It should then be related to actual connected density for historical year calculations. Explain all assumptions for projected calculations. If the distribution and collection systems are entirely contributed or built-out, this schedule is not required.

System	Total Lots with Lines	Occupied Lots with Lines	Percentage Used & Useful
Ashley Heights	50	50	100%
Belleview Oaks	95	88	93%
Burks/Ocala Garden	29	25	86%
Country Walk	77	68	88%
Eleven Oaks	44	40	91%
Emil Marr	87	81	93%
SunRay	97	92	95%
Sugar Plum	67	64	96%
Stonehill	95	90	95%
Baldwin Heights	11	8	73%
Carol Estates	239	236	99%
Pearl Britain	32	32	100%
Boulder Hill	32	30	94%
Jason's Landing	51	48	94%
Florida Heights	118	110	93%
Floyd Clard/Hodges	50	50	100%
Northwoods	28	24	86%
Foreoaks	58	51	88%
Coventry	168	158	94%
Ballard Acres	23	23	100%
Hilltop	64	61	95%
Hilltop Phase II	37	29	78%
Hilltop Phase III	159	106	67%
Lakeview Hills	81	65	80%
Little Lake Weir	787	436	55%
Oakhaven	82	82	100%
Oakhurst	115	115	100%
Ocala Heights	168	106	63%
Reynolds	91	87	96%
Silverwood Villas	84	83	99%
Spanish Palms	129	45	35%
Country Aire	25	21	84%
Lexington Estates	72	15	21%
Ocklawaha	529	346	65%
Sanctuary	24	18	75%
Sunlight Acres	84	80	95%
Sun Resorts	33	32	97%
Whispering Sands	128	128	100%
Winding Waters	191	191	100%
Lake Forrest	8	5	63%
Lake Bryant Ridge	33	21	64%
Sandy Acres	295	273	93%
Quail Run	59	55	93%
Ponderossa Pines	198	198	100%
Total	4,927	3,966	80%

Recap Schedules: A-5,A-6,A-9,A-10,B-13,B-14

CLASS B
WATER AND/OR WASTEWATER UTILITIES

FINANCIAL, RATE, AND ENGINEERING MINIMUM REQUIREMENTS

OF

Sunshine Utilities of Central Florida, Inc.

Exact Legal Name of Utility

Applies To: Marion County Other

REVISED SCHEDULES AS OF AUGUST 9, 2011

VOLUME II

FOR

Test Year Ended: December 31, 2010

Billing Analysis Schedules

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Customer Class Total
Meter Size:

Schedule: E-14 (Revised)

Preparer: John Q. Adams II

Explanation: Provide a billing analysis for each class of service by meter size. For applicants having master metered multiple dwellings, provide number of bills at each level by meter size or number of bills categorized by the number of units. Round consumption to nearest 1,000 gallons & begin at zero. If a rate change occurred during the test year, provide a separate billing analysis which coincides with each period.

(1) Consumpt. Level	(2) Number of Bills	(3) Cumulative Bills	(4) Gallons Consumed	(5) Cumulative Gallons	(6) Reversed Bills	(7) Consolidated Factor [(1)x(6)]+(5)	(8) Percentage of Total
0	3,928	3,928	(464,248)	(464,248)	34,204	(464,248)	-0.20%
1000	3,492	7,420	3,650,798	3,186,550	30,712	33,898,550	14.74%
2000	4,757	12,177	9,537,193	12,723,743	25,955	64,633,743	28.10%
3000	4,749	16,926	14,190,902	26,914,645	21,206	90,532,645	39.36%
4000	4,405	21,331	17,514,288	44,428,933	16,801	111,632,933	48.54%
5000	3,586	24,917	17,845,715	62,274,648	13,215	128,349,648	55.81%
6000	2,841	27,758	16,966,684	79,241,332	10,374	141,485,332	61.52%
7000	2,104	29,862	14,656,696	93,898,028	8,270	151,788,028	66.00%
8000	1,529	31,391	12,186,327	106,084,355	6,741	160,012,355	69.57%
9000	1,157	32,548	10,378,339	116,462,694	5,584	166,718,694	72.49%
10000	859	33,407	8,554,289	125,016,983	4,725	172,266,983	74.90%
11000	708	34,115	7,768,307	132,785,290	4,017	176,972,290	76.95%
12000	556	34,671	6,665,583	139,450,873	3,461	180,982,873	78.69%
13000	448	35,119	5,808,995	145,259,868	3,013	184,428,868	80.19%
14000	357	35,476	4,994,646	150,254,514	2,656	187,438,514	81.50%
15000	338	35,814	5,062,923	155,317,437	2,318	190,087,437	82.65%
16000	262	36,076	4,178,740	159,496,177	2,056	192,392,177	83.65%
17000	221	36,297	3,751,557	163,247,734	1,835	194,442,734	84.54%
18000	233	36,530	4,191,448	167,439,182	1,602	196,275,182	85.34%
19000	182	36,712	3,452,665	170,891,847	1,420	197,871,847	86.03%
20000	161	36,873	3,213,172	174,105,019	1,259	199,285,019	86.65%
21000	141	37,014	2,959,251	177,064,270	1,118	200,542,270	87.20%
22000	122	37,136	2,678,016	179,742,286	996	201,654,286	87.68%
23000	105	37,241	2,412,961	182,155,247	891	202,648,247	88.11%
24000	81	37,322	1,944,937	184,100,184	810	203,540,184	88.50%
25000	85	37,407	2,118,706	186,218,890	725	204,343,890	88.85%
26000	75	37,482	1,948,226	188,167,116	650	205,067,116	89.16%
27000	50	37,532	1,349,687	189,516,803	600	205,716,803	89.45%
28000	68	37,600	1,902,879	191,419,682	532	206,315,682	89.71%
29000	44	37,644	1,277,693	192,697,375	488	206,849,375	89.94%
30000	30	37,674	901,750	193,599,125	458	207,339,125	90.15%
31000	34	37,708	1,056,390	194,655,515	424	207,799,515	90.35%
32000	29	37,737	929,900	195,585,415	395	208,225,415	90.54%
33000	29	37,766	956,350	196,541,765	366	208,619,765	90.71%
34000	20	37,786	680,890	197,222,655	346	208,986,655	90.87%
35000	23	37,809	805,460	198,028,115	323	209,333,115	91.02%
36000	18	37,827	646,740	198,674,855	305	209,654,855	91.16%
37000	21	37,848	775,666	199,450,521	284	209,958,521	91.29%
38000	18	37,866	682,295	200,132,816	266	210,240,816	91.41%
39000	15	37,881	586,930	200,719,746	251	210,508,746	91.53%
40000	9	37,890	359,250	201,078,996	242	210,758,996	91.64%
41000	7	37,897	287,540	201,366,536	235	211,001,536	91.74%
42000	9	37,906	376,230	201,742,766	226	211,234,766	91.85%
43000	11	37,917	472,810	202,215,576	215	211,460,576	91.94%
44000	6	37,923	262,060	202,477,636	209	211,673,636	92.04%
45000	7	37,930	315,410	202,793,046	202	211,883,046	92.13%
46000	3	37,933	137,030	202,930,076	199	212,084,076	92.21%
47000	7	37,940	331,100	203,261,176	192	212,285,176	92.30%
48000	2	37,942	95,840	203,357,016	190	212,477,016	92.39%
49000	6	37,948	293,114	203,650,130	184	212,666,130	92.47%
50000	11	37,959	548,820	204,198,950	173	212,848,950	92.55%
51000	4	37,963	204,690	204,403,640	169	213,022,640	92.62%
52000	7	37,970	363,290	204,766,930	162	213,190,930	92.70%
53000	7	37,977	370,490	205,137,420	155	213,352,420	92.77%
54000	5	37,982	269,310	205,406,730	150	213,506,730	92.83%
55000	4	37,986	219,350	205,626,080	146	213,656,080	92.90%
56000	1	37,987	56,130	205,682,210	145	213,802,210	92.96%
57000	3	37,990	171,340	205,853,550	142	213,947,550	93.02%
58000	5	37,995	291,230	206,144,780	137	214,090,780	93.09%
59000	5	38,000	294,940	206,439,720	132	214,227,720	93.15%
61000	4	38,004	243,270	206,682,990	128	214,490,990	93.26%

Billing Analysis Schedules

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Customer Class:
Meter Size:

Schedule: E-14 (Revised)
Page 2 of 4
Preparer: John Q. Adams II

Explanation: Provide a billing analysis for each class of service by meter size. For applicants having master metered multiple dwellings, provide number of bills at each level by meter size or number of bills categorized by the number of units. *Round consumption to nearest* 1,000 gallons & begin at zero. If a rate change occurred during the test year, provide a separate billing analysis which coincides with each period.

(1) Consumpt. Level	Number of Bills	(3) Cumulative Bills	(4) Gallons Consumed	(5) Cumulative Gallons	(6) Reversed Bills	(7) Consolidated Factor [(1)x(6)]+(5)	(8) Percentage of Total
62000	5	38,009	310,700	206,993,690	123	214,619,690	93.32%
63000	3	38,012	188,610	207,182,300	120	214,742,300	93.37%
64000	2	38,014	128,600	207,310,900	118	214,862,900	93.42%
65000	1	38,015	65,450	207,376,350	117	214,981,350	93.47%
66000	3	38,018	197,990	207,574,340	114	215,098,340	93.53%
67000	4	38,022	267,460	207,841,800	110	215,211,800	93.57%
68000	2	38,024	135,880	207,977,680	108	215,321,680	93.62%
69000	4	38,028	275,400	208,253,080	104	215,429,080	93.67%
70000	2	38,030	140,210	208,393,290	102	215,533,290	93.71%
71000	1	38,031	70,840	208,464,130	101	215,635,130	93.76%
72000	2	38,033	143,720	208,607,850	99	215,735,850	93.80%
73000	1	38,034	72,990	208,680,840	98	215,834,840	93.85%
74000	1	38,035	73,520	208,754,360	97	215,932,360	93.89%
75000	1	38,036	75,450	208,829,810	96	216,029,810	93.93%
76000	2	38,038	152,270	208,982,080	94	216,126,080	93.97%
78000	2	38,040	155,940	209,138,020	92	216,314,020	94.05%
79000	2	38,042	157,570	209,295,590	90	216,405,590	94.09%
80000	1	38,043	80,000	209,375,590	89	216,495,590	94.13%
83000	1	38,044	82,670	209,458,260	88	216,762,260	94.25%
84000	2	38,046	167,823	209,626,083	86	216,850,083	94.29%
85000	1	38,047	85,210	209,711,293	85	216,936,293	94.32%
86000	1	38,048	85,830	209,797,123	84	217,021,123	94.36%
87000	1	38,049	86,900	209,884,023	83	217,105,023	94.40%
88000	1	38,050	88,190	209,972,213	82	217,188,213	94.43%
89000	2	38,052	177,980	210,150,193	80	217,270,193	94.47%
90000	2	38,054	180,270	210,330,463	78	217,350,463	94.50%
91000	1	38,055	91,010	210,421,473	77	217,428,473	94.54%
96000	2	38,057	192,080	210,613,553	75	217,813,553	94.71%
98000	1	38,058	98,150	210,711,703	74	217,963,703	94.77%
99000	1	38,059	99,000	210,810,703	73	218,037,703	94.80%
100000	1	38,060	100,400	210,911,103	72	218,111,103	94.84%
101000	2	38,062	202,000	211,113,103	70	218,183,103	94.87%
102000	1	38,063	101,740	211,214,843	69	218,252,843	94.90%
103000	3	38,066	309,020	211,523,863	66	218,321,863	94.93%
104000	1	38,067	103,910	211,627,773	65	218,387,773	94.96%
106000	2	38,069	211,740	211,839,513	63	218,517,513	95.01%
109000	1	38,070	109,000	211,948,513	62	218,706,513	95.09%
110000	1	38,071	109,730	212,058,243	61	218,768,243	95.12%
113000	1	38,072	113,270	212,171,513	60	218,951,513	95.20%
114000	2	38,074	228,210	212,399,723	58	219,011,723	95.23%
117000	1	38,075	116,500	212,516,223	57	219,185,223	95.30%
120000	1	38,076	120,320	212,636,543	56	219,356,543	95.38%
122000	1	38,077	122,390	212,758,933	55	219,468,933	95.43%
133000	2	38,079	265,860	213,024,793	53	220,073,793	95.69%
145000	1	38,080	144,650	213,169,443	52	220,709,443	95.96%

Billing Analysis Schedules

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Customer Class:
Meter Size:

Schedule: E-14 (Revised)

Preparer: John Q. Adams II

Explanation: Provide a billing analysis for each class of service by meter size. For applicants having master metered multiple dwellings, provide number of bills at each level by meter size or number of bills categorized by the number of units. Round consumption to nearest 1,000 gallons & begin at zero. If a rate change occurred during the test year, provide a separate billing analysis which coincides with each period.

(1) Consumpt. Level	Number of Bills	(3) Cumulative Bills	(4) Gallons Consumed	(5) Cumulative Gallons	(6) Reversed Bills	(7) Consolidated Factor [(1)x(6)]+(5)	(8) Percentage of Total
150000	1	38,081	150,460	213,319,903	51	220,969,903	96.08%
151000	1	38,082	150,764	213,470,667	50	221,020,667	96.10%
153000	1	38,083	153,330	213,623,997	49	221,120,997	96.14%
158000	2	38,085	316,220	213,940,217	47	221,366,217	96.25%
168000	1	38,086	167,500	214,107,717	46	221,835,717	96.45%
173000	1	38,087	173,300	214,281,017	45	222,066,017	96.55%
178000	1	38,088	178,440	214,459,457	44	222,291,457	96.65%
180000	2	38,090	360,650	214,820,107	42	222,380,107	96.69%
190000	1	38,091	190,400	215,010,507	41	222,800,507	96.87%
195000	1	38,092	195,150	215,205,657	40	223,005,657	96.96%
206000	1	38,093	206,000	215,411,657	39	223,445,657	97.15%
208000	2	38,095	415,600	215,827,257	37	223,523,257	97.19%
210000	1	38,096	209,890	216,037,147	36	223,597,147	97.22%
213000	2	38,098	426,460	216,463,607	34	223,705,607	97.27%
219000	1	38,099	218,860	216,682,467	33	223,909,467	97.36%
227000	1	38,100	226,770	216,909,237	32	224,173,237	97.47%
230000	1	38,101	230,020	217,139,257	31	224,269,257	97.51%
239000	1	38,102	239,290	217,378,547	30	224,548,547	97.63%
250000	1	38,103	250,140	217,628,687	29	224,878,687	97.78%
261000	1	38,104	260,970	217,889,657	28	225,197,657	97.92%
269000	1	38,105	268,900	218,158,557	27	225,421,557	98.01%
289000	2	38,107	578,000	218,736,557	25	225,961,557	98.25%
297000	1	38,108	297,275	219,033,832	24	226,161,832	98.34%
305000	1	38,109	305,000	219,338,832	23	226,353,832	98.42%
313000	1	38,110	312,860	219,651,692	22	226,537,692	98.50%
340000	1	38,111	339,750	219,991,442	21	227,131,442	98.76%
358000	1	38,112	358,000	220,349,442	20	227,509,442	98.92%
373000	2	38,114	746,000	221,095,442	18	227,809,442	99.05%
385000	1	38,115	385,000	221,480,442	17	228,025,442	99.15%
390000	1	38,116	390,000	221,870,442	16	228,110,442	99.18%
401000	1	38,117	401,450	222,271,892	15	228,286,892	99.26%
417000	1	38,118	417,000	222,688,892	14	228,526,892	99.36%
423000	1	38,119	423,000	223,111,892	13	228,610,892	99.40%
438000	1	38,120	438,000	223,549,892	12	228,805,892	99.49%
472000	1	38,121	472,000	224,021,892	11	229,213,892	99.66%
477000	1	38,122	477,000	224,498,892	10	229,268,892	99.69%
484000	1	38,123	484,000	224,982,892	9	229,338,892	99.72%
488000	1	38,124	488,000	225,470,892	8	229,374,892	99.73%
507000	1	38,125	507,000	225,977,892	7	229,526,892	99.80%
517000	1	38,126	517,000	226,494,892	6	229,596,892	99.83%
525000	1	38,127	525,000	227,019,892	5	229,644,892	99.85%
529000	1	38,128	529,000	227,548,892	4	229,664,892	99.86%
600000	1	38,129	600,000	228,148,892	3	229,948,892	99.98%
603000	1	38,130	603,000	228,751,892	2	229,957,892	99.99%
605000	1	38,131	605,000	229,356,892	1	229,961,892	99.99%
633000	1	38,132	633,100	229,989,992	-	229,989,992	100.00%

Billing Analysis Schedules

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]

Schedule: E-14 (Revised)
Page 4 of 4
Preparer: John Q. Adams II

Explanation: Provide a billing analysis for each class of service by meter size. For applicants having master metered multiple dwellings, provide number of bills at each level by meter size or number of bills categorized by the number of units. Round consumption to nearest 1,000 gallons & begin at zero. If a rate change occurred during the test year, provide a separate billing analysis which coincides with each period.

Line	Meter Size	Residential Number of Bills	Residential Gallons Consumed	General Number of Bills	General Gallons Consumed	Multi - Family Number of Bills	Multi - Family Gallons Consumed
1	5/8" x 3/4"	36,467	197,059,897	601	5,213,508	80	8,029,130
2							
3	1"	26	207,430	54	777,299	12	250,088
4							
5	1-1/4"	56	345,420	8	162,300	570	8,174,390
6							
7	1-1/2"	13	46,020	13	27,470	121	2,729,040
8							
9	2"	50	357,320	23	1,509,680	5	407,300
10							
11	3"					11	541,000
12							
13	4"	11	30,700			11	4,122,000
14							
15	Total	36,623	198,046,787	699	7,690,257	810	24,252,948
16							
17							
18							
19							
20							
21							
22	Note: Consumption level report not available by class and meter size. Only class, and meter size by gallonage was available.						

CLASS B
WATER AND/OR WASTEWATER UTILITIES

FINANCIAL, RATE, AND ENGINEERING MINIMUM REQUIREMENTS

OF

Sunshine Utilities of Central Florida, Inc.

Exact Legal Name of Utility

Applies To: Quail Run

REVISED SCHEDULES AS OF AUGUST 9, 2011

VOLUME I

FOR

Test Year Ended: December 31, 2010
CLASS B
WATER AND/OR WASTEWATER UTILITIES

Schedule of Water Rate Base

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Schedule Year Ended: December 31, 2010
Interim [ ] Final [X]
Historical [X] Projected [ ]

Florida Public Service Commission

Schedule: A-1(Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of average rate base for the test year, showing all adjustments. All non-used and useful items should be reported as Plant Held For Future Use.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Adjustments	(4) Adjusted Utility Balance	(5) Staff Adjustments	(6) Staff Adjusted Balance	(7) Supporting Schedule(s)
1	Utility Plant in Service	$ 49,953	$ -	$ 49,953	$ -	$ 49,953	A-5
2							
3	Utility Land & Land Rights	-	-	-	-	-	A-5
4							
5	Less: Non-Used & Useful Plant	-	(621)	(621)	-	(621)	A-7
6							
7	Construction Work in Progress	-	-	-	-	-	-
8							
9	Less: Accumulated Depreciation	(20,710)	-	(20,710)	-	(20,710)	A-9
10							
11	Less: CIAC	(24,738)	-	(24,738)	-	(24,738)	A-12
12							
13	Accumulated Amortization of CIAC	6,739	-	6,739	-	6,739	A-14
14							
15	Acquisition Adjustments	(19,685)	19,685	-	-	-	A-3
16							
17	Accum. Amort. of Acq. Adjustments	3,445	(3,445)	-	-	-	A-3
18							
19	Advances For Construction	-	-	-	-	-	A-16
20							
21	Working Capital Allowance	2,787	-	2,787	-	2,787	A-17
22							
23	Total Rate Base	$ (2,209)	$ 15,619	$ 13,411	$ -	$ 13,411	
24							

Schedule of Water Rate Base

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Schedule Year Ended: December 31, 2010
Interim [ ] Final [X]
Historical [X] Projected [ ]

Florida Public Service Commission

Schedule: A-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of average rate base for the test year, showing all adjustments. All non-used and useful items should be reported as Plant Held For Future Use.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Adjustments	(4) Adjusted Utility Balance	(5) Staff Adjustments	(6) Staff Adjusted Balance	(7) Supporting Schedule(s)
1	Utility Plant in Service	$ 2,813,902	$ -	$ 2,813,902	$ -	$ 2,813,902	A-5
2		-	-	-			
3	Utility Land & Land Rights	80,737	-	80,737	-	80,737	A-5
4		-	-	-			
5	Less: Non-Used & Useful Plant	-	(73,928)	(73,928)	-	(73,928)	A-7
6		-	-	-			
7	Construction Work in Progress	67	-	67	-	67	-
8		-	-	-			
9	Less: Accumulated Depreciation	(1,848,044)	-	(1,848,044)	-	(1,848,044)	A-9
10		-	-	-			
11	Less: CIAC	(1,888,114)	-	(1,888,114)	-	(1,888,114)	A-12
12		-	-	-			
13	Accumulated Amortization of CIAC	1,114,096	-	1,114,096	-	1,114,096	A-14
14		-	-	-			
15	Acquisition Adjustments	29,838	(29,838)	-	-	-	-
16		-	-	-			
17	Accum. Amort. of Acq. Adjustments	(5,222)	5,222	-	-	-	-
18		-	-	-			
19	Advances For Construction	(85,357)	85,357	-	-	-	A-16
20		-	-	-			
21	Working Capital Allowance	105,963	(332)	105,631	-	105,631	A-17
22							
23	Total Rate Base	$ 317,866	$ (13,520)	$ 304,347	$ -	$ 304,347	
24							

Schedule of Water Plant in Service By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-5 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1 A-1, A-4

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**					
2	Organization	$ -	$ -	$ -	$ -	$ -
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**					
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	5,207	5,207	5,207	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	1,287	1,287	1,287	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	-	-	-	-	-
13	Power Generation Equipment	-	-	-	-	-
14	Pumping Equipment	13,685	13,709	13,697	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**					
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	3,169	3,169	3,169	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**					
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	9,371	9,371	9,371	-	-
25	Transm. & Distribution Mains	11,648	11,648	11,648	7%	790
26	Services	16	22	19	-	-
27	Meters & Meter Installations	636	636	636	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	-	-	-	-	-
30	**GENERAL PLANT**					
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	4,690	4,754	4,722	-	-
34	Transportation Equipment	-	-	-	-	-
35	Stores Equipment	-	-	-	-	-
36	Tools, Shop & Garage Equipment	150	150	150	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	-	-	-	-	-
39	Communication Equipment	-	-	-	-	-
40	Miscellaneous Equipment	-	-	-	-	-
41	Abandonment of Regional Plant	-	-	-	-	-
42						
43	TOTAL	$ 49,859	$ 49,953	$ 49,906	$	790
44						

Schedule of Water Plant in Service By Primary Account
Beginning and End of Year Average

Florida Public Service Commission

Schedule: A-5 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Recap Schedules: A-1 A-1, A-4

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**	$ -	$ -	$ -	$ -	$ -
2	Organization	1,660	1,660	1,660	-	-
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-			
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-	-	-	-
6	Land & Land Rights	80,737	80,737	80,737	-	-
7	Structures & Improvements	7,959	7,959	7,959	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	140,857	140,857	140,857	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	107,156	107,156	107,156	-	-
13	Power Generation Equipment	57,253	57,253	57,253	-	-
14	Pumping Equipment	437,669	446,075	441,872	-	-
15	Other Plant & Misc. Equipment	-	-			
16	**WATER TREATMENT PLANT**	-	-			
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	197,460	199,916	198,688	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**	-	-			
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	33,545	33,545	33,545	-	-
25	Transm. & Distribution Mains	1,093,680	1,042,211	1,067,946	21%	220,862
26	Services	125,365	130,760	128,063	-	-
27	Meters & Meter Installations	195,282	196,495	195,889	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	25,858	25,858	25,858		
30	**GENERAL PLANT**	-	-	-	-	-
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	35,521	37,441	36,481	-	-
34	Transportation Equipment	92,383	92,383	92,383	-	-
35	Stores Equipment	4,425	4,425	4,425	-	-
36	Tools, Shop & Garage Equipment	1,002	1,002	1,002	-	-
37	Laboratory Equipment	19,965	19,965	19,965	-	-
38	Power Operated Equipment	5,200	5,200	5,200	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	235,393	235,393	235,393	-	-
42						
43	TOTAL	$ 2,926,718	$ 2,894,639	$ 2,910,679		$ 220,862
44						

Non-Used and Useful Plant - Summary

Florida Public Service Commission

Schedule: A-7 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a summary of the items included in non-used and useful plant for the test year. Provide additional support schedules, if necessary.

Line No.	(1) Description	(2) Average Amount Per Books	(3) Utility Adjustments	(4) Balance Per Utility
1	WATER			
2				
3	Plant in Service	$ 790	$ -	$ 790
4				
5	Land	-	-	-
6				
7	Accumulated Depreciation	(169)	-	(169)
8				
9	Other (Explain)	-	-	-
10				
11				
12	Total	$ 621	$ -	$ 621
13				
14				
15	WASTEWATER			-
16				
17	Plant in Service	$ -	$	$ -
18				
19	Land	-	-	-
20			Not Applicable	
21	Accumulated Depreciation	-	-	-
22				
23	Other (Explain)	-	-	-
24				
25				
26	Total	$ -	$ -	$ -
27				
28				
29	Supporting Schedules: A-5,A-6,A-9,A-10			
30	Recap Schedules: A-1,A-2			

Non-Used and Useful Plant - Summary

Florida Public Service Commission

Schedule: A-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a summary of the items included in non-used and useful plant for the test year. Provide additional support schedules, if necessary.

Line No.	(1) Description	(2) Average Amount Per Books	(3) Utility Adjustments	(4) Balance Per Utility
1	WATER			
2				
3	Plant in Service	$ 220,862	$ -	$ 220,862
4				
5	Land	-	-	-
6				
7	Accumulated Depreciation	(146,934)	-	(146,934)
8				
9	Other (Explain)	-	-	-
10				
11				
12	Total	$ 73,928	$ -	$ 73,928
13				
14				
15	WASTEWATER			
16				
17	Plant in Service	$ -	$	$ -
18				
19	Land	-	-	-
20			Not Applicable	
21	Accumulated Depreciation	-	-	-
22				
23	Other (Explain)	-	-	-
24				
25				
26	Total	$ -	$ -	$ -
27				
28				
29	Supporting Schedules: A-5,A-6,A-9,A-10			
30	Recap Schedules: A-1,A-2			

Schedule of Water Accumulated Depreciation By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-9 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1,A-8

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**					
2	Organization	$ 5,207	$ 5,207	$ 5,207	-	$ -
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**					
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	-	-	-	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	332	375	354	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	-	-	-	-	-
13	Power Generation Equipment	-	-	-	-	-
14	Pumping Equipment	5,206	5,891	5,549	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**					
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	762	906	834	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**					
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	3,301	3,727	3,514	-	-
25	Transm. & Distribution Mains	2,344	2,647	2,496	7%	169
26	Services	-	-	-	-	-
27	Meters & Meter Installations	-	-	-	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	-	-	-	-	-
30	**GENERAL PLANT**					
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	1,712	1,933	1,823	-	-
34	Transportation Equipment	-	-	-	-	-
35	Stores Equipment	-	-	-	-	-
36	Tools, Shop & Garage Equipment	15	24	20	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	-	-	-	-	-
39	Communication Equipment	-	-	-	-	-
40	Miscellaneous Equipment	-	-	-	-	-
41	Abandonment of Regional Plant	-	-	-	-	-
42						
43	TOTAL	$ 18,879	$ 20,710	$ 19,795		$ 169
44						

Schedule of Water Accumulated Depreciation By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-9 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1,A-8

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**					
2	Organization	$ 6,256	$ 6,296	$ 6,276	-	$ -
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-			
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	1,152	1,393	1,273	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	70,194	74,889	72,542	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	12,567	15,628	14,098	-	-
13	Power Generation Equipment	31,605	35,422	33,514	-	-
14	Pumping Equipment	303,759	321,799	312,779	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**	-	-			
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	188,184	193,440	190,812	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**	-	-			
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	23,375	24,900	24,138	-	-
25	Transm. & Distribution Mains	711,705	685,544	698,625	21%	146,934
26	Services	16,051	19,024	17,538	-	-
27	Meters & Meter Installations	104,026	110,184	107,105	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	20,091	21,126	20,609	-	-
30	**GENERAL PLANT**	-	-			
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	17,882	17,639	17,761	-	-
34	Transportation Equipment	51,111	66,508	58,810	-	-
35	Stores Equipment	1,033	1,255	1,144	-	-
36	Tools, Shop & Garage Equipment	13,316	14,626	13,971	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	3,940	4,055	3,998	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	176,544	205,968	191,256	-	-
42						
43	TOTAL	$ 1,781,139	$ 1,848,044	$ 1,814,592		$ 146,934
44						

Comparative Balance Sheet - Assets

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown.

Florida Public Service Commission

Schedule: A-18 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) ASSETS	(2) Test Year Ended 12/31/2010	(3) Prior Year Ended 12/31/2009
1	Utility Plant in Service	$ 2,894,640	$ 2,926,785
2	Construction Work in Progress	-	-
3	Other Utility Plant Adjustments	-	-
4			
5	GROSS UTILITY PLANT	2,894,640	2,926,785
6	Less: Accumulated Depreciation	(1,848,046)	(1,781,138)
7			
8	NET UTILITY PLANT	1,046,594	1,145,647
9			
10	Cash	46,213	48,916
11	Accounts Rec'b - Customer	47,774	41,056
12	Notes & Accts. Rec'b - Assoc. Cos.	-	-
13	Accounts Rec'b - Other	-	-
14	Allowance for Bad Debts	-	-
15	Materials & Supplies	-	-
16	Miscellaneous Current & Accrued Assets	70,901	71,739
17			
18	TOTAL CURRENT ASSETS	164,888	161,711
19			
20	Unamortized Debt Discount & Exp.	-	-
21	Prelim. Survey & Investigation Charges	-	-
22	Clearing Accounts	-	-
23	Deferred Rate Case Expense	10,675	-
24	Other Miscellaneous Deferred Debits	32,351	54,731
25	Accum. Deferred Income Taxes	-	-
26			
27	TOTAL DEFERRED DEBITS	43,026	54,731
28			
29	TOTAL ASSETS	$ 1,254,508	$ 1,362,089
30			

Comparative Balance Sheet - Equity Capital & Liabilities

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown.

Schedule: A-19 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) EQUITY CAPITAL & LIABILITIES	(2) Test Year Ended 12/31/2010	(3) Prior Year Ended 12/31/2009
1	Common Stock Issued	$ 98	$ 98
2	Preferred Stock Issued	-	-
3	Additional Paid in Capital	421,351	421,351
4	Retained Earnings	(199,177)	(203,143)
5	Other Equity Capital	-	-
6			
7	TOTAL EQUITY CAPITAL	222,272	218,306
8			
9	Bonds	-	-
10	Reacquired Bonds	-	-
11	Advances From Associated Companies	-	-
12	Other Long-Term Debt	-	-
13			
14	TOTAL LONG-TERM DEBT	-	-
15			
16	Accounts Payable	60,596	113,795
17	Notes Payable	44,580	45,323
18	Notes & Accounts Payable - Assoc. Cos.	-	-
19	Customer Deposits	45,420	49,888
20	Accrued Taxes	20,623	22,010
21	Accrued Interest	10	43
22	Accrued Dividends	-	-
23	Misc. Current & Accrued Liabilities	1,633	-
24			
25	TOTAL CURRENT & ACCRUED LIABILITIES	172,862	231,059
26			
27	Advances For Construction	85,358	85,719
28	Other Deferred Credits	-	-
29	Accum. Deferred ITCs	-	-
30	Operating Reserves	-	-
31			
32	TOTAL DEFERRED CREDITS & OPER. RESERVES	85,358	85,719
33			
34	Contributions in Aid of Construction	1,888,113	1,918,337
35	Less: Accum. Amortization of CIAC	(1,114,097)	(1,091,332)
36			
37	Accumulated Deferred Income Taxes	-	-
38			
39	TOTAL EQUITY CAPITAL & LIABILITIES	$ 1,254,508	$ 1,362,089
40			

Schedule of Water Net Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of net operating income for the test year. If amortization (Line 4) is related to any amount other than an acquisition adjustment, submit an additional schedule showing a description and calculation of charge.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Test Year Adjustments	(4) Utility Adjusted Test Year	(5) Requested Revenue Adjustment	(6) Requested Annual Revenues	(7) Supporting Schedule(s)
1	OPERATING REVENUES	$ 14,892	$ -	$ 14,892	$ 17,260	32,152	B-4
2							
3	Operation & Maintenance	22,293	-	22,293	229	22,522	B-5
4						-	
5	Depreciation, net of CIAC Amort.	1,134	(18)	1,115		1,115	B-13
6						-	
7	Amortization	(492)	-	(492)	3,125	2,633	
8						-	
9	Taxes Other Than Income	1,949	-	1,949	777	2,726	B-15
10						-	
11	Provision for Income Taxes	-	-	-		-	C-1
12							
13	OPERATING EXPENSES	24,884	(18)	24,865	4,131	28,996	
14							
15	NET OPERATING INCOME	$ (9,992)	$ 18	$ (9,973)	$ 13,129	3,156	
16							
17							
18	RATE BASE	(2,209)		2,553		2,553	
19							
20							
21	RATE OF RETURN	-67.09%		-66.97%		9.81%	
22							

Schedule of Water Net Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of net operating income for the test year. If amortization (Line 4) is related to any amount other than an acquisition adjustment, submit an additional schedule showing a description and calculation of charge.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Test Year Adjustments	(4) Utility Adjusted Test Year	(5) Requested Revenue Adjustment	(6) Requested Annual Revenues	(7) Supporting Schedule(s)
1	OPERATING REVENUES	951,110 $	(7,277) $	943,833 $	199,850 $	1,143,683	B-4
2							
3	Operation & Maintenance	847,702	(2,661)	845,041	9,769	854,810	B-5
4							
5	Depreciation, net of CIAC Amort.	71,871	(7,801)	64,070	-	64,070	B-13
6							
7	Amortization	746	-	746	12,500	13,246	
8							
9	Taxes Other Than Income	90,667	(310)	90,357	8,993	99,350	B-15
10							
11	Provision for Income Taxes	-	-	-	-	-	C-1
12							
13	OPERATING EXPENSES	1,010,986	(10,772)	1,000,213	31,263	1,031,476	
14							
15	NET OPERATING INCOME	(59,876) $	3,495 $	(56,380) $	168,587 $	112,207	
16							
17							
18	RATE BASE	267,468		267,468		267,468	
19							
20							
21	RATE OF RETURN	-6.30%		-5.97%		9.81%	
22							

2010 Leverage Formula

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-1(a) Revised
Page 1 of 1
Preparer: John Q. Adams II

Water & Wastewater Leverage Formula
Docket 110006-WS
YEAR 2011

Leverage Formula **7.13%** + **1.610%** Divided by Equity Ratio

Aqua Utilities Florida Company Equity Ratio **60.0%** **Insert Equity Ratio**

Company's ROE **9.81%**

Range
8.74% - 11.16%

Schedule of Adjustments to Operating Income

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: B-3 (Revised)
Page 1 of 1
Schedule Year Ended: December 31, 2010

Explanation: Provide a detailed description of all adjustments to operating income per books, with a total for each line item shown on the net operating income statement.

Line No.	Description			Water	Wastewater
1	**Test Year Depreciation Adjustment**				
2					
3	Depreciation Adjustment				
4					
5	Less: Non-used and useful transmission and distribution plant			(18)	
6					
7	Adjustment required			(18)	Not Applicable
8					
9					
10	See B-3 Combination for Proforma adjustments				
11					
26					
27	**Pro Forma Revenue Adjustments**				
28					
29	Revenue Increase			17,260	
30	Adjustment due to increase in RAF			-	
31	Increase in revenue required by the utility to realize a 9.81% rate of return				
32					
33	Total Adjustments to Revenues			17,260	Not Applicable
34					
35					
36					
37	**Pro Forma Expense Adjustment**				
38					
39	Requested final revenue increase			17,260	
40	RAF tax rate			4.50%	
41					
42	Adjusted test year RAF's			777	Not Applicable
43					
44					
45	Price Index Adjustments				
46	Adjust various O&M Expenses for Pro Forma Increases for the next twelve				
47	months using the change in the price index from 2010 to 2011 223.600 / 218.056 = 1.025 - 1 = .025 increase				
48					
49					
50			B-5 Workpaper		
51	615 Purchased Power		1,798	0.025	45
52	618 Chemicals		123	0.025	3
53	620 Materials & Supplies		414	0.025	10
54	632 Contractual Services - Acct.		268	0.025	7
55	635 Contractual Services - Testing		580	0.025	15
56	636 Contractual Services - Other		2,100	0.025	52
57	641 Rental of Building/Real Prop.		300	0.025	8
58	642 Rental of Equipment		202	0.025	5
59	650 Transportation Expenses		1,105	0.025	28
60	656 Insurance - Vehicle		266	0.025	7
61	658 Insurance - Workman's Comp.		303	0.025	8
62	675 Miscellaneous Expenses		1,713	0.025	43
63					
139				229	Not Applicable
140					
141					
142	Rate Case Expense				
143					
144	Current rate case annual expense amortization (Schedule B-10) 1/4 of annual expense			3,125	
145	Prior rate case annual expense amortization (Schedule B-10)			-	
146					
147	Total			3,125	
148					

Schedule of Adjustments to Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-3 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a detailed description of all adjustments to operating income per books, with a total for each line item shown on the net operating income statement.

Line No.	Description	Water	Wastewater
1	**Test Year Revenue Adjustment**		
2			
3	Lakeview Revenue Adjustment		
4			
5			
6	Current year revenue	(7,277)	
7	(Lakeview sold in 2010)		
8		==========	==========
9	Total Adjustments to Revenues	(7,277)	Not Applicable
10		==========	==========
11			
91	**Test Year Expense Adjustments**		
92			
93	Lakeview O&M Expenses		
94			
95	Current rate case annual O&M expenses	(2,661)	
96	(Lakeview sold in 2010)		
97		----------	----------
98	Adjustment required	(2,661)	Not Applicable
99		==========	==========
100			
101	Depreciation Adjustment		
102			
103	Less: Non-used and useful transmission and distribution plant	(7,801)	
104		----------	----------
105	Adjustment required	(7,801)	Not Applicable
106		==========	==========
107			
108	Taxes Other Than Income		
109			
110	RAF Assessment on Lakeview	(310)	
111	(Lakeview sold in 2010)	----------	----------
112			
113	Adjustment Required	(310)	Not Applicable
114		==========	==========
137	**Pro Forma Revenue Adjustments**		
138			
139	Revenue Increase	199,850	
140	Adjustment due to increase in RAF	-	
141	Increase in revenue required by the utility to realize a 9.81% rate of return		
142		----------	----------
143	Total Adjustments to Revenues	199,850	Not Applicable
144		==========	==========
145	**Pro Forma Expense Adjustment**		
146			
147	Requested final revenue increase	199,850	
148	RAF tax rate	4.50%	
149		----------	----------
150	Adjusted test year RAF's	8,993	Not Applicable
151		==========	==========
152			
153	Price Index Adjustments		
154	Adjust various O&M Expenses for Pro Forma Increases for the next twelve		
155	months using the change in the price index from 2010 to 2011 223.600 / 218.056 = 1.025 - 1 = .025 increase		
156			
157	615 Purchased Power		
158	618 Chemicals	1,791	
159	620 Materials & Supplies	514	
160	632 Contractual Services - Acct.	531	
161	635 Contractual Services - Testing	174	
162	636 Contractual Services - Other	1,048	
163	641 Rental of Building/Real Prop.	1,638	
164	642 Rental of Equipment	1,166	
165	650 Transportation Expenses	166	
166	656 Insurance - Vehicle	817	
167	658 Insurance - Workman's Comp.	191	
168	675 Miscellaneous Expenses	217	
169		----------	----------
170		8,252	Not Applicable
171		==========	==========
172			
173	Rate Case Expense		
174			
175	Current rate case annual expense amortization (Schedule B-10) 1/4 of annual expense	12,500	
176	Prior rate case annual expense amortization (Schedule B-10)	-	
177		----------	----------
178	Total	12,500	
179		----------	----------

Test Year Operating Revenues

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Complete the following revenue schedule for the historical test year or base year.

Florida Public Service Commission

Schedule: B-4 (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Line No.	WATER SALES Account No. and Description	Total Water
1	460 Unmetered Water Revenue	13,616
2	461.1 Metered - Residential	-
3	461.2 Metered - Commercial	-
4	461.3 Metered - Industrial	-
5	461.4 Metered - Public Authorities	-
6	461.5 Metered - Multi-Family	-
7	462.1 Public Fire Protection	-
8	462.2 Private Fire Protection	-
9	464 Other Sales - Public Authorities	-
10	465 Irrigation Customers	-
11	466 Sales for Resale	-
12	467 Interdepartmental Sales	-
13		
14	TOTAL WATER SALES	13,616
15		
16	OTHER WATER REVENUES	
17	470 Forfeited Discounts	-
18	471 Misc. Service Revenues	1,276
19	472 Rents From Water Property	-
20	473 Interdepartmental Rents	-
21	474 Other Water Revenues	-
22		
23	TOTAL OTHER WATER REVENUES	1,276
24		
25	TOTAL WATER OPERATING REVENUES	14,892
26		
27		

WASTEWATER SALES Account No. and Description	(1) Total Wastewater
521.1 Flat Rate - Residential	-
521.2 Flat Rate - Commercial	-
521.3 Flat Rate - Industrial	-
521.4 Flat Rate - Public Authorities	-
521.5 Flat Rate - Multi-Family	-
521.6 Flat Rate - Other	Not Applicable
522.1 Measured - Residential	-
522.2 Measured - Commercial	-
522.3 Measured - Industrial	-
522.4 Measured - Public Authority	-
522.5 Measured - Multi-Family	-
523 Other Sales - Public Authorities	-
524 Revenues from Other Systems	-
525 Interdepartmental Sales	-
TOTAL WASTEWATER SALES	-
OTHER WASTEWATER REVENUES	
531 Sale of Sludge	-
532 Forfeited Discounts	-
534 Rents From Wastewater Property	-
535 Interdepartmental Rents	-
536 Other Wastewater Revenues	-
TOTAL OTHER WASTEWATER REVENUES	-
TOTAL WASTEWATER OPERATING REVENUE	-

Test Year Operating Revenues

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Complete the following revenue schedule for the historical test year or base year.

Florida Public Service Commission

Schedule: B-4 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Line No.	WATER SALES Account No. and Description	Total Water	WASTEWATER SALES Account No. and Description	(1) Total Wastewater
1	460 Unmetered Water Revenue	46,521	521.1 Flat Rate - Residential	-
2	461.1 Metered - Residential	855,394	521.2 Flat Rate - Commercial	-
3	461.2 Metered - Commercial	-	521.3 Flat Rate - Industrial	-
4	461.3 Metered - Industrial	-	521.4 Flat Rate - Public Authorities	-
5	461.4 Metered - Public Authorities	-	521.5 Flat Rate - Multi-Family	-
6	461.5 Metered - Multi-Family	-	521.6 Flat Rate - Other	Not Applicable
7	462.1 Public Fire Protection	-	522.1 Measured - Residential	-
8	462.2 Private Fire Protection	-	522.2 Measured - Commercial	-
9	464 Other Sales - Public Authorities	-	522.3 Measured - Industrial	-
10	465 Irrigation Customers	-	522.4 Measured - Public Authority	-
11	466 Sales for Resale	-	522.5 Measured - Multi-Family	-
12	467 Interdepartmental Sales	-	523 Other Sales - Public Authorities	-
13			524 Revenues from Other Systems	-
14	TOTAL WATER SALES	901,915	525 Interdepartmental Sales	-
15				
16	OTHER WATER REVENUES		TOTAL WASTEWATER SALES	-
17	470 Forfeited Discounts	-		
18	471 Misc. Service Revenues	49,195	OTHER WASTEWATER REVENUES	
19	472 Rents From Water Property	-	531 Sale of Sludge	-
20	473 Interdepartmental Rents	-	532 Forfeited Discounts	-
21	474 Other Water Revenues	-	534 Rents From Wastewater Property	-
22			535 Interdepartmental Rents	-
23	TOTAL OTHER WATER REVENUES	49,195	536 Other Wastewater Revenues	-
24				
25	TOTAL WATER OPERATING REVENUES	951,110	TOTAL OTHER WASTEWATER REVENUES	-
26				
27			TOTAL WASTEWATER OPERATING REVENUE	-

Operation & Maintenance Expense Comparison - Water

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-7 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Complete the following comparison of the applicant's current and prior test year O&M expenses before this Commission. Provide an explanation of all differences which are not attributable to the change in customer growth and the CPI-U. If the applicant has not had a previous rate case, use the year 5 years prior to the test year for comparison. Provide an additional schedule, if necessary, to explain differences.

Line No.	(1) Account No. and Name	(2) Prior 5 yr 12/31/2005	(3) Current TY 12/31/2010	(4) $ Difference	(5) % Difference	(6) Explanation
1	601 Salaries & Wages - Employees	$ 3,653	$ 5,605	$ 1,952	% 53.44%	More residents and hookups more payroll needed.
2	603 Salaries & Wages - Officers, Etc.	3,933	4,787	854	21.71%	More residents and hookups more payroll needed.
3	604 Employee Pensions & Benefits	1,424	2,718	1,294	90.87%	Cost of health insurance went up as well as payroll went up
4	610 Purchased Water	-	-	-	0%	
5	615 Purchased Power	1,134	1,798	664	58.55%	Increase in hookups caused an increase in purchased power
6	616 Fuel for Power Purchased		-	-	0%	
7	618 Chemicals	279	123	(156)	-55.91%	
8	620 Materials & Supplies	214	414	200	93.46%	More residents and hookups more supplies needed.
9	631 Contractual Services - Engr.	-	-	-	0%	
10	632 Contractual Services - Acct.	134	268	134	100.00%	More residents and hookups more services needed.
11	633 Contractual Services - Legal	-	-	-	0.00%	
12	634 Contractual Services - Mgmt. Fees	2,324	-	(2,324)	0%	
13	635 Contractual Services - Other	410	2,680	2,270	553.66%	More residents and hookups more services needed.
14	641 Rental of Building/Real Prop.	43	300	257	597.67%	More hookups and residents required more equipment
15	642 Rental of Equipment	1,102	202	(900)	-81.67%	More hookups and residents required more equipment
16	650 Transportation Expenses	213	1,105	892	0%	
17	656 Insurance - Vehicle	3	262	259	8633.33%	Cost of insurance has risen over the years
18	657 Insurance - General Liability	179	-	(179)	-100.00%	
19	658 Insurance - Workman's Comp.	-	303	303	303.00%	Cost of insurance has risen over the years
20	659 Insurance - Other	-	3	3	0%	
21	660 Advertising Expense	-	-	-	0%	
22	666 Reg. Comm. Exp. - Rate Case Amort.	-	-	-	0%	
23	667 Reg. Comm. Exp. - Other	-	-	-	0.00%	
24	670 Bad Debt Expense	54	12	(42)	-77.78%	
25	675 Miscellaneous Expenses	1,091	1,713	622	57.01%	More residents and hookups caused increase in expenses
26	TOTAL	$ 16,190	$ 22,293	$ 6,103	% 37.70%	
27	Total Customers	67	134	67	100.00%	
28	Consumer Price Index - U	195.30	218.056	22.76	11.65%	

Operation & Maintenance Expense Comparison - Water

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Complete the following comparison of the applicant's current and prior test year O&M expenses before this Commission. Provide an explanation of all differences which are not attributable to the change in customer growth and the CPI-U. If the applicant has not had a previous rate case, use the year 5 years prior to the test year for comparison. Provide an additional schedule, if necessary, to explain differences.

Line No.	(1) Account No. and Name	(2) Prior TY 5/31/1990	(3) Current TY 12/31/2010	(4) $ Difference	(5) % Difference	(6) Explanation
1	601 Salaries & Wages - Employees	$ 173,672	$ 237,674	$ 64,002	% 36.85%	
2	603 Salaries & Wages - Officers, Etc.	88,720	136,620	47,900	53.99%	
3	604 Employee Pensions & Benefits	16,282	77,780	61,498	377.71%	Cost of health insurance went up as well as payroll went up
4	610 Purchased Water	-	-	-	0%	
5	615 Purchased Power	34,376	71,624	37,248	108.35%	Increase in rates and hookups over the last twenty years
6	616 Fuel for Power Purchased	-	77	77	0%	
7	618 Chemicals	7,814	20,569	12,755	163.23%	Prices increase as well as more residents and hookups.
8	620 Materials & Supplies	35,070	21,252	(13,818)	-39.40%	
9	631 Contractual Services - Engr.	4,191	-	(4,191)	0%	
10	632 Contractual Services - Acct.	6,928	6,799	(129)	-1.86%	
11	633 Contractual Services - Legal	7,849	165	(7,684)	-97.90%	
12	634 Contractual Services - Mgmt. Fees	2,324	-	(2,324)	0%	
13	635 Contractual Services - Other	49,556	107,409	57,853	116.74%	Prices increase as well as more residents and hookups.
14	641 Rental of Building/Real Prop.	8,095	46,655	38,560	476.34%	Prices increase as well as more residents and hookups.
15	642 Rental of Equipment	2,189	6,633	4,444	203.02%	Prices increase as well as more residents and hookups.
16	650 Transportation Expenses	16,650	32,683	16,033	0%	
17	656 Insurance - Vehicle	13,317	7,530	(5,787)	-43.46%	
18	657 Insurance - General Liability	191	-	(191)	0%	
19	658 Insurance - Workman's Comp.	6,819	8,673	1,854	27.19%	
20	659 Insurance - Other	-	98	98	0%	
21	660 Advertising Expense	636	-	(636)	0%	
22	666 Reg. Comm. Exp. - Rate Case Amort.	-	-	-	0%	
23	667 Reg. Comm. Exp. - Other	2,000	-	(2,000)	-100.00%	
24	670 Bad Debt Expense	8,744	4,777	(3,967)	-45.37%	
25	675 Miscellaneous Expenses	30,602	60,684	30,082	98.30%	Prices increase as well as more residents and hookups.
26	TOTAL	$ 516,025	$ 847,702	$ 331,677	% 64.28%	
27	Total Customers	2,668	3,633	965	36.17%	
28	Consumer Price Index - U	130.70	218.056	87.36	66.84%	

Analysis of Rate Case Expense

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Florida Public Service Commission

Schedule: B-10 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the total amount of rate case expense requested in the application. State whether the total includes the amount up to proposed agency action or through a hearing before the Commission. Provide a list of each firm providing services for the applicant, the individuals for each firm assisting in the application, including each individual's hourly rate, and an estimate of the total charges to be incurred by each firm, as well as a description of the type of services provided. Also provide the additional information for amortization and allocation method, including support behind this determination.

Line No.	(1) Firm or Vendor Name	(2) Counsel, Consultant or Witness	(3) Hourly Rate Per Person	(4) Total Estimate Of Charges By Firm	(5) Type of Service Rendered	Time Log (hours) Preparing MFR's	Total Invoiced Amounts	Type of Service Rendered	Time Log (hours estimated) PAA Process	Total Estimated Costs
1	Adams & Company PA	John Q. Adams II	$ 150	$ 50,000	Preparation of MFR's	91	$ 13,650	Answer, assist with	28.25	$ 4,238
2		Austin K. Vealey	100		Preparation of MFR's	232	$ 23,200	questions, and corrections	84.00	$ 8,400
4					Supplies		512			
5										
6		Total Billed				323	37,362		112.25	12,638
7	Total									
8										
9	Estimate Through									
10	[x] PAA									
11	[ ] Commission Hearing									
12										
13	Amortization Period 4 Years									
14	Explanation if different from Section 367.0816, Florida Statutes:									
15										
16										
17										

Line No.	Amortization of Rate Case Expense:	(A) Water	(B) Wastewater	(C) Total	(B) Wastewater	(B) Wastewater
18						
19						
20						
21	Prior Unamortized Rate Case Expense	$ -	$ -	$ -	-	-
22	Current Rate Case Expense	50,000		50,000		
23						
24	Total Projected Rate Case Expense	$ 50,000	$ Not Applicable	$ 50,000	Not Applicable	Not Applicable
25						
26	Annual Amortization	$ 12,500	$ -	$ 12,500	-	-
27						
28	Method of Allocation Between Systems:					
29	The company provides water service only; therefore, no allocation is necessary					

Taxes Other Than Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-15 (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Explanation: Complete the following schedule of all taxes other than income.
For all allocations, provide description of allocation and calculations.

Line No.	(1) Description	(2) Regulatory Assessment Fees (RAFs)	(3) Payroll Taxes	(4) Real Estate & Personal Property	(5) Other	(6) Total
WATER						
1	Test Year Per Books	$ 670	$ 821	$ 458	$ -	$ 1,949
	Adjustments to Test Year (Explain)					
2						
3						
4						
5						
6	Total Test Year Adjustments	-	-	-	-	-
7	Adjusted Test Year	670	821	458	-	1,949
8	RAFs Assoc. with Revenue Increase					
9	Total Balance	$ 670	$ 821	$ 458	$ -	$ 1,949
WASTEWATER						
10	Test Year Per Books					
	Adjustments to Test Year (Explain)					
11				Not Applicable		
12						
13						
14						
15	Total Test Year Adjustments					
16	Adjusted Test Year					
17	RAFs Assoc. with Revenue Increase					
18	Total Balance					

Taxes Other Than Income

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: B-15 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Explanation: Complete the following schedule of all taxes other than income.
For all allocations, provide description of allocation and calculations.

Line No.	(1) Description	(2) Regulatory Assessment Fees (RAFs)	(3) Payroll Taxes	(4) Real Estate & Personal Property	(5) Other	(6) Total
WATER						
1	Test Year Per Books	$ 42,801	$ 29,559	$ 18,307	$ -	$ 90,667
	Adjustments to Test Year (Explain)					
2	RAF Assessment on Lakeview	-	(310)	-	-	(310)
3						
4						
5						
6	Total Test Year Adjustments	-	(310)	-	-	(310)
7	Adjusted Test Year	42,801	29,249	18,307	-	90,357
8	RAFs Assoc. with Revenue Increase					
9	Total Balance	$ 42,801	$ 29,249	$ 18,307	$ -	$ 90,357
WASTEWATER						
10	Test Year Per Books					
	Adjustments to Test Year (Explain)					
11				Not Applicable		
12						
13						
14						
15	Total Test Year Adjustments					
16	Adjusted Test Year					
17	RAFs Assoc. with Revenue Increase					
18	Total Balance					

Schedule of Requested Cost of Capital
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: D-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a schedule which calculates the requested Cost of Capital on a beginning and end of year average basis. If a year-end basis is used submit an additional schedule reflecting year-end calculations.

Line No.	Class of Capital		(1) Reconciled To Requested Rate Base	(2) Percent of Total	(3) Cost	(4) Weighted Cost
1	Long-Term Debt	$	-	-		
2						
3	Short-Term Debt		127,442	32.25%	5.83%	1.88%
4						
5	Preferred Stock		-	-		
6						
7	Customer Deposits		45,420	11.49%	6.00%	0.69%
8						
9	Common Equity		222,272	56.25%	10.85%	6.10%
10						
11	Tax Credits - Zero Cost		-	-		
12						
13	Tax Credits - Wtd. Cost		-	-		
14						
15	Accum. Deferred Income Taxes		-	-		
16						
17	Other (Explain)		-	-		
18						
19	Total	$	395,134	100.00%		8.67%
20						
21						
22	Note: Equity cost rate based on the most recent leverage graph approved by					
23	the Commission.					
24						
25	Schedule represents the entire company as a whole, and could not be broken down by plant.					
26						
27	Supporting Schedules: D-2					
28	Recap Schedules: A-1,A-2					

Reconciliation of Capital Structure to Requested Rate Base
Beginning and End of Year Average

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Schedule: D-2 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a reconciliation of the simple average capital structure to requested rate base. Explain all adjustments. Submit an additional schedule if a year-end basis is used.

Line No.	(1) Class of Capital	(2) Test Year Per Books	(3) Reconciliation Adjustments Specific	(4) Prorata %	(5) Prorata *	(6) Reconciled To Requested Rate Base
1	Long-Term Debt	$ -	$ -	$ -	$ -	$ -
2	Short-Term Debt	127,442		32.25%	76,672	204,114
3	Preferred Stock	-				
4	Common Equity	222,272		56.25%	133,723	355,995
5	Customer Deposits	45,420		11.49%	27,326	72,746
6	Tax Credits - Zero Cost	-				
7	Tax Credits - Wtd. Cost	-				
8	Accum. Deferred Income Tax	-				
9	Other (Explain)	-				
10						
11	Total	$ 395,134	$	100.00%	$ (237,721)	$ 157,413
12						
13						
14						
15						
16						
17	Description			Amount		
18						
19						
20	Note: Capital structure was reconciled to rate base on a prorata basis, using the percent					
21	ratios of the components of total capital structure applied to the rate base shown above.					
22	reconciliation was reconciled to the company as a whole as the debt and equity					
23	would be skewed breaking it out per rate case.					
24						
25						
26						
27						
28	Supporting Schedules: A-19,C-7,C-8,D-3,D-4,D-5,D-7					
29	Recap Schedules: D-1					

Revenue Schedule at Present and Proposed Rates

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Schedule: E-2 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a calculation of revenues at present and proposed rates using the billing analysis. Explain any differences between these revenues and booked revenues. If a rate change occurred during the test year, a revenue calculation must be made for each period.

(1) Class/Meter Size	(2) Number Bills	(3) Consumption in MG	(4) Present Rate	(5) Revenues at Present Rates	(6) Proposed Rate	(7) Revenues at Proposed Rates
Residential						
5/8" x 3/4"	1,510				9.80	$ 14,798
Gallonage charge per 1,000 MG		8,931			2.32	20,720
1" Etc.					24.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/4"					33.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/2"					45.00	-
Gallonage charge per 1,000 MG					2.32	-
2"					71.00	-
Gallonage charge per 1,000 MG					2.32	-
3"					150.00	-
Gallonage charge per 1,000 MG					2.32	-
4"					225.00	-
Gallonage charge per 1,000 MG					2.32	-
6"					470.00	-
Gallonage charge per 1,000 MG					2.32	-
Total Residential	1,510	8,931		-		35,518
Average Bill				$ -		$ -
General Service						
5/8" x 3/4"					9.80	$ -
Gallonage charge per 1,000 MG					2.32	-
1" Etc.					24.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/4"					33.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/2"					45.00	-
Gallonage charge per 1,000 MG					2.32	-
2"					71.00	-
Gallonage charge per 1,000 MG					2.32	-
3"					150.00	-
Gallonage charge per 1,000 MG					2.32	-
4"					225.00	-
Gallonage charge per 1,000 MG					2.32	-
6"					470.00	-
Gallonage charge per 1,000 MG					2.32	-
Total Gen. Serv.	0	-		-		-
Average Bill				$ -		$ -
Multi Family Residence						
5/8" x 3/4"					9.80	-
Gallonage charge per 1,000 MG					2.32	-
1" Etc.					24.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/4"					33.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/2"					45.00	-
Gallonage charge per 1,000 MG					2.32	-
2"					71.00	-
Gallonage charge per 1,000 MG					2.32	-
3"					150.00	-
Gallonage charge per 1,000 MG					2.32	-
4"					225.00	-
Gallonage charge per 1,000 MG					2.32	-
6"					470.00	-
Gallonage charge per 1,000 MG					2.32	-
Total Multi Family Residence				-		-
Average Bill				$ -		$ -
List Other Classes As Above						
Flat Rate	1,510		9.50	14,345		
Totals	1,510			14,345		35,518
Unbilled Revenues						
Other Revenue						
Misc. Serv. Charges				1,337		1,337
Total Revenue				15,682		36,855
Booked Revenue				14,892		32,152
Difference (Explain)				790		4,703

Note: Proposed rates are based on the new leverage formula for the ROR. In addition the proposed rates are indicative of all four rate cases being combined into one rate case. If this does not happen then a revised E-2 will need to be provided to adjust each rate case to its ROR.

Revenue Schedule at Present and Proposed Rates

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: E-2 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a calculation of revenues at present and proposed rates using the billing analysis. Explain any differences between these revenues and booked revenues. If a rate change occurred during the test year, a revenue calculation must be made for each period.

(1) Class/Meter Size	(2) Number Bills	(3) Consumption in MG	(4) Present Rate	(5) Revenues at Present Rates	Flat Rate Systems Number Bills	Flat Rate Systems Gallons Sold Assumption	(6) Proposed Rate	(7) Revenues at Proposed Rates
Residential								
5/8" x 3/4"	39,072			316,352	3,635		9.80	418,529
Gallonage charge per 1,000 MG		213,945	Various	426,824		23,657	2.32	551,239
1" Etc.	26		Various	541			24.00	624
Gallonage charge per 1,000 MG		207	Various	423			2.32	481
1-1/4"	56		Various	1,749			33.00	1,848
Gallonage charge per 1,000 MG		345	Various	705			2.32	801
1-1/2"	13		Various	541			45.00	585
Gallonage charge per 1,000 MG		46	Various	94			2.32	107
2"	50		Various	3,332			71.00	3,550
Gallonage charge per 1,000 MG		357	Various	729			2.32	829
3"				-			150.00	-
Gallonage charge per 1,000 MG							2.32	-
4"	11			2,290			225.00	2,475
Gallonage charge per 1,000 MG		31		63			2.32	71
6"							470.00	-
Gallonage charge per 1,000 MG							2.32	-
Total Residential	39,228	214,932		753,643	3,635	23,657		981,139
Average Bill								25
General Service								
5/8" x 3/4"	637			5,181			9.80	6,243
M Gallons		5,333		10,812			2.32	12,374
1" Etc.	54			1,124			24.00	1,296
M Gallons Etc.		777		1,586			2.32	1,803
1-1/4"	8			250			33.00	264
Gallonage charge per 1,000 MG		162		331			2.32	377
1-1/2"	13			541			45.00	585
M Gallons		27		56			2.32	64
2"	23			1,532			71.00	1,633
M Gallons		1,510		3,080			2.32	3,502
3"	-			-			150.00	-
M Gallons		-		-			2.32	-
4"	-			-			225.00	-
M Gallons		-		-			2.32	-
6"	-			-			470.00	-
M Gallons		-		-			2.32	-
Total Gen. Serv.	735	7,810		24,494				28,140
Average Bill				33				38
Multi Family Residence								
5/8" x 3/4"	80			667			9.80	784
M Gallons		8,029		16,379			2.32	18,628
1" Etc.	12			250			24.00	288
M Gallons Etc.		250		510			2.32	580
1-1/4"	570			17,801			33.00	18,810
M Gallons		8,174		16,676			2.32	18,965
1-1/2"	121			5,040			45.00	5,445
M Gallons		2,729		5,567			2.32	6,331
2"	5			333			71.00	355
M Gallons		407		831			2.32	945
3"	11			1,468			150.00	1,650
M Gallons		541		1,104			2.32	1,255
4"	11			2,290			225.00	2,475
M Gallons		4,122		8,409			2.32	9,563
6"	-						470.00	-
M Gallons				-			2.32	-
Total Multi Family Serv.	810	24,253		77,326				86,074
				95				106
List Other Classes								
Flat Rate	3,635			47,623				
Totals	3,635			903,085				1,095,353
Unbilled Revenues								
Other Revenue								
Misc. Serv. Charges				49,297				49,297
Total Revenue				952,382				1,144,650
Booked Revenue				951,110				1,143,683
Difference (Explain)				1,272				967

Gallons of Water Pumped, Sold and Unaccounted For
In Thousands of Gallons

Florida Public Service Commission

Schedule F-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Historic [X] or Projected [ ]

Explanation: Provide a schedule of gallons of water pumped, sold and unaccounted for each month of the test year. The gallons pumped should match the flows shown on the monthly operating reports sent to DEP. The other uses may include plant use, flushing of hydrants and water and wastewater lines, line breakages and fire flows. Provide all calculations to substantiate the other uses. If unaccounted for water is greater than 10%, provide an explanation as to the reasons why; if less than 10%, Columns 4 & 5 may be omitted.

	(1)	(2)	(3)	(4)	(5)	(6)
Month/ Year	Total Gallons Pumped	Gallons Purchased	Gallons Sold	Other Uses	Unaccounted For Water (1)+(2)-(3)-(4)	% Unaccounted For Water
Jan	728,000	-				
Feb	747,000	-				
Mar	682,000	-				
Apr	876,000	-				
May	757,000	-				
Jun	780,000	-		Not Applicable		
Jul	787,000	-				
Aug	795,000	-				
Sep	647,000	-				
Oct	680,000	-				
Nov	757,000	-				
Dec	695,000	-				
Total	8,931,000	-	-			

Gallons of Water Pumped, Sold and Unaccounted For
In Thousands of Gallons

Florida Public Service Commission

Schedule F-1 (Combined) (Revised)

Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Historic [X] or Projected [ ]

Explanation: Provide a schedule of gallons of water pumped, sold and unaccounted for each month of the test year. The gallons pumped should match the flows shown on the monthly operating reports sent to DEP. The other uses may include plant use, flushing of hydrants and water and wastewater lines, line breakages and fire flows. Provide all calculations to substantiate the other uses. If unaccounted for water is greater than 10%, provide an explanation as to the reasons why; if less than 10%, Columns 4 & 5 may be omitted.

Month/ Year	(1) Total Gallons Pumped	(2) Gallons Purchased	(3) Gallons Sold	(4) Other Uses	(5) Unaccounted For Water (1)+(2)-(3)-(4)	(6) % Unaccounted For Water
Jan	26,224,580	-	18,147,762	-	8,076,818	30.80%
Feb	24,064,340	-	17,730,261	-	6,334,079	26.32%
Mar	21,949,980	-	15,325,597	-	6,624,383	30.18%
Apr	27,261,010	-	21,520,383	-	5,740,627	21.06%
May	29,438,450	-	22,438,936	-	6,999,514	23.78%
Jun	31,197,320	-	24,632,709	-	6,564,611	21.04%
Jul	29,000,290	-	21,713,344	-	7,286,946	25.13%
Aug	29,816,015	-	23,459,224	-	6,356,791	21.32%
Sep	27,838,430	-	20,849,181	-	6,989,249	25.11%
Oct	26,531,140	-	21,876,510	-	4,654,630	17.54%
Nov	28,476,690	-	20,686,380	-	7,790,310	27.36%
Dec	27,749,600	-	18,615,252	-	9,134,348	32.92%
Total	329,547,845	-	246,995,539	-	82,552,306	25.05%

Explanation:
Due to broken main lines and flushing. Ocklawaha and Oakhaven account for most of this due to sulfur wells which require more flushing.
Sandy acres has a lot of flushing due to dead end lines. In addition there has been a large amount of sand buildup in wells which also contributed to more flushing.

Used and Useful Calculations
Water Distribution and Wastewater Collection Systems

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]

Schedule F-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide all calculations, analyses and governmental requirements used to determine the used and useful percentages for the water distribution and wastewater collection systems for the historical and the projected test year (if applicable). The capacity should be in terms of ability to serve a designated number of connections. It should then be related to actual connected density for historical year calculations. Explain all assumptions for projected calculations. If the distribution and collection systems are entirely contributed or built-out, this schedule is not required.

System	Total Lots with Lines	Occupied Lots with Lines	Percentage Used & Useful
Ashley Heights	50	50	100%
Belleview Oaks	95	88	93%
Burks/Ocala Garden	29	25	86%
Country Walk	77	68	88%
Eleven Oaks	44	40	91%
Emil Marr	87	81	93%
SunRay	97	92	95%
Sugar Plum	67	64	96%
Stonehill	95	90	95%
Baldwin Heights	11	8	73%
Carol Estates	239	236	99%
Pearl Britain	32	32	100%
Boulder Hill	32	30	94%
Jason's Landing	51	48	94%
Florida Heights	118	110	93%
Floyd Clard/Hodges	50	50	100%
Northwoods	28	24	86%
Foreoaks	58	51	88%
Coventry	168	158	94%
Ballard Acres	23	23	100%
Hilltop	64	61	95%
Hilltop Phase II	37	29	78%
Hilltop Phase III	159	106	67%
Lakeview Hills	81	65	80%
Little Lake Weir	787	436	55%
Oakhaven	82	82	100%
Oakhurst	115	115	100%
Ocala Heights	168	106	63%
Reynolds	91	87	96%
Silverwood Villas	84	83	99%
Spanish Palms	129	45	35%
Country Aire	25	21	84%
Lexington Estates	72	15	21%
Ocklawaha	529	346	65%
Sanctuary	24	18	75%
Sunlight Acres	84	80	95%
Sun Resorts	33	32	97%
Whispering Sands	128	128	100%
Winding Waters	191	191	100%
Lake Forrest	8	5	63%
Lake Bryant Ridge	33	21	64%
Sandy Acres	295	273	93%
Quail Run	59	55	93%
Ponderossa Pines	198	198	100%
Total	4,927	3,966	80%

Recap Schedules: A-5,A-6,A-9,A-10,B-13,B-14

CLASS B
WATER AND/OR WASTEWATER UTILITIES

FINANCIAL, RATE, AND ENGINEERING MINIMUM REQUIREMENTS

OF

Sunshine Utilities of Central Florida, Inc.

Exact Legal Name of Utility

Applies To: Sandy Acres

REVISED SCHEDULES AS OF AUGUST 9, 2011

VOLUME I

FOR

Test Year Ended: December 31, 2010

Schedule of Water Rate Base

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Schedule Year Ended: December 31, 2010
Interim [ ] Final [X]
Historical [X] Projected [ ]

Schedule: A-1(Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of average rate base for the test year, showing all adjustments. All non-used and useful items should be reported as Plant Held For Future Use.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Adjustments	(4) Adjusted Utility Balance	(5) Staff Adjustments	(6) Staff Adjusted Balance	(7) Supporting Schedule(s)
1	Utility Plant in Service	$ 78,802	$ -	$ 78,802	$ -	$ 78,802	A-5
2							
3	Utility Land & Land Rights	-	-	-		-	A-5
4							
5	Less: Non-Used & Useful Plant	-	(2,022)	(2,022)		(2,022)	A-7
6							
7	Construction Work in Progress	-	-	-		-	-
8							
9	Less: Accumulated Depreciation	(15,679)	-	(15,679)		(15,679)	A-9
10							
11	Less: CIAC	(54,830)	-	(54,830)		(54,830)	A-12
12							
13	Accumulated Amortization of CIAC	53,450	-	53,450		53,450	A-14
14							
15	Acquisition Adjustments	39,523	(39,523)	-		-	A-3
16							
17	Accum. Amort. of Acq. Adjustments	(6,917)	6,917	-		-	A-3
18							
19	Advances For Construction	-	-	-		-	A-16
20							
21	Working Capital Allowance	5,326	-	5,326		5,326	A-17
22							
23	Total Rate Base	$ 99,675	$ (34,628)	$ 65,048	$ -	$ 65,048	
24							

Schedule of Water Rate Base

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Schedule Year Ended: December 31, 2010
Interim [ ] Final [X]
Historical [X] Projected [ ]

Schedule: A-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of average rate base for the test year, showing all adjustments. All non-used and useful items should be reported as Plant Held For Future Use.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Adjustments	(4) Adjusted Utility Balance	(5) Staff Adjustments	(6) Staff Adjusted Balance	(7) Supporting Schedule(s)
1	Utility Plant in Service	$ 2,813,902	$ -	$ 2,813,902	$ -	$ 2,813,902	A-5
2		-	-	-			
3	Utility Land & Land Rights	80,737	-	80,737	-	80,737	A-5
4		-	-	-			
5	Less: Non-Used & Useful Plant	-	(73,928)	(73,928)	-	(73,928)	A-7
6		-	-	-			
7	Construction Work in Progress	67	-	67	-	67	-
8		-	-	-			
9	Less: Accumulated Depreciation	(1,848,044)	-	(1,848,044)	-	(1,848,044)	A-9
10		-	-	-			
11	Less: CIAC	(1,888,114)	-	(1,888,114)	-	(1,888,114)	A-12
12		-	-	-			
13	Accumulated Amortization of CIAC	1,114,096	-	1,114,096	-	1,114,096	A-14
14		-	-	-			
15	Acquisition Adjustments	29,838	(29,838)	-	-	-	-
16		-	-	-			
17	Accum. Amort. of Acq. Adjustments	(5,222)	5,222	-	-	-	-
18		-	-	-			
19	Advances For Construction	(85,357)	85,357	-	-	-	A-16
20		-	-	-			
21	Working Capital Allowance	105,963	(332)	105,631	-	105,631	A-17
22							
23	Total Rate Base	$ 317,866	$ (13,520)	$ 304,347	$ -	$ 304,347	
24							

Schedule of Water Plant in Service By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-5 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1 A-1, A-4

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**	$ -	$ -	$ -	$ -	$ -
2	Organization	-	-	-	-	-
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment					
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-	-	-	-
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	-	-	-	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	-	-	-	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	-	-	-	-	-
13	Power Generation Equipment	4,575	4,575	4,575	-	-
14	Pumping Equipment	10,991	15,574	13,283	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**	-	-	-	-	-
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	703	814	759	-	-
20	Other Plant & Misc. Equipment					
21	**TRANSMISSION & DISTRIBUTION PLANT**	-	-	-	-	-
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	-	-	-	-	-
25	Transm. & Distribution Mains	32,836	32,836	32,836	7%	2,449
26	Services	1,878	4,081	2,980	-	-
27	Meters & Meter Installations	13,040	13,058	13,049	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment					
30	**GENERAL PLANT**	-	-	-	-	-
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	522	1,423	973	-	-
34	Transportation Equipment	274	274	274	-	-
35	Stores Equipment	356	356	356	-	-
36	Tools, Shop & Garage Equipment	611	611	611	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	5,200	5,200	5,200	-	-
39	Communication Equipment	-	-	-	-	-
40	Miscellaneous Equipment	-	-	-	-	-
41	Abandonment of Regional Plant	-	-	-	-	-
42						
43	TOTAL	$ 70,986	$ 78,802	$ 74,894	$	$ 2,449
44						

Schedule of Water Plant in Service By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-5 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1 A-1, A-4

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**	$ -	$ -	$ -	$ -	$ -
2	Organization	1,660	1,660	1,660	-	-
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-			
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-	-	-	-
6	Land & Land Rights	80,737	80,737	80,737	-	-
7	Structures & Improvements	7,959	7,959	7,959	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	140,857	140,857	140,857	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	107,156	107,156	107,156	-	-
13	Power Generation Equipment	57,253	57,253	57,253	-	-
14	Pumping Equipment	437,669	446,075	441,872	-	-
15	Other Plant & Misc. Equipment	-	-			
16	**WATER TREATMENT PLANT**	-	-			
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	197,460	199,916	198,688	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**	-	-			
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	33,545	33,545	33,545	-	-
25	Transm. & Distribution Mains	1,093,680	1,042,211	1,067,946	21%	220,862
26	Services	125,365	130,760	128,063	-	-
27	Meters & Meter Installations	195,282	196,495	195,889	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	25,858	25,858	25,858		
30	**GENERAL PLANT**	-	-	-	-	-
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	35,521	37,441	36,481	-	-
34	Transportation Equipment	92,383	92,383	92,383	-	-
35	Stores Equipment	4,425	4,425	4,425	-	-
36	Tools, Shop & Garage Equipment	1,002	1,002	1,002	-	-
37	Laboratory Equipment	19,965	19,965	19,965	-	-
38	Power Operated Equipment	5,200	5,200	5,200	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	235,393	235,393	235,393	-	-
42						
43	TOTAL	$ 2,926,718	$ 2,894,639	$ 2,910,679		$ 220,862
44						

Non-Used and Useful Plant - Summary

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a summary of the items included in non-used and useful plant for the test year. Provide additional support schedules, if necessary.

Schedule: A-7 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) Description	(2) Average Amount Per Books	(3) Utility Adjustments	(4) Balance Per Utility
1	WATER			
2				
3	Plant in Service	$ 2,449	$ -	$ 2,449
4				
5	Land	-	-	-
6				
7	Accumulated Depreciation	(427)	-	(427)
8				
9	Other (Explain)	-	-	-
10				
11				
12	Total	$ 2,022	$ -	$ 2,022
13				
14				
15	WASTEWATER			
16				
17	Plant in Service	$ -	$	$ -
18				
19	Land	-	-	-
20			Not Applicable	
21	Accumulated Depreciation	-	-	-
22				
23	Other (Explain)	-	-	-
24				
25				
26	Total	$ -	$ -	$ -
27				
28				
29	Supporting Schedules: A-5,A-6,A-9,A-10			
30	Recap Schedules: A-1,A-2			

Non-Used and Useful Plant - Summary

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a summary of the items included in non-used and useful plant for the test year. Provide additional support schedules, if necessary.

Schedule: A-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) Description	(2) Average Amount Per Books	(3) Utility Adjustments	(4) Balance Per Utility
1	WATER			
2				
3	Plant in Service	$ 220,862	$ -	$ 220,862
4				
5	Land	-	-	-
6				
7	Accumulated Depreciation	(146,934)	-	(146,934)
8				
9	Other (Explain)	-	-	-
10				
11				
12	Total	$ 73,928	$ -	$ 73,928
13				
14				
15	WASTEWATER			
16				
17	Plant in Service	$ -	$	$ -
18				
19	Land	-	-	-
20			Not Applicable	
21	Accumulated Depreciation	-	-	-
22				
23	Other (Explain)	-	-	-
24				
25				
26	Total	$ -	$ -	$ -
27				
28				
29	Supporting Schedules: A-5,A-6,A-9,A-10			
30	Recap Schedules: A-1,A-2			

Schedule of Water Accumulated Depreciation By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances
and average of plant in service for the prior
year and the test year by primary account.
Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-9 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1,A-8

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**					
2	Organization	$ -	$ -	$ -	-	$ -
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**					
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	-	-	-	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	-	-	-	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	-	-	-	-	-
13	Power Generation Equipment	534	839	687	-	-
14	Pumping Equipment	849	900	875	-	-
15	Other Plant & Misc. Equipment	-	-	-		-
16	**WATER TREATMENT PLANT**					
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	130	(295)	(83)	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**					
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	-	-	-	-	-
25	Transm. & Distribution Mains	5,345	6,109	5,727	7%	427
26	Services	198	276	237	-	-
27	Meters & Meter Installations	2,676	3,226	2,951	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	-	-	-	-	-
30	**GENERAL PLANT**					
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	168	118	143	-	-
34	Transportation Equipment	217	262	240	-	-
35	Stores Equipment	83	101	92	-	-
36	Tools, Shop & Garage Equipment	49	88	69	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	3,940	4,055	3,998	-	-
39	Communication Equipment	-	-	-	-	-
40	Miscellaneous Equipment	-	-	-	-	-
41	Abandonment of Regional Plant	-	-	-	-	-
42						
43	TOTAL	$ 14,189	$ 15,679	$ 14,934		$ 427
44						

Schedule of Water Accumulated Depreciation By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-9 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1,A-8

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**					
2	Organization	$ 6,256	$ 6,296	$ 6,276	-	$ -
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-			
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	1,152	1,393	1,273	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	70,194	74,889	72,542	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	12,567	15,628	14,098	-	-
13	Power Generation Equipment	31,605	35,422	33,514	-	-
14	Pumping Equipment	303,759	321,799	312,779	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**	-	-			
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	188,184	193,440	190,812	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**	-	-			
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	23,375	24,900	24,138	-	-
25	Transm. & Distribution Mains	711,705	685,544	698,625	21%	146,934
26	Services	16,051	19,024	17,538	-	-
27	Meters & Meter Installations	104,026	110,184	107,105	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	20,091	21,126	20,609	-	-
30	**GENERAL PLANT**	-	-			
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	17,882	17,639	17,761	-	-
34	Transportation Equipment	51,111	66,508	58,810	-	-
35	Stores Equipment	1,033	1,255	1,144	-	-
36	Tools, Shop & Garage Equipment	13,316	14,626	13,971	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	3,940	4,055	3,998	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	176,544	205,968	191,256	-	-
42						
43	TOTAL	$ 1,781,139	$ 1,848,044	$ 1,814,592		$ 146,934
44						

Comparative Balance Sheet - Assets

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown.

Schedule: A-18 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) ASSETS	(2) Test Year Ended 12/31/2010	(3) Prior Year Ended 12/31/2009
1	Utility Plant in Service	$ 2,894,640	$ 2,926,785
2	Construction Work in Progress	-	-
3	Other Utility Plant Adjustments	-	-
4			
5	GROSS UTILITY PLANT	2,894,640	2,926,785
6	Less: Accumulated Depreciation	(1,848,046)	(1,781,138)
7			
8	NET UTILITY PLANT	1,046,594	1,145,647
9			
10	Cash	46,213	48,916
11	Accounts Rec'b - Customer	47,774	41,056
12	Notes & Accts. Rec'b - Assoc. Cos.	-	-
13	Accounts Rec'b - Other	-	-
14	Allowance for Bad Debts	-	-
15	Materials & Supplies	-	-
16	Miscellaneous Current & Accrued Assets	70,901	71,739
17			
18	TOTAL CURRENT ASSETS	164,888	161,711
19			
20	Unamortized Debt Discount & Exp.	-	-
21	Prelim. Survey & Investigation Charges	-	-
22	Clearing Accounts	-	-
23	Deferred Rate Case Expense	10,675	-
24	Other Miscellaneous Deferred Debits	32,351	54,731
25	Accum. Deferred Income Taxes	-	-
26			
27	TOTAL DEFERRED DEBITS	43,026	54,731
28			
29	TOTAL ASSETS	$ 1,254,508	$ 1,362,089
30			

Comparative Balance Sheet - Equity Capital & Liabilities

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown.

Schedule: A-19 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) EQUITY CAPITAL & LIABILITIES	(2) Test Year Ended 12/31/2010	(3) Prior Year Ended 12/31/2009
1	Common Stock Issued	$ 98	$ 98
2	Preferred Stock Issued	-	-
3	Additional Paid in Capital	421,351	421,351
4	Retained Earnings	(199,177)	(203,143)
5	Other Equity Capital	-	-
6			
7	TOTAL EQUITY CAPITAL	222,272	218,306
8			
9	Bonds	-	-
10	Reacquired Bonds	-	-
11	Advances From Associated Companies	-	-
12	Other Long-Term Debt	-	-
13			
14	TOTAL LONG-TERM DEBT	-	-
15			
16	Accounts Payable	60,596	113,795
17	Notes Payable	44,580	45,323
18	Notes & Accounts Payable - Assoc. Cos.	-	-
19	Customer Deposits	45,420	49,888
20	Accrued Taxes	20,623	22,010
21	Accrued Interest	10	43
22	Accrued Dividends	-	-
23	Misc. Current & Accrued Liabilities	1,633	-
24			
25	TOTAL CURRENT & ACCRUED LIABILITIES	172,862	231,059
26			
27	Advances For Construction	85,358	85,719
28	Other Deferred Credits	-	-
29	Accum. Deferred ITCs	-	-
30	Operating Reserves	-	-
31			
32	TOTAL DEFERRED CREDITS & OPER. RESERVES	85,358	85,719
33			
34	Contributions in Aid of Construction	1,888,113	1,918,337
35	Less: Accum. Amortization of CIAC	(1,114,097)	(1,091,332)
36			
37	Accumulated Deferred Income Taxes	-	-
38			
39	TOTAL EQUITY CAPITAL & LIABILITIES	$ 1,254,508	$ 1,362,089
40			

Schedule of Water Net Operating Income

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: B-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of net operating income for the test year. If amortization (Line 4) is related to any amount other than an acquisition adjustment, submit an additional schedule showing a description and calculation of charge.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Test Year Adjustments	(4) Utility Adjusted Test Year	(5) Requested Revenue Adjustment	(6) Requested Annual Revenues	(7) Supporting Schedule(s)
1	OPERATING REVENUES	$ 42,165	-	$ 42,165	$ 19,080	$ 61,245	B-4
2							
3	Operation & Maintenance	42,606	-	42,606	454	43,059	B-5
4							
5	Depreciation, net of CIAC Amort.	2,684	(57)	2,627	-	2,627	B-13
6							
7	Amortization	988	-	988	3,125	4,113	
8							
9	Taxes Other Than Income	4,577	-	4,577	859	5,436	B-15
10							
11	Provision for Income Taxes	-	-	-	-	-	C-1
12							
13	OPERATING EXPENSES	50,855	(57)	50,798	4,437	55,235	
14							
15	NET OPERATING INCOME	$ (8,690)	57	$ (8,633)	$ 14,643	$ 6,010	
16							
17							
18	RATE BASE	99,675		66,280		66,280	
19							
20							
21	RATE OF RETURN	-20.61%		-20.47%		9.81%	
22							

2010 Leverage Formula

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-1(a) Revised
Page 1 of 1
Preparer: John Q. Adams II

Water & Wastewater Leverage Formula
Docket 110006-WS
YEAR 2011

Leverage Formula **7.13%** + **1.610%** Divided by Equity Ratio

Aqua Utilities Florida
Company Equity Ratio **60.0%** **Insert Equity Ratio**

Company's ROE **9.81%**

Range
8.74% - 11.16%

Schedule of Adjustments to Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-3 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a detailed description of all adjustments to operating income per books, with a total for each line item shown on the net operating income statement.

Line No.	Description			Water	Wastewater
1	**Test Year Depreciation Adjustment**				
2					
3	Depreciation Adjustment				
4					
5	Less: Non-used and useful transmission and distribution plant			(57)	
6					
7	Adjustment required			(57)	Not Applicable
8					
9	**Pro Forma Revenue Adjustments**				
10					
11	Revenue Increase			19,080	
12	Adjustment due to increase in RAF			-	
13	Increase in revenue required by the utility to realize a 9.81% rate of return				
14					
15	Total Adjustments to Revenues			19,080	Not Applicable
16					
17					
18	**Pro Forma Expense Adjustment**				
19					
20	Requested final revenue increase			19,080	
21	RAF tax rate			4.50%	
22					
23	Adjusted test year RAF's			859	Not Applicable
24					
25					
26					
27	Price Index Adjustments				
28	Adjust various O&M Expenses for Pro Forma Increases for the next twelve				
29	months using the change in the price index from 2010 to 2011 223.600 / 218.056 = 1.025 - 1 = .025 increase				
30					
31					
32			B-5 Workpaper		
33	615 Purchased Power		6,645	0.025	166
34	618 Chemicals		453	0.025	11
35	620 Materials & Supplies		1,423	0.025	36
36	632 Contractual Services - Acct.		382	0.025	10
37	635 Contractual Services - Testing		1,095	0.025	27
38	636 Contractual Services - Other		1,632	0.025	41
39	641 Rental of Building/Real Prop.		427	0.025	11
40	642 Rental of Equipment		288	0.025	7
41	650 Transportation Expenses		1,580	0.025	40
42	656 Insurance - Vehicle		379	0.025	9
43	658 Insurance - Workman's Comp.		386	0.025	10
44	675 Miscellaneous Expenses		3,452	0.025	86
45					
46				454	Not Applicable
47					
48					
49					
50	Rate Case Expense				
51					
52	Current rate case annual expense amortization (Schedule B-10) 1/4 of annual expense			3,125	
53	Prior rate case annual expense amortization (Schedule B-10)			-	
54					
55	Total			3,125	
56					
57					

Schedule of Adjustments to Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-3 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a detailed description of all adjustments to operating income per books, with a total for each line item shown on the net operating income statement.

Line No.	Description	Water	Wastewater
1	**Test Year Revenue Adjustment**		
2			
3	Lakeview Revenue Adjustment		
4			
5			
6	Current year revenue	(7,277)	
7	(Lakeview sold in 2010)		
8			
9	Total Adjustments to Revenues	(7,277)	Not Applicable
10			
11			
91	**Test Year Expense Adjustments**		
92			
93	Lakeview O&M Expenses		
94			
95	Current rate case annual O&M expenses	(2,661)	
96	(Lakeview sold in 2010)		
97			
98	Adjustment required	(2,661)	Not Applicable
99			
100			
101	Depreciation Adjustment		
102			
103	Less: Non-used and useful transmission and distribution plant	(7,801)	
104			
105	Adjustment required	(7,801)	Not Applicable
106			
107			
108	Taxes Other Than Income		
109			
110	RAF Assessment on Lakeview	(310)	
111	(Lakeview sold in 2010)		
112			
113	Adjustment Required	(310)	Not Applicable
114			
137	**Pro Forma Revenue Adjustments**		
138			
139	Revenue Increase	199,850	
140	Adjustment due to increase in RAF	-	
141	Increase in revenue required by the utility to realize a 9.81% rate of return		
142			
143	Total Adjustments to Revenues	199,850	Not Applicable
144			
145	**Pro Forma Expense Adjustment**		
146			
147	Requested final revenue increase	199,850	
148	RAF tax rate	4.50%	
149			
150	Adjusted test year RAF's	8,993	Not Applicable
151			
152			
153	Price Index Adjustments		
154	Adjust various O&M Expenses for Pro Forma Increases for the next twelve		
155	months using the change in the price index from 2010 to 2011 223.600 / 218.056 = 1.025 - 1 = .025 increase		
156			
157	615 Purchased Power		
158	618 Chemicals	1,791	
159	620 Materials & Supplies	514	
160	632 Contractual Services - Acct.	531	
161	635 Contractual Services - Testing	174	
162	636 Contractual Services - Other	1,048	
163	641 Rental of Building/Real Prop.	1,638	
164	642 Rental of Equipment	1,166	
165	650 Transportation Expenses	166	
166	656 Insurance - Vehicle	817	
167	658 Insurance - Workman's Comp.	191	
168	675 Miscellaneous Expenses	217	
169			
170		8,252	Not Applicable
171			
172			
173	Rate Case Expense		
174			
175	Current rate case annual expense amortization (Schedule B-10) 1/4 of annual expense	12,500	
176	Prior rate case annual expense amortization (Schedule B-10)	-	
177			
178	Total	12,500	
179			

Test Year Operating Revenues

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Complete the following revenue schedule for the historical test year or base year.

Florida Public Service Commission

Schedule: B-4 (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Line No.	WATER SALES Account No. and Description	Total Water
1	460 Unmetered Water Revenue	-
2	461.1 Metered - Residential	37,845
3	461.2 Metered - Commercial	-
4	461.3 Metered - Industrial	-
5	461.4 Metered - Public Authorities	-
6	461.5 Metered - Multi-Family	-
7	462.1 Public Fire Protection	-
8	462.2 Private Fire Protection	-
9	464 Other Sales - Public Authorities	-
10	465 Irrigation Customers	-
11	466 Sales for Resale	-
12	467 Interdepartmental Sales	-
13		
14	TOTAL WATER SALES	37,845
15		
16	OTHER WATER REVENUES	
17	470 Forfeited Discounts	-
18	471 Misc. Service Revenues	4,320
19	472 Rents From Water Property	-
20	473 Interdepartmental Rents	-
21	474 Other Water Revenues	-
22		
23	TOTAL OTHER WATER REVENUES	4,320
24		
25	TOTAL WATER OPERATING REVENUES	42,165
26		
27		

WASTEWATER SALES Account No. and Description	(1) Total Wastewater
521.1 Flat Rate - Residential	-
521.2 Flat Rate - Commercial	-
521.3 Flat Rate - Industrial	-
521.4 Flat Rate - Public Authorities	-
521.5 Flat Rate - Multi-Family	-
521.6 Flat Rate - Other	Not Applicable
522.1 Measured - Residential	-
522.2 Measured - Commercial	-
522.3 Measured - Industrial	-
522.4 Measured - Public Authority	-
522.5 Measured - Multi-Family	-
523 Other Sales - Public Authorities	-
524 Revenues from Other Systems	-
525 Interdepartmental Sales	-
TOTAL WASTEWATER SALES	-
OTHER WASTEWATER REVENUES	
531 Sale of Sludge	-
532 Forfeited Discounts	-
534 Rents From Wastewater Property	-
535 Interdepartmental Rents	-
536 Other Wastewater Revenues	-
TOTAL OTHER WASTEWATER REVENUES	-
TOTAL WASTEWATER OPERATING REVENUE	-

Test Year Operating Revenues

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Complete the following revenue schedule for the historical test year or base year.

Schedule: B-4 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Line No.	WATER SALES Account No. and Description	Total Water	WASTEWATER SALES Account No. and Description	(1) Total Wastewater
1	460 Unmetered Water Revenue	46,521	521.1 Flat Rate - Residential	-
2	461.1 Metered - Residential	855,394	521.2 Flat Rate - Commercial	-
3	461.2 Metered - Commercial	-	521.3 Flat Rate - Industrial	-
4	461.3 Metered - Industrial	-	521.4 Flat Rate - Public Authorities	-
5	461.4 Metered - Public Authorities	-	521.5 Flat Rate - Multi-Family	-
6	461.5 Metered - Multi-Family	-	521.6 Flat Rate - Other	Not Applicable
7	462.1 Public Fire Protection	-	522.1 Measured - Residential	-
8	462.2 Private Fire Protection	-	522.2 Measured - Commercial	-
9	464 Other Sales - Public Authorities	-	522.3 Measured - Industrial	-
10	465 Irrigation Customers	-	522.4 Measured - Public Authority	-
11	466 Sales for Resale	-	522.5 Measured - Multi-Family	-
12	467 Interdepartmental Sales	-	523 Other Sales - Public Authorities	-
13			524 Revenues from Other Systems	-
14	TOTAL WATER SALES	901,915	525 Interdepartmental Sales	-
15				
16	OTHER WATER REVENUES		TOTAL WASTEWATER SALES	-
17	470 Forfeited Discounts	-		
18	471 Misc. Service Revenues	49,195	OTHER WASTEWATER REVENUES	
19	472 Rents From Water Property	-	531 Sale of Sludge	-
20	473 Interdepartmental Rents	-	532 Forfeited Discounts	-
21	474 Other Water Revenues	-	534 Rents From Wastewater Property	-
22			535 Interdepartmental Rents	-
23	TOTAL OTHER WATER REVENUES	49,195	536 Other Wastewater Revenues	-
24				
25	TOTAL WATER OPERATING REVENUES	951,110	TOTAL OTHER WASTEWATER REVENUES	-
26				
27			TOTAL WASTEWATER OPERATING REVENUE	-

Operation & Maintenance Expense Comparison - Water

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-7 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Complete the following comparison of the applicant's current and prior test year O&M expenses before this Commission. Provide an explanation of all differences which are not attributable to the change in customer growth and the CPI-U. If the applicant has not had a previous rate case, use the year 5 years prior to the test year for comparison. Provide an additional schedule, if necessary, to explain differences.

Line No.	(1) Account No. and Name	(2) Prior 5 yr 12/31/2005	(3) Current TY 12/31/2010	(4) $ Difference	(5) % Difference	(6) Explanation
1	601 Salaries & Wages - Employees	$ 13,451	$ 12,778	$ (673)	% -5.00%	
2	603 Salaries & Wages - Officers, Etc.	9,177	6,817	(2,360)	-25.72%	
3	604 Employee Pensions & Benefits	3,493	3,874	381	10.91%	
4	610 Purchased Water	-	-	-	0%	
5	615 Purchased Power	4,127	6,645	2,518	61.01%	Increase in hookups caused an increase in purchased power
6	616 *Fuel for Power Purchased*	-	-	-	0%	
7	618 Chemicals	383	453	70	18.28%	Increase in hookups caused an increase in chemicals
8	620 Materials & Supplies	3,740	1,423	(2,317)	-61.95%	
9	631 Contractual Services - Engr.	-	-	-	0%	
10	632 Contractual Services - Acct.	312	382	70	22.44%	More residents and hookups more services needed.
11	633 Contractual Services - Legal	-	-	-	0.00%	
12	634 Contractual Services - Mgmt. Fees	-	-	-	0%	
13	635 Contractual Services - Other	4,877	2,727	(2,150)	-44.08%	
14	641 Rental of Building/Real Prop.	957	427	(530)	-55.38%	
15	642 Rental of Equipment	216	288	72	33.33%	More hookups and residents required more equipment
16	650 Transportation Expenses	2,571	1,580	(991)	0%	
17	656 Insurance - Vehicle	506	374	(132)	-26.09%	
18	657 Insurance - General Liability	7	-	(7)	-100.00%	
19	658 Insurance - Workman's Comp.	419	386	(33)	-7.88%	
20	659 Insurance - Other	-	5	5	0%	
21	660 Advertising Expense	-	-	-	0%	
22	666 Reg. Comm. Exp. - Rate Case Amort.	-	-	-	0%	
23	667 Reg. Comm. Exp. - Other	-	-	-	0%	
24	670 Bad Debt Expense	1,485	994	(491)	-33.06%	
25	675 Miscellaneous Expenses	2,743	3,453	710	25.88%	More residents and hookups caused increase in expenses
26	TOTAL	$ 48,464	$ 42,606	$ (5,858)	% -12.09%	
27	Total Customers	271	236	(35)	-12.92%	
28	Consumer Price Index - U	195.30	218.056	22.76	11.65%	

Operation & Maintenance Expense Comparison - Water

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Complete the following comparison of the applicant's current and prior test year O&M expenses before this Commission. Provide an explanation of all differences which are not attributable to the change in customer growth and the CPI-U. If the applicant has not had a previous rate case, use the year 5 years prior to the test year for comparison. Provide an additional schedule, if necessary, to explain differences.

Line No.	(1) Account No. and Name	(2) Prior TY 5/31/1990	(3) Current TY 12/31/2010	(4) $ Difference	(5) % Difference	(6) Explanation
1	601 Salaries & Wages - Employees	$ 173,672	$ 237,674	$ 64,002	% 36.85%	
2	603 Salaries & Wages - Officers, Etc.	88,720	136,620	47,900	53.99%	
3	604 Employee Pensions & Benefits	16,282	77,780	61,498	377.71%	Cost of health insurance went up as well as payroll went up
4	610 Purchased Water	-	-	-	0%	
5	615 Purchased Power	34,376	71,624	37,248	108.35%	Increase in rates and hookups over the last twenty years
6	616 Fuel for Power Purchased	-	77	77	0%	
7	618 Chemicals	7,814	20,569	12,755	163.23%	Prices increase as well as more residents and hookups.
8	620 Materials & Supplies	35,070	21,252	(13,818)	-39.40%	
9	631 Contractual Services - Engr.	4,191	-	(4,191)	0%	
10	632 Contractual Services - Acct.	6,928	6,799	(129)	-1.86%	
11	633 Contractual Services - Legal	7,849	165	(7,684)	-97.90%	
12	634 Contractual Services - Mgmt. Fees	2,324	-	(2,324)	0%	
13	635 Contractual Services - Other	49,556	107,409	57,853	116.74%	Prices increase as well as more residents and hookups.
14	641 Rental of Building/Real Prop.	8,095	46,655	38,560	476.34%	Prices increase as well as more residents and hookups.
15	642 Rental of Equipment	2,189	6,633	4,444	203.02%	Prices increase as well as more residents and hookups.
16	650 Transportation Expenses	16,650	32,683	16,033	0%	
17	656 Insurance - Vehicle	13,317	7,530	(5,787)	-43.46%	
18	657 Insurance - General Liability	191	-	(191)	0%	
19	658 Insurance - Workman's Comp.	6,819	8,673	1,854	27.19%	
20	659 Insurance - Other	-	98	98	0%	
21	660 Advertising Expense	636	-	(636)	0%	
22	666 Reg. Comm. Exp. - Rate Case Amort.	-	-	-	0%	
23	667 Reg. Comm. Exp. - Other	2,000	-	(2,000)	-100.00%	
24	670 Bad Debt Expense	8,744	4,777	(3,967)	-45.37%	
25	675 Miscellaneous Expenses	30,602	60,684	30,082	98.30%	Prices increase as well as more residents and hookups.
26	TOTAL	$ 516,025	$ 847,702	$ 331,677	% 64.28%	
27	Total Customers	2,668	3,633	965	36.17%	
28	Consumer Price Index - U	130.70	218.056	87.36	66.84%	

Analysis of Rate Case Expense

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-10 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the total amount of rate case expense requested in the application. State whether the total includes the amount up to proposed agency action or through a hearing before the Commission. Provide a list of each firm providing services for the applicant, the individuals for each firm assisting in the application, including each individual's hourly rate, and an estimate of the total charges to be incurred by each firm, as well as a description of the type of services provided. Also provide the additional information for amortization and allocation method, *including support behind this determination.*

Line No.	(1) Firm or Vendor Name	(2) Counsel, Consultant or Witness	(3) Hourly Rate Per Person	(4) Total Estimate Of Charges By Firm	(5) Type of Service Rendered	Time Log (hours) Preparing MFR's	Total Invoiced Amounts	Type of Service Rendered	Time Log (hours estimated) PAA Process	Total Estimated Costs
1	Adams & Company PA	John Q. Adams II	$ 150	$ 50,000	Preparation of MFR's	91	$ 13,650	Answer, assist with	28.25	$ 4,238
2		Austin K. Vealey	100		Preparation of MFR's	232	$ 23,200	questions, and corrections	84.00	$ 8,400
4					Supplies		512			
5										
6		Total Billed				323	37,362		112.25	12,638
7	Total									
8										
9	Estimate Through									
10	[x] PAA									
11	[ ] Commission Hearing									
12										
13	Amortization Period 4 Years									
14	Explanation if different from Section 367.0816, Florida Statutes:									
15										
16										
17										

Line No.	Amortization of Rate Case Expense:	(A) Water	(B) Wastewater	(C) Total	(B) Wastewater	(B) Wastewater
18						
19						
20						
21	*Prior Unamortized Rate Case Expense*	$ -	$ -	$ -	-	-
22	Current Rate Case Expense	50,000		50,000		
23						
24	Total Projected Rate Case Expense	$ 50,000	$ Not Applicable	$ 50,000	Not Applicable	Not Applicable
25						
26	Annual Amortization	$ 12,500	$ -	$ 12,500	-	-
27						
28	Method of Allocation Between Systems:					
29	The company provides water service only; therefore, no allocation is necessary					

Taxes Other Than Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-15 (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Explanation: Complete the following schedule of all taxes other than income.
For all allocations, provide description of allocation and calculations.

Line No.	(1) Description	(2) Regulatory Assessment Fees (RAFs)	(3) Payroll Taxes	(4) Real Estate & Personal Property	(5) Other	(6) Total
WATER						
1	Test Year Per Books	$ 1,897	$ 1,548	$ 1,132	$ -	$ 4,577
	Adjustments to Test Year (Explain)					
2						-
3						
4						
5						
6	Total Test Year Adjustments	-	-	-	-	-
7	Adjusted Test Year	1,897	1,548	1,132	-	4,577
8	RAFs Assoc. with Revenue Increase					
9	Total Balance	$ 1,897	$ 1,548	$ 1,132	$ -	$ 4,577
WASTEWATER						
10	Test Year Per Books					
	Adjustments to Test Year (Explain)					
11				Not Applicable		
12						
13						
14						
15	Total Test Year Adjustments					
16	Adjusted Test Year					
17	RAFs Assoc. with Revenue Increase					
18	Total Balance					

Taxes Other Than Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-15 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Explanation: Complete the following schedule of all taxes other than income.
For all allocations, provide description of allocation and calculations.

Line No.	(1) Description	(2) Regulatory Assessment Fees (RAFs)	(3) Payroll Taxes	(4) Real Estate & Personal Property	(5) Other	(6) Total
WATER						
1	Test Year Per Books	$ 42,801	$ 29,559	$ 18,307	$ -	$ 90,667
	Adjustments to Test Year (Explain)					
2	RAF Assessment on Lakeview	-	(310)	-	-	(310)
3						
4						
5						
6	Total Test Year Adjustments	-	(310)	-	-	(310)
7	Adjusted Test Year	42,801	29,249	18,307	-	90,357
8	RAFs Assoc. with Revenue Increase					
9	Total Balance	$ 42,801	$ 29,249	$ 18,307	$ -	$ 90,357
WASTEWATER						
10	Test Year Per Books					
	Adjustments to Test Year (Explain)					
11				Not Applicable		
12						
13						
14						
15	Total Test Year Adjustments					
16	Adjusted Test Year					
17	RAFs Assoc. with Revenue Increase					
18	Total Balance					

Schedule of Requested Cost of Capital
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: D-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a schedule which calculates the requested Cost of Capital on a beginning and end of year average basis. If a year-end basis is used submit an additional schedule reflecting year-end calculations.

Line No.	Class of Capital		(1) Reconciled To Requested Rate Base	(2) Percent of Total	(3) Cost	(4) Weighted Cost
1	Long-Term Debt	$	-	-		
2						
3	Short-Term Debt		127,442	32.25%	5.83%	1.88%
4						
5	Preferred Stock		-	-		
6						
7	Customer Deposits		45,420	11.49%	6.00%	0.69%
8						
9	Common Equity		222,272	56.25%	10.85%	6.10%
10						
11	Tax Credits - Zero Cost		-	-		
12						
13	Tax Credits - Wtd. Cost		-	-		
14						
15	Accum. Deferred Income Taxes		-	-		
16						
17	Other (Explain)		-	-		
18			---	---		---
19	Total	$	395,134	100.00%		8.67%
20			==========	========		========
21						
22	Note: Equity cost rate based on the most recent leverage graph approved by					
23	the Commission.					
24						
25	Schedule represents the entire company as a whole, and could not be broken down by plant.					
26						
27	Supporting Schedules: D-2					
28	Recap Schedules: A-1,A-2					

Reconciliation of Capital Structure to Requested Rate Base
Beginning and End of Year Average

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Schedule: D-2 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a reconciliation of the simple average capital structure to requested rate base. Explain all adjustments. Submit an additional schedule if a year-end basis is used.

Line No.	(1) Class of Capital	(2) Test Year Per Books	(3) Reconciliation Adjustments Specific	(4) Prorata %	(5) Prorata *	(6) Reconciled To Requested Rate Base
1	Long-Term Debt	$ -	$ -	$ -	$ -	
2	Short-Term Debt	127,442		32.25%	76,672	204,114
3	Preferred Stock	-				
4	Common Equity	222,272		56.25%	133,723	355,995
5	Customer Deposits	45,420		11.49%	27,326	72,746
6	Tax Credits - Zero Cost	-				
7	Tax Credits - Wtd. Cost	-				
8	Accum. Deferred Income Tax	-				
9	Other (Explain)	-				
10						
11	Total	$ 395,134	$	100.00%	$ (237,721)	$ 157,413
12						
13						
14						
15						
16						
17	Description			Amount		
18						
19						
20	Note: Capital structure was reconciled to rate base on a prorata basis, using the percent					
21	ratios of the components of total capital structure applied to the rate base shown above.					
22	reconciliation was reconciled to the company as a whole as the debt and equity					
23	would be skewed breaking it out per rate case.					
24						
25						
26						
27						
28	Supporting Schedules: A-19,C-7,C-8,D-3,D-4,D-5,D-7					
29	Recap Schedules: D-1					

Revenue Schedule at Present and Proposed Rates

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: E-2 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a calculation of revenues at present and proposed rates using the billing analysis. Explain any differences between these revenues and booked revenues. If a rate change occurred during the test year, a revenue calculation must be made for each period.

(1) Class/Meter Size	(2) Number Bills	(3) Consumption in MG (Rounded)	(4) Present Rate	(5) Revenues at Present Rates	(6) Proposed Rate	(7) Revenues at Proposed Rates
Residential						
5/8" x 3/4"	2,605		4.69	$ 12,217	9.80	25,529
Gallonage charge per 1,000 MG		16,886	1.47	24,822	2.32	39,174
1" Etc.	-	-	11.73		24.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/4"					33.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/2"					45.00	-
Gallonage charge per 1,000 MG					2.32	-
2"					71.00	-
Gallonage charge per 1,000 MG					2.32	-
3"					150.00	-
Gallonage charge per 1,000 MG					2.32	-
4"					225.00	-
Gallonage charge per 1,000 MG					2.32	-
6"					470.00	-
Gallonage charge per 1,000 MG					2.32	-
Total Residential	2,605	16,886		37,039		64,703
Average Bill				$ 14		$ 25
General Service						
5/8" x 3/4"	36		4.69	169	9.80	353
Gallonage charge per 1,000 MG		120	1.47	176	2.32	278
1" Etc.	-	-	11.73	-	24.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/4"					33.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/2"					45.00	-
Gallonage charge per 1,000 MG					2.32	-
2"					71.00	-
Gallonage charge per 1,000 MG					2.32	-
3"					150.00	-
Gallonage charge per 1,000 MG					2.32	-
4"					225.00	-
Gallonage charge per 1,000 MG					2.32	-
6"					470.00	-
Gallonage charge per 1,000 MG					2.32	-
Total Gen. Serv.	36	120		345		631
Average Bill				$ 10		$ 18
Multi Family Residence						
5/8" x 3/4"					9.80	-
Gallonage charge per 1,000 MG					2.32	-
1" Etc.					24.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/4"					33.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/2"					45.00	-
Gallonage charge per 1,000 MG					2.32	-
2"					71.00	-
Gallonage charge per 1,000 MG					2.32	-
3"					150.00	-
Gallonage charge per 1,000 MG					2.32	-
4"					225.00	-
Gallonage charge per 1,000 MG					2.32	-
6"					470.00	-
Gallonage charge per 1,000 MG					2.32	-
Total Multi Family Residence				-		-
Average Bill				$ -		$ -
List Other Classes						
As Above						
Totals				37,384		65,334
Unbilled Revenues						
Other Revenue						
Misc. Serv. Charges				4,346		4,346
Total Revenue				41,730		69,680
Booked Revenue				42,165		61,245
Difference (Explain)				(435)		8,435

Note: Proposed rates are based on the new leverage formula for the ROR. In addition the proposed rates are indicative of all four rate cases being combined into one rate case. If this does not happen then a revised E-2 will need to be provided to adjust each rate case to its ROR.

Revenue Schedule at Present and Proposed Rates

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Schedule: E-2 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a calculation of revenues at present and proposed rates using the billing analysis. Explain any differences between these revenues and booked revenues. If a rate change occurred during the test year, a revenue calculation must be made for each period.

(1) Class/Meter Size	(2) Number Bills	(3) Consumption in MG	(4) Present Rate	(5) Revenues at Present Rates	Flat Rate Systems Number Bills	Flat Rate Systems Gallons Sold Assumption	(6) Proposed Rate	(7) Revenues at Proposed Rates
Residential								
5/8" x 3/4"	39,072			316,352	3,635		9.80	418,529
Gallonage charge per 1,000 MG		213,945	Various	426,824		23,657	2.32	551,239
1" Etc.	26		Various	541			24.00	624
Gallonage charge per 1,000 MG		207	Various	423			2.32	481
1-1/4"	56		Various	1,749			33.00	1,848
Gallonage charge per 1,000 MG		345	Various	705			2.32	801
1-1/2"	13		Various	541			45.00	585
Gallonage charge per 1,000 MG		46	Various	94			2.32	107
2"	50		Various	3,332			71.00	3,550
Gallonage charge per 1,000 MG		357	Various	729			2.32	829
3"				-			150.00	-
Gallonage charge per 1,000 MG							2.32	-
4"	11			2,290			225.00	2,475
Gallonage charge per 1,000 MG		31		63			2.32	71
6"							470.00	-
Gallonage charge per 1,000 MG							2.32	-
Total Residential	39,228	214,932		753,643	3,635	23,657		981,139
Average Bill								25
General Service								
5/8" x 3/4"	637			5,181			9.80	6,243
M Gallons		5,333		10,812			2.32	12,374
1" Etc.	54			1,124			24.00	1,296
M Gallons Etc.		777		1,586			2.32	1,803
1-1/4"	8			250			33.00	264
Gallonage charge per 1,000 MG		162		331			2.32	377
1-1/2"	13			541			45.00	585
M Gallons		27		56			2.32	64
2"	23			1,532			71.00	1,633
M Gallons		1,510		3,080			2.32	3,502
3"	-			-			150.00	-
M Gallons		-		-			2.32	-
4"	-			-			225.00	-
M Gallons		-		-			2.32	-
6"	-			-			470.00	-
M Gallons		-		-			2.32	-
Total Gen. Serv.	735	7,810		24,494				28,140
Average Bill				33				38
Multi Family Residence								
5/8" x 3/4"	80			667			9.80	784
M Gallons		8,029		16,379			2.32	18,628
1" Etc.	12			250			24.00	288
M Gallons Etc.		250		510			2.32	580
1-1/4"	570			17,801			33.00	18,810
M Gallons		8,174		16,676			2.32	18,965
1-1/2"	121			5,040			45.00	5,445
M Gallons		2,729		5,567			2.32	6,331
2"	5			333			71.00	355
M Gallons		407		831			2.32	945
3"	11			1,466			150.00	1,650
M Gallons		541		1,104			2.32	1,255
4"	11			2,290			225.00	2,475
M Gallons		4,122		8,409			2.32	9,563
6"	-						470.00	-
M Gallons				-			2.32	-
Total Multi Family Serv.	810	24,253		77,326				86,074
				95				106
List Other Classes								
Flat Rate	3,635			47,623				
Totals	3,635			903,085				1,095,353
Unbilled Revenues								
Other Revenue								
Misc. Serv. Charges				49,297				49,297
Total Revenue				952,382				1,144,650
Booked Revenue				951,110				1,143,683
Difference (Explain)				1,272				967

Gallons of Water Pumped, Sold and Unaccounted For
In Thousands of Gallons

Florida Public Service Commission

Schedule F-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Historic [X] or Projected [ ]

Explanation: Provide a schedule of gallons of water pumped, sold and unaccounted for each month of the test year. The gallons pumped should match the flows shown on the monthly operating reports sent to DEP. The other uses may include plant use, flushing of hydrants and water and wastewater lines, line breakages and fire flows. Provide all calculations to substantiate the other uses. If unaccounted for water is greater than 10%, provide an explanation as to the reasons why; if less than 10%, Columns 4 & 5 may be omitted.

Month/ Year	(1) Total Gallons Pumped	(2) Gallons Purchased	(3) Gallons Sold	(4) Other Uses	(5) Unaccounted For Water (1)+(2)-(3)-(4)	(6) % Unaccounted For Water
Jan	2,978,600	-	1,110,686	-	1,867,914	62.71%
Feb	2,281,000	-	1,346,681	-	934,319	40.96%
Mar	2,077,000	-	961,126	-	1,115,874	53.73%
Apr	2,332,000	-	1,271,247	-	1,060,753	45.49%
May	2,409,000	-	1,422,553	-	986,447	40.95%
Jun	2,839,000	-	1,710,620	-	1,128,380	39.75%
Jul	2,715,000	-	1,915,090	-	799,910	29.46%
Aug	2,642,000	-	1,578,297	-	1,063,703	40.26%
Sep	2,693,000	-	1,674,851	-	1,018,149	37.81%
Oct	2,139,000	-	1,442,709	-	696,291	32.55%
Nov	3,073,000	-	1,455,727	-	1,617,273	52.63%
Dec	3,330,000	-	1,115,960	-	2,214,040	66.49%
Total	31,508,600	-	17,005,547	-	14,503,053	46.03%

Explanation:
Sandy acres has a lot of flushing due to dead end lines. In addition there has been a large amount of sand buildup in wells which also contributed to more flushing.

Gallons of Water Pumped, Sold and Unaccounted For
In Thousands of Gallons

Florida Public Service Commission

Schedule F-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Historic [X] or Projected [ ]

Explanation: Provide a schedule of gallons of water pumped, sold and unaccounted for each month of the test year. The gallons pumped should match the flows shown on the monthly operating reports sent to DEP. The other uses may include plant use, flushing of hydrants and water and wastewater lines, line breakages and fire flows. Provide all calculations to substantiate the other uses. If unaccounted for water is greater than 10%, provide an explanation as to the reasons why; if less than 10%, Columns 4 & 5 may be omitted.

Month/ Year	(1) Total Gallons Pumped	(2) Gallons Purchased	(3) Gallons Sold	(4) Other Uses	(5) Unaccounted For Water (1)+(2)-(3)-(4)	(6) % Unaccounted For Water
Jan	26,224,580	-	18,147,762	-	8,076,818	30.80%
Feb	24,064,340	-	17,730,261	-	6,334,079	26.32%
Mar	21,949,980	-	15,325,597	-	6,624,383	30.18%
Apr	27,261,010	-	21,520,383	-	5,740,627	21.06%
May	29,438,450	-	22,438,936	-	6,999,514	23.78%
Jun	31,197,320	-	24,632,709	-	6,564,611	21.04%
Jul	29,000,290	-	21,713,344	-	7,286,946	25.13%
Aug	29,816,015	-	23,459,224	-	6,356,791	21.32%
Sep	27,838,430	-	20,849,181	-	6,989,249	25.11%
Oct	26,531,140	-	21,876,510	-	4,654,630	17.54%
Nov	28,476,690	-	20,686,380	-	7,790,310	27.36%
Dec	27,749,600	-	18,615,252	-	9,134,348	32.92%
Total	329,547,845	-	246,995,539	-	82,552,306	25.05%

Explanation:
Due to broken main lines and flushing. Ocklawaha and Oakhaven account for most of this due to sulfur wells which require more flushing.
Sandy acres has a lot of flushing due to dead end lines. In addition there has been a large amount of sand buildup in wells which also contributed to more flushing.

Used and Useful Calculations
Water Distribution and Wastewater Collection Systems

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]

Schedule F-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide all calculations, analyses and governmental requirements used to determine the used and useful percentages for the water distribution and wastewater collection systems for the historical and the projected test year (if applicable). The capacity should be in terms of ability to serve a designated number of connections. It should then be related to actual connected density for historical year calculations. Explain all assumptions for projected calculations. If the distribution and collection systems are entirely contributed or built-out, this schedule is not required.

System	Total Lots with Lines	Occupied Lots with Lines	Percentage Used & Useful
Ashley Heights	50	50	100%
Belleview Oaks	95	88	93%
Burks/Ocala Garden	29	25	86%
Country Walk	77	68	88%
Eleven Oaks	44	40	91%
Emil Marr	87	81	93%
SunRay	97	92	95%
Sugar Plum	67	64	96%
Stonehill	95	90	95%
Baldwin Heights	11	8	73%
Carol Estates	239	236	99%
Pearl Britain	32	32	100%
Boulder Hill	32	30	94%
Jason's Landing	51	48	94%
Florida Heights	118	110	93%
Floyd Clard/Hodges	50	50	100%
Northwoods	28	24	86%
Foreoaks	58	51	88%
Coventry	168	158	94%
Ballard Acres	23	23	100%
Hilltop	64	61	95%
Hilltop Phase II	37	29	78%
Hilltop Phase III	159	106	67%
Lakeview Hills	81	65	80%
Little Lake Weir	787	436	55%
Oakhaven	82	82	100%
Oakhurst	115	115	100%
Ocala Heights	168	106	63%
Reynolds	91	87	96%
Silverwood Villas	84	83	99%
Spanish Palms	129	45	35%
Country Aire	25	21	84%
Lexington Estates	72	15	21%
Ocklawaha	529	346	65%
Sanctuary	24	18	75%
Sunlight Acres	84	80	95%
Sun Resorts	33	32	97%
Whispering Sands	128	128	100%
Winding Waters	191	191	100%
Lake Forrest	8	5	63%
Lake Bryant Ridge	33	21	64%
Sandy Acres	295	273	93%
Quail Run	59	55	93%
Ponderossa Pines	198	198	100%
Total	4,927	3,966	80%

Recap Schedules: A-5,A-6,A-9,A-10,B-13,B-14

CLASS B
WATER AND/OR WASTEWATER UTILITIES

FINANCIAL, RATE, AND ENGINEERING MINIMUM REQUIREMENTS

OF

Sunshine Utilities of Central Florida, Inc.

Exact Legal Name of Utility

Applies To: Sandy Acres

REVISED SCHEDULES AS OF AUGUST 9, 2011

VOLUME II

FOR

Test Year Ended: December 31, 2010

Billing Analysis Schedules

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Customer Class Total
Meter Size:

Schedule: E-14 (Revised)

Preparer: John Q. Adams II

Explanation: Provide a billing analysis for each class of service by meter size. For applicants having master metered multiple dwellings, provide number of bills at each level by meter size or number of bills categorized by the number of units. Round consumption to nearest 1,000 gallons & begin at zero. If a rate change occurred during the test year, provide a separate billing analysis which coincides with each period.

(1) Consumpt. Level	(2) Number of Bills	(3) Cumulative Bills	(4) Gallons Consumed	(5) Cumulative Gallons	(6) Reversed Bills	(7) Consolidated Factor [(1)x(6)]+(5)	(8) Percentage of Total
0	167	167	(69,417)	(69,417)		(69,417)	-0.41%
1000	209	376	221,535	152,118		152,118	0.89%
2000	246	622	491,676	643,794		643,794	3.79%
3000	334	956	1,003,097	1,646,891		1,646,891	9.68%
4000	247	1,203	993,926	2,640,817		2,640,817	15.53%
5000	242	1,445	1,205,007	3,845,824		3,845,824	22.62%
6000	201	1,646	1,203,727	5,049,551		5,049,551	29.69%
7000	166	1,812	1,153,301	6,202,852		6,202,852	36.48%
8000	157	1,969	1,255,420	7,458,272		7,458,272	43.86%
9000	124	2,093	1,111,610	8,569,882		8,569,882	50.39%
10000	107	2,200	1,067,808	9,637,690		9,637,690	56.67%
11000	77	2,277	837,561	10,475,251		10,475,251	61.60%
12000	73	2,350	875,845	11,351,096		11,351,096	66.75%
13000	44	2,394	573,610	11,924,706		11,924,706	70.12%
14000	46	2,440	638,520	12,563,226		12,563,226	73.88%
15000	42	2,482	633,197	13,196,423		13,196,423	77.60%
16000	32	2,514	510,620	13,707,043		13,707,043	80.60%
17000	15	2,529	255,860	13,962,903		13,962,903	82.11%
18000	11	2,540	199,730	14,162,633		14,162,633	83.28%
19000	18	2,558	340,440	14,503,073		14,503,073	85.28%
20000	16	2,574	321,590	14,824,663		14,824,663	87.18%
21000	7	2,581	147,250	14,971,913		14,971,913	88.04%
22000	12	2,593	264,546	15,236,459		15,236,459	89.60%
23000	4	2,597	91,370	15,327,829		15,327,829	90.13%
24000	3	2,600	72,770	15,400,599		15,400,599	90.56%
25000	1	2,601	24,590	15,425,189		15,425,189	90.71%
26000	1	2,602	25,690	15,450,879		15,450,879	90.86%
27000	3	2,605	81,560	15,532,439		15,532,439	91.34%
28000	3	2,608	84,340	15,616,779		15,616,779	91.83%
29000	5	2,613	145,710	15,762,489		15,762,489	92.69%
31000	1	2,614	31,433	15,793,922		15,793,922	92.88%
32000	2	2,616	63,540	15,857,462		15,857,462	93.25%
33000	4	2,620	131,275	15,988,737		15,988,737	94.02%
34000	1	2,621	34,420	16,023,157		16,023,157	94.22%
36000	1	2,622	35,900	16,059,057		16,059,057	94.43%
37000	1	2,623	37,480	16,096,537		16,096,537	94.65%
38000	2	2,625	76,000	16,172,537		16,172,537	95.10%
41000	1	2,626	41,260	16,213,797		16,213,797	95.34%
42000	2	2,628	84,200	16,297,997		16,297,997	95.84%
43000	1	2,629	43,170	16,341,167		16,341,167	96.09%
46000	1	2,630	46,050	16,387,217		16,387,217	96.36%
47000	2	2,632	93,720	16,480,937		16,480,937	96.92%
49000	2	2,634	98,830	16,579,767		16,579,767	97.50%
52000	1	2,635	52,350	16,632,117		16,632,117	97.80%
54000	1	2,636	53,560	16,685,677		16,685,677	98.12%
55000	2	2,638	109,980	16,795,657		16,795,657	98.77%
56000	1	2,639	56,030	16,851,687		16,851,687	99.10%
57000	1	2,640	57,060	16,908,747		16,908,747	99.43%
97000	1	2,641	96,800	17,005,547		17,005,547	100.00%

Billing Analysis Schedules

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]

Florida Public Service Commission

Schedule: E-14 (Revised)
Page 2 of 2
Preparer: John Q. Adams II

Explanation: Provide a billing analysis for each class of service by meter size. For applicants having master metered multiple dwellings, provide number of bills at each level by meter size or number of bills categorized by the number of units. Round consumption to nearest 1,000 gallons & begin at zero. If a rate change occurred during the test year, provide a separate billing analysis which coincides with each period.

		Residential		General	
Line	Meter Size	Number of Bills	Gallons Consumed	Number of Bills	Gallons Consumed
1	5/8" x 3/4"	2,605	16,885,981	36	119,566
2					
3					
4	Total	2,605	16,885,981	36	119,566
5					
6					
7					
8					
9	Note: Consumption level report not available by class and meter size. Only class, and meter size by gallonage was available.				
10					

CLASS B
WATER AND/OR WASTEWATER UTILITIES

FINANCIAL, RATE, AND ENGINEERING MINIMUM REQUIREMENTS

OF

Sunshine Utilities of Central Florida, Inc.

Exact Legal Name of Utility

Applies To: Ponderosa Pines

REVISED SCHEDULES AS OF AUGUST 9, 2011

VOLUME I

FOR

Test Year Ended: December 31, 2010

Schedule of Water Rate Base

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Schedule Year Ended: December 31, 2010
Interim [ ] Final [X]
Historical [X] Projected [ ]

Schedule: A-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of average rate base for the test year, showing all adjustments. All non-used and useful items should be reported as Plant Held For Future Use.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Adjustments	(4) Adjusted Utility Balance	(5) Staff Adjustments	(6) Staff Adjusted Balance	(7) Supporting Schedule(s)
1	Utility Plant in Service	$ 2,813,902	$ -	$ 2,813,902	$ -	$ 2,813,902	A-5
2		-	-	-			
3	Utility Land & Land Rights	80,737	-	80,737	-	80,737	A-5
4		-	-	-			
5	Less: Non-Used & Useful Plant	-	(73,928)	(73,928)	-	(73,928)	A-7
6		-	-	-			
7	Construction Work in Progress	67	-	67	-	67	-
8		-	-	-			
9	Less: Accumulated Depreciation	(1,848,044)	-	(1,848,044)	-	(1,848,044)	A-9
10		-	-	-			
11	Less: CIAC	(1,888,114)	-	(1,888,114)	-	(1,888,114)	A-12
12		-	-	-			
13	Accumulated Amortization of CIAC	1,114,096	-	1,114,096	-	1,114,096	A-14
14		-	-	-			
15	Acquisition Adjustments	29,838	(29,838)	-	-	-	-
16		-	-	-			
17	Accum. Amort. of Acq. Adjustments	(5,222)	5,222	-	-	-	-
18		-	-	-			
19	Advances For Construction	(85,357)	85,357	-	-	-	A-16
20		-	-	-			
21	Working Capital Allowance	105,963	(332)	105,631	-	105,631	A-17
22							
23	Total Rate Base	$ 317,866	$ (13,520)	$ 304,347	$ -	$ 304,347	
24							

Schedule of Water Rate Base

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Schedule Year Ended: December 31, 2010
Interim [ ] Final [X]
Historical [X] Projected [ ]

Florida Public Service Commission

Schedule: A-1(Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of average rate base for the test year, showing all adjustments. All non-used and useful items should be reported as Plant Held For Future Use.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Adjustments	(4) Adjusted Utility Balance	(5) Staff Adjustments	(6) Staff Adjusted Balance	(7) Supporting Schedule(s)
1	Utility Plant in Service	$ 70,501	$ -	$ 70,501	$ -	$ 70,501	A-5
2							
3	Utility Land & Land Rights	10,000	-	10,000	-	10,000	A-5
4							
5	Less: Non-Used & Useful Plant	-	-	-	-	-	A-7
6							
7	Construction Work in Progress	-	-	-	-	-	-
8							
9	Less: Accumulated Depreciation	(12,226)	-	(12,226)	-	(12,226)	A-9
10							
11	Less: CIAC	(54,651)	-	(54,651)	-	(54,651)	A-12
12							
13	Accumulated Amortization of CIAC	11,447	-	11,447	-	11,447	A-14
14							
15	Acquisition Adjustments	10,000	(10,000)	-	-	-	A-3
16							
17	Accum. Amort. of Acq. Adjustments	(1,750)	1,750	-	-	-	A-3
18							
19	Advances For Construction	-	-	-	-	-	A-16
20							
21	Working Capital Allowance	4,635	-	4,635	-	4,635	A-17
22							
23	Total Rate Base	$ 37,956	$ (8,250)	$ 29,706	$ -	$ 29,706	
24							

Schedule of Water Plant in Service By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-5 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1 A-1, A-4

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**					
2	Organization	$ -	$ -	$ -	$ -	$ -
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**					
6	Land & Land Rights	10,000	10,000	10,000	-	-
7	Structures & Improvements	-	-	-	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	44,856	44,856	44,856	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	-	-	-	-	-
13	Power Generation Equipment	-	-	-	-	-
14	Pumping Equipment	7,136	8,505	7,821	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**					
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	2,466	2,697	2,582	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**					
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	-	-	-	-	-
25	Transm. & Distribution Mains	-	-	-	-	-
26	Services	5,316	6,966	6,141	-	-
27	Meters & Meter Installations	6,825	6,825	6,825	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	-	-	-	-	-
30	**GENERAL PLANT**					
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	309	411	360	-	-
34	Transportation Equipment	-	-	-	-	-
35	Stores Equipment	-	-	-	-	-
36	Tools, Shop & Garage Equipment	241	241	241	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	-	-	-	-	-
39	Communication Equipment	-	-	-	-	-
40	Miscellaneous Equipment	-	-	-	-	-
41	Abandonment of Regional Plant	-	-	-	-	-
42						
43	TOTAL	$ 77,149	$ 80,501	$ 78,825	$ -	$ -
44						

Schedule of Water Plant in Service By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-5 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1 A-1, A-4

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	**INTANGIBLE PLANT**	$ -	$ -	$ -	$ -	$ -
2	Organization	1,660	1,660	1,660	-	-
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-			
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-	-	-	-
6	Land & Land Rights	80,737	80,737	80,737	-	-
7	Structures & Improvements	7,959	7,959	7,959	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	140,857	140,857	140,857	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	107,156	107,156	107,156	-	-
13	Power Generation Equipment	57,253	57,253	57,253	-	-
14	Pumping Equipment	437,669	446,075	441,872	-	-
15	Other Plant & Misc. Equipment	-	-			
16	**WATER TREATMENT PLANT**	-	-			
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	197,460	199,916	198,688	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**	-	-			
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	33,545	33,545	33,545	-	-
25	Transm. & Distribution Mains	1,093,680	1,042,211	1,067,946	21%	220,862
26	Services	125,365	130,760	128,063	-	-
27	Meters & Meter Installations	195,282	196,495	195,889	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	25,858	25,858	25,858		
30	**GENERAL PLANT**	-	-	-	-	-
31	Land & Land Rights	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	35,521	37,441	36,481	-	-
34	Transportation Equipment	92,383	92,383	92,383	-	-
35	Stores Equipment	4,425	4,425	4,425	-	-
36	Tools, Shop & Garage Equipment	1,002	1,002	1,002	-	-
37	Laboratory Equipment	19,965	19,965	19,965	-	-
38	Power Operated Equipment	5,200	5,200	5,200	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	235,393	235,393	235,393	-	-
42						
43	TOTAL	$ 2,926,718	$ 2,894,639	$ 2,910,679		$ 220,862
44						

Non-Used and Useful Plant - Summary

Florida Public Service Commission

Schedule: A-7 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a summary of the items included in non-used and useful plant for the test year. Provide additional support schedules, if necessary.

Line No.	(1) Description	(2) Average Amount Per Books	(3) Utility Adjustments	(4) Balance Per Utility
1	WATER			
2				
3	Plant in Service	$ -	$ -	$ -
4				
5	Land	-	-	-
6				
7	Accumulated Depreciation	-	-	-
8				
9	Other (Explain)	-	-	-
10				
11				
12	Total	$ -	$ -	$ -
13				
14				
15	WASTEWATER			
16				
17	Plant in Service	$ -	$	$ -
18				
19	Land	-	-	-
20			Not Applicable	
21	Accumulated Depreciation	-	-	-
22				
23	Other (Explain)	-	-	-
24				
25				
26	Total	$ -	$ -	$ -
27				
28				
29	Supporting Schedules: A-5,A-6,A-9,A-10			
30	Recap Schedules: A-1,A-2			

Non-Used and Useful Plant - Summary

Florida Public Service Commission

Schedule: A-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a summary of the items included in non-used and useful plant for the test year. Provide additional support schedules, if necessary.

Line No.	(1) Description	(2) Average Amount Per Books	(3) Utility Adjustments	(4) Balance Per Utility
1	WATER			
2				
3	Plant in Service	$ 220,862	$ -	$ 220,862
4				
5	Land	-	-	-
6				
7	Accumulated Depreciation	(146,934)	-	(146,934)
8				
9	Other (Explain)	-	-	-
10				
11				
12	Total	$ 73,928	$ -	$ 73,928
13				
14				
15	WASTEWATER			
16				
17	Plant in Service	$ -	$	$ -
18				
19	Land	-	-	-
20			Not Applicable	
21	Accumulated Depreciation	-	-	-
22				
23	Other (Explain)	-	-	-
24				
25				
26	Total	$ -	$ -	$ -
27				
28				
29	Supporting Schedules: A-5,A-6,A-9,A-10			
30	Recap Schedules: A-1,A-2			

Schedule of Water Accumulated Depreciation By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances and average of plant in service for the prior year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-9 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1,A-8

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & Useful %	(6) Non-Used & Amount
1	***INTANGIBLE PLANT***					
2	Organization	$ -	$ -	$ -	-	$ -
3	Franchises	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**					
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	-	-	-	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	8,600	10,095	9,348	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	-	-	-	-	-
13	Power Generation Equipment	-	-	-	-	-
14	Pumping Equipment	924	(455)	235	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**					
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	255	(317)	(31)	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**					
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	-	-	-	-	-
25	Transm. & Distribution Mains	2,021	2,362	2,192	-	-
26	Services	429	562	496	-	-
27	Meters & Meter Installations	-	-	-	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	-	-	-	-	-
30	**GENERAL PLANT**					
31	Land & Land Rights	-	-	-	-	
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	66	(61)	3	-	-
34	Transportation Equipment	-	-	-	-	-
35	Stores Equipment	-	-	-	-	-
36	Tools, Shop & Garage Equipment	25	40	33	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	-	-	-	-	-
39	Communication Equipment	-	-	-	-	-
40	Miscellaneous Equipment	-	-	-	-	-
41	Abandonment of Regional Plant	-	-	-	-	-
42						
43	TOTAL	$ 12,320	$ 12,226	$ 12,273		$ -
44						

Schedule of Water Accumulated Depreciation By Primary Account
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Explanation: Provide the ending balances *and average of plant in service for the prior* year and the test year by primary account. Also show non-used & useful amounts by account.

Florida Public Service Commission

Schedule: A-9 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Recap Schedules: A-1,A-8

Line No.	(1) Account No. and Name	(2) Prior Year	(3) Test Year	(4) Average	(5) Non-Used & *Useful %*	(6) Non-Used & *Amount*
1	**INTANGIBLE PLANT**					
2	Organization	$ 6,256	$ 6,296	$ 6,276	-	$ -
3	*Franchises*	-	-	-	-	-
4	Other Plant & Misc. Equipment	-	-	-	-	-
5	**SOURCE OF SUPPLY AND PUMPING PLANT**	-	-			
6	Land & Land Rights	-	-	-	-	-
7	Structures & Improvements	1,152	1,393	1,273	-	-
8	Collect. & Impound. Reservoirs	-	-	-	-	-
9	Lake, River & Other Intakes	-	-	-	-	-
10	Wells & Springs	70,194	74,889	72,542	-	-
11	Infiltration Galleries & Tunnels	-	-	-	-	-
12	Supply Mains	12,567	15,628	14,098	-	-
13	Power Generation Equipment	31,605	35,422	33,514	-	-
14	Pumping Equipment	303,759	321,799	312,779	-	-
15	Other Plant & Misc. Equipment	-	-	-	-	-
16	**WATER TREATMENT PLANT**	-	-			
17	Land & Land Rights	-	-	-	-	-
18	Structures & Improvements	-	-	-	-	-
19	Water Treatment Equipment	188,184	193,440	190,812	-	-
20	Other Plant & Misc. Equipment	-	-	-	-	-
21	**TRANSMISSION & DISTRIBUTION PLANT**	-	-			
22	Land & Land Rights	-	-	-	-	-
23	Structures & Improvements	-	-	-	-	-
24	Distr. Reservoirs & Standpipes	23,375	24,900	24,138	-	-
25	Transm. & Distribution Mains	711,705	685,544	698,625	21%	146,934
26	Services	16,051	19,024	17,538	-	-
27	Meters & Meter Installations	104,026	110,184	107,105	-	-
28	Hydrants	-	-	-	-	-
29	Other Plant & Misc. Equipment	20,091	21,126	20,609	-	-
30	**GENERAL PLANT**	-	-			
31	*Land & Land Rights*	-	-	-	-	-
32	Structures & Improvements	-	-	-	-	-
33	Office Furniture & Equipment	17,882	17,639	17,761	-	-
34	Transportation Equipment	51,111	66,508	58,810	-	-
35	Stores Equipment	1,033	1,255	1,144	-	-
36	Tools, Shop & Garage Equipment	13,316	14,626	13,971	-	-
37	Laboratory Equipment	-	-	-	-	-
38	Power Operated Equipment	3,940	4,055	3,998	-	-
39	Communication Equipment	10,912	10,912	10,912	-	-
40	Miscellaneous Equipment	17,436	17,436	17,436	-	-
41	Abandonment of Regional Plant	176,544	205,968	191,256	-	-
42						
43	TOTAL	$ 1,781,139	$ 1,848,044	$ 1,814,592		$ 146,934
44						

Comparative Balance Sheet - Assets

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown.

Florida Public Service Commission

Schedule: A-18 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) ASSETS	(2) Test Year Ended 12/31/2010	(3) Prior Year Ended 12/31/2009
1	Utility Plant in Service	$ 2,894,640	$ 2,926,785
2	Construction Work in Progress	-	-
3	Other Utility Plant Adjustments	-	-
4			
5	GROSS UTILITY PLANT	2,894,640	2,926,785
6	Less: Accumulated Depreciation	(1,848,046)	(1,781,138)
7			
8	NET UTILITY PLANT	1,046,594	1,145,647
9			
10	Cash	46,213	48,916
11	Accounts Rec'b - Customer	47,774	41,056
12	Notes & Accts. Rec'b - Assoc. Cos.	-	-
13	Accounts Rec'b - Other	-	-
14	Allowance for Bad Debts	-	-
15	Materials & Supplies	-	-
16	Miscellaneous Current & Accrued Assets	70,901	71,739
17			
18	TOTAL CURRENT ASSETS	164,888	161,711
19			
20	Unamortized Debt Discount & Exp.	-	-
21	Prelim. Survey & Investigation Charges	-	-
22	Clearing Accounts	-	-
23	Deferred Rate Case Expense	10,675	-
24	Other Miscellaneous Deferred Debits	32,351	54,731
25	Accum. Deferred Income Taxes	-	-
26			
27	TOTAL DEFERRED DEBITS	43,026	54,731
28			
29	TOTAL ASSETS	$ 1,254,508	$ 1,362,089
30			

Comparative Balance Sheet - Equity Capital & Liabilities

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Provide a balance sheet for years requested. Provide same for historical base or intermediate years, if not already shown.

Florida Public Service Commission

Schedule: A-19 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Line No.	(1) EQUITY CAPITAL & LIABILITIES	(2) Test Year Ended 12/31/2010	(3) Prior Year Ended 12/31/2009
1	Common Stock Issued	$ 98	$ 98
2	Preferred Stock Issued	-	-
3	Additional Paid in Capital	421,351	421,351
4	Retained Earnings	(199,177)	(203,143)
5	Other Equity Capital	-	-
6			
7	TOTAL EQUITY CAPITAL	222,272	218,306
8			
9	Bonds	-	-
10	Reacquired Bonds	-	-
11	Advances From Associated Companies	-	-
12	Other Long-Term Debt	-	-
13			
14	TOTAL LONG-TERM DEBT	-	-
15			
16	Accounts Payable	60,596	113,795
17	Notes Payable	44,580	45,323
18	Notes & Accounts Payable - Assoc. Cos.	-	-
19	Customer Deposits	45,420	49,888
20	Accrued Taxes	20,623	22,010
21	Accrued Interest	10	43
22	Accrued Dividends	-	-
23	Misc. Current & Accrued Liabilities	1,633	-
24			
25	TOTAL CURRENT & ACCRUED LIABILITIES	172,862	231,059
26			
27	Advances For Construction	85,358	85,719
28	Other Deferred Credits	-	-
29	Accum. Deferred ITCs	-	-
30	Operating Reserves	-	-
31			
32	TOTAL DEFERRED CREDITS & OPER. RESERVES	85,358	85,719
33			
34	Contributions in Aid of Construction	1,888,113	1,918,337
35	Less: Accum. Amortization of CIAC	(1,114,097)	(1,091,332)
36			
37	Accumulated Deferred Income Taxes	-	-
38			
39	TOTAL EQUITY CAPITAL & LIABILITIES	$ 1,254,508	$ 1,362,089
40			

Schedule of Water Net Operating Income

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: B-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of net operating income for the test year. If amortization (Line 4) is related to any amount other than an acquisition adjustment, submit an additional schedule showing a description and calculation of charge.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Test Year Adjustments	(4) Utility Adjusted Test Year	(5) Requested Revenue Adjustment	(6) Requested Annual Revenues	(7) Supporting Schedule(s)
1	OPERATING REVENUES	$ 34,877	$ -	$ 34,877	16,310	51,187	B-4
2							
3	Operation & Maintenance	37,081	-	37,081	340	37,421	B-5
4						-	
5	Depreciation, net of CIAC Amort.	888	-	888		888	B-13
6						-	
7	Amortization	250	-	250	3,125	3,375	
8						-	
9	Taxes Other Than Income	3,745	-	3,745	734	4,479	B-15
10						-	
11	Provision for Income Taxes	-	-	-		-	C-1
12							
13	OPERATING EXPENSES	41,964	-	41,964	4,199	46,163	
14							
15	NET OPERATING INCOME	$ (7,087)	$ -	$ (7,087)	12,111	5,024	
16							
17							
18	RATE BASE	37,956		29,706		29,706	
19							
20							
21	RATE OF RETURN	-20.32%		-20.32%		9.81%	
22							

Schedule of Water Net Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the calculation of net operating income for the test year. If amortization (Line 4) is related to any amount other than an acquisition adjustment, submit an additional schedule showing a description and calculation of charge.

Line No.	(1) Description	(2) Balance Per Books	(3) Utility Test Year Adjustments	(4) Utility Adjusted Test Year	(5) Requested Revenue Adjustment	(6) Requested Annual Revenues	(7) Supporting Schedule(s)
1	OPERATING REVENUES	951,110	$ (7,277)	$ 943,833	$ 199,850	$ 1,143,683	B-4
2							
3	Operation & Maintenance	847,702	(2,661)	845,041	9,769	854,810	B-5
4							
5	Depreciation, net of CIAC Amort.	71,871	(7,801)	64,070	-	64,070	B-13
6							
7	Amortization	746	-	746	12,500	13,246	
8							
9	Taxes Other Than Income	90,667	(310)	90,357	8,993	99,350	B-15
10							
11	Provision for Income Taxes	-	-	-	-	-	C-1
12							
13	OPERATING EXPENSES	1,010,986	(10,772)	1,000,213	31,263	1,031,476	
14							
15	NET OPERATING INCOME	(59,876)	$ 3,495	$ (56,380)	$ 168,587	$ 112,207	
16							
17							
18	RATE BASE	267,468		267,468		267,468	
19							
20							
21	RATE OF RETURN	-6.30%		-5.97%		9.81%	
22							

2010 Leverage Formula

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-1(a) Revised
Page 1 of 1
Preparer: John Q. Adams II

Water & Wastewater Leverage Formula
Docket 110006-WS
YEAR 2011

Leverage Formula **7.13%** + **1.610%** Divided by Equity Ratio

Aqua Utilities Florida
Company Equity Ratio **60.0%** **Insert Equity Ratio**

Company's ROE **9.81%**

Range
8.74% - 11.16%

Schedule of Adjustments to Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-3 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a detailed description of all adjustments to operating income per books, with a total for each line item shown on the net operating income statement.

Line No.	Description			Water	Wastewater
1	**Pro Forma Revenue Adjustment**				
2					
3	Revenue Increase			16,310	
4	Adjustment due to increase in RAF				
5	Increase in revenue required by the utility to realize a 9.81% rate of return			-	
6					
7	*Total Adjustments to Revenues*			16,310	Not Applicable
8					
9					
10					
11	**Pro Forma Expense Adjustment**				
12					
13	Requested final revenue increase			16,310	
14	RAF tax rate			4.50%	
15					
16	Adjusted test year RAF's			734	Not Applicable
17					
18					
19	Price Index Adjustments				
20	Adjust various O&M Expenses for Pro Forma Increases for the next twelve				
21	months using the change in the price index from 2010 to 2011 223.600 / 218.056 = 1.025 - 1 = .025 increase				
22					
23		B-5 Workpaper			
24	615 Purchased Power	3,210	0.025	80	
25	618 Chemicals	475	0.025	12	
26	620 Materials & Supplies	940	0.025	23	
27	632 Contractual Services - Acct.	431	0.025	11	
28	635 Contractual Services - Testing	880	0.025	22	
29	636 Contractual Services - Other	1,624	0.025	41	
30	641 Rental of Building/Real Prop.	483	0.025	12	
31	642 Rental of Equipment	325	0.025	8	
32	650 Transportation Expenses	1,787	0.025	45	
33	656 Insurance - Vehicle	431	0.025	11	
34	658 Insurance - Workman's Comp.	442	0.025	11	
35	675 Miscellaneous Expenses	2,573	0.025	64	
36					
37	Total			340	Not Applicable
38					
39	*Rate Case Expense*				
40					
41	Current rate case annual expense amortization (Schedule B-10) 1/4 of annual expense			3,125	
42	Prior rate case annual expense amortization (Schedule B-10)			-	
43					
44	Total			3,125	
45					
46					

Schedule of Adjustments to Operating Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-3 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a detailed description of all adjustments to operating income per books, with a total for each line item shown on the net operating income statement.

Line No.	Description	Water	Wastewater
1	**Test Year Revenue Adjustment**		
2			
3	Lakeview Revenue Adjustment		
4			
5			
6	Current year revenue	(7,277)	
7	(Lakeview sold in 2010)		
8			
9	Total Adjustments to Revenues	(7,277)	Not Applicable
10			
11			
91	**Test Year Expense Adjustments**		
92			
93	Lakeview O&M Expenses		
94			
95	Current rate case annual O&M expenses	(2,661)	
96	(Lakeview sold in 2010)		
97			
98	Adjustment required	(2,661)	Not Applicable
99			
100			
101	Depreciation Adjustment		
102			
103	Less: Non-used and useful transmission and distribution plant	(7,801)	
104			
105	Adjustment required	(7,801)	Not Applicable
106			
107			
108	Taxes Other Than Income		
109			
110	RAF Assessment on Lakeview	(310)	
111	(Lakeview sold in 2010)		
112			
113	Adjustment Required	(310)	Not Applicable
114			
137	**Pro Forma Revenue Adjustments**		
138			
139	Revenue Increase	199,850	
140	Adjustment due to increase in RAF	-	
141	Increase in revenue required by the utility to realize a 9.81% rate of return		
142			
143	Total Adjustments to Revenues	199,850	Not Applicable
144			
145	**Pro Forma Expense Adjustment**		
146			
147	Requested final revenue increase	199,850	
148	RAF tax rate	4.50%	
149			
150	Adjusted test year RAF's	8,993	Not Applicable
151			
152			
153	Price Index Adjustments		
154	Adjust various O&M Expenses for Pro Forma Increases for the next twelve		
155	months using the change in the price index from 2010 to 2011 223.600 / 218.056 = 1.025 - 1 = .025 increase		
156			
157	615 Purchased Power		
158	618 Chemicals	1,791	
159	620 Materials & Supplies	514	
160	632 Contractual Services - Acct.	531	
161	635 Contractual Services - Testing	174	
162	636 Contractual Services - Other	1,048	
163	641 Rental of Building/Real Prop.	1,638	
164	642 Rental of Equipment	1,166	
165	650 Transportation Expenses	166	
166	656 Insurance - Vehicle	817	
167	658 Insurance - Workman's Comp.	191	
168	675 Miscellaneous Expenses	217	
169			
170		8,252	Not Applicable
171			
172			
173	Rate Case Expense		
174			
175	Current rate case annual expense amortization (Schedule B-10) 1/4 of annual expense	12,500	
176	Prior rate case annual expense amortization (Schedule B-10)	-	
177			
178	Total	12,500	
179			

Test Year Operating Revenues

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Complete the following revenue schedule for the historical test year or base year.

Schedule: B-4 (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Line No.	WATER SALES Account No. and Description	Total Water	WASTEWATER SALES Account No. and Description	(1) Total Wastewater
1	460 Unmetered Water Revenue	32,905	521.1 Flat Rate - Residential	-
2	461.1 Metered - Residential	-	521.2 Flat Rate - Commercial	-
3	461.2 Metered - Commercial	-	521.3 Flat Rate - Industrial	-
4	461.3 Metered - Industrial	-	521.4 Flat Rate - Public Authorities	-
5	461.4 Metered - Public Authorities	-	521.5 Flat Rate - Multi-Family	-
6	461.5 Metered - Multi-Family	-	521.6 Flat Rate - Other	Not Applicable
7	462.1 Public Fire Protection	-	522.1 Measured - Residential	-
8	462.2 Private Fire Protection	-	522.2 Measured - Commercial	-
9	464 Other Sales - Public Authorities	-	522.3 Measured - Industrial	-
10	465 Irrigation Customers	-	522.4 Measured - Public Authority	-
11	466 Sales for Resale	-	522.5 Measured - Multi-Family	-
12	467 Interdepartmental Sales	-	523 Other Sales - Public Authorities	-
13			524 Revenues from Other Systems	-
14	TOTAL WATER SALES	32,905	525 Interdepartmental Sales	-
15				
16	OTHER WATER REVENUES		TOTAL WASTEWATER SALES	-
17	470 Forfeited Discounts	-		
18	471 Misc. Service Revenues	1,972	OTHER WASTEWATER REVENUES	
19	472 Rents From Water Property	-	531 Sale of Sludge	-
20	473 Interdepartmental Rents	-	532 Forfeited Discounts	-
21	474 Other Water Revenues	-	534 Rents From Wastewater Property	-
22			535 Interdepartmental Rents	-
23	TOTAL OTHER WATER REVENUES	1,972	536 Other Wastewater Revenues	-
24				
25	TOTAL WATER OPERATING REVENUES	34,877	TOTAL OTHER WASTEWATER REVENUES	-
26				
27			TOTAL WASTEWATER OPERATING REVENUE	-

Test Year Operating Revenues

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Explanation: Complete the following revenue schedule for the historical test year or base year.

Florida Public Service Commission

Schedule: B-4 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Line No.	WATER SALES Account No. and Description	Total Water	WASTEWATER SALES Account No. and Description	(1) Total Wastewater
1	460 Unmetered Water Revenue	46,521	521.1 Flat Rate - Residential	-
2	461.1 Metered - Residential	855,394	521.2 Flat Rate - Commercial	-
3	461.2 Metered - Commercial	-	521.3 Flat Rate - Industrial	-
4	461.3 Metered - Industrial	-	521.4 Flat Rate - Public Authorities	-
5	461.4 Metered - Public Authorities	-	521.5 Flat Rate - Multi-Family	-
6	461.5 Metered - Multi-Family	-	521.6 Flat Rate - Other	Not Applicable
7	462.1 Public Fire Protection	-	522.1 Measured - Residential	-
8	462.2 Private Fire Protection	-	522.2 Measured - Commercial	-
9	464 Other Sales - Public Authorities	-	522.3 Measured - Industrial	-
10	465 Irrigation Customers	-	522.4 Measured - Public Authority	-
11	466 Sales for Resale	-	522.5 Measured - Multi-Family	-
12	467 Interdepartmental Sales	-	523 Other Sales - Public Authorities	-
13			524 Revenues from Other Systems	-
14	TOTAL WATER SALES	901,915	525 Interdepartmental Sales	-
15				
16	OTHER WATER REVENUES		TOTAL WASTEWATER SALES	-
17	470 Forfeited Discounts	-		
18	471 Misc. Service Revenues	49,195	OTHER WASTEWATER REVENUES	
19	472 Rents From Water Property	-	531 Sale of Sludge	-
20	473 Interdepartmental Rents	-	532 Forfeited Discounts	-
21	474 Other Water Revenues	-	534 Rents From Wastewater Property	-
22			535 Interdepartmental Rents	-
23	TOTAL OTHER WATER REVENUES	49,195	536 Other Wastewater Revenues	-
24				
25	TOTAL WATER OPERATING REVENUES	951,110	TOTAL OTHER WASTEWATER REVENUES	-
26				
27			TOTAL WASTEWATER OPERATING REVENUE	-

Operation & Maintenance Expense Comparison - Water

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-7 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Complete the following comparison of the applicant's current and prior test year O&M expenses before this Commission. Provide an explanation of all differences which are not attributable to the change in customer growth and the CPI-U. If the applicant has not had a previous rate case, use the year 5 years prior to the test year for comparison. Provide an additional schedule, if necessary, to explain differences.

Line No.	(1) Account No. and Name	(2) Prior 5 yr 12/31/2005	(3) Current TY 12/31/2010	(4) $ Difference	(5) % Difference	(6) Explanation
1	601 Salaries & Wages - Employees	$ 6,874	$ 10,887	$ 4,013	% 58.38%	More residents and hookups more payroll needed.
2	603 Salaries & Wages - Officers, Etc.	6,555	7,695	1,140	17.39%	More residents and hookups more payroll needed.
3	604 Employee Pensions & Benefits	2,494	4,369	1,875	75.18%	Cost of health insurance went up as well as payroll went up
4	610 Purchased Water	-	-	-	0%	
5	615 Purchased Power	2,535	3,211	676	26.67%	Increase in hookups caused an increase in purchased power
6	616 Fuel for Power Purchased	-	-	-	0%	
7	618 Chemicals	429	475	46	10.72%	
8	620 Materials & Supplies	663	939	276	41.63%	More residents and hookups more supplies needed.
9	631 Contractual Services - Engr.	-	-	-	0%	
10	632 Contractual Services - Acct.	223	431	208	93.27%	More residents and hookups more services needed.
11	633 Contractual Services - Legal	-	-	-	0.00%	
12	634 Contractual Services - Mgmt. Fees	-	-	-	0%	
13	635 Contractual Services - Other	3,620	2,503	(1,117)	-30.86%	
14	641 Rental of Building/Real Prop.	684	483	(201)	-29.39%	
15	642 Rental of Equipment	66	325	259	392.42%	More hookups and residents required more equipment
16	650 Transportation Expenses	1,836	1,787	(49)	0%	
17	656 Insurance - Vehicle	362	425	63	17.40%	Cost of insurance has risen over the years
18	657 Insurance - General Liability	5	-	(5)	-100.00%	
19	658 Insurance - Workman's Comp.	273	442	169	61.90%	Cost of insurance has risen over the years
20	659 Insurance - Other	-	6	6	0%	
21	660 Advertising Expense	-	-	-	0%	
22	666 Reg. Comm. Exp. - Rate Case Amort.	-	-	-	0%	
23	667 Reg. Comm. Exp. - Other	-	-	-	0%	
24	670 Bad Debt Expense	85	530	445	523.53%	The economy changed drastically over the last five years
25	675 Miscellaneous Expenses	1,948	2,573	625	32.08%	More residents and hookups caused increase in expenses
26	TOTAL	$ 28,652	$ 37,081	$ 8,429	% 29.42%	
27	Total Customers	186	175	(11)	-5.91%	
28	Consumer Price Index - U	195.30	218.056	22.76	11.65%	

Operation & Maintenance Expense Comparison - Water

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Complete the following comparison of the applicant's current and prior test year O&M expenses before this Commission. Provide an explanation of all differences which are not attributable to the change in customer growth and the CPI-U. If the applicant has not had a previous rate case, use the year 5 years prior to the test year for comparison. Provide an additional schedule, if necessary, to explain differences.

Line No.	(1) Account No. and Name	(2) Prior TY 5/31/1990	(3) Current TY 12/31/2010	(4) $ Difference	(5) % Difference	(6) Explanation
1	601 Salaries & Wages - Employees	$ 173,672	$ 237,674	$ 64,002	% 36.85%	
2	603 Salaries & Wages - Officers, Etc.	88,720	136,620	47,900	53.99%	
3	604 Employee Pensions & Benefits	16,282	77,780	61,498	377.71%	Cost of health insurance went up as well as payroll went up
4	610 Purchased Water	-	-	-	0%	
5	615 Purchased Power	34,376	71,624	37,248	108.35%	Increase in rates and hookups over the last twenty years
6	616 Fuel for Power Purchased	-	77	77	0%	
7	618 Chemicals	7,814	20,569	12,755	163.23%	Prices increase as well as more residents and hookups.
8	620 Materials & Supplies	35,070	21,252	(13,818)	-39.40%	
9	631 Contractual Services - Engr.	4,191	-	(4,191)	0%	
10	632 Contractual Services - Acct.	6,928	6,799	(129)	-1.86%	
11	633 Contractual Services - Legal	7,849	165	(7,684)	-97.90%	
12	634 Contractual Services - Mgmt. Fees	2,324	-	(2,324)	0%	
13	635 Contractual Services - Other	49,556	107,409	57,853	116.74%	Prices increase as well as more residents and hookups.
14	641 Rental of Building/Real Prop.	8,095	46,655	38,560	476.34%	Prices increase as well as more residents and hookups.
15	642 Rental of Equipment	2,189	6,633	4,444	203.02%	Prices increase as well as more residents and hookups.
16	650 Transportation Expenses	16,650	32,683	16,033	0%	
17	656 Insurance - Vehicle	13,317	7,530	(5,787)	-43.46%	
18	657 Insurance - General Liability	191	-	(191)	0%	
19	658 Insurance - Workman's Comp.	6,819	8,673	1,854	27.19%	
20	659 Insurance - Other	-	98	98	0%	
21	660 Advertising Expense	636	-	(636)	0%	
22	666 Reg. Comm. Exp. - Rate Case Amort.	-	-	-	0%	
23	667 Reg. Comm. Exp. - Other	2,000	-	(2,000)	-100.00%	
24	670 Bad Debt Expense	8,744	4,777	(3,967)	-45.37%	
25	675 Miscellaneous Expenses	30,602	60,684	30,082	98.30%	Prices increase as well as more residents and hookups.
26	TOTAL	$ 516,025	$ 847,702	$ 331,677	% 64.28%	
27	Total Customers	2,668	3,633	965	36.17%	
28	Consumer Price Index - U	130.70	218.056	87.36	66.84%	

Analysis of Rate Case Expense

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010

Schedule: B-10 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide the total amount of rate case expense requested in the application. State whether the total includes the amount up to proposed agency action or through a hearing before the Commission. Provide a list of each firm providing services for the applicant, the individuals for each firm assisting in the application, including each individual's hourly rate, and an estimate of the total charges to be incurred by each firm, as well as a description of the type of services provided. Also provide the additional information for amortization and allocation method, including support behind this determination.

Line No.	(1) Firm or Vendor Name	(2) Counsel, Consultant or Witness	(3) Hourly Rate Per Person	(4) Total Estimate Of Charges By Firm	(5) Type of Service Rendered	Time Log (hours) Preparing MFR's	Total Invoiced Amounts	Type of Service Rendered	Time Log (hours estimated) PAA Process	Total Estimated Costs
1	Adams & Company PA	John Q. Adams II	$ 150	$ 50,000	Preparation of MFR's	91	$ 13,650	Answer, assist with	28.25	$ 4,238
2		Austin K. Vealey	100		Preparation of MFR's	232	$ 23,200	questions, and corrections	84.00	$ 8,400
3										
4					Supplies		512			
5										
6		Total Billed				323	37,362		112.25	12,638
7	Total									
8										
9	Estimate Through									
10	[x] PAA									
11	[ ] Commission Hearing									
12										
13	Amortization Period 4 Years									
14	Explanation if different from Section 367.0816, Florida Statutes:									
15										
16										
17										

Line No.	Amortization of Rate Case Expense:	(A) Water	(B) Wastewater	(C) Total	(B) Wastewater	(B) Wastewater
18						
19						
20						
21	Prior Unamortized Rate Case Expense	$ -	$ -	$ -	-	-
22	Current Rate Case Expense	50,000		50,000		
23						
24	Total Projected Rate Case Expense	$ 50,000	$ Not Applicable	$ 50,000	Not Applicable	Not Applicable
25						
26	Annual Amortization	$ 12,500	$ -	$ 12,500	-	-
27						
28	Method of Allocation Between Systems:					
29	The company provides water service only; therefore, no allocation is necessary					

Taxes Other Than Income

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Schedule: B-15 (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Explanation: Complete the following schedule of all taxes other than income.
For all allocations, provide description of allocation and calculations.

Line No.	(1) Description	(2) Regulatory Assessment Fees (RAFs)	(3) Payroll Taxes	(4) Real Estate & Personal Property	(5) Other	(6) Total
WATER						
1	Test Year Per Books	$ 1,570	$ 1,467	$ 708	$ -	$ 3,745
	Adjustments to Test Year (Explain)					
2						-
3						
4						
5						
6	Total Test Year Adjustments	-	-	-	-	-
7	Adjusted Test Year	1,570	1,467	708	-	3,745
8	RAFs Assoc. with Revenue Increase					
9	Total Balance	$ 1,570	$ 1,467	$ 708	$ -	$ 3,745
WASTEWATER						
10	Test Year Per Books					
	Adjustments to Test Year (Explain)					
11				Not Applicable		
12						
13						
14						
15	Total Test Year Adjustments					
16	Adjusted Test Year					
17	RAFs Assoc. with Revenue Increase					
18	Total Balance					

Taxes Other Than Income

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: B-15 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II
Recap Schedules: B-1,B-2

Explanation: Complete the following schedule of all taxes other than income.
For all allocations, provide description of allocation and calculations.

Line No.	(1) Description	(2) Regulatory Assessment Fees (RAFs)	(3) Payroll Taxes	(4) Real Estate & Personal Property	(5) Other	(6) Total
WATER						
1	Test Year Per Books	$ 42,801	$ 29,559	$ 18,307	$ -	$ 90,667
	Adjustments to Test Year (Explain)					
2	RAF Assessment on Lakeview	-	(310)	-	-	(310)
3						
4						
5						
6	Total Test Year Adjustments	-	(310)	-	-	(310)
7	Adjusted Test Year	42,801	29,249	18,307	-	90,357
8	RAFs Assoc. with Revenue Increase					
9	Total Balance	$ 42,801	$ 29,249	$ 18,307	$ -	$ 90,357
WASTEWATER						
10	Test Year Per Books					
	Adjustments to Test Year (Explain)					
11				Not Applicable		
12						
13						
14						
15	Total Test Year Adjustments					
16	Adjusted Test Year					
17	RAFs Assoc. with Revenue Increase					
18	Total Balance					

Schedule of Requested Cost of Capital
Beginning and End of Year Average

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Florida Public Service Commission

Schedule: D-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a schedule which calculates the requested Cost of Capital on a beginning and end of year average basis. If a year-end basis is used submit an additional schedule reflecting year-end calculations.

Line No.	Class of Capital		(1) Reconciled To Requested Rate Base	(2) Percent of Total	(3) Cost	(4) Weighted Cost
1	Long-Term Debt	$	-	-		
2						
3	Short-Term Debt		127,442	32.25%	5.83%	1.88%
4						
5	Preferred Stock		-	-		
6						
7	Customer Deposits		45,420	11.49%	6.00%	0.69%
8						
9	Common Equity		222,272	56.25%	10.85%	6.10%
10						
11	Tax Credits - Zero Cost		-	-		
12						
13	Tax Credits - Wtd. Cost		-	-		
14						
15	Accum. Deferred Income Taxes		-	-		
16						
17	Other (Explain)		-	-		
18						
19	Total	$	395,134	100.00%		8.67%
20						
21						
22	Note: Equity cost rate based on the most recent leverage graph approved by					
23	the Commission.					
24						
25	Schedule represents the entire company as a whole, and could not be broken down by plant.					
26						
27	Supporting Schedules: D-2					
28	Recap Schedules: A-1,A-2					

Reconciliation of Capital Structure to Requested Rate Base
Beginning and End of Year Average

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Schedule: D-2 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a reconciliation of the simple average capital structure to requested rate base. Explain all adjustments. Submit an additional schedule if a year-end basis is used.

Line No.	(1) Class of Capital	(2) Test Year Per Books	(3) Reconciliation Adjustments Specific	(4) Prorata %	(5) Prorata *	(6) Reconciled To Requested Rate Base
1	Long-Term Debt	$ -	$ -	$ -	$ -	$ -
2	Short-Term Debt	127,442		32.25%	76,672	204,114
3	Preferred Stock	-				
4	Common Equity	222,272		56.25%	133,723	355,995
5	Customer Deposits	45,420		11.49%	27,326	72,746
6	Tax Credits - Zero Cost	-				
7	Tax Credits - Wtd. Cost	-				
8	Accum. Deferred Income Tax	-				
9	Other (Explain)	-				
10						
11	Total	$ 395,134	$	100.00%	$ (237,721)	$ 157,413
12						
13						
14						
15						
16						
17	Description			Amount		
18						
19						
20	Note: Capital structure was reconciled to rate base on a prorata basis, using the percent					
21	ratios of the components of total capital structure applied to the rate base shown above.					
22	reconciliation was reconciled to the company as a whole as the debt and equity					
23	would be skewed breaking it out per rate case.					
24						
25						
26						
27						
28	Supporting Schedules: A-19,C-7,C-8,D-3,D-4,D-5,D-7					
29	Recap Schedules: D-1					

Revenue Schedule at Present and Proposed Rates

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Schedule: E-2 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a calculation of revenues at present and proposed rates using the billing analysis. Explain any differences between these revenues and booked revenues. If a rate change occurred during the test year, a revenue calculation must be made for each period.

(1) *Class/Meter Size*	(2) Number Bills	(3) Consumption in MG	(4) Present Rate	(5) Revenues at Present Rates	(6) Proposed Rate	(7) Revenues at Proposed Rates
Residential						
5/8" x 3/4"	2,125				9.80	$ 20,825
Gallonage charge per 1,000 MG		14,726			2.32	34,165
1" Etc.					24.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/4"					33.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/2"					45.00	-
Gallonage charge per 1,000 MG					2.32	-
2"					71.00	-
Gallonage charge per 1,000 MG					2.32	-
3"					150.00	-
Gallonage charge per 1,000 MG					2.32	-
4"					225.00	-
Gallonage charge per 1,000 MG					2.32	-
6"					470.00	-
Gallonage charge per 1,000 MG					2.32	-
Total Residential	2,125	14,726		-		54,990
Average Bill			$	-		$ -
General Service						
5/8" x 3/4"					9.80	$ -
Gallonage charge per 1,000 MG					2.32	-
1" Etc.					24.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/4"					33.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/2"					45.00	-
Gallonage charge per 1,000 MG					2.32	-
2"					71.00	-
Gallonage charge per 1,000 MG					2.32	-
3"					150.00	-
Gallonage charge per 1,000 MG					2.32	-
4"					225.00	-
Gallonage charge per 1,000 MG					2.32	-
6"					470.00	-
Gallonage charge per 1,000 MG					2.32	-
Total Gen. Serv.	0	-		-		-
Average Bill			$	-		$ -
Multi Family Residence						
5/8" x 3/4"					9.80	-
Gallonage charge per 1,000 MG					2.32	-
1" Etc.					24.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/4"					33.00	-
Gallonage charge per 1,000 MG					2.32	-
1-1/2"					45.00	-
Gallonage charge per 1,000 MG					2.32	-
2"					71.00	-
Gallonage charge per 1,000 MG					2.32	-
3"					150.00	-
Gallonage charge per 1,000 MG					2.32	-
4"					225.00	-
Gallonage charge per 1,000 MG					2.32	-
6"					470.00	-
Gallonage charge per 1,000 MG					2.32	-
Total Multi Family Residence				-		-
Average Bill			$	-		$ -
List Other Classes As Above						
Flat Rate	2,125		15.66	33,278		
Totals	2,125			33,278		54,990
Unbilled Revenues						
Other Revenue						
Misc. Serv. Charges				1,987		1,987
Total Revenue				35,265		56,977
Booked Revenue				34,877		51,187
Difference (Explain)				388		5,790

Note: Proposed rates are based on the new leverage formula for the ROR. In addition the proposed rates are indicative of all four rate cases being combined into one rate case. If this does not happen then a revised E-2 will need to be provided to adjust each rate case to its ROR.

Revenue Schedule at Present and Proposed Rates

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Utility [ ] or Parent [ ]
Historic [X] or Projected [ ]

Schedule: E-2 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide a calculation of revenues at present and proposed rates using the billing analysis. Explain any differences between these revenues and booked revenues. If a rate change occurred during the test year, a revenue calculation must be made for each period.

(1) Class/Meter Size	(2) Number Bills	(3) Consumption in MG	(4) Present Rate	(5) Revenues at Present Rates	Flat Rate Systems Number Bills	Flat Rate Systems Gallons Sold Assumption	(6) Proposed Rate	(7) Revenues at Proposed Rates
Residential								
5/8" x 3/4"	39,072			316,352	3,635		9.80	418,529
Gallonage charge per 1,000 MG		213,945	Various	426,824		23,657	2.32	551,239
1" Etc.	26		Various	541			24.00	624
Gallonage charge per 1,000 MG		207	Various	423			2.32	481
1-1/4"	56		Various	1,749			33.00	1,848
Gallonage charge per 1,000 MG		345	Various	705			2.32	801
1-1/2"	13		Various	541			45.00	585
Gallonage charge per 1,000 MG		46	Various	94			2.32	107
2"	50		Various	3,332			71.00	3,550
Gallonage charge per 1,000 MG		357	Various	729			2.32	829
3"				-			150.00	-
Gallonage charge per 1,000 MG							2.32	-
4"	11			2,290			225.00	2,475
Gallonage charge per 1,000 MG		31		63			2.32	71
6"							470.00	-
Gallonage charge per 1,000 MG							2.32	-
Total Residential	39,228	214,932		753,643	3,635	23,657		981,139
Average Bill								25
General Service								
5/8" x 3/4"	637			5,181			9.80	6,243
M Gallons		5,333		10,812			2.32	12,374
1" Etc.	54			1,124			24.00	1,296
M Gallons Etc.		777		1,586			2.32	1,803
1-1/4"	8			250			33.00	264
Gallonage charge per 1,000 MG		162		331			2.32	377
1-1/2"	13			541			45.00	585
M Gallons		27		56			2.32	64
2"	23			1,532			71.00	1,633
M Gallons		1,510		3,080			2.32	3,502
3"	-			-			150.00	-
M Gallons		-		-			2.32	-
4"	-			-			225.00	-
M Gallons		-		-			2.32	-
6"	-			-			470.00	-
M Gallons		-		-			2.32	-
Total Gen. Serv.	735	7,810		24,494				28,140
Average Bill				33				38
Multi Family Residence								
5/8" x 3/4"	80			667			9.80	784
M Gallons		8,029		16,379			2.32	18,628
1" Etc.	12			250			24.00	288
M Gallons Etc.		250		510			2.32	580
1-1/4"	570			17,801			33.00	18,810
M Gallons		8,174		16,676			2.32	18,965
1-1/2"	121			5,040			45.00	5,445
M Gallons		2,729		5,567			2.32	6,331
2"	5			333			71.00	355
M Gallons		407		831			2.32	945
3"	11			1,468			150.00	1,650
M Gallons		541		1,104			2.32	1,255
4"	11			2,290			225.00	2,475
M Gallons		4,122		8,409			2.32	9,563
6"	-						470.00	-
M Gallons				-			2.32	-
Total Multi Family Serv.	810	24,253		77,326				86,074
				95				106
List Other Classes								
Flat Rate	3,635			47,623				
Totals	3,635			903,085				1,095,353
Unbilled Revenues								
Other Revenue								
Misc. Serv. Charges				49,297				49,297
Total Revenue				952,382				1,144,650
Booked Revenue				951,110				1,143,683
Difference (Explain)				1,272				967

Gallons of Water Pumped, Sold and Unaccounted For
In Thousands of Gallons

Florida Public Service Commission

Schedule F-1 (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Historic [X] or Projected [ ]

Explanation: Provide a schedule of gallons of water pumped, sold and unaccounted for each month of the test year. The gallons pumped should match the flows shown on the monthly operating reports sent to DEP. The other uses may include plant use, flushing of hydrants and water and wastewater lines, line breakages and fire flows. Provide all calculations to substantiate the other uses. If unaccounted for water is greater than 10%, provide an explanation as to the reasons why; if less than 10%, Columns 4 & 5 may be omitted.

Month/ Year	(1) Total Gallons Pumped	(2) Gallons Purchased	(3) Gallons Sold	(4) Other Uses	(5) Unaccounted For Water (1)+(2)-(3)-(4)	(6) % Unaccounted For Water
Jan	1,361,500	-				
Feb	956,600	-				
Mar	978,900	-				
Apr	1,468,300	-				
May	1,416,400	-				
Jun	1,449,600	-		Not Applicable		
Jul	1,325,900	-				
Aug	1,151,600	-				
Sep	1,253,000	-				
Oct	1,140,200	-				
Nov	1,105,200	-				
Dec	1,119,200	-				
Total	14,726,400	-	-			

Gallons of Water Pumped, Sold and Unaccounted For
In Thousands of Gallons

Florida Public Service Commission

Schedule F-1 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]
Historic [X] or Projected [ ]

Explanation: Provide a schedule of gallons of water pumped, sold and unaccounted for each month of the test year. The gallons pumped should match the flows shown on the monthly operating reports sent to DEP. The other uses may include plant use, flushing of hydrants and water and wastewater lines, line breakages and fire flows. Provide all calculations to substantiate the other uses. If unaccounted for water is greater than 10%, provide an explanation as to the reasons why; if less than 10%, Columns 4 & 5 may be omitted.

Month/ Year	(1) Total Gallons Pumped	(2) Gallons Purchased	(3) Gallons Sold	(4) Other Uses	(5) Unaccounted For Water (1)+(2)-(3)-(4)	(6) % Unaccounted For Water
Jan	26,224,580	-	18,147,762	-	8,076,818	30.80%
Feb	24,064,340	-	17,730,261	-	6,334,079	26.32%
Mar	21,949,980	-	15,325,597	-	6,624,383	30.18%
Apr	27,261,010	-	21,520,383	-	5,740,627	21.06%
May	29,438,450	-	22,438,936	-	6,999,514	23.78%
Jun	31,197,320	-	24,632,709	-	6,564,611	21.04%
Jul	29,000,290	-	21,713,344	-	7,286,946	25.13%
Aug	29,816,015	-	23,459,224	-	6,356,791	21.32%
Sep	27,838,430	-	20,849,181	-	6,989,249	25.11%
Oct	26,531,140	-	21,876,510	-	4,654,630	17.54%
Nov	28,476,690	-	20,686,380	-	7,790,310	27.36%
Dec	27,749,600	-	18,615,252	-	9,134,348	32.92%
Total	329,547,845	-	246,995,539	-	82,552,306	25.05%

Explanation:
Due to broken main lines and flushing. Ocklawaha and Oakhaven account for most of this due to sulfur wells which require more flushing.
Sandy acres has a lot of flushing due to dead end lines. In addition there has been a large amount of sand buildup in wells which also contributed to more flushing.

Used and Useful Calculations
Water Distribution and Wastewater Collection Systems

Florida Public Service Commission

Company: Sunshine Utilities of Central Florida, Inc.
Docket No.: 100048-WU
Test Year Ended: December 31, 2010
Water [X] or Wastewater [ ]

Schedule F-7 (Combined) (Revised)
Page 1 of 1
Preparer: John Q. Adams II

Explanation: Provide all calculations, analyses and governmental requirements used to determine the used and useful percentages for the water distribution and wastewater collection systems for the historical and the projected test year (if applicable). The capacity should be in terms of ability to serve a designated number of connections. It should then be related to actual connected density for historical year calculations. Explain all assumptions for projected calculations. If the distribution and collection systems are entirely contributed or built-out, this schedule is not required.

System	Total Lots with Lines	Occupied Lots with Lines	Percentage Used & Useful
Ashley Heights	50	50	100%
Belleview Oaks	95	88	93%
Burks/Ocala Garden	29	25	86%
Country Walk	77	68	88%
Eleven Oaks	44	40	91%
Emil Marr	87	81	93%
SunRay	97	92	95%
Sugar Plum	67	64	96%
Stonehill	95	90	95%
Baldwin Heights	11	8	73%
Carol Estates	239	236	99%
Pearl Britain	32	32	100%
Boulder Hill	32	30	94%
Jason's Landing	51	48	94%
Florida Heights	118	110	93%
Floyd Clard/Hodges	50	50	100%
Northwoods	28	24	86%
Foreoaks	58	51	88%
Coventry	168	158	94%
Ballard Acres	23	23	100%
Hilltop	64	61	95%
Hilltop Phase II	37	29	78%
Hilltop Phase III	159	106	67%
Lakeview Hills	81	65	80%
Little Lake Weir	787	436	55%
Oakhaven	82	82	100%
Oakhurst	115	115	100%
Ocala Heights	168	106	63%
Reynolds	91	87	96%
Silverwood Villas	84	83	99%
Spanish Palms	129	45	35%
Country Aire	25	21	84%
Lexington Estates	72	15	21%
Ocklawaha	529	346	65%
Sanctuary	24	18	75%
Sunlight Acres	84	80	95%
Sun Resorts	33	32	97%
Whispering Sands	128	128	100%
Winding Waters	191	191	100%
Lake Forrest	8	5	63%
Lake Bryant Ridge	33	21	64%
Sandy Acres	295	273	93%
Quail Run	59	55	93%
Ponderossa Pines	198	198	100%
Total	4,927	3,966	80%

Recap Schedules: A-5,A-6,A-9,A-10,B-13,B-14

COMMISSIONERS:
ART GRAHAM, CHAIRMAN
LISA POLAK EDGAR
RONALD A. BRISÉ
EDUARDO E. BALBIS
JULIE I. BROWN

STATE OF FLORIDA

MARSHALL WILLIS, DIRECTOR
DIVISION OF ECONOMIC REGULATION
(850) 413-6900

Public Service Commission

July 15, 2011

Mr. John Q. Adams II, CPA
Adams & Company, P.A.
910 SW 1st Avenue, Suite 201
Ocala, FL 34471

Re: Docket No. 100048-WU - Application for increase in water rates in Marion County by Sunshine Utilities of Central Florida, Inc.

Dear Mr. Adams:

Staff needs the following information to complete our review of the application filed by Sunshine Utilities of Central Florida, Inc. (Utility or Sunshine).

Rate Case Expense

The following items relate to the Utility's requested rate case expense.

✓1. For each individual person, in each firm providing consulting services to the applicant pertaining to this docket, provide the billing rate, and an itemized description of work performed. Please provide detail of hours worked associated with each activity. Also provide a description and associated cost for all expenses incurred to date.

✓2. For each firm or consultant providing services for the applicant in this docket, please provide copies of all invoices for services provided to date.

✓3. If rate consultant invoices are not broken down by hour, please provide reports that detail by hour, a description of actual duties performed, and amount incurred to date.

✓4. Please provide an estimate of costs to complete the case by hour for each consultant or employee, including a description of estimated work to be performed, and detail of the estimated remaining expense to be incurred through the PAA process.

✓5. Please provide an itemized list of all other costs estimated to be incurred through the PAA process.

DOCUMENT NUMBER-DATE
05644 AUG 10 =
FPSC-COMMISSION CLERK

O&M Expenses

REVISED (REMOVED) ✓ 1. According to MFR Schedule B-3 (combined), the Utility has proposed an increase of $289 for Salaries. Please provide an executed copy of the current contract with the Operator. Please provide all of the Utility's calculations, basis, workpapers, and support documentation for the above adjustment to Salaries.

REVISED (REMOVED) ✓ 2. According to MFR Schedule B-3 (combined), Sunshine has proposed an adjustment to increase its transportation expense by $10,032. Please provide all of the Utility's calculations, basis, workpapers, and support documentation for the above adjustment to uncollectable accounts.

✓ 3. According to MFR Schedule B-5 (combined), Salaries & Wages – Officers increased substantially in December 2010 when compared to previous months. Please provide all of the Utility's calculations, basis, workpapers, and support documentation for the above increase in Salaries & Wages – Officers.

✓ 4. According to MFR Schedule B-5 (combined), Employee Pensions & Benefits increased substantially in April 2010 and October 2010 when compared to other months. Please provide all of the Utility's calculations, basis, workpapers, and support documentation for the above increase in Employee Pensions & Benefits.

✓ 5. According to MFR Schedule B-5 (combined), Contractual Services – Other increased substantially in November 2010 when compared to other months. Please provide all of the Utility's calculations, basis, workpapers, and support documentation for the above increase in Contractual Services – Other.

✓ 6. According to MFR Schedule B-5 (combined), Miscellaneous Expenses increased substantially in October 2010 when compared to other months. Please provide all of the Utility's calculations, basis, workpapers, and support documentation for the above increase in Miscellaneous Expenses.

✓ 7. Please provide the Utility's Bad Debt Expense balance for the period January 1, 2011 through June 30, 2011.

✓ 8. According to MFR Schedule B-11, Sunshine has proposed tank inspections of $30,583 every five years. Please provide all of the Utility's calculations, basis, workpapers, and support documentation for the above tank inspections.

System Capacity Charges

1. According to MFR Schedule E-10, the Utility has proposed an increase in its system capacity charge for Residential – per ERC (350 GPD) from $420 to $480 and an increase in its All others – per Gallon/ Day from $1.20 to $1.37. The Utility did not provide the schedule fo present and proposed service availability charges required by Rule 25-30.565, F.A.C. Please provide all of the Utility's calculations, basis, workpapers, and support documentation required by Rule 25-30.565 F.A.C. Enclosed with this letter is a copy of Rule 25-30.565 F.A.C. as well as an example of the support documentation required by Rule 25-30.565 F.A.C.

✓ **Maps**

The following maps were filed with the application, but these subdivisions/systems are not listed on Schedule F-3:

Baldwin Heights
Ballard Acres
Boulder Hill
Burks
Carol Estates East
Carol Estates
Country Aire
Coventry
Lake in the Forest
Jason's Landing
Lake Bryant Estates
Lake Bryant Ridge
North Side Villas
Pearl Brittain Estates
Reynolds
Sutton's Duplex
Silverwood Villas
Spanish Palms
Stone Hill
Sugar Plum
Urban Mobile Home Park

1. Please explain the significance of the above listed maps/subdivisions to the rate case application.

2. Are these systems included in the filing? Are these systems interconnected to any other systems listed on Schedule F-3? If so, which systems are interconnected?

Operators

1. Please explain who oversees the operation of the Utility's water treatment plants, how those persons are paid, how the costs are allocated between systems, and the total amount paid for the test year.

2. Are the operators for Sunshine's water treatment plants employees of the utility or are the operators retained on a contractual basis?

3. If contract operators, please provide a copy of the contract.

Please submit the above information to the Office of Commission Clerk by August 15, 2011. If you have any questions, please contact me by phone at (850) 413-6844 or by e-mail at jdeason@psc.state.fl.us.

Sincerely,

Jared Deason
Regulatory Analyst IV

cc: Division of Economic Regulation (Maurey, Fletcher, Brown, Daniel, Stallcup, Lingo, Thompson)
Office of the General Counsel (Jaeger)
Office of Commission Clerk
Office of Public Counsel

Adams & Company, P.A.
CERTIFIED PUBLIC ACCOUNTANTS

910 SW 1st Avenue, Suite 201, Ocala, FL 34471

Sunshine Utilities Of Central Florida, Inc
10230 E Highway 25
Belleview, FL 34420-7002

March 31, 2011
Invoice: 8093

For Professional Services Rendered:

	Amount
Annual compilation and generation of financial statements for the year ended December 31, 2010.	$5,055.50
Marion and Citrus - 2010 - PSC Annual Report	$2,900.00
Rate Case Proceedings - 2010 - PSC Rate Case	$4,175.00

Invoice Total	**$12,130.50**
Previous Balance	8,890.00
Current Payments	-13,020.50
Balance Due	**$8,000.00**

Invoices are Due on Receipt.

Thank you for your business and we appreciate your referrals!

Current	31 to 60	61 to 90	91 and over	Total
$0.00	$22,512.00	$0.00	$9,200.00	$31,712.00

Adams & Company, P.A.
CERTIFIED PUBLIC ACCOUNTANTS
910 SW 1st Avenue, Suite 201, Ocala, FL 34471

Sunshine Utilities Of Central Florida, Inc
10230 E Highway 25
Belleview, FL 34420-7002

May 31, 2011
Invoice: 8321

For Professional Services Rendered:

		Amount
Rate Case Proceedings - 2010 - PSC Rate Case		$22,000.00
	paper, binder clips, toner	$512.00
	Invoice Total	**$22,512.00**
	Previous Balance	17,930.50
	Current Payments	-8,730.50
	Balance Due	**$31,712.00**

Invoices are Due on Receipt.

Thank you for your business and we appreciate your referrals!

Current	31 to 60	61 to 90	91 and over	Total
$0.00	$22,512.00	$0.00	$9,200.00	$31,712.00

Adams & Company, P.A.
CERTIFIED PUBLIC ACCOUNTANTS

910 SW 1st Avenue, Suite 201, Ocala, FL 34471

Sunshine Utilities Of Central Florida, Inc
10230 E Highway 25
Belleview, FL 34420-7002

December 5, 2010
Invoice: 7594

Paid In Full

For Professional Services Rendered:

	Amount
Rate Case Proceedings - 2009 - PSC Letter - Test Year Approval Progress billing; end 2009 rate case proceeding.	$3,600.00

Started 2009 Rate Case then changed test yr to 2010.

Invoice Total	**$3,600.00**
Previous Balance	5,790.00
Current Payments	-9,390.00
Balance Due	**$0.00**

Invoices are Due on Receipt.

Thank you for your business and we appreciate your referrals!

Current	31 to 60	61 to 90	91 and over	Total
$0.00	$22,512.00	$0.00	$9,200.00	$31,712.00

Adams & Company, P.A.
CERTIFIED PUBLIC ACCOUNTANTS

910 SW 1st Avenue, Suite 201, Ocala, FL 34471

Sunshine Utilities Of Central Florida, Inc
10230 E Highway 25
Belleview, FL 34420-7002

September 11, 2010
Invoice: 7394

Paid In Full

For Professional Services Rendered:

	Amount
Assistance with stock transfer	$600.00
Basis research and adjustments to corporate income tax return	$1,860.00
Rate Case Proceedings - progress billing	$2,830.00

Invoice Total	**$5,290.00**
Previous Balance	6,445.00
Current Payments	-11,735.00
Balance Due	**$0.00**

Invoices are Due on Receipt.

Thank you for your business and we appreciate your referrals!

Current	31 to 60	61 to 90	91 and over	Total
$0.00	$22,512.00	$0.00	$9,200.00	$31,712.00

Adams & Company, P.A.
CERTIFIED PUBLIC ACCOUNTANTS

910 SW 1st Avenue, Suite 201, Ocala, FL 34471

Sunshine Utilities Of Central Florida, Inc
10230 E Highway 25
Belleview, FL 34420-7002

May 27, 2010
Invoice: 7173

Paid In Full

For Professional Services Rendered:

	Amount
Preparation of 2009 Tangible Tax Return including conversation with County. Cleanup of assets disposed of years ago.	$200.00
Rate Case Proceedings - progress billing	$4,245.00

Invoice Total	**$4,445.00**
Previous Balance	5,410.00
Current Payments	-9,855.00
Balance Due	**$0.00**

Invoices are Due on Receipt.

Thank you for your business and we appreciate your referrals!

Current	31 to 60	61 to 90	91 and over	Total
$0.00	$22,512.00	$0.00	$9,200.00	$31,712.00

EMP NO	NAME		HIRE DATE	TERM DATE	HOURLY	SALARY
6	JAMES	HODGES	01/01/1974		0.00	1449.43

WEEK END	REG HOURS	OT HOURS	HOL HOURS	VAC HOURS	SICK HOURS	TOTAL HOURS		CHECK NO.		WEEKS WORKED	
REG DOL	OT DOL	HOL DOL	VAC DOL	SICK DOL	SHIFT					ADJ TO GROSS	GROSS PAY
FICA W/H	FIT W/H	DED 1	DED 2	DED 3	DED 4	DED 5	DED 6	MISC DED 1	MISC DED 2	ADJ NET	NET PAY
11/04/2010	36.00	0.00	0.00	0.00	0.00	36.00		42388		1	
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
11/11/2010	29.00	0.00	7.00	0.00	0.00	36.00		42427		1	
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
11/18/2010	36.00	0.00	0.00	0.00	0.00	36.00		42474		1	
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
11/24/2010	29.00	0.00	7.00	0.00	0.00	36.00		42488		1	
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
	130.00	0.00	14.00	0.00	0.00	144.00				4	
5797.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	5797.72
443.52	1503.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3850.40

James Hodges
Nov 2010 & Dec 2010
Bonus pay December
1 week difference

EMP NO	NAME		HIRE DATE	TERM DATE	HOURLY	SALARY
6	JAMES	HODGES	01/01/1974		0.00	1449.43

WEEK END	REG HOURS	OT HOURS	HOL HOURS	VAC HOURS	SICK HOURS	TOTAL HOURS		CHECK NO.	WEEKS WORKED		
REG DOL	OT DOL	HOL DOL	VAC DOL	SICK DOL	SHIFT					ADJ TO GROSS	GROSS PAY
FICA W/H	FIT W/H	DED 1	DED 2	DED 3	DED 4	DED 5	DED 6	MISC DED 1	MISC DED 2	ADJ NET	NET PAY
12/02/2010	28.00	0.00	8.00	0.00	0.00	36.00		42538	1		
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
12/09/2010	36.00	0.00	0.00	0.00	0.00	36.00		42549	1		
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
12/16/2010	36.00	0.00	0.00	0.00	0.00	36.00		42605	1		
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
12/20/2010	36.00	0.00	0.00	0.00	0.00	36.00		42620	1		
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
12/23/2010	36.00	0.00	0.00	0.00	0.00	36.00		42638	1		
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
12/30/2010	21.00	0.00	15.00	0.00	0.00	36.00		42652	1		
1449.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1449.43
110.88	375.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	962.60
	193.00	0.00	23.00	0.00	0.00	216.00			6		
8696.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	8696.58
665.28	2255.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5775.60

SUNSHINE UTILITIES OF CENTRAL
DETAIL EARNING REPORT FOR 11/04/2010 THRU 11/25/2010

DATE: 11/30/2010

EMP NO	NAME		HIRE DATE	TERM DATE	HOURLY	SALARY
4	CLARISE	HODGES	01/01/1979		0.00	1125.75

WEEK END	REG HOURS	OT HOURS	HOL HOURS	VAC HOURS	SICK HOURS	TOTAL HOURS		CHECK NO.	WEEKS WORKED		
REG DOL	OT DOL	HOL DOL	VAC DOL	SICK DOL	SHIFT					ADJ TO GROSS	GROSS PAY
FICA W/H	FIT W/H	DED 1	DED 2	DED 3	DED 4	DED 5	DED 6	MISC DED 1	MISC DED 2	ADJ NET	NET PAY
11/04/2010	36.00	0.00	0.00	0.00	0.00	36.00		42386	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
11/11/2010	29.00	0.00	7.00	0.00	0.00	36.00		42425	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
11/18/2010	36.00	0.00	0.00	0.00	0.00	36.00		42472	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
11/24/2010	29.00	0.00	7.00	0.00	0.00	36.00		42486	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
	130.00	0.00	14.00	0.00	0.00	144.00			4		
4503.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	4503.00
344.48	590.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3568.20

Clarise Hodges
Nov 2010 & Dec 2010
Bonus pay December
1 week difference

SUNSHINE UTILITIES OF CENTRAL

DETAIL EARNING REPORT FOR 12/02/2010 THRU 12/30/2010

DATE: 01/14/2011

EMP NO	NAME		HIRE DATE	TERM DATE	HOURLY	SALARY
4	CLARISE	HODGES	01/01/1979		0.00	1125.75

WEEK END	REG HOURS	OT HOURS	HOL HOURS	VAC HOURS	SICK HOURS	TOTAL HOURS		CHECK NO.	WEEKS WORKED		
REG DOL	OT DOL	HOL DOL	VAC DOL	SICK DOL	SHIFT					ADJ TO GROSS	GROSS PAY
FICA W/H	FIT W/H	DED 1	DED 2	DED 3	DED 4	DED 5	DED 6	MISC DED 1	MISC DED 2	ADJ NET	NET PAY
12/02/2010	28.00	0.00	8.00	0.00	0.00	36.00		42536	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
12/09/2010	36.00	0.00	0.00	0.00	0.00	36.00		42547	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
12/16/2010	36.00	0.00	0.00	0.00	0.00	36.00		42603	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
12/20/2010	36.00	0.00	0.00	0.00	0.00	36.00		42618	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
12/23/2010	36.00	0.00	0.00	0.00	0.00	36.00		42636	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
12/30/2010	21.00	0.00	15.00	0.00	0.00	36.00		42650	1		
1125.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	1125.75
86.12	147.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	892.05
	193.00	0.00	23.00	0.00	0.00	216.00			6		
6754.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00			0.00	6754.50
516.72	885.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5352.30

RG14280N - 000071 - 002 OF 002

BLUE CROSS AND BLUE SHIELD OF FLORIDA
P.O. BOX 44144
JACKSONVILLE, FLORIDA 32231-4144

6111

BlueCross BlueShield of Florida
An Independent Licensee of the Blue Cross and Blue Shield Association

YOUR BILL MUST BE PAID ON OR BEFORE THE DUE DATE

Dist	Group	Invoice	Due	Billed Amount
H06	98994001	18639387	100110	4,450.11

Paid Amount:_____

ATTN PAMELA CHRISTMAS
SUNSHINE UTILITIES OF CTRL FL
10230 E HIGHWAY 25
BELLEVIEW FL 34420-5531

KEEP THIS FOR YOUR RECORDS

We're listening, so tell us your thoughts, ideas and experiences about health care. Go to ***www.ThePowerOfTheHumanVoice.com*** *or call* ***1-877-My-FL-Voice (877-693-5864)*** *and let your voice be heard.*

For any questions or inquiries regarding this invoice, please call: 1-866-946-2583.

GROUP INVOICE

BlueCross BlueShield of Florida
An Independent Licensee of the Blue Cross and Blue Shield Association

Group: 98994001
Invoice: 18639387
Billed: 10/07/10
Due: 10/01/10
Pays To: 11/01/10

Page: 2
Route:
Dist: H06

GROUP BILLING SUMMARY FOR 10/01/10

A.	ROSTER TOTAL	4,450.11
B.	MEMBER ADJUSTMENTS	.00
C.	PRIOR BALANCE	.00
D.	AMOUNT DUE	4,450.11
E.	LESS DEDUCTIONS	$_____
F.	ADJUSTED AMOUNT DUE	$_____

IT'S EASY TO VIEW AND PAY YOUR BILL ONLINE! SIMPLY REGISTER FOR BLUEBIZ AT WWW.BCBSFL.COM. CHOOSE EMPLOYERS AND BENEFIT ADMINISTRATORS AND THEN BLUEBIZ TO GET STARTED.

GL# 604.01 1228.24
GL# 604.01-10 43.22
VENDOR#
MO POSTED
DATE PAID
CK#
AMOUNT

GL# 604 3070.58
GL# 604-10 108.07
VENDOR# 1173
MO POSTED Oct
DATE PAID
CK#
AMOUNT

BLUE CROSS AND BLUE SHIELD OF FLORIDA
P.O. BOX 44144
JACKSONVILLE, FLORIDA 32231-4144

6111

BlueCross BlueShield of Florida
An Independent Licensee of the Blue Cross and Blue Shield Association

RG14280N - 000072 - 002 OF 002

YOUR BILL MUST BE PAID ON OR BEFORE THE DUE DATE

Dist	Group	Invoice	Due	Billed Amount
H06	98994002	18639388	100110	876.19

Paid Amount:_____

ATTN PAMELA CHRISTMAS
SUNSHINE UTILITIES OF CTRL FL
10230 E HIGHWAY 25
BELLEVIEW FL 34420-5531

KEEP THIS FOR YOUR RECORDS

We're listening, so tell us your thoughts, ideas and experiences about health care. Go to www.ThePowerOfTheHumanVoice.com or call 1-877-My-FL-Voice (877-693-5864) and let your voice be heard.

For any questions or inquiries regarding this invoice, please call: 1-866-946-2583.

GROUP INVOICE

BlueCross BlueShield of Florida
An Independent Licensee of the Blue Cross and Blue Shield Association

Group: 98994002
Invoice: 18639388
Billed: 10/07/10
Due: 10/01/10
Pays To: 11/01/10

Page: 2
Route:
Dist: H06

GROUP BILLING SUMMARY FOR 10/01/10

A.	ROSTER TOTAL	1,144.24
B.	MEMBER ADJUSTMENTS	268.05-
C.	PRIOR BALANCE	.00
D.	AMOUNT DUE	876.19
E.	LESS DELETIONS	$_____
F.	ADJUSTED AMOUNT DUE	$_____

IT'S EASY TO VIEW AND PAY YOUR BILL ONLINE! SIMPLY REGISTER FOR BLUEBIZ AT WWW.BCBSFL.COM. CHOOSE EMPLOYERS AND BENEFIT ADMINISTRATORS AND THEN BLUEBIZ TO GET STARTED.

GL# 604 846.40
GL# 604-10 29.79
VENDOR# 1173
MO POSTED Oct
DATE PAID
CK#
AMOUNT

BLUE CROSS AND BLUE SHIELD OF FLORIDA
P.O. BOX 44144
JACKSONVILLE, FLORIDA 32231-4144

6111

BlueCross BlueShield of Florida
An Independent Licensee of the Blue Cross and Blue Shield Association

YOUR BILL MUST BE PAID ON OR BEFORE THE DUE DATE

Dist	Group	Invoice	Due	Billed Amount
H06	98994001	18677974	110110	4,450.11

Paid Amount:_____

ATTN PAMELA CHRISTMAS
SUNSHINE UTILITIES OF CTRL FL
10230 E HIGHWAY 25
BELLEVIEW FL 34420-5531

KEEP THIS FOR YOUR RECORDS

We're listening, so tell us your thoughts, ideas and experiences about health care. Go to ***www.ThePowerOfTheHumanVoice.com*** *or call* ***1-877-My-FL-Voice (877-693-5864)*** *and let your voice be heard.*

For any questions or inquiries regarding this invoice, please call: 1-866-946-2583.

GROUP INVOICE

BlueCross BlueShield of Florida
An Independent Licensee of the Blue Cross and Blue Shield Association

Group: 98994001
Invoice: 18677974
Billed: 10/18/10
Due: 11/01/10
Pays To: 12/01/10

Page: 2
Route:
Dist: H06

GROUP BILLING SUMMARY FOR 11/01/10

A. ROSTER TOTAL		4,450.11
B. MEMBER ADJUSTMENTS		.00
C. PRIOR BALANCE		.00
D. AMOUNT DUE		4,450.11
E. LESS DELETIONS	$_____	
F. ADJUSTED AMOUNT DUE	$_____	

*** NOTICE OF OVERDUE PAYMENT ***

WHEN THIS BILLING WAS PREPARED, WE HAD NOT RECEIVED A PAYMENT FOR:

DUE DATE	INVOICE NO	AMOUNT	DUE DATE	INVOICE NO	AMOUNT
10/01/10	18639387	4,450.11			

YOUR PRIOR REGULAR GROUP PAYMENT MUST BE PAID PROMPTLY TO AVOID SUSPENSION OF CLAIMS PAYMENTS. IF YOU HAVE RECENTLY PAID THIS AMOUNT, PLEASE DISREGARD.

IT'S EASY TO VIEW AND PAY YOUR BILL ONLINE! SIMPLY REGISTER FOR BLUEBIZ AT WWW.BCBSFL.COM. CHOOSE EMPLOYERS AND BENEFIT ADMINISTRATORS AND THEN BLUEBIZ TO GET STARTED.

GL# 604.01 1228.24
GL# 604.01-10 43.22
VENDOR#
MO POSTED
DATE PAID
CK#
AMOUNT

GL# 604 3070.58
GL# 604-10 108.07
VENDOR# 1193
MO POSTED Oct
DATE PAID 11-23-10
CK# 42482
AMOUNT 4450.11

BLUE CROSS AND BLUE SHIELD OF FLORIDA
P.O. BOX 44144
JACKSONVILLE, FLORIDA 32231-4144

6111

BlueCross BlueShield of Florida
An Independent Licensee of the Blue Cross and Blue Shield Association

RG14291P - 004108 - 002 OF 002

YOUR BILL MUST BE PAID ON OR BEFORE THE DUE DATE

Dist	Group	Invoice	Due	Billed Amount
H06	98994002	18677975	110110	1,144.24

Paid Amount:_____

ATTN PAMELA CHRISTMAS
SUNSHINE UTILITIES OF CTRL FL
10230 E HIGHWAY 25
BELLEVIEW FL 34420-5531

KEEP THIS FOR YOUR RECORDS

We're listening, so tell us your thoughts, ideas and experiences about health care. Go to ***www.ThePowerOfTheHumanVoice.com*** *or call* ***1-877-My-FL-Voice (877-693-5864)*** *and let your voice be heard.*

For any questions or inquiries regarding this invoice, please call: 1-866-946-2583.

GROUP INVOICE

BlueCross BlueShield of Florida
An Independent Licensee of the Blue Cross and Blue Shield Association

Group: 98994002
Invoice: 18677975
Billed: 10/18/10
Due: 11/01/10
Pays To: 12/01/10

Page: 2
Route:
Dist: H06

GROUP BILLING SUMMARY FOR 11/01/10

A.	ROSTER TOTAL	1,144.24
B.	MEMBER ADJUSTMENTS	.00
C.	PRIOR BALANCE	.00
D.	AMOUNT DUE	1,144.24
E.	LESS DELETIONS	$_____
F.	ADJUSTED AMOUNT DUE	$_____

*** NOTICE OF OVERDUE PAYMENT ***

WHEN THIS BILLING WAS PREPARED, WE HAD NOT RECEIVED A PAYMENT FOR:

DUE DATE	INVOICE NO	AMOUNT	DUE DATE	INVOICE NO	AMOUNT
10/01/10	18639388	876.19			

YOUR PRIOR REGULAR GROUP PAYMENT MUST BE PAID PROMPTLY TO AVOID SUSPENSION OF CLAIMS PAYMENTS. IF YOU HAVE RECENTLY PAID THIS AMOUNT, PLEASE DISREGARD.

IT'S EASY TO VIEW AND PAY YOUR BILL ONLINE! SIMPLY REGISTER FOR BLUEBIZ AT WWW.BCBSFL.COM. CHOOSE EMPLOYERS AND BENEFIT ADMINISTRATORS AND THEN BLUEBIZ TO GET STARTED.

GL# 604 1105.34
GL# 604-10 38.90
VENDOR# 1173
MO POSTED Oct
DATE PAID 11.23.10
CK# 422482
AMOUNT 1144.24

Nationwide Retirement

☐ **Excess Deferrals** - The Internal Revenue Service limits the amount of contributions a participant can defer from their salary during a calendar year. For the calendar year of 2009, this amount was $16,500. The following participant(s) exceeded this limit and will have the excess deferrals plus any gain/loss returned to them. These amounts should be reported as income on the individual's Federal Tax Return in the year in which distributed.

Participant	Excess Deferral	Gain/Loss	Net Check

☐ **Excess Annual Additions** - IRS Section 415(c) limits the total amount of all contributions and forfeitures that may be credited to a participant's account during the plan year. The maximum amount which may be credited to each participant in 2009 was the lesser of $49,000 or 100% of their eligible compensation. The following participant(s) must receive the indicated excess annual additions plus any gain/loss. These amounts should be reported as income for the current tax year on each participant's individual Federal Tax Return:

Participant	Excess Annual Addition	Gain/Loss	Net Check

☐ **Deductibility Limits –** IRS Section 404(a)(3) limits the deductibility of plan contributions to 25% of payroll. The following contributions will be placed in your plan retainer account unless we receive written instruction from the plan trustee to direct us otherwise.

Employer Contribution of $

☒ **Employer Contribution Receivable Due** - We have accrued an employer contribution for this plan year end. This contribution has been reflected on your annual valuation report. According to Internal Revenue Service regulations, this amount must be deposited into your plan by no later than the due date (including extensions) of your corporate tax return for the fiscal year in which you are taking the deduction:

Contribution Type	Amount
2009 TOP HEAVY	**4904.38**

☐ **Residual Balances** – The following participants have residual balances according to your annual valuation report. If the participants have been paid out within the last 6 months, we will initiate another distribution to them based on their original paperwork. If the original distribution is older than 6 months, you will need to obtain new distribution paperwork to pay the participant out. ***Please note that NRCG will require the trustee to send NRCG written instructions to payout the residual balances.***

Employee

☐ **Late Deposits** – While preparing your annual valuation report, it was noticed your plan made deposits outside the deadline established by the DOL in regulation 29 CFR 2510.3-102. Employee Deferrals and Loan repayments must be segregated from your assets as soon as administratively feasible, but absolutely no later than the 15th business day of the month following the month that they were withheld. Please note that the 15th business day is not a safe harbor, but the absolute last day. These deposits are required to be reported on the IRS Form 5500. Please refer to the DOL website http://askebsa.dol.gov/VFCPCalculator/WebCalculator.aspx to calculate the lost earnings that must be contributed to the participants.

☐ **Forfeitures** - Your plan allows for forfeitures to reduce future employer contributions. The amount available in this account as of 12/31/09 was $_____. If you use this amount toward your next contribution, please indicate this on your payroll report when submitting it to our office. If it is not depleted within the next plan year it will be allocated to all eligible participants.

Top Heavy Contribution

#4 April

GL# 6004 4904.38
GL#
VENDOR# 1221
MO POSTED April
DATE PAID 4.12.10
CK# 41207
AMOUNT 4904.38

Ring Power Systems
4900 N. Main St.
Gainesville, FL 32609
(352) 371-9983

Cat Rental Store
Heavy Equipment
Power Systems
Lift Trucks
Ring Used Parts
Ring Power Crane

Ring Power Corporation, 500 World Commerce Pkwy, St Augustine, FL 32092, (904) 737-7730

INVOICE

78WX6417276 ← Please refer to this number on remittance

SOLD TO

SUNSHINE UTILITIES OF
CENTRAL FLORIDA INC
10230 E HWY 25
BELLEVIEW FL 34420-7002

SHIP TO

INVOICE NUMBER	INVOICE DATE	CUSTOMER NO.	CUSTOMER PURCHASE ORDER NUMBER	STORE	DIV	SALESMAN	TERMS	PAGE
78WX6417276	11-30-10	045292	JIM HODGES	78	E	657	2	4

PSO/WO NO.	DOC. DATE	PC	LC	MC	SHIP VIA	DATE SHIPPED	INVOICE SEQ. NO.
7826785	09-28-10	1A	10	10		11-30-10	5610928

MAKE	MODEL	SERIAL NUMBER	EQUIPMENT NUMBER	METER READING	MACH. ID NO.
ON		A780294790		1.0	

QUANTITY	ITEM	*N/R	DESCRIPTION	UNIT PRICE	EXTENSION

SEGMENT 01 TOTAL 744.38 T

REPAIR GENERATOR SET

TOTAL LABOR SEG. 02 1471.75 *

SEGMENT 02 TOTAL 1471.75 T

ENVIRO/MISC LLW generator 105.31 T

AMOUNT 2321.44
.00 T
FLA STATE SALES TAX 6% 02 139.29 T
FLA MARION SURTAX .00 T

"TERMS NET 30 DAYS FROM DATE OF INVOICE"

VENDOR# 1101
MO POSTED Nov
DATE PAID 12-10-10 1-13-11
CK# 42563 42705
AMOUNT 1460.73 500.00
Bal 1000.00 Bal 500.00

1-25-11
42757
500.00
Bal

Now offering Parts and Service for all makes and models of heavy duty trucks. ringpower.com/TPS

ALL MERCHANDISE SUBJECT TO RETURN ONLY AFTER PERMISSION HAS BEEN REQUESTED AND APPROVED. RETURNED MATERIAL IS SUBJECT TO A HANDLING CHARGE AND MUST BE SENT IN PREPAID EXCEPT IN THOSE CASES WHERE PARTS ARE SHIPPED IN ERROR. IN SUCH CASES HANDLING CHARGE IS WAIVED AND RETURN MAY BE EFFECTED ON A FREIGHT COLLECT BASIS.

A SERVICE CHARGE OF 1-1/2% PER MONTH WILL BE CHARGED ON ALL PAST DUE ACCOUNTS.
(See Reverse)

PAY THIS AMOUNT	2460.73
AMOUNT CREDITED	

Remit to: Ring Power Corporation
PO Box 935004
Atlanta, GA
31193-5004

Ring Power Systems
4900 N. Main St.
Gainesville, FL 32609
(352) 371-9983

Cat Rental Store
Heavy Equipment
Power Systems
Lift Trucks
Ring Used Parts
Ring Power Crane

Ring Power Corporation, 500 World Commerce Pkwy, St Augustine, FL 32092, (904) 737-7730

INVOICE

78WX6417276 ← Please refer to this number on remittance

SOLD TO

SUNSHINE UTILITIES OF
CENTRAL FLORIDA INC
10230 E HWY 25
BELLEVIEW FL 34420-7002

SHIP TO

INVOICE NUMBER	INVOICE DATE	CUSTOMER NO.	CUSTOMER PURCHASE ORDER NUMBER	STORE	DIV	SALESMAN	TERMS	PAGE
78WX6417276	11-30-10	045292	JIM HODGES	78	E	657	2	3

PSO/WO NO.	DOC. DATE	PC	LC	MC	SHIP VIA	DATE SHIPPED	INVOICE SEQ. NO.
7826785	09-28-10	1A	10	10		11-30-10	5610928

MAKE	MODEL	SERIAL NUMBER	EQUIPMENT NUMBER	METER READING	MACH. ID NO.
ON		A780294790		1.0	

QUANTITY	ITEM	*N/R	DESCRIPTION	UNIT PRICE	EXTENSION

& WASHERS OUT.I TOLD HIM TO LET US KNOW IF THERE
WAS A PROBLEM AS I COULD NOT PERFORM A THOROUGH
TEST RUN BECAUSE OF THE LEAK.
11-16-10 AFTER CUST. REPAIRED FUEL LEAK CUST
STATED UNIT WOULD START AND RUN ONLY ABOUT 5
SECONDS AND SHUT DOWN. TRAVELED TO LOCATION AND
STARTED UNIT AND NOTICED UNIT WOULD APPEAR TO RUN
OUT OF FUEL. CHECKED AND FOUND POWER CONSTANT AT
FUEL SOLENOID. LOOSENED SCREW TO TIMING WINDOW ON
THE SIDE OF PUMP AND RELIEVED PRESSURE IN
HOUSING. STARTED UNIT AND ENGINE RAN GOOD.
DETERMINED TOO MUCH PRESSURE IS BUILDING UP IN
HOUSING. REMOVED RETURN LINE AND ENGINE RAN GOOD.
REMOVED RETURN LINE FROM TOP OF INJECTORS AND
BLEW AIR IN LINE. BEGAN PLUGGING INJECTOR PORTS
SEPERATELY AND DISCOVERED BLOCKAGE IN CENTER OF
LINE BETWEEN 3 AND 4 CYL. UNABLE TO CLEAR. CUT
ALL CENTER SECTIONS OF LINE AND CLEANED.
ASSEMBLED WITH RUBBER HOSE. INFORMED CUST THIS IS
A TEMPORARY REPAIR AND RETURN LINE ASSY. SHOULD
BE REPLACED DUE TO THE LOCATION OF THE EXHAUST
MANIFOLD AND TURBO. RAN ENGINE FOR @ 10 MINUTES.

	TOTAL LABOR	SEG. 01	634.38 *
44.00	MILEAGE PSD	00000	110.00
	TOTAL MISC CHGS	SEG. 01	110.00 *

Now offering Parts and Service for all makes and models of heavy duty trucks. ringpower.com/TPS

ALL MERCHANDISE SUBJECT TO RETURN ONLY AFTER PERMISSION HAS BEEN REQUESTED AND APPROVED. RETURNED MATERIAL IS SUBJECT TO A HANDLING CHARGE AND MUST BE SENT IN PREPAID EXCEPT IN THOSE CASES WHERE PARTS ARE SHIPPED IN ERROR. IN SUCH CASES HANDLING CHARGE IS WAIVED AND RETURN MAY BE EFFECTED ON A FREIGHT COLLECT BASIS.

A SERVICE CHARGE OF 1-1/2% PER MONTH WILL BE CHARGED ON ALL PAST DUE ACCOUNTS.
(See Reverse)

PAY THIS AMOUNT	CONT'D
AMOUNT CREDITED	

Remit to: Ring Power Corporation
PO Box 935004
Atlanta, GA
31193-5004

Ring Power Systems
4900 N. Main St.
Gainesville, FL 32609
(352) 371-9983

Cat Rental Store
Heavy Equipment
Power Systems
Lift Trucks
Ring Used Parts
Ring Power Crane

Ring Power Corporation, 500 World Commerce Pkwy, St Augustine, FL 32092, (904) 737-7730

INVOICE

78WX6417276 ← Please refer to this number on remittance

SOLD TO

SUNSHINE UTILITIES OF
CENTRAL FLORIDA INC
10230 E HWY 25
BELLEVIEW FL 34420-7002

SHIP TO

INVOICE NUMBER	INVOICE DATE	CUSTOMER NO.	CUSTOMER PURCHASE ORDER NUMBER	STORE	DIV	SALESMAN	TERMS	PAGE
78WX6417276	11-30-10	045292	JIM HODGES	78	E	657	2	2

PSO/WO NO.	DOC. DATE	PC	LC	MC	SHIP VIA	DATE SHIPPED	INVOICE SEQ. NO.
7826785	09-28-10	1A	10	10		11-30-10	5610928

MAKE	MODEL	SERIAL NUMBER	EQUIPMENT NUMBER	METER READING	MACH. ID NO.
ON		A780294790		1.0	

QUANTITY	ITEM	*N/R	DESCRIPTION	UNIT PRICE	EXTENSION

INTAKE PLUMBING TO SET ENGINE ON COMP. STROKE.
INSTALLED GEAR AND BLED FUEL SYSTEM. CRANKED
ENGINE OVER AND ENGINE STARTED AND THEN BEGAN TO
RUN POORLY. ELCTRIC FUEL PUMP IS NOT WORKING
CORRECTLY AND LEAKS VERY BADLY. ALSO NOTICED WHEN
FUEL BEGAN TO MIX IT WAS VERY DIRTY AND HAD ALOT
OF WATER IN IT REMOVED LINES FROM TANK AND
POURED OUT SOME FUEL. FUEL NEEDS TO BE DISPOSED
OF AND TANK NEEDS TO BE CLEANED. CALLED AND
ADVISED CUST. THAT ELECTRIC FUEL PUMP NEEDS TO BE
REPLACED AND FUEL ATANK NEEDS TO BE CLEANED OUT.
REMOVED INJECTION PUMP AND INJECTORS AND TOOK
BACK TO REPAIR SHOP TO BE CLEANED. CANNOT LEAVE
WATER AND DIRTY FUEL IN PUMP AND INJECTORS.
*****RUSS WEBB EMPLOYEE #0973.ON
10/18/10 CUSTOMER HAD PICKED UP PUMP & INJECTORS
& TOOK TO JOBSITE.TRAVELLED TO SITE & INSTALLED
PUMP & INJECTORS.REMOVED VALVE COVER & TURBO
CROSSOVER PIPE TO FIND TDC.SET TIMING TO
20DEG.BTC.BLED FUEL SYSTEM & INSTALLED THE SPRING
& THRUST BUTTON IN FRONT END OF PUMP SHAFT.AFTER
I GOT THE UNIT RUNNING DISCOVERED A FUEL LEAK AT
ONE OF THE BANJO FITTINGS FOR THE INJECTOR
LINES.FOUND THE BOLT HAS CORROSION IN THE FLAT
SEAT AREA WHERE THE ALUMINUM SEAL WASHERS GO.WE
NEED A NEW BOLT & WASHERS.WILL CHECK ON PARTS IN
AM.****AFTER TALKING WITH RICK AT WILLIAMS DIESEL
HE FOUND 2 BANJO BOLTS & SEAL WASHERS FOR THE
PUMP.JIM HIDGES SAID THEY WOULD CHANGE THE BOLTS

Now offering Parts and Service for all makes and models of heavy duty trucks, ringpower.com/TPS

ALL MERCHANDISE SUBJECT TO RETURN ONLY AFTER PERMISSION HAS BEEN REQUESTED AND APPROVED. RETURNED MATERIAL IS SUBJECT TO A HANDLING CHARGE AND MUST BE SENT IN PREPAID EXCEPT IN THOSE CASES WHERE PARTS ARE SHIPPED IN ERROR. IN SUCH CASES HANDLING CHARGE IS WAIVED AND RETURN MAY BE EFFECTED ON A FREIGHT COLLECT BASIS.

A SERVICE CHARGE OF 1-1/2% PER MONTH WILL BE CHARGED ON ALL PAST DUE ACCOUNTS.

(See Reverse)

PAY THIS AMOUNT	CONT'D
AMOUNT CREDITED	

Remit to: Ring Power Corporation
PO Box 935004
Atlanta, GA
31193-5004

Ring Power Systems
4900 N. Main St.
Gainesville, FL 32609
(352) 371-9983

Cat Rental Store
Heavy Equipment
Power Systems
Lift Trucks
Ring Used Parts
Ring Power Crane

Ring Power Corporation, 500 World Commerce Pkwy, St Augustine, FL 32092, (904) 737-7730

INVOICE

78WX6417276 ← Please refer to this number on remittance

SOLD TO

SUNSHINE UTILITIES OF
CENTRAL FLORIDA INC
10230 E HWY 25
BELLEVIEW FL 34420-7002

SHIP TO

INVOICE NUMBER	INVOICE DATE	CUSTOMER NO.	CUSTOMER PURCHASE ORDER NUMBER	STORE	DIV	SALESMAN	TERMS	PAGE
78WX6417276	11-30-10	045292	JIM HODGES	78	E	657	2	1

PSO/WO NO.	DOC. DATE	PC	LC	MC	SHIP VIA	DATE SHIPPED	INVOICE SEQ. NO.
7826785	09-28-10	1A	10	10		11-30-10	5610928

MAKE	MODEL	SERIAL NUMBER	EQUIPMENT NUMBER	METER READING	MACH. ID NO.
ON		A780294790		1.0	

QUANTITY	ITEM	*N/R	DESCRIPTION	UNIT PRICE	EXTENSION

TROUBLESHOOT GENERATOR SET

REPAIR FUEL SYSTEM

CUSTOMER COMPLAINT:
REPAIR FUEL SYSTEM
REPAIR PROCESS COMMENTS:
TRAVELED TO LOCATION AND FOUND CUST. HAD REMOVED FUEL PUMP AND INJECTORS AND DRIVE GEAR FROM ENGINE. CUST. HAD PURCHASED INJECTORS AND NEW PUMP SHAFT. INSERTED SHAFT IN PUMP AND FOUND PUMP TO BE LOCKED UP. LOADED PARTS AND TOOK TO LOCAL REPAIR SHOP. AFTER PUMP AND INJECTORS WERE REPAIRED CUST. PICKED UP AND TOOK BACK TO LOCATION.
9-27-10 RETURNED AND BEGAN CLEANING AND PREPARING TO ASSEMBLE FUEL SYSTEM. COULD NOT LOCATE BOLT FOR FRONT OF PUMP SHFT. CUST LEFT AND PURCHASED ONE LOCALLY. CLEANED ALL INJECTOR LINES AND INJECTOR BORES AND INSTALLED INJECTORS. INSTALLED FUEL PUMP. WENT TO INSTALL DRIVE GEAR AND FOUND GEAR WAS NOT MARKED PRIOR TO DISASSEMBLING. ALL DATA TAGS ARE GONE FROM ENGINE. UNABLE TO DETERMINE INJECTION TIMING WITHOUT ENGINE INFO. SENT EMAIL TO CUMMINS AND IDENTIFIED ENGINE AS AN ALLIS CHALMERS 649T. NEED INJECTION TIMING BEFORE WE CAN CONTINUE.
10-7-10 RETURNED AND REMOVED VALVE COVER AND

Now offering Parts and Service for all makes and models of heavy duty trucks. ringpower.com/TPS

ALL MERCHANDISE SUBJECT TO RETURN ONLY AFTER PERMISSION HAS BEEN REQUESTED AND APPROVED. RETURNED MATERIAL IS SUBJECT TO A HANDLING CHARGE AND MUST BE SENT IN PREPAID EXCEPT IN THOSE CASES WHERE PARTS ARE SHIPPED IN ERROR. IN SUCH CASES HANDLING CHARGE IS WAIVED AND RETURN MAY BE EFFECTED ON A FREIGHT COLLECT BASIS.

A SERVICE CHARGE OF 1-1/2% PER MONTH WILL BE CHARGED ON ALL PAST DUE ACCOUNTS.
(See Reverse)

PAY THIS AMOUNT	CONT'D
AMOUNT CREDITED	

Remit to: Ring Power Corporation
PO Box 935004
Atlanta, GA
31193-5004

Drinking Water
Annual Operating License Fee
Account Statement

"More Protection, Less Process"
www.dep.state.fl.us

Statement of Account as of 8/27/2010
Page 1 of 5

GL# 675.01
GL#
VENDOR# 1122
MO POSTED Oct
DATE PAID 11-5-10
CK# 42402
AMOUNT 1000.00

To:

DEWAINE CHRISTMAS
SUNSHINE UTILITIES OF CENTRAL FL, INC.
10230 E HWY 25
BELLEVIEW, FL 34420-5531

This is a current statement of your Drinking Water Annual Operating License Fee account. All fees on this statement were assessed pursuant to Rule 62-4.053, Florida Administrative Code. A copy of the rule may be found at http://www.dep.state.fl.us/legal/Rules/shared/62-4/62-4.pdf.

The fee for the current fiscal year (7/1/2010 - 6/30/2011) is due **November 30, 2010.**

Any prior account balance is considered past due and should be remitted immediately.

The purpose of this statement is to provide an accounting of fees assessed and record of payments credited for your system. If you have questions concerning this statement, please call Satish Shetty in the Drinking Water Program at **(850) 245-8470**.

PWS Number	*System Name*		
3420340	**EMIL-MAR SUBDIVISION**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #11966 (7/1/2010-6/30/2011)	100.00
08/27/2010		Ending Account Balance	**$100.00**

PWS Number	*System Name*		
3420411	**FLOYD CLARK SUBDIVISION**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #14832 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

PWS Number	*System Name*		
3420761	**LITTLE LAKE WEIR SUBDIVISION**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #14364 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

PWS Number	*System Name*		
3420939	**OCKLAWAHA WATER WORKS (2 WTPS)**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #14845 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

Drinking Water
Annual Operating License Fee
Account Statement



"More Protection, Less Process"
www.dep.state.fl.us

PWS Number	*System Name*		
3421118	**SANDY ACRES**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #11988 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

PWS Number	*System Name*		
3421201	**SUN RESORT**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #15296 (7/1/2010-6/30/2011)	100.00
08/27/2010		Ending Account Balance	**$100.00**

PWS Number	*System Name*		
3421314	**SUN RAY ESTATES**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #13397 (7/1/2010-6/30/2011)	1,000.00
08/27/2010		Ending Account Balance	**$1,000.00**

PWS Number	*System Name*		
3421520	**SUNLIGHT ACRES SUBDIVISION**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #14798 (7/1/2010-6/30/2011)	100.00
08/27/2010		Ending Account Balance	**$100.00**

PWS Number	*System Name*		
3421554	**OCALA GARDEN APARTMENTS**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #14799 (7/1/2010-6/30/2011)	100.00
08/27/2010		Ending Account Balance	**$100.00**

PWS Number	*System Name*		
3424009	**WHISPERING SANDS S/D**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #12883 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

2300.00

Ck # 42420
11.10.10
2300.00

Drinking Water
Annual Operating License Fee
Account Statement

Vendor #79



"More Protection, Less Process"
www.dep.state.fl.us

PWS Number	*System Name*		
3424031	**FLORIDA HEIGHTS S/D**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #13835 (7/1/2010-6/30/2011)	100.00
08/27/2010		Ending Account Balance	**$100.00**

PWS Number	*System Name*		
3424032	**OAKHURST SUBDIVISION**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #12887 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

PWS Number	*System Name*		
3424046	**QUAIL RUN SUBDIVISION**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #15247 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

PWS Number	*System Name*		
3424062	**PONDEROSA PINES (2 WPS)**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #12430 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

PWS Number	*System Name*		
3424099	**ELEVEN OAKS SUBDIVISION**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #11941 (7/1/2010-6/30/2011)	100.00
08/27/2010		Ending Account Balance	**$100.00**

PWS Number	*System Name*		
3424106	**OAK HAVEN QUADRUPLEXES**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #12889 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

Ck #422464

11.16.10

2200.00

Drinking Water
Annual Operating License Fee
Account Statement

Statement of Account as of 8/27/2010

"More Protection, Less Process"
www.dep.state.fl.us

PWS Number	*System Name*		
3424621	**BELLEVIEW OAKS ESTATES**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #12036 (7/1/2010-6/30/2011)	100.00
08/27/2010	Ending Account Balance		**$100.00**

PWS Number	*System Name*		
3424644	**FORE OAKS ESTATES**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #13430 (7/1/2010-6/30/2011)	1,000.00
08/27/2010	Ending Account Balance		**$1,000.00**

PWS Number	*System Name*		
3424651	**OCALA HEIGHTS S/D**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #15331 (7/1/2010-6/30/2011)	1,000.00
08/27/2010	Ending Account Balance		**$1,000.00**

PWS Number	*System Name*		
3424657	**COUNTRY WALK**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #12971 (7/1/2010-6/30/2011)	100.00
08/27/2010	Ending Account Balance		**$100.00**

PWS Number	*System Name*		
3424662	**HILLTOP AT LAKE WEIR**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #13927 (7/1/2010-6/30/2011)	500.00
08/27/2010	Ending Account Balance		**$500.00**

PWS Number	*System Name*		
3424687	**LAKEVIEW HILLS S/D**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #15334 (7/1/2010-6/30/2011)	100.00
08/27/2010	Ending Account Balance		**~~$100.00~~** 8.33

July 1, 2010 – Aug 1, 2010

Ck# 42469
11.17.10
2708.33

Drinking Water
Annual Operating License Fee
Account Statement



"More Protection, Less Process"
www.dep.state.fl.us

PWS Number	*System Name*		
3424691	**WINDING WATERS**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #12966 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

PWS Number	*System Name*		
3424962	**ASHLEY HEIGHTS S/D**		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #13414 (7/1/2010-6/30/2011)	100.00
08/27/2010		Ending Account Balance	**$100.00**

PWS Number	*System Name*		
6090099	**SUNSHINE #6 (BACKWATER HEIGHTS)** Citrus		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #15421 (7/1/2010-6/30/2011)	500.00
08/27/2010		Ending Account Balance	**$500.00**

PWS Number	*System Name*		
6090523	**SUNSHINE #7 (ELLSWORTH POINT)** Citrus		
08/23/2010		Prior Account Balance	0.00
08/24/2010	2011	INVOICE #14983 (7/1/2010-6/30/2011)	100.00
08/27/2010		Ending Account Balance	**$100.00**

If there is a balance due, please detach this portion of the Statement and return, with your payment made payable to:

Florida Department of Environmental Protection
Bureau of Finance & Accounting
P.O.Box 3070
Tallahassee, FL 32315-3070

Accounting Information
Object Code : 002216
Org code: 37 35 40 60 000
Expansion Option: M7
FLAIR Code: 372025260013735020000000020000

Amount Due: $10100.00

Remitted Amount: $_____

Please circle the PWS Number(s) for which the payment applies and include the PWS Number(s) on your check.

PWS Number(s):

3420340, 3420411, 3420761, 3420939, 3421118, 3421201, 3421314, 3421520, 3421554, 3424009, 3424031, 3424032, 3424046, 3424062, 3424099, 3424106, 3424621, 3424644, 3424651, 3424657, 3424662, 3424687, 3424691, 3424962, 6090099, 6090523

ck # 43521
11.30.10
1200.00

ACCOUNT TYPE	DEPT DATE	DESCRIPTION REFERENCE	DESCRIPTION	AMOUNT	
670.07	0 BAD DEBT EXPENSE		BEGINNING BAL		3,385.08
AR	06/22/2011	12138	ACCOUNT ADJUSTMENT	82.84	
AR	06/22/2011	12702	ACCOUNT ADJUSTMENT	131.43	
AR	06/22/2011	14446	ACCOUNT ADJUSTMENT	20.89	
AR	06/22/2011	14935	ACCOUNT ADJUSTMENT	8.61	
AR	06/10/2011	15344	ACCOUNT ADJUSTMENT	-25.51	
AR	06/22/2011	15782	ACCOUNT ADJUSTMENT	2.71	
AR	06/22/2011	16326	ACCOUNT ADJUSTMENT	25.20	
AR	06/22/2011	16987	ACCOUNT ADJUSTMENT	14.77	
AR	06/22/2011	17011	ACCOUNT ADJUSTMENT	10.54	
AR	06/22/2011	17143	ACCOUNT ADJUSTMENT	-35.45	
AR	06/22/2011	17171	ACCOUNT ADJUSTMENT	6.54	
AR	06/22/2011	17407	ACCOUNT ADJUSTMENT	18.57	
AR	06/22/2011	17445	ACCOUNT ADJUSTMENT	61.72	
AR	06/22/2011	17446	ACCOUNT ADJUSTMENT	11.30	
AR	06/22/2011	17466	ACCOUNT ADJUSTMENT	2.69	
AR	06/22/2011	6213	ACCOUNT ADJUSTMENT	-75.68	
AR	06/22/2011	7719	ACCOUNT ADJUSTMENT	17.94	
			CURRENT CHANGE		279.11
			ENDING BALANCE		3,664.19

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hwbengflorida@embarqmail.com

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
05/20/08	1199

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE LAKE WEIR PINES WATER PLANT.	
TOTAL AMOUNT DUE:	**$ 1000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED May
DATE PAID 5.30.08
CK# 37858
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**	**Total: $ 1,000.00**

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax 352-624-9902
Email: hwbengflorida@embarqmail.com

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
05/05/08	1186

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE EMIL-MAR WATER PLANT.	
TOTAL AMOUNT DUE:	**$ 1275.00**

THANK YOU FOR YOUR BUSINESS!

GL# 184.05
GL#
VENDOR# 1138
MO POSTED May
DATE PAID 5.30.08
CK# 37858
AMOUNT 1275.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,275.00

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone 352-624-9901 • Fax 352-624-9902
Email: hwbengflorida@embarqmail.com

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
06/04/08	1213

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE WINDING WATERS SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED June
DATE PAID 6-12-08
CK# 37923
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,000.00

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hwbengflorida@embarqmail.com

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
06/06/08	1219

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE PONDEROSA PINES SUBDIVISION.	
EAST TANK	$ 750.00
WEST TANK	300.00
TOTAL AMOUNT DUE:	**$ 1050.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 184.05
GL#
VENDOR# 1138
MO POSTED June
DATE PAID 6.26.08
CK# 37987
AMOUNT 1050.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,050.00

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hwbengflorida@embarqmail.com

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: MS. PAM CHRISTMAS 10230 S.E. HWY 25 BELLEVIEW, FL 34420

DATE	INVOICE #
06/24/08	1237

DESCRIPTION	AMOUNT
9756-00– SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR OAK CREST VILLAS. (SUN RESORTS)	
TOTAL AMOUNT DUE:	**$ 500.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED June
DATE PAID 7.10.08
CK# 38075
AMOUNT 500.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**	**Total: $ 500.00**

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hwbengflorida@embarqmail.com

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: MS. PAM CHRISTMAS 10230 S.E. HWY 25 BELLEVIEW, FL 34420

DATE	INVOICE #
06/24/08	1236

DESCRIPTION	AMOUNT
9756-00– SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR FORE OAKS ESTATES.	
TOTAL AMOUNT DUE:	**$ 1000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 0138
MO POSTED
DATE PAID 7.10.08
CK# 38075
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1000.00

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone 352-624-9901 • Fax 352-624-9902
Email: hwbengflorida@embarqmail.com

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: MS. PAM CHRISTMAS 10230 S.E. HWY 25 BELLEVIEW, FL 34420

DATE	INVOICE #
06/24/08	1235

DESCRIPTION	AMOUNT
9756-00– SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR FLOYD CLARK SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED June
DATE PAID 7.10.08
CK# 38075
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1000.00

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hwbengflorida@embarqmail.com

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: MS. PAM CHRISTMAS 10230 S.E. HWY 25 BELLEVIEW, FL 34420

DATE	INVOICE #
06/24/08	1234

DESCRIPTION	AMOUNT
9756-00– SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR ELEVEN OAKS SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 800.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED
DATE PAID 7.10.08
CK# 38075
AMOUNT 800.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 800.00

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hwbengflorida@embarqmail.com

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: MS. PAM CHRISTMAS 10230 S.E. HWY 25 BELLEVIEW, FL 34420

DATE	INVOICE #
06/24/08	1233

DESCRIPTION	AMOUNT
9756-00– SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR PONDEROSA PINES NO. 2 SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 184.05
GL#
VENDOR# 1138
MO POSTED June
DATE PAID 7-10-08
CK# 39075
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1000.00

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hbarrineau@hwbeng.net

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
07/07/08	1252

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE SANDY ACRES SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1000.00**

THANK YOU FOR YOUR BUSINESS!

GL# 184.05
GL#
VENDOR# 1138
MO POSTED
DATE PAID 7-25-08
CK# 38157
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,000.00

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hbarrineau@hwbeng.net

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
07/07/08	1251

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE OCKLAWAHA TERRACE SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 800.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 184.05
GL#
VENDOR# 438
MO POSTED
DATE PAID 7-25-08
CK# 38157
AMOUNT 800.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**	**Total: $ 800.00**

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax 352-624-9902
Email: hbarrineau@hwbeng.net

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
07/07/08	1250

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE LAKEVIEW HILLS SUBDIVISION. **TOTAL AMOUNT DUE:**	**$ 1000.00**

THANK YOU FOR YOUR BUSINESS!

GL# 182.05
GL#
VENDOR# 1138
MO POSTED July
DATE PAID 7.25.08
CK# 38157
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**	**Total: $ 1,000.00**

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hbarrineau@hwbeng.net

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
07/02/08	1244

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE OAK HAVEN SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 438
MO POSTED July
DATE PAID 7-25-08
CK# 38157
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**	**Total: $ 1,000.00**

H.W. BARRINEAU & ASSOCIATES, INC.

1521 SE 36th Avenue, Ste. 2,
Ocala, FL 34471

Civil • Environmental • Structural
Engineering Services

Phone: 352-624-9901 • Fax: 352-624-9902
Email: hbarrineau@hwbeng.net

Certificate of Authorization #27815

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
07/02/08	1243

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE BURKS/OCALA GARDENS SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 800.00**

THANK YOU FOR YOUR BUSINESS!

GL# 186.05
GL#
VENDOR# 1138
MO POSTED
DATE PAID 7.25.08
CK# 38157
AMOUNT 800.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 800.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:

SUNSHINE UTILITIES
ATTN: PAM CHRISTMAS
10230 SE HWY. 25
BELLEVIEW, FL 34420

DATE	INVOICE #
08/20/08	1310

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE SUNLIGHT ACRES SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1,000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 10-15-08
CK# 38535
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,000.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
08/20/08	1311

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE BELLEVIEW OAKS ESTATES SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1,000.00**

THANK YOU FOR YOUR BUSINESS!

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 10-15-08
CK# 38535
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,000.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
08/20/08	1308

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE COUNTRY WALK SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1,000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 184.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 10-3-08
CK# 38486
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**	**Total: $ 1,000.00**

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
08/20/08	1307

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE HILLTOP AT LAKE WEIR SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1,000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 10.3.08
CK# 398435
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,000.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:

SUNSHINE UTILITIES
ATTN: PAM CHRISTMAS
10230 SE HWY. 25
BELLEVIEW, FL 34420

DATE	INVOICE #
08/20/08	1304

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE SUN RAY ESTATES SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1,000.00**

THANK YOU FOR YOUR BUSINESS!

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 10.3.08
CK# 394985
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,000.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
08/20/08	1303

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE ASHLEY HEIGHTS SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1,000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 10-3-08
CK# 38485
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**	**Total: $ 1,000.00**

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
08/19/08	1298

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE OCALA HEIGHTS SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1,000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 10.3.08
CK# 392485
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,000.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 •CAGE 50L40
FSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:

SUNSHINE UTILITIES
ATTN: PAM CHRISTMAS
10230 SE HWY. 25
BELLEVIEW, FL 34420

DATE	INVOICE #
08/19/08	1297

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE WHISPERING SANDS SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1,000.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 10-3-08
CK# 384188
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,000.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541600

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:

SUNSHINE UTILITIES
ATTN: PAM CHRISTMAS
10230 SE HWY. 25
BELLEVIEW, FL 34420

DATE	INVOICE #
08/20/08	1305

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE FLORIDA HEIGHTS SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 800.00**

THANK YOU FOR YOUR BUSINESS!

GL# 186.05
GL#
VENDOR# 1138
MO POSTED
DATE PAID 10.23.08
CK# 33569
AMOUNT 800.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 800.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:

SUNSHINE UTILITIES
ATTN: PAM CHRISTMAS
10230 SE HWY. 25
BELLEVIEW, FL 34420

DATE	INVOICE #
08/19/08	1296

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE OAKHURST SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 800.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 10.23.08
CK# 385169
AMOUNT 800.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 800.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste. 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:
SUNSHINE UTILITIES ATTN: PAM CHRISTMAS 10230 SE HWY. 25 BELLEVIEW, FL 34420

DATE	INVOICE #
08/20/08	1313

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE QUAIL RUN SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 800.00**
THANK YOU FOR YOUR BUSINESS!	

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 12-3-08
CK# 38786
AMOUNT 800.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 800.00

H.W. BARRINEAU & ASSOCIATES, INC.

DUNS No. 937534899 • CAGE 50L40
PSC R211 • R212 • R213 • R219 • R425
NAICS 541330 • 541340 • 541350 • 541370 • 541690

Veteran Owned Small Business

Civil • Environmental • Structural Engineering Services

1521 SE 36th Avenue, Ste 2, Ocala, FL 34471
Phone: 352-624-9901 • Fax: 352-624-9902
E-mail: hbarrineau@hwbeng.net

Invoice

BILL TO:

SUNSHINE UTILITIES
ATTN: PAM CHRISTMAS
10230 SE HWY. 25
BELLEVIEW, FL 34420

DATE	INVOICE #
08/20/08	1312

DESCRIPTION	AMOUNT
9756-00 – SUNSHINE UTILITIES GENERAL ENGINEERING FOR SERVICES RENDERED IN CONNECTION WITH THE ON-SITE WATER TANK INSPECTION AND REPORT PREPARATION FOR THE LITTLE LAKE WEIR SUBDIVISION.	
TOTAL AMOUNT DUE:	**$ 1,000.00**

THANK YOU FOR YOUR BUSINESS!

GL# 186.05
GL#
VENDOR# 1138
MO POSTED Aug
DATE PAID 12.3.08
CK# 38786
AMOUNT 1000.00

DUE UPON RECEIPT. UNPAID BALANCE SUBJECT TO 1.5% PER MONTH. **$5.00 MINIMUM THANK YOU.**

Total: $ 1,000.00

PLANTS SERVICING MORE THAN ONE SUBDIVISION

SUNRAY

BALDWIN HEIGHTS
BOULDER HILL
CAROL ESTATES EAST
CAROL ESTATES
JASONS LANDING
PEARL BRITAIN ESTATES
STONE HILL
SUGAR PLUM

FOUR OAKS

COVENTRY
BALLARD ACRES

SUN RESORTS IS ALSO CALLED SUTTONS DUPLEXES

OCALA GARDENS IS ALSO CALLED BURKS

OCALA HEIGHTS

COUNTRY AIRE
REYNOLDS
SILVERWOOD VILLAS
SPANISH PALMS

OAKHAVEN

NORTH SIDE VILLAS

WINDING WATERS
LAKE BRYANT ESTATES
LAKE BRYANT RIDGE
LAKE IN THE FOREST
URBAN MOBILE HOME PARK

UNIVERSAL WATERS

Plant Operations

5375 S.E. 125TH Lane * Belleview, Florida 34420
Office*(352) 288-5150 Fax * (352) 347-3258

The following is a price broken down by days per week and an explanation Of our duties to operate the treatment facilities.

1. $ 169.00 per month for 6day week operation. 11 water plant
2. $ 139.44 per month for 3day week operation. 16 water plant
3. $ 139.08 per month for 3day week operation. 1 water plant
4. $ _____ Quarter sample only.

These charges include:

1. All required Plant Operation Monitoring
2. PH, and chlorine residual readings
3. Monthly Operational Reports
4. Routine bacteriological water testing is done at

A (per sample fee) not included repeat on bacteriological sample
It is the responsibility of the owner (s) to provide the chlorine and Replacement equipment.
We have 24 hours emergency service provided at a set rate of $75.00 per hour .25 cents per mile. This charge is for all call-out work, which is beyond the preventive maintenance performed by the operator during these visits.
We bill on the first of the month for the entire month; payment is due by the 1st of that month, late after the 10th.
Late fee of 5% will be added to next month statement our terms are fifteen days.
If an account becomes delinquent, we will have no choice but to hold the Monthly Operation Reports and/or discontinue service.
Before any notification to terminate service, 30- (thirty) day notice in writing must be submitted by customer.

Accepted by: _____
Title: Manager Date: 8/1/10
Person contact should a problem arise: Dewaine Christmas
Day phone number: 3523478228 Emergency Phone #: 352 347 8228
Location address: 10230 East Hwy 25, Belleview FL 34420
Mailing address: Same as above.
Name of your water system as reported to D.E.P. and public water system I.D. number: _____

Sunshine Utilities of Central Florida, Inc.

SPECIAL REPORT

SERVICE AVAILABILITY CHARGES

December 31, 2010

DOCUMENT NUMBER-DATE
05644 AUG 10 =
FPSC-COMMISSION CLERK

Sunshine Utilities of Central Florida, Inc.
Special Report
Service Availability Charges

Index

Schedule No.	Description
1	Existing and Proposed Service Availability Charges
2	Existing and Future CIAC Level When Plants Are Operating at Design Capacity - 2015
3	Existing and Future CIAC Additions by Year
4	Existing and Future Accumulated Amortization of CIAC by Year
5	Utility Plant in Service and Accumulated Depreciation - December 31,2010 and December 31, 2015
6	Summary of Water Plant Additions by Year - 2010 through 2015
7	Allocation of Future Water Plant Costs by NARUC Primary Account and Year
8	Calculation of Water AFUDC on Future Construction
9	Schedule of Water Accumulated Depreciation and Depreciation Additions by Year
10	Schedule of Active Customers and ERC's by Meter Size at December 31, 2010
11	Schedule of Future ERC Connections through 2015
12	Capital Structure at December 31, 2010

Rainbow Springs Utilities L.C.
Schedule of Present and Proposed Service Availability Charges
December 31, 2010

Line No.		Present Charges	Proposed Charges
1	Water		
2	Residential		
3	Main Extension Charge per ERC		$ 480
4	Plant Capacity Charge per ERC	420	
5	Meter Fee (1)	100	100
6			
7	General Service		
8	Plant Capacity Charge per gallon (350 GPD)		
9	Plant Capacity Charge - Minimum charge per ERC		
10			
11	Main Extension Charge per gallon (350 GPD)		480
12	Main Extension Charge - Minimum charge per ERC		480

Rainbow Springs Utilities, L.C.
Analysis of Existing and Future CIAC Levels
Based on Proposed Service Availibility Charges
December 31, 2010 and December 31, 2015

Line No.		Balance 12/31/2010	Adjustments	Adjusted Balance 12/31/15
1	Water			
2	Utility Plant in Service	$ 2,894,639	$ 925,457	$ 3,820,096
3	Accumulated Depreciation	(1,848,044)	(687,257)	(2,535,301)
4				
5	Net Utility Plant	1,046,595	238,199	1,284,794
6				
7	Contributions in Aid of Construction	1,888,114	557,090	2,445,204
8	Accumulated Amortization of CIAC	(1,114,096)	(367,920)	(1,482,016)
9				
10	Net CIAC	774,018	189,170	963,188
11				
12	Net Utility Plant Investment	$ 272,577	$ 49,029	$ 321,606
13				
14	Percent CIAC	73.96%		74.97%
15				
16	Percent Investment	26.04%		25.03%

Sunshine Utilities of Central Florida, Inc.
Adjustments to CIAC Level
2010 through 2015

Line No.			Water
1	(A)	Utility Plant	
2	(1)	Estimated cost of plant upgrades at current prices to serve 2015 connections	$ 925,457
3			
4		Total	$ 925,457
5			
6	(B)	Accumulated Depreciation	
7	(1)	Balance 12-31-10	$ 1,848,044
8	(2)	Total projected depreciation at 12-31-15	2,535,301
9			
10		Adjustment required for additional depreciation	$ 687,257
11			
12	(C)	CIAC	
13	(1)	Future plant capacity charges at proposed rates	$ 461,040
14	(3)	Future meter fees	96,050
15			
16		Total	$ 557,090
17			
18	(D)	Accumulated Amortization of CIAC	
19		Future amortizaton of Plant Expansion	64,878
20	(1)	Future amortization of existing CIAC to through 2015	303,042
21			
22		Total future amortization of CIAC through 2015	$ 367,920

Sunshine Utilities of Central Florida, Inc.
Existing and Future CIAC Additions by Year
December 31, 2010 through December 31, 2015

Line No.	Description	Balance December 31 2010	2011	2012	2013	2014	2015	Total
1	Water							
2	Plant Capacity Charges							
3	Total ERC's to be added		211	202	193	182	173	961
4	Proposed Charge		$ 480	$ 480	$ 480	$ 480	$ 480	$ 480
5								
6	Total Plant Capacity Charges	$ 1,888,114	101,160	96,840	92,640	87,360	83,040	2,349,154
7								
8								
9	Meter Fees							
10	ERC's to be added		211	202	193	182	173	961
11	Water Meter Fee		100	100	100	100	100	100
12								
13	Total Meter Fees	-	21,075	20,175	19,300	18,200	17,300	96,050
14								
15								
16	Total Water CIAC balances	$ 1,888,114	$ 122,235	$ 117,015	$ 111,940	$ 105,560	$ 100,340	$ 2,445,204

Sunshine Utilities of Central Florida, Inc.
Existing and Future Accumulated Amortization of CIAC by Year
December 31, 2010 through December 31, 2015

Line No.	Description	Rate	Balance December 31, 2010	2011	2012	2013	2014	2015	Total
1	Water								
2	Amortization of proposed charges								
3	Plant Capacity	3.21%		$ 3,918	$ 7,668	$ 11,256	$ 14,639	$ 17,855	$ 55,337
4	Meter Installation	3.21%		675	1,322	1,941	2,524	3,079	9,541
5									
6									
7	Total future amortization			4,593	8,990	13,197	17,163	20,934	64,878
8									
9	Amortization of Existing CIAC								
10	Plant Capacity	3.21%	1,114,096	60,608	60,608	60,608	60,608	60,608	1,417,138
11									
12	Total water amortization		1,114,096	65,202	69,599	73,805	77,772	81,542	1,482,016

Sunshine Utilities of Central Florida, Inc.
Existing and Future Accumulated Amortization of CIAC by Year
December 31, 2010 and December 31, 2015

Line No.	Description	12/31/2010 Cost	12/31/2015 Cost	12/31/2010 Accumulated Depreciation	12/31/2015 Accumulated Depreciation
1	Water				
2					
3	Organization	1,660	1,660	6,296	6,504
4	Land & Land Rights	80,737	280,737	-	-
5	Structures & Improvements	7,959	208,416	1,393	88,491
6	Wells & Springs	140,857	340,857	74,889	118,345
7	Supply Mains	107,156	237,156	15,628	42,079
8	Power Generation Equipment	57,253	168,253	35,422	76,718
9	Pumping Equipment	446,075	530,075	321,799	444,284
10	Water Treatment Equipment	199,916	199,916	193,440	202,467
11	Distr. Reservoirs & Standpipes	33,545	33,545	24,900	32,524
12	Transm. & Distribution Mains	1,042,211	1,042,211	685,544	885,222
13	Services	130,760	130,760	19,024	33,891
14	Meters & Meter Installations	196,495	196,495	110,184	159,223
15	Other Plant & Misc. Equipment	25,858	25,858	21,126	26,298
16	Office Furniture & Equipment	37,441	37,441	17,639	30,041
17	Transportation Equipment	92,383	92,383	66,508	97,302
18	Stores Equipment	4,425	4,425	1,255	2,361
19	Tools, Shop & Garage Equipment	1,002	1,002	14,626	21,179
20	Laboratory Equipment	19,965	19,965	-	4,633
21	Power Operated Equipment	5,200	5,200	4,055	10,912
22	Communication Equipment	10,912	10,912	10,912	17,436
23	Miscellaneous Equipment	17,436	17,436	17,436	235,392
24	Abandonment of Regional Plant	235,393	235,393	205,968	-
25		-	-	-	-
26					
27	Total	$ 2,894,639	$ 3,820,096	$ 1,848,044	$ 2,535,301
28					

SCHEDULE NO. 5

Sunshine Utilities of Central Florida, Inc.
Summary of Water Plant Additions by Year - 2010 through 2015
December 31, 2010 and December 31, 2015

Line No.	NARUC Account	Description	Existing 12/31/10	2011	2012	2013	2014	2015	Total
1		Future Plant (1)							-
2	303.02	Land & Land Rights		40,000	40,000	40,000	40,000	40,000	200,000
	304.00	Structures & Improvements		40,091	40,091	40,091	40,091	40,091	200,457
	307.02	Wells & Springs		40,000	40,000	40,000	40,000	40,000	200,000
	309.00	Supply Mains		26,000	26,000	26,000	26,000	26,000	130,000
3	310.00	Power Generation Equipment		22,200	22,200	22,200	22,200	22,200	111,000
4	311.02	Pumping Equipment		16,800	16,800	16,800	16,800	16,800	84,000
5									
6		Total additions		$ 185,091	$ 185,091	$ 185,091	$ 185,091	$ 185,091	$ 925,457
7									
8		Plant Balances By Year							
9	301.00	Organization	1,660	1,660	1,660	1,660	1,660	1,660	1,660
10	303.02	Land & Land Rights	80,737	120,737	160,737	200,737	240,737	280,737	280,737
11	304.00	Structures & Improvements	7,959	48,050	88,142	128,233	168,325	208,416	208,416
12	307.02	Wells & Springs	140,857	180,857	220,857	260,857	300,857	340,857	340,857
13	309.00	Supply Mains	107,156	133,156	159,156	185,156	211,156	237,156	237,156
14	310.00	Power Generation Equipment	57,253	79,453	101,653	123,853	146,053	168,253	168,253
15	311.02	Pumping Equipment	446,075	462,875	479,675	496,475	513,275	530,075	530,075
16	320.03	Water Treatment Equipment	199,916	199,916	199,916	199,916	199,916	199,916	199,916
17	330.00 &	Distr. Reservoirs & Standpipes	33,545	33,545	33,545	33,545	33,545	33,545	33,545
18	331.00	Transm. & Distribution Mains	1,042,211	1,042,211	1,042,211	1,042,211	1,042,211	1,042,211	1,042,211
19	333.00	Services	130,760	130,760	130,760	130,760	130,760	130,760	130,760
20	334.00	Meters & Meter Installations	196,495	196,495	196,495	196,495	196,495	196,495	196,495
21	339.00	Other Plant & Misc. Equipment	25,858	25,858	25,858	25,858	25,858	25,858	25,858
22	340.05	Office Furniture & Equipment	37,441	37,441	37,441	37,441	37,441	37,441	37,441
23	341.00	Transportation Equipment	92,383	92,383	92,383	92,383	92,383	92,383	92,383
24	342.00	Stores Equipment	4,425	4,425	4,425	4,425	4,425	4,425	4,425
25	343.05	Tools, Shop & Garage Equipment	1,002	1,002	1,002	1,002	1,002	1,002	1,002
26	343.05	Laboratory Equipment	19,965	19,965	19,965	19,965	19,965	19,965	19,965
27	345.00	Power Operated Equipment	5,200	5,200	5,200	5,200	5,200	5,200	5,200
28	346.00	Communication Equipment	10,912	10,912	10,912	10,912	10,912	10,912	10,912
29	347.00	Miscellaneous Equipment	17,436	17,436	17,436	17,436	17,436	17,436	17,436
30	349.00	Abandonment of Regional Plant	235,393	235,393	235,393	235,393	235,393	235,393	235,393
31			-	-	-	-	-	-	-
32									
33									
34		Total	$ 2,894,639	$ 3,079,730	$ 3,264,822	$ 3,449,913	$ 3,635,004	$ 3,820,096	$ 3,820,096
35									
36		Figures were derived by figuring the main line extensions needed to adapt to 100% Capacity at current prices							

Sunshine Utilities of Central Florida, Inc.
Allocation of Future Water Plant Costs by NARUC Account and Year
December 31, 2010 through December 31, 2015

Line No.	NARUC Actt. No.	Description	Hard Costs	Percent	Engineering, Permitting , Contingency & Other Soft Costs	Total Cost Before AFUDC	Percent	AFUDC	Total Cost
1		Capacity Upgrade - 2011 completion							
2	303.02	Land & Land Rights	$ 190,808	21.61%	$ -	$ 190,808	21.61%	$ 9,192	$ 200,000
3	304.00	Structures & Improvements	$ 191,244	21.66%		$ 191,244	21.66%	$ 9,213	$ 200,457
4	307.02	Wells & Springs	$ 190,808	21.61%		$ 190,808	21.61%	$ 9,192	$ 200,000
5	309.00	Supply Mains	$ 124,025	14.05%		$ 124,025	14.05%	$ 5,975	$ 130,000
6	310.00	Power Generation Equipment	$ 105,898	11.99%		$ 105,898	11.99%	$ 5,102	$ 111,000
7	311.02	Pumping Equipment	$ 80,139	9.08%		$ 80,139	9.08%	$ 3,861	$ 84,000
8									
9			-	0.00%	-	-	-	-	-
10			882,921	100.00%	-	882,921	100.00%	42,535	925,457

Sunshine Utilities of Central Florida, Inc.
Allocation of Future Water Plant Costs by NARUC Account and Year
December 31, 2010 *through* December 31, 2015

Line No.	NARUC Actt. No.	Description	Hard Costs	Percent	Engineering, Permitting , Contingency & Other Soft Costs	Total Cost Before AFUDC	Percent	AFUDC	Total Cost
1									
2		2011-2015 completion							
3	303.02	Land & Land Rights	190,808	21.61%	-	190,808	21.61%	9,192	200,000
	304.00	Structures & Improvements	191,244	21.66%		191,244	21.66%	9,213	200,457
	307.02	Wells & Springs	190,808	21.61%		190,808	21.61%	9,192	200,000
	309.00	Supply Mains	124,025	14.05%		124,025	14.05%	5,975	130,000
	310.00	Power Generation Equipment	105,898	11.99%		105,898	11.99%	5,102	111,000
	311.02	Pumping Equipment	80,139	9.08%		80,139	9.08%	3,861	84,000
4			-	0.00%	-	-	-	-	-
5									
6		Total	$ 882,921	100.00%	$ -	$ 882,921	100.00%	$ 42,535	$ 925,457
7									
8		Allocation of AFUDC by Rate Case							
9		Unified Rate System				$ 882,921	100.00%	$ -	$ 882,921
10						-	-	-	-
11									
12		Total cost before AFUDC				$ 882,921	100.00%	$ 42,535	$ 882,921

Sunshine Utilities of Central Florida, Inc.
Allocation of Future Water Plant Costs by NARUC Account and Year
December 31, 2010 through December 31, 2015

Line No.	Month	Estimated Monthly CWIP Increase	Accumulated CWIP Beginning Of Month	Accumulated CWIP End Of Month	Average CWIP Balance	Monthly AFUDC	Total Capitalized
1	6	$ 50,000		$ 50,000	$ 25,000	$ 204	$ 50,204
2	6	$ 50,000	$ 50,204	100,204	75,204	615	100,819
3	6	$ 80,000	100,819	180,819	140,819	1,152	181,971
4	6	$ 85,950	181,971	267,921	224,946	1,855	269,776
5	6	$ 77,121	269,776	346,897	308,336	2,522	349,419
6	6	$ 77,121	349,419	426,540	387,979	3,173	429,713
7	6	$ 77,121	429,713	506,834	468,273	3,829	510,664
8	6	$ 77,121	510,664	587,785	549,224	4,491	592,276
9	3	$ 77,121	592,276	669,398	630,837	5,159	674,557
10	3	$ 77,121	674,557	751,678	713,117	5,832	757,510
11	3	$ 77,121	757,510	834,631	796,071	6,510	841,141
12	3	$ 77,121	841,141	918,263	879,702	7,194	925,457
13							
14	TOTAL	$ 882,921				$ 42,535	$ 925,457
15							
16	Note: AFUDC is based on the annual rate of return (Schedule No. B-1) discounted to a						
17	monthly rate of	0.8177780%					

Schedule No. 8

Sunshine Utilities of Central Florida, Inc.
Summary of Water Accumulated Depreciation and Depreciation Additions by Year
December 31, 2010 through December 31, 2015

Line No.	NARUC Account	Description	Rate	Existing Balance 12/30/10	2011	2012	2013	2014	2015	Total
1		Depreciation of Future Plant								
	303.02	Land & Land Rights								
	304.00	Structures & Improvements	13.58%		5,446	10,892	16,339	21,785	27,231	81,693
	307.02	Wells & Springs	3.33%		1,332	2,664	3,996	5,328	6,660	19,980
	309.00	Supply Mains	2.86%		743	1,486	2,229	2,971	3,714	11,143
	310.00	Power Generation Equipment	6.67%		1,481	2,961	4,442	5,923	7,404	22,211
2	311.02	Pumping Equipment	5.00%	-	840	1,680	2,520	3,360	4,200	12,600
6					-	-	-	-	-	-
7										
8					$ 840	$ 1,680	$ 2,520	$ 3,360	$ 4,200	$ 147,627
9										
10										
11		Depreciation of Existing Plant		-						
12	301.00	Organization	2.50%	6,296	42	42	42	42	42	6,504
13	303.02	Land & Land Rights		-		-	-	-	-	-
14	304.00	Structures & Improvements	13.58%	1,393	1,081	1,081	1,081	1,081	1,081	6,799
15	307.02	Wells & Springs	3.33%	74,889	4,695	4,695	4,695	4,695	4,695	98,365
16	309.00	Supply Mains	2.86%	15,628	3,062	3,062	3,062	3,062	3,062	30,936
17	310.00	Power Generation Equipment	6.67%	35,422	3,817	3,817	3,817	3,817	3,817	54,506
18	311.02	Pumping Equipment	5.00%	321,799	21,977	21,977	21,977	21,977	21,977	431,684
19	320.03	Water Treatment Equipment	4.52%	193,440	9,027					202,467
20	330.00 & 328	Distr. Reservoirs & Standpipes	4.55%	24,900	1,525	1,525	1,525	1,525	1,525	32,524
21	331.00	Transm. & Distribution Mains	3.83%	685,544	39,936	39,936	39,936	39,936	39,936	885,222
22	333.00	Services	2.27%	19,024	2,973	2,973	2,973	2,973	2,973	33,891
23	334.00	Meters & Meter Installations	4.99%	110,184	9,808	9,808	9,808	9,808	9,808	159,223
24	339.00	Other Plant & Misc. Equipment	4.00%	21,126	1,034	1,034	1,034	1,034	1,034	26,298
25	340.05	Office Furniture & Equipment	6.63%	17,639	2,480	2,480	2,480	2,480	2,480	30,041
26	341.00	Transportation Equipment	16.67%	66,508	15,397	15,397	-			97,302
27	342.00	Stores Equipment	5.00%	1,255	221	221	221	221	221	2,361
28	343.05	Tools, Shop & Garage Equipment	6.25%	14,626	1,311	1,311	1,311	1,311	1,311	21,179
29	345.00	Power Operated Equipment	2.22%	4,055	116	116	116	116	116	4,633
30	346.00	Communication Equipment	0.00%	10,912	-	-	-	-		10,912
31	347.00	Miscellaneous Equipment	0.00%	17,436	-	-	-	-		17,436
32	349.00	Abandonment of Regional Plant	12.50%	205,968	29,424					235,392
33				-	-	-	-	-	-	-
34										-
35		Total		$ 1,848,044	$ 147,925	$ 109,474	$ 94,077	$ 94,077	$ 94,077	$ 2,387,675

Sunshine Utilities of Central Florida, Inc.
Schedule Of Active Customers On Line And
ERC's by Meter Size and Customer Class at
December 31, 2010

Line No.		No. Of Customers	Meter Size	ERC Factor	Factored ERC's
	Water				
1	Residential	39,072	5/8 X 3/4	1.0	39,072
2		26	1.0"	2.5	65
3		56	1.25"	3.8	213
4		13	1.50"	5.0	65
5		50	2.0"	8.0	400
6		-	3.0"	15.0	-
7		11	4.0"	25.0	275
8	Total irrigation	39,228			40,090
9					
10					
11	General Service				
12		637	5/8 X 3/4	1.0	637
13		54	1.0"	2.5	135
14		8	1.25"	3.8	30
15		13	1.50"	5.0	65
16		23	2.0"	8.0	184
17		-	3.0"	15.0	-
18		-	4.0"	25.0	-
19	Total General Service	735			1,051
20					
21	Multi - Family				
22		80	5/8 X 3/4	1.0	80
23		12	1.0"	2.5	30
24		570	1.25"	3.8	2,166
25		121	1.50"	5.0	605
26		5	2.0"	8.0	40
27		11	3.0"	15.0	165
28		11	4.0"	25.0	275
29	Total General Service	810			3,361
30					
31					
32	Total	40,773			44,502
38					
40					

SCHEDULE NO. 10

Sunshine Utilities of Central Florida, Inc.
Schedule of Future ERC Connections
Through December 31, 2015

Line No.		Total Planned Units (1)	Existing 12/31/2010	Remaining Future @ 12/31/2010	2011	2012	2013	2014	2015	Total Units Added
1	Single Family/Multi Family/General									
2	Ashley Heights	50	50	-						-
3	Belleview Oaks	95	88	7	2	2	1	1	1	7
4	Burks/Ocala Garden	29	25	4	1	1	1	1	-	4
5	Country Walk	77	68	9	2	2	2	2	1	9
6	Eleven Oaks	44	40	4	1	1	1	1	-	4
7	Emil Marr	87	81	6	2	1	1	1	1	6
8	SunRay	97	92	5	2	1	1	1	1	6
9	Sugar Plum	67	64	3	1	1	1			3
10	Stonehill	95	90	5	1	1	1	1	1	5
11	Baldwin Heights	11	8	3	1	1	1			3
12	Carol Estates	239	236	3	1	1	1			3
13	Pearl Britain	32	32	-						-
14	Boulder Hill	32	30	2	1	1				2
15	Jason's Landing	51	48	3	1	1	1			3
16	Florida Heights	118	110	8	2	2	2	1	1	8
17	Floyd Clard/Hodges	50	50	-						-
18	Northwoods	28	24	4	1	1	1	1		4
19	Foreoaks	58	51	7	2	2	1	1	1	7
20	Coventry	168	158	10	2	2	2	2	2	10
21	Ballard Acres	23	23	-						-
22	Hilltop	64	61	3	1	1	1			3
23	Hilltop Phase II	37	29	8	2	2	2	1	1	8
24	Hilltop Phase III	159	106	53	11	11	11	10	10	53
25	Lakeview Hills	81	65	16	4	3	3	3	3	16
26	Little Lake Weir	787	436	351	71	70	70	70	70	351
27	Oakhaven	82	82	-						-
28	Oakhurst	115	115	-						-
29	Ocala Heights	168	106	62	13	13	12	12	12	62
30	Reynolds	91	87	4	1	1	1	1		4
31	Silverwood Villas	84	83	1	1					1
32	Spanish Palms	129	45	84	17	17	17	16	16	83
33	Country Aire	25	21	4	1	1	1	1		4
34	Lexington Estates	72	15	57	12	12	11	11	11	57
35	Ocklawaha	529	346	183	40	38	35	35	35	183
36	Sanctuary	24	18	6	2	1	1	1	1	6
37	Sunlight Acres	84	80	4	1	1	1	1		4
38	Sun Resorts	33	32	1	1					1
39	Whispering Sands	128	128	-						-
40	Winding Waters	191	191	-						-
41	Lake Forrest	8	5	3	1	1	1			3
42	Lake Bryant Ridge	33	21	12	3	3	2	2	2	12
43	Sandy Acres	295	273	22	5	5	5	4	3	22
44	Quail Run	59	55	4	1	1	1	1		4
45	Ponderossa Pines	198	198	-						-
47										
48	Total	4,927	3,966	961	211	202	193	182	173	961
49										
50	Total ERC's	4,927	3,966	961	211	202	193	182	173	961
51										

52 (1) Each residential unit is equal to 1 ERC. An ERC has been defined by the Company's engineer as 350 gpd for water

Sunshine Utilities of Central Florida, Inc.
Schedule Of Capital Structure
December 31, 2010

Line No.		Dollar Amount	Percentage Of Capital	Cost Rate	Weighted Cost
1	Common Equity				
2	Paid in Capital	$ 421,449			
3	Accumulated Deficit	(199,177)			
4		222,272	100.00%	10.85%	10.85%
5	Long Term Debt				
6					
7					
8		-	0.00%		0.00%
9					
10	Total capital	$ 222,272	100.00%		10.85%
11					

SCHEDULE NO. 12

CLASS B
WATER AND/OR WASTEWATER UTILITIES

FINANCIAL, RATE, AND ENGINEERING MINIMUM REQUIREMENTS

OF

Sunshine Utilities of Central Florida, Inc.

Exact Legal Name of Utility

Applies To: Marion County Other, Sandy Acres, Ponderosa Pines, and Quail Run

ADDITIONAL SCHEDULES AS OF AUGUST 9, 2011

VOLUME III

FOR

Test Year Ended: December 31, 2010

DOCUMENT NUMBER-DATE
05644 AUG 10 =
FPSC-COMMISSION CLERK

Dosage Rates

UNIVERSAL WATER PLANT OPERATION
5375 S.E. 125TH LANE BELLEVIEW FL 34420
OFFICE # (352) 288- 5150 FAX # (352)347-3258

SUNSHINE UTILITIES WATER SYSTEM IN MARION COUNTY

6 VISIT PER. WEEK

OCKLAWAHA #1 =	30 G.P.D/100%
OCKLAWAHA #2 =	30 G.P.D/100%
WINDING WATERS=	30 G.P.D/100%
HILL TOP AT LAKE WEIR=	15G.P.D/60%&15G.P.D/60%
QUAIL RUN =	30 G.P.D/100%
WHISPERING SANDS=	15 G.P.D/100%&15G.P.D/100%
OAK HURST=	15 G.P.D./100%
OCALA HEIGHTS=	30G.P.D./100%
FORE OAKS=	30G.P.D./80%
OAK HAVEN=	30G.P.D./80%
SUN RAY ESTATES=	30G.P.D./100%

3 VISIT PER. WEEK

FLORIDA HEIGHTS=	15G.P.D./100%
EMIL-MARR=	30G.P.D./100%
ELEVEN OAKS=	15G.P.D./65%
FLOYD CLARK=	7G.P.D/100%
ASHLEY HEIGHTS=	7G.P.D./100%
SUN RESORT=	7G.P.D./100%
~~ELLSWORTH PT~~	~~7G.P.D./100%~~
~~BACK WATER HEIGHTS #1=~~	~~7G.P.D. / 100%~~
~~BACK WATER HEIGHTS #2=~~	~~7G.P.D./100%~~
OCALA GARDENS=	15G.P.D./100%
SANDY ACRES=	30G.P.D. /100%
PONDEROSA PINES #1=	7G.P.D. /100%
PONDEROSA PINES #2=	7G.P.D./100%
LITTLE LAKE WEIR=	15G.P.D. /40%
BELLEVIEW OAKS=	30G.P.D. /100%
COUNTRY WALK=	7G.P.D. /100%
SUNLIGHT ACRES=	15G.P.D. /100%

Citrus County

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349
(352) 625-2822
FAX (352) 625-6638

Winding Waters

On September 30,2009 we completed the report for the above referenced water system, identification number 3424691. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911283 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection

Safe Drinking Water Program Laboratory Reporting Format

#0911283

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Winding Waters PWS I.D. #: 3 4 2 4 6 9 1

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: _____

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 9/2/09 Sample Time: 1130 (AM) PM (Circle One)

Sample Location (be specific): Tap on South Side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): ~~N/A~~ mg/L Field pH: 7.65

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: _____

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 9/2/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424691** System Name: **Winding Waters** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911283 Date Sample(s) Received: 9/2/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: September 30, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report

☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Winding Waters
PWS ID: 3424691
Submission Number: 0911283

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	0.05	U	EPA353.2	0.05	9/2/09	1:53 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/2/09	1:53 PM	E83265
1005	Arsenic	0.010	mg/L	0.0033		EPA200.8	0.00012	9/15/09		E82574
1010	Barium	2	mg/L	0.015		EPA200.7	0.00028	9/15/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/15/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/15/09		E82574
1024	Cyanide	0.2	mg/L	0.001	I	SM4500CNE	0.00097	9/8/09		E84589
1025	Fluoride	4.0	mg/L	0.15	I	SM4500FC	0.10	9/4/09		E83265
1030	Lead	0.015	mg/L	0.00037	I	EPA200.8	0.000037	9/15/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00046	I	EPA200.8	0.00035	9/15/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/15/09		E82574
1052	Sodium	160	mg/L	6.3		EPA200.7	0.026	9/15/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/17/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/15/09		E82574
1085	Thallium	0.002	mg/L	0.000076	I	EPA200.8	0.000026	9/15/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Winding Waters
PWS ID: 3424691
Submission Number: 0911283

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/15/09		E82574
1017	Chloride	250	mg/L	7		EPA300.0	0.2	9/14/09		E82001
1022	Copper	1	mg/L	0.0014		EPA200.8	0.000085	9/15/09		E82574
1025	Fluoride	2.0	mg/L	0.15	I	SM4500FC	0.10	9/4/09		E83265
1028	Iron	0.3	mg/L	0.058	I	EPA200.7	0.038	9/15/09		E82574
1032	Manganese	0.05	mg/L	0.0053		EPA200.8	0.000073	9/15/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/15/09		E82574
1055	Sulfate	250	mg/L	5.50		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.03		EPA200.7	0.0020	9/15/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/2/09	2:50 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/2/09	3:07 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.65		Field	Field	9/2/09		Field
1930	Total Dissolved Solids	500	mg/L	161		SM2540C	10	9/3/09		E83265
2905	Foaming Agents	0.5	mg/L	0.095	I	EPA425.1	0.05	9/3/09	10:45	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Winding Waters
PWS ID: 3424691
Submission Number: 0911283

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.4	U	900.0	1.4	3	1.0	9/16/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.4	9/12/09		E83033
4020	Radium-226	5	pCi/L	0.2		903.1	0.2	1	0.2	9/24/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.6	9/23/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Winding Waters
PWS ID: 3424691
Submission Number: 0911283

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/8/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/8/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/8/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/8/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/8/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/8/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/8/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/8/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/8/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/8/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/8/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/8/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/8/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 12:30 PM 9-2-09

Client: Sunshine Utilities

Submission Number: 0911283

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other: _____
☐ DOH Marion County ☐ DOH Other: _____
☐ N/A (for information only)

PO Number: _____
Contact Name: _____
Contact Phone: _____

System Information
System Name: Winding Waters
System ID Number: 3424691

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Mancuso
Date Sample Collected: 9/2/09
Time Sample Collected: 1130

Field Test Results (if applicable) Cl_2 Residual: _____
Temp: _____ pH: 7.65 DO: _____
Other: _____

Sample Custody
Relinquished Signature: [signature]
Date: 9/2/09 Time: 1230 Condition: _____
Relinquished Signature: _____
Date: _____ Time: _____ Condition: _____
Received By: [signature]
Sample Temperature at Time of Receipt: 10.0 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number: _____
Comments: _____

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911283-A
☒ CN	0911283-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911283-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911283-A
☒ Odor	0911283-D
☒ Foaming Agents	0911283-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911283-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial: _____	
☐ HAA (All 5) ☐ HAA Partial: _____	
☐ Other: _____	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911283-F
☐ Other: _____	
Volatile Organic Contaminants	
☒ All 21	0911283-G
☐ Partial: _____	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial: _____	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered): _____	
☐ Other: _____	
☐ Other: _____	
☐ Other: _____	
☐ Other: _____	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349
(352) 625-2822
FAX (352) 625-6638

Whispering Sands

On October 23,2009 we completed the report for the above referenced water system, identification number 3424009. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911942 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

0911942

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Whispering Sands PWS I.D. #: 3 4 2 4 0 0 9

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/17/09 Sample Time: 1048 (AM) PM (Circle One)

Sample Location (be specific): Tap on East Side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): n/a mg/L Field pH: 7.48

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start flow @1038 Allow Temp & pH to stabilize Record Sample Temp = 24.73

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site. 9/17/09

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/17/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424009** System Name: **Whispering Sands** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0911942 Date Sample(s) Received: 9/17/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa Saupp Date: October 23, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory
☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Whispering Sands
PWS ID: 3424009
Submission Number: 0911942

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	3.25		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.00012	U	EPA200.8	0.00012	9/30/09		E82574
1010	Barium	2	mg/L	0.0043		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/30/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/30/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/24/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.000037	U	EPA200.8	0.000037	9/30/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/30/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/30/09		E82574
1052	Sodium	160	mg/L	9.1		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.00012	I	EPA200.8	0.000091	9/30/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/30/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Whispering Sands
PWS ID: 3424009
Submission Number: 0911942

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	12.1		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.00056	I	EPA200.8	0.000085	9/30/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.00028	I	EPA200.8	0.000073	9/30/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/30/09		E82574
1055	Sulfate	250	mg/L	47.7		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.026		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/17/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/17/09	2:45 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.48		Field	Field	9/17/09		Field
1930	Total Dissolved Solids	500	mg/L	250		SM2540C	10	9/22/09		E83265
2905	Foaming Agents	0.5	mg/L	0.085	I	EPA425.1	0.05	9/18/09	17:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Whispering Sands
PWS ID: 3424009
Submission Number: 0911942

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.9	U	900.0	1.9	3	1.3	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.8	U	908.0	0.8		0.6	10/1/09		E83033
4020	Radium-226	5	pCi/L	0.4		903.1	0.2	1	0.2	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	10/5/09		E83033

U - The parameter was analyzed but not detected.

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Whispering Sands
PWS ID: 3424009
Submission Number: 0911942

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/24/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/24/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/24/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/24/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/24/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/24/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/24/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/24/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/24/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/24/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/24/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/24/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/24/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 11:51 a.m. / 9-17-09

Client: Sunshine Utilities

Submission Number: 0911942

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Whispering Sands
System ID Number: 3424009

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Mauro
Date Sample Collected: 09/17/09
Time Sample Collected: 1098

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.42 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 09/17/09 Time: 1149 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Moore
Sample Temperature at Time of Receipt: 6.1 °C
☑ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911942-A
☒ CN	0911942-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911942-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911942-A
☒ Odor	0911942-D
☒ Foaming Agents	0911942-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911942-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911942-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911942-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

Page 1 of DEP form 62-550.730 is required if report is being submitted to the Florida DEP for compliance or permitting.

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Sun Resort

On October 22,2009 we completed the report for the above referenced water system, identification number 3421201. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911875 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☐ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☑ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

Nitrate

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District	☐ DOH Marion County
☐ DEP Southwest District	☐ DOH Lake County
☐ DEP Northeast District	☐ DOH Sumter County
☐ DEP	☐ DOH
☐ Other	☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection

Safe Drinking Water Program Laboratory Reporting Format

#0911875

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Sun Resort PWS I.D. #: 3 4 2 1 2 0 1

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/16/09 Sample Time: ~~1321~~ 1521 AM PM (Circle One)

~~9/16/09~~

Sample Location (be specific): Tap Near water meter

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): ~~.04~~ mg/L Field pH: 7.09

Sample Type (Check Only One)	Reason(s) for Sample (Check all that apply)	
☐ Distribution	☒ Routine Compliance (with 62-550)	☐ Quarterly (Which Quarter? _____)
☒ Entry Point (to Distribution)	☐ Confirmation of MCL Exceedance*	☐ Special (not for compliance with 62-550)
☐ Plant Tap (not for compliance with 62-550)	☐ Composite of Multiple Sites**	☐ Violation Resolution
☐ Raw (at well or intake)	☐ Clearance (permitting)	☐ Replacement (of Invalidated Sample)
☐ Max Residence Time	☐ Other: _____	
☐ Ave Residence Time	Sampling Procedure Used or Other Comments: ~~Start Flow @ 1339~~ @ 9/16/09 1509 Allow Temp & pH to Stabilize Record Sample Temp: 23.95	
☐ Near First Customer		

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: _____ Date: 09/16/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3421201** System Name: **Sun Resort** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0911875 Date Sample(s) Received: 9/16/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 22, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sun Resort
PWS ID: 3421201
Submission Number: 0911875

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	6.48		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.00012	U	EPA200.8	0.00012	9/25/09		E82574
1010	Barium	2	mg/L	0.0023		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/25/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/25/09		E82574
1024	Cyanide	0.2	mg/L	0.0013	I	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.00016	I	EPA200.8	0.000037	9/25/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/25/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/25/09		E82574
1052	Sodium	160	mg/L	14		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/25/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000028	I	EPA200.8	0.000026	9/25/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sun Resort
PWS ID: 3421201
Submission Number: 0911875

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	14.6		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.0015		EPA200.8	0.000085	9/25/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.00013	I	EPA200.8	0.000073	9/25/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/25/09		E82574
1055	Sulfate	250	mg/L	14.4		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.05		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/16/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/16/09	4:45 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.07		Field	Field	9/16/09		Field
1930	Total Dissolved Solids	500	mg/L	300		SM2540C	10	9/17/09		E83265
2905	Foaming Agents	0.5	mg/L	0.139	I	EPA425.1	0.05	9/17/09	14:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sun Resort
PWS ID: 3421201
Submission Number: 0911875

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.0	U	900.0	1.0	3	0.7	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.5	10/1/09		E83033
4020	Radium-226	5	pCi/L	0.3		903.1	0.2	1	0.2	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	10/5/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sun Resort
PWS ID: 3421201
Submission Number: 0911875

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/24/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/24/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/24/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/24/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/24/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/24/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/24/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/24/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/24/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/24/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/24/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/24/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/24/09		E82574

U - The parameter was analyzed but not detected.

Collect July, Aug [illegible]

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 3:40pm / 9-16-09

Client: Sunshine Utilities

Submission Number: 0911875

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Sun Resort
System ID Number: 3421201

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/16/09
Time Sample Collected: ~~1324~~ 1521 9/16/09

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.07 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 09/16/09 Time: 1559 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Moore
Sample Temperature at Time of Receipt: 10.2 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911875-A
☒ CN	0911875-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911875-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911875-A
☒ Odor	0911875-D
☒ Foaming Agents	0911875-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911875-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911875-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911875-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349
(352) 625-2822
FAX (352) 625-6638

Sun Ray Estates

On October 23,2009 we completed the report for the above referenced water system, identification number 3421314. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911982 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other
☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911952

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Sun Ray Estates PWS I.D. #: 3 4 2 1 3 1 4

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 9/17/09 Sample Time: 1330 AM (PM) (Circle One)

Sample Location (be specific): tap on East side of tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): NA mg/L Field pH: 7.22

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start flow @ 1318 allow temp + pH to stabilize record sample temp = 23.43

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Karen LeBeau

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Karen LeBeau (Print Name), Field Tech (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: Karen LeBeau Date: 9/17/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3421314** System Name: **Sun Ray Estates** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911982 Date Sample(s) Received: 9/17/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 23, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report

☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sun Ray Estates
PWS ID: 3421314
Submission Number: 0911982

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	1.77		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.0013		EPA200.8	0.00012	9/30/09		E82574
1010	Barium	2	mg/L	0.0036		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/30/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/30/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/24/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.0013		EPA200.8	0.000037	9/30/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/30/09		E82574
1045	Selenium	0.05	mg/L	0.0014	I	EPA200.8	0.00063	9/30/09		E82574
1052	Sodium	160	mg/L	11		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/30/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/30/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sun Ray Estates
PWS ID: 3421314
Submission Number: 0911982

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	15.9		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.0089		EPA200.8	0.000085	9/30/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/30/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/30/09		E82574
1055	Sulfate	250	mg/L	17.5		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.016		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/17/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/17/09	4:40 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.22		Field	Field	9/17/09		Field
1930	Total Dissolved Solids	500	mg/L	288		SM2540C	10	9/22/09		E83265
2905	Foaming Agents	0.5	mg/L	0.161	I	EPA425.1	0.05	9/18/09	17:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sun Ray Estates
PWS ID: 3421314
Submission Number: 0911982

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.0	U	900.0	1.0	3	0.7	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.5	10/3/09		E83033
4020	Radium-226	5	pCi/L	0.2	U	903.1	0.2	1	0.1	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.6	10/5/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sun Ray Estates
PWS ID: 3421314
Submission Number: 0911982

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/29/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/29/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/29/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/29/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/29/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/29/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/29/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/29/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/29/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/29/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/29/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/29/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/29/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 1:58 pm / 9-17-09

Client: Sunshine Utilities

Submission Number: 0911982

Report to: (Name & Mailing Address)
- On File -

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Sun Ray Estates
System ID Number: 3421314

Sample Information
Sample Location: Point of Entry
Sampler Name: Karen LeBeau
Date Sample Collected: 9/17/09
Time Sample Collected: 1330

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.22 DO:
Other:

Sample Custody
Relinquished Signature: Karen LeBeau
Date: 9/17/09 Time: 1355 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 17.4 °C
[X] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants: [X] NO_3 [X] NO_2 [X] F; [X] CN; [X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd [ ] Cr [ ] Pb [ ] Hg [ ] Ni [ ] Se [ ] Na [ ] Tl; [ ] Asbestos	0911982-A 0911982-B 0911982-C
Secondary Contaminants: [X] Cl [X] SO_4 [X] TDS [X] F [X] Color; [X] Odor; [X] Foaming Agents; [X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	0911982-A 0911982-D 0911982-E 0911982-C
Disinfection Byproducts: [ ] Total THM (All 4) [ ] THM Partial: [ ] HAA (All 5) [ ] HAA Partial: [ ] Other:	
Radionuclides: [X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U; [ ] Other:	0911982-F
Volatile Organic Contaminants: [X] All 21; [ ] Partial:	0911982-G
Synthetic Organic Contaminants: [ ] All Except Dioxin; [ ] Partial:	
Miscellaneous: [ ] Turbidity [ ] Alkalinity [ ] Conductivity; [ ] Total Sulfide; [ ] Dissolved Metals (Field Filtered): [ ] Other: [ ] Other: [ ] Other: [ ] Other:	

Page 1 of DEP form 62-550.730 is required if report is being submitted to the Florida DEP for compliance or permitting.

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Sunlight Acres S/D

On October 7,2009 we completed the report for the above referenced water system, identification number 3421520. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911582 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District	☐ DOH Marion County
☐ DEP Southwest District	☐ DOH Lake County
☐ DEP Northeast District	☐ DOH Sumter County
☐ DEP	☐ DOH
☐ Other	☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection

Safe Drinking Water Program Laboratory Reporting Format

~~#0911578~~ #0911582

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Sunlight Acres PWS I.D. #: 3 4 2 1 5 2 0

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/10/09 Sample Time: 1048 (AM) PM (Circle One)

Sample Location (be specific): Tap on East Side of Tank.

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): NA mg/L Field pH: 7.31

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: ~~Start Flow @ 1035~~ Allow Temp & pH to Stabilize Record/sample Temp=23.47

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/10/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3421520** System Name: **Sunlight Acres S/D** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911582 Date Sample(s) Received: 9/10/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 7, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report

☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sunlight Acres S/D
PWS ID: 3421520
Submission Number: 0911582

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	2.80		EPA353.2	0.05	9/11/09	8:57 AM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/11/09	8:57 AM	E83265
1005	Arsenic	0.010	mg/L	0.0013		EPA200.8	0.00012	9/24/09		E82574
1010	Barium	2	mg/L	0.0042		EPA200.7	0.00028	9/17/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/23/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/23/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.11	I	SM4500FC	0.10	9/11/09		E83265
1030	Lead	0.015	mg/L	0.000037	U	EPA200.8	0.000037	9/23/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00048	I	EPA200.8	0.00035	9/23/09		E82574
1045	Selenium	0.05	mg/L	0.0021	I	EPA200.8	0.00063	9/24/09		E82574
1052	Sodium	160	mg/L	8.5		EPA200.7	0.026	9/17/09		E82574
1074	Antimony	0.006	mg/L	0.00013	I	EPA200.8	0.000091	9/23/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/17/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/23/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sunlight Acres S/D
PWS ID: 3421520
Submission Number: 0911582

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/17/09		E82574
1017	Chloride	250	mg/L	12		EPA300.0	0.2	9/22/09		E82001
1022	Copper	1	mg/L	0.00055	I	EPA200.8	0.000085	9/23/09		E82574
1025	Fluoride	2.0	mg/L	0.11	I	SM4500FC	0.10	9/11/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/17/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/23/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/23/09		E82574
1055	Sulfate	250	mg/L	21.6		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.028		EPA200.7	0.0020	9/17/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/10/09	4:35 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/10/09	4:49 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.31		Field	Field	9/10/09		Field
1930	Total Dissolved Solids	500	mg/L	250		SM2540C	10	9/15/09		E83265
2905	Foaming Agents	0.5	mg/L	0.157	I	EPA425.1	0.05	9/11/09	10:15	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sunlight Acres S/D
PWS ID: 3421520
Submission Number: 0911582

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.3	U	900.0	1.3	3	0.8	9/22/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.5	9/24/09		E83033
4020	Radium-226	5	pCi/L	0.5		903.1	0.2	1	0.1	9/29/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.6	9/29/09		E83033

U - The parameter was analyzed but not detected.

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sunlight Acres S/D
PWS ID: 3421520
Submission Number: 0911582

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/14/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/14/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/14/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/14/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/14/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/14/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/14/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/14/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/14/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/14/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/14/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/14/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/14/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 2:30 pm / 9-10-09

Client: Sushine Utilities

Submission Number: 0911582

Report to: (Name & Mailing Address)
- On File -

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Sunlight Acres S/D
System ID Number: 3421520

Sample Information
Sample Location: Point of Entry
Sampler Name: Lucis Monaco
Date Sample Collected: 09/10/09
Time Sample Collected: 1048

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.31 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/10/09 Time: 1429 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Moore
Sample Temperature at Time of Receipt: 7.6 °C
[X] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
[X] NO_3 [X] NO_2 [X] F	0911582-A
[X] CN	0911582-B
[X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd [ ] Cr [ ] Pb [ ] Hg [ ] Ni [ ] Se [ ] Na [ ] Tl	0911582-C
[ ] Asbestos	
Secondary Contaminants	
[X] Cl [X] SO_4 [X] TDS [X] F [X] Color	0911582-A
[X] Odor	0911582-D
[X] Foaming Agents	0911582-E
[X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	0911582-C
Disinfection Byproducts	
[ ] Total THM (All 4) [ ] THM Partial:	
[ ] HAA (All 5) [ ] HAA Partial:	
[ ] Other:	
Radionuclides	
[X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U	0911582-F
[ ] Other:	
Volatile Organic Contaminants	
[X] All 21	0911582-G
[ ] Partial:	
Synthetic Organic Contaminants	
[ ] All Except Dioxin	
[ ] Partial:	
Miscellaneous	
[ ] Turbidity [ ] Alkalinity [ ] Conductivity	
[ ] Total Sulfide	
[ ] Dissolved Metals (Field Filtered):	
[ ] Other:	
[ ] Other:	
[ ] Other:	
[ ] Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349
(352) 625-2822
FAX (352) 625-6638

Sandy Acres

On October 6,2009 we completed the report for the above referenced water system, identification number 3421118. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911578 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

0911578

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Sandy Acres PWS I.D. #: 3 4 2 1 1 1 8

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/10/09 Sample Time: 1355 AM PM (Circle One)

Sample Location (be specific): _____

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): N/A mg/L Field pH: 7.73

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: 09/10/09 Start Flow @ 1355 1355 Allow Temp & pH To Stabilize Record Temp & Temp: 24.32

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/10/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3421118** System Name: **Sandy Acres** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911578 Date Sample(s) Received: 9/10/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 6, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sandy Acres
PWS ID: 3421118
Submission Number: 0911578

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	0.13	I	EPA353.2	0.05	9/11/09	8:57 AM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/11/09	8:57 AM	E83265
1005	Arsenic	0.010	mg/L	0.00012	U	EPA200.8	0.00012	9/23/09		E82574
1010	Barium	2	mg/L	0.01		EPA200.7	0.00028	9/17/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/23/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/23/09		E82574
1024	Cyanide	0.2	mg/L	0.0018	I	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/11/09		E83265
1030	Lead	0.015	mg/L	0.000037	U	EPA200.8	0.000037	9/23/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/23/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/23/09		E82574
1052	Sodium	160	mg/L	4.5		EPA200.7	0.026	9/17/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/23/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/17/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/23/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sandy Acres
PWS ID: 3421118
Submission Number: 0911578

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/17/09		E82574
1017	Chloride	250	mg/L	7		EPA300.0	0.2	9/22/09		E82001
1022	Copper	1	mg/L	0.0002	I	EPA200.8	0.000085	9/23/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/11/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/17/09		E82574
1032	Manganese	0.05	mg/L	0.0026		EPA200.8	0.000073	9/23/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/23/09		E82574
1055	Sulfate	250	mg/L	5.69		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.012		EPA200.7	0.0020	9/17/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/10/09	4:35 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/10/09	4:49 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.73		Field	Field	9/10/09		Field
1930	Total Dissolved Solids	500	mg/L	129		SM2540C	10	9/15/09		E83265
2905	Foaming Agents	0.5	mg/L	0.075	I	EPA425.1	0.05	9/11/09	10:15	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sandy Acres
PWS ID: 3421118
Submission Number: 0911578

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.3	U	900.0	1.3	3	1.0	9/22/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.5	9/19/09		E83033
4020	Radium-226	5	pCi/L	0.4		903.1	0.2	1	0.2	9/28/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	9/28/09		E83033

U - The parameter was analyzed but not detected.

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Sandy Acres
PWS ID: 3421118
Submission Number: 0911578

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/14/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/14/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/14/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/14/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/14/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/14/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/14/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/14/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/14/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/14/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/14/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/14/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/14/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 2:30pm / 9-10-09

Client: Sunshine Utilities

Submission Number: 0911578

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Sandy Acres
System ID Number: 3421118

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Mauco
Date Sample Collected: 09/10/09
Time Sample Collected: 1355

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.73 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/10/09 Time: 1429 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Morse
Sample Temperature at Time of Receipt: 6.1 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911578-A
☒ CN	0911578-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911578-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911578-A
☒ Odor	0911578-D
☒ Foaming Agents	0911578-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911578-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911578-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911578-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Quail Run S/D

On October 6,2009 we completed the report for the above referenced water system, identification number 3424046. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911444 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911YYY

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Quail Run S/D PWS I.D. #: 3 4 2 4 0 4 6

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/08/09 Sample Time: 1038 (AM) PM (Circle One)

Sample Location (be specific): Valve on West Side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): N/A mg/L Field pH: 7.58

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Started Flow @ 1025 Recd PH & Temp then Sampled From 1032-1038 Temp = 24.01

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/08/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424046** System Name: **Quail Run S/D** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911444 Date Sample(s) Received: 9/8/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 6, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report

☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Quail Run S/D
PWS ID: 3424046
Submission Number: 0911444

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	1.78		EPA353.2	0.05	9/9/09	12:44 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/9/09	12:44 PM	E83265
1005	Arsenic	0.010	mg/L	0.00033	I	EPA200.8	0.00012	9/18/09		E82574
1010	Barium	2	mg/L	0.004		EPA200.7	0.00028	9/16/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/18/09		E82574
1020	Chromium	0.1	mg/L	0.00055	I	EPA200.8	0.00044	9/18/09		E82574
1024	Cyanide	0.2	mg/L	0.0013	I	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.14	I	SM4500FC	0.10	9/11/09		E83265
1030	Lead	0.015	mg/L	0.00053	I	EPA200.8	0.000037	9/18/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/18/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/18/09		E82574
1052	Sodium	160	mg/L	5.5		EPA200.7	0.026	9/16/09		E82574
1074	Antimony	0.006	mg/L	0.00011	I	EPA200.8	0.000091	9/22/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/16/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/18/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Quail Run S/D
PWS ID: 3424046
Submission Number: 0911444

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/16/09		E82574
1017	Chloride	250	mg/L	9		EPA300.0	0.2	9/22/09		E82001
1022	Copper	1	mg/L	0.0045		EPA200.8	0.000085	9/21/09		E82574
1025	Fluoride	2.0	mg/L	0.14	I	SM4500FC	0.10	9/11/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/16/09		E82574
1032	Manganese	0.05	mg/L	0.0006	I	EPA200.8	0.000073	9/18/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/18/09		E82574
1055	Sulfate	250	mg/L	40.3		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.044		EPA200.7	0.0020	9/16/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/8/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/8/09	4:36 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.58		Field	Field	9/8/09		Field
1930	Total Dissolved Solids	500	mg/L	241		SM2540C	10	9/10/09		E83265
2905	Foaming Agents	0.5	mg/L	0.090	I	EPA425.1	0.05	9/10/09	8:50	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Quail Run S/D
PWS ID: 3424046
Submission Number: 0911444

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	2.1		900.0	1.7	3	1.5	9/22/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.6		0.7	9/19/09		E83033
4020	Radium-226	5	pCi/L	0.5		903.1	0.2	1	0.1	9/28/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	9/28/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Quail Run S/D
PWS ID: 3424046
Submission Number: 0911444

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/13/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/13/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/13/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/13/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/13/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/13/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/13/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/13/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/13/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/13/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/13/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/13/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/13/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/13/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/13/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/13/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/13/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/13/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/13/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/13/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/13/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 3:11 PM 9-8-09

Client: Sunshine Utilities

Submission Number: 0911YYY

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Quail Run S/D
System ID Number: 3424046

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/08/09
Time Sample Collected: 1038

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.58 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/8/09 Time: 1511 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 4.2 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911YYY-A
☒ CN	0911YYY-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911YYY-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911YYY-A
☒ Odor	0911YYY-D
☒ Foaming Agents	0911YYY-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911YYY-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911YYY-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911YYY-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Ponderosa Pines

On September 30,2009 we completed the report for the above referenced water system, identification number 3424062. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911281 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21 Synthetic Organics, Partial

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District

☐ DEP Southwest District

☐ DEP Northeast District

☐ DEP

☐ Other

☐ DOH Marion County

☐ DOH Lake County

☐ DOH Sumter County

☐ DOH

☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911281

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Ponderosa Pines #1 PWS I.D. #: 3 4 2 4 0 6 2

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: _____

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 9/2/09 Sample Time: 12:19 AM (PM) (Circle One)

Sample Location (be specific): Tap on North side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): n/a mg/L Field pH: 7.77

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Short flow @ tap - Allow Temp & pH To Stabilize Record Then Samp. Temp = 22.37

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: _____ Date: 9/2/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424062** System Name: **Ponderosa Pines** Sample Number: Not Provided

Sample Location: Point of Entry #1

Laboratory Assigned Submission Number: 0911281 Date Sample(s) Received: 9/2/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21
Synthetic Organics, Partial

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa Saupp Date: September 30, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911281

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	0.05	U	EPA353.2	0.05	9/2/09	1:53 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/2/09	1:53 PM	E83265
1005	Arsenic	0.010	mg/L	0.00019	I	EPA200.8	0.00012	9/15/09		E82574
1010	Barium	2	mg/L	0.0075		EPA200.7	0.00028	9/15/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/15/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/15/09		E82574
1024	Cyanide	0.2	mg/L	0.0012	I	SM4500CNE	0.00097	9/8/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/4/09		E83265
1030	Lead	0.015	mg/L	0.00004	I	EPA200.8	0.000037	9/15/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/15/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/15/09		E82574
1052	Sodium	160	mg/L	11		EPA200.7	0.026	9/15/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/15/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/15/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/15/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911281

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/15/09		E82574
1017	Chloride	250	mg/L	14		EPA300.0	0.2	9/14/09		E82001
1022	Copper	1	mg/L	0.00092		EPA200.8	0.000085	9/15/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/4/09		E83265
1028	Iron	0.3	mg/L	0.058	I	EPA200.7	0.038	9/15/09		E82574
1032	Manganese	0.05	mg/L	0.0056		EPA200.8	0.000073	9/15/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/15/09		E82574
1055	Sulfate	250	mg/L	5.00		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.024		EPA200.7	0.0020	9/15/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/2/09	2:50 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/2/09	3:07 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.77		Field	Field	9/2/09		Field
1930	Total Dissolved Solids	500	mg/L	155		SM2540C	10	9/3/09		E83265
2905	Foaming Agents	0.5	mg/L	0.099	I	EPA425.1	0.05	9/3/09	10:45	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911281

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.5	U	900.0	1.5	3	0.9	9/16/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.6	U	908.0	0.6		0.5	9/12/09		E83033
4020	Radium-226	5	pCi/L	0.5		903.1	0.2	1	0.2	9/22/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	9/22/09		E83033

U - The parameter was analyzed but not detected.

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911281

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/8/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/8/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/8/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/8/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/8/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/8/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/8/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/8/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/8/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/8/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/8/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/8/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/8/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911281

SYNTHETIC ORGANICS
62-550.310(4)(b)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Extraction Date	Analysis Date	Analysis Time	DOH Lab Cert #
2039	Di(2-ethylhexyl)phthalate	6	µg/L	1.5	U	EPA525.2	1.5	0.6	9/8/09	9/8/09		E82574

U - The parameter was analyzed but not detected.

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 12:30 P 9-2-09

Client: Sunshine Utilities

Submission Number: 0911281

Report to: (Name & Mailing Address)
- On File -

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information

System Name: Ponderosa Pines
System ID Number: 3424062

Sample Information

Sample Location: Point of Entry #1
Sampler Name: Chris Monaco
Date Sample Collected: 9/2/09
Time Sample Collected: 1219

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.77 DO:
Other:

Sample Custody

Relinquished Signature:
Date: 9/2/09 Time: 1233 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 17.3 °C
[X] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
[X] NO_3 [X] NO_2 [X] F	0911281-A
[X] CN	0911281-B
[X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd [ ] Cr [ ] Pb [ ] Hg [ ] Ni [ ] Se [ ] Na [ ] Tl	0911281-C
[ ] Asbestos	
Secondary Contaminants	
[X] Cl [X] SO_4 [X] TDS [X] F [X] Color	0911281-A
[X] Odor	0911281-D
[X] Foaming Agents	0911281-E
[X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	0911281-C
Disinfection Byproducts	
[ ] Total THM (All 4) [ ] THM Partial:	
[ ] HAA (All 5) [ ] HAA Partial:	
[ ] Other:	
Radionuclides	
[X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U	0911281-F
[ ] Other:	
Volatile Organic Contaminants	
[X] All 21	0911281-G
[ ] Partial:	
Synthetic Organic Contaminants	
[ ] All Except Dioxin	0911281-H
[X] Partial: di-2-ethylhexylphthalate	
Miscellaneous	
[ ] Turbidity [ ] Alkalinity [ ] Conductivity	
[ ] Total Sulfide	
[ ] Dissolved Metals (Field Filtered):	
[ ] Other:	
[ ] Other:	
[ ] Other:	
[ ] Other:	

Page 1 of DEP form 62-550.730 is required if report is being submitted to the Florida DEP for compliance or permitting.

This page does not constitute a portion of the NELAC report.

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349
(352) 625-2822
FAX (352) 625-6638

Ponderosa Pines

On September 30,2009 we completed the report for the above referenced water system, identification number 3424062. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911282 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21 Synthetic Organics, Partial

The results of the analyses were:

☐ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☑ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

Iron

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other
☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911282

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Ponderosa Pines #2 PWS I.D. #: 3 4 2 4 0 6 2

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: _____

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 9/2/09 Sample Time: 1158 (AM) PM (Circle One)

Sample Location (be specific): Tap @ South end of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): ~~n/a~~ mg/L Field pH: 7.46

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start of Tank @ Tap Let Run & P.H. To Stabilize Record / Sample Temp 23.95

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: _____ Date: 9/2/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424062** System Name: **Ponderosa Pines** Sample Number: Not Provided
Sample Location: Point of Entry #2
Laboratory Assigned Submission Number: 0911282 Date Sample(s) Received: 9/2/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21
Synthetic Organics, Partial

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: September 30, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory
☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911282

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	0.05	U	EPA353.2	0.05	9/2/09	1:53 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/2/09	1:53 PM	E83265
1005	Arsenic	0.010	mg/L	0.00012	U	EPA200.8	0.00012	9/15/09		E82574
1010	Barium	2	mg/L	0.0085		EPA200.7	0.00028	9/15/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/15/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/15/09		E82574
1024	Cyanide	0.2	mg/L	0.004		SM4500CNE	0.00097	9/8/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/4/09		E83265
1030	Lead	0.015	mg/L	0.000056	I	EPA200.8	0.000037	9/15/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/15/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/15/09		E82574
1052	Sodium	160	mg/L	7.7		EPA200.7	0.026	9/15/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/15/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/15/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/15/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911282

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/15/09		E82574
1017	Chloride	250	mg/L	8		EPA300.0	0.2	9/14/09		E82001
1022	Copper	1	mg/L	0.00058	I	EPA200.8	0.000085	9/15/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/4/09		E83265
1028	Iron	0.3	mg/L	0.51		EPA200.7	0.038	9/15/09		E82574
1032	Manganese	0.05	mg/L	0.015		EPA200.8	0.000073	9/15/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/15/09		E82574
1055	Sulfate	250	mg/L	5.68		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.014		EPA200.7	0.0020	9/15/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/2/09	2:50 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/2/09	3:07 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.46		Field	Field	9/2/09		Field
1930	Total Dissolved Solids	500	mg/L	163		SM2540C	10	9/3/09		E83265
2905	Foaming Agents	0.5	mg/L	0.080	I	EPA425.1	0.05	9/3/09	10:45	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911282

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.6	U	900.0	1.6	3	1.1	9/16/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.6	9/12/09		E83033
4020	Radium-226	5	pCi/L	0.6		903.1	0.2	1	0.2	9/22/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.6	9/22/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911282

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/8/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/8/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/8/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/8/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/8/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/8/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/8/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/8/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/8/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/8/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/8/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/8/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/8/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ponderosa Pines
PWS ID: 3424062
Submission Number: 0911282

SYNTHETIC ORGANICS
62-550.310(4)(b)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Extraction Date	Analysis Date	Analysis Time	DOH Lab Cert #
2039	Di(2-ethylhexyl)phthalate	6	µg/L	1.5	U	EPA525.2	1.5	0.6	9/8/09	9/8/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 12:30 PM 9-2-09

Client: Sunshine Utilities

Submission Number: 0911282

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Ponderosa Pines
System ID Number: 3424062

Sample Information
Sample Location: Point of Entry #2
Sampler Name: Chris Monaco
Date Sample Collected: 9/2/09
Time Sample Collected: 1158

Field Test Results (if applicable) Cl_2 Residual:
Temp: ~~1230~~ pH: 7.46 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/2/09 Time: 1230 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 10.1 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants: ☒ NO_3 ☒ NO_2 ☒ F; ☒ CN; ☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl; ☐ Asbestos	0911282-A, 0911282-B, 0911282-C
Secondary Contaminants: ☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color; ☒ Odor; ☒ Foaming Agents; ☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911282-A, 0911282-D, 0911282-E, 0911282-C
Disinfection Byproducts: ☐ Total THM (All 4) ☐ THM Partial: ☐ HAA (All 5) ☐ HAA Partial: ☐ Other:	
Radionuclides: ☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U; ☐ Other:	0911282-F
Volatile Organic Contaminants: ☒ All 21; ☐ Partial:	0911282-G
Synthetic Organic Contaminants: ☐ All Except Dioxin; ☒ Partial: di-2 ethylhexyl phthalate	0911282-H
Miscellaneous: ☐ Turbidity ☐ Alkalinity ☐ Conductivity; ☐ Total Sulfide; ☐ Dissolved Metals (Field Filtered): ☐ Other: ☐ Other: ☐ Other: ☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Ocklawaha Water Plants

On September 30,2009 we completed the report for the above referenced water system, identification number 3420939. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911284 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District

☐ DEP Southwest District

☐ DEP Northeast District

☐ DEP

☐ Other

☐ DOH Marion County

☐ DOH Lake County

☐ DOH Sumter County

☐ DOH

☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911284

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Ocklawaha Water Plants #1 PWS I.D. #: 3 4 2 0 9 3 9

System Type (check one): [X] Community [ ] Nontransient Noncommunity [ ] Transient Noncommunity

Address: _____

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 9/2/09 Sample Time: 1023 (AM) PM (Circle One)

Sample Location (be specific): Tap @ East side of tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): ~~n/a~~ mg/L Field pH: 7.91

Sample Type (Check Only One)

- [ ] Distribution
- [X] Entry Point (to Distribution)
- [ ] Plant Tap (not for compliance with 62-550)
- [ ] Raw (at well or intake)
- [ ] Max Residence Time
- [ ] Ave Residence Time
- [ ] Near First Customer

Reason(s) for Sample (Check all that apply)

- [X] Routine Compliance (with 62-550)
- [ ] Confirmation of MCL Exceedance*
- [ ] Composite of Multiple Sites**
- [ ] Clearance (permitting)
- [ ] Other: _____
- [ ] Quarterly (Which Quarter? _____)
- [ ] Special (not for compliance with 62-550)
- [ ] Violation Resolution
- [ ] Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: start flow @ 1010 wait for Temp & pH to stabilize @ 1 gpm Temp = 23.40

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: _____ Date: 9/2/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3420939** System Name: **Ocklawaha Water Plants** Sample Number: Not Provided

Sample Location: Point of Entry #1

Laboratory Assigned Submission Number: 0911284 Date Sample(s) Received: 9/2/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: September 30, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocklawaha Water Plants
PWS ID: 3420939
Submission Number: 0911284

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	0.05	U	EPA353.2	0.05	9/2/09	1:53 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/2/09	1:53 PM	E83265
1005	Arsenic	0.010	mg/L	0.00066	I	EPA200.8	0.00012	9/15/09		E82574
1010	Barium	2	mg/L	0.014		EPA200.7	0.00028	9/15/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/15/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/15/09		E82574
1024	Cyanide	0.2	mg/L	0.0013	I	SM4500CNE	0.00097	9/8/09		E84589
1025	Fluoride	4.0	mg/L	0.16	I	SM4500FC	0.10	9/4/09		E83265
1030	Lead	0.015	mg/L	0.00019	I	EPA200.8	0.000037	9/15/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/15/09		E82574
1045	Selenium	0.05	mg/L	0.0016	I	EPA200.8	0.00063	9/15/09		E82574
1052	Sodium	160	mg/L	21		EPA200.7	0.026	9/15/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/17/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/15/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/15/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocklawaha Water Plants
PWS ID: 3420939
Submission Number: 0911284

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/15/09		E82574
1017	Chloride	250	mg/L	26		EPA300.0	0.2	9/14/09		E82001
1022	Copper	1	mg/L	0.0013		EPA200.8	0.000085	9/15/09		E82574
1025	Fluoride	2.0	mg/L	0.16	I	SM4500FC	0.10	9/4/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/15/09		E82574
1032	Manganese	0.05	mg/L	0.0019		EPA200.8	0.000073	9/15/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/15/09		E82574
1055	Sulfate	250	mg/L	5.00		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.016		EPA200.7	0.0020	9/15/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/2/09	2:50 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/2/09	3:07 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.91		Field	Field	9/2/09		Field
1930	Total Dissolved Solids	500	mg/L	175		SM2540C	10	9/3/09		E83265
2905	Foaming Agents	0.5	mg/L	0.238		EPA425.1	0.05	9/3/09	10:45	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocklawaha Water Plants
PWS ID: 3420939
Submission Number: 0911284

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	2.6		900.0	1.2	3	1.4	9/16/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.6	U	908.0	0.6		0.3	9/12/09		E83033
4020	Radium-226	5	pCi/L	0.8		903.1	0.2	1	0.3	9/24/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.6	9/23/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocklawaha Water Plants
PWS ID: 3420939
Submission Number: 0911284

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/8/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/8/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/8/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/8/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/8/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/8/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/8/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/8/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/8/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/8/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/8/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/8/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/8/09		E82574

U - The parameter was analyzed but not detected.

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 12:30 P — 9-2-09

Client: Sunshine Utilities

Submission Number: 091128Y

Report to: (Name & Mailing Address)
-On File-

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Ocklawaha Water Plants
System ID Number: 3420939

Sample Information
Sample Location: Point of Entry #1
Sampler Name: Chris Comacco
Date Sample Collected: 9/2/09
Time Sample Collected: 1023

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.71 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/2/09 Time: 1230 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 7.9 °C
[X] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants: [X] NO_3 [X] NO_2 [X] F; [X] CN; [X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd [ ] Cr [ ] Pb [ ] Hg [ ] Ni [ ] Se [ ] Na [ ] Tl; [ ] Asbestos	091128Y-A 091128Y-B 091128Y-C
Secondary Contaminants: [X] Cl [X] SO_4 [X] TDS [X] F [X] Color; [X] Odor; [X] Foaming Agents; [X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	091128Y-A 091128Y-D 091128Y-E 091128Y-C
Disinfection Byproducts: [ ] Total THM (All 4) [ ] THM Partial: [ ] HAA (All 5) [ ] HAA Partial: [ ] Other:	
Radionuclides: [X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U; [ ] Other:	091128Y-F
Volatile Organic Contaminants: [X] All 21; [ ] Partial:	091128Y-G
Synthetic Organic Contaminants: [ ] All Except Dioxin; [ ] Partial:	
Miscellaneous: [ ] Turbidity [ ] Alkalinity [ ] Conductivity; [ ] Total Sulfide; [ ] Dissolved Metals (Field Filtered): 2; [ ] Other: [ ] Other: [ ] Other: [ ] Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Ocklawaha Water Plants

On September 30,2009 we completed the report for the above referenced water system, identification number 3420939. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911285 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

09/1285

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Ocklawaha Water Plants #2 PWS I.D. #: 3 4 2 0 9 3 9

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: _____

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 9/2/09 Sample Time: 1051 (AM) PM (Circle One)

Sample Location (be specific): Tap on South side of tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): n/a mg/L Field pH: 7.95

Sample Type (Check Only One)

- ☒ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

9/2/09

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Standard flow Log Procedure Waited for Temp & pH to Stabilize Record Heavy Sand Temp-23.2

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on File Sampler's Fax #: on File

Sampler's E-Mail Address: on File

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: _____ Date: 9/2/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3420939** System Name: **Ocklawaha Water Plants** Sample Number: Not Provided
Sample Location: Point of Entry #2
Laboratory Assigned Submission Number: 0911285 Date Sample(s) Received: 9/2/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: September 30, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocklawaha Water Plants
PWS ID: 3420939
Submission Number: 0911285

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	0.05	U	EPA353.2	0.05	9/2/09	1:53 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/2/09	1:53 PM	E83265
1005	Arsenic	0.010	mg/L	0.00046	I	EPA200.8	0.00012	9/15/09		E82574
1010	Barium	2	mg/L	0.022		EPA200.7	0.00028	9/15/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/15/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/15/09		E82574
1024	Cyanide	0.2	mg/L	0.0016	I	SM4500CNE	0.00097	9/8/09		E84589
1025	Fluoride	4.0	mg/L	0.15	I	SM4500FC	0.10	9/4/09		E83265
1030	Lead	0.015	mg/L	0.00026	I	EPA200.8	0.000037	9/15/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/15/09		E82574
1045	Selenium	0.05	mg/L	0.0012	I	EPA200.8	0.00063	9/15/09		E82574
1052	Sodium	160	mg/L	18		EPA200.7	0.026	9/15/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/15/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/15/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/15/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocklawaha Water Plants
PWS ID: 3420939
Submission Number: 0911285

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/15/09		E82574
1017	Chloride	250	mg/L	22		EPA300.0	0.2	9/14/09		E82001
1022	Copper	1	mg/L	0.00071		EPA200.8	0.000085	9/15/09		E82574
1025	Fluoride	2.0	mg/L	0.15	I	SM4500FC	0.10	9/4/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/15/09		E82574
1032	Manganese	0.05	mg/L	0.003		EPA200.8	0.000073	9/15/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/15/09		E82574
1055	Sulfate	250	mg/L	3.93	I	EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.01		EPA200.7	0.0020	9/15/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/2/09	2:50 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/2/09	3:07 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.95		Field	Field	9/2/09		Field
1930	Total Dissolved Solids	500	mg/L	145		SM2540C	10	9/3/09		E83265
2905	Foaming Agents	0.5	mg/L	0.276		EPA425.1	0.05	9/3/09	10:45	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocklawaha Water Plants
PWS ID: 3420939
Submission Number: 0911285

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	2.1		900.0	1.5	3	1.4	9/16/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.6	U	908.0	0.6		0.4	9/12/09		E83033
4020	Radium-226	5	pCi/L	1.2		903.1	0.2	1	0.3	9/24/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.5	9/23/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocklawaha Water Plants
PWS ID: 3420939
Submission Number: 0911285

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/8/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/8/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/8/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/8/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/8/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/8/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/8/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/8/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/8/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/8/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/8/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/8/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/8/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/8/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/8/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/8/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/8/09		E82574

U - The parameter was analyzed but not detected.

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 12:30 P 9-2-09

Client: Sunshine Utilities

Submission Number: 0911285

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Ocklawaha Water Plants
System ID Number: 3420939

Sample Information
Sample Location: Point of Entry #2
Sampler Name: Chris Monaco
Date Sample Collected: 9/2/09
Time Sample Collected: 1057

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.95 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/2/09 Time: 1230 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 10.1 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911285-A
☒ CN	0911285-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911285-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911285 A
☒ Odor	0911285-D
☒ Foaming Agents	0911285-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911285 C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911285-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911285-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Ocala Heights

On October 23,2009 we completed the report for the above referenced water system, identification number 3424651. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911944 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District	☐ DOH Marion County
☐ DEP Southwest District	☐ DOH Lake County
☐ DEP Northeast District	☐ DOH Sumter County
☐ DEP	☐ DOH
☐ Other	☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Safe Drinking Water Program Laboratory Reporting Format

#0911944

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Ocala Heights PWS I.D. #: 3 4 2 4 6 5 1

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/17/09 Sample Time: 1135 (AM) PM (Circle One)

Sample Location (be specific): Tap on South side of tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): ~~n/a~~ mg/L Field pH: 7.65

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer Willow Tap @ 2446 Stabilize Record/Sample Temp = 24.5C

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start flow @ 1122

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/17/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424651** System Name: **Ocala Heights** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911944 Date Sample(s) Received: 9/17/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 23, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report

☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocala Heights
PWS ID: 3424651
Submission Number: 0911944

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	1.73		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.00036	I	EPA200.8	0.00012	9/30/09		E82574
1010	Barium	2	mg/L	0.0045		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/30/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/30/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/24/09		E84589
1025	Fluoride	4.0	mg/L	0.16	I	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.000037	U	EPA200.8	0.000037	9/30/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/30/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/30/09		E82574
1052	Sodium	160	mg/L	7.6		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/30/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/30/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocala Heights
PWS ID: 3424651
Submission Number: 0911944

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	10.9		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.00035	I	EPA200.8	0.000085	9/30/09		E82574
1025	Fluoride	2.0	mg/L	0.16	I	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/30/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/30/09		E82574
1055	Sulfate	250	mg/L	37.5		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.018		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/17/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/17/09	2:45 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.65		Field	Field	9/17/09		Field
1930	Total Dissolved Solids	500	mg/L	213		SM2540C	10	9/22/09		E83265
2905	Foaming Agents	0.5	mg/L	0.085	I	EPA425.1	0.05	9/18/09	17:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocala Heights
PWS ID: 3424651
Submission Number: 0911944

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.2	U	900.0	1.2	3	0.9	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.5	U	908.0	0.5		0.4	10/3/09		E83033
4020	Radium-226	5	pCi/L	0.2		903.1	0.2	1	0.2	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	10/5/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocala Heights
PWS ID: 3424651
Submission Number: 0911944

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/29/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/29/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/29/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/29/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/29/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/29/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/29/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/29/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/29/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/29/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/29/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/29/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/29/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

. AQUA-PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 11:51am / 9-17-09

Client: Sunshine Utilities

Submission Number: 0911944

Report to: (Name & Mailing Address)
-On File-

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information

System Name: Ocala Heights
System ID Number: 3424651

Sample Information

Sample Location: Point of Entry
Sampler Name: [illegible]
Date Sample Collected: 9/17/09
Time Sample Collected: 1135

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.65 DO:
Other:

Sample Custody

Relinquished Signature: [signature]
Date: 9/17/09 Time: 1149 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M-Mon
Sample Temperature at Time of Receipt: 17.9 °C
☑ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911944-A
☒ CN	0911944-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911944-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911944-A
☒ Odor	0911944-D
☒ Foaming Agents	0911944-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911944-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911944-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911944-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349
(352) 625-2822
FAX (352) 625-6638

Oak Hurst

On October 23,2009 we completed the report for the above referenced water system, identification number 3424032. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911943 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911943

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Oakhurst PWS I.D. #: 3 4 2 4 0 3 2

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/17/09 Sample Time: 1112 (AM) PM (Circle One)

Sample Location (be specific): Tap on North Side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): ~~1.49~~ mg/L Field pH: 7.54

Sample Type (Check Only One)

☐ Distribution
☒ Entry Point (to Distribution)
☐ Plant Tap (not for compliance with 62-550)
☐ Raw (at well or intake)
☐ Max Residence Time
☐ Ave Residence Time
☐ Near First Customer

Reason(s) for Sample (Check all that apply)

☒ Routine Compliance (with 62-550)
☐ Confirmation of MCL Exceedance*
☐ Composite of Multiple Sites**
☐ Clearance (permitting)
☐ Other: _____

☐ Quarterly (Which Quarter? *)
☐ Special (not for compliance with 62-550)
☐ Violation Resolution
☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start flow @ 10L Allow Temp & pH to Stabilize Record / Sample Temp = 24.48

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/17/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424032** System Name: **Oak Hurst** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911943 Date Sample(s) Received: 9/17/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 23, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report

☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Oak Hurst
PWS ID: 3424032
Submission Number: 0911943

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	2.64		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.00038	I	EPA200.8	0.00012	9/30/09		E82574
1010	Barium	2	mg/L	0.0043		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/30/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/30/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/24/09		E84589
1025	Fluoride	4.0	mg/L	0.10	I	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.000037	U	EPA200.8	0.000037	9/30/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/30/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/30/09		E82574
1052	Sodium	160	mg/L	11		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.00096	I	EPA200.8	0.000091	9/30/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/30/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Oak Hurst
PWS ID: 3424032
Submission Number: 0911943

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	14.8		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.00072		EPA200.8	0.000085	9/30/09		E82574
1025	Fluoride	2.0	mg/L	0.10	I	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/30/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/30/09		E82574
1055	Sulfate	250	mg/L	35.3		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.014		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/17/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/17/09	2:45 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.54		Field	Field	9/17/09		Field
1930	Total Dissolved Solids	500	mg/L	230		SM2540C	10	9/22/09		E83265
2905	Foaming Agents	0.5	mg/L	0.104	I	EPA425.1	0.05	9/18/09	17:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Oak Hurst
PWS ID: 3424032
Submission Number: 0911943

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.4	U	900.0	1.4	3	0.9	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.4	10/1/09		E83033
4020	Radium-226	5	pCi/L	0.2		903.1	0.2	1	0.2	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	10/5/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Oak Hurst
PWS ID: 3424032
Submission Number: 0911943

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/29/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/29/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/29/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/29/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/29/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/29/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/29/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/29/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/29/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/29/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/29/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/29/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/29/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: ~~Hi Star~~ / 9-17-09 11:51am

Client: Sunshine Utilities

Submission Number: 0911943

Report to: (Name & Mailing Address)
- On File -

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Oak Hurst
System ID Number: 3424032

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Mancuso
Date Sample Collected: 09/17/09
Time Sample Collected: 11:12

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.54 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/17/09 Time: 1149 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M Moore
Sample Temperature at Time of Receipt: 14.4 °C
[X] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants: [X] NO_3 [X] NO_2 [X] F	0911943-A
[X] CN	0911943-B
[X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd [ ] Cr [X] Pb [ ] Hg [ ] Ni [X] Se [ ] Na [ ] Tl	0911943-C
[ ] Asbestos	
Secondary Contaminants: [X] Cl [X] SO_4 [X] TDS [X] F [X] Color	0911943-A
[X] Odor	0911943-D
[X] Foaming Agents	0911943-E
[X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	0911943-C
Disinfection Byproducts: [ ] Total THM (All 4) [ ] THM Partial:	
[ ] HAA (All 5) [ ] HAA Partial:	
[ ] Other:	
Radionuclides: [X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U	0911943-F
[ ] Other:	
Volatile Organic Contaminants: [X] All 21	0911943-G
[ ] Partial:	
Synthetic Organic Contaminants: [ ] All Except Dioxin	
[ ] Partial:	
Miscellaneous: [ ] Turbidity [ ] Alkalinity [ ] Conductivity	
[ ] Total Sulfide	
[ ] Dissolved Metals (Field Filtered):	
[ ] Other:	
[ ] Other:	
[ ] Other:	
[ ] Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Oak Haven

On October 6,2009 we completed the report for the above referenced water system, identification number 3424106. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911445 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District

☐ DEP Southwest District

☐ DEP Northeast District

☐ DEP

☐ Other

☐ DOH Marion County

☐ DOH Lake County

☐ DOH Sumter County

☐ DOH

☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911YY5

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Oak Haven PWS I.D. #: 3 4 2 4 1 0 6

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/08/09 Sample Time: 0931 (AM) PM (Circle One)

Sample Location (be specific): Tap on East side of smaller Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): NA mg/L Field pH: 7.21

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start Flow @ 0909 Wait for Temp & pH to Stabilize/Record/Hum sample Temp= 23.89

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: _____ Date: 09/08/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424106** System Name: **Oak Haven** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0911445 Date Sample(s) Received: 9/8/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are *correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).*

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 6, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Oak Haven
PWS ID: 3424106
Submission Number: 0911445

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	0.05	U	EPA353.2	0.05	9/9/09	12:44 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/9/09	12:44 PM	E83265
1005	Arsenic	0.010	mg/L	0.0015		EPA200.8	0.00012	9/18/09		E82574
1010	Barium	2	mg/L	0.0069		EPA200.7	0.00028	9/16/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/18/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/18/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.24	I	SM4500FC	0.10	9/11/09		E83265
1030	Lead	0.015	mg/L	0.00004	I	EPA200.8	0.000037	9/18/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/18/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/18/09		E82574
1052	Sodium	160	mg/L	22		EPA200.7	0.026	9/16/09		E82574
1074	Antimony	0.006	mg/L	0.00011	I	EPA200.8	0.000091	9/22/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/16/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/18/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Oak Haven
PWS ID: 3424106
Submission Number: 0911445

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/16/09		E82574
1017	Chloride	250	mg/L	30		EPA300.0	0.2	9/22/09		E82001
1022	Copper	1	mg/L	0.0057		EPA200.8	0.000085	9/21/09		E82574
1025	Fluoride	2.0	mg/L	0.24	I	SM4500FC	0.10	9/11/09		E83265
1028	Iron	0.3	mg/L	0.096	I	EPA200.7	0.038	9/16/09		E82574
1032	Manganese	0.05	mg/L	0.0079		EPA200.8	0.000073	9/18/09		E82574
1050	Silver	0.1	mg/L	0.00023	I	EPA200.8	0.000086	9/18/09		E82574
1055	Sulfate	250	mg/L	125		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.098		EPA200.7	0.0020	9/16/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/8/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/8/09	4:36 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.21		Field	Field	9/8/09		Field
1930	Total Dissolved Solids	500	mg/L	499		SM2540C	10	9/10/09		E83265
2905	Foaming Agents	0.5	mg/L	0.228		EPA425.1	0.05	9/10/09	8:50	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Oak Haven
PWS ID: 3424106
Submission Number: 0911445

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	2.1	U	900.0	2.1	3	1.3	9/22/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.6	U	908.0	0.6		0.6	9/19/09		E83033
4020	Radium-226	5	pCi/L	0.6		903.1	0.1	1	0.1	9/28/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	9/28/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Oak Haven
PWS ID: 3424106
Submission Number: 0911445

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/14/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/14/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/14/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/14/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/14/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/14/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/14/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/14/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/14/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/14/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/14/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/14/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/14/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 3:11 P — 9-8-09

Client: Sunshine Utilities

Submission Number: 0911YY5

Report to: (Name & Mailing Address)
- On File -

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Oak Haven
System ID Number: 3424106

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Winaco
Date Sample Collected: 09/08/09
Time Sample Collected: 0931

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.21 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 09/08/09 Time: 1511 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 4.1 °C
[X] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
[X] NO_3 [X] NO_2 [X] F	0911YY5-A
[X] CN	0911YY5-B
[X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd	0911YY5-C
[ ] Cr [ ] Pb [ ] Hg [ ] Ni [ ] Se [ ] Na [ ] Tl	
[ ] Asbestos	
Secondary Contaminants	
[X] Cl [X] SO_4 [X] TDS [X] F [X] Color	0911YY5-A
[X] Odor	0911YY5-D
[X] Foaming Agents	0911YY5-E
[X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	0911YY5-C
Disinfection Byproducts	
[ ] Total THM (All 4) [ ] THM Partial:	
[ ] HAA (All 5) [ ] HAA Partial:	
[ ] Other:	
Radionuclides	
[X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U	0911YY5-F
[ ] Other:	
Volatile Organic Contaminants	
[X] All 21	0911YY5-G
[ ] Partial:	
Synthetic Organic Contaminants	
[ ] All Except Dioxin	
[ ] Partial:	
Miscellaneous	
[ ] Turbidity [ ] Alkalinity [ ] Conductivity	
[ ] Total Sulfide	
[ ] Dissolved Metals (Field Filtered):	
[ ] Other:	
[ ] Other:	
[ ] Other:	
[ ] Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Little Lake Weir

On October 7,2009 we completed the report for the above referenced water system, identification number 3420761. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911583 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911583

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Little Lake Weir PWS I.D. #: 3 4 2 0 7 6 1

System Type (check one): [X] Community [ ] Nontransient Noncommunity [ ] Transient Noncommunity

Address: on site

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/10/09 Sample Time: 1153 (AM) PM (Circle One)

Sample Location (be specific): Tap on North Side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): n/a mg/L Field pH: 7.68

Sample Type (Check Only One)

- [ ] Distribution
- [X] Entry Point (to Distribution)
- [ ] Plant Tap (not for compliance with 62-550)
- [ ] Raw (at well or intake)
- [ ] Max Residence Time
- [ ] Ave Residence Time
- [ ] Near First Customer

Reason(s) for Sample (Check all that apply)

- [X] Routine Compliance (with 62-550)
- [ ] Confirmation of MCL Exceedance*
- [ ] Composite of Multiple Sites**
- [ ] Clearance (permitting)
- [ ] Other: _____
- [ ] Quarterly (Which Quarter? _____)
- [ ] Special (not for compliance with 62-550)
- [ ] Violation Resolution
- [ ] Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start Flow @ 1139
Allow Temp & pH to Stabilize Record Sample Temp = 25.14

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Alexis Monaco

Sampler's Phone #: on site Sampler's Fax #: on site

Sampler's E-Mail Address: on site

CERTIFICATION (to be completed by sampler)

I, Alexis Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/10/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3420761** System Name: **Little Lake Weir** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911583 Date Sample(s) Received: 9/10/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 7, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report

☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Little Lake Weir
PWS ID: 3420761
Submission Number: 0911583

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	3.57		EPA353.2	0.05	9/11/09	8:57 AM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/11/09	8:57 AM	E83265
1005	Arsenic	0.010	mg/L	0.00012	U	EPA200.8	0.00012	9/23/09		E82574
1010	Barium	2	mg/L	0.0067		EPA200.7	0.00028	9/17/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/23/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/23/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/11/09		E83265
1030	Lead	0.015	mg/L	0.000044	I	EPA200.8	0.000037	9/23/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/23/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/23/09		E82574
1052	Sodium	160	mg/L	7.5		EPA200.7	0.026	9/17/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/23/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/17/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/23/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Little Lake Weir
PWS ID: 3420761
Submission Number: 0911583

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/17/09		E82574
1017	Chloride	250	mg/L	10		EPA300.0	0.2	9/22/09		E82001
1022	Copper	1	mg/L	0.00086		EPA200.8	0.000085	9/23/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/11/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/17/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/23/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/23/09		E82574
1055	Sulfate	250	mg/L	8.15		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.014		EPA200.7	0.0020	9/17/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/10/09	4:35 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/10/09	4:49 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.68		Field	Field	9/10/09		Field
1930	Total Dissolved Solids	500	mg/L	163		SM2540C	10	9/15/09		E83265
2905	Foaming Agents	0.5	mg/L	0.123	I	EPA425.1	0.05	9/11/09	10:15	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Little Lake Weir
PWS ID: 3420761
Submission Number: 0911583

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.7	U	900.0	1.7	3	1.2	9/22/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.8	U	908.0	0.8		0.4	9/24/09		E83033
4020	Radium-226	5	pCi/L	0.6		903.1	0.1	1	0.1	9/29/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	9/29/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Little Lake Weir
PWS ID: 3420761
Submission Number: 0911583

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/14/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/14/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/14/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/14/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/14/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/14/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/14/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/14/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/14/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/14/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/14/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/14/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/14/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 2:30 pm / 9-10-09

Client: Sunshine Utilities

Submission Number: 0911583

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other: _____
☐ DOH Marion County ☐ DOH Other: _____
☐ N/A (for information only)

PO Number: _____
Contact Name: _____
Contact Phone: _____

System Information
System Name: Little Lake Weir
System ID Number: 3420761

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/10/09
Time Sample Collected: 1153

Field Test Results (if applicable) Cl_2 Residual: _____
Temp: _____ pH: 7.68 DO: _____
Other: _____

Sample Custody
Relinquished Signature: [signature]
Date: 9/10/09 Time: 1429 Condition: _____
Relinquished Signature: _____
Date: _____ Time: _____ Condition: _____
Received By: M. Morse
Sample Temperature at Time of Receipt: 3.0 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number: _____
Comments: _____

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911583-A
☒ CN	0911583-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911583-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911583-A
☒ Odor	0911583-D
☒ Foaming Agents	0911583-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911583-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial: _____	
☐ HAA (All 5) ☐ HAA Partial: _____	
☐ Other: _____	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911583-F
☐ Other: _____	
Volatile Organic Contaminants	
☒ All 21	0911583-G
☐ Partial: _____	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial: _____	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered): _____	
☐ Other: _____	
☐ Other: _____	
☐ Other: _____	
☐ Other: _____	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Lakeview Hills S/D

On October 23,2009 we completed the report for the above referenced water system, identification number 3424687. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0912210 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21 Synthetic Organics, All Except Dioxin

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District

☐ DEP Southwest District

☐ DEP Northeast District

☐ DEP

☐ Other

☐ DOH Marion County

☐ DOH Lake County

☐ DOH Sumter County

☐ DOH

☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

0912210

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Lakeview Hills PWS I.D. #: 3 4 2 4 6 8 7

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/23/09 Sample Time: 13/9 AM (PM) (Circle One)

Sample Location (be specific): Tap on East side of the Tank.

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): N/A mg/L Field pH: 7.82

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☐ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start FAS 1236 Allow temp & pH to Stabilize Record Sample Temp = 26.2°

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/23/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424687** System Name: **Lakeview Hills S/D** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0912210 Date Sample(s) Received: 9/23/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21
Synthetic Organics, All Except Dioxin

Subcontracted Laboratory DOH Certification Number(s): E83079 PA / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 23, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Lakeview Hills S/D
PWS ID: 3424687
Submission Number: 0912210

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	0.73		EPA353.2	0.05	9/24/09	1:11 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/24/09	1:11 PM	E83265
1005	Arsenic	0.010	mg/L	0.0049		EPA200.8	0.00050	9/25/09		E83079
1010	Barium	2	mg/L	0.012		EPA200.7	0.0050	9/30/09		E83079
1015	Cadmium	0.005	mg/L	0.00050	U	EPA200.7	0.00050	9/30/09		E83079
1020	Chromium	0.1	mg/L	0.0025	U	EPA200.7	0.0025	10/1/09		E83079
1024	Cyanide	0.2	mg/L	0.0050	U	EPA335.4	0.0050	10/2/09		E83079
1025	Fluoride	4.0	mg/L	0.15	I	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.00050	U	EPA200.8	0.00050	9/25/09		E83079
1035	Mercury	0.002	mg/L	0.000020	U	EPA245.1	0.000020	9/30/09		E83079
1036	Nickel	0.1	mg/L	0.0025	U	EPA200.7	0.0025	9/30/09		E83079
1045	Selenium	0.05	mg/L	0.00050	U	EPA200.8	0.00050	9/25/09		E83079
1052	Sodium	160	mg/L	8.3		EPA200.7	0.50	9/30/09		E83079
1074	Antimony	0.006	mg/L	0.00050	U	EPA200.8	0.00050	9/25/09		E83079
1075	Beryllium	0.004	mg/L	0.00050	U	EPA200.7	0.00050	9/30/09		E83079
1085	Thallium	0.002	mg/L	0.00050	U	EPA200.8	0.00050	9/25/09		E83079

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Lakeview Hills S/D
PWS ID: 3424687
Submission Number: 0912210

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.010		EPA200.8	0.0053	9/25/09		E83079
1017	Chloride	250	mg/L	13.2		EPA300.0	0.25	9/24/09		E83079
1022	Copper	1	mg/L	0.00093	U	EPA200.8	0.00093	9/25/09		E83079
1025	Fluoride	2.0	mg/L	0.15	I	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.020	U	EPA200.7	0.020	9/30/09		E83079
1032	Manganese	0.05	mg/L	0.0025	U	EPA200.7	0.0025	9/30/09		E83079
1050	Silver	0.1	mg/L	0.0025	U	EPA200.7	0.0025	9/30/09		E83079
1055	Sulfate	250	mg/L	2.87	I	EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.010	U	EPA200.7	0.010	9/30/09		E83079
1905	Color	15	CU	1	U	SM2120B	1	9/23/09	3:40 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/23/09	4:10 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.82		Field	Field	9/23/09		Field
1930	Total Dissolved Solids	500	mg/L	133		SM2540C	10	9/24/09		E83265
2905	Foaming Agents	0.5	mg/L	0.028	U	SM5540C	0.028	9/24/09	17:36	E83079

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Lakeview Hills S/D
PWS ID: 3424687
Submission Number: 0912210

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	2.0	U	900.0	2.0	3	1.2	10/6/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.6	10/13/09		E83033
4020	Radium-226	5	pCi/L	1.0		903.1	0.2	1	0.3	10/14/09		E83033
4030	Radium-228	5	pCi/L	0.7	U	Ra-05	0.7	1	0.4	10/13/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Lakeview Hills S/D
PWS ID: 3424687
Submission Number: 0912210

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2955	Xylenes (total)	10,000	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2964	Dichloromethane	5	µg/L	0.44	U	EPA524.2	0.44	0.5	9/25/09		E83079
2968	o-Dichlorobenzene	600	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2969	para-Dichlorobenzene	75	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2976	Vinyl Chloride	1	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2977	1,1-Dichloroethylene	7	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2979	trans-1,2-Dichloroethylene	100	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2980	1,2-Dichloroethane	3	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2981	1,1,1-Trichloroethane	200	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2982	Carbon tetrachloride	3	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2983	1,2-Dichloropropane	5	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2984	Trichloroethylene	3	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2985	1,1,2-Trichloroethane	5	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2987	Tetrachloroethylene	3	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2989	Monochlorobenzene	100	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2990	Benzene	1	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2991	Toluene	1,000	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2992	Ethylbenzene	700	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079
2996	Styrene	100	µg/L	0.25	U	EPA524.2	0.25	0.5	9/25/09		E83079

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Lakeview Hills S/D
PWS ID: 3424687
Submission Number: 0912210

SYNTHETIC ORGANICS
62-550.310(4)(b)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Extraction Date	Analysis Date	Analysis Time	DOH Lab Cert #
2005	Endrin	2	µg/L	0.0019	U	EPA508.1	0.0019	0.01	9/30/09	10/1/09		E83079
2010	Lindane	0.2	µg/L	0.0028	U	EPA508.1	0.0028	0.02	9/30/09	10/1/09		E83079
2015	Methoxychlor	40	µg/L	0.013	U	EPA508.1	0.013	0.1	9/30/09	10/1/09		E83079
2020	Toxaphene	3	µg/L	0.57	U	EPA508.1	0.57	1	9/30/09	10/1/09		E83079
2031	Dalapon	200	µg/L	0.66	U	EPA515.3	0.66	1	9/30/09	10/3/09		E83079
2032	Diquat	20	µg/L	0.14	U J	EPA549	0.14	0.4	9/28/09	10/1/09		E83079
2033	Endothall	100	µg/L	2.9	U	EPA548	2.9	9	9/28/09	9/29/09		E83079
2034	Glyphosate	700	µg/L	0.86	U	EPA547	0.86	6	9/24/09	9/24/09		E83079
2035	Di(2-ethylhexyl)adipate	400	µg/L	0.37	U	EPA525	0.37	0.6	9/25/09	9/30/09		E83079
2036	Oxamyl (Vydate)	200	µg/L	0.41	U	EPA531.1	0.41	2	9/30/09	9/30/09		E83079
2037	Simazine	4	µg/L	0.042	U	EPA508.1	0.042	0.07	9/30/09	10/1/09		E83079
2039	Di(2-ethylhexyl)phthalate	6	µg/L	0.48	U	EPA525	0.48	0.6	9/25/09	9/30/09		E83079
2040	Picloram	500	µg/L	0.010	U	EPA515.3	0.010	0.1	9/30/09	10/3/09		E83079
2041	Dinoseb	7	µg/L	0.090	U	EPA515.3	0.090	0.2	9/30/09	10/3/09		E83079
2042	Hexachlorocyclopentadiene	50	µg/L	0.011	U	EPA508.1	0.011	0.1	9/30/09	10/1/09		E83079
2046	Carbofuran	40	µg/L	0.32	U	EPA531.1	0.32	0.9	9/30/09	9/30/09		E83079
2050	Atrazine	3	µg/L	0.020	U	EPA508.1	0.020	0.1	9/30/09	10/1/09		E83079
2051	Alachlor	2	µg/L	0.032	U	EPA508.1	0.032	0.2	9/30/09	10/1/09		E83079
2065	Heptachlor	0.4	µg/L	0.0057	U	EPA508.1	0.0057	0.04	9/30/09	10/1/09		E83079
2067	Heptachlor Epoxide	0.2	µg/L	0.0028	U	EPA508.1	0.0028	0.02	9/30/09	10/1/09		E83079
2105	2,4-D	70	µg/L	0.030	U	EPA515.3	0.030	0.1	9/30/09	10/3/09		E83079
2110	2,4,5-TP (Silvex)	50	µg/L	0.080	U	EPA515.3	0.080	0.2	9/30/09	10/3/09		E83079
2274	Hexachlorobenzene	1	µg/L	0.010	U	EPA508.1	0.010	0.1	9/30/09	10/1/09		E83079
2306	Benzo(a)pyrene	0.2	µg/L	0.018	U	EPA525	0.018	0.02	9/25/09	9/30/09		E83079
2326	Pentachlorophenol	1	µg/L	0.010	U	EPA515.3	0.010	0.04	9/30/09	10/3/09		E83079
2383	Polychlorinated biphenyls (PCBs)	0.5	µg/L	0.095	U	EPA508.1	0.095	0.1	9/30/09	10/1/09		E83079
2931	Dibromochloropropane	0.2	µg/L	0.0049	U	EPA504.1	0.0049	0.02	9/30/09	9/30/09		E83079
2946	Ethylene Dibromide (EDB)	0.02	µg/L	0.0062	U	EPA504.1	0.0062	0.01	9/30/09	9/30/09		E83079
2959	Chlordane	2	µg/L	0.044	U	EPA508.1	0.044	0.2	9/30/09	10/1/09		E83079

U - The parameter was analyzed but not detected.
J - Estimated value; LCS & MS outside acceptance criteria.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 1:50pm / 9-23-09

Client: Sunshine Utilities

Submission Number: 0912210

Report to: (Name & Mailing Address)
-On File-

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Lakeview Hills S/D
System ID Number: 3424687

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/23/09
Time Sample Collected: 1319

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.82 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/23/09 Time: 1348 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Mouse
Sample Temperature at Time of Receipt: 19.3 °C
[✓] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
[X] NO_3 [X] NO_2 [X] F	0912210-A
[X] CN	0912210-B
[X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd [ ] Cr [ ] Pb [ ] Hg [ ] Ni [ ] Se [ ] Na [ ] Tl	0912210-C
[X] ~~Asbestos~~ 9-23-09	
Secondary Contaminants	
[X] Cl [X] SO_4 [X] TDS [X] F [X] Color	0912210-A
[X] Odor	0912210-D
[X] Foaming Agents	0912210-E
[X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	0912210-C
Disinfection Byproducts	
[ ] Total THM (All 4) [ ] THM Partial:	
[ ] HAA (All 5) [ ] HAA Partial:	
[ ] Other:	
Radionuclides	
[X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U	0912210-F
[ ] Other:	
Volatile Organic Contaminants	
[X] All 21	0912210-G
[ ] Partial:	
Synthetic Organic Contaminants	
[X] All Except Dioxin	0912210-H
[ ] Partial:	
Miscellaneous	
[ ] Turbidity [ ] Alkalinity [ ] Conductivity	
[ ] Total Sulfide	
[ ] Dissolved Metals (Field Filtered):	
[X] ~~Other: Dioxin~~ 9-23-09	
[ ] Other:	
[ ] Other:	
[ ] Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Hilltop at Lake Weir

On October 7,2009 we completed the report for the above referenced water system, identification number 3424662. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911579 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District

☐ DEP Southwest District

☐ DEP Northeast District

☐ DEP

☐ Other

☐ DOH Marion County

☐ DOH Lake County

☐ DOH Sumter County

☐ DOH

☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911579

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Hilltop at Lake Weir PWS I.D. #: 3 4 2 4 6 6 2

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/10/09 Sample Time: 1242 AM (PM) (Circle One)

Sample Location (be specific): Tap on South Side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): DX mg/L Field pH: 7.91

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start Flow @ 1228 Allow temp & pH To Stabilize Record Sample Temp = 25.6

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/10/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. *Florida Certification #:* E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424662** System Name: **Hilltop at Lake Weir** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0911579 Date Sample(s) Received: 9/10/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 7, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Hilltop at Lake Weir
PWS ID: 3424662
Submission Number: 0911579

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	1.73		EPA353.2	0.05	9/11/09	8:57 AM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/11/09	8:57 AM	E83265
1005	Arsenic	0.010	mg/L	0.00012	U	EPA200.8	0.00012	9/23/09		E82574
1010	Barium	2	mg/L	0.0046		EPA200.7	0.00028	9/17/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/23/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/23/09		E82574
1024	Cyanide	0.2	mg/L	0.0021		SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/11/09		E83265
1030	Lead	0.015	mg/L	0.00029	I	EPA200.8	0.000037	9/23/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/23/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/23/09		E82574
1052	Sodium	160	mg/L	3.1		EPA200.7	0.026	9/17/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/23/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/17/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/23/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Hilltop at Lake Weir
PWS ID: 3424662
Submission Number: 0911579

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/17/09		E82574
1017	Chloride	250	mg/L	5		EPA300.0	0.2	9/22/09		E82001
1022	Copper	1	mg/L	0.0032		EPA200.8	0.000085	9/23/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/11/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/17/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/23/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/23/09		E82574
1055	Sulfate	250	mg/L	5.00		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.021		EPA200.7	0.0020	9/17/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/10/09	4:35 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/10/09	4:49 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.91		Field	Field	9/10/09		Field
1930	Total Dissolved Solids	500	mg/L	104		SM2540C	10	9/15/09		E83265
2905	Foaming Agents	0.5	mg/L	0.080	I	EPA425.1	0.05	9/11/09	10:15	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Hilltop at Lake Weir
PWS ID: 3424662
Submission Number: 0911579

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.0	U	900.0	1.0	3	0.8	9/22/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.8	U	908.0	0.8		0.5	9/24/09		E83033
4020	Radium-226	5	pCi/L	0.3		903.1	0.1	1	0.1	9/29/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	9/29/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Hilltop at Lake Weir
PWS ID: 3424662
Submission Number: 0911579

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/14/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/14/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/14/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/14/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/14/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/14/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/14/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/14/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/14/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/14/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/14/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/14/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/14/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 2:30 pm / 9-10-09

Client: Sunshine Utilities

Submission Number: 0911579

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Hilltop at Lake Weir
System ID Number: 3424662

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/10/09
Time Sample Collected: 12:42

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.91 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 09/10/09 Time: 1429 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Morse
Sample Temperature at Time of Receipt: 2.1 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911579-A
☒ CN	0911579-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911579-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911579-A
☒ Odor	0911579-D
☒ Foaming Agents	0911579-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911579-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911579-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911579-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Fore Oaks

On October 22,2009 we completed the report for the above referenced water system, identification number 3424644. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911874 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District	☐ DOH Marion County
☐ DEP Southwest District	☐ DOH Lake County
☐ DEP Northeast District	☐ DOH Sumter County
☐ DEP	☐ DOH
☐ Other	☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

0411874

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Fore Oaks PWS I.D. #: 3 4 2 4 6 4 4

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/16/09 Sample Time: 14:34 AM (PM) (Circle One)

Sample Location (be specific): Tap on North Side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): n/a mg/L Field pH: 7.20

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Short Flush @ 1422 Allow Temp & pH to Stabilize Record / Sample Temp = 23.98

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/16/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424644** System Name: **Fore Oaks** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911874 Date Sample(s) Received: 9/16/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 22, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Fore Oaks
PWS ID: 3424644
Submission Number: 0911874

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	1.46		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.00081	I	EPA200.8	0.00012	9/25/09		E82574
1010	Barium	2	mg/L	0.0031		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/25/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/25/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.17	I	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.00019	I	EPA200.8	0.000037	9/25/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/25/09		E82574
1045	Selenium	0.05	mg/L	0.00098	I	EPA200.8	0.00063	9/25/09		E82574
1052	Sodium	160	mg/L	8.3		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/25/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/25/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Fore Oaks
PWS ID: 3424644
Submission Number: 0911874

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	11.4		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.0091		EPA200.8	0.000085	9/25/09		E82574
1025	Fluoride	2.0	mg/L	0.17	I	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/25/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/25/09		E82574
1055	Sulfate	250	mg/L	14.1		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.015		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/16/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/16/09	4:45 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.20		Field	Field	9/16/09		Field
1930	Total Dissolved Solids	500	mg/L	273		SM2540C	10	9/17/09		E83265
2905	Foaming Agents	0.5	mg/L	0.158	I	EPA425.1	0.05	9/17/09	14:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Fore Oaks
PWS ID: 3424644
Submission Number: 0911874

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	2.2		900.0	1.8	3	1.5	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.8	U	908.0	0.8		0.4	10/1/09		E83033
4020	Radium-226	5	pCi/L	0.2		903.1	0.2	1	0.2	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	10/5/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Fore Oaks
PWS ID: 3424644
Submission Number: 0911874

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/24/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/24/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/24/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/24/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/24/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/24/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/24/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/24/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/24/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/24/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/24/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/24/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/24/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 3:40pm / 9-16-09

Client: Sunshine Utilities

Submission Number: 0911874

Report to: (Name & Mailing Address)
-On File-

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Fore Oaks
System ID Number: 3424644

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Mauro
Date Sample Collected: 09/16/09
Time Sample Collected: 1434

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.20 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 09/16/09 Time: 1539 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Mauro
Sample Temperature at Time of Receipt: 5.4 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911874-A
☒ CN	0911874-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911874-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911874-A
☒ Odor	0911874-D
☒ Foaming Agents	0911874-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911874-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911874-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911874-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Floyd Clark

On October 23,2009 we completed the report for the above referenced water system, identification number 3420411. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911984 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District

☐ DEP Southwest District

☐ DEP Northeast District

☐ DEP

☐ Other

☐ DOH Marion County

☐ DOH Lake County

☐ DOH Sumter County

☐ DOH

☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911984

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Floyd Clark PWS I.D. #: 3 4 2 0 4 1 1

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on File

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 9/17/09 Sample Time: 1245 AM (PM) (Circle One)

Sample Location (be specific): Tapon North side of tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): NA mg/L Field pH: 7.05

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start Flow @ 1233 allow temp. & pH to stabilize record Sample temp = 23.48

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Karen LeBeau

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Karen LeBeau (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: Karen LeBeau Date: 09/17/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3420411** System Name: **Floyd Clark** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0911984 Date Sample(s) Received: 9/17/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 23, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Floyd Clark
PWS ID: 3420411
Submission Number: 0911984

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	4.25		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.0006	I	EPA200.8	0.00012	9/30/09		E82574
1010	Barium	2	mg/L	0.0032		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/30/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/30/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/24/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.00015	I	EPA200.8	0.000037	9/30/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/30/09		E82574
1045	Selenium	0.05	mg/L	0.0016	I	EPA200.8	0.00063	9/30/09		E82574
1052	Sodium	160	mg/L	16		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/30/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/30/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Floyd Clark
PWS ID: 3420411
Submission Number: 0911984

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	24.5		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.00083		EPA200.8	0.000085	9/30/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/30/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/30/09		E82574
1055	Sulfate	250	mg/L	9.15		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.017		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/17/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/17/09	4:40 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.05		Field	Field	9/17/09		Field
1930	Total Dissolved Solids	500	mg/L	315		SM2540C	10	9/22/09		E83265
2905	Foaming Agents	0.5	mg/L	0.238		EPA425.1	0.05	9/18/09	17:00	E82001

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Floyd Clark
PWS ID: 3420411
Submission Number: 0911984

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.4		900.0	1.0	3	0.8	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.6	U	908.0	0.6		0.5	10/3/09		E83033
4020	Radium-226	5	pCi/L	0.5		903.1	0.2	1	0.2	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.6	10/6/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Floyd Clark
PWS ID: 3420411
Submission Number: 0911984

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/29/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/29/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/29/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/29/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/29/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/29/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/29/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/29/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/29/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/29/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/29/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/29/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/29/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 1:58 pm / 9-17-09

Client: Sunshine Utilities

Submission Number: 091198Y

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Floyd Clark
System ID Number: 3420411

Sample Information
Sample Location: Point of Entry
Sampler Name: Karen LeBeau
Date Sample Collected: 09/17/09
Time Sample Collected: 1245

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.05 DO:
Other:

Sample Custody
Relinquished Signature: Karen LeBeau
Date: 9/17/09 Time: ~~1295~~ 1355 RJ 9/17/09 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 5.9 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	091198Y-A
☒ CN	091198Y-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	091198Y-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	091198Y-A
☒ Odor	091198Y-D
☒ Foaming Agents	091198Y-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	091198Y-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	091198Y-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	091198Y-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

Page 1 of DEP form 62-550.730 is required if report is being submitted to the Florida DEP for compliance or permitting.

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Heights

On October 23,2009 we completed the report for the above referenced water system, identification number 3424031. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911941 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

- ☑ DEP Central District
- ☐ DEP Southwest District
- ☐ DEP Northeast District
- ☐ DEP
- ☐ Other
- ☐ DOH Marion County
- ☐ DOH Lake County
- ☐ DOH Sumter County
- ☐ DOH
- ☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#1091941

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Florida Heights PWS I.D. #: 3 4 2 4 0 3 1

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/17/09 Sample Time: 1026 (AM) PM (Circle One)

Sample Location (be specific): Tap on North side of Plant

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): n/a mg/L Field pH: 7.65

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start flow @ 1015 Allow Temp & pH to Stabalize Record Sample Temp = 24.49

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/17/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424031** System Name: **Florida Heights** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911941 Date Sample(s) Received: 9/17/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).

The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 23, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report

☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Florida Heights
PWS ID: 3424031
Submission Number: 0911941

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	2.08		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.0004	I	EPA200.8	0.00012	9/30/09		E82574
1010	Barium	2	mg/L	0.0045		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/30/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/30/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/24/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.00018	I	EPA200.8	0.000037	9/30/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/30/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/30/09		E82574
1052	Sodium	160	mg/L	9.1		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.0002	I	EPA200.8	0.000091	9/30/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/30/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Florida Heights
PWS ID: 3424031
Submission Number: 0911941

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	12.3		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.0018		EPA200.8	0.000085	9/30/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.0001	I	EPA200.8	0.000073	9/30/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/30/09		E82574
1055	Sulfate	250	mg/L	26.7		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.014		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/17/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/17/09	2:45 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.65		Field	Field	9/17/09		Field
1930	Total Dissolved Solids	500	mg/L	190		SM2540C	10	9/22/09		E83265
2905	Foaming Agents	0.5	mg/L	0.104	I	EPA425.1	0.05	9/18/09	17:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Florida Heights
PWS ID: 3424031
Submission Number: 0911941

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.6	U	900.0	1.6	3	1.1	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.8	U	908.0	0.8		0.5	10/1/09		E83033
4020	Radium-226	5	pCi/L	0.4		903.1	0.2	1	0.2	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.6	10/5/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Florida Heights
PWS ID: 3424031
Submission Number: 0911941

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/24/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/24/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/24/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/24/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/24/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/24/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/24/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/24/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/24/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/24/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/24/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/24/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/24/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 11:51am / 9-17-09

Client: Sunshine Utilities

Submission Number: 0911941

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Florida Heights
System ID Number: 3424031

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/17/09
Time Sample Collected: 1526

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.65 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/17/09 Time: 1149 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Morse
Sample Temperature at Time of Receipt: 6.4 °C
☑ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911941-A
☒ CN	0911941-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911941-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911941-A
☒ Odor	0911941-D
☒ Foaming Agents	0911941-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911941-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911941-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911941-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Emil Mar

On October 23,2009 we completed the report for the above referenced water system, identification number 3420340. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911983 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

#0911983

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Emil Mar S/D PWS I.D. #: 3 4 2 0 3 4 0

System Type (check one): [X] Community [ ] Nontransient Noncommunity [ ] Transient Noncommunity

Address: on File

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 9/17/09 Sample Time: 1312 AM (PM) (Circle One)

Sample Location (be specific): Tap on west side of tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): NA mg/L Field pH: 6.99

Sample Type (Check Only One)

- [ ] Distribution
- [X] Entry Point (to Distribution)
- [ ] Plant Tap (not for compliance with 62-550)
- [ ] Raw (at well or intake)
- [ ] Max Residence Time
- [ ] Ave Residence Time
- [ ] Near First Customer

Reason(s) for Sample (Check all that apply)

- [X] Routine Compliance (with 62-550)
- [ ] Confirmation of MCL Exceedance*
- [ ] Composite of Multiple Sites**
- [ ] Clearance (permitting)
- [ ] Other: _____
- [ ] Quarterly (Which Quarter? _____)
- [ ] Special (not for compliance with 62-550)
- [ ] Violation Resolution
- [ ] Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start flow 1301 allow temp+pH to stabilize Record sample temp = 23.61

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Karen LeBeau

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Karen LeBeau (Print Name), Field Tech (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: Karen LeBeau Date: 9/17/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3420340** System Name: **Emil Mar** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0911983 Date Sample(s) Received: 9/17/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 23, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory
☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Emil Mar
PWS ID: 3420340
Submission Number: 0911983

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	6.51		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.00012	U	EPA200.8	0.00012	9/30/09		E82574
1010	Barium	2	mg/L	0.0021		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/30/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/30/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/24/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.000071	I	EPA200.8	0.000037	9/30/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00044	I	EPA200.8	0.00035	9/30/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/30/09		E82574
1052	Sodium	160	mg/L	24		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/30/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/30/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Emil Mar
PWS ID: 3420340
Submission Number: 0911983

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	39.0		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.00085		EPA200.8	0.000085	9/30/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/30/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/30/09		E82574
1055	Sulfate	250	mg/L	10.9		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.012		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/17/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/17/09	4:40 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	6.99		Field	Field	9/17/09		Field
1930	Total Dissolved Solids	500	mg/L	365		SM2540C	10	9/22/09		E83265
2905	Foaming Agents	0.5	mg/L	0.109	I	EPA425.1	0.05	9/18/09	17:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Emil Mar
PWS ID: 3420340
Submission Number: 0911983

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.3	U	900.0	1.3	3	0.8	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.5	10/3/09		E83033
4020	Radium-226	5	pCi/L	0.2	U	903.1	0.2	1	0.1	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.6	10/6/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Emil Mar
PWS ID: 3420340
Submission Number: 0911983

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/29/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/29/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/29/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/29/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/29/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/29/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/29/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/29/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/29/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/29/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/29/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/29/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/29/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/29/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/29/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/29/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/29/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 1:58 Pm / 9-17-09

Client: Sunshine Utilities

Submission Number: 0911983

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Emil Mac
System ID Number: 3420340

Sample Information
Sample Location: Point of Entry
Sampler Name: Karen LeBeau
Date Sample Collected: 09/17/09
Time Sample Collected: 1312

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 6.99 DO:
Other:

Sample Custody
Relinquished Signature: Karen LeBeau
Date: 9/17/09 Time: 1355 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 6.6 °C
☑ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants: ☒ NO_3 ☒ NO_2 ☒ F	0911983-A
☒ CN	0911983-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911983-C
☐ Asbestos	
Secondary Contaminants: ☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911983-A
☒ Odor	0911983-D
☒ Foaming Agents	0911983-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911983-C
Disinfection Byproducts: ☐ Total THM (All 4) ☐ THM Partial: ☐ HAA (All 5) ☐ HAA Partial: ☐ Other:	
Radionuclides: ☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U ☐ Other:	0911983-F
Volatile Organic Contaminants: ☒ All 21 ☐ Partial:	0911983-G
Synthetic Organic Contaminants: ☐ All Except Dioxin ☐ Partial:	
Miscellaneous: ☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Eleven Oaks

On October 22,2009 we completed the report for the above referenced water system, identification number 3424099. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911920 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District

☐ DEP Southwest District

☐ DEP Northeast District

☐ DEP

☐ Other

☐ DOH Marion County

☐ DOH Lake County

☐ DOH Sumter County

☐ DOH

☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection

Safe Drinking Water Program Laboratory Reporting Format

0911920

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Eleven Oaks PWS I.D. #: 3 4 2 4 0 9 9

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/17/09 Sample Time: 0925 (AM) PM (Circle One)

Sample Location (be specific): Tap on West side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): NA mg/L Field pH: 7.39

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start Flow @ 0913 Allow Temp & pH to stabilize Record Sample Temp = 23.98

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/17/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424099** System Name: **Eleven Oaks** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0911920 Date Sample(s) Received: 9/17/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 22, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Eleven Oaks
PWS ID: 3424099
Submission Number: 0911920

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	0.13	I	EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.00079	I	EPA200.8	0.00012	9/30/09		E82574
1010	Barium	2	mg/L	0.0059		EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/30/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/30/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/24/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.000037	U	EPA200.8	0.000037	9/30/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/30/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/30/09		E82574
1052	Sodium	160	mg/L	11		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.00061		EPA200.8	0.000091	9/30/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/30/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Eleven Oaks
PWS ID: 3424099
Submission Number: 0911920

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	13.3		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.00016	I	EPA200.8	0.000085	9/30/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.062	I	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.019		EPA200.8	0.000073	9/30/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/30/09		E82574
1055	Sulfate	250	mg/L	52.6		EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.021		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/17/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/17/09	2:45 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.39		Field	Field	9/17/09		Field
1930	Total Dissolved Solids	500	mg/L	291		SM2540C	10	9/22/09		E83265
2905	Foaming Agents	0.5	mg/L	0.085	I	EPA425.1	0.05	9/18/09	17:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Eleven Oaks
PWS ID: 3424099
Submission Number: 0911920

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.4		900.0	1.2	3	0.9	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.6	10/1/09		E83033
4020	Radium-226	5	pCi/L	0.7		903.1	0.2	1	0.3	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	10/5/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Eleven Oaks
PWS ID: 3424099
Submission Number: 0911920

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/24/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/24/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/24/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/24/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/24/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/24/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/24/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/24/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/24/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/24/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/24/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/24/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/24/09		E82574

U - The parameter was analyzed but not detected.

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 9:50am / 9-17-09

Client: Sunshine Utilities

Submission Number: 0911920

Report to: (Name & Mailing Address)
- On File -

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Eleven Oaks
System ID Number: 3424099

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/17/09
Time Sample Collected: 0925

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.37 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 09/17/09 Time: 0947 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Moore
Sample Temperature at Time of Receipt: 19.3 °C
[✓] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
[X] NO_3 [X] NO_2 [X] F	0911920-A
[X] CN	0911920-B
[X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd [ ] Cr [ ] Pb [ ] Hg [ ] Ni [ ] Se [ ] Na [ ] Tl	0911920-C
[ ] Asbestos	
Secondary Contaminants	
[X] Cl [X] SO_4 [X] TDS [X] F [X] Color	0911920-A
[X] Odor	0911920-D
[X] Foaming Agents	0911920-E
[X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	0911920-C
Disinfection Byproducts	
[ ] Total THM (All 4) [ ] THM Partial:	
[ ] HAA (All 5) [ ] HAA Partial:	
[ ] Other:	
Radionuclides	
[X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U	0911920-F
[ ] Other:	
Volatile Organic Contaminants	
[X] All 21	0911920-G
[ ] Partial:	
Synthetic Organic Contaminants	
[ ] All Except Dioxin	
[ ] Partial:	
Miscellaneous	
[ ] Turbidity [ ] Alkalinity [ ] Conductivity	
[ ] Total Sulfide	
[ ] Dissolved Metals (Field Filtered):	
[ ] Other:	
[ ] Other:	
[ ] Other:	
[ ] Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Country Walk

On October 7,2009 we completed the report for the above referenced water system, identification number 3424657. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911580 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District

☐ DEP Southwest District

☐ DEP Northeast District

☐ DEP

☐ Other

☐ DOH Marion County

☐ DOH Lake County

☐ DOH Sumter County

☐ DOH

☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection

Safe Drinking Water Program Laboratory Reporting Format

0911580

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Country Walk PWS I.D. #: 3 4 2 4 6 5 7

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/10/09 Sample Time: 1128 (AM) PM (Circle One)

Sample Location (be specific): Tap on East side of Tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): n/a mg/L Field pH: 7.41

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start Flow @ 1117 also Temp pH to stabilize Record / Sample Temp = 24.9

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco, Field Tech
(Print Name) (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: _____ Date: 09/10/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424657** System Name: **Country Walk** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0911580 Date Sample(s) Received: 9/10/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 7, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Country Walk
PWS ID: 3424657
Submission Number: 0911580

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	3.12		EPA353.2	0.05	9/11/09	8:57 AM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/11/09	8:57 AM	E83265
1005	Arsenic	0.010	mg/L	0.00094	I	EPA200.8	0.00012	9/24/09		E82574
1010	Barium	2	mg/L	0.0051		EPA200.7	0.00028	9/17/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/23/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/23/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.14	I	SM4500FC	0.10	9/11/09		E83265
1030	Lead	0.015	mg/L	0.000037	U	EPA200.8	0.000037	9/23/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/23/09		E82574
1045	Selenium	0.05	mg/L	0.00071	I	EPA200.8	0.00063	9/23/09		E82574
1052	Sodium	160	mg/L	7		EPA200.7	0.026	9/17/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/23/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/17/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/23/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Country Walk
PWS ID: 3424657
Submission Number: 0911580

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/17/09		E82574
1017	Chloride	250	mg/L	11		EPA300.0	0.2	9/22/09		E82001
1022	Copper	1	mg/L	0.00045	I	EPA200.8	0.000085	9/23/09		E82574
1025	Fluoride	2.0	mg/L	0.14	I	SM4500FC	0.10	9/11/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/17/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/23/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/23/09		E82574
1055	Sulfate	250	mg/L	31.9		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.013		EPA200.7	0.0020	9/17/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/10/09	4:35 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/10/09	4:49 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.41		Field	Field	9/10/09		Field
1930	Total Dissolved Solids	500	mg/L	235		SM2540C	10	9/15/09		E83265
2905	Foaming Agents	0.5	mg/L	0.157	I	EPA425.1	0.05	9/11/09	10:15	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Country Walk
PWS ID: 3424657
Submission Number: 0911580

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.9	U	900.0	1.9	3	1.2	9/22/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.8	U	908.0	0.8		0.6	9/24/09		E83033
4020	Radium-226	5	pCi/L	0.5		903.1	0.2	1	0.2	9/29/09		E83033
4030	Radium-228	5	pCi/L	0.8	U	Ra-05	0.8	1	0.5	9/29/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Country Walk
PWS ID: 3424657
Submission Number: 0911580

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/14/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/14/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/14/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/14/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/14/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/14/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/14/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/14/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/14/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/14/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/14/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/14/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/14/09		E82574

U - The parameter was analyzed but not detected.

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 2:30pm / 9-10-09

Client: Sunshine Utilities

Submission Number: 0911580

Report to: (Name & Mailing Address)
- On File -

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Country Walk
System ID Number: 3424657

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Mancuso
Date Sample Collected: 09/10/09
Time Sample Collected: 1128

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.41 (9/10/09) DO:
Other:

Sample Custody
Relinquished Signature:
Date: 09/10/09 Time: 1429 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Moore
Sample Temperature at Time of Receipt: 5.4 °C
[X] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
[X] NO_3 [X] NO_2 [X] F	0911580-A
[X] CN	0911580-B
[X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd [ ] Cr [ ] Pb [ ] Hg [ ] Ni [ ] Se [ ] Na [ ] Tl	0911580-C
[ ] Asbestos	
Secondary Contaminants	
[X] Cl [X] SO_4 [X] TDS [X] F [X] Color	0911580-A
[X] Odor	0911580-D
[X] Foaming Agents	0911580-E
[X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	0911580-C
Disinfection Byproducts	
[ ] Total THM (All 4) [ ] THM Partial:	
[ ] HAA (All 5) [ ] HAA Partial:	
[ ] Other:	
Radionuclides	
[X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U	0911580-F
[ ] Other:	
Volatile Organic Contaminants	
[X] All 21	0911580-G
[ ] Partial:	
Synthetic Organic Contaminants	
[ ] All Except Dioxin	
[ ] Partial:	
Miscellaneous	
[ ] Turbidity [ ] Alkalinity [ ] Conductivity	
[ ] Total Sulfide	
[ ] Dissolved Metals (Field Filtered):	
[ ] Other:	
[ ] Other:	
[ ] Other:	
[ ] Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349
(352) 625-2822
FAX (352) 625-6638

Ocala Garden Apts.

On October 6,2009 we completed the report for the above referenced water system, identification number 3421554. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911443 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Safe Drinking Water Program Laboratory Reporting Format

#0911443

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Ocala Garden Apts PWS I.D. #: 3421554

System Type (check one): ☑ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/08/09 Sample Time: 1149 (AM) PM (Circle One)

Sample Location (be specific): Tap on upper pipe before flowmeter

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): N/A mg/L Field pH: 6.97

Sample Type (Check Only One)

- ☑ Distribution
- ☑ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☑ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Steady Flow @ 1128 Temp, pH stable @ 1138 Record / Sample @ Temp

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site. 2429

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: _____ Date: 09/08/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010

Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3421554** System Name: **Ocala Garden Apts.** Sample Number: Not Provided

Sample Location: Point of Entry

Laboratory Assigned Submission Number: 0911443 Date Sample(s) Received: 9/8/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:

Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request). The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 6, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No

☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)

☐Additional Monitoring Required (circle or highlight group(s) above)

Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report

☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocala Garden Apts.
PWS ID: 3421554
Submission Number: 0911443

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	1.52		EPA353.2	0.05	9/9/09	12:44 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/9/09	12:44 PM	E83265
1005	Arsenic	0.010	mg/L	0.00029	I	EPA200.8	0.00012	9/18/09		E82574
1010	Barium	2	mg/L	0.0058		EPA200.7	0.00028	9/16/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/18/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/18/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.16	I	SM4500FC	0.10	9/11/09		E83265
1030	Lead	0.015	mg/L	0.00018	I	EPA200.8	0.000037	9/18/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00051	I	EPA200.8	0.00035	9/18/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/18/09		E82574
1052	Sodium	160	mg/L	10		EPA200.7	0.026	9/16/09		E82574
1074	Antimony	0.006	mg/L	0.00015	I	EPA200.8	0.000091	9/22/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/16/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/18/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocala Garden Apts.
PWS ID: 3421554
Submission Number: 0911443

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/16/09		E82574
1017	Chloride	250	mg/L	16		EPA300.0	0.2	9/22/09		E82001
1022	Copper	1	mg/L	0.0024		EPA200.8	0.000085	9/21/09		E82574
1025	Fluoride	2.0	mg/L	0.16	I	SM4500FC	0.10	9/11/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/16/09		E82574
1032	Manganese	0.05	mg/L	0.00058	I	EPA200.8	0.000073	9/18/09		E82574
1050	Silver	0.1	mg/L	0.00018	I	EPA200.8	0.000086	9/18/09		E82574
1055	Sulfate	250	mg/L	102		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.074		EPA200.7	0.0020	9/16/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/8/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/8/09	4:36 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	6.97		Field	Field	9/8/09		Field
1930	Total Dissolved Solids	500	mg/L	418		SM2540C	10	9/10/09		E83265
2905	Foaming Agents	0.5	mg/L	0.090	I	EPA425.1	0.05	9/10/09	8:50	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocala Garden Apts.
PWS ID: 3421554
Submission Number: 0911443

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.7		900.0	1.3	3	1.0	9/22/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.5	9/19/09		E83033
4020	Radium-226	5	pCi/L	0.7		903.1	0.2	1	0.2	9/28/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.6	9/28/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ocala Garden Apts.
PWS ID: 3421554
Submission Number: 0911443

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/13/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/13/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/13/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/13/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/13/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/13/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/13/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/13/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/13/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/13/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/13/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/13/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/13/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/13/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/13/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/13/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/13/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/13/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/13/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/13/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/13/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 3:11 P 9-8-09

Client: Sunshine Utilities

Submission Number: 0911YY3

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Ocala Garden Apts.
System ID Number: 3421554

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/08/09
Time Sample Collected: 1149

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 6.97 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/8/09 Time: 1511 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By:
Sample Temperature at Time of Receipt: 4.6 °C
☒ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911YY3-A
☒ CN	0911YY3-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911YY3-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911YY3-A
☒ Odor	0911YY3-D
☒ Foaming Agents	0911YY3-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911YY3-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911YY3-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911YY3-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Belleview Oaks Estates

On October 7,2009 we completed the report for the above referenced water system, identification number 3424621. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911581 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District
☐ DEP Southwest District
☐ DEP Northeast District
☐ DEP
☐ Other

☐ DOH Marion County
☐ DOH Lake County
☐ DOH Sumter County
☐ DOH
☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

0911581

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Belleview Oaks Estates PWS I.D. #: 3 4 2 4 6 2 1

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/10/09 Sample Time: 1220 AM (PM) (Circle One)

Sample Location (be specific): Tap on SW side of tank

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): ~~0.0~~ mg/L Field pH: 7.55

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Grab sample Allow Tap to run pH to stabilize Record Sample Temp = 24.40

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title),

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: _____ Date: 09/10/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

LABORATORY CERTIFICATION INFORMATION

Laboratory Name: Aqua Pure Water & Sewage Service, Inc. Florida Certification #: E83265 Certification Expiration Date: 6/30/2010
Address: 10865 E. State Road 40 Silver Springs FL 34488-2349 Phone #: (352) 625-2822

ANALYSIS INFORMATION

PWS ID: **3424621** System Name: **Belleview Oaks Estates** Sample Number: Not Provided
Sample Location: Point of Entry
Laboratory Assigned Submission Number: 0911581 Date Sample(s) Received: 9/10/09

Group(s) Analyzed & Results attached for compliance with Chapter 62-550, F.A.C.:
Inorganics, Partial
Secondaries, All 14
Radionuclides, Single Sample
Volatile Organics, All 21

Subcontracted Laboratory DOH Certification Number(s): E82574 E84589 E82001 AEL / E83033 FR *Analyte Sheet(s) Attached*

CERTIFICATION

I, Lisa K. Saupp, Charles B. Saupp, or Michael Morse, Technical Director, do HEREBY CERTIFY that all attached analytical data are correct and unless noted meet all requirements of the National Environmental Laboratory Accreditation Conference (NELAC).

Certainty & validity of the reported data are based upon method specific calibration and QA / QC acceptance criteria (available upon request).
The results presented herein relate only to the samples submitted. If you have questions regarding this report please call Lisa Saupp at (352) 625-2822.

Signature: Lisa K Saupp Date: October 7, 2009

COMPLIANCE DETERMINATION (to be completed by DEP or DOH)

Sample Collection Info Satisfactory: ☐Yes ☐No Sample Analysis Info Satisfactory: ☐Yes ☐No
☐Replacement Sample(s) Requested (circle or highlight group(s) above) ☐Revised Report Requested (circle or highlight group(s) above)
☐Additional Monitoring Required (circle or highlight group(s) above)
Reason(s): ☐MCL(s) Exceeded ☐Detection(s) ☐Incomplete Report
☐Missing Analyte Sheet(s) ☐Location Unsatisfactory ☐Analysis Unsatisfactory

☐Other:_____

Person Notified:_____ Date Notified:_____

Comments:_____

Date Reviewed:_____ DEP / DOH Reviewing Official:_____

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Belleview Oaks Estates
PWS ID: 3424621
Submission Number: 0911581

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	2.26		EPA353.2	0.05	9/11/09	8:57 AM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/11/09	8:57 AM	E83265
1005	Arsenic	0.010	mg/L	0.00065	I	EPA200.8	0.00012	9/24/09		E82574
1010	Barium	2	mg/L	0.004		EPA200.7	0.00028	9/17/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/23/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/23/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.11	I	SM4500FC	0.10	9/11/09		E83265
1030	Lead	0.015	mg/L	0.000037	U	EPA200.8	0.000037	9/23/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/16/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/23/09		E82574
1045	Selenium	0.05	mg/L	0.001	I	EPA200.8	0.00063	9/23/09		E82574
1052	Sodium	160	mg/L	6.5		EPA200.7	0.026	9/17/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/23/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/17/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/23/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Belleview Oaks Estates
PWS ID: 3424621
Submission Number: 0911581

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/17/09		E82574
1017	Chloride	250	mg/L	9		EPA300.0	0.2	9/22/09		E82001
1022	Copper	1	mg/L	0.0013		EPA200.8	0.000085	9/23/09		E82574
1025	Fluoride	2.0	mg/L	0.11	I	SM4500FC	0.10	9/11/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/17/09		E82574
1032	Manganese	0.05	mg/L	0.000073	U	EPA200.8	0.000073	9/23/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/23/09		E82574
1055	Sulfate	250	mg/L	6.26		EPA375.2	2.50	9/11/09		E83265
1095	Zinc	5	mg/L	0.032		EPA200.7	0.0020	9/17/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/10/09	4:35 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/10/09	4:49 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.55		Field	Field	9/10/09		Field
1930	Total Dissolved Solids	500	mg/L	158		SM2540C	10	9/15/09		E83265
2905	Foaming Agents	0.5	mg/L	0.147	I	EPA425.1	0.05	9/11/09	10:15	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Belleview Oaks Estates
PWS ID: 3424621
Submission Number: 0911581

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	2.1		900.0	1.5	3	1.3	9/22/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.7	U	908.0	0.7		0.6	9/24/09		E83033
4020	Radium-226	5	pCi/L	0.9		903.1	0.2	1	0.2	9/29/09		E83033
4030	Radium-228	5	pCi/L	0.7	U	Ra-05	0.7	1	0.4	9/29/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Belleview Oaks Estates
PWS ID: 3424621
Submission Number: 0911581

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/14/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/14/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/14/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/14/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/14/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/14/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/14/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/14/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/14/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/14/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/14/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/14/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/14/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/14/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/14/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/14/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/14/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 2:30 pm / 9-18-09

Client: Sunshine Utilities

Submission Number: 0911581

Report to: (Name & Mailing Address)
- On File -

Copy to: [X] DEP Central [ ] DEP Southwest
[ ] DEP Northeast [ ] DEP Other:
[ ] DOH Marion County [ ] DOH Other:
[ ] N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Belleview Oaks Estates
System ID Number: 3424621

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/10/09
Time Sample Collected: 1220

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.55 DO:
Other:

Sample Custody
Relinquished Signature:
Date: 9/10/09 Time: 1429 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: Mr. Mase
Sample Temperature at Time of Receipt: 3.3 °C
[X] On Ice [ ] Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants: [X] NO_3 [X] NO_2 [X] F; [X] CN; [X] All Metals [ ] Sb [ ] As [ ] Ba [ ] Be [ ] Cd [ ] Cr [ ] Pb [ ] Hg [ ] Ni [ ] Se [ ] Na [ ] Tl; [ ] Asbestos	0911581-A, 0911581-B, 0911581-C
Secondary Contaminants: [X] Cl [X] SO_4 [X] TDS [X] F [X] Color; [X] Odor; [X] Foaming Agents; [X] All Metals [ ] Al [ ] Cu [ ] Fe [ ] Mn [ ] Ag [ ] Zn	0911581-A, 0911581-D, 0911581-E, 0911581-C
Disinfection Byproducts: [ ] Total THM (All 4) [ ] THM Partial: [ ] HAA (All 5) [ ] HAA Partial: [ ] Other:	
Radionuclides: [X] Gross Alpha [X] Ra^{226} [X] Ra^{228} [X] U; [ ] Other:	0911581-F
Volatile Organic Contaminants: [X] All 21; [ ] Partial:	0911581-G
Synthetic Organic Contaminants: [ ] All Except Dioxin; [ ] Partial:	
Miscellaneous: [ ] Turbidity [ ] Alkalinity [ ] Conductivity; [ ] Total Sulfide; [ ] Dissolved Metals (Field Filtered): [ ] Other: [ ] Other: [ ] Other: [ ] Other:	

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40 • Silver Springs, Florida 34488-2349
(352) 625-2822
FAX (352) 625-6638

Ashley Heights

On October 20,2009 we completed the report for the above referenced water system, identification number 3424962. You should maintain this original report for future reference and proof of compliance. This sample was analyzed under our submission number 0911873 for the following parameters (or parameter groups): Inorganics, Partial Secondaries, All 14 Radionuclides, Single Sample Volatile Organics, All 21

The results of the analyses were:

☑ **Satisfactory** (below allowable Maximum Contaminant Levels, or equivalent standard, for all parameters).

☐ **Satisfactory**. However, the parameters listed below exceeded 50% of the allowable Maximum Contaminant Level, equivalent standard, or regulatory detection limit. Additional testing may be required, please contact your governing agency or project engineer for instructions.

☐ **Unsatisfactory** for the parameters listed below (exceeded allowable Maximum Contaminant Level or equivalent standard) and may represent a health risk to your consumers. Please contact your governing agency or project engineer immediately.

In accordance with your request and applicable regulations we have sent a copy of this report to the following agencies or individuals (copies will not be provided to non-regulatory individuals without your express consent and request):

☑ DEP Central District	☐ DOH Marion County
☐ DEP Southwest District	☐ DOH Lake County
☐ DEP Northeast District	☐ DOH Sumter County
☐ DEP	☐ DOH
☐ Other	☐ Not Applicable

Thank you for allowing us to meet your analytical and compliance needs. We appreciate your business and value the relationships we cultivate with our clients. Please contact us if you have any questions.

This page does not constitute a portion of the NELAC report.

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

0911873-

PUBLIC WATER SYSTEM INFORMATION (to be completed by sampler – Please type or print legibly)

System Name: Ashley Heights PWS I.D. #: 3 4 2 4 9 6 2

System Type (check one): ☒ Community ☐ Nontransient Noncommunity ☐ Transient Noncommunity

Address: on file

City: _____ State: _____ ZIP Code: _____

Phone #: _____ Fax #: _____

E-Mail Address: _____

SAMPLE INFORMATION (to be completed by sampler)

Sample Number: _____ Location Code (if known): _____

Sample Date: 09/16/09 Sample Time: 1458 AM (PM) (Circle One)

Sample Location (be specific): Tap on south side of Tank.

Disinfectant Residual (Required when reporting results for trihalomethanes and haloacetic acids): n/a mg/L Field pH: 7.05

Sample Type (Check Only One)

- ☐ Distribution
- ☒ Entry Point (to Distribution)
- ☐ Plant Tap (not for compliance with 62-550)
- ☐ Raw (at well or intake)
- ☐ Max Residence Time
- ☐ Ave Residence Time
- ☐ Near First Customer

Reason(s) for Sample (Check all that apply)

- ☒ Routine Compliance (with 62-550)
- ☐ Confirmation of MCL Exceedance*
- ☐ Composite of Multiple Sites**
- ☐ Clearance (permitting)
- ☐ Other: _____
- ☐ Quarterly (Which Quarter? _____)
- ☐ Special (not for compliance with 62-550)
- ☐ Violation Resolution
- ☐ Replacement (of Invalidated Sample)

Sampling Procedure Used or Other Comments: Start flow @ 1444 Allow Temp & pH to stabilize Record / Sample

*See 62-550.500(6) for requirements and restrictions.
NOTE: See 62-550.512(3) for additional requirements for nitrate or nitrite MCL exceedances.

**See 62-550.550(4) for requirements and attach a results page for each site.

Sampler's Name: Chris Monaco

Sampler's Phone #: on file Sampler's Fax #: on file

Sampler's E-Mail Address: on file

CERTIFICATION (to be completed by sampler)

I, Chris Monaco (Print Name), Field Tech (Print Title)

do HEREBY CERTIFY that the above public water system and sample collection information is complete and correct.

Signature: [signature] Date: 09/16/09

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ashley Heights
PWS ID: 3424962
Submission Number: 0911873

INORGANIC CONTAMINANTS
62-550.310(1)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1040	Nitrate (as N)	10	mg/L	2.51		EPA353.2	0.05	9/17/09	3:13 PM	E83265
1041	Nitrite (as N)	1	mg/L	0.03	U	EPA353.2	0.03	9/17/09	3:13 PM	E83265
1005	Arsenic	0.010	mg/L	0.00058	I	EPA200.8	0.00012	9/25/09		E82574
1010	Barium	2	mg/L	0.0011	I	EPA200.7	0.00028	9/26/09		E82574
1015	Cadmium	0.005	mg/L	0.00020	U	EPA200.8	0.00020	9/25/09		E82574
1020	Chromium	0.1	mg/L	0.00044	U	EPA200.8	0.00044	9/25/09		E82574
1024	Cyanide	0.2	mg/L	0.00097	U	SM4500CNE	0.00097	9/21/09		E84589
1025	Fluoride	4.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1030	Lead	0.015	mg/L	0.000095	I	EPA200.8	0.000037	9/25/09		E82574
1035	Mercury	0.002	mg/L	0.000014	U	EPA245.1	0.000014	9/23/09		E82574
1036	Nickel	0.1	mg/L	0.00035	U	EPA200.8	0.00035	9/25/09		E82574
1045	Selenium	0.05	mg/L	0.00063	U	EPA200.8	0.00063	9/25/09		E82574
1052	Sodium	160	mg/L	8.5		EPA200.7	0.026	9/26/09		E82574
1074	Antimony	0.006	mg/L	0.000091	U	EPA200.8	0.000091	9/25/09		E82574
1075	Beryllium	0.004	mg/L	0.00013	U	EPA200.7	0.00013	9/26/09		E82574
1085	Thallium	0.002	mg/L	0.000026	U	EPA200.8	0.000026	9/25/09		E82574

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ashley Heights
PWS ID: 3424962
Submission Number: 0911873

SECONDARY CONTAMINANTS
62-550.320

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	Analysis Date	Analysis Time	DOH Lab Cert #
1002	Aluminum	0.2	mg/L	0.061	U	EPA200.7	0.061	9/26/09		E82574
1017	Chloride	250	mg/L	14.0		EPA300.0	0.2	9/29/09		E82001
1022	Copper	1	mg/L	0.0015		EPA200.8	0.000085	9/25/09		E82574
1025	Fluoride	2.0	mg/L	0.10	U	SM4500FC	0.10	9/25/09		E83265
1028	Iron	0.3	mg/L	0.038	U	EPA200.7	0.038	9/26/09		E82574
1032	Manganese	0.05	mg/L	0.00013	I	EPA200.8	0.000073	9/25/09		E82574
1050	Silver	0.1	mg/L	0.000086	U	EPA200.8	0.000086	9/25/09		E82574
1055	Sulfate	250	mg/L	3.29	I	EPA375.2	2.50	9/25/09		E83265
1095	Zinc	5	mg/L	0.017		EPA200.7	0.0020	9/26/09		E82574
1905	Color	15	CU	1	U	SM2120B	1	9/16/09	4:25 PM	E83265
1920	Odor	3	TON	1	U	SM2150B	1	9/16/09	4:45 PM	E83265
1925	pH (field pH from page 1)	6.5 - 8.5	SU	7.05		Field	Field	9/16/09		Field
1930	Total Dissolved Solids	500	mg/L	256		SM2540C	10	9/17/09		E83265
2905	Foaming Agents	0.5	mg/L	0.158	I	EPA425.1	0.05	9/17/09	14:00	E82001

U - The parameter was analyzed but not detected.
I - Analyte detected below quantitation limits.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ashley Heights
PWS ID: 3424962
Submission Number: 0911873

RADIONUCLIDES
62-550.310(6)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Error	Analysis Date	Analysis Time	DOH Lab Cert #
4000	Gross Alpha (Excl Uranium)	15	pCi/L	1.7	U	900.0	1.7	3	1.3	9/29/09		E83033
4006	Combined Uranium (U-234,U-235,& U-238)		pCi/L	0.8	U	908.0	0.8		0.5	10/1/09		E83033
4020	Radium-226	5	pCi/L	0.2		903.1	0.2	1	0.2	10/6/09		E83033
4030	Radium-228	5	pCi/L	0.9	U	Ra-05	0.9	1	0.5	10/5/09		E83033

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.

10865 East State Road 40 • Silver Springs, Florida 34488-2349

(352) 625-2822
FAX (352) 625-6638

Florida Department of Environmental Protection
Safe Drinking Water Program Laboratory Reporting Format

System Name: Ashley Heights
PWS ID: 3424962
Submission Number: 0911873

VOLATILE ORGANICS
62-550.310(4)(a)

Contam ID	Contam Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL	Analysis Date	Analysis Time	DOH Lab Cert #
2378	1,2,4-Trichlorobenzene	70	µg/L	0.22	U	EPA524.2	0.22	0.5	9/24/09		E82574
2380	Cis-1,2-Dichloroethylene	70	µg/L	0.12	U	EPA524.2	0.12	0.5	9/24/09		E82574
2955	Xylenes (total)	10,000	µg/L	0.37	U	EPA524.2	0.37	0.5	9/24/09		E82574
2964	Dichloromethane	5	µg/L	0.32	U	EPA524.2	0.32	0.5	9/24/09		E82574
2968	o-Dichlorobenzene	600	µg/L	0.15	U	EPA524.2	0.15	0.5	9/24/09		E82574
2969	para-Dichlorobenzene	75	µg/L	0.26	U	EPA524.2	0.26	0.5	9/24/09		E82574
2976	Vinyl Chloride	1	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2977	1,1-Dichloroethylene	7	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2979	trans-1,2-Dichloroethylene	100	µg/L	0.27	U	EPA524.2	0.27	0.5	9/24/09		E82574
2980	1,2-Dichloroethane	3	µg/L	0.18	U	EPA524.2	0.18	0.5	9/24/09		E82574
2981	1,1,1-Trichloroethane	200	µg/L	0.20	U	EPA524.2	0.20	0.5	9/24/09		E82574
2982	Carbon tetrachloride	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2983	1,2-Dichloropropane	5	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2984	Trichloroethylene	3	µg/L	0.14	U	EPA524.2	0.14	0.5	9/24/09		E82574
2985	1,1,2-Trichloroethane	5	µg/L	0.28	U	EPA524.2	0.28	0.5	9/24/09		E82574
2987	Tetrachloroethylene	3	µg/L	0.24	U	EPA524.2	0.24	0.5	9/24/09		E82574
2989	Monochlorobenzene	100	µg/L	0.19	U	EPA524.2	0.19	0.5	9/24/09		E82574
2990	Benzene	1	µg/L	0.17	U	EPA524.2	0.17	0.5	9/24/09		E82574
2991	Toluene	1,000	µg/L	0.21	U	EPA524.2	0.21	0.5	9/24/09		E82574
2992	Ethylbenzene	700	µg/L	0.13	U	EPA524.2	0.13	0.5	9/24/09		E82574
2996	Styrene	100	µg/L	0.11	U	EPA524.2	0.11	0.5	9/24/09		E82574

U - The parameter was analyzed but not detected.

Reporting Format 62-550.730
Effective January 1995, Revised January 2007

AQUA PURE WATER & SEWAGE SERVICE, INC.
10865 East State Road 40
Silver Springs, Florida 34488-2349
(352) 625-2822 • FAX (352) 625-6638

Drinking Water Chain of Custody

Time Received / Date Received: 3:40pm / 9-16-09

Client: Sunshine Utilities

Submission Number: 0911873

Report to: (Name & Mailing Address)
- On File -

Copy to: ☒ DEP Central ☐ DEP Southwest
☐ DEP Northeast ☐ DEP Other:
☐ DOH Marion County ☐ DOH Other:
☐ N/A (for information only)

PO Number:
Contact Name:
Contact Phone:

System Information
System Name: Ashley Heights
System ID Number: 3424962

Sample Information
Sample Location: Point of Entry
Sampler Name: Chris Monaco
Date Sample Collected: 09/16/09
Time Sample Collected: 1458

Field Test Results (if applicable) Cl_2 Residual:
Temp: pH: 7.25 DO:
Other:

Sample Custody
Relinquished Signature: [signature]
Date: 9/16/09 Time: 1539 Condition:
Relinquished Signature:
Date: Time: Condition:
Received By: M. Morse
Sample Temperature at Time of Receipt: 8.3 °C
☑ On Ice ☐ Not on Ice
Paid Check or Receipt Number:
Comments:

Parameter(s) Requested	Sample Number
Inorganic Contaminants	
☒ NO_3 ☒ NO_2 ☒ F	0911873-A
☒ CN	0911873-B
☒ All Metals ☐ Sb ☐ As ☐ Ba ☐ Be ☐ Cd ☐ Cr ☐ Pb ☐ Hg ☐ Ni ☐ Se ☐ Na ☐ Tl	0911873-C
☐ Asbestos	
Secondary Contaminants	
☒ Cl ☒ SO_4 ☒ TDS ☒ F ☒ Color	0911873-A
☒ Odor	0911873-D
☒ Foaming Agents	0911873-E
☒ All Metals ☐ Al ☐ Cu ☐ Fe ☐ Mn ☐ Ag ☐ Zn	0911873-C
Disinfection Byproducts	
☐ Total THM (All 4) ☐ THM Partial:	
☐ HAA (All 5) ☐ HAA Partial:	
☐ Other:	
Radionuclides	
☒ Gross Alpha ☒ Ra^{226} ☒ Ra^{228} ☒ U	0911873-F
☐ Other:	
Volatile Organic Contaminants	
☒ All 21	0911873-G
☐ Partial:	
Synthetic Organic Contaminants	
☐ All Except Dioxin	
☐ Partial:	
Miscellaneous	
☐ Turbidity ☐ Alkalinity ☐ Conductivity	
☐ Total Sulfide	
☐ Dissolved Metals (Field Filtered):	
☐ Other:	
☐ Other:	
☐ Other:	
☐ Other:	

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month/Year of: February 2009

A. Public Water System (PWS) Information

PWS Name: ASHLEY HEIGHTS			PWS Identification Number: 3424962
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month: 32	Total Population Served at End of Month: 112		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Chiristmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: ASHLEY HEIGHTS			Plant Telephone Number: (352)347-8228	
Plant Address: N.E. 11 Ave.	City: Ocala		State: Fla.	Zip Code: 34471
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water				
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 100,800				
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C			
Licensed Operators	**Name**	**License Class**	**License Number**	**Day(s)/Shift(s) Worked**
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. **Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.**

	Kelvin E Edun Sr.	C-7459
Signature and Date	Printed or Typed Name	License Number

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424962 | Plant Name: ASHLEY HEIGHTS

III. Daily Data for the Month Year of: February 2009

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1		24	8,700											
2	*	24	8,900										0.70	
3		24	8,800											
4	*	24	8,900										0.70	
5		24	9,600											
6	*	24	9,700										0.60	
7		24	8,700											
8		24	8,700											
9	*	24	8,800										0.60	
10		24	8,500											
11	*	24	8,600										0.60	
12		24	9,700											
13	*	24	9,800										0.60	
14		24	9,100											
15		24	9,100											
16	*	24	9,300										0.50	
17		24	8,600											
18	*	24	8,700						7.40				0.50	
19		24	9,100											
20	*	24	9,100										0.50	
21		24	9,400											
22		24	9,400											
23	*	24	9,500										0.40	
24		24	8,800											
25	*	24	8,800										0.30	
26		24	11,500											
27	*	24	11,500										0.30	
28		24	10,300											
29		24	0											
30		24	0											
31		24	0											
Total			259,600											
Average			8,374											
Maximum			11,500											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month Year of: January 2009

A. Public Water System (PWS) Information

PWS Name: ELEVEN OAKS			PWS Identification Number: 3424099
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month: 35	Total Population Served at End of Month: 123		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Chirstmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: ELEVEN OAKS		Plant Telephone Number: (352)347-8228	
Plant Address: N.E. 60 Ct.	City: Ocala	State: Fla.	Zip Code: 34471
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 39,000			
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C		

Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. **Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.**

Signature and Date	Kelvin E Edun Sr.	C-7459
	Printed or Typed Name	License Number

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424099	Plant Name: ELEVEN OAKS

III. Daily Data for the Month Year of: January 2009

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines)
☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm²	Minimum UV Dose Required, mW-sec/cm²		
1		24	11,300											
2	*	24	11,400										0.80	
3		24	12,300											
4		24	12,300											
5	*	24	12,500										0.60	
6		24	9,200											
7	*	24	9,200										0.60	
8		24	8,300											
9	*	24	8,400										0.60	
10		24	10,300											
11		24	10,300											
12	*	24	10,500										1.50	
13		24	7,100											
14	*	24	7,200										1.50	
15		24	8,300											
16	*	24	8,800										1.50	
17		24	8,900											
18		24	8,900											
19	*	24	9,100						7.40				1.50	
20		24	8,800											
21	*	24	8,400										1.40	
22		24	8,800											
23	*	24	8,900										1.40	
24		24	9,200											
25		24	9,200											
26	*	24	9,400										1.40	
27		24	8,100											
28	*	24	8,200										1.30	
29		24	8,600											
30	*	24	8,700										1.30	
31		24	8,600											
Total														
Average														
Maximum														

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month/Year of: January 2009

A. Public Water System (PWS) Information

PWS Name: LAKEVIEW HILLS			PWS Identification Number: 3424687
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month:	Total Population Served at End of Month: 175		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Chiristmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: LAKEVIEW HILLS		Plant Telephone Number: (352)347-8228	
Plant Address: S.E 115 Ave.	City: Ocala	State: Fla.	Zip Code: 34472
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 100,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C		

Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. **Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.**

	Kelvin E Edun Sr.	C-7459
Signature and Date	Printed or Typed Name	License Number

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424687	Plant Name: LAKEVIEW HILLS

III. Daily Data for the Month Year of: January 2009

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1		24	17,700											
2		24	17,700											
3	*	24	17,700										0.80	
4		24	16,800											
5	*	24	16,900										0.70	
6	*	24	17,900										0.70	
7	*	24	16,800										1.00	
8	*	24	18,500										1.00	
9	*	24	17,700										1.00	
10		24	20,300											
11	*	24	20,300										0.90	
12	*	24	14,900										0.90	
13	*	24	18,700										0.90	
14	*	24	15,400										0.80	
15	*	24	17,500										0.70	
16	*	24	16,600										0.90	
17		24	18,600											
18	*	24	18,700										0.80	
19	*	24	16,800										0.80	
20	*	24	18,600										0.60	
21	*	24	17,900										0.60	
22	*	24	20,100										0.60	
23	*	24	15,800										0.60	
24		24	18,900											
25	*	24	19,000						7.20				0.50	
26	*	24	18,400										1.20	
27	*	24	22,100										1.20	
28	*	24	16,900										1.20	
29	*	24	19,400										1.10	
30	*	24	18,100										1.30	
31			19,100											
Total			559,800											
Average			18,058											
Maximum			22,100											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424099	Plant Name: ELEVEN OAKS

III. Daily Data for the Month/Year **December** 2010

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm²	Minimum UV Dose Required, mW-sec/cm²		
1	*	24	9,400										0.50	
2		24	9,100											
3	*	24	9,100										0.40	
4		24	9,100											
5		24	9,100											
6	*	24	9,100										0.40	
7		24	9,100											
8	*	24	9,100										0.40	
9		24	8,700											
10	*	24	8,800										0.30	
11		24	9,000											
12		24	9,000											
13	*	24	9,100						7.20				0.30	
14		24	8,200											
15	*	24	8,200										0.30	
16		24	9,700											
17	*	24	9,800										0.50	
18		24	11,600											
19		24	11,600											
20	*	24	11,700										0.40	
21		24	15,500											
22	*	24	15,600										0.40	
23		24	17,400											
24	*	24	17,500										0.40	
25		24	20,800											
26		24	20,800											
27	*	24	20,900										0.60	
28		24	19,000											
29	*	24	19,000										0.60	
30		24	7,200											
31	*	24	7,200										0.60	
Total			369,400											
Average			11,916											
Maximum			20,900											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424032	Plant Name: OAK HURST

III. Daily Data for the Month/Year of: JULY 2010

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1	*	24	18,800										0.90	
2	*	24	21,500										0.90	
3		24	20,900											
4	*	24	21,000										0.90	
5	*	24	22,300										0.80	
6	*	24	20,000										0.80	
7	*	24	22,400										0.50	
8	*	24	25,100										0.50	
9	*	24	27,900										0.50	
10		24	26,700											
11	*	24	26,800										0.40	
12	*	24	32,400										0.40	
13	*	24	22,100										0.60	
14	*	24	27,300										0.60	
15	*	24	16,700										0.60	
16	*	24	19,400										0.50	
17		24	22,100											
18	*	24	22,200										0.50	
19	*	24	35,400										0.50	
20	*	24	24,100										0.50	
21	*	24	33,200						7.40				0.50	
22	*	24	27,100										0.50	
23	*	24	32,700										0.50	
24		24	28,000											
25	*	24	28,100										0.40	
26	*	24	28,700										0.40	
27	*	24	29,000										0.40	
28	*	24	30,000										0.30	
29	*	24	27,700										1.20	
30	*	24	32,800										1.20	
31		24	24,800											
Total			797,200											
Average			25,716											
Maximum			35,400											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424651	Plant Name: OCALA HEIGHTS

III. Daily Data for the Month/Year of: September 2010

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1	*	24	65,000										0.90	
2	*	24	67,000										0.90	
3	*	24	76,000										0.90	
4		24	69,000											
5	*	24	70,000										1.20	
6	*	24	69,000										1.20	
7	*	24	67,000										1.20	
8	*	24	66,000										1.20	
9	*	24	71,000										0.80	
10	*	24	79,000										0.70	
11		24	70,000											
12	*	24	70,000										0.60	
13	*	24	80,000										0.60	
14	*	24	70,000										1.20	
15	*	24	74,000										1.20	
16	*	24	69,000										1.20	
17		24	80,000										1.20	
18		24	66,000											
19	*	24	67,000										1.10	
20	*	24	81,000										1.10	
21	*	24	68,000										0.80	
22	*	24	75,000						7.30				0.80	
23	*	24	70,000										0.80	
24	*	24	77,000										0.70	
25		24	69,000											
26	*	24	70,000										0.50	
27	*	24	79,000										0.50	
28	*	24	57,000										0.80	
29	*	24	63,000										0.80	
30	*	24	57,000										0.80	
31		24												
Total			2,111,000											
Average			70,366											
Maximum			81,000											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month/Year of: APRIL 2010

A. Public Water System (PWS) Information

PWS Name: COUNTRY WALK			PWS Identification Number: 3424657
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month: 54	Total Population Served at End of Month: 189		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Chiristmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: COUNTRY WALK			Plant Telephone Number: (352)347-8228
Plant Address: S.E. 122 LN	City: Belleview	State: Fla.	Zip Code: 34420
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 100,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C		

Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Printed or Typed Name	License Number
K E Edun 5/7/2010	Kelvin E Edun Sr.	C-7459

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424657	Plant Name: COUNTRY WALK

III. Daily Data for the Month/Year of: APRIL 2010

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1	*	24	15,600										1.30	
2		24	20,100											
3		24	20,100											
4	*	24	20,300										1.30	
5		24	19,300											
6	*	24	19,400										1.30	
7		24	24,300											
8	*	24	24,400										1.20	
9		24	22,200											
10		24	22,200											
11	*	24	22,300										0.90	
12		24	21,500											
13	*	24	21,500										0.60	
14		24	21,200											
15	*	24	21,300										1.40	
16		24	21,900											
17		24	21,900											
18	*	24	22,100										0.60	
19		24	16,200											
20	*	24	16,200										0.60	
21		24	14,600											
22	*	24	14,700										0.60	
23		24	27,200											
24		24	27,200											
25	*	24	27,200						7.40				0.60	
26		24	22,400											
27	*	24	22,500										0.60	
28		24	16,000											
29	*	24	16,100										0.50	
30		24	24,800											
31		24												
Total			626,700											
Average			20,890											
Maximum			27,200											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month/Year of: MAY 2010

A. Public Water System (PWS) Information

PWS Name: COUNTRY WALK			PWS Identification Number: 3424657
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month: 54	Total Population Served at End of Month: 189		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Chiristmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: COUNTRY WALK		Plant Telephone Number: (352)347-8228	
Plant Address: S.E. 122 LN	City: Belleview	State: Fla.	Zip Code: 34420
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 100,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C		

Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Kelvin E Edun 6/4/2010

Signature and Date

Kelvin E Edun Sr.

Printed or Typed Name

C-7459

License Number

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424657	Plant Name: COUNTRY WALK

III. Daily Data for the Month/Year of: MAY 2010

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1		24	24,800											
2	*	24	24,900										0.50	
3		24	23,900											
4	*	24	23,900										0.40	
5		24	22,700											
6	*	24	22,800										1.20	
7		24	18,900											
8		24	18,900											
9	*	24	19,000										1.00	
10		24	33,900											
11	*	24	33,900										1.00	
12		24	27,000											
13	*	24	27,100										1.00	
14		24	30,900											
15		24	30,900											
16	*	24	31,100						7.40				0.60	
17		24	20,700											
18	*	24	20,800										0.60	
19		24	15,300											
20	*	24	15,300										0.60	
21		24	20,900											
22		24	20,900											
23	*	24	20,900										0.50	
24		24	17,700											
25	*	24	17,700										0.40	
26		24	26,500											
27	*	24	26,500										1.20	
28		24	19,500											
29		24	19,500											
30	*	24	19,600										1.20	
31		24	20,100											
Total			716,500											
Average			23,112											
Maximum			33,900											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month/Year of: JUNE 2010

A. Public Water System (PWS) Information

PWS Name: COUNTRY WALK			PWS Identification Number: 3424657
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month: 54	Total Population Served at End of Month: 189		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Chirstmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: COUNTRY WALK		Plant Telephone Number: (352)347-8228	
Plant Address: S.E. 122 LN	City: Belleview	State: Fla.	Zip Code: 34420
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 100,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C		

Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Printed or Typed Name	License Number
7/5/2010	Kelvin E Edun Sr.	C-7459

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424657	Plant Name: COUNTRY WALK

III. Daily Data for the Month/Year of: JUNE 2010

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1	*	24	20,200										0.40	
2		24	17,800											
3	*	24	17,800										0.70	
4		24	22,000											
5		24	22,000											
6	*	24	22,000										0.70	
7		24	17,800											
8	*	24	17,800										0.50	
9		24	19,800											
10	*	24	19,900										0.50	
11		24	21,800											
12		24	21,800											
13	*	24	22,000										0.60	
14		24	17,200											
15	*	24	17,200										0.30	
16		24	21,700											
17	*	24	21,800										0.50	
18		24	17,900											
19		24	17,900											
20	*	24	18,100						7.30				0.50	
21		24	18,700											
22	*	24	18,700										0.50	
23		24	13,800											
24	*	24	13,800										0.50	
25		24	19,300											
26		24	19,300											
27	*	24	19,400										0.40	
28		24	15,400											
29	*	24	15,400										0.90	
30		24	14,900											
31														
Total			563,200											
Average			18,773											
Maximum			22,000											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month/Year of: JULY 2010

A. Public Water System (PWS) Information

PWS Name: EMIL MARR			PWS Identification Number: 3420340
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month:	Total Population Served at End of Month: 249		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Chiristmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: EMIL MARR		Plant Telephone Number: (352)347-8228	
Plant Address: N.E. 22 Ct.	City: Ocala	State: Fla.	Zip Code: 34472
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 100,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C		

Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Printed or Typed Name	License Number
K E Edun 8/6/2010	Kelvin E Edun Sr.	C-7459

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3420340	Plant Name: EMIL MARR

III. Daily Data for the Month/Year of: JULY 2010

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1		24	2,410											
2		24	2,410											
3	*	24	2,410										0.60	
4		24	2,280											
5	*	24	2,290										0.60	
6		24	1,800											
7	*	24	1,800										0.60	
8		24	1,500											
9	*	24	1,500										0.60	
10		24	7,100											
11		24	7,100											
12	*	24	7,300										0.50	
13		24	4,500											
14	*	24	4,600										0.50	
15		24	5,700											
16	*	24	5,800										0.50	
17		24	6,500											
18		24	6,500											
19	*	24	6,500										0.50	
20		24	6,200											
21	*	24	6,200						7.40				0.40	
22		24	5,700											
23	*	24	5,700										0.90	
24		24	4,900											
25		24	4,900											
26	*	24	4,900										0.90	
27		24	7,600											
28	*	24	7,600										0.90	
29		24	8,600											
30	*	24	8,700										0.90	
31		24	9,400											
Total			160,400											
Average			5,174											
Maximum			9,400											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month/Year of: JULY 2010

A. Public Water System (PWS) Information

PWS Name: LAKEVIEW HILLS			PWS Identification Number: 3424687
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month:	Total Population Served at End of Month: 175		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Chirstmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: LAKEVIEW HILLS		Plant Telephone Number: (352)347-8228	
Plant Address: S.E 115 Ave.	City: Ocala	State: Fla.	Zip Code: 34472
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 100,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C		

Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date: 8/4/2010

Kelvin E Edun Sr.
Printed or Typed Name

C-7459
License Number

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424687 | Plant Name: LAKEVIEW HILLS

III. Daily Data for the Month/Year of: JULY 2010

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines)
☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1	*	24	18,800										1.30	
2	*	24	12,100										1.30	
3		24	15,500											
4	*	24	15,600										1.30	
5	*	24	14,700										1.30	
6	*	24	12,400										1.20	
7	*	24	11,600										1.30	
8	*	24	14,600										1.30	
9	*	24	8,700										1.40	
10		24	17,000											
11	*	24	17,100										1.40	
12	*	24	11,700										1.30	
13	*	24	14,700						7.30				1.20	
14	*	24	14,300										1.20	
15	*	24	15,300										1.20	
16	*	24	13,700										1.20	
17		24	16,600											
18	*	24	16,600										1.10	
19	*	24	14,100										1.10	
20	*	24	14,000										1.00	
21	*	24	17,200										1.40	
22	*	24	22,400										1.40	
23	*	24	15,500										1.50	
24		24	18,000											
25	*	24	18,100										1.50	
26	*	24	16,200										1.50	
27	*	24	25,200										1.60	
28	*	24	17,300										1.60	
29	*	24	19,600										1.50	
30	*	24	14,400										1.40	
31		24	15,700											
Total			488,700											
Average			15,764											
Maximum			25,200											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month/Year of: November 2010

A. Public Water System (PWS) Information

PWS Name: BELLEVIEW OAKS			PWS Identification Number: 3424621
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month: 83	Total Population Served at End of Month: 291		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Chiristmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: BELLEVIEW OAKS			Plant Telephone Number: (352)347-8228
Plant Address: S.E. 76 Ave.	City: Belleview	State: Fla.	Zip Code: 34420
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 144,000			
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C		

Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Printed or Typed Name	License Number
12/8/2010	Kelvin E Edun Sr.	C-7459

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424621	Plant Name: BELLEVIEW OAKS

III. Daily Data for the Month/Year of: November 2010

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines) ☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm^2	Minimum UV Dose Required, mW-sec/cm^2		
1		24	13,500											
2	*	24	13,600										1.20	
3		24	11,600											
4	*	24	11,600										1.20	
5		24	15,900											
6		24	15,900											
7	*	24	16,100						7.40				1.20	
8		24	15,700											
9	*	24	15,700										1.40	
10		24	20,000											
11	*	24	20,000										1.40	
12		24	13,600											
13		24	18,600										1.20	
14	*	24	18,700										1.20	
15		24	15,700											
16	*	24	15,700										1.20	
17		24	14,000											
18	*	24	14,100										0.90	
19		24	17,400											
20		24	17,400											
21	*	24	17,400										2.40	
22		24	13,000											
23	*	24	13,100										2.20	
24		24	19,100											
25	*	24	19,200										2.20	
26		24	17,600											
27		24	17,600											
28	*	24	17,800										1.80	
29		24	16,800											
30	*	24	16,800										1.80	
31		24												
Total			483,200											
Average			16,106											
Maximum			20,000											

** Refer to the instructions for this report to determine which plants must provide this information.*

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

See page 4 for instructions.

I. General Information for the Month/Year of: February 2009

A. Public Water System (PWS) Information

PWS Name: OAK HURST			PWS Identification Number: 3424032
PWS Type: ☒ Community ☐ Non-Transient Non-Community ☐ Transient Non-Community ☐ Consecutive			
Number of Service Connections at End of Month: 100	Total Population Served at End of Month: 299		
PWS Owner: SUNSHINE UTILITIES OF CENTRAL FLORIDA, INC.			
Contact Person: Dewaine Christmas	Contact Person's Title: OFFICE MANAGER		
Contact Person's Mailing Address: 10230 E. Hwy 25	City: Belleview	State: Fla.	Zip Code: 34420
Contact Person's Telephone Number: (352) 347-8228	Contact Person's Fax Number: (352)347-6915		
Contact Person's E-Mail Address:			

B. Water Treatment Plant Information

Plant Name: OAK HURST		Plant Telephone Number: (352)347-8228	
Plant Address: N.E 68 Ct.	City: Ocala	State: Fla.	Zip Code: 34472
Type of Water Treated by Plant: ☒ Raw Ground Water ☐ Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 144,000			
Plant Category (per subsection 62-699.310(4), F.A.C.): V	Plant Class (per subsection 62-699.310(4), F.A.C.): C		

Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Kelvin E Edun Sr.	C	7459	
Other Operators:				

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in Part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Kelvin E Edun Sr.	C-7459
	Printed or Typed Name	License Number

Jul 12 11 12:48p Universal Waters (352) 347-3258 p.1

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3424032	Plant Name: OAK HURST

III. Daily Data for the Month/Year of: February 2009

Means of Achieving Four-Log Virus Inactivation/Removal: * ☒ Free Chlorine ☐ Chlorine Dioxide ☐ Ozone ☐ Combined Chlorine (Chloramines)
☐ Ultraviolet Radiation ☐ Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: ☒ Free Chlorine ☐ Combined Chlorine (Chloramines) ☐ Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours Plant in Operation	Net Quantity of Finished Water Produced, gal	CT Calculations, or UV Dose, to Demonstrate Four-Log Virus Inactivation, if Applicable*									Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations							UV Dose			
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp. of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm²	Minimum UV Dose Required, mW-sec/cm²		
1	*	24	23,900										0.90	
2	*	24	23,100										0.90	
3	*	24	21,600										0.90	
4	*	24	19,100										0.80	
5	*	24	29,700										0.80	
6	*	24	30,400										0.80	
7		24	32,700											
8	*	24	32,800										0.70	
9	*	24	38,500										0.60	
10	*	24	20,100										1.20	
11	*	24	25,500										1.20	
12		24	21,100										1.20	
13	*	24	27,900										1.20	
14		24	24,700											
15	*	24	24,800										1.00	
16	*	24	19,800										1.00	
17	*	24	20,000										1.00	
18	*	24	25,000						7.50				1.00	
19	*	24	21,400										1.00	
20	*	24	23,600										1.00	
21	*	24	24,800										0.90	
22		24	22,100											
23	*	24	22,100										0.90	
24		24	24,700										0.80	
25	*	24	29,900										0.70	
26	*	24	23,700										1.20	
27	*	24	30,100										1.20	
28		24	23,700											
29		24	0											
30		24	0											
31		24	0											
Total														
Average														
Maximum														

** Refer to the instructions for this report to determine which plants must provide this information.*

Jul 12 11 12:48p Universal Waters (352) 347-3258 p.2

State of Florida
Department of Environmental Protection
Central District

SANITARY SURVEY REPORT

Plant Name **LAKEVIEW HILLS SUBDIVISION** County Marion PWS ID # **3421118**
Plant Location 115 Avenue and SE 129th Lane, Belleview, FL 34420 Phone 352-347-8228
Owner Name: Sunshine Utilities of Central Florida, Inc. Phone 352-347-8228
Owner Address 10230 SE Highway 25, Belleview, FL 34420-5531
Contact Person Dewaine Christmas Title Owner Phone 352-347-8228
This Survey Date 04/08/10 Last Survey Date 04/26/07 Last Compliance Inspection Date 10/15/01

PWS TYPE: Community

PLANT CATEGORY & CLASS: 5D

MAX-DAY DESIGN CAPACITY: 100,800 gpd

PWS STATUS: Approved

TREATMENT PROCESSES IN USE
Hypochlorination
(2) granular activated carbon filters

SERVICE AREA CHARACTERISTICS
Subdivision
Food Service: ☐ Yes ☐ No ☒ N/A

Number of Service Connection 57
Population Served 200 Basis Owner

OPERATION & MAINTENANCE LOG: Yes
Location Plant
Comments

CERTIFIED OPERATOR: Yes
Operator(s) & Certification Class-Number:
Kelvin Edun C-7459

Hrs/day: *Required* Visit *Actual* Visit
Days/wk: *Required* 3 *Actual* 3
Non-consecutive Days? ☐ Yes ☐ No ☒ N/A
Comments Visits must be on non consecutive days and total at least 0.3 hours per week.

MONTHLY OPERATION REPORTS (MORs)
MORs submitted regularly? ☒ Yes ☐ No ☐ N/A
Data missing from MORs? ☒ No ☐ Yes ☐ N/A
Average Day (from MORs) 19,409 gpd
Maximum Day (from MORs) 55,200 gpd 06/09
Comments

RAW WATER SOURCE
☒ GROUND; Number of Wells 1
☐ PURCHASED from PWS ID #
☐ Emergency Water Source
Emergency Water Capacity

STANDBY POWER SOURCE: Not Required
Source
Capacity of Standby (kW)
Switchover: ☐ Automatic ☐ Manual
Hrs Operated Under Load Unknown
What equipment does it operate?
☐ Well Pumps
☐ High Service Pumps
☐ Treatment Equipment
Satisfy avg. daily demand? ☐ Yes ☐ No ☐ Unknown
Audio-visual alarm? ☐ Yes ☐ No
Comments

PLANS AND MAPS

Coliform Sampling Plan	☒ Yes	☐ No	☐ N/A
D/DBP Monitoring Plan	☒ Yes	☐ No	☐ N/A
Lead and Copper Plan	☒ Yes	☐ No	☐ N/A
Distribution System Map	☐ Yes	☐ No	☒ N/A
Emergency Response Plan	☐ Yes	☐ No	☒ N/A

Comments

PREVENTIVE MAINTENANCE/O&M

Operation & Maintenance Manual	☒ Yes	☐ No	
Preventive Maintenance Program	☒ Yes	☐ No	
Flushing Program	☒ Yes	☐ No	☐ N/A
Records	☒ Yes	☐ No	☐ N/A
Isolation Valve Exercise	☒ Yes	☐ No	☐ N/A
Records	☒ Yes	☐ No	☐ N/A

Comments

CROSS CONNECTION CONTROL
BFPAs None observed # Tested Unknown

Date Last Calibrated Unknown Comments

PWS ID # 3424687
Date 04/08/10

GROUND WATER SOURCE

Well Number (Florida Unique Well ID #)		1(AAE0265)			
Year Drilled		1983			
Depth Drilled		135'			
Drilling Method		Rotary drill			
Type of Grout		Neat Cement			
Static Water Level		Unknown			
Pumping Water Level		Unknown			
Design Well Yield		Unknown			
Test Yield		Unknown			
Actual Yield *(if different than rated capacity)*		Unknown			
Strainer		Unknown			
Length (outside casing)		97'			
Diameter (outside casing)		4"			
Material (outside casing)		Black steel			
Well Contamination History		*Yes*			
Is inundation of well possible?		No			
6' X 6' X 4" Concrete Pad		Yes			
SET BACKS	Septic Tank	>100'			
	Reuse Water	N/A			
	WW Plumbing	>100'			
	Other Sanitary Hazard	None observed			
PUMP	Type	Submersible			
	Manufacturer Name	Sta-Rite			
	Model Number	Unknown			
	Rated Capacity (gpm)	80			
	Motor Horsepower	5			
Well casing 12" above grade?		Yes			
Well Casing Sanitary Seal		Yes			
Raw Water Sampling Tap		Yes			
Above Ground Check Valve		Yes			
Security		Yes			
Well Vent Protection		N/A			

COMMENTS: This well is contaminated with 1,1-Dichloroethene. This well has a two-filter granular activated carbon

PWS ID # 3424687
Date 04/08/10

CHLORINATION (Disinfection)
Type: ☐ Gas ☒ Hypo
Make Unidose Capacity 30 gpd
Chlorine Feed Rate 80% stroke
Avg. Amount of Cl_2 gas used N/A
Chlorine Residuals: Plant 1.5 Remote 1.3
Remote tap location 11561 SE 129th Lane
DPD Test Kit: ☐ On-site ☒ With operator ☐ None ☐ Not Used Daily
Injection Points Prior to the hydropneumatic tank.
Booster Pump Info
Comments

Chlorine Gas Use Requirements	YES	NO	Comments
Dual System	☐	☐	
Auto-switchover	☐	☐	
Alarms:			
Loss of Cl_2 capability	☐	☐	
Loss of Cl_2 residual	☐	☐	
Cl_2 leak detection	☐	☐	
Scale	☐	☐	
Chained Cylinders	☐	☐	
Reserve Supply	☐	☐	
Adequate Air-pak	☐	☐	
Sign of Leaks	☐	☐	
Fresh Ammonia	☐	☐	
Ventilation	☐	☐	
Room Lighting	☐	☐	
Warning Signs	☐	☐	
Repair Kits	☐	☐	
Fitted Wrench	☐	☐	
Housing/Protection	☐	☐	

AERATION (Gases, Fe, & Mn Removal)
Type Capacity
Aerator Condition
Visible Algae Growth
Protective Screen Condition
Frequency of Cleaning
Date Last Inspected/Cleaned

STORAGE FACILITIES
(G) Ground (C) Clearwell (E) Elevated
(B) Bladder (H) Hydropneumatic / flow-through

Tank Type/Number	H1		
Capacity (gal)	2,500		
Material	Steel		
Gravity Drain	Yes		
By-Pass Piping	Yes		
Protected Openings	Yes		
Sight Glass or Level Indicator	Yes		
PRV/ARV	PRV		
Pressure Gauge	Yes		
On/Off Pressure	40/60		
Access Secured	Yes		
Access Manhole	Yes		
Tank Sample Tap Location	Effluent pipe		
Date of Inspection	06/2008		
Date of Cleaning	06/2008		

Comments

HIGH SERVICE PUMPS

Pump Number			
Type			
Make			
Model			
Capacity (gpm)			
Motor HP			
Date Installed			

Comments

PWS ID # 3424687
Date 04/08/10

DEFICIENCIES:

1. **Failure to establish and implement an adequate Cross-connection Control Program.** The written cross-connection control program shall include procedures for:

   i. Written legal authority.

   ii. Written schedule and written procedure for surveying and retrofitting existing facilities.

   iii. Written procedures for plan review and inspection of all new construction.

   iv. Written schedule and written procedures for at least annual testing of backflow prevention assemblies and for repair when necessary.

   v. Written procedures for approving competent backflow preventer testers and insuring that required premises-isolating backflow preventers are tested only by approved, competent backflow preventer testers.

   vi. Written procedures for keeping installation, testing, and repair records for each required premises-isolating backflow preventer (to be kept for not less than ten years).

   vii. Written procedures for educating premise owners about (a), the need to have registered professional engineers or certified fire-protection system contractors check the hydraulics of existing fire-protection systems when premises-isolating backflow preventers are added at existing service connections to which existing fire-protection systems are in turn connected and (b), the need to install thermal expansion devices and/or pressure relief valves within closed loop plumbing systems created by the installation of premises-isolating backflow preventers.

   viii. Written procedures for handling backflow complaints and emergencies.

   ix. A program manual containing all of the above mentioned written material.

Community water systems, and all public water systems that have service areas also served by reclaimed water systems regulated under Part III of Chapter 62-610, F.A.C., shall establish and implement a routine cross-connection control program to detect and control cross connections and prevent backflow of contaminants into the water system. This program shall include a written plan that is developed using recommended practices of the American Water Works Association set forth in *Recommended Practice for Backflow Prevention and Cross-Connection Control*, AWWA Manual M14, as incorporated into Rule 62-555.330, F.A.C. [Rule 62-555.360(2), F.A.C.]

Upon discovery of a prohibited cross connection, public water systems shall either eliminate the cross connection by installation of an appropriate backflow prevention device acceptable to the Department or shall discontinue service until the contaminant source is eliminated. [Rule 62-555.360(3), F.A.C.]

Deliver a copy of the completed Cross-connection Control Program to this office, Attention: Manuel Cardona. If you have any questions concerning cross-connection control please contact Manuel Cardona at 407-894-7555 extension 2322 or via email at Manual.Cardona@dep.state.fl.us.

PWS ID # 3424687
Date 04/08/10

COMMENTS/REMINDERS:

- **Provide information for all items marked "unknown."**
- **Provide the dates of the most recent flow meter calibration.**
- **The consumer confidence report (CCR) must be delivered to consumers and the Department no later than July 1, 20010, and certification of delivery of the CCR must be submitted to the Department no later than August 10, 2010.**
- As of the date of this letter, Department records indicate the Annual Operating License Fee for July 2009 through June 2010 has not been paid for this system. Failure to remit payment will result in enforcement action. [Rule 62-4.053, F.A.C.]
- For monitoring schedules and information about the Drinking Water Program, please visit the Central District's Drinking Water website at http://www.dep.state.fl.us/central/Home/DrinkingWater/default.htm.

Inspector Daniel Hidden Title Env. Specialist II Date 04/21/10

RESPONSE

Please provide any changes to the following:

PWS ID Number: **3424687**

PWS Name: **Lakeview Hills Subdivision**

Mailing Address: _____

Date: _____

Business Name: _____

Owner(s) Name: _____

Mailing Address: _____

Phone Number(s): _____

Fax #: _____

E-Mail Address: _____

Florida Department of Environmental Protection
Drinking Water Compliance/Enforcement Program
3319 Maguire Boulevard, Suite 232
Orlando, Florida 32803

Attention: Daniel Shideler, Environmental Specialist

In response to the Department's **Sanitary Survey Report** for the subject public water system dated **April 8, 2010,** the following actions were done to correct the listed deficiencies:

Deficiency Item No.	Corrective Action Done	Date Done
1	Manny Cardona has approved our Cross Connection Spread sheet & advised me on March 9, 2010 that I needed to place a brief description in our next CCR to meet the education requirements. March 9, 2010 is when Manny approved our time frame for the Cross Connection plan.	4/27/10

(Attach additional sheet if necessary)

I hereby certify to the correctness of the above information:

PWS Owner/Representative Signature: _____

State of Florida
Department of Environmental Protection
Central District

SANITARY SURVEY REPORT

Plant Name EMIL-MARR SUBDIVISION County Marion PWS ID # 3420340
Plant Location NE 22nd Court & NE 38TH Street, Ocala, FL 34471 Phone 352-347-8228
Owner Name Sunshine Utilities of Central Florida Inc Phone 352-347-8228
Owner Address 10230 SE Highway 25, Belleview, FL 34420-5531
Contact Person Dewaine Christmas Title Owner Phone 352-347-8228
This Survey Date 10/28/09 Last Survey Date 10/25/06 Last Compliance Inspection Date 10/17/01

PWS TYPE: Community

PLANT CATEGORY & CLASS: 5D

MAX-DAY DESIGN CAPACITY: 72,000 gpd

PWS STATUS: Approved

TREATMENT PROCESSES IN USE
Hypochlorination

SERVICE AREA CHARACTERISTICS
Subdivision
Food Service: ☐ Yes ☐ No ☒ N/A

Number of Service Connection 70
Population Served 270 Basis Owner

OPERATION & MAINTENANCE LOG: Yes
Location Plant
Comments

CERTIFIED OPERATOR: Yes
Operator(s) & Certification Class-Number:
Kelvin Edun C-7459

Hrs/day: *Required* Visit *Actual* Visit
Days/wk: *Required* 3 *Actual* 3
Non-consecutive Days? ☒ Yes ☐ No ☐ N/A
Comments Visits must be on non-consecutive days and total at least 0.3 hrs per week.

MONTHLY OPERATION REPORTS (MORs)
MORs submitted regularly? ☒ Yes ☐ No ☐ N/A
Data missing from MORs? ☒ No ☐ Yes ☐ N/A
Average Day (from MORs) 4,847 gpd
Maximum Day (from MORs) 124,040 gpd 12/08
Comments This system is interconnected with Sun Ray Estates.

Flow Measuring Device Flow Meter
Meter Size & Type 2" Kent
Date Last Calibrated Unknown

RAW WATER SOURCE
☒ GROUND, Number of Wells 1
☐ PURCHASED from PWS ID #
☐ Emergency Water Source
Emergency Water Capacity

STANDBY POWER SOURCE: Not Required
Source
Capacity of Standby (kW)
Switchover: ☐ Automatic ☐ Manual
Hrs Operated Under Load
What equipment does it operate?
☐ Well Pumps
☐ High Service Pumps
☐ Treatment Equipment
Satisfy avg. daily demand? ☐ Yes ☐ No ☐ Unknown
Audio-visual alarm? ☐ Yes ☐ No
Comments

PLANS AND MAPS

Coliform Sampling Plan	☐ Yes	☒ No	☐ N/A
D/DBP Monitoring Plan	☒ Yes	☐ No	☐ N/A
Lead and Copper Plan	☒ Yes	☐ No	☐ N/A
Distribution System Map	☐ Yes	☐ No	☒ N/A
Emergency Response Plan	☐ Yes	☐ No	☒ N/A

Comments

PREVENTIVE MAINTENANCE/O&M
Operation & Maintenance Manual ☒ Yes ☐ No
Preventive Maintenance Program ☒ Yes ☐ No

Flushing Program	☒ Yes	☐ No	☐ N/A
Records	☒ Yes	☐ No	☐ N/A
Isolation Valve Exercise	☒ Yes	☐ No	☐ N/A
Records	☒ Yes	☐ No	☐ N/A

Comments

CROSS CONNECTION CONTROL
BFPAs None observed # Tested Unknown
WWTP RPZ N/A Date Tested Unknown
Written Plan Inadequate Date N/A
Comments

PWS ID # 3420340
Date 10/28/09

GROUND WATER SOURCE

Well Number (Florida Unique Well ID #)		1(AAE0259)	
Year Drilled		1977	
Depth Drilled		79'	
Drilling Method		Cable tool	
Type of Grout		Neat Cement	
Static Water Level		Unknown	
Pumping Water Level		Unknown	
Design Well Yield		Unknown	
Test Yield		Unknown	
Actual Yield (if different than rated capacity)		Unknown	
Strainer		Unknown	
Length (outside casing)		52'	
Diameter (outside casing)		6"	
Material (outside casing)		Black steel	
Well Contamination History		None	
Is inundation of well possible?		No	
6' X 6' X 4" Concrete Pad		Yes	
SET BACKS	Septic Tank	>200'	
	Reuse Water	N/A	
	WW Plumbing	>100'	
	Other Sanitary Hazard	None observed	
PUMP	Type	Submersible	
	Manufacturer Name	Sta-Rite	
	Model Number	Unknown	
	Rated Capacity (gpm)	62	
	Motor Horsepower	5	
Well casing 12" above grade?		Yes	
Well Casing Sanitary Seal		*	
Raw Water Sampling Tap		Yes	
Above Ground Check Valve		Yes	
Security		Yes	
Well Vent Protection		N/A	

COMMENTS *The well casing is corroded. Fix or repair the well casing as necessary.

PWS ID # 3420340
Date 10/28/09

CHLORINATION (Disinfection)
Type: ☐ Gas ☒ Hypo
Make Chem-Tech Capacity 30 gpd
Chlorine Feed Rate 80%
Avg. Amount of Cl_2 gas used N/A
Chlorine Residuals: Plant 1.1 Remote 0.9
Remote tap location 3612 NE 22nd Street
DPD Test Kit: ☐ On-site ☒ With operator ☐ None ☐ Not Used Daily
Injection Points Prior to the hydropneumatic tank.
Booster Pump Info
Comments

Chlorine Gas Use Requirements	YES	NO	Comments
Dual System	☐	☐	
Auto-switchover	☐	☐	
Alarms:			
Loss of Cl_2 capability	☐	☐	
Loss of Cl_2 residual	☐	☐	
Cl_2 leak detection	☐	☐	
Scale	☐	☐	
Chained Cylinders	☐	☐	
Reserve Supply	☐	☐	
Adequate Air-pak	☐	☐	
Sign of Leaks	☐	☐	
Fresh Ammonia	☐	☐	
Ventilation	☐	☐	
Room Lighting	☐	☐	
Warning Signs	☐	☐	
Repair Kits	☐	☐	
Fitted Wrench	☐	☐	
Housing/Protection	☐	☐	

AERATION (Gases, Fe, & Mn Removal)
Type Capacity
Aerator Condition
Visible Algae Growth
Protective Screen Condition
Frequency of Cleaning
Date Last Inspected/Cleaned
Comments

STORAGE FACILITIES
(G) Ground (C) Clearwell (E) Elevated
(B) Bladder (H) Hydropneumatic / flow-through

Tank Type/Number	H1
Capacity (gal)	2500
Material	Steel
Gravity Drain	Yes
By-Pass Piping	Yes
Protected Openings	Yes
Sight Glass or Level Indicator	No
PRV/ARV	ARV
Pressure Gauge	Yes
On/Off Pressure	40/60
Access Secured	Yes
Access Manhole	No
Tank Sample Tap Location	Effluent pipe
Date of Inspection	05/2008
Date of Cleaning	05/2008

Comments

HIGH SERVICE PUMPS

Pump Number			
Type			
Make			
Model			
Capacity (gpm)			
Motor HP			
Date Installed			

Comments

PWS ID # 3420340
Date 10/28/09

DEFICIENCIES:

1. **Failure to maintain drinking water components.** The well casing is corroded. Fix or repair the well casing as necessary.

   Suppliers of water shall keep all necessary public water system components in operation and shall maintain such components in good operating condition so the components function as intended. [Rule 62-555.350(2), F.A.C.]

2. **Failure to provide a written sampling plan for total coliform monitoring.**

   Public water systems shall collect total coliform samples at sites that are representative of water throughout the distribution system and in accordance with a written sampling plan that addresses location, timing, frequency, and rotation period. These plans shall be available for review and possible revision on the occasion of a sanitary survey conducted by the Department. Descriptions of sampling locations shall be specific, i.e., numbered street addresses or lot numbers. *Pressure tank or plant tap samples are not acceptable for determining compliance.* [Rule 62-550.518(1), F.A.C.]

3. **Failure to operate the water treatment plant within the designated maximum-day operating capacity.** A review of records indicates flows exceeded the maximum-day design capacity during December of 2008.

   No supplier of water shall operate any drinking water treatment plant at a capacity greater than the plant's permitted operating capacity except with the Department's prior approval, which shall be given when such operation will not cause a violation of a maximum contaminant level, a treatment technique requirement, or other operating requirements and is for no more than three months, or under circumstances that the supplier of water documents as highly unusual and nonrecurring. [Rule 62-555.350(4), F.A.C.]

   The total capacity of all water source and treatment facilities connected to a water system shall at least equal the water system's design maximum-day water demand (including design fire-flow demand if fire protection is being provided). [Rule 62-555.320(6), F.A.C.]

   Flushing activities, leaks, and/or breaks shall be recorded on monthly operation reports (MOR). For each day there are emergency or abnormal operating conditions at the plant or in the distribution system served by the plant, describe the emergency or abnormal operating conditions on the MOR (attach additional sheets as necessary). In addition, for each day plant or distribution components other than water service lines are taken out of operation for repair or maintenance, describe the repair or maintenance on the MOR (attach additional sheets as necessary). [Rule 62-555.900(3), F.A.C.]

   Suppliers of water seeking to have the permitted operating capacity of a water treatment plant re-rated shall submit to the appropriate Department of Environmental Protection District Office a construction permit application using Form 62-555.900(1), Application for a Specific Permit to Construct PWS Components, as incorporated into subsection 62-555.520(2), F.A.C. [Rule 62-555.528(2), F.A.C.]

4. **Failure to establish and implement an adequate cross-connection control program.** The written cross-connection program shall include procedures for:

   i. Written legal authority

   ii. Written schedule and written procedure for surveying and retrofitting existing facilities

   iii. Written procedures for plan review and inspection of all new construction

DEFICIENCIES (continued…):

i. Written schedule and written procedures for at least annual testing of backflow prevention assemblies and for repair when necessary.

ii. Written procedures for approving competent backflow preventer testers and insuring that required premises-isolating backflow preventers are tested only by approved, competent backflow preventer testers.

iii. Written procedures for keeping installation, testing, and repair records for each required premises-isolating backflow preventer (to be kept for not less than ten years)

iv. Written procedures for educating premise owners about (a), the need to have registered professional engineers or certified fire-protection system contractors check the hydraulics of existing fire-protection systems when premises-isolating backflow preventers are added at existing service connections to which existing fire-protection systems are in turn connected and (b), the need to install thermal expansion devices and/or pressure relief valves within closed loop plumbing systems created by the installation of premises-isolating backflow preventers.

v. Written procedures for handling backflow complaints and emergencies.

vi. A program manual containing all of the above mentioned written material.

Community water systems, and all public water systems that have service areas also served by reclaimed water systems regulated under Part III of Chapter 62-610, F.A.C., shall establish and implement a routine cross-connection control program to detect and control cross-connections and prevent backflow of contaminants into the water system. This program shall include a written plan that is developed using recommended practices of the American Water Works Association set forth in *Recommended Practice for Backflow Prevention and Cross-Connection Control.* AWWA Manual M14, as incorporated into Rule 62-555.330, F.A.C. [Rule 62-555.360(2), F.A.C.]

Upon discovery of a prohibited cross-connection, public water systems shall either eliminate the cross-connection by installation of an appropriate backflow prevention device acceptable to the Department or shall discontinue service until the contaminant source is eliminated. [Rule 62-555.360(3), F.A.C.]

A cross-connection control plan template is enclosed for your use.

Deliver a copy of the completed Cross Connection Control Program to this office, Attention: Manuel Cardona
If you have any questions concerning Cross connection Control please contact Manuel Cardona at 407-894-7555 extension 2322 or via email at Manual.Cardona@dep.state.fl.us

PWS ID # 3420340
Date 10/28/09

COMMENTS/REMINDERS:

- For monitoring schedules and information about the Drinking Water Program, please visit the Central District's Drinking Water website at http://www.dep.state.fl.us/central/Home/DrinkingWater/default.htm.
- **Provide the dates of the most recent flow meter calibration.**
- **Provide information for all items marked "unknown."**

Inspector [signature] Title Env. Specialist II Date 11/13/09

Approved by [signature] Title Env. Supervisor II Date 11/13/09

RESPONSE FORM

Please provide any changes to the following:

PWS ID Number: 3420340

PWS Name: Emil-Marr

Attention: Subdivision

Mailing Address: _____

_____

Date: _____

Business Name: _____

_____

Owner(s) Name: _____

_____

Mailing Address: _____

Phone Number(s): _____

Fax #: _____

E-Mail Address: _____

Florida Department of Environmental Protection
Drinking Water Compliance/Enforcement Program
3319 Maguire Boulevard, Suite 232
Orlando, Florida 32803

Attention: **Daniel Shideler**, Environmental Specialist

In response to the Department's **Sanitary Survey Report** for the subject public water system dated October 28, 2009, the following actions were done to correct the listed deficiencies:

Deficiency Item No.	Corrective Action Done	Date Done
1.	The well casing was sanded & painted.	12/14/09
2.	There is a Sampling Plan in the O & M Manual.	12/1/09
3.	There was a broken Line in the system on 12/29/09 that caused us to exceed our permitted capacity.	12/14/09.
4.	We will submit our revised Plan for Review by March 15, 2009	12/14/09.


(Attach additional sheet if necessary)

I hereby certify to the correctness of the above information.

PWS Owner/Representative Signature: _____

Name of PWS Owner/Representative: Dawaina Christmas
(Please Type or Print)

FPSC-COMMISSION CLERK
05644 AUG 10 =
DOCUMENT NUMBER-DATE




H. W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17th ST., SUITE 203
OCALA, FLORIDA 34471
PH (352) 840-8888
FAX (352) 840-8771

FACILITY WATER SYSTEM

OCKLAWAHA WATER WORKS
SUNSHINE UTILITIES
BELLEVIEW, FLORIDA

DRN	CHK	DATE	DESCRIPTION
SAO	RJW	15 JUL 99	ORIGINAL ISSUE

Project No. 9536-02




H. W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17TH ST. SUITE 802 OCALA, FLORIDA 34471
PH (352) 840-8588
FAX (352) 840-8771

FACILITY WATER SYSTEM

OCKLAWAHA WATER WORKS
SUNSHINE UTILITIES
BELLEVIEW, FLORIDA

DRN	CHK	DATE	DESCRIPTION
SKD	RJW	15 JUL 99	ORIGINAL ISSUE

Project No. 9636-02



DRN	CHK	DATE	DESCRIPTION
SAD	RJW	15 JUL 99	ORIGINAL ISSUE


Project No. 9635-02

3

FACILITY WATER SYSTEM

OCKLAWAHA WATER WORKS
SUNSHINE UTILITIES
BELLEVIEW, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17th ST, SUITE 802
OCALA, FLORIDA 34471
FAX (352) 840-9588
(352) 840-9776



DRN	CHK	DATE	DESCRIPTION
SAO	RJW	14 JUL 99	ORIGINAL ISSUE


Project No. 9634-02

1

FACILITY WATER SYSTEM

LITTLE LAKE WEIR SUBDIVISION
SUNSHINE UTILITIES
BELLEVIEW, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17th ST, SUITE 802
OCALA, FLORIDA 34471
FAX (352) 840-9580
(352) 840-9774



THIS DRAWING IS A COPY OF AN ORIGINAL DONE BY:

FREDERICK BELL
CONSULTING ENGINEERS INC.
OCALA, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
8710 SOUTHEAST 17TH ST., SUITE 200
OCALA, FLORIDA 34471
PHONE (352) 629-8686
FAX (352) 622-0774

SPANISH PALMS


SUNSHINE INDUSTRIES INC.
FT. KING & MAIN
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 96.36-02

1

SUTTONS DUPLEX
WATER DISTRIBUTION
SYSTEM



LEGEND

2" P.V.C. EXISTING WATER MAIN &SIZE

WELL LOCATION

2" GATE VALVE

BLOW-OFF VALVE

N

0 100 200

Scale: 1"= 100'

No Empty Lots

NOTE: THIS PLAN REPRESENTS A COMPILATION OF ENGINEERING PLANS AND SPECIFICATIONS FROM THE FILES OF SUNSHINE UTILITIES, INC.

H.W. BARRINEAU & ASSOCIATES, INC.
3100 SOUTHEAST 17th ST., SUITE 808 OCALA, FLORIDA 34471
PH. (352) 840-8588 FAX (352) 840-8774

SUTTON'S DUPLEX

SUNSHINE INDUSTRIES INC.

OCALA, FLORIDA

DRN.	CHK.	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9638-02


1


Urban MHP


SOIL LOG		
TYPE	SOIL DESCRIPTION	EWSHWT
SP	BROWN SAND	84"
SP-SM	RED COARSE LOAMY SAND	
SC	RED CLAYEY SAND	
SC	WHITE CLAYEY SAND	
SP	BROWN SAND	N/A
SP-SM	RED COARSE LOAMY SAND	
SP	BROWN SAND	72"
SP-SM	RED COARSE LOAMY SAND	
SP-SM	TAN COARSE LOAMY SAND	

MATED WET SEASON HIGH WATER TABLE
OPHER ENGINEERING AIDE, INC.

DO Empty Lots




LAKE IN THE FORE
PROPOSED 24 UN
MOBILE HOME PA
TY WELL
UED
SSS.3(5)(S)
SED
ELEASE
REMOVED EXISTING
2" WATER MAIN
(SEE SHEET #1)
EXISTING
MOBILE HO
Easy Livin
21
20
19
18
17
16
15
14
27
26
25
24
23
22
33
32
31
30
29
28
37
36
35
34
1
2
3
4
5
6
7
8
9
10
11
12
13



Addition III

SPECIFICATIONS AND REQUIREMENTS:

1. THIS PROJECT WILL REQUIRE PERMITS FROM THE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION (FDEP) AND MARION COUNTY, PRIOR TO COMMENCEMENT OF CONSTRUCTION. OTHER REQUIREMENTS MAY BE NOTED IN THESE NOTES.

2. ALL POLYVINYL CHLORIDE (PVC) PIPE SHALL MEET THE REQUIREMENTS OF AWWA C900 AND SHALL BEAR THE SEAL OF THE NATIONAL SANITATION FOUNDATION (NSF) FOR POTABLE WATER OR ENTER SECTION OF PIPE. ALL PVC PIPE SHALL HAVE A DR OF 25 UNLESS UNDER ROADWAY, THEN A DR OF 18 WILL BE REQUIRED. ALL WATER MAINS SHALL BE LOCATED 8' FEET FROM THE RIGHTS-OF-WAY LINES.

3. ALL FITTINGS SHALL BE MECHANICAL JOINT DUCTILE IRON OR CAST IRON CONFORMING TO ANSI/AWWA A21.10/C110, 250 PSI MINIMUM PRESSURE RATING OR DUCTILE IRON COMPACT FITTINGS IN ACCORDANCE WITH ANSI/AWWA A21.53/C153.

4. AT ALL ELBOWS AND TEES THE JOINT SHALL BE SECURED BY USING EITHER RESTRAINING GLAD JOINT CONNECTIONS FOR 20 FEET ON ALL SIDES OF THE FITTING, OR POURING A CONCRETE THRUST BLOCK AGAINST WATER TIGHT BOARD THE FITTINGS. RESTRAINING JOINTS SHALL CONFORM TO APPENDICE A.5.3 AND THRUST BLOCKS SHALL CONFORM TO APPENDICE A.4.4 OF THE MARION COUNTY UTILITY MANUAL.

5. WATER MAINS MUST BE CONSTRUCTED WITH A MINIMUM OF 18" OF VERTICAL SEPARATION BETWEEN THE WATER MAIN AND STORM SEWER PIPING. WHERE THIS DISTANCE CANNOT BE MET, THE WATER MAIN SHALL BE CONSTRUCTED OF TWENTY (20) FEET OF DUCTILE IRON PIPE (AWWA C150/C151 CENTERED AT THE POINT OF CROSSING WITH THE STORM SEWER.

6. AFTER COMPLETION OF CONSTRUCTION, THE NEW INSTALLATION SHALL BE HYDROSTATIC TESTED IN COMPLIANCE WITH C600 AND DISINFECTED IN COMPLIANCE WITH C601, AWWA REQUIREMENTS. RESULTS OF THE TWO (2) CONSECUTIVE DAYS OF BACTERIOLOGICAL TEST RESULTS MUST BE SUPPLIED AT THE LOCATIONS STATED IN THE FDEP PERMIT CONDITIONS. FILLING OF THE NEW CONSTRUCTION SHALL BE PROVIDED THROUGH A TEMPORARY JUMPER CONNECTION SHOWN ON SHEET 17.

7. THIS SYSTEM SHALL NOT BE USED FOR PUBLIC CONSUMPTION UNTIL A LETTER OF CLEARANCE HAS BEEN OBTAINED FROM FDEP.

8. ALL PROPOSED CONSTRUCTION SHALL HAVE A MINIMUM OF 36" COVER.

9. ALL SERVICE LATERALS SHALL BE 3/4" POLYETHYLENE TUBING MEETING THE REQUIREMENTS OF AWWA C800 AND C901 WITH BRASS CORPORATION STOPS, AND CURB STOPS CONNECTED TO THE WATER MAIN WITH A DOUBLE STRAP SERVICE SADDLE.

LEGEND:
- EXISTING WATER MAIN
- PROPOSED WATER MAIN
- GATE VALVE
- B.O.A. BLOW-OFF ASSEMBLY

NOTE:
1. ALL LOTS WITHIN THIS PROPOSED SUBDIVISION ARE SUBJECT TO A 10 FOOT WIDE UTILITY EASEMENT ADJACENT AND PARALLEL TO ALL RIGHT-OF-WAY LINES.
2. ALL LOTS SHALL BE SERVED BY AN ON-SITE SEPTIC TANK AND DRAINFIELD SYSTEM, EACH DEPENDENT ON 25 OMNI HEADS.


6 - Location of Bacteriological Test
1-15 Phase I
20-26 Phase II

IMPROVEMENT PLANS
FOR
LAKE WEIR HEIGHTS
SECOND ADDITION REPLAT
PHASE III
MASTER WATER DISTRIBUTION PLAN

ROBERT L. ROGERS ENGINEERING CO. INC.
LIC. BUS. #4074
1105 S.E. 3rd Ave. OCALA, FLORIDA 34471 (352) 622-9214

SCALE	DATE	SHEET
1" = 100'	1-23-02	6 OF 19

2/11
45/50



LEGEND

- PLUG
- 4" GATE VALVE
- 4" TAPPING SLEEVE W/ GATE VALVE
- WELL

N.T.S.

BELLEVIEW OAKS ESTATES

DRN	CHK	DATE	DESCRIPTION
SAO	RJW	14 JUL 99	ORIGINAL ISSUE

Project No. 9935-02

1

FACILITY WATER SYSTEM

BELLEVIEW OAKS ESTATES
SUNSHINE UTILITIES
BELLEVIEW, FLORIDA


H. W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17th ST. SUITE 802 OCALA, FLORIDA 34471
FAX (352) 840-9588
(352) 840-9774

Belleview Oaks

JASON'S LANDING WATER DISTRIBUTION SYSTEM

LEGEND

- 6" P.V.C. EXISTING WATER MAIN &SIZE
- WELL LOCATION
- 6" GATE VALVE
- BLOW-OFF VALVE
- SINGLE SERVICE
- DOUBLE SERVICE



NOTE: THIS PLAN IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES, INC.

0 100 200

Scale: 1"= 100'

H.W. BARRINEAU & ASSOCIATES, INC.

JASON'S LANDING


SUNSHINE UTILITIES INC.
OCALA, FLORIDA


DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9636-02

1

Sheet 1 of 1


S.E. 1st STREET
N.E. 1st STREET
FORT KING STREET
S.E. 68TH COURT
N.E. 68TH COURT
BLOCK 'A'
BLOCK 'B'
TRACT 'A'
DRA #1
DRA #2
S88°55'56"E 695.56'
S00°08'12"E 594.00'
S00°08'31"W 1145.00'
N00°08'31"W 1224.42'
S00°08'31"W 420.00'
R=200.00'
Arc=308.49'
N88°48'53"W 1284.43'
S88°48'53"E 1284.43'
N88°48'53"W 1844.22'
S88°48'53"E 1844.22



THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES INC.


H.W. Barrineau & Associates, Inc.
8100 Boutelle 17th St., Suite 600
Ocala, Florida 34477
Tel (352) 840-9600
(352) 840-9774

STONE HILL

SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PAM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9638-02



THIS DRAWING IS A COPY OF AN ORIGINAL DONE BY SPRINGSTEAD AND ASSOC. INC.

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE


Project No. 9638-02

1

SUNLIGHT ACRES

SUNSHINE UTILITIES INC.
FT. KING & MAIN
OCALA, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
3100 SOUTHEAST 17th ST, SUITE 906
OCALA, FLORIDA 34471
FAX (352) 840-0588
(352) 840-9774



DRN	CHK	DATE	DESCRIPTION
PMN	HWB	11 APR 97	ORIGINAL ISSUE


Project No. 636-02

1

COUNTRY WALK

SUNSHINE UTILITIES INC.
OCALA, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17th ST, SUITE 502
OCALA, FLORIDA 34471
FAX (352) 240-0525
(352) 240-0774



THIS DRAWING IS A COPY OF AN ORIGINAL DONE BY LONDON ENGINEERING & ASSOCIATES, INC.

DRN	CHK	DATE	DESCRIPTION
CEL	WMB	23 FEB 00	ORIGINAL ISSUE


Project No. 0638-00

Sheet 1 OF 1

FORE OAKS

SUNSHINE UTILITIES, INC.
MARION COUNTY, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17TH ST. SUITE 502 OCALA, FLORIDA 34471
FAX (352) 840-0888
(352) 840-0774



H.W. Barrineau & Associates, Inc.

ELEVEN OAKS


SUNSHINE INDUSTRIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9636-02

1

Sheet 1 OF 1



H.W. BARRINEAU & ASSOCIATES, INC.


SUGAR PLUM

SUNSHINE INDUSTRIES INC.
FT. KING & MAIN
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PSM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9638-02

1



THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES, INC.

H.W. BARRINEAU & ASSOCIATES, INC.
3100 SOUTHEAST 17TH ST., SUITE 808
OCALA, FLORIDA 34471
PH: (352) 622-0666
FAX: (352) 622-2774

BALDWIN HEIGHTS


SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PHW	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9636-02

1

Sheet 1 OF 1







H.W. BARRINEAU & ASSOCIATES, INC.

CAROL ESTATES (EAST)


SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DES	CHK	DATE	DESCRIPTION
PAM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 96.36-02

1

Sheet 1 of 2



THIS DRAWING IS A COPY OF AN ORIGINAL DONE BY:
NORTH FLORIDA ENGINEERING AND SURVEY INC
U.S. HGHWAY 27 OCALA, FL. 32670
3615 N.W. 13TH STREET GAINESVILLE, FL. 32601

H.W. BARRINEAU & ASSOCIATES, INC.
3100 SOUTHEAST 17TH ST., SUITE 800 OCALA, FLORIDA 34471
PH (352) 840-9666
FAX (352) 840-9774


CAROL ESTATES (WEST)

SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9630-02

Sheet 2 of 2



THIS DRAWING IS A COPY OF AND ORIGINAL DONE BY LARRY W. VARNADORE, P.E. & DOUGLAS M. WALKER & ASSOCIATES DRAWN MAR. 3, 1998

H.W. BARRINEAU & ASSOCIATES, INC.
8180 BOOTHALL 17TH PL., SUITE 800 OCALA, FLORIDA 34477
PH (352) 245-0606
FAX (352) 245-0774

COUNTRY AIRE

SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 96.36-02

1

Sheet 1 Of 1



THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES INC.

H.W. BARRINEAU & ASSOCIATES, INC.
8100 SOUTHEAST 115th ST. SUITE 202
OCALA, FLORIDA 34471
PH: (352) 245-6666
(352) 245-5774


WHISPERING SANDS UNIT 2

SUNSHINE INDUSTRIES INC.

OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9638-02



THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES INC.

Sands

WHISPERING UNIT 1

SUNSHINE UTILITIES INC.

OCALA, FLORIDA

H.W. Barrineau & Associates, Inc.

DRN.	CHK.	DATE	DESCRIPTION
PAM	HWB	11 APR 97	ORIGINAL ISSUE


Job No. 96.36

1

0 100 200 400

Scale: 1"= 200'

N



THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES, INC.

H.W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17TH ST., SUITE 606
OCALA, FLORIDA 34471
PH (352) 840-0606
FAX (352) 840-0774

REYNOLD'S

SUNSHINE INDUSTRIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMH	HWB	11 APR 97	ORIGINAL ISSUE


Project No. 96306-02

EMIL - MARR

IN

SECTION 33, TOWNSHIP 14 SOUTH, RANGE 22 EAST

MARION COUNTY, FLORIDA




GRAPHIC SCALE

SCALE 1" = 100'

THIS DRAWING IS A COPY OF AN ORIGINAL
Prepared By
MOORHEAD ENGINEERING COMPANY
305 SE 1st Avenue Ocala, Florida

CURVE DATA

NO.	Δ	R	ARC	TAN	CH.	CH. BRG.
1	89°59'15"	25.00'	39.26'	25.00'	35.35'	N.45°04'22"E.
2	90°00'45"	24.99'	39.25'	25.00'	35.35'	S.44°55'37"E.



H. W. BARRINEAU & ASSOCIATES, INC.
5180 SOUTHEAST 17th PL, SUITE 600 PH: (352) 840-0888
OCALA, FLORIDA, 34471 FAX: (352) 840-9774

EMIL MARR


SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMW	HWB	11 APR 97	ORIGINAL ISSUE

PROJECT NO. 9636-02

1

Sheet 1 OF 1



No Empty Lots

THIS DRAWING IS A COPY OF AN ORIGINAL DONE BY
MOORHEAD ENGINEERING COMPANY
CONSULTING ENGINEERS LAND SURVEYORS LAND PLANNERS
P.O. BOX 968 1303 SW. 1st AVE. OCALA, FLORIDA
BRANCH OFFICES
HOMOSASSA - CRYSTAL RIVER and LEESBURG, FLORIDA

H. W. BARRINEAU & ASSOCIATES, INC.
8100 SOUTHEAST 17TH ST., SUITE 208 OCALA, FLORIDA 34477
TEL (352) 840-4600 FAX (352) 840-4774


BURKS

SUNSHINE UTILITIES, INC.
MARION COUNTY, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMB	MRB	11 JUNE 97	ORIGINAL ISSUE

Project No. 9638-02

1



THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES, INC.


DRN	CHK	DATE	DESCRIPTION
PWM	HWB	11 APR 97	ORIGINAL ISSUE


Project No. 1939-02

OCALA HEIGHTS

SUNSHINE UTILITIES INC.
OCALA, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17th ST. SUITE 502
OCALA, FLORIDA 34471
FAX (352) 840-9538
(352) 840-9174


S.E. 100th AVENUE
Addition
Blk B
S.E. 127th STREET
S89°58'05"E 565.15'
N89°58'05"W 680.17' (F)
S89°59'12"W 68.29' (F)
S00°03'20"E 60.00' (F)
N89°59'12"E 60.00' (F)
R=150.00'
Δ=10°14'56"
L=26.83'
LC=26.80'
CB=S84°42'34"W
R=150.00'
Δ=16°54'39"
L=44.27'
LC=44.11'
CB=S70°03'07"W
S89°57'50"E 828.60' (F)
SOUTH BOUNDARY OF
N.W. 1/4 OF S.W. 1/4 OF
SEC. 2, TWP. 17 S., RGE. 23 E.
POINT OF
- NOT PLATTED -
Double Lot Homesite
L2-11
Addition
R/W
C/L
R/W
33'
40'



THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES, INC.

Floyd Clark

DRN	CHK	DATE	DESCRIPTION
PWM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 8539-02


Sheet 1 OF 1

1

HODGES ~~NORTH~~ WOODS

SUNSHINE UTILITIES INC.
OCALA, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
3100 SOUTHEAST 17th ST, SUITE 208 OCALA, FLORIDA 34471
FAX (352) 840-0528
(352) 840-9774



0 100 200 300 600

Scale: 1"= 300'

THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES, INC.

H.W. BARRINEAU & ASSOCIATES, INC.
9150 SOUTHEAST 17th PL, SUITE 200 OCALA, FLORIDA 34471
PH (352) 245-4888
FAX (352) 245-4899


COVENTRY

SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PAM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9636-02

1



H.W. BARRINEAU & ASSOCIATES, INC.
8100 SOUTHEAST 17th ST, SUITE 202
OCALA, FLORIDA 34471
PH (352) 840-9580
FAX (352) 840-9774

FACILITY WATER SYSTEM


HILLTOP AT LAKE WEIR
SUNSHINE UTILITIES
BELLEVIEW, FLORIDA

DRN	CHK	DATE	DESCRIPTION
SAD	RJM	11 AUG 99	ORIGINAL ISSUE

Project No. 9636-02

1

Sheet 1 Of 1



THIS DRAWING IS A COPY OF AN ORIGINAL DONE BY LONDON ENGINEERING & ASSOCIATES, INC.


H.W. BARRINEAU & ASSOCIATES, INC.
8100 NORTHEAST 17th ST., SUITE 600
OCALA, FLORIDA 34471
FAX (352) 840-9888
(352) 840-9771

BALLARD ACRES


SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 96.36-02



Lake Bryant Estates



THIS DRWAING IS A COPY
OF AN ORIGINAL BY:

FREDERICK BELL
CONSULTING ENGINEERS INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE


Project No. 96.38.02

Sheet 1 of 1

LAKE BRYANT RIDGE

SUNSHINE UTILITIES INC.
OCALA, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
2100 SOUTHEAST 17th ST, SUITE 508 OCALA, FLORIDA 34471
FAX (352) 840-0698
(352) 840-9774



DRN	CHK	DATE	DESCRIPTION
PMW	HWB	11 APR 97	ORIGINAL ISSUE


Project No. 6639-02

1

OAKHURST

SUNSHINE INDUSTRIES INC.
OCALA, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
3700 SOUTHEAST 17th ST. SUITE 902 OCALA, FLORIDA 34471
FAX (352) 840-9628
(352) 840-9774



FLORIDA HEIGHTS

A SUBDIVISION OF THE NE 1/4 OF NE 1/4 OF SEC. 6 TWP. 16 S. RGE. 23 E., MARION CO. FLA.

NOTES: 1. "EXCLUDED" INDICATES TRACT OWNERSHIP IS OTHER THAN
2. SERVICE IS TO BE UNMETERED WITH ¾" SERVICE STOP AT BACK LOT LINE.

TABULATION OF BUILDING TRACTS

BLOCK	TRACTS
A	12
B	10
C	11
D	11
E	4
F	12
G	12
H	8
I	9
J	11
TOTAL	100

THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES, INC.

H.W. BARRINEAU & ASSOCIATES, INC.
3100 SOUTHEAST 17TH ST, SUITE 102 OCALA, FLORIDA 34471
TEL (352) 840-8520
FAX (352) 840-8774


FLORIDA HEIGHTS
SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMC	MWB	11 APR 97	ORIGINAL ISSUE

Project No. 9636-02

1

Sheet 1 Of 1



H. W. BARRINEAU & ASSOCIATES, INC.
3100 SOUTHEAST 17th ST., SUITE 600
OCALA, FLORIDA 34471
PHONE (352) 840-4000
FAX (352) 840-4014


SUNRAY

SUNSHINE INDUSTRIES INC.
FT. KING & MAIN
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PHM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9835-02

THIS DRAWING IS A COPY OF AN ORIGINAL DONE BY:
MOORHEAD ENGINEERING COMPANY
CONSULTING ENGINEERS & LAND SURVEYORS · OCALA, FLORIDA



THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES INC.


H. W. BARRINEAU & ASSOCIATES, INC.
8100 SOUTHEAST 17th PL, SUITE 208 OCALA, FLORIDA 34471
PH. (352) 840-8288 (352) 840-8771

PEARL BRITAIN ESTATES

SUNSHINE INDUSTRIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9636-02



THIS DRAWING IS A COPY OF AN ORIGINAL OBTAINED FROM SUNSHINE UTILITIES INC.

H.W. Barrineau & Associates, Inc.

BOULDER HILL

SUNSHINE UTILITIES, INC.
MARION COUNTY, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 96.36-02


ASHLEY HEIGHTS SUBDIVISON

WATER DISTRIBUTION SYSTEM

NOTE: THIS PLAN REPRESENTS A COMPILATION OF ENGINEERING PLANS AND SPECIFICATIONS FROM THE FILES OF SUNSHINE UTILITIES, INC.

LEGEND

- 6" P.V.C. EXISTING WATER MAIN &SIZE
- WELL LOCATION
- 6" GATE VALVE
- BLOW-OFF VALVE
- SINGLE SERVICE
- DOUBLE SERVICE



N

0 50 100 200 400

Scale: 1"=100'

No Engineering

H. W. LAMBINEAU & ASSOCIATES, INC.
3100 SOUTHEAST 17th ST., SUITE 800
OCALA, FLORIDA 34471
PHONE (352) 840-8000
FAX (352) 840-8077


ASHLEY HEIGHTS
SUNSHINE UTILITIES INC.
OCALA, FLORIDA

DRN	Chk	DATE	DESCRIPTION
Plot	HWB	11 APR 97	ORIGINAL ISSUE


Project No. 9638-02

1

Sheet 1 Of 1


WATER RETENTION AREA
S.R. NO. 42
LOT 90
LOT 15, BLOCK E
LOT 12, BLOCK D
PROPOSED WELL LOCATION
DENOTES VALVE
DENOTES CHECK VALVE
PROPOSED WATER SUPPLY SYSTEM
10 KW Generator to be Purchased with Automatic Start Up when the population reaches 350
2-6" Wells (Proposed)
LOCATION OF EXISTING WELL
No Scale
3 HP STA-RITE SUBMERSIBLE TURBINE
30 GPM @ 180' HEAD. SNIFFER VALVE FOR AIR SUPPLY
4" PVC BY-PASS (Buried)
SE 172ND PLACE
Tree in Garden
LOGO
MINIMUM OF 30" COVER
(2)
(4)

Sandy Acres



THIS DRAWING IS A COPY OF AN ORIGINAL DONE BY:
FREDERICK BELL CONSULTING ENGINEERS, INC.
OCALA, FLORIDA (904)622-4995

DRN	CHK	DATE	DESCRIPTION
PMM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9639-02

1

Sht. 1 of 1


WINDING WATERS

SUNSHINE UTILITIES INC.

OCALA, FLORIDA

H.W. BARRINEAU & ASSOCIATES, INC.
3100 SOUTHEAST 17th ST, SUITE 908 OCALA, FLORIDA 34471
PH (352) 840-0888 FAX (352) 840-0774

PROJECT NUMBER	SHEET NUMBER
FY 90/91-30,300-C	3 of



WATER MAIN
SERVICE CROSSING
MAIN CROSSING
MAIN CHANGES

NOTES:

1. Total area of right-of-way being improved by this project equals 16.88 acres.
2. This project was previously permitted by S.J.R.W.M.D. Permit No. 42-083-0478MG issued October 1, 1991.
3. These roadway improvements qualify for a S.J.R.W.M.D. General Permit under 40C-42.024(2)(d) (Paving of Existing Public Dirt Roads By a Public Entity).
4. During the construction period, a siltation barrier shall be provided at any and all discharge points.
5. Erosion and sedimentation control shall be installed and maintained during earth disturbing activities and until earth cover has been established.
6. No work is to be conducted within the limits of the existing man-made canals except as noted or shown.
7. No construction is to occur within the Waters of the State.
8. Landward extent of Surface Waters of the State is the top of bank of the existing man-made canals.

LEGEND

BASIN BOUNDARY

100 YR. FLOOD LINE
AS PER FEMA ZONE A-1 ELEV. 55.00
120-160-0540B JAN. 19, 1983

Address Pint
Acc 4 Yellow


REVISIONS											
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION

	NAME	DATE		NAME	DATE
DESIGNED BY			DRAWN BY		
CHECKED BY			CHECKED BY		
SUPERVISED BY:					


MARION COUNTY DEPARTMENT OF TRANSPORTATION & PUBLIC WORKS
ENGINEERING DIVISION

HORIZONTAL SCALE: 1" = 100 ft
VERTICAL SCALE:
CARD NAME: DRAINAGE

DRAINAGE MAP



- EXISTING WATER LINE
- PROPOSED CROSSING
- PROPOSED WATER SERVICE
- PROPOSED WATER LINE RELOCATION



NOTES:

1. Total area of right-of-way being improved by this project equals 16.48 acres.
2. This project was previously permitted by S.J.R.W.M.D. Permit No. 42-083-0478MG issued October 1, 1991.
3. These roadway improvements qualify for a S.J.R.W.M.D. General Permit under 40C-42.024(2)(d) (Paving of Existing Public Dirt Roads By a Public Entity).
4. During the construction period, a siltation barrier shall be provided at any and all discharge points.
5. Erosion and sedimentation control shall be installed and maintained during earth disturbing activities and until earth cover has been established.
6. No work is to be conducted within the limits of the existing man-made canals except as noted or shown.
7. No construction is to occur within the Waters of the State.
8. Landward extent of Surface Waters of the State is the top of bank of the existing man-made canals.

LEGEND

BASIN BOUNDARY

100 YR. FLOOD LINE
AS PER FEMA ZONE A-1 ELEV. 55.00
120-160-05403 JAN. 19, 1983

REVISIONS											
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION


	NAME	DATE		NAME	DATE
DESIGNED BY			DRAWN BY		
CHECKED BY			CHECKED BY		
SUPERVISED BY:					

MARION COUNTY DEPARTMENT OF TRANSPORTATION & PUBLIC WORKS ENGINEERING DIVISION

APPROVED BY _____ DATE: _____

HORIZONTAL SCALE: 1" = 100 ft.
VERTICAL SCALE:
CARD NAME: DRAINMAP

DRAINAGE MAP



H.W. BARRINEAU & ASSOCIATES, INC.
8150 SOUTHEAST 17TH ST, SUITE 6B
OCALA, FLORIDA 34471
PH (352) 840-8888
(352) 840-8771


OAK HAVEN

SUNSHINE UTILITIES INC.
MARION COUNY, FLORIDA

DRN.	CHK.	DATE	DESCRIPTION
PWM	HWB	11 APR 97	ORIGINAL ISSUE

Project No. 9838-02

1



Site Empty Lots

H.W. BARRINEAU & ASSOCIATES, INC.

NORTHSIDE VILLAS

SUNSHINE INDUSTRIES INC.
OCALA, FLORIDA

DRN	CHK	DATE	DESCRIPTION
PMH	HWB	11 APR. 97	ORIGINAL ISSUE

Project No. 9638-02

1