BEN E. GIRTMAN

Attorney at Law

FILE WOV

Telephone: (904) 656-3232

(904) 656-3233

Facsimile: (904) 656-3233

1020 East Lafayette Street Suite 207 Tallahassee, Florida 32301-4552

June 18, 1991

Mr. Steve Tribble
Division of Records and Reporting
Florida Public Service Commission
101 East Gaines Street
Tallahassee, Florida 32399-0850

Re: Docket No. 900816-WS, Petition for Rate Increase in Martin County by SAILFISH POINT UTILITY CORPORATION

Dear Mr. Tribble:

Enclosed for filing on behalf of Sailfish Point Utility Corporation in the above referenced matter are the original and twelve (12) copies of the Additional Rebuttal Testimony of Frank Seidman in response to the SPOR Addendum to the Prefiled Testimony of Roger W. Rasmusen dated June 13. Also enclosed is the original Notice of Filing the Additional Rebuttal Testimony

Thank you for your assistance.

	ACK V
	AFA 3
	APP
	CAF
BEG/sw	C11U
Enclosures	CTR -
	EAG
	LEG /
	LIN orig83
	OPC -
	RCH
	SEC /
	WAS
	OTH

Sincerely yours,

Ben E. Girtman

DOCUMENT WINE D. DATE

06109 JUN 18 193

JU-KELOADS/KEPORTING

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

IN RE: Petition for Rate Increase)
in Martin County by SAILFISH POINT)
UTILITY CORPORATION)

Docket No.: 900816-WS Submitted for filing: June 18, 1991

NOTICE OF FILING

comes Now Sailfish Point Utility Corporation, Petitioner for a rate increase in the above styled proceeding, and provides Notice of Filing Additional Rebuttal Testimony of Frank Seidman in accordance with the rulings of the Prehearing Officer on June 6, 1991.

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a true and correct copy of the foregoing Notice and the Additional Rebuttal Testimony have been sent to Stephen C. Reilly, Esq., Office of Public Counsel, 111 West Madison Street, 812 Claude Pepper Building, Tallahassee, FL 32399-1400, Wm. Reeves King, Esq.*, 500 Australian Avenue So., Suite 600, Clearlake Plaza, West Palm Beach, FL 33401, and Catherine Bedell, Esq., Florida Public Service Commission, Division of Legal Services, 101 East Gaines Street, Tallahassee, FL 32399-0873 by hand deliver, this 18th day of June, 1991.

* Served by Facsimile

Ben E. Girtman

FL BAR NO.: 186039

1020 East Lafayette Street

Suite 207

Tallahassee, FL 32301

(904) 656-3232

Attorney or Petitioner

Sailfish Joint Utility Corporation



BEFORE THE

FLORIDA PUBLIC SERVICE COMMISSION

DOCKET NO. 900316-WS

CONTAINING

ADDITIONAL REBUTTAL TESTIMONY

OF

FRANK SEIDMAN

11380 Prosperity Farms Rd., Suite 211 Palm Beach Gardens, FL 33410 (407) 694-0220



567 interstate Bivd. Sarasota, Fiorida 34240 (813) 371-8499

1		ADDITIONAL REBUTTAL TESTIMONY OF FRANK SEIDMAN
2		BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION
3	R	EGARDING THE APPLICATION FOR INCREASED RATES FOR
4		SAILFISH POINT UTILITY CORPORATION
5		IN MARTIN COUNTY
6		DOCKET NO. 900816-WS
7		
8	Q.	Please state your name, profession and address.
9	A.	My name is Frank Seldman. I am President of
LO		Management and Regulatory Consultants, Inc.,
11		consultants in the utility regulatory field. My
12		office is located at 11380 Prosperity Farms Road,
L 3		Suite 211, Palm Beach Gardens, Fl 33410.
L 4		
15	Q.	Are you the same Frank Seidman that has previously
16		submitted direct and rebuttal testimony on behalf
۱7		of the Applicant in this proceeding?
18	A.	Yes I am.
19		
20	Q.	What is the purpose of your additional rebuttal
21		testimony?
22	A.	This additional rebuttal testimony responds to the
23		Addendum to the Pre-Filed Testimony of Roger W.
24		Rasmusen. The Addendum has been identified as
25		RWR-6.

- Q. What is your understanding of the purpose of this addendum?
- The purpose of this addendum, as I understand it 3 A. from the direction of Prehearing Officer Easley at 4 the prehearing conference, was supposed to be two 5 First it should identify each page or 6 fold. paragraph of Mr. Rasmusen's exhibits upon which he 7 intends to rely with regard to issues relevant to 8 this proceeding, (other than the issues of title or 9 ownership, since those are beyond the jurisdiction 10 of the Commission). Second, it should tie these 11 passages to issues identified at the prehearing 12 conference. 13

14

- 15 Q. Have you reviewed the addendum filed by Mr. 16 Rasmusen, which he has identified as Exhibit RWR-6?
- 17 A. Yes.

18

- 19 Q. Does it identify pages and paragraphs with regard 20 to issues relevant to this proceeding?
- 21 A. No. It identifies pages and it identifies some 22 sections. In some cases it identifies inclusive 23 pages of documents that are several dozen pages 24 long.

25

Does it identify the issues in the prehearing order 1 Q. to which the documents are supposed to be 2 applicable? 3 No, it does not identify any issues relevant to A. 4 this proceeding and it does not tie any document to 5 any issue previously identified at either the 6 preliminary prehearing conference or the prehearing 7 8 conference. 9 Since Mr. Rasmusen's Addendum does not identify any 10 Q. issues which his exhibit is related to, and does 11 not tie any parts of his exhibit to relevant 12 issues, how can you respond to the information in 13 the exhibit? 14 I can not. It is simply impossible to determine 15 A. what passages may be intended to relate to any 16 issue. On that basis, I cannot respond. 17 18 In regard to Mr. Rasmusen's prefiled testimony, Q. 19 what is important for the Commission to consider in 20 this utility rate proceeding? 21 I can summarize these matters of concern, as I 22 A. understand them, as follows: 23 IS SPUC AUTHORIZED TO PROVIDE WATER 1. 24

25

WASTEWATER SERVICE TO SAILFISH POINT?

1		Yes. SPUC is a regulated utility under the
2		jurisdiction of this Commission. Several
3		years ago it applied for and received a
4		certificate to provide water and wastewater
5		service at Sailfish Point. That certificate
6		conferred the exclusive right, and
7		responsibility, to provide water and
8		wastewater utility services at Sailfish Point.
9		
10	2.	IS SPUC AUTHORIZED TO MAINTAIN ALL OF THE
11		FACILITIES NECESSARY TO PROVIDE WATER AND
12		WASTEWATER SERVICE?
13		Yes, as a regulated utility, SPUC is not only
14		authorized, it is required to own, operate and
15		maintain all of its facilities up to and
16		including the point of delivery (Section 25-
17		30.225 F.A.C.). The "point of delivery" is
18		the meter, for metered service, or the
19		customer's piping for nonmetered service.
20		(Section 25-30.210(7), F.A.C.)
21		
22	3.	IS SPUC AUTHORIZED TO CHARGE FOR THE COST OF
23		OPERATING AND MAINTAINING THE WATER AND
24		WASTEWATER SYSTEMS?
25		Yes. As a regulated utility, it is entitled

to have rates set by this Commission to 1 recover the associated costs of providing 2 service. (Section 367.081 F.S.) 3 ARE THE UTILITY FACILITIES A PART OF THE 5 "COMMON AREAS" AND THUS THE RESPONSIBILITY OF 6 THE POA? 7 The utility facilities are not part of No. 8 "Common Areas". The Common Areas the 9 specifically exclude any real or personal 10 property to which title is held by other 11 entities, including Sailfish Point Utility 12 Corporation (SPUC). The plant and the lines, 13 pumps, meters etc. associated with providing 14 water and wastewater service are owned by 15 SPUC. Therefore, the lines, mains, pumps and 16 any other utility facilities that may lie 17 within the common areas, are located there by 18 reason of easements, as are the facilities of 19 the electric, telephone and cable companies 20 that also serve Sailfish Point. 21

22

23

24

25

IS THE POA AUTHORIZED TO ASSESS RESIDENTS OF 5. SAILFISH POINT FOR WATER AND WASTEWATER SERVICES?

1	No. The only charges authorized to be made
2	for utility services at Sailfish Point are
3	those approved by this Commission. I do not
4	know if such a charge has ever been made.
5	However, if the POA is charging for such
6	services, through its assessments, as Mr.
7	Rasmusen alleges it has the authority to do,
8	then such charges are duplicative of SPUC's
9	charges, are made without the authority of
10	this Commission, and should be refunded to the
11	customers.

12

- 13 Q. Are any of the parts of Mr Rasmusen's exhibits 14 relevant to issues in this proceeding?
- 15 A. No, not in my opinion.