

RECEIVED
FEB 19 1992
MAIL ROOM
DEPOSIT TREAS. REC. DATE
C367
920159-WU

APPLICATION FOR AMENDMENT OF CERTIFICATE
PURSUANT TO SECTION 367.045, FLORIDA STATUTES
(EXTENSION OR DELETION)

To: Division of Records and Reporting
Florida Public Service Commission
101 East Gaines Street
Tallahassee, Florida 32399-0850

DEPOSIT TREAS. REC. DATE
C367
FEB 19 '92

The undersigned hereby makes application for amendment of
Water Certificate No. 347W ~~XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX~~
to (add) ~~XXXXXXXXXX~~ territory located in Marion
County, Florida, and submits the following information:

PART I APPLICANT INFORMATION

WS160

- A) The full name (as it appears on the certificate),
address and telephone number of the applicant:

Marion Utilities, Inc. (904) 622-1171
Name of utility Phone No.

710 NE 30th Avenue

Office street address

Ocala Florida 32670
City State Zip Code

Mailing address if different from street address

- B) The name, address and telephone number of the person
to contact concerning this application:

Tim Thompson (904) 622-1171
Name Phone No.

710 NE 30th Avenue

Street address

Ocala Florida 32670
City State Zip Code

PSC/WAS 8 (Rev. 2/91)

DOCUMENT NUMBER-DATE
01768 FEB 19 1992
FPSC-RECORDS/REPORTING

PART II NEED FOR SERVICE

- A) Exhibit A - If the applicant is requesting an extension of territory, a statement regarding the need for service in the proposed territory, such as anticipated development in the proposed service area, and identifying any other utilities within a 4-mile radius which could potentially provide such service in the area.

- B) Exhibit N/A - If the applicant is requesting a deletion of territory, a statement specifying the reasons for the proposed deletion, demonstrating that it is in the public interest and explaining the effect of the proposed deletion on the ability of any customer, or potential customer, to receive water and/or wastewater service, including alternative source(s) of service.

- C) Exhibit A - A statement that the provision of service will be consistent with the water and wastewater sections of the local comprehensive plan, as approved by the Department of Community Affairs, or, if not, a statement demonstrating why granting the amendment would be in the public interest.

PART III SYSTEM INFORMATION

A) WATER

- (1) Exhibit B - A statement describing the capacity of the existing lines, the capacity of the existing treatment facilities, and the design capacity of the proposed extension.

- (2) Exhibit B - The numbers and dates of any construction or operating permits issued by the Department of Environmental Regulation for the system proposed to be expanded.

- (3) Exhibit B - A description of the types of customers anticipated to be served by the extension, i.e., single family homes, mobile homes, duplexes, golf course, clubhouse, commercial, etc.

- (4) If the utility is requesting a deletion of territory, provide the number of current active connections within the territory to be deleted.

 N/A

- (5) Exhibit c - Evidence that the utility owns the land where the utility treatment facilities that will serve the proposed territory are, or will be located. If the utility does not own the land, a copy of the agreement, such as a 99-year lease, which provides for the long term continuous use of the land.

B) WASTEWATER - NOT APPLICABLE

- (1) Exhibit - A statement describing the capacity of the existing lines, the capacity of the existing treatment and disposal facilities, and the design capacity of the proposed extension.
- (2) Exhibit - The numbers and dates of any construction or operating permits issued by the Department of Environmental Regulation for the system proposed to be expanded.
- (3) Exhibit - If the utility is planning to build a new wastewater treatment plant, or upgrade an existing plant to serve the proposed territory, provide a written description of the proposed method(s) of effluent disposal.
- (4) If (3) above does not include effluent disposal by means of spray irrigation, provide as part of that exhibit, a statement that describes with particularity the reasons for not using spray irrigation.
- (5) Exhibit - A description of the types of customers anticipated to be served by the extension, i.e., single family homes, mobile homes, duplexes, golf course, clubhouse, commercial, etc.
- (6) If the utility is requesting a deletion of territory, provide the number of current active connections within the territory to be deleted.

-
- (7) Exhibit - Evidence that the utility owns the land where the utility treatment facilities that will serve the proposed territory are, or will be located. If the utility does not own the land, a copy of the agreement, such as a 99-year lease, which provides for the long term continuous use of the land.

C) SYSTEM MAPS

Exhibit F-1 - One copy of detailed map(s) showing proposed lines and facilities and the territory proposed to be served thereby. Said map(s) shall be of sufficient scale and detail to enable correlation with a description of the territory proposed to be served. Provide separate maps for the water and wastewater systems.

PART VI NOTICE OF ACTUAL APPLICATION

- A) Exhibit G - An affidavit that the notice of actual application was given in accordance with Section 367.045(2)(f), Florida Statutes, and Rule 25-30.030, Florida Administrative Code, by certified mail or personal delivery to the governing body of the county in which the system is located, the governing body of any municipality within a four (4) mile radius of the territory to be added or deleted, any water or wastewater utility within a four (4) mile radius of the territory to be added or deleted, regional planning agency, the Public Counsel and the Public Service Commission. A Copy of the Notice and a list of the entities noticed shall accompany the affidavit. THIS MAY BE A LATE-FILED EXHIBIT.
- B) Exhibit N/A - An affidavit that the notice of actual application was given in accordance with Rule 25-30.030, Florida Administrative Code, by regular mail or personal delivery to each customer of the system to be added or deleted. A copy of the notice shall accompany the affidavit. THIS MAY BE A LATE-FILED EXHIBIT.
- C) Exhibit H - Immediately upon completion of publication, an affidavit that the Notice of Application was published once each week for three (3) consecutive weeks in a newspaper of general circulation in the territory proposed to be added or deleted in accordance with Rule 25-30.030, Florida Administrative Code. A copy of the proof of publication shall accompany the affidavit. THIS WILL BE A LATE-FILED EXHIBIT.

PART VII FILING FEE

- A) Indicate the filing fee enclosed with the application:
\$150.00 (one fee for water
and one for wastewater)

Note: Pursuant to Rule 25-30.020, Florida Administrative Code, the amount of the filing fee is determined by the capacity of the system to be added/deleted. To determine the fee, equate the design capacity of the system and/or plant to be added/deleted to persons. One equivalent residential connection equates to 3.5 persons. One hundred gallons per day, per person (100 gpd/p) is accepted design criteria in representing water consumed per day per person and/or representing wastewater flow per day per person. If the design capacity of the system or plant to be added/deleted is known in gallons then divide this figure by 100 to find the number of persons that can be served.

1)	1 to 999 persons	\$ 150.00
2)	1,000 to 4,999 persons	\$ 900.00
3)	5,000 to 9,999 persons	\$ 1,500.00
4)	10,000 or more persons	\$ 2,250.00

PART VIII TARIFF AND ANNUAL REPORTS

- A) Exhibit I - An affidavit that the utility has tariffs and annual reports on file with the Commission.
- B) Exhibit J - The original and two copies of sample revisions to the utility's tariff(s) to incorporate the proposed change to the certificated territory.

PART IX AFFIDAVIT

I TIM E. THOMPSON (applicant) do solemnly swear or affirm that the facts stated in the foregoing application and all exhibits attached thereto are true and correct and that said statements of fact constitute a complete statement of the matter to which it relates.

MARION UTILITIES, INC.

(Applicant)

BY:



TIM E. THOMPSON, PRESIDENT
Name and Title*

Subscribed and sworn to before me this 13th
of February 1992.



Notary Public Notary Public, State of Florida
My Commission Expires Nov. 5, 1993
Bonded thru FICHARD Ins. Agency

*If the applicant is a corporation, the affidavit must be made by the president or other officer authorized by the by-laws of the corporation to act for it. If the applicant is a partnership or association, a member of the organization authorized to make such affidavit shall execute same.

PART II (A)

Cherrywood Estates and Sandy Pines will service approximately 303 customers when completed. These developments will be served by our Woods & Meadows and Spruce Creek plants. No other utility is within a reasonable distance to provide service.

PART II (C)

The Marion County Comprehensive Plan has not been approved as of this date.

PART III (1)

The transmission main will be 8" connected to an 8" main at Spruce Creek and Emerald Point. The new additions will be served by 8", 6", and 4" mains. Total design capacity for the serving plants is 0.585.

Existing ERC	624
Existing Demand (MOR)	148,000 GPD
Additional ERC's Approved	142
Additional ERC's Proposed	303
Additional Demand	156,000 GPD

PART III (2)

Operating permit No. 6424632 - 6424652
Cherrywood construction permit No. PATS #206276
Sandy Pines construction permit No. Applied for

PART III (3)

Single family homes.

BY *Francis E. Higgins* D.C.
Brack
88-019270

RECORDED AND RECORDED
VERIFIED
MARION COUNTY, FL
1988 APR -4 PM 4:30

Kol to S/K
This instrument was prepared by:
JANET W. BEHNKE
SAVAGE, KRIM, SIMONS,
FULLER & ACKERMAN, P.A.
121 N.W. Third Street
OCALA, FLORIDA 32670

Warranty Deed

(STATUTORY FORM - SECTION 689.02 F.S.)

EX 1493
PG 1014

This Indenture, Made this 15th day of March 19 87. Between

WOODS AND MEADOWS ESTATES, A Florida General Partnership,
of the County of Marion, State of Florida, grantor, and

MARION UTILITIES, INC., A Florida corporation,
whose post office address is '710 NE 30TH AVENUE, Ocala 32670
of the County of Marion, State of Florida, grantee.

Witnesseth, That said grantor, for and in consideration of the sum of TEN AND NO/100 Dollars,
and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby
acknowledged, has granted, bargained and sold to the said grantee, and grantee's heirs and assigns forever, the following
described land, situate, lying and being in Marion County, Florida, to-wit:

- Tract A, WOODS & MEADOWS ESTATES, as per plat thereof recorded in Plat Book X, page 86, public records of Marion County, Florida.
- SUBJECT TO TAXES for 1987 and subsequent years.
- SUBJECT TO EASEMENTS, limitations and regulations appearing on the plat of the subject subdivision.
- SUBJECT TO EASEMENT to Sumter Electric Cooperative, Inc., recorded in Official Records Book 164, page 450, public records of Marion County, Florida.
- SUBJECT TO A COVENANT with the Board of County Commissioners of Marion County, Florida recorded in Official Records Book 1312, page 1589, public records of Marion County, Florida.
- SUBJECT TO RESTRICTIONS, conditions and/or protective covenants which appear in Official Records Book 1312, page 1598, public records of Marion County, Florida.
- SUBJECT TO AGREEMENT as shown in Official Records Book 1312, page 1590.

Said grantor does hereby fully warrant the title to said land, and will defend the same against the lawful claims of all persons whomsoever.

* "Grantor" and "grantee" are used for singular or plural, as context requires.

Witness Whereof, Grantor has hereunto set grantor's hand and seal the day and year first above written
signed, sealed and delivered in our presence.

Janet W. Behnke WOODS AND MEADOWS ESTATES (Seal)
Mary Rife By *Michael Oehlerking* (Seal)
MICHAEL OEHLERKING, Managing Partner (Seal)

(Seal)

STATE OF Florida
COUNTY OF Marion
EXHIBIT C
I HEREBY CERTIFY that on this day before me, an officer duly qualified to take acknowledgments, personally appeared
Michael Oehlerking, Managing Partner of WOODS AND MEADOWS ESTATES, A Florida General Partnership

PART IV (A)

We employ two class C and one class D operators and have one employee scheduled to take his D exam in February, so we have sufficient capable personnel to maintain the system. Our current annual report should contain the necessary financial information.

PART IV (B)

The cost of the system will be minimal (approx. \$70,000.00). It will be paid out of our return on investment so it will have no impact on our capital structure except to increase our rate base.

PART IV (C)

WS File No.: WS91-0098

PART IV (D)

There will be no change in our monthly rates. Each of our subdivisions have a separate service availability charge, so this particular extension might require some change.

LEGAL DESCRIPTIONS:

(Per deeds recorded in OR Book 1133, Page 0498
and OR Book 1363, Page 1407 and Quit Claim Deeds
from Kingsland, Inc. and Cherry Developers, Inc)

Cherrywood Estates

COMMENCING AT THE NORTHWEST POINT OF THE RECORDED PLAT OF KINGSLAND COUNTRY ESTATES, WASHINGTON PINES, IN PLAT BOOK "N", PAGE 89, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA, SAID POINT ALSO BEING ON THE NORTH RIGHT-OF-WAY OF HALEAH BLVD. (S.W. 115TH STREET) AND THE POINT OF CURVATURE OF A CURVE CONCAVED NORTHWESTERLY AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 90°00'00"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 39.27 FEET; THENCE N 05°53'36" E, 115.00 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED SOUTHWESTERLY AND HAVING A RADIUS OF 710.00 FEET AND A CENTRAL ANGLE OF 28°13'36"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 349.78 FEET; THENCE N 22°20'00" W, 178.74 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED SOUTHEASTERLY AND HAVING A RADIUS OF 740.00 FEET AND A CENTRAL ANGLE OF 66°20'00"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 856.72 FEET; THENCE N 48°53'55" W, 1470.86 FEET TO THE NORTHWEST CORNER OF LOT 1, BLOCK B OF THE RECORDED PLAT OF PRINCE ROSE ESTATES RECORDED IN PLAT BOOK N AT PAGE 64, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA THENCE ALONG THE EAST BOUNDARY OF PRINCE ROSE ESTATES, S 00°49'10" W 2278.39 FEET TO THE NORTH RIGHT OF WAY OF HALEAH BLVD.; THENCE ALONG THE NORTH RIGHT OF-WAY, S 81°54'02" E 463.03 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED NORTHERLY AND HAVING A RADIUS OF 914.15 FEET AND A CENTRAL ANGLE OF 2°12'22"; THENCE ALONG SAID CURVE AND ARC DISTANCE OF 35.20 FEET, THENCE S 84°06'24" E 576.65 FEET TO THE POINT OF BEGINNING, CONTAINING 44.6 ACRES MORE OR LESS.

AND

COMMENCING AT THE NE CORNER OF SECTION 29, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA GO THENCE ALONG THE NORTH LINE OF SECTION 29, NORTH 89°50'57" WEST A DISTANCE OF 1365.52 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF AN 80 FOOT STREET KNOWN AS BELMONT BLVD., ALSO THE POINT OF BEGINNING THENCE CONTINUE ALONG SAID NORTH LINE OF SECTION 29, NORTH 89°50'57" WEST A DISTANCE OF 675.40 FEET TO A POINT, THENCE LEAVING SAID NORTH LINE GO SOUTH 00°43'07" WEST A DISTANCE OF 739.95 FEET TO A POINT, THENCE SOUTH 49°04'19" EAST, A DISTANCE OF 1528.16 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF A ROAD KNOWN AS AQUEDUCT BLVD. THENCE ALONG SAID WEST RIGHT OF WAY OF AQUEDUCT BLVD. NORTH 44°00'00" EAST A DISTANCE OF 377.10 FEET THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY THROUGH A CURVE TO THE EAST HAVING A RADIUS OF 790.00 FEET, A CENTRAL ANGLE OF 1°20'00" AND AN ARC DISTANCE OF 87.32 FEET, THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY NORTH 00°00'00" EAST A DISTANCE OF 475.51 FEET, THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY THROUGH A CURVE TO THE NORTH HAVING A RADIUS OF 310.00 FEET, A CENTRAL ANGLE OF 56°41'01" AND AN ARC DISTANCE OF 306.69 FEET, THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY NORTH 06°21'01" WEST A DISTANCE OF 230.84 FEET, THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY THROUGH A CURVE TO THE WEST HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 90°00'00" AND AN ARC DISTANCE OF 39.27 FEET TO A POINT OF AN INTERSECTION WITH THE SOUTH RIGHT OF WAY LINE OF BELMONT BLVD.; THENCE CONTINUE ALONG THE SOUTH ROAD RIGHT OF WAY OF BELMONT BLVD. S 84°35'59" W 25.00 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE NORTHWEST HAVING A RADIUS OF 1040.00 FEET, A CENTRAL ANGLE OF 46°30'12" AND AN ARC DISTANCE OF 844.10 FEET, THENCE NORTH 49°50'49" WEST, A DISTANCE OF 516.22 FEET; THENCE BY A CURVE TO THE SOUTH HAVING A RADIUS OF 810.00 FEET, CENTRAL ANGLE OF 00°35'59" AND AN ARC DISTANCE OF 8.01 FEET TO THE POINT OF BEGINNING, LESS THE NORTH 30.00 FEET ALONG THE NORTH LINE OF SECTION 29 FOR THE PURPOSE OF A ROADWAY AND UTILITY EASEMENT CONTAINING 45.296 ACRES MORE OR LESS.

AND

COMMENCING AT THE NE CORNER OF SECTION 29, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA GO THENCE ALONG THE NORTH LINE OF SAID SECTION 29, N 89°50'57" W, 2040.92 FEET; THENCE DEPARTING SAID NORTH LINE S 89°43'07" W, 739.95 FEET FOR THE POINT OF BEGINNING, THENCE S 49°04'19" E, 1528.16 FEET, THENCE S 44°22'20" W, 56.50 FEET MORE OR LESS THENCE N 48°53'55" W, 1470.86 FEET, THENCE N 00°43'07" E, 18.02 FEET MORE OR LESS TO THE POINT OF BEGINNING.

Exhibit E

LEGAL DESCRIPTION:

Sandy Pines

COMMENCE AT THE NORTHEAST CORNER OF SECTION 28, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA; THENCE S 00 36' 37" W, ALONG THE CENTERLINE OF CHURCHILL DOWNS BOULEVARD (S.W. 49TH AVENUE, 80 FEET WIDE), AS SHOWN ON THE PLAT OF "OCALA WATERWAYS ESTATES" AS RECORDED IN PLAT BOOK "E", PAGES 52 THRU 52K, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA, 1337.00 FEET; THENCE N 89 23' 23" W, 40.00 FEET, TO A CONCRETE MONUMENT AND THE POINT OF BEGINNING; THENCE S 00 36' 37" W, ALONG THE WESTERLY RIGHT OF WAY LINE OF SAID CHURCHILL DOWNS BOULEVARD, 1255.32 FEET TO THE POINT OF CURVATURE OF A CIRCULAR CURVE TO THE RIGHT HAVING A RADIUS OF 25.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, 39.32 FEET, SUBTENDING A CENTRAL ANGLE OF 90 06' 12", A CHORD BEARING AND DISTANCE OF S 45 39' 43" W AND 35.29 FEET, TO A POINT OF TANGENCY ON THE NORTHERLY RIGHT OF WAY LINE OF HIALEAH BOULEVARD (S.W. 103RD STREET ROAD, 100 FEET WIDE), AS SHOWN ON THE PLAT OF "KINGSLAND COUNTRY ESTATES, WHISPERING PINES" AS RECORDED IN PLAT BOOK "E", PAGES 86 THRU 96 OF SAID PUBLIC RECORDS OF MARION COUNTY, FLORIDA; THENCE ALONG SAID NORTHERLY RIGHT OF WAY LINE OF HIALEAH BOULEVARD N 89 17' 11" W, A DISTANCE OF 165.15 FEET, TO THE POINT OF CURVATURE OF A CIRCULAR CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS OF 1949.86 FEET; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE, 551.36 FEET, SUBTENDING A CENTRAL ANGLE OF 16 12' 05", A CHORD BEARING AND DISTANCE OF S 82 36' 46" W AND 551.36 FEET; THENCE S 74 30' 44" W, ALONG SAID NORTHERLY RIGHT OF WAY LINE, 438.48 FEET; THENCE LEAVING SAID RIGHT OF WAY LINE, GO N 00 36' 37" E, A DISTANCE OF 794.17 FEET TO A POINT; THENCE S 89°P248+ 23' 23" E, 1136.91 FEET, TO THE POINT OF BEGINNING.

CONTAINING 35.43 ACRES

Exhibit E



Marion Utilities, Inc.

710 N.E. 30TH AVENUE - P.O. BOX 70400 - OCALA, FLORIDA 32670 - (904) 622-1171

February 7, 1992

LEGAL NOTICE

Notice is hereby given, pursuant to section 367.045, Florida Statutes of the application of Marion Utilities, Inc. to amend its certificate number 347W for water service to add territory in Marion County, Florida, as follows:

Sections 28 and 29. Township 16 South. Range 21 East.
Cherrywood Estates and Sandy Pines.


An objection to said application must be made in writing within thirty (30) days from this date to the Director, Division of Records and Reporting, Florida Public Service Commission, 101 E. Gaines Street, Tallahassee, Florida 32399-0870. A copy of said objection should be mailed to the applicant whose address is: Marion Utilities, Inc., 710 N.E. 30th Avenue, Ocala, Florida 32670.

I, Tim Thompson, do solemnly swear that the above notice was given to all required persons on February 7, 1992.

MARION UTILITIES, INC.

BY: 
PRESIDENT

Subscribed and sworn before me this 13th of February 1992.


Notary Public

Notary Public, State of Florida
My Commission Expires Nov. 5, 1993
Bonded thru FICHAHO Ins. Agency

EXHIBIT G

PROOF OF PUBLICATION
THE OCALA STAR-BANNER
Published—Daily
OCALA, MARION COUNTY, FLORIDA

STATE OF FLORIDA,
COUNTY OF MARION.

Before me the undersigned authority personally appeared Lynn Maxwell, who on oath says that he is Classified manager of the Ocala Star-Banner, a daily newspaper published at Ocala, in Marion County, Florida; that the attached copy of advertisement, being a notice in the matter of #1N006-Legal Notice

_____ in the _____ Court,
was published in said newspaper in the issues of _____
January 25, February 1, 8, 1992

Affiant further says that the said THE OCALA STAR-BANNER is a daily newspaper published at Ocala, in said Marion County, Florida, and that the said newspaper has heretofore been continuously published in said Marion County, Florida, daily, and has been entered as second class mail matter at the post office in Ocala, in said Marion County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he has neither paid nor promised any person, firm or cooperation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

Lynn Maxwell

Sworn to and subscribed before me this 8 day
of February, A.D., 1992

Kelley Vanderveer
(Seal) Notary Public

Notary Public, State of Florida at Large
My Commission Expires Sept. 1, 1994

LEGAL NOTICE
Notice is hereby given, pursuant to section 367.045, Florida Statutes of the application of Marion Utilities, Inc. to amend its certificate number 347W for water service to said territory in Marion County, Florida, as follows:
Sections 11 and 29, Township 16 South, Range 21 East, Cherrywood Estates and Sandy Pines.
An objection to said application must be made in writing, within thirty (30) days from this date to the Director, Division of Records and Reporting, Florida Public Service Commission, 101 E. Gaines Street, Tallahassee, Florida 32399-0870. A copy of said objection should be mailed to the applicant whose address is: Marion Utilities, Inc., 710 N.E. 30th Avenue, Ocala, Florida 32670.
No. 1N006 — January 25, February 1, 8, 1992

EXHIBIT H


PART VIII (A)

This is to certify that Marion Utilities, Inc. has filed a current annual report and tariffs with the Florida Public Service Commission.



Tim E. Thompson, President

Subscribed and sworn to before me this 13th of February 1992.



Notary Public

Notary Public, State of Florida
My Commission Expires Nov. 5, 1993
Bonded thru PICHARD Ins. Agency

EXHIBIT 17

NAME OF COMPANY MARION UTILITIES, INC.

WATER TARIFF

TERRITORY SERVED

CERTIFICATE NUMBER - 347-W

COUNTY - MARION

COMMISSION ORDER(s) APPROVING TERRITORY SERVED -

<u>Order Number</u>	<u>Date Issued</u>	<u>Docket Number</u>	<u>Filing Type</u>
10566	02/03/82	820018-W	AMENDMENT
11104	08/26/82	820107-W	AMENDMENT
11650	02/23/83	820527-W	AMENDMENT
12653	11/03/83	830168-W	AMENDMENT
13674	09/12/84	850058-WU	AMENDMENT
14498	06/24/85	850167-WU	AMENDMENT
14519	06/27/85	850094-WU	AMENDMENT
15533	01/09/86	850847-WU	AMENDMENT
15676	02/17/86	860109-WU	AMENDMENT
17682	06/09/87	870543-WU	AMENDMENT
18014	06/19/87	870809-WU	AMENDMENT
18016	08/09/87	870795-WU	AMENDMENT
19578	06/08/88	880547-WU	AMENDMENT
21239	05/16/89	890396-WU	AMENDMENT
21240	05/16/89	890397-WU	AMENDMENT
22648	03/08/90	891381-WU	AMENDMENT
22976	05/24/90	900152-WU	AMENDMENT
23944	12/28/90	900558-WU	TRANSFER/AMENDMENT
24028	01/24/91	900779-WU	AMENDMENT
24653	06/11/91	910495-WU	AMENDMENT
25563	01/03/92	910793-WU	Amendment
25565	01/03/92	910770-WU	Amendment

TIM E. THOMPSON
ISSUING OFFICER

PRESIDENT
TITLE

NAME OF COMPANY MARION UTILITIES, INC.

WATER TARIFF

TERRITORY SERVED

CERTIFICATE NUMBER - 347-W

COUNTY - MARION

COMMISSION ORDER(S) APPROVING TERRITORY SERVED -

<u>Order Number</u>	<u>Date Issued</u>	<u>Docket Number</u>	<u>Filing Type</u>
10566	02/03/82	820018-W	AMENDMENT
11104	08/26/82	820107-W	AMENDMENT
11650	02/23/83	820527-W	AMENDMENT
12653	11/03/83	830168-W	AMENDMENT
13674	09/12/84	850058-WU	AMENDMENT
14498	06/24/85	850167-WU	AMENDMENT
14519	06/27/85	850094-WU	AMENDMENT
15533	01/09/86	850847-WU	AMENDMENT
15676	02/17/86	860109-WU	AMENDMENT
17682	06/09/87	870543-WU	AMENDMENT
18014	06/19/87	870809-WU	AMENDMENT
18016	08/09/87	870795-WU	AMENDMENT
19578	06/08/88	880547-WU	AMENDMENT
21239	05/16/89	890396-WU	AMENDMENT
21240	05/16/89	890397-WU	AMENDMENT
22648	03/08/90	891381-WU	AMENDMENT
22976	05/24/90	900152-WU	AMENDMENT
23944	12/28/90	900558-WU	TRANSFER/AMENDMENT
24028	01/24/91	900779-WU	AMENDMENT
24653	06/11/91	910495-WU	AMENDMENT
25563	01/03/92	910793-WU	Amendment
25565	01/03/92	910770-WU	Amendment

TIM E. THOMPSON
ISSUING OFFICER

PRESIDENT
TITLE

NAME OF COMPANY MARION UTILITIES, INC.

WATER TARIFF

TERRITORY SERVED

CERTIFICATE NUMBER - 347-W

COUNTY - MARION

COMMISSION ORDER (S) APPROVING TERRITORY SERVED -

<u>Order Number</u>	<u>Date Issued</u>	<u>Docket Number</u>	<u>Filing Type</u>
10566	02/03/82	820018-W	AMENDMENT
11104	08/26/82	820107-W	AMENDMENT
11650	02/23/83	820527-W	AMENDMENT
12653	11/03/83	830168-W	AMENDMENT
13674	09/12/84	850058-WU	AMENDMENT
14498	06/24/85	850167-WU	AMENDMENT
14519	06/27/85	850094-WU	AMENDMENT
15533	01/09/86	850847-WU	AMENDMENT
15676	02/17/86	860109-WU	AMENDMENT
17682	06/09/87	870543-WU	AMENDMENT
18014	06/19/87	870809-WU	AMENDMENT
18016	08/09/87	870795-WU	AMENDMENT
19578	06/08/88	880547-WU	AMENDMENT
21239	05/16/89	890396-WU	AMENDMENT
21240	05/16/89	890397-WU	AMENDMENT
22648	03/08/90	891381-WU	AMENDMENT
22976	05/24/90	900152-WU	AMENDMENT
23944	12/28/90	900558-WU	TRANSFER/AMENDMENT
24028	01/24/91	900779-WU	AMENDMENT
24653	06/11/91	910495-WU	AMENDMENT
25563	01/03/92	910793-WU	Amendment
25565	01/03/92	910770-WU	Amendment

TIM E. THOMPSON
ISSUING OFFICER

PRESIDENT
TITLE

NAME OF COMPANY MARION UTILITIES, INC.

WASTEWATER TARIFF

(Continued from Sheet No. 3.14)

DESCRIPTION OF TERRITORY SERVED

Section 29, Township 16 South, Range 21 East.

Cherrywood Estates

COMMENCING AT THE NORTHWEST CORNER OF THE RECORDED PLAT OF KINGSLAND COUNTRY ESTATES, WASHINGTON PHOS. PLAT BOOK "H", PAGE 89, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA, SAID POINT ALSO BEING ON THE NORTH RIGHT-OF-WAY OF HALEAH BLVD. (S.W. 115TH STREET) AND THE POINT OF CURVATURE OF A CURVE CONCAVED NORTHWESTERLY AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 90°00'00"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 39.27 FEET; THENCE N 05°53'36" E, 115.00 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED SOUTHWESTERLY AND HAVING A RADIUS OF 710.00 FEET AND A CENTRAL ANGLE OF 28°13'36"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 349.78 FEET; THENCE N 22°20'00" W, 178.74 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED SOUTHEASTERLY AND HAVING A RADIUS OF 740.00 FEET AND A CENTRAL ANGLE OF 66°20'00"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 856.72 FEET; THENCE N 48°53'55" W, 1470.86 FEET TO THE NORTHWEST CORNER OF LOT 1, BLOCK B OF THE RECORDED PLAT OF PRINCE ROSE ESTATES RECORDED IN PLAT BOOK H AT PAGE 64, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA; THENCE ALONG THE EAST BOUNDARY OF PRINCE ROSE ESTATES, S 00°49'10" W 2278.39 FEET TO THE NORTH RIGHT-OF-WAY OF HALEAH BLVD.; THENCE ALONG THE NORTH RIGHT-OF-WAY, S 81°54'02" E 463.03 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED NORTHERLY AND HAVING A RADIUS OF 914.15 FEET AND A CENTRAL ANGLE OF 2°12'22"; THENCE ALONG SAID CURVE AND ARC DISTANCE OF 35.20 FEET; THENCE S 84°06'24" E 576.65 FEET TO THE POINT OF BEGINNING, CONTAINING 44.6 ACRES MORE OR LESS.

AND

COMMENCING AT THE NE CORNER OF SECTION 29, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA GO THENCE ALONG THE NORTH LINE OF SECTION 29, NORTH 89°50'57" WEST A DISTANCE OF 1365.52 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF AN 80 FOOT STREET KNOWN AS BELMONT BLVD., ALSO THE POINT OF BEGINNING; THENCE CONTINUE ALONG SAID NORTH LINE OF SECTION 29, NORTH 89°50'57" WEST A DISTANCE OF 675.40 FEET TO A POINT; THENCE LEAVING SAID NORTH LINE GO SOUTH 00°43'07" WEST A DISTANCE OF 739.95 FEET TO A POINT; THENCE SOUTH 49°04'19" EAST, A DISTANCE OF 1518.16 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF A ROAD KNOWN AS AQUEDUCT BLVD.; THENCE ALONG SAID WEST RIGHT OF WAY OF AQUEDUCT BLVD. NORTH 44°00'00" EAST A DISTANCE OF 377.10 FEET; THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY THROUGH A CURVE TO THE EAST HAVING A RADIUS OF 790.00 FEET, A CENTRAL ANGLE OF 1°49'00" AND AN ARC DISTANCE OF 87.32 FEET; THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY NORTH 04°50'00" EAST A DISTANCE OF 475.51 FEET; THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY THROUGH A CURVE TO THE NORTH HAVING A RADIUS OF 510.00 FEET, A CENTRAL ANGLE OF 56°41'01" AND AN ARC DISTANCE OF 576.69 FEET; THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY NORTH 06°21'01" WEST A DISTANCE OF 230.84 FEET; THENCE CONTINUE ALONG SAID WEST ROAD RIGHT OF WAY THROUGH A CURVE TO THE WEST HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 90°00'00" AND AN ARC DISTANCE OF 39.27 FEET TO A POINT OF AN INTERSECTION WITH THE SOUTH RIGHT OF WAY LINE OF BELMONT BLVD.; THENCE CONTINUE ALONG THE SOUTH ROAD RIGHT OF WAY OF BELMONT BLVD. S 84°18'00" W 25.00 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE NORTHWEST HAVING A RADIUS OF 1040.00 FEET, A CENTRAL ANGLE OF 46°30'12" AND AN ARC DISTANCE OF 844.10 FEET; THENCE NORTH 49°50'49" WEST, A DISTANCE OF 516.22 FEET; THENCE BY A CURVE TO THE SOUTH HAVING A RADIUS OF 810.00 FEET, CENTRAL ANGLE OF 00°35'59" AND AN ARC DISTANCE OF 801 FEET TO THE POINT OF BEGINNING; LESS THE NORTH 30.00 FEET ALONG THE NORTH LINE OF SECTION 29 FOR THE PURPOSE OF A ROADWAY AND UTILITY EASEMENT CONTAINING 45.296 ACRES MORE OR LESS.

AND

COMMENCING AT THE NE CORNER OF SECTION 29, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA GO THENCE ALONG THE NORTH LINE OF SAID SECTION 29, N 89°50'57" W, 2040.92 FEET; THENCE DEPARTING SAID NORTH LINE S 84°18'07" W, 739.95 FEET FOR THE POINT OF BEGINNING; THENCE S 49°04'19" E, 1528.16 FEET; THENCE S 11°22'20" W, 56.50 FEET MORE OR LESS; THENCE N 48°53'55" W, 1470.86 FEET; THENCE N 00°43'07" E, 1518.16 FEET MORE OR LESS TO THE POINT OF BEGINNING.

Tim Thompson
ISSUING OFFICER

President
TITLE

NAME OF COMPANY MARION UTILITIES, INC.

WASTEWATER TARIFF

(Continued from Sheet No. 3.14)

DESCRIPTION OF TERRITORY SERVED

Section 29, Township 16 South, Range 21 East.

Cherrywood Estates

COMMENCING AT THE NORTHWEST CORNER OF THE RECORDED PLAT OF KINGSLAND COUNTRY ESTATES, WHOLETRING TRUSS, DE PLAT BOOK "M", PAGE 89, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA, SAID POINT ALSO BEING ON THE NORTH RIGHT-OF-WAY OF IRALEAH BLVD. (S.W. 115TH STREET) AND THE POINT OF CURVATURE OF A CURVE CONCAVED NORTHEASTERLY AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 90°00'; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 39.27 FEET; THENCE N 05°53'36" E, 115.00 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED SOUTHWESTERLY AND HAVING A RADIUS OF 710.00 FEET AND A CENTRAL ANGLE OF 281°36'; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 349.78 FEET; THENCE N 22°20'00" W, 178.74 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED SOUTHEASTERLY AND HAVING A RADIUS OF 240.00 FEET AND A CENTRAL ANGLE OF 66°20'00"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 856.72 FEET; THENCE N 48°53'55" W, 1470.86 FEET TO THE NORTHWEST CORNER OF LOT 1, BLOCK B OF THE RECORDED PLAT OF PRICE ROSE ESTATE'S RECORDED DE PLAT BOOK "I" AT PAGE 64, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA; THENCE ALONG THE EAST BOUNDARY OF PRICE ROSE ESTATE'S, S 00°49'10" W, 2778.39 FEET TO THE NORTH RIGHT-OF-WAY OF IRALEAH BLVD.; THENCE ALONG THE NORTH RIGHT-OF-WAY, S 81°54'02" E, 463.03 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED NORTHERLY AND HAVING A RADIUS OF 914.15 FEET AND A CENTRAL ANGLE OF 217°22'; THENCE ALONG SAID CURVE AND ARC DISTANCE OF 35.20 FEET; THENCE S 84°06'24" E, 576.65 FEET TO THE POINT OF BEGINNING, CONTAINING 44.6 ACRES MORE OR LESS.

AND

COMMENCING AT THE NE CORNER OF SECTION 29, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA GO THENCE ALONG THE NORTH LINE OF SECTION 29, NORTH 89°50'57" WEST A DISTANCE OF 1365.42 FEET TO A POINT ON THE WEST RIGHT-OF-WAY LINE OF AN 80 FOOT STREET KNOWN AS DELBERT BLVD., ALSO THE POINT OF BEGINNING; THENCE CONTINUE ALONG SAID NORTH LINE OF SECTION 29, NORTH 89°50'57" WEST A DISTANCE OF 675.40 FEET TO A POINT; THENCE LEAVING SAID NORTH LINE GO SOUTH 00°45'07" WEST A DISTANCE OF 239.95 FEET TO A POINT; THENCE SOUTH 49°04'19" EAST, A DISTANCE OF 1518.16 FEET TO A POINT ON THE WEST RIGHT-OF-WAY LINE OF A ROAD KNOWN AS AGRICULTURE BLVD.; THENCE ALONG SAID WEST RIGHT-OF-WAY OF AGRICULTURE BLVD. NORTH 44°00'00" EAST A DISTANCE OF 377.10 FEET THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY THROUGH A CURVE TO THE EAST HAVING A RADIUS OF 290.00 FEET, A CENTRAL ANGLE OF 152°00'00" AND AN ARC DISTANCE OF 87.32 FEET; THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY NORTH 14°50'00" EAST A DISTANCE OF 475.51 FEET; THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY THROUGH A CURVE TO THE NORTH HAVING A RADIUS OF 510.00 FEET, A CENTRAL ANGLE OF 166°41'01" AND AN ARC DISTANCE OF 56.69 FEET; THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY NORTH 06°21'01" WEST A DISTANCE OF 230.84 FEET; THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY THROUGH A CURVE TO THE WEST HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 90°00'00" AND AN ARC DISTANCE OF 39.27 FEET TO A POINT OF AN INTERSECTION WITH THE SOUTH RIGHT-OF-WAY LINE OF DELBERT BLVD.; THENCE CONTINUE ALONG THE SOUTH ROAD RIGHT-OF-WAY OF DELBERT BLVD. S 55°20'00" W, 25.00 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE NORTHWEST HAVING A RADIUS OF 1020.00 FEET, A CENTRAL ANGLE OF 46°30'12" AND AN ARC DISTANCE OF 844.10 FEET; THENCE NORTH 49°50'49" WEST, A DISTANCE OF 516.22 FEET; THENCE BY A CURVE TO THE SOUTH HAVING A RADIUS OF 810.00 FEET, CENTRAL ANGLE OF 09°33'59" AND AN ARC DISTANCE OF 801 FEET TO THE POINT OF BEGINNING; LESS THE NORTH 3000 FEET ALONG THE NORTHERLY LINE OF SECTION 29 FOR THE PURPOSE OF A ROADWAY AND UTILITY EASEMENT CONTAINING 45.298 ACRES MORE OR LESS.

AND

COMMENCING AT THE NE CORNER OF SECTION 29, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA GO THENCE ALONG THE NORTH LINE OF SAID SECTION 29, N 89°50'57" W, 2040.92 FEET; THENCE DEPARTING SAID NORTH LINE S 89°45'07" W, 739.95 FEET FOR THE POINT OF BEGINNING; THENCE S 19°04'07" E, 1528.16 FEET; THENCE N 11°22'20" W, 56.50 FEET MORE OR LESS; THENCE N 48°53'55" W, 1470.86 FEET; THENCE N 00°45'07" E, 1362 FEET MORE OR LESS TO THE POINT OF BEGINNING.

Tim Thompson
ISSUING OFFICER

President
TITLE

NAME OF COMPANY MARION UTILITIES, INC.

WASTEWATER TARIFF

(Continued from Sheet No. 3.14)

DESCRIPTION OF TERRITORY SERVED

Section 29, Township 16 South, Range 21 East.

Cherrywood Estates

COMMENCING AT THE NORTHWEST CORNER OF THE RECORDED PLAT OF KINGSHAM CERTIFIED ESTATES, WHOLETRUST TRUST, RE PLAT BOOK "M", PAGE 89, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA, SAID POINT ALSO BEING ON THE NORTH RIGHT-OF-WAY OF HALEAH BLVD. (S.W. 115TH STREET) AND THE POINT OF CURVATURE OF A CURVE CONCAVED NORTHEASTERLY AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 90°00'00"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 39.27 FEET; THENCE BY 05°53'36" E, 115.00 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED SOUTHWESTERLY AND HAVING A RADIUS OF 710.00 FEET AND A CENTRAL ANGLE OF 201°33'36"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 349.78 FEET; THENCE BY 22°20'00" W, 178.74 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED SOUTHWESTERLY AND HAVING A RADIUS OF 740.00 FEET AND A CENTRAL ANGLE OF 66°20'00"; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 856.72 FEET; THENCE BY 48°53'55" W, 1470.86 FEET TO THE NORTHWEST CORNER OF LOT 1, BLOCK B OF THE RECORDED PLAT OF PRICE ROSE ESTATES RECORDED IN PLAT BOOK "I" AT PAGE 64, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA; THENCE ALONG THE EAST BOUNDARY OF PRICE ROSE ESTATES, S 00°49'10" W, 2278.39 FEET TO THE NORTH RIGHT-OF-WAY OF HALEAH BLVD.; THENCE ALONG THE NORTH RIGHT-OF-WAY, S 81°54'02" E, 463.03 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVED NORTHERLY AND HAVING A RADIUS OF 914.15 FEET AND A CENTRAL ANGLE OF 217°22'; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 35.20 FEET; THENCE S 84°06'24" E, 576.65 FEET TO THE POINT OF BEGINNING, CONTAINING 44.6 ACRES MORE OR LESS.

AND

COMMENCING AT THE NE CORNER OF SECTION 29, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA GO THENCE ALONG THE NORTH LINE OF SECTION 29, NORTH 89°50'57" WEST A DISTANCE OF 1365.42 FEET TO A POINT ON THE WEST RIGHT-OF-WAY LINE OF AIRPORT STREET KNOWN AS DELMONT BLVD., ALSO THE POINT OF BEGINNING THENCE CONTINUE ALONG SAID NORTH LINE OF SECTION 29, NORTH 89°50'57" WEST A DISTANCE OF 675.40 FEET TO A POINT, THENCE BEARING SAID NORTH LINE GO SOUTH 00°45'07" WEST A DISTANCE OF 239.95 FEET TO A POINT, THENCE SOUTH 49°04'19" EAST, A DISTANCE OF 1518.16 FEET TO A POINT ON THE WEST RIGHT-OF-WAY LINE OF A ROAD KNOWN AS AQUeduct BLVD. THENCE ALONG SAID WEST RIGHT-OF-WAY OF AQUeduct BLVD. NORTH 44°00'00" EAST A DISTANCE OF 377.10 FEET THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY THROUGH A CURVE TO THE EAST HAVING A RADIUS OF 290.00 FEET, A CENTRAL ANGLE OF 1°28'00" AND AN ARC DISTANCE OF 87.32 FEET, THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY NORTH 74°05'00" EAST A DISTANCE OF 475.51 FEET, THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY THROUGH A CURVE TO THE NORTH HAVING A RADIUS OF 310.00 FEET, A CENTRAL ANGLE OF 56°41'01" AND AN ARC DISTANCE OF 376.69 FEET, THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY NORTH 06°21'01" WEST A DISTANCE OF 230.84 FEET, THENCE CONTINUE ALONG SAID WEST ROAD RIGHT-OF-WAY THROUGH A CURVE TO THE WEST HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 90°00'00" AND AN ARC DISTANCE OF 39.27 FEET TO A POINT OF AN INTERSECTION WITH THE SOUTH BOUNDARY OF AIRPORT STREET (DELMONT BLVD.); THENCE CONTINUE ALONG THE SOUTH ROAD RIGHT-OF-WAY OF DELMONT BLVD. S 81°54'02" W, 25.00 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE NORTHWEST HAVING A RADIUS OF 1050.00 FEET, A CENTRAL ANGLE OF 46°30'12" AND AN ARC DISTANCE OF 844.10 FEET, THENCE NORTH 49°50'49" WEST, A DISTANCE OF 548.22 FEET; THENCE BY A CURVE TO THE SOUTH HAVING A RADIUS OF 810.00 FEET, CENTRAL ANGLE OF 00°35'50" AND AN ARC DISTANCE OF 801 FEET TO THE POINT OF BEGINNING, LESS THE NORTH 30.00 FEET ALONG THE NORTH LINE OF SECTION 29 FOR THE PURPOSE OF A ROADWAY AND UTILITY EASEMENT CONTAINING 45.296 ACRES MORE OR LESS.

AND

COMMENCING AT THE NE CORNER OF SECTION 29, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA GO THENCE ALONG THE NORTH LINE OF SAID SECTION 29, N 89°50'57" W, 2040.92 FEET; THENCE DEPARTING SAID NORTH LINE S 81°54'02" W, 739.95 FEET FOR THE POINT OF BEGINNING, THENCE S 19°04'19" E, 1528.16 FEET, THENCE S 11°27'20" W, 56.50 FEET MORE OR LESS THENCE N 48°53'55" W, 1470.86 FEET, THENCE N 00°45'07" E, 1365.42 FEET MORE OR LESS TO THE POINT OF BEGINNING.

Tim Thompson
ISSUING OFFICER

President
TITLE

NAME OF COMPANY MARION UTILITIES, INC.

WATER TARIFF

(Continued from Sheet No. 3.15)

DESCRIPTION OF TERRITORY SERVED

Section 28, Township 16 South, Range 21 East.

Sandy Pines

COMMENCE AT THE NORTHEAST CORNER OF SECTION 28, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA; THENCE S 00 36' 37" W, ALONG THE CENTERLINE OF CHURCHILL DOWNS BOULEVARD (S.W. 49TH AVENUE, 80 FEET WIDE), AS SHOWN ON THE PLAT OF "OCALA WATERWAYS ESTATES" AS RECORDED IN PLAT BOOK "E", PAGES 52 THRU 52K, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA, 1337.00 FEET; THENCE N 89 23' 23" W, 40.00 FEET, TO A CONCRETE MONUMENT AND THE POINT OF BEGINNING; THENCE S 00 36' 37" W, ALONG THE WESTERLY RIGHT OF WAY LINE OF SAID CHURCHILL DOWNS BOULEVARD, 1255.32 FEET TO THE POINT OF CURVATURE OF A CIRCULAR CURVE TO THE RIGHT HAVING A RADIUS OF 25.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, 39.32 FEET, SUBTENDING A CENTRAL ANGLE OF 90 06' 12", A CHORD BEARING AND DISTANCE OF S 45 39' 43" W AND 35.29 FEET, TO A POINT OF TANGENCY ON THE NORTHERLY RIGHT OF WAY LINE OF HIALEAH BOULEVARD (S.W. 103RD STREET ROAD, 100 FEET WIDE), AS SHOWN ON THE PLAT OF "KINGSLAND COUNTRY ESTATES, WHISPERING PINES" AS RECORDED IN PLAT BOOK "E", PAGES 86 THRU 96 OF SAID PUBLIC RECORDS OF MARION COUNTY, FLORIDA; THENCE ALONG SAID NORTHERLY RIGHT OF WAY LINE OF HIALEAH BOULEVARD N 89 17' 11" W, A DISTANCE OF 185.15 FEET, TO THE POINT OF CURVATURE OF A CIRCULAR CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS OF 1949.86 FEET; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE, 551.36 FEET, SUBTENDING A CENTRAL ANGLE OF 16 12' 05", A CHORD BEARING AND DISTANCE OF S 82 36' 46" W AND 551.36 FEET; THENCE S 74 30' 44" W, ALONG SAID NORTHERLY RIGHT OF WAY LINE, 438.48 FEET; THENCE LEAVING SAID RIGHT OF WAY LINE, GO N 00 36' 37" E, A DISTANCE OF 794.17 FEET TO A POINT; THENCE S 89+P248+ 23' 23" E, 1136.91 FEET, TO THE POINT OF BEGINNING.

CONTAINING 35.43 ACRES

Tim Thompson

President

NAME OF COMPANY MARION UTILITIES, INC.

WATER TARIFF

(Continued from Sheet No. 3.15)

DESCRIPTION OF TERRITORY SERVED

Section 28, Township 16 South, Range 21 East.

Sandy Pines

COMMENCE AT THE NORTHEAST CORNER OF SECTION 28, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA; THENCE S 00 36' 37" W, ALONG THE CENTERLINE OF CHURCHILL DOWNS BOULEVARD (S.W. 49TH AVENUE, 80 FEET WIDE), AS SHOWN ON THE PLAT OF "OCALA WATERWAYS ESTATES" AS RECORDED IN PLAT BOOK "E", PAGES 52 THRU 52K, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA, 1337.00 FEET; THENCE N 89 23' 23" W, 40.00 FEET, TO A CONCRETE MONUMENT AND THE POINT OF BEGINNING; THENCE S 00 36' 37" W, ALONG THE WESTERLY RIGHT OF WAY LINE OF SAID CHURCHILL DOWNS BOULEVARD, 1255.32 FEET TO THE POINT OF CURVATURE OF A CIRCULAR CURVE TO THE RIGHT HAVING A RADIUS OF 25.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, 39.32 FEET, SUBTENDING A CENTRAL ANGLE OF 90 06' 12", A CHORD BEARING AND DISTANCE OF S 45 39' 43" W AND 35.29 FEET, TO A POINT OF TANGENCY ON THE NORTHERLY RIGHT OF WAY LINE OF HIALEAH BOULEVARD (S.W. 103RD STREET ROAD, 100 FEET WIDE), AS SHOWN ON THE PLAT OF "KINGSLAND COUNTRY ESTATES, WHISPERING PINES" AS RECORDED IN PLAT BOOK "E", PAGES 86 THRU 96 OF SAID PUBLIC RECORDS OF MARION COUNTY, FLORIDA; THENCE ALONG SAID NORTHERLY RIGHT OF WAY LINE OF HIALEAH BOULEVARD N 89 17' 11" W, A DISTANCE OF 185.15 FEET, TO THE POINT OF CURVATURE OF A CIRCULAR CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS OF 1949.86 FEET; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE, 551.36 FEET, SUBTENDING A CENTRAL ANGLE OF 16 12' 05", A CHORD BEARING AND DISTANCE OF S 82 36' 46" W AND 551.36 FEET; THENCE S 74 30' 44" W, ALONG SAID NORTHERLY RIGHT OF WAY LINE, 438.48 FEET; THENCE LEAVING SAID RIGHT OF WAY LINE, GO N 00 36' 37" E, A DISTANCE OF 794.17 FEET TO A POINT; THENCE S 89°P248+ 23' 23" E, 1136.91 FEET, TO THE POINT OF BEGINNING.

CONTAINING 35.43 ACRES

Tim Thompson

President

NAME OF COMPANY MARION UTILITIES, INC.

WATER TARIFF

(Continued from Sheet No. 3.15)

DESCRIPTION OF TERRITORY SERVED

Section 28, Township 16 South, Range 21 East.

Sandy Pines

COMMENCE AT THE NORTHEAST CORNER OF SECTION 28, TOWNSHIP 16 SOUTH, RANGE 21 EAST, MARION COUNTY, FLORIDA; THENCE S 00 36' 37" W, ALONG THE CENTERLINE OF CHURCHILL DOWNS BOULEVARD (S.W. 49TH AVENUE, 80 FEET WIDE), AS SHOWN ON THE PLAT OF "OCALA WATERWAYS ESTATES" AS RECORDED IN PLAT BOOK "E", PAGES 52 THRU 52K, OF THE PUBLIC RECORDS OF MARION COUNTY, FLORIDA, 1337.00 FEET; THENCE N 89 23' 23" W, 40.00 FEET, TO A CONCRETE MONUMENT AND THE POINT OF BEGINNING; THENCE S 00 36' 37" W, ALONG THE WESTERLY RIGHT OF WAY LINE OF SAID CHURCHILL DOWNS BOULEVARD, 1255.32 FEET TO THE POINT OF CURVATURE OF A CIRCULAR CURVE TO THE RIGHT HAVING A RADIUS OF 25.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, 39.32 FEET, SUBTENDING A CENTRAL ANGLE OF 90 06' 12", A CHORD BEARING AND DISTANCE OF S 45 39' 43" W AND 35.29 FEET, TO A POINT OF TANGENCY ON THE NORTHERLY RIGHT OF WAY LINE OF HIALEAH BOULEVARD (S.W. 103RD STREET ROAD, 100 FEET WIDE), AS SHOWN ON THE PLAT OF "KINGSLAND COUNTRY ESTATES, WHISPERING PINES" AS RECORDED IN PLAT BOOK "E", PAGES 86 THRU 96 OF SAID PUBLIC RECORDS OF MARION COUNTY, FLORIDA; THENCE ALONG SAID NORTHERLY RIGHT OF WAY LINE OF HIALEAH BOULEVARD N 89 17' 11" W, A DISTANCE OF 185.15 FEET, TO THE POINT OF CURVATURE OF A CIRCULAR CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS OF 1949.86 FEET; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE, 551.36 FEET, SUBTENDING A CENTRAL ANGLE OF 16 12' 05", A CHORD BEARING AND DISTANCE OF S 82 36' 46" W AND 551.36 FEET; THENCE S 74 30' 44" W, ALONG SAID NORTHERLY RIGHT OF WAY LINE, 438.48 FEET; THENCE LEAVING SAID RIGHT OF WAY LINE, GO N 00 36' 37" E, A DISTANCE OF 794.17 FEET TO A POINT; THENCE S 89°P248+ 23' 23" E, 1136.91 FEET, TO THE POINT OF BEGINNING.

CONTAINING 35.43 ACRES

 Tim Thompson

President

APPLICATION FOR AMENDMENT OF CERTIFICATE
PURSUANT TO SECTION 367.045, FLORIDA STATUTES
(EXTENSION OR DELETION)

920159-WU

To: Division of Records and Reporting
Florida Public Service Commission
101 East Gaines Street
Tallahassee, Florida 32399-0850

DEPOSIT TREAS. REC. DATE
C367 FEB 19 '92

The undersigned hereby makes application for amendment of
Water Certificate No. 347W ~~XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX~~
to (add) ~~XXXXXXXXXX~~ territory located in Marion
County, Florida, and submits the following information:

PART I APPLICANT INFORMATION

A) The full name (as it appears on the certificate),
address and telephone number of the applicant:

Marion Utilities, Inc. (904) 622-1171
Name of utility Phone No.
710 NE 30th Avenue
Office street address
Ocala Florida 32670
City State Zip Code

Mailing address if different from street address

B) The name, address and telephone number of the person
to contact concerning this application:

Tim Thompson (904) 622-1171
Name Phone No.
710 NE 30th Avenue
Street address

MARION UTILITIES, INC
P.O. BOX 70400, PH. 904-622-1171
710 N.E. 30TH AVE.
OCALA, FL 32670

14108

PAY TO THE ORDER OF

Florida Public Service Comm \$ 150.00
Hundred Fifty & No/100 DOLLARS

2/17 1992



915-001
30 Southeast First Avenue
Ocala, Florida 32670

"VOID AFTER 60 DAYS"

DOCUMENT NUMBER-DATE

01700 110 1992

FOR _____

FPSC-RECORDS/REPORTING