STATE OF FLORIDA

Commissioners: JULIA L. JOHNSON, CHAIRMAN SUSAN F. CLARK J. TERRY DEASON JOE GARCIA DIANE K. KIESLING



CHARLES H. HILL. DIRECTOR (904) 413-6900

Public Service Commission

April 21, 1997

Mr. D. Bruce May Holland & Knight, LLP P.O. Drawer 810 Tallahassee, FL 32302

All Affirmative Action/Equal Opportunity Employer

Docket No. 970164-WU, Application for Increased Water Rates by Hobe Sound Water Company (HSWC) in Martin County.

Dear Mr. May:

Our letter dated April 14, 1997, stated that the minimum filing requirements submitted on April 3, 1997, were found to be deficient. Upon your request, we have provided a detailed description of the deficiency.

Rule 25-30.437 (3), Florida Administrative Code, for projected test years requires an explanation justifying each method or basis used to project each test year The following justifications were missing from the minimum filing requirements

	1.	The justification for the method or basis used for all projections made to each account included in the working capital allowance calculation.
ACK	2.	The justification for the method used to restructure salaries for the 1998 test year
APP	3.	The justification for the method used to escalate purchased power, building rent, office supplies and computer supplies, for the new office for 1997 and 1998
CMU	4.	. The method or basis used to project long and short term debt, common equity and deferred taxes for 1997 and 1998.
EAG LEG LIN		
OPC		
SEC	ć.	040 65 97

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD • T • LEAHASSEE FL 32399-0850
Internet E-mail CONTACT OF SCALAFE FL US

FPSC-RECORDS/REPORTING

Mr. D. Bruce May Page 2 April 21, 1997

As stated in the orginal letter, these corrections should be submitted no later than May 2, 1997. Your petition will not be deemed filed until we have received the above-mentioned information

Sincerely,

Charles H. Hill

Director

CHH:shm

cc: Division of Records and Reporting

Division of Legal Services (Jaber)

Division of Water and Wastewater (Willis, Merchant)