

BellSouth Telecommunications, Inc. FPSC Docket No. 000828-TP Request for Confidential Classification Page 1 of 1 1/2/01

REQUEST FOR CONFIDENTIAL CLASSIFICATION OF BELLSOUTH'S RESPONSE TO STAFF'S FIRST REQUEST FOR PRODUCTION OF DOCUMENTS (POD NOS. 1 AND 5) FILED DECEMBER 12, 2000 IN FLORIDA DOCKET NO. 000828-TP

Two Redacted Copies

اقردر	
CAF	
CMP.	
COM.	101
CIR.	
ECR.	
OPC	
PAL	
RGO	
SEC	
SER	
OTH	

DOCUMENT NUMBER-DATE

00060 JAN-25

FPSC-RECORDS/REPORTING

BELLSOUTH TELECOMMUNICATIONS, INC.

FPSC DKT NO. 000828-TP

STAFF'S 1ST REQUEST FOR PRODUCTION OF DOCUMENTS

POD NO.

PROPRIETARY

DOCUMENT NUMBER-DATE
00060 JAN-25
FPSC-RECORDS/REPORTING

SIATE	AVG COST PER SQUARE FOOT	WEIGHTING	ADJUSTED AVG COST
Alabama		0.094	
Florida		0.306	
Georgia		0.133	
Kentucky	,	0.032	
Louisiana		0.092	
Mississippi		0.024	
North Carolina		0.133	
South Carolina		0.067	
nessee		0.119	

Note: Weighting based on number of firm orders received between April and November 1999. UNIT COSTS:

cage cost set fee
barrier wall 1hr cost/ft
barrier wall wire cost/ft
card reader
card reader - pad only

Data Points =	123
FOs 4/1-8/31/99	594
Percentage =	21%

Note: Many data points represent more than one collocator/firm order, thus percentage above is low.

PROPRIETARY

NOT FOR USE OR DISCLOSURE OUTSIDE OF BELLSOUTH TELECOMMUNICATIONS OR ITS AFFILL COMPANIES EXCEPT UNDER WRITTEN AGREEMENT

PROJECTIO	PROJECTIO EWBS #	FOFCAGES	FOF RACKS	LNEAR FT. BARRIER WALL	COLLOCATION SQ FT	COMMON AREA (SQ FT)	CARD READER	TOTAL COST DESIGN TOTAL COST CONSTR ASBESTOS COSTS TOTAL COST TOTAL COST TOTAL COST (LESS FIXED PATES) ADJUSTED COST PER SQUARE FOOT
JCBHFLMA.DLT.01	734808-81291	2	1	21.5	308	887	1	
JCVLFLCL.ATX.02	734808-80141	1	0	0	400	520	0	
JCVLFLCL.FDW.03	732822-25751	1	0	0	200	260	. 0	
ORLDFLCL.FDW.03	734808-80811	1	0	98_	200	260	1	
ORLDFLCL.ICF.01	732822-22941	1	0	96	300	399	1_	
ORLDFLCL.LVC.01	732822-25741	1	0	263	400	2475	1_1_	-
ORŁDFLMA.FDW.05	732822-25921	1	0_	0	200	260	0	\sum_\text{\tin}\text{\tin}\exiting{\text{\texi}}\\ \tittt{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\til\titt{\text{\text{\text{\text{\texi}\tittit{\text{\tex{\texi}\til\tittt{\text{\text{\texi}\text{\texi}\text{\texit{\tet{\text{\texi}\text{\text{\texi}\tint{\text{\texi}\text{\te
PNVDFLMA.DLT.01	734808-81571	0	1	0	88	225		
MIAMFLWM.NVE.02	734808-80101	1		0	100	305	• 0	
MIAMFLBA.NVE.03	734808-82031	4		0	100	310	0	-
MIAMFLBA.FIM.01	734808-80931	1		0	100	300	0	

PROPRIETARY

Attachment No. Page 2 of 5

PROJECT ID	POORCY (B.A.Wasa	# OF CAGES	FOF RACKS	LINEAR FT. BARRIER WALL	COLLOCATION SQ FT	COMMON AREA (SQ FT)	CARD READER	ASBESTOS COSTS ADJUSTED TOTAL COST (LESS FIXED RATES) ADJUSTED COST PER SQUARE FOOT
MIAMFLSO.NVE.01	734808-82051	1			115	130	0	
MIAMFLSO,FIM.01	734808-81041	4		0	100	130	0	Ť 1
MIAMFLBR.NVE.01	734808-80181	2		0	400	520	0	
PRRNFLMA.AKJ.07	734808-81741	1		0	100	690	. 0	
MIAMFLFL.AKJ.02	734808-82201	1		0	100	130	0	
MIAMFLBA.AKJ.04	734808-86081	1		0	100	130		
MIAMFLAP.OVC.03	734808-81501	1			100	130	0	
MIAMFLAP.AKJ.02	734808-81581	1			100	130	0	
MIAMFLAP.ATX.01	734808-80281	1			. 400	1200	0	
MIAMFLWD.AKJ.02	734808-81651	1			100	130	1	
PRRNFLMA.NVE.03	734808-82021	1			100	130	0	

PROPRIETARY

NOT FOR USE OR DISCLOSURE OUTSIDE OF BELLSOUTH TELECOMMUNICATIONS OR ITS AFFILIATED COMPANIES EXCEPT UNDER WRITTEN AGREEMENT

PROJECT ID	PROJECT ID & WBS #	CAGES.	F OF RACKS	LINEAR F. BARNER WALL	COLLOCATION SQ FT	COMMON AREA (SQ FT)	CARD READER	TOTAL COST DESIGN	TOTAL COST CONSTR	ASBESTOS COSTS	TOTAL COST	ADJUSTED TOTAL COST (LESS FIXED RATES)	1000年間の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の	ADJUSTED COST PER SQUARE FOOT	
PRRNFLMA.ATX.01	734808-83271	1			400	520	0		·		•	•	•	İ	İ
MIAMFLBR.FIM.01	734808-80921	1			100	1680	1								
MIAMFLBC.AKJ.02	734808-81731	1			100	1809	0	ļ							-
MIAMFLSO.AKJ.05	734808-81841	1			.100	130	0								
MIAMFLWM.FIM.03	734808-80631	1			100	305	0								
MIAMFLWM.ACI.04	734808-81961	1_			100	305	_0		i		I	1	1		
MIAMFLFL.FIM.02	734808-81641	1	· 		100	130	0								
FTLDFLJA.FIM.06	734808-82081	1		5.5	100	1,640									
PMBHFLCS.OVC.03	732822-25111				100	130		 -	I			1	I	ا د	l
PMBHFLFE.AKJ.03	734808-82221	1			100	130								1	ŀ
PMBHFLMA.ATX.02	734808 81011	1	i 		400	1,668		 	 _		_				

POD No. 1 Attachment No. 2 Page 4 of 5

PROPRIETARY

NOT FOR USE OR DISCLOSURE OUTSIDE OF BELLSCUTH TELECOMMUNICATIONS OR ITS AFFILIATED COMPANIES EXCEPT UNDER WRITTEN AGREEMENT

PROJECT ID	PROJECTION WINES	FOF CAGES.	FOF RACIO	LINEAR FT. BARRIER WALL	COLLOCATION SO FT	COMMON AREA (SO ET)	CARD READER	CTAL COST DESIGN	TOTAL COST CONSTR	ASBESTOS COSTS	TOTAL COST	ADJUSTED TOTAL COST (LESS FIXED RATES)	ADJUSTED COST PER SQUARE FOOT	
HLWDFLPE.ATX.01	734808 83101	1			400	520								
HLWDFLPE.AKJ.07	734808 86061	1			100	130								
HLWDFLPE.OVC.04	732822-25101				100	130	•							1

Average

\$198

PROPRIETARY

NOT FOR USE OR DISCLOSURE OUTSIDE OF BELLSOUTH TELECOMMUNICATIONS OR ITS AFFILIATED COMPANIES EXCEPT UNDER WRITTEN AGREEMENT

BELLSOUTH TELECOMMUNICATIONS, INC.

FPSC DKT NO. 000828-TP

STAFF'S 1ST REQUEST FOR PRODUCTION OF DOCUMENTS

POD NO. _____

PROPRIETARY

Collocation Space Preparation Standard ICB Rate Worksheet (Network Construction) Issue 2 - 1/6/00

Onver Description	•	Vendor	First Unit Engrg Hrs Labor Hrs Minor Matt Avg	Subsequent Units Avg Engrg Hrs Lebor Hrs Minor Meti Av	Cogolese vg Qty FU's Qty SU's Tolel \$	Caged or Non-conventional Cageless S/Sq Fi. Qty FU's Qty SU's Total \$ S/Arrangement
Cable Rack - penned 15" (switchboard)	101	ADC 6R Lucent	3 3	975 11.76 075 11.76		•
Cable Reck + nonpenned 15* (power)	102	ADC 6R Lucent	235 500	857 69 1 20 3 92	725 02 12 12 \$16 992 52	\$23.74 (A) (C) 6 861 49 \$857 69
Cross-eisle cable reck	10-			816 40 1 20 3 92	683 74 4 12 12 518 001 64	\$22.50 \$31.20 \$816.40
		6R Lucent	1.5 1	078	486 58 F C 25 2 2 2 2 3 10 631 01	\$13.54 (The 70.00 To 70.00 S0.00
AC - main feed to bay	105	ADC 6R Lucent	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			3000 3000
Auxiery Supports	107	,	2 50 7 00	968 24 0 86 6 50	831 82 7-7-7-7-7-2-2-2-2-2-2-2-2-2-2-2-2-2-2-	\$6.05 7.745.92 \$866.24
		ADC 6R Lucent	3 1 13 	-076 92 -07 -076 92 -07 -0.20 -0.20 504 41 0 83 3 80	417 58 * 10/4/2015 * \$7 028 64	\$6.79 (2012) 1.757 16 \$219.65
Stanchon	108	ADC 6R Lucent	162 217	329 17 0 70 2 00	257 90 555-5 10 575-57 \$11 173 57	\$13 97
Mein Aisle Conduit	109	ADC 6R Lucent		570 42 0 85 2 84	463 02 2 2 2 105 87	\$2.63 \$3,500,500,500,500,500,500,500,500,500,50
Main Aiele Ground 2/0	110	ADC 6R Lucent	3 6 2 1 1 1 1 1 1 1 1 1	491 22 117 3 92	398 97	\$0.61 (17.50.33 (2.10.06) \$4.01.22 \$61.40
Light Future - double tube	114	ADC 6R Lucent	3 4	0.75 - 22 974 85 0 75 3 33	820 04 PATT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Cable hole establishment	115	ADC 6R Lucent	######################################	101725 136 3.26	836 12 \$2777 \$1777 \$2 034 49	\$2.54 \$2.54 \$2.034 49 \$254 31
Fiber Duct (Use 50% of driver # 11)	11			366 06 10 Table 18 18 18 18 18 18 18 18 18 18 18 18 18	307 17 TO 1 12 75 15 813 607 62	\$17.01 TENTE TO \$ 5.385.84 \$873.23 •
Cagaioss \$/Sq Ft						\$131.15

Cagaions \$/Sq Ft

Caged or Nonconventions

4,454.58

Assumptions

BelSouth expends infrastructure capital immediately to prepare space. BelSouth has no control over utilization of this investment. The investment benefits no other service either than Colocation. Therefore, recovery of infrastructure costs should begin immediately without regard to activation of service.


To accomplet this for capelless collocation the everage EF&I space preparation cost to prepare 800 at ft. (2 building Bays) of collocations appear as calculated above. The cost calculations are based upon preliminary "driver" costs provided to Supply Chein Management by three Turf Vendors and a theoretical everage arrangement of collocated equipment within this 800 at ft. From these calculations the everage EF&I cost/at ft is determined. From the arrangement of collocations appear AT TesCo leadings must be applied to the EF&I cost.

To accomplets this for caged or cagedess fron-conventional collocation the average EF&I space preparation cost to prepare 800 sq. ft. (2 building bays) of callocation space is calculated above. This cost calculations are based upon preliminary EF&I "driver" costs provided to Susply Chein Menagement by three Turf Vendors and a theoretical average of 8 - 100 sq. ft. arrangements within this 800 sq. ft. area. From these calculations the average EF& cost/arrangement is determined. From the avg EF&I cost/arrangement is determined. From the avg EF&I cost.

The recurring charge for cross-connects should not be impacted by the standard rate space preparation charge. Cross connects will continue to require utilization of via or main eatle cable support to deliver the service from the

collocated equipment to the demercation point.

It must be emphased that the above "driver" rates are very preliminary. These drivers are being satisfished to address equipment space preparation. Such drivers do not currently exist, as space preparation for BelSouth equipment space has been recovered by Turk reverors through the MBOS model prices.



PROPRIETARY

NOT FOR USE OR DISCLOSURE OUTSIDE OF BELLSOUTH TELECOMMUNICATIONS OR ITS AFFILIATION COMPANIES EXCEPT UNDER WRITTEN AGREEMENT