

Florida Department of Environmental Protection
Certification of Delivery of 2000 Consumer Confidence Report

undockedid

Must be mailed to DEP no later than ninety days after the consumer confidence report is due to be distributed (10-28-2001) to the consumers

System Name: Sun Country Estates

Contact Person: Lisa K. Saupp
Contact Phone #:(352)625-2822

PWS ID #: 6424618

Mailing Address: Aqua Pure, Inc.
10865 East SR 40

Population Served: 243

Silver Springs, Fl. 34488

ORIGINAL

RECEIVED-FPSC
JUL 11 AM 9:26

Use of mailing waiver: (Available to systems that serve fewer than 10,000 persons)

We did or did not use the mailing waiver.

Date of newspaper publication (mm/dd/yy):

The newspaper that published our CCR is:

A copy of the notice informing our consumers that the report will not be mailed is or is not attached. Name the delivery method of the notice (e.g. mailed with bill, published in newspaper): Post card

Report on your good faith effort to distribute your CCR. Systems serving more than 500 persons, check below or list the means used to make a good faith effort to reach consumers who do not receive water bills.

- Posting of report at the following publicly accessible Internet address: _____
- Mailing the report to postal patron within the service area
- Publication of CCR in the local newspaper. Date of publication _____, Name of Newspaper _____
- Advertising the availability of the CCR in the news media: e.g. press release, radio announcement
- Posting of the CCR in public places. List of locations: _____
- Delivery of multiple copies to single addresses serving several persons, (e.g. multi dwelling units)
- Delivery to community organizations. List organizations _____
- Other _____

Use of Non-English language in CCR: This requirement does not apply to our system since we have no non-English speaking group among our consumers equal to or exceeding 20% of our total number of consumers.

Certification of delivery of Consumer Confidence Report and Compliance with Consumer Confidence Report Regulations

This statement certifies that the above named community public water system has distributed its consumer confidence report for the time period starting January 1, 1998 and ending December 31, 2000 to its customers and provided the appropriate notices of availability according to the requirements listed in this form, which are also found in 62-550.840, F.A.C. This statement also certifies that the reported information is correct and consistent with the compliance monitoring data for the same period previously submitted to the Department. This statement also certifies that the report has been delivered to the appropriate agency identified by the Department in 62-550.840, F.A.C.

A copy of this report was sent to the local health department.

Our system is PSC regulated and a copy of this report was sent to PSC.

Signature of Authorized Representative: Sharon Dlouhy

Name (please print): SHARON DLOUHY

Title: President

Date: 7/02/2001

APP
CAF
CMP
COM
CTR
ECR
LEG
OPG
PAI
RGO
SEC
SER
OTH

DOCUMENT NUMBER: DATE

08446 JUL 11 2001

FPSC-RECORDS/REPORTING

Sun Country Estates

Florida Department of Environmental Protection Public Water System ID # 6424618

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is, and always has been, to provide to you a dependable supply of drinking water. Our well is located in Sun Country Estates and draws groundwater from one of the world's most protected sources, the Floridan aquifer. We are pleased to report that our drinking water meets federal and state requirements.

If you have any questions about this report or concerning your water utility please contact **Shari Dlouhy**, owner of Windstream Utilities at (352) 620-8290 during normal business hours. We want our valued customers to be informed about their water utility. Sun Country Estates is also known as Paddock Downs.

Sun Country Estates routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2000. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants does not change frequently. Some of our data, though representative, are more than one year old. The table shows the dates of all monitoring.

TEST RESULTS						
Contaminant & Date Tested	Violation Y/N	Level Detected	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants						
Nitrate (Feb. 2000)	No	2.61	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage, erosion of natural deposits
Sodium (Feb. 2000)	No	5.15	ppm	N/A	160	The standard is set at 160 ppm to protect those individuals who are susceptible to high blood pressure or diseases causing difficulty in regulating body fluid volumes. It is important to recognize that sodium enters the body in a number of ways, including food, and that drinking water contributes less than 10% to the overall intake
Lead & Copper Home Sampling						
Lead (Aug. 2000) # of sites exceeding AL=1	No	11 (90th percentile)	ppb	0	AL=15	Corrosion of household plumbing systems; erosion of natural deposits, leaching from wood preservatives
Copper (Aug. 2000) # of sites exceeding AL=0	No	0.05 (90th percentile)	ppm	1.3	AL=1.3	

In this table you will find many terms and abbreviations with which you may not be familiar. To help you better understand these terms we've provided the following definitions:

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (µg/l) - one part per billion corresponds to one minute in 2,000 years or a single penny in \$10,000,000.

Maximum Contaminant Level Goal (MCLG) - The "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of the materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline (1-822-426-4791).

**Florida Department of Environmental Protection
Certification of Delivery of 2000 Consumer Confidence Report**

Must be mailed to DEP no later than ninety days after the consumer confidence report is due to be distributed (10-28-2001) to the consumers

System Name: **Majestic Oaks** Contact Person: Lisa K. Saupp
PWS ID #: **6424678** Contact Phone #: (352)625-2822
Population Served: **1283** Mailing Address: Aqua Pure, Inc.
10865 East SR 40
Silver Springs, Fl. 34488

Use of mailing waiver: (Available to systems that serve fewer than 10,000 persons)

We did] or [___ did not] use the mailing waiver.
Date of newspaper publication (mm/dd/ yy): _____
The newspaper that published our CCR is: _____
A copy of the notice informing our consumers that the report will not be mailed is] or [___ is not] attached. Name the delivery method of the notice (e.g. mailed with bill, published in newspaper): Post Card

Report on your good faith effort to distribute your CCR. Systems serving more than 500 persons, check below or list the means used to make a good faith effort to reach consumers who do not receive water bills.

- Posting of report at the following publicly accessible Internet address: _____
- Mailing the report to postal patron within the service area
- Publication of CCR in the local newspaper. Date of publication _____, Name of Newspaper _____
- Advertising the availability of the CCR in the news media: e.g. press release, radio announcement
- Posting of the CCR in public places. List of locations: _____
- Delivery of multiple copies to single addresses serving several persons, (e.g. multi dwelling units)
- Delivery to community organizations. List organizations _____
- Other _____

Use of Non-English language in CCR: This requirement does not apply to our system since we have no non-English speaking group among our consumers equal to or exceeding 20% of our total number of consumers.

Certification of delivery of Consumer Confidence Report and Compliance with Consumer Confidence Report Regulations This statement certifies that the above named community public water system has distributed its consumer confidence report for the time period starting January 1, 1998 and ending December 31, 2000 to its customers and provided the appropriate notices of availability according to the requirement listed in this form, which are also found in 62-550.840, F.A.C. This statement also certifies that the reported information is correct and consistent with the compliance monitoring data for the same period previously submitted to the Department. This statement also certifies that the report has been delivered to the appropriate agency identified by the Department in 62-550.840, F.A.C.

A copy of this report was] sent to the local health department.

Our system is PSC regulated and a copy of this report was sent to PSC.

Signature of Authorized Representative: Sharon Dlouhy

Name (please print): SHARON DLOUHY

Title: President Date: 7/03/2001

DOCUMENT NUMBER - DATE
08446 JUL 11 01
FPSC-REGIONS/REPORTING

Majestic Oaks

Florida Department of Environmental Protection Public Water System ID # 6424678

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is, and always has been, to provide to you a dependable supply of drinking water. Our wells are located in a fenced, secured area in the Majestic Oaks Subdivision and draw groundwater from one of the world's most protected sources, the Floridan aquifer. We have an auxiliary power generator to provide continued water service even during power outages. We are pleased to report that our drinking water meets federal and state requirements.

If you have any questions about this report or concerning your water utility please contact **Shari Dlouhy**, owner of Windstream Utilities, at (352) 620-8290 during normal business hours. We want our valued customers to be informed about their water utility. Majestic Oaks serves the following communities & / or businesses: Majestic Oaks Subdivision, Jasmine Park, Pidgeon Park and Country Meadows.

Majestic Oaks routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2000. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants does not change frequently. Some of our data, though representative, are more than one year old. The table shows the dates of all monitoring.

TEST RESULTS						
Contaminant & Date Tested	Violation Y/N	Level Detected	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants						
Nitrate (January 2000)	No	0.66	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Lead & Copper Home Sampling						
Lead (Aug. 2000) # of sites exceeding AL=0	No	4	ppb	0	AL=15	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Copper (Aug. 2000) # of sites exceeding AL=0	No	0.48	ppm	1.3	AL=1.3	

In this table you will find many terms and abbreviations with which you may not be familiar. To help you better understand these terms we've provided the following definitions:

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (µg/l) - one part per billion corresponds to one minute in 2,000 years or a single penny in \$10,000,000.

Maximum Contaminant Level Goal (MCLG) - The "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

What does this mean?

As you can see by the table our system had no violations. Comparison to last year's Annual Quality Report shows an improvement in water quality. At the suggestion of our consulting engineers and government agencies the pumping level of one of our wells was elevated, allowing an improvement in overall quality. The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, and in some cases radioactive material, and can pick up substances resulting from the presence of animals or human activity.

Contaminants that may be present in source water include:

A.) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

What does this mean?

We have learned through our monitoring and testing that some constituents have been detected. The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, and in some cases radioactive material, and can pick up substances resulting from the presence of animals or human activity.

Contaminants that may be present in source water include:

- A.) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- B.) Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- C.) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- D.) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- E.) Radioactive contaminants, which may be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The FDA (Food & Drug Administration) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about their drinking water from their health care providers. EPA/CDC (Center for Disease Control) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are also available from the Safe Drinking Water Hotline (800-426-4791).

Testing for the following contaminants is also routinely performed on your water system and these contaminants were ***NOT FOUND*** to be present. We are very proud to offer you this high quality drinking water!

WHAT'S NOT IN YOUR DRINKING WATER

Nitrite, Arsenic, Barium, Chromium
Selenium, Cyanide, Nickel, Silver
Cadmium, Mercury
Thallium, Antimony



*Another satisfactory water sample
from Sun Country Estates !*

Polychlorinated Biphenyls (PCBs)
Fecal Coliform &/or E. coli. Bacteria
Petroleum Products and Volatile Organic Compounds
Pesticides, Insecticides, Termiticides, Rodenticides and Herbicides
Plus other miscellaneous potential hazards

We work around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

**Florida Department of Environmental Protection
Certification of Delivery of 2000 Consumer Confidence Report**

Must be mailed to DEP no later than ninety days after the consumer confidence report is due to be distributed (10-28-2001) to the consumers

System Name: **Windstream** Contact Person: Lisa K. Saupp
PWS ID #: **3424645** Contact Phone #:(352)625-2822
Population Served: **310** Mailing Address: Aqua Pure, Inc.
10865 East SR 40
Silver Springs, Fl. 34488

Use of mailing waiver: (Available to systems that serve fewer than 10,000 persons)

We did or did not use the mailing waiver.

Date of newspaper publication (mm/dd/yy): _____

The newspaper that published our CCR is: _____

A copy of the notice informing our consumers that the report will not be mailed is or is not attached. Name the delivery method of the notice (e.g. mailed with bill, published in newspaper): Postcard

Report on your good faith effort to distribute your CCR. Systems serving more than 500 persons, check below or list the means used to make a good faith effort to reach consumers who do not receive water bills:

- Posting of report at the following publicly accessible Internet address: _____
- Mailing the report to postal patron within the service area
- Publication of CCR in the local newspaper. Date of publication _____,
Name of Newspaper _____
- Advertising the availability of the CCR in the news media: e.g. press release, radio announcement
- Posting of the CCR in public places. List of locations: _____
- Delivery of multiple copies to single addresses serving several persons, (e.g. multi dwelling units)
- Delivery to community organizations. List organizations _____
- Other _____

Use of Non-English language in CCR: This requirement does not apply to our system since we have no non-English speaking group among our consumers equal to or exceeding 20% of our total number of consumers.

Certification of delivery of Consumer Confidence Report and Compliance with Consumer Confidence Report Regulations

This statement certifies that the above named community public water system has distributed its consumer confidence report for the time period starting January 1, 1998 and ending December 31, 2000 to its customers and provided the appropriate notices of availability according to the requirement listed in this form, which are also found in 62-550.840, F.A.C. This statement also certifies that the reported information is correct and consistent with the compliance monitoring data for the same period previously submitted to the Department. This statement also certifies that the report has been delivered to the appropriate agency identified by the Department in 62-550.840, F.A.C.

A copy of this report was sent to the local health department.

Our system is PSC regulated and a copy of this report was sent to PSC.

Signature of Authorized Representative: _____

Name (please print): SHARON DUNN

Title: President

Date: 7/03/2001

Annual Drinking Water Quality Report for 2000

Windstream

Florida Department of Environmental Protection Public Water System ID # 3424645

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is, and always has been, to provide to you a dependable supply of drinking water. Our well is located at SE 34th Place and draws groundwater from one of the world's most protected sources, the Floridan aquifer. We are pleased to report that our drinking water meets federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact **Shari Dlouhy**, owner of Windstream Utilities, at (352) 620-8290 during normal business hours. We want our valued customers to be informed about their water utility. Windstream Utilities serve the following communities: Windstream & Carriage Hills Subdivision.

Windstream Utilities routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2000. The state allows us to monitor for some contaminants less than once per year because the concentration of these contaminants does not change frequently. Some of our data, though representative, are more than one year old. The table shows the dates of all monitoring.

TEST RESULTS						
Contaminant & Date Tested	Violation Y/N	Level Detected	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants						
Fluoride (Jan. 2000)	No	0.18	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Nitrate (Jan. 2000)	No	1.2	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Sodium (Jan. 2000)	No	5.96	ppm	N/A	160	The standard is set at 160 ppm to protect those who are susceptible to high blood pressure or to diseases causing difficulty in regulating body fluid volumes. It is important to recognize that sodium enters the body in a number of ways, including food, and that drinking water contributes less than 10% to the overall intake.
Lead & Copper Home Sampling						
Lead (October '99)	No	1.0 (90th percentile)	ppb	0	AL=15	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Copper (October '99)	No	0.31 (90th percentile)	ppm	1.3	AL=1.3	

In this table you will find many terms and abbreviations with which you may not be familiar. To help you better understand these terms we've provided the following definitions:

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (µg/l) - one part per billion corresponds to one minute in 2,000 years or a single penny in \$10,000,000.

Maximum Contaminant Level Goal (MCLG) - The "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

What does this mean?

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, and in some cases radioactive material, and can pick up substances resulting from the presence of animals or human activity.

Contaminants that may be present in source water include:

- A.) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- B.) Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- C.) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- D.) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- E.) Radioactive contaminants, which may be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The FDA (Food & Drug Administration) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about their drinking water from their health care providers. EPA/CDC (Center for Disease Control) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are also available from the Safe Drinking Water Hotline (800-426-4791).

Testing for the following contaminants is also routinely performed on your water system and these contaminants were **NOT FOUND** to be present. We are very proud to offer you this high quality drinking water!

WHAT'S NOT IN YOUR DRINKING WATER

Nitrite, Arsenic, Barium, Chromium
Selenium, Cyanide, Nickel
Cadmium, Mercury
Thallium, Antimony



*Another safe water sample
from Windstream!*

Polychlorinated Biphenyls (PCBs)
Fecal Coliform &/or E. coli. Bacteria
Petroleum Products and Volatile Organic Compounds
Pesticides, Insecticides, Termiticides, Rodenticides and Herbicides
Plus other miscellaneous potential hazards

We work around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

WINDSTREAM UTILITIES COMPANY

**P.O. Box 4201
Ocala, Florida 34478**

June, 2001

We are pleased to announce that we have completed a water quality report for our water system. The report shows that there were no violations of State or Federal law for the period of 1998 through 2000.

We will be happy to provide you with a copy of this report at NO CHARGE. A copy of the report may be picked up at our office at 3002 NW 10th Street, Ocala, during normal business hours of 9:00 AM to 4:00 PM, Monday through Friday. Or you may call the office at (352) 620-8290.