ORIGINAL



BellSouth Telecommunications, Inc.

Suite 400 150 South Monroe Street Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

February 17, 2003

Mrs. Blanca S. Bayo
Director, Division of The Commission Clerk and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399

Marshall M. Criser III
Vice President
Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

COMMISSION CILERK

030186-71

Re: Notice of the Adoption of Interconnection, Unbundling, Resale, and Collocation agreement between BellSouth Telecommunications, Inc. ("BellSouth") and AT&T Communications of the Southern States, LLC d/b/a AT&T by Interactive Services Network, Inc. d/b/a ISN Communications.

Dear Mrs. Bayó:

BellSouth Telecommunications, Inc. hereby provides notice to the Florida Public Service Commission of the adoption by Interactive Services Network, Inc. d/b/a ISN Communications of the Interconnection, Unbundling, Resale, and Collocation Agreement for the State of Florida entered into between BellSouth Telecommunications Inc. and AT&T Communications of the Southern States, LLC d/b/a AT&T, which was filed with this Commission in Docket No. 000731-TP.

Interactive Services Network, Inc. d/b/a ISN Communications is adopting the agreement and all amendments (if applicable) as provided by Section 252(i) of the Telecommunications Act of 1996.

Enclosed is the original and two (2) copies of the contract between BellSouth Telecommunications, Inc. and Interactive Services Network, Inc. d/b/a ISN Communications, for your records.

If you have any questions please do not hesitate to contact Kathleen Arant at (850) 222-9380.

Very truly yours,

Regulatory Vice President

RECEIVED & FILED

DOCUMENT NUMBER-DATE

01684 FEB 188

FPSC-COMMISSION CLERK

B=44300/7/// CLEG Agreement

Customer Name: Interactive Services Network d/b/a ISN Communications

| ISN (2003) | 2 |
|-------------------------------------|----|
| Adoption Paper | 3 |
| Att 1 - Resale Discounts and Rates | 12 |
| Att 2 - UNE Rates | 13 |
| Att 3 - Local Interconnection Rates | 65 |
| Att 7 - ODUF ADUF EODUF CMDS Rates | 66 |
| Att 8 - Rights of Way | 67 |

By and Between

BellSouth Telecommunications, Inc.

And

Interactive Services Network d/b/a ISN Communications

AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties ("Effective Date"), is entered into by and between Interactive Services Network, Inc. d/b/a ISN Communications, ("ISN Communications"), a Florida corporation on behalf of itself, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, ISN Communications has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and AT&T Communications of the Southern States, Inc. ("AT&T") dated October 26, 2001 for the state of Florida.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, ISN Communications and BellSouth hereby agree as follows:

1. ISN Communications and BellSouth shall adopt in its entirety, except for those items identified in Paragraph 2-11 following, the AT&T Interconnection Agreement dated October 26, 2001 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The AT&T Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

| ITEM | NO. |
|--------------------------------------|-------|
| | PAGES |
| Adoption Papers | 9 |
| Exhibit 1 - Title Page | 1 |
| Exhibit 1 - AT&T Agreement | 469 |
| Exhibit 1 - Amendment dated 04/18/02 | 56 |
| Exhibit 1 - Amendment dated 09/06/02 | 5 |

| Exhibit 1 - Amendment dated 10/15/02 | 70 |
|--------------------------------------|-----|
| Exhibit 2 - ATT 8 - Rights of Way | 3 |
| Exhibit 3 – Rates | 54 |
| TOTAL | 667 |

- 2. The Parties agree to delete Section 3.23 of Attachment 1 and replace with a new Section 3.23 as follows:
 - 3.23 Notwithstanding the foregoing, BellSouth may provide ISN
 Communications notice via Internet posting of price changes and changes
 to the terms and conditions of services available for resale per Commission
 Orders. BellSouth will also post changes to business processes and
 policies, notices of new service offerings, and changes to service offerings
 not requiring an amendment to this Agreement, notices required to be
 posted to BellSouth's website, and any other information of general
 applicability to CLECs.
- 3. The Parties hereby agree to delete Section 5.3.1.1 of Attachment 3, as amended on April 18, 2002, and replace with new Sections 5.3.1.1 and 5.3.1.1.1 as follows:
 - 5.3.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements (i.e., traffic that is exchanged over switched access trunk groups). Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body. ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one LATA to an ISP server or modem in the same LATA. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
 - 5.3.1.1.1 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and ISN Communications agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or ISN Communications that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and ISN Communications

further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or ISN Communications that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.

- 4. The Parties hereby agree to delete Sections 5.3.2, 5.3.3, 5.3.3.1, 5.3.3.2, 5.3.3.3, 5.3.4 and 5.3.5 of Attachment 3, as amended on April 18, 2002 and replaced with new Sections 5.3.2, 5.3.3, 5.3.3.1, 5.3.3.2, 5.3.3.3, 5.3.3.4, 5.3.4 as follows:
 - 5.3.2 The Parties shall provide for the mutual and reciprocal recovery of the cost for the network facilities utilized in transporting and terminating Local Traffic on each other's network.
 - 5.3.3 The Parties agree that charges for transport and termination of Local Traffic on their respective networks are as set-forth in Exhibit A to this Attachment.
 - 5.3.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with Call Transport and Termination of ISP-bound Traffic.
 - 5.3.5 The appropriate elemental rates set-forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Section 5.3.20 below.
- 5. The Parties hereby agree to delete Sections 5.3.10 and 5.3.11, as amended on April 18, 2002, of Attachment 3 and replaces with new Sections 5.3.10 and 5.3.11 as follows:
 - 5.3.10 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Services. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or

termination of the call, shall not be considered Local Traffic or ISP-bound Traffic. If the BellSouth end user chooses ISN Communications as their presubscribed interexchange carrier, or if the BellSouth end user uses ISN Communications as an interexchange carrier on a 101XXXX basis, BellSouth will charge ISN Communications the appropriate BellSouth tariff charges for originating switched access services. Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for the purposes of determining compensation for the call.

- 5.3.11 If ISN Communications assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to ISN Communications end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to an ISN Communications customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, ISN Communications agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to ISN Communications at BellSouth's switched access tariff rates.
- 5.3.11.1 If ISN Communications does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole ISN Communications NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if ISN Communications can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.
- 6. The Parties hereby agree to delete Sections 4.2, 6.4.3 and 7.1 in Attachment 4 as amended on 4/18/2002 and replace them with new Sections below:
- 4.2 Occupancy. BellSouth will notify ISN Communications in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). ISN Communications will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying ISN Communications that the Collocation Space is ready for occupancy. BellSouth will correct any deviations to ISN Communications's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If ISN Communications has met the fifteen (15) calendar day interval(s), billing will begin upon the date of ISN Communications's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that ISN

Communications fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by ISN Communications on the Space Ready Date and billing will commence from that date. If ISN Communications decides to occupy the space prior to the Space Ready Date, the date ISN Communications occupies the space becomes the new Space Acceptance Date and billing begins from that date. ISN Communications must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, ISN Communications's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provisioning.

- 6.4.3 Acceptance Walkthrough. ISN Communications will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying ISN Communications that the Collocation Space is ready for occupancy. In the event that ISN Communications fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by ISN Communications on the Space Ready Date. BellSouth will correct any deviations to ISN Communications's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.1 Recurring Charges. If ISN Communications has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that ISN Communications fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If ISN Communications occupies the space prior to the Space Ready Date, the date ISN Communications occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 7. The Parties hereby agree to delete Section 21, and 21.1 of General Terms and Conditions and add new Sections 17 and 17.1 in Attachment 4 as follows:
 - 17. Insurance Requirements
 - 17.1 At all times during the term of this Agreement, each Party shall maintain, at its own expense, (i) all insurance required by applicable Law including insurance and approved self insurance for statutory workers compensation coverage and (ii) commercial general liability coverage in the amount of not less than ten million dollars (\$10,000,000) or a combination of commercial general liability and excess/umbrella coverage totaling ten

million dollars (\$10,000,000). Upon request from the other Party, each Party shall furnish the other Party with certificates of insurance which evidence the minimum levels of insurance set forth herein. Each Party may satisfy all or part of the coverage specified herein through self-insurance. Each Party shall give the other Party at least thirty (30) days advance written notice of any cancellation or non-renewal of insurance required by this Section.

- 8. Attachment 6, Section 1.1.7 hereby deleted in its entirety and replaced with a new Section 1.1.7 as follows:
 - 1.1.7 Deposit Policy. When purchasing services from BellSouth, ISN Communications will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in its sole discretion, some other form of security. Such security deposit shall be required prior to inauguration of service. Security deposits collected under this Section shall not exceed two months' estimated billing. The fact that a security deposit has been made in no way relieves ISN Communications from complying with BellSouth's regulations as to advanced payments. Any such security deposit shall in no way release ISN Communications from its obligation to make compete and timely payments of its bills. If in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in ISN Communications's "accounts receivables and proceeds". In the event ISN Communications fails to remit to BellSouth any deposit requested pursuant to this Section, service to ISN Communications may be terminated in accordance with the terms of Section 1.8 of this Attachment, and any security deposit will be applied to ISN Communications's account(s). In the event service to ISN Communications is terminated due to ISN Communications's default on its account, any security deposits held will be applied to ISN Communications's account. Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.
- 9. Attachment 8 will be deleted in its entirety and replaced with a new Attachment 8 attached hereto as Exhibit 2.
- 10. The Parties hereby agree to delete in entirety Attachment 13.

- 11. The Parties hereby agree to delete in entirety and replace the Florida rates contained in Exhibit D of Attachment 1, Exhibit A of Attachment 2, Exhibit A of Attachment 3, and Exhibit A of Attachment 7 with the rates in Exhibit 3 of this Agreement, as ordered in Florida Docket 990649-TP, issued October 18, 2001 and the September 27, 2002 120 Day UNE Order.
- 12. In the event that ISN Communications consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of ISN Communications under this Agreement.
- 13. The term of this Agreement shall be from the effective date as set forth above and shall expire as set forth in Section 2.1 of the AT&T Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to Section 2.1 of the AT&T Interconnection Agreement, the effective date shall be October 26, 2001.
- 14. ISN Communications shall accept and incorporate any amendments to the AT&T Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.
- 15. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

e-mail: jlieberman@onisn.net

Interactive Services Network, Inc d/b/a ISN Communications

Jonathan Lieberman 4770 Biscayne Blvd Suite 880 Miami, FL 33137 (305) 573 - 5300

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

| BellSouth Telecommunications, Inc. | Interactive Services Network |
|--|------------------------------|
| | d/b/a ISN Communications |
| la heroico | Jonno Fila |
| Signature | Signature 0 |
| Elizabeth R. A. Shiroishi | Josephen Liebernen |
| Name | Name |
| Assistant Director, Interconnection Services | President |
| Title | Title |
| 1/23/0> | 1/17/03 |
| Date / | Date |

Page 9

EXHIBIT 1

| RESALE DI | SCOUNTS AND RATES - Florida | | | | | | | | | | | | Attachi | ment: 1 | Exhib | bit: C |
|--------------|--|-------|------|-----|--|---------------|------------|-----------|--------------|------------|--|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | İ | | | 1 | ļ | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | 1 | İ | | | | | Elec | Manualiv | Manual Svc | | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Inten | Zone | BCS | USOC | i | | RATES(\$) | | | perLSR | | Order vs | Order vs | Order vs | Order vs. |
| | | m | | | 1 | 1 | | | | | | , | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | 1 | 1 | Nonrec | | Nonrecurring | Disconnact | | | 000 | Rates(\$) | | 1 |
| | | · | - | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | + + | | | | First | Auu | FIISL | Addi | SOMEC | JUMAN | SOMAN | SUMAN | JOWAN | JOMAN |
| APPLICABLE | DISCOUNTS | | | | | | | | | | | | | | | |
| | Residence % | | | | | 21.83 | | | | | · · · · · - | | | | | |
| | Business % | | | | | 16.81 | | | | | 1 | | | | | |
| | CSAs % | | | | | 16 81 | | | | | | | | | | |
| OPERATIONA | L SUPPORT SYSTEMS (OSS) RATES | | 1 | | | | | | | | | | | | | |
| | Electronic LSR | | 1 | | SOMEC | | 3 50 | 3 50 | 3,50 | 3 50 | | | | | | |
| | Manual LSR | | | | SOMAN | | 19 99 | 19.99 | | 19 99 | | | | - | | |
| SELECTIVE C | ALL ROUTING USING LINE CLASS CODES (SCR-LCC) | | 1 | | | 1 | | | | | | | | | | |
| SEELO IIVE O | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | Switch | | 1 1 | | 1 | 1 | 93.55 | 93.55 | 11.46 | 11.46 | | | | | | 1 |
| DIRECTORY A | ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFT | WARE | | 1 | | | | | | | | | | | |
| | Recording of DA Custom Branded Announcement | | | | 1 | | 3,000 00 | 3,000 00 | | | | | | | | |
| | Loading of DA Custom Branded Anouncement per Switch per | | | | 1 | | | | | | | | | | | |
| | OCN | 1 | 1 1 | | | | 1,170 00 | 1,170 00 | | | | | | | | l |
| DIRECTORY A | ASSISTANCE UNBRANDING via OLNS SOFTWARE | | | | | | | | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | i | | 420 00 | 420.00 | | | | | | | | |
| i | Loading of DA per Switch per OCN | | 1 | | 1 | | 16 00 | 16 00 | | | | | | | | |
| OPERATOR A | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS | SOFTV | VARE | | | | | | | | | | - | | | |
| | Recording of Custom Branded OA Announcement | | | • | | | 7,000 00 | 7,000 00 | | | | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| | per OCN | 1 | | | J | <u> </u> | 500.00 | 500 00 | | | | | | | | |
| | Loading of OA Custom Branded Announcement per Switch per | · | | | | | | | | | | | | ľ | | |
| | OCN | 1 | 1 1 | | | | 1,170 00 | 1,170 00 | | | l | | | | | |
| OPERATOR A | SSISTANCE UNBRANDING via OLNS SOFTWARE | T | | | | | | | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200 00 | 1,200 00 | | | l | | | | | |
| ODUF/EODUF | | | | | | | | | | | | | | | | |
| OPTIC | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF Recording, per message | | | | | 1 | 0 0000071 | | | | | | | | | |
| | ODUF Message Processing, per message | | | | 1 | | 0.002146 | | | | | | | | | |
| | ODUF, Message Processing, per Magnetic Tape provisioned | | | | | | 35 91 | | | | | | | | | |
| İ | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | | 0 00010375 | | | | | | | | | |
| ENHA | NCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | |
| | EODUF Message Processing, per message | | | | | | 0 080698 | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: B |
|-------------|--|--------------|--|------------------------|----------------|-----------------|----------------|-----------------|-----------------|-----------------|-------------|----------------|-----------------|----------------|---------------|--------------|
| | | | 1 | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | 1 | | | | | | | Submitted | | Charge - | Charge - | Charge |
| | | | Ī | | | ŀ | | | | | Elec | | Manual Svc | Manual Svc | | Manual S |
| ATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | per LSR | | Order vs | Order vs. | Order vs | Order v |
| | | m | | | 1 | • | | | | | por more | por Lorr | Electronic- | Electronic- | Electronic- | Electron |
| | | | | | l | | | | | | | | 1st | Add'i | Disc 1st | Disc Add |
| | | | : | | | | | | | | | | , | | Disc 1st | Disc Aut |
| | | | | | | Rec | | curring | Nonrecumng | | | | | Rates (\$) | | |
| | | | 1 | | | | First | Add'l | First | Add*I | | SOMAN | | SOMAN | | SOMAN |
| | Zone" shown in the sections for stand-alone loops or loops as | | | | ographically | y Deaveraged U | NE Zones. To | view Geograp | hically Deavera | ged UNE Zone | Designation | ns by Centi | al Office, refe | er to Internet | Website: | |
| | www.interconnection.bellsouth.com/become_a_clec/html/inter | connec | tion.ht | m | | T | | | | | | | | | | |
| | L SUPPORT SYSTEMS | 1 | 42 - 4 24 | it | | | | | 4h - Ct-t- C- | T | | | | | | |
| | : (1) Electronic Service Order: CLEC should contact its contract | | | | | | | | | | | | | | | is rate |
| | it is the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | U. Faa |
| | (2) Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | elements that cannot be ordered electronically at present per t ng charge, SOMAN, will be applied to a CLECs bill when it sub | | | | in this cate | gory renects th | e charge that | would be billed | to a CLEC on | ce electronic c | raering cap | adilities coi | ne on-me ro | r tnat elemen | i. Otherwise, | tne manu |
| orden | Manual Service Order Charge, per LSR, Disconnect Only (FL) | Jings at | Lakt | | SOMAN | | | | 1 83 | | | | | | 1 | 1 |
| | Electronic OSS Charge, per LSR, submitted via BSTs OSS | | | | CONMIN | | | | , 63 | | | | | <u> </u> | | - |
| | interactive interfaces (Regional) | 1 | | | SOMEC | | 3.50 | | | | | | | | 1 | l |
| NE SERVICE | DATE ADVANCEMENT CHARGE | | | | | | 5.00 | | | | | | | | | |
| | : The Expedite charge will be maintained commensurate with | BellSou | th's F0 | C No.1 Tariff, Section | n 5 as appli | cable. | | | | | | | | l | | |
| ——— | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | ALL UNE EXCEPT | | | | | | | | | | i | | |
| | Day | 1 | <u> </u> | UNE-P | SDASP | | 200 00 | | | | | | | 1 | <u> </u> | L |
| | EXCHANGE ACCESS LOOP | I | | | | | | | | | | | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10 69 | 49 57 | 22 83 | 25 62 | 6 57 | | 11 90 | | <u> </u> | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 15.20 | 49 57 | 22.83 | 25.62 | 6 57 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.97 | 49 57 | 22 83 | 25.62 | 6 57 | | 11.90 | | | | |
| l l | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | · | | | | | | | | | 1 | | |
| . | Premise | | 1 | UEANL UEANL | URETL | | 8.33 | 0.83 | | | | 11 90 11 90 | | | | |
| | Loop Testing - Basic 1st Half Hour | | - | | URET1 URETA | | 48 65 23 95 | | | | ļ | 11 90 | | | | |
| | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch | | 1 | UEANL | UREIA | | 23 95 | | | | | 1190 | | | | |
| 1 | (UVL-SL1) | | | UEANL | UREWO | | 15 78 | 8 94 | | | | 11 90 | | | | |
| | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | | OLANE | UNLAVO | | 13 70 | 0.54 | | | | 11 50 | | | | |
| | providing make-up (Engineering Information - E I.) | | | UEANL | UEANM | 1 | 13 49 | | | | | | | | | |
| | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9 00 | | | | | | | <u> </u> | | |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | | i | | | | | | | | | | | | | |
| | (per LSR) | | l | UEANL | OCOSL | | 23.02 | | | | | | | | | 1 |
| 2-WIR | E Unbundled COPPER LOOP | | | | | | | | | | | | | | | 1 |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | 1 | 1 | UEQ | UEQ2X | 7 69 | 44 98 | 20 90 | 19.65 | 5 09 | | 11 90 | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | 1 | | UEQ | UEQ2X | 10.92 | 44.98 | 20.90 | 19 65 | 5.09 | | 11 90 | | | | L |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | 1 | 3 | UEQ | UEQ2X | 19 38 | 44.98 | 20.90 | 19 65 | 5.09 | | 11.90 | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | l | | | | | | | | | | | | |
| | Premise | <u> </u> | L | UEQ | URETL | | 8 33 | 0 83 | | | | 11 90 | | | <u> </u> | <u> </u> |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non- | l | | | | | | | | | , | | | | | 1 |
| | Designed (per loop) | ⊢— | | UEQ | USBMC | | 9.00 | | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Cooper Loop, billing for | | | UEQ | UEQMU | | 13 49 | | | | | 11 90 | | | | 1 |
| | BST providing make-up (Engineering Information - E I) Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | - | 48.65 | | | | | 11 90 | | - | | |
| | Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour | - | - | UEQ | URETA | | 23 95 | | | | | 11 90 | | - | - | - |
| | CLEC to CLEC Conversion Charge Without Outside Dispatch | | - | out. | JALIA | | 20 90 | | | | | 11 50 | | ļ | | |
| | (UCL-ND) | ŀ | | UEQ | UREWO | | 14.27 | 7.43 | | | | 11 90 | | | 1 | |
| NBUNDLED | EXCHANGE ACCESS LOOP | | 1 | | | | | | | | | | | | 1 | |
| | E ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | l | | | | | | | | | · | | | | T |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 10.69 | 49 57 | 22.83 | 25.62 | 6 57 | | 11 90 | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | 1 |
| | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 10 69 | 49 57 | 22.83 | 25.62 | 6.57 | | 11 90 | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 2 | L | 2 | UEPSR UEPSB | UEALS | 15 20 | 49 57 | 22.83 | 25.62 | 6.57 | | 11 90 | | | | ļ |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | ŀ | _ | HEDOD HEDOD | LICADO | | | | 25.25 | 2.5- | | | | | | l |
| | Zone 2 | ļ | 2 | UEPSR UEPSB | UEABS | 15.20 | 49.57 | 22 83 | 25 62 | 6 57 | | 11 90 | | | | <u> </u> |
| 1 | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | l | 3 | UEPSR UEPSB | UEALS | 26 97 | 49 57 | 22 83 | 25 62 | 6 57 | | 11 90 | | | 1 | 1 |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | · | OLFOR OEFOB | OEMLO . | 20 9/ | 49 37 | 22 03 | 20 02 | 0 3/ | | (190 | | | ļ | \vdash |
| | 12 YEAR ALGOOD VOICE CHARE LOOD-SERVICE LEVEL I*LINE SOUTHING* | 1 | 3 | UEPSR UEPSB | UEABS | 26 97 | 49,57 | 22 83 | 25 62 | 6 57 | | i i | | i | 1 | i |

Version 4Q02. 12/18/02 Page 1 of 52

| MEGNATED | NETWORK ELEMENTS - Florida | | | | | | | | | | 1 | 1- | | ment: 2 | | bit: B |
|---------------|--|-------------|----------|-----|-------------|-------|--------|-----------------|--|---------------------|--|---|--|---|---|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'i | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order v Electror Disc Ad |
| | | | | | ļ | Rec | Nonrec | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) | SOMAN | SOMA |
| IDIINDI ED EV | CHANGE ACCESS LOOP | | | | | | First | Addi | FITST | Addi | SUMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMA |
| | ANALOG VOICE GRADE LOOP | | | | | | | | | | - | | | | | |
| | -Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | + | | | | | | - | | | | | |
| G | Fround Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 12 24 | 135.75 | 82 47 | 63 53 | 12.01 | | 11 90 | | | | |
| l G | -Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 17 40 | 135 75 | 82 47 | 63 53 | 12 01 | | 11 90 | | | | |
| | -Wire Analog Voice Grade Loop - Service Level 2 w/Loop or ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 30 87 | 135 75 | 82 47 | 63 53 | 12 01 | | 11 90 | | | | |
| | order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UEA | OCOSL | | 23 02 | | 1 | | | 11.00 | | | - | |
| | -Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | 027 | 100002 | | 20 02 | | | | | | | | | |
| Ba | attery Signaling - Zone 1 -Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 1 | UEA | UEAR2 | 12 24 | 135 75 | 82 47 | 63 53 | 12 01 | | 11 90 | | | | |
| Ba | attery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 17 40 | 135 75 | 82 47 | 63 53 | 12 01 | | 11 90 | | | | |
| | -Wire Analog Voice Grade Loop - Service Level 2 w/Reverse lattery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 30 87 | 135 75 | 82 47 | 63 53 | 12 01 | | 11 90 | | | | |
| | order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | * | 1 11 | 1 2 1 | | | | | | |
| | LEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87 71 | 36 35 | | | i - | 11 90 | | - | | |
| Lo | oop Tagging - Service Level 2 (SL2) | | | UEA | URETL | | 10 45 | 1 03 | | | | 11 90 | | | | |
| 4-WIRE A | ANALOG VOICE GRADE LOOP | | | | 1-1, | | | | 1 | | | | | | | |
| | -Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 18 89 | 167.86 | 115,15 | 67.08 | 15 56 | | 11 90 | | | | |
| | -Wire Analog Voice Grade Loop - Zone 2 | | | UEA | UEAL4 | 26 84 | 167.86 | 115.15 | | 15.56 | | 11 90 | | | | |
| | -Wire Analog Voice Grade Loop - Zone 3 | | | UEA | UEAL4 | 47 62 | 167.86 | 115 15 | 67 08 | 15.56 | † - · - · - | 11 90 | | | | |
| | order Coordination for Specified Conversion Time (per LSR) | | <u></u> | UEA | OCOSL | | 23 02 | | | | | | | | | |
| | LEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87 71 | 36 35 | | | | 11 90 | | | | |
| | SDN DIGITAL GRADE LOOP | | | - | 10.1.2.7.0 | | | | | | | - 1.00 | | | | |
| | -Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 19 28 | 147 69 | 94 41 | 62.23 | 10 71 | | 11 90 | | | | |
| | -Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 27,40 | 147 69 | 94.41 | 62 23 | 10 71 | · · · · · · · · · · · · · · · · · · · | 11 90 | | | | |
| | -Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 48 62 | 147 69 | 94 41 | 62 23 | 10 71 | · | 11 90 | | | | |
| | order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | T i | 23 02 | | 1 | | · · · · · · · · · · · · · · · · · · · | | | : | - | |
| | LEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91 61 | 44 15 | j | | | 11 90 | | | | |
| | Iniversal Digital Channel (UDC) COMPATIBLE LOOP | | | | | | | | | | | | | | | |
| | -Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 1 | UDC | UDC2X | 19 28 | 147 69 | 94.41 | 62.23 | 10 71 | | 11 90 | | | | |
| 2- | -Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | 1 | | | | | | | |
| 2- | -Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | 2 | UDC | UDC2X | 27.40 | 147 69 | 94 41 | 62 23 | 10,71 | | 11 90 | | | | |
| 3 | | | 3 | UDC | UDC2X | 48 62 | 147 69 | 94 41 | 62 23 | 10 71 | | 11 90 | | | | |
| Cl | LEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91 61 | 44 15 | | | | 11 90 | | | | |
| | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOP | | | | | | | | | | | | | |
| | Wire Unbundled ADSL Loop including manual service inquiry facility reservation - Zone 1 | | 1 | UAL | UAL2X | 8 30 | 149 53 | 103 85 | 75 05 | 15 63 | | 11 90 | | | | |
| | Wire Unbundled ADSL Loop including manual service inquiry facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11 80 | 149 53 | 103 85 | 75 05 | 15 63 | | 11 90 | | | | |
| 2 ' | Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | facility reservation - Zone 3 | | 3 | UAL | UAL2X | 20 94 | 149 53 | 103.85 | 75.05 | 15 63 | | 11 90 | | | | |
| | rder Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 23 02 | | | | | | | | | |
| fa | Wire Unbundled ADSL Loop without manual service inquiry & licitity reservation - Zone 1 | | 1 | UAL | UAL2W | 8.30 | 124 83 | 71.12 | 60.64 | 9 12 | | 11 90 | | | | |
| | Wire Unbundled ADSL Loop without manual service inquiry & icility reservator - Zone 2 | | 2 | UAL | UAL2W | 11 80 | 124 83 | 71 12 | 60 64 | 9 12 | | 11 90 | | | | |
| 2 ' | Wire Unbundled ADSL Loop without manual service inquiry & icility reservation - Zone 3 | | 3 | UAL | UAL2W | 20.94 | 124 83 | 71 12 | 60 64 | 9.12 | | 11 90 | | | | |
| | icility reservation - Zone 3 inder Coordination for Specified Conversion Time (per LSR) | | 3 | UAL | OCOSL OCOSL | 20.94 | 23 02 | / 1 12 | 60 64 | 9.12 | | 11 90 | | | | |
| | LEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86 19 | 40 39 | ļ | | | 11.90 | | | | <u> </u> |
| | IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIDI E I | OOR | UNL | UNEWU | | 00 19 | 40 39 | ļ | | | 11.90 | | - | | |
| | | HOLE L | .002 | | 1 1 | | | | ļ | | | | | | | |
| 8 | Wire Unbundled HDSL Loop including manual service inquiry facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7 22 | 159.09 | 113 41 | 75 05 | 15 63 | | 11.90 | | | | |
| | Wire Unbundled HDSL Loop including manual service inquiry facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10 26 | 159 09 | 113.41 | 75 05 | 15 63 | | 11.90 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | _ | , | , | | ment: 2 | | bit: B |
|--|--|------------|--|-------|-----------|----------|-----------------|------------|--------------|-------|--|-----------|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Inten m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | - | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 18 21 | 159 09 | 113,41 | 75 05 | 15 63 | | 11 90 | | | | 1 |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 10 21 | 23 02 | 113.41 | 73 03 | 15 63 | | 11:50 | | 1 | | 1 |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | OTIL | OCOGE | | 20 02 | | | | † | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 7 22 | 134 40 | 80 69 | 60 64 | 9 12 | | 11 90 | | | ŀ | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | - | 0.12 | | | 10 : 10 | | | | | | | | | |
| 1 1 | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10 26 | 134 40 | 80 69 | 60.64 | 9 12 | | 11.90 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| 1 1 | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 18 21 | 134.40 | 80.69 | 60 64 | 9.12 | | 11 90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23 02 | | | | | l . | | [| | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86 12 | 40.39 | | | | 11.90 | | | | |
| 4-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | 1 | l | 1 | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 10 86 | 193 31 | 138 98 | 77 15 | 12.61 | | 11 90 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | _ | 1 | | | | | | | | | | l | ł | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15 44 | 193.31 | 138.98 | 77 15 | 12.61 | | 11 90 | | | | |
| 1 1 | 4-Wire Unbundled HDSL Loop including manual service inquiry | | ١. | 1 | | | | 400.00 | | 40.04 | | 44.00 | | | | |
| <u> </u> | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27 39 | 193 31 | 138.98 | 77 15 | 12.61 | | 11,90 | | | | <u> </u> |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | 1 |
| 1 1 | 4-Wire Unbundled HDSL Loop without manual service inquiry | | ١., | l | 1111 4144 | 10.00 | 460.60 | 115 47 | 62.74 | 11 22 | | 11 90 | İ | | [| |
| \vdash | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 10 86 | 168 62 | 115.47 | 62 74 | 11 22 | | 11 90 | | | ļ | - |
| 1 | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15 44 | 168 62 | 115 47 | 62 74 | 11.22 | | 11 90 | | l | ŀ | |
| | | | 4 | UHL | UHL4VV | 15 44 | 100 02 | 115 47 | 62 /4 | 11.22 | 1 | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 27 39 | 168 62 | 115 47 | 62 74 | 11 22 | | 11 90 | | 1 | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | - ا | UHL | OCOSL | 21 39 | 23 02 | 11541 | 02 74 | 1122 | | 11 30 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | ├─- | UHL | UREWO | | 86.12 | 40 39 | | | <u> </u> | 11 90 | i | | | |
| A-WIR | E DS1 DIGITAL LOOP | | | O I L | ONLINO | | 00.12 | 10 00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 70,74 | 313 75 | 181 48 | 61 22 | 13 53 | | 11 90 | | , | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 100 54 | 313 75 | 181 48 | 61 22 | 13 53 | | 11.90 | | | | |
| - | 4-Wire DS1 Digital Loop - Zone 3 | | | USL | USLXX | 178 39 | 313 75 | 181 48 | | 13 53 | | 11 90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23 02 | | | | | | | 1 | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | USL | UREWO | | 101.07 | 43 04 | | | 1 | 11 90 | | | | |
| 4-WIR | E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 4 Wire Unbundled Digital 19 2 Kbps | | | UDL | UDL19 | 22.20 | 161.56 | 108 85 | 67 08 | 15 56 | | 11 90 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 31.56 | 161 56 | 108 85 | | 15 56 | | 11 90 | | | | |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 55 99 | 161 56 | 108 85 | 67 08 | 15 56 | | 11 90 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 22 20 | 161.56 | 108 85 | 67 08 | 15 56 | | 11 90 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | | UDL | UDL56 | 31 56 | 161 56 | 108 85 | | 15 56 | | 11 90 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 55.99 | 161.56 | 108 85 | 67.08 | 15 56 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UDL | OCOSL | | 23 02 | | | | | | | | | |
| <u> </u> | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL | UDL64 | 22.20 | 161.56 | 108 85 | | 15 56 | | 11.90 | | | | |
| <u> </u> | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 31.56 | 161 56 | 108 85 | | 15 56 | | 11.90 | | ļ | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 55 99 | 161 56 | 108 85 | 67 08 | 15 56 | | 11 90 | | | l | |
| | Order Coordination for Specified Conversion Time (per LSR) | | - | UDL | OCOSL | <u> </u> | 23 02 102 11 | 49 74 | | | + | 11.90 | | ļ | <u> </u> | |
| | CLEC to CLEC Conversion Charge without outside dispatch E Unbundled COPPER LOOP | | | UDL | UKEWU | | 102 11 | 49 /4 | | - | - | 11.90 | | ļ | - | |
| Z-WIR | 2-Wire Unbundled Copper Loop/Short including manual service | | ┼── | | 1 | | | | | | | - | | | - | |
| 1 | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 8 30 | 148 50 | 102 82 | 75 05 | 15 63 | | 11 90 | | | Ì | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | - '- - | JUL | COLFB | 0.30 | 140 00 | 102 02 | 73.03 | 10 00 | | 11.30 | | | | |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 11 80 | 148 50 | 102 82 | 75 05 | 15 63 | - | 11.90 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | - | | - JOSEP D | 71 00 | 140 00 | 102.02 | 70 00 | | | 1 | · · · | | | |
| ! | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 20 94 | 148 50 | 102 82 | 75 05 | 15 63 | 1 | 11.90 | 1 | 1 | ł | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | † <u> </u> | UCŁ | UCLMC | | 9.00 | 9 00 | | | | | | l | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | 1 | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 8 30 | 123 81 | 70 09 | 60 64 | 9 12 | | 11 90. | } | f | | - |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | 1 | | | | |
| 1 1 | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCLPW | 11 80 | 123 81 | 70 09 | 60.64 | 9.12 | | 11.90 | | 1 | 1 | 1 |

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | nent: 2 | Exhil | bit: B |
|------------|---|--------------|----------|--|--|-------|--------|------------|--------------|-------|---|-------|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | ļ | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
|] | 2-Wire Unbundled Copper Loop/Short without manual service | | _ | ĺ <u></u> . | l | 1 | | | | | j | | ŀ | | | 1 |
| | inquiry and facility reservation - Zone 3 | ļ | 3 | UCL | UCLPW | 20 94 | 123 81 | 70 09 | 60 64 | 9 12 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | <u> </u> | ļ | UCL | UCLMC | | 9 00 | 9 00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc | | ١. | | | 47.40 | 440.50 | 400.00 | 75.05 | 45.50 | 1 | 44.00 | ĺ . | | l | 1 |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 17 42 | 148 50 | 102 82 | 75.05 | 15 63 | | 11 90 | | | · | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2 | • | 2 | UCL | UCL2L | 24 76 | 148 50 | 102 82 | 75 05 | 15 63 | ! | 11 90 | | | | l |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc | | 1- | 1002 | UCLZL | 24 10 | 140 50 | 102 02 | 73 03 | 10 00 | - | 11 50 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UÇLZL | 43 94 | 148 50 | 102 82 | 75 05 | 15 63 | | 11 90 | | | | ĺ |
| i | Order Coordination for Unbundled Copper Loops (per loop) | | " | UCL | UCLMC | | 9 00 | 9 00 | | 10 00 | | 11,00 | | | | (|
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | - | 1 | | | | ĺ | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 17 42 | 123 81 | 70 09 | 60 64 | 9 12 | | 11 90 | | | [| i |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | I | | | | - 1 | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 24.76 | 123 81 | 70 09 | 60 64 | 9 12 | | 11 90 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | 1 |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 43 94 | 123 81 | 70 09 | 60 64 | 9 12 | | 11 90 | | | 1 | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9 00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | | | i | | | | | | | | | | ł |
| | (UCL -Des) | | | UCL | UREWO | | 97 21 | 42 47 | | | | 11 90 | | | | |
| 4-WIR | E COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | ١. | l | | 44.00 | 477.07 | 100 70 | 77.45 | | | 44.00 | ļ. | | | l . |
| | and facility reservation - Zone 1 | - | 1 | UCL | UCL4S | 11 83 | 177 87 | 132 76 | 77 15 | 17 73 | | 11 90 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | 2 | UCL | UCL4S | 16 81 | 177 87 | 132 76 | 77.15 | 17 73 | | 11.90 | | | 1 : | i |
| | and facility reservation - Zone 2 4-Wire Copper Loop/Short - including manual service inquiry | | - | IOCE | DCL45 | 10.01 | 177 07 | 132 76 | 17.13 | 17 13 | | 11.90 | | | | |
| 1 1 | and facility reservation - Zone 3 | ļ | 3 | UCL | UCL4S | 29 82 | 177 87 | 132 76 | 77 15 | 17 73 |] | 11 90 | | | | į |
| | Order Coordination for Unbundled Copper Loops (per loop) | | ۲ | UCL | UCLMC | 20 02 | 9 00 | 9 00 | | 11 10 | | 1100 | | | | f |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | <u> </u> | i – | | 100000 | | | | | | | | | | | |
| | facility reservation - Zone 1 | l | 1 1 | UCL | UCL4W | 11 83 | 153 18 | 100.03 | 62 74 | 11 22 | | 11 90 | | ' | | ł |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| 1 | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 16 81 | 153 18 | 100.03 | 62 74 | 11 22 | | 11 90 | | | | ĺ |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | 1 | | | | | | | | | | | |
| i I | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 29 82 | 153 18 | 100.03 | 62 74 | 11.22 | | 11 90 | | | | <u> </u> |
| | Order Coordination for Unbundled Copper Loops (per loop) | | I | UCL | UCLMC | | 9 00 | 9 00 | | | | | | | | 1 |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc | | | | | | | | | | | | | | | ĺ |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 31 10 | 177 87 | 132 76 | 77 15 | 17.73 | <u> </u> | 11 90 | | | | ļ |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | l | _ ا | lua | luci i | | [| | | | | | | | [| l . |
| | inquiry and facility reservation - Zone 2 | <u> </u> | 2 | UCL | UCL4L | 44.20 | 177 87 | 132 76 | 77.15 | 17.73 | | 11.90 | | | | · |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | l | 3 | UCL | UCL4L | 78.42 | 177 87 | 132 76 | 77,15 | 17 73 | | 11.90 | | | | 1 |
| | Inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop) | | -3 | UCL | UCLMC | 10.42 | 9 00 1 | 9 00 | //.15 | 11/3 | | 11.90 | - | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc | | - | , , , , , , , , , , , , , , , , , , , | CCLIVIC | | 900 | 5 00 | | | | | | | | i |
| | inquiry and facility reservation - Zone 1 | l | 1 | UCL | UCL4O | 31.10 | 153 18 | 100 03 | 62 74 | 11 22 | | 11 90 | | | | l . |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | <u> </u> | | 1 | 01.10 | .00 10 | .00.00 | J 4 | 1122 | | ., 50 | | - | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL40 | 44 20 | 153 18 | 100.03 | 62.74 | 11.22 | | 11 90 | | | ! | 1 |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | 1 | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCL4O | 78 42 | 153 18 | 100 03 | 62.74 | 11.22 | | 11.90 | | | 1 | 1 |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9 00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UCL. | UREWO | | 97 21 | 42 47 | | | | 11 90 | | | L | |
| LOOP MODIF | ICATION | | | | | | | | | | | | | | | l |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULM2L | | 0 00 | 0 00 | | | | 11.90 | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft | | | UCL, ULS, UEQ | ULM2G | | 343 12 | 343 12 | | | | 11.90 | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | 1 | 1 | | | | | | | | | | | |
| i | less than or equal to 18K ft | l | ļ | UHL, UCL | ULM4L | | 0 00 | 0.00 | | | | 11 90 | | | 1 | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | , , | | | | | | In : | | | ment: 2 | | bit: B |
|-----------|---|-------------|----------|--|----------------|--------------|----------------|----------------|--|--------------|-------|-----------------------|---|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | SOMEC | SOMAN | OSS SOMAN | Rates (\$) | SOMAN | SOMAN |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | - | | + | | First | Add'I | First | Add'l | SOMEC | SUMAN | SUMAN | SOMAN | SOMAN | SUMAN |
| | pair greater than 18k ft | | | UCL | ULM4G | i | 343 12 | 343 12 | | | | 11.90 | į | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULMBT | | 10 52 | 10 52 | | | | 11 90 | | | | |
| SUB-LOOPS | | | | - | | | | | | | | | | | | |
| Sub- | Loop Distribution | | 1 | | | | | | - | | ļ | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | ı | | UEANL | USBSA | | 487 23 | | | | 1 | 11 90 | | | | |
| | - СБ | ` | | 1 | CODO | | 101 20 | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | | | UEANL | USBSB | | 6 25 | | | | | 11 90 | ļ | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | ı | | UEANL | USBSC | | 169 25 | | | | | 11 90 | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | ı | | UEANL | USBSD | | 38 65 | | | | | 11 90 | i | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN2 | 6.46 | 60 19 | 21.78 | 47.50 | 5 26 | | 11 90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | | | | | | | | | <u> </u> | | | | |
| | Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 2 | UEANL | USBN2 | 9 18 | 60 19 | 21.78 | 47.50 | 5 26 | | 11 90 | <u> </u> | | | |
| | Zone 3 | | 3 | UEANL | USBN2 | 16 29 | 60 19 | 21 78 | 47 50 | 5 26 | | 11.90 | | | | ļ |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9 00 | | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEANL | USBN4 | 7 37 | 68 83 | 30 42 | 49 71 | 6 60 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN4 | 10 47 | 68 83 | 30 42 | 49 71 | 6 60 | | 11 90 | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | 1 | | | | 49 71 | 6 60 | | 11.90 | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 18 58 | 68 83 | 30 42 | 49 71 | 5 50 | | 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9 00 | | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | | <u> </u> | UEANL | USBR2 | 3.96 | 51 84 | 13 44 | 47 50 | 5 26 | | 11 90 | | | | ļ |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9 00 | | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 9 37 | 55 91 | 17 51 | 49 71 | 6 60 | | 11.90 | | | | |
| | | | | l | | | | | | | 1 | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | 1 | 1 | UEANL UEF | USBMC UCS2X | 5 15 | 9 00 60 19 | 21 78 | 47 50 | 5 26 | | 11.90 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | | VEF | UCS2X | 7 31 | 60 19 | 21 78 | | 5 26 | | 11 90 | | | - | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | i | | UEF | UCS2X | 12 98 | 60 19 | 21 78 | 47 50 | 5 26 | | 11 90 | | | | 1 |
| | | | | | | | | | | | | | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | ļ., | UEF | USBMC | | 9 00 | | 40.74 | 0.00 | - | 44.00 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 2 | UEF | UCS4X UCS4X | 5 36 7 61 | 68 83 68 83 | 30.42 30.42 | 49.71 49.71 | 6 60 6 60 | | 11 90 11 90 | ļ | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | | UEF | UC\$4X | 13 51 | 68 83 | 30.42 | 49.71 | 6 60 | | 11 90 | | | | - |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | <u> </u> | Ĭ | UÉF | USBMC | | 9 00 | 00.74 | | 300 | | | | | | |
| Unbu | indled Sub-Loop Modification | | t — | | | | | | | | | | | | | |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 10 11 | | | | | 11 90 | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 10 11 | | | | | 11 90 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4⊤ | | 15 58 | | | | | 11 90 | | | | |
| Unbu | indled Network Terminating Wire (UNTW) | | \vdash | V. | CLIVET | | 10 00 | | | | | | | | | |
| | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0 4572 | 18 02 | | | | | 11.90 | | | | |
| Netw | ork Interface Device (NID) Network Interface Device (NID) - 1-2 lines | | + | UENTW | UND12 | | 71 49 | 48 87 | | | | 11 90 | | | | 1 |

| ONRONDE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachr | | | bit: B |
|--|--|--|--|-------------------------|----------------|----------------|------------------|----------------|----------------|----------------|---------------------------------------|-----------------------|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Inten m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | · · · · · | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | SOMAN | SOMAN |
| | No. of Live Co. Box of Olive | | 1 | UENTW | UND16 | | First 113 89 | Add'l 89 07 | First | Add'l | SUMEC | 11 90 | SOMAN | SOMAN | SUMAN | SUMAN |
| | Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W | | ļ | UENTW | UNDC2 | - | 7 63 | 7.63 | | | | 11.90 | | | | |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC4 | | 7 63 | 7 63 | | | | 11 90 | | | | |
| SUB-LOOPS | Hetrisia interiore before cross estimate 471 | | | 1 | | | | | | | | | | · | | |
| | oop Feeder | | 1 | | | | | | | | | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | 487 23 | | | | | 11.90 | | | | |
| 1 1 | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | 1 | 1 | UEA, UDN,UCL,UDL,UDC | USBFX | | 6 25 | 6 25 | | | | 11.90 | | | Ì | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | + | USL | USBFZ | | 522 41 | 11.32 | | | | 11 90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | - | | | | | | | | | | | | ļ |
| 1 1 | Grade - Zone 1 | | 1 | UEA | USBFA | 6 41 | 92 75 | 51 24 | 58 45 | 13 07 | | 11 90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| \vdash | Grade - Zone 2 | ļ | 2 | UEA | USBFA | 9.10 | 92.75 | 51 24 | 58 45 | 13 07 | | 11 90 | 1 | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFA | 16 15 | 92 75 23.02 | 51 24 | 58 45 | 13 07 | | 11 90 | | | | <u> </u> |
| | Order Coordination for Specified Conversion Time, per LSR Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | - | UEA | OCOSL | | 23.02 | | | | | | | | | ļ |
| | Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | 1 | UEA | USBFB | 6 41 | 92 75 | 51.24 | 58 45 | 13 07 | | 11.90 | | | | 1 |
| | Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | 2 | UEA | USBFB | 9 10 | 92 75 | 51 24 | 58 45 | 13 07 | | 11 90 | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFB | 16 15 | 92 75 23 02 | 51 24 | 58 45 | 13 07 | | 11 90 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | - | - | UEA | UCUSL | - | 23 02 | | | | | | | | | - |
| | Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | 1 | UEA | USBFC | 6 41 | 92 75 | 51 24 | 58 45 | 13 07 | | 11 90 | | | | 1 |
| | Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | 2 | UEA | USBFC | 9 10 | 92 75 | 51 24 | 58 45 | 13 07 | | 11 90 | | | | - |
| <u> </u> | Battery, Voice Grade - Zone 3 Order Coordination For Specified Conversion Time, per LSR | ļ | 3 | UEA UEA | USBFC | 16 15 | 92.75 23 02 | 51 24 | 58 45 | 13 07 | | 11 90 | | | | ļ |
| - - - - - - - - - - - | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | , SE (| 0000 | | | | - | | | | | | i · | |
| | Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | 1 | UEA | USBFD | 12 47 | 106 92 | 64 46 | 63.54 | 14 83 | | 11 90 | | | | ļ |
| | Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | 2 | UEA | USBFD | 17 73 | 106 92 | 64 46 | 63 54 | 14 83 | | 11 90 | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 31.45 | 106 92 | 64 46 | 63 54 | 14.83 | | 11 90 | | | | İ |
| | Order Coordination For Specified Conversion Time, Per LSR | | Ť | UEA | OCOSL | | 23 02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFE | 12.47 | 106 92 | 64 46 | 63 54 | 14 83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFE | 17.73 | 106 92 | 64 46 | 63 54 | 14 83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3 | | 3 | UEA | USBFE | 31 45 | 106 92 | 64 46 | 63 54 | 14 83 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | 1 | UDN | USBFF | 14 83 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | ļ |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | | | UDN UDN | USBFF USBFF | 21 07 37.39 | 109.71 109.71 | 66.68 66.68 | 60.21 60.21 | 12 49 12 49 | | 11 90 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 Order Coordination For Specified Conversion Time, Per LSR | | 3 | UDN | OCOSL | 31.39 | 23.02 | 00.00 | 00 21 | 12 49 | | 1.80 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 14 83 | 109.71 | 66.68 | 60.21 | 12.49 | - | 11.90 | | | | † |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 21 07 | 109 71 | 66.68 | 60 21 | 12 49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | | UDC | USBFS | 37 39 | 109.71 | 66.68 | 60.21 | 12 49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 42.59 | 133 77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| <u> </u> | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 60 53 | 133 77 133.77 | 78.02 78.02 | 85.16 85.16 | 21 21 | - | 11.90 | 1 | | - | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 107 39 | 23 02 | 78.02 | 85.16 | 21 21 | | 11.90 | | | 1 | - |
| | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | - | 1 | UCL | USBFH | 3 76 | 85 27 | 42 24 | 58.54 | 10 82 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | † | | 1 35 | | 30.21 | 27 | 55.54 | 02 | · · · · · · · · · · · · · · · · · · · | 1 | | | 1 | † |
| 1 1 | 2 | 1 | 2 | UÇL | USBFH | 5 35 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | i | ı | 1 | 1 |

| ONRONDL | ED NETWORK ELEMENTS - Florida | , | | | | | | | | | | | | ment: 2 | | bit: B |
|------------|---|--------------|--------------|----------------|----------------|--------------------|----------|------------|--------------|-------|--|-----------|---|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svo Order vs Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i |
| | | | L | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | Historia Charles Francisco Olive Conservation 7000 | | ├ ─ | | 1 | | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 3 | UCL | USBFH | 9 49 | 85 27 | 42 24 | 58.54 | 10 82 | | 11.90 | ĺ | } | | |
| | Order Coordination For Specified Conversion Time, per LSR | | - | UCL | OCOSL | 343 | 23.02 | 42 24 | 30.54 | 10 02 | | 11.50 | | | <u> </u> | · · · · · · · · · · · · · · · · · · · |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | 1 | 1 | UCL | USBFJ | 7 32 | 99 66 | 57 20 | 60.98 | 12 28 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | | UCL | USBFJ | 10 40 | 99 66 | 57 20 | 60 98 | 12 28 | | 11,90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | | UCL | USBFJ | 18 46 | 99.66 | 57 20 | | 12 28 | | 11 90 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23 02 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 14 48 | 100 62 | 58 16 | 63 54 | 14 83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop | | | UDL | USBFN | 20 59 | 100 62 | 58 16 | 63 54 | 14 83 | | 11 90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 36 53 | 100 62 | 58 16 | 63.54 | 14 83 | | 11.90 | | l | L | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| LL | Zone 1 | | 1 | UDL | USBFO | 14 48 | 100 62 | 58.16 | 63.54 | 14 83 | | 11.90 | ļ | | 1 | 1 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | 1 | ļ | | | | l . | | | 1 | l | | 1 |
| | Zone 2 | | 2 | UDL | USBFO | 20 59 | 100 62 | 58.16 | 63 54 | 14 83 | | 11 90 | ļ | ļ | ļ | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | 1 | l _ | l | | [| | | | | | | i | l | 1 | 1 |
| | Zone 3 | | _3 | UDL | USBFO | 36.53 | 100 62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | 1 | |
| | Order Coordination For Specified Time Conversion, per LSR | | ļ | UDL | OCOSL | | 23 02 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | ١ | | LIODED | 44.40 | 400.00 | FO 40 | 22.54 | 44.00 | | 44.00 | 1 | l | | |
| | Zone 1 | | 1 | UDL | USBFP | 14.48 | 100 62 | 58.16 | 63.54 | 14 83 | | 11.90 | | | | 1 |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 20.59 | 100.62 | 58 16 | 63.54 | 14 83 | | 11 90 | İ | | 1 | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | IODE | USBFF | 20.35 | 100.02 | 36 10 | 03.54 | 14 03 | | 11 50 | | | | İ |
| | Zone 3 | | 3 | UDL | USBFP | 36 53 | 100 62 | 58 16 | 63 54 | 14 83 |] | 11 90 | | l | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 1 | UDL | OCOSL | 50 55 | 23 02 | 30 10 | 03.54 | 17 00 | ļ. . | 1130 | - | • | | 1 |
| SUB-LOOPS | | | 1 | ODE | 100002 | | 2002 | | | | i | | | | | |
| | Loop Feeder | | † | | _ | | | | | | | | | | | - |
| 1,12 | Sub Loop Feeder - DS3 - Per Mile Per Month | 1 | 1 | UE3 | 1L5SL | 15 69 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | 1 | | UE3 | USBF1 | 347 59 | 3,402.59 | 407 15 | 166 83 | 94.58 | | 11 90 | | | | |
| | Sub Loop Feeder - STS-1 - Per Mile Per Month | 1 | | UDLSX | 1L5SL | 15 69 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | 1 | | UDLSX | U\$BF7 | 402.09 | 3,402 59 | 407 15 | 166 83 | 94 58 | | 11 90 | · · | | 1 | |
| | Sub Loop Feeder - OC-3 - Per Mile Per Month | 1 | | UDLO3 | 1L5SL | 11.90 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | | | UDLO3 | USBF5 | 62 98 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | 1 | | UDLO3 | USBF2 | 547 22 | 3,402 59 | 407.15 | 166 83 | 94.58 | | 11 90 | | | | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | | 1 | UDL12 | 1L5SL | 14 65 | | | | | | | | | | L |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | 1 | 1 | | 1 1 | | | | | | | | | | j | 1 |
| | Month | 1 | | UDL12 | USBF6 | 502 47 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | 1 ! | <u> </u> | UDL12 | USBF3 | 1,577 00 | 3,402 59 | 407 15 | 166 83 | 94 58 | | 11 90 | | | | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | 1 | ļ | UDL48 | 1L5SL | 48 06 | | | | | | | | | | 1 |
| 1 1 | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | ١. | l | | | | | | | | | | | | | |
| | Month P 4 P 4 P | | ļ | UDL48 | USBF9 USBF4 | 251 80 | 3,588 59 | 407 15 | 168 35 | 95.43 | | 11 90 | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month | 1 | ļ | UDL48 UDL48 | USBF4 USBF8 | 1,589 00 331 15 | 804 98 | 407 15 | 168.35 | 95.43 | | 11.90 | | 1 | 1 | 1 |
| I DECEMBER | Sub Loop Feeder - OC-12 Interface On OC-48 | 1 | | UDL48 | USBF6 | 331 15 | 004 90 | 407 15 | 100.33 | 95 43 | | 11.90 | | | | |
| UNBUNDLED | Unbundled Loop Concentration - System A (TR008) | | 1 | ULC | UCT8A | 449 49 | 359 42 | 359 42 | | | | 11.90 | | | - | |
| | Unbundled Loop Concentration - System 8 (TR008) | - | ├ | ULC | UCT8B | 53 44 | 149 76 | 149 76 | | | | 11.90 | | - | | |
| | Unbundled Loop Concentration - System A (TR303) | | 1 | ULC | UCT3A | 487.33 | 359 42 | 359 42 | | | | 11 90 | | | _ | |
| | Unbundled Loop Concentration - System B (TR303) | | 1 | ULC | UCT3B | 90 05 | 149.76 | 149 76 | | | | 11 90 | | | | 1 |
| | Unbundled L'oop Concentration - DS1 Loop Interface Card | | 1 | TULC | истсо | 5 04 | 71 70 | 51 52 | 18 49 | 4 82 | | 11 90 | | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |
| - | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | 1 | | 1 | | | | | | | | | | · · | |
| | Card) | | | UDN | ULCC1 | 8.00 | 16.59 | 16 50 | 677 | 6 73 | | 11 90 | 1 | | | |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | | 1 | | | | | | | | | 1 | į . | 1 |
| | Card) | | | UDC | ULCCU | 8.00 | 16 59 | 16 50 | 6 77 | 6 73 | L | 11 90 | L | | | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | | | | | | | | | | | | | |
| | Ground Start Loop Interface (POTS Card) | L | | UEA | ULCC2 | 2 00 | 16 59 | 16 50 | 6 77 | 6 73 | | 11 90 | | | <u> </u> | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | | | | | | | | | | | | | |
| | Loop Interface (SPOTS Card) | | <u> </u> | UEA | ULCCR | 11 90 | 16 59 | 16 50 | 6 77 | 6 73 | | 11 90 | | | 1 | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | 1 | 1 |] | | | | į į | | | 1 | 1 | 1 |
| | (Specials Card) | 1 | 1 | UEA | ULCC4 | 7.10 | 16 59 | 16 50 | 6 77 | 6 73 | 1 | 11 90 | | l | 1 | ì |

Version 4Q02 12/18/02 Page 7 of 52

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | , | , | , <u></u> . | | | | | | , | , | | ment: 2 | | bit: B |
|---------------|---|-------------|----------|-------------------------------------|----------------|--------|----------------|----------------|--------------|---------------|--|---|---|--|---|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | ļ | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | |
| | Link and land Land Consequences TEST CIDCUIT Cond | | - | ULC | UCTTC | 34.68 | First 16 59 | Add'I 16 50 | First 6 77 | Add'l 6 73 | | SOMAN 11 90 | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop | | | OLC | BUTTE | 34.58 | 10 59 | 16 50 | 677 | 6/3 | | 1190 | | | | |
| | Interface | | ŀ | UDL | ULCC7 | 10 51 | 16.59 | 16 50 | 677 | 673 | | 1190 | | | l | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | 1000 | OLOG/ | 10 31 | 10.00 | 10 00 | 1 | 9,7 | | 11.50 | | | · · · · · · · | |
| 1 1 | Interface | | | UDL | ULCC5 | 10 51 | 16.59 | 16.50 | 6 77 | 6 73 | | 11 90 | | | | |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | L | UDL | ULCC6 | 10 51 | 16 59 | 16.50 | 6 77 | 6.73 | | 11 90 | | | | |
| UNE OTHER, I | PROVISIONING ONLY - NO RATE | | ļ | | | | | | - | | | | | | | |
| \vdash | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0 00 | 0 00 | | - | | 1 | | | | ļ | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW UEANL, UEF, UEQ, U | UENCE | 0.00 | 0 00 | | - | | ļ | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0 00 | 0.00 | | | | | | | | | 1 |
| UNE OTHER. | PROVISIONING ONLY - NO RATE | | | | SITEOR | 0.00 | 0.00 | - | 1 | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | UNECN | 0 00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | | | | | | 1 | | | | | | | |
| | rate | | <u> </u> | UEA,UDN,UCL,UDC | USBFQ | 0 00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | ļ. | UEA.USL.UCL.UDL | USBFR | 0.00 | 0.00 | | 1 | | | | | | | 1 |
| ļ- ļ | rate Unbundled DS1 Loop - Superframe Format Option - no rate | | - | USL | CCOSF | 0.00 | 0.00 | | - | | | ļ | | | | |
| l | Unbundled DS1 Loop - Supername Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOSF | 0 00 | 0 00 | | | | 1 | | | | | - |
| | no rate | | | USL | CCOEF | 0.00 | 0 00 | | | | | | | | | |
| HIGH CAPACI | TY UNBUNDLED LOCAL LOOP | | | 1002 | 0002 | 5 55 | | | | | | | | † | | ļ |
| | minimum billing period of three months for DS3 and above Lo | cal Lo | ор | i | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| [| month | | 1 | UE3 | 1L5ND | 10.92 | | | | | | | | | | |
| 1 1 | High Capacity Unbundled Local Loop - DS3 - Facility | | 1 | ľ | | | | | 1 | | 1 | | | | | |
| | Termination per month | | <u> </u> | UE3 | UE3PX | 386 88 | 556 37 | 343 01 | 139 13 | 96 84 | | 11.90 | | · · · · · · · · · · · · · · · · · · · | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | 1 | UDLSX | 1L5ND | 10 92 | | | | | | | | | İ | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | - | UDLOX | TESIND | 10 92 | | | | | - | | | | | - |
| | Termination per month | | | UDLSX | UDLS1 | 426 60 | 556.37 | 343 01 | 139 13 | 96.84 | | 11 90 | | | 1 83 | l |
| LOOP MAKE-U | | - | † | ODLOX | 00001 | 420 00 | 000.01 | 0-0 01 | 100 10 | 30.04 | | 1100 | | | 100 | |
| 1 | Loop Makeup - Preordering Without Reservation, per working or | | | | | | | | | | | | | | | · |
| 1 | spare facility quened (Manual) | | | UMK | UMKLW | | 52 17 | 52 17 | 1 | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | ĺ. | | | | | | | | | | | | |
| | queried (Manual) | | | UMK | UMKLP | | 55 07 | 55 07 | | | | | | | | |
| | Loop Makeup-With or Without Reservation, per working or | | | | | | | 0.0704 | | | | | | | | |
| LUCU EDECUE | spare facility quened (Mechanized) ENCY SPECTRUM | | ļ | UMK | PSUMK | | 0 6784 | 0.6784 | | | | | | | | |
| HIGH FREQUE | ENCY SPECTRUM SHARING | | | | | | | | | | | | | ļ | | |
| SPLIT | TERS-CENTRAL OFFICE BASED | | | | - | | | | | | - | | | | | |
| OF EII | Line Sharing Splitter, per System 96 Line Capacity - True up | | | | | | | | | | | | | | | - |
| | pending approval by PSC | R | | ULS | ULSDA | 119.72 | 379 13 | 0.00 | 347 90 | 0 00 | | 11 90 | | l | | 1 |
| | Line Sharing Splitter, per System 24 Line Capacity - True up | | | | | | | | 1 | | | | | 1 | | |
| | pending approval by PSC | R | L | ULS | ULSDB | 29.93 | 379.13 | 0 00 | 347 90 | 0 00 | | 11 90 | | | | |
| | Line Sharing Splitter, Per System, 8 Line Capacity | | L | ULS | ULSD8 | 8 33 | 379 13 | 0 00 | 347.90 | 0 00 | | 11.90 | | | | |
| | Line Sharing DLEC Owned Splitter in CO-CFA activation- | | | l | | | . _ | | | | | | | | | |
| | deactivation (per LSOD) | COPE | TDI INC | ULS | ULSDG | | 173 66 | 0.00 | 97 42 | 0 00 | | 11 90 | | | | |
| END U | SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY Line Shanng - per Line Activation -(BST Owned Splitter) | SPEC | | ULS | ULSDC | 0 61 | 29.68 | 21 28 | 19 57 | 9 61 | | 11 90 | | - | | |
| \vdash | Line Sharing - per Line Activation -(BST Owned Splitter) | | | ULO | OLODO | 061 | 29.08 | 2128 | 195/ | 9 51 | <u> </u> | 1190 | | - | | |
| | Line Shanng' - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(BST Owned Splitter) | R | | ULS | ULSDS | | 21 68 | 16.44 | | | | 11.90 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(DLEC Owned Splitter) | R | | ULS | ULSCS ULSCC | | 21 68 47,44 | 16 44 19 31 | 20 67 | 12.74 | | 11.90 11.90 | | | | |
| l L | Line Sharing - per Line Activation (DLEC owned Splitter) | | | | | 0 61 | | | | | | | | | | |

Version 4Q02 12/18/02 Page 8 of 52 20 of 69

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | , | | | | | | | | | Attachr | | | bit: B |
|-----------|--|--|--------------|--------------------|--------------|---------------|--------|------------|--------------|-------|-------------------|-----------|--|---|----------|--|
| CATEGORY | RATE ELEMENTS | Inten m | Zоле | BCS | usoc | | | RATES (\$) | | | Submitted Elec | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | ــــــ | | ļ | Rec | Nonrec | | Nonrecurring | | 601150 | CONAN | | Rates (\$) | SOMAN | SOMAN |
| | | | 1 | | - | | Fırst | Add'l | First | Add'l | SOMEC | SUMAN | SOMAN | SOMAN | SUMAN | SOMAN |
| | SPLITTING USER ORDERING-CENTRAL OFFICE BASED | | 1- | | ļ | | | | | | | | | | | |
| END | Line Splitting - per line activation DLEC owned splitter | - | - | UEPSR UEPSB | UREOS | 0 61 | | | | | | | | | | |
| | Line Splitting - per line activation BST owned - physical | + + | 1 | UEPSR UEPSB | UREBP | 0.61 | 29 68 | 21 28 | 19 57 | 9 61 | | 11 90 | | 1 | | |
| | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 1 134 | 29 68 | 21.28 | 19.57 | 9 61 | | 11 90 | | | | |
| REMO | OTE SITE HIGH FREQUENCY SPECTRUM | <u> </u> | | | 1 | | | | | | | | | | | |
| | TERS-REMOTE SITE | | | | 1 | | | | | | | | | | | |
| | Remote Site Line Share BellSouth Owned Splitter, 24 Port | 1 | | ULS | ULSRB | 46 07 | 114.81 | 0.00 | 86 20 | 0 00 | | 11 90 | | | | |
| | Remote Site Line Share Cable Pair Activation CLEC Owned at | | | | 1 | | | | | | | | | | | İ |
| | RS and deactivation | | | ULS | ULSTG | | 95 64 | 0 00 | 69 19 | 0 00 | | 11 90 | | | | |
| END U | USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU | W AKA | REMO | TE SITE LINE SHAR | ING | | | | | | ļ | | | | | |
| | Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter | 1 | | ULS | ULSRC | 0 61 | 40 00 | 22 00 | 19 57 | 9 61 | | 11 90 | | | | |
| | RS Line Share Line Activation for End User served at RS, CLEC Solitter | 1 | | ULS | ULSTC | 0 61 | 40 00 | 22 00 | 19 57 | 9 61 | | 11 90 | | | | |
| | Remote Site Line Share Subsequent Activity-RS BST Owned | | — | | | 501 | | | 100! | 001 | | | | | i | |
| | Splitter Remote Site Line Share Subsequent Activity-RS CLEC Owned | | | ULS | ULSRS | | 49 15 | 17 83 | | | | 11 90 | | | | |
| | Splitter | | l . | ULS | ULSTS | | 49 15 | 17.83 | | | İ | 11.90 | | | | 1 |
| UNBUNDLED | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | : INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billin | g peri | od - below DS3=one | month, abov | e DS3=four mo | nths | | | | | | | | | ļ |
| INTER | ROFFICE CHANNEL - DEDICATED TRANSPORT | | ļ | | | | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV2 | 25 32 | 47 35 | 31 78 | 18 31 | 7 03 | | 11 90 | | | ! | į |
| | Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | U1TVX | 1L5XX | 0 0091 | | | | | | | | | | |
| - | Rev Bat - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - | | - | | | | | | | | | | | | | |
| | Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | U1TVX | U1TR2 | 25 32 | 47.35 | 31 78 | 18 31 | 7 03 | | 11 90 | | | | ļ |
| | Per Mile per month | | ļ | U1TVX | 1L5XX | 0 0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 22 58 | 47.35 | 31 78 | 18 31 | 7 03 | | 11 90 | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | - | | | | | |
| | Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile | \vdash | - | U1TDX | U1TD5 | 18 44 | 47 35 | 31 78 | 18 31 | 7 03 | | 11 90 | | | | |
| | per month | | | U1TDX | 1L5XX | 0 0091 | | | | | | | | | | ļ |
| | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 18 44 | 47 35 | 31 78 | 18 31 | 7 03 | | 11.90 | | | | ļ |
| | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0 1856 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | U1TD1 | U1TF1 | 88 44 | 105 54 | 98 47 | 21,47 | 19 05 | | 11.90 | | | | |
| | Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | | \dagger | | | | 105 54 | 90 47 | 41.47 | 19 03 | | 11.50 | | | | <u> </u> |
| | month Interoffice Channel - Dedicated Transport - D\$3 - Facility | ļ | | U1TD3 | 1L5XX | 3.87 | - | | | | | | | | | |
| | Termination per month | | ļ | U1TD3 | U1TF3 | 1,071.00 | 335 46 | 219.28 | 72.03 | 70 56 | | 11.90 | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 1,056.00 | 335 46 | 219.28 | 72 03 | 70 56 | | 11 90 | | | | |
| 1004 | L CHANNEL - DEDICATED TRANSPORT | | — | 1 | 1 | | 222 .0 | | 1 | | | | | | 1 | T |
| | : LOCAL CHANNEL DEDICATED TRANSPORT - minimum billir | ng pend | od = be | low DS3=one mont | h, above DS3 | =four months | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | | 1 | ULDVX | ULDV2 | 19 66 | 265 84 | 46.97 | | 4 00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | | ULDVX | ULDV2 | 27 94 | 265 84 | 46.97 | | 4 00 | | 11 90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | 3 | UNDVX | ULDV2 | 49 58 | 265 84 | 46.97 | 37.63 | 4 00 | | 11.90 | 1 | | | |

| JNBUNDLE | D NETWORK ELEMENTS - Florida | | , | | _, | | | | | | 1_ | | | ment: 2 | | bit: B |
|------------|---|------------|--|----------|----------------|----------------|--------|---|--------------|--|--|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Inten m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | | Disconnect | 201100 | | | Rates (\$) | | |
| | | | ļ., | | _ | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat - | | 1 | ULDVX | ULDR2 | 19 66 | 265 84 | 46 97 | 37.63 | 4 00 | | 11 90 | | | | |
| | Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat - | | 1 | OLDVX | ULURZ | 19 00 | 203 04 | 40.97 | 37.03 | 4 00 | | 11.90 | | · · · · · · · · · · · · · · · · · · · | | |
| | Zone 2 | | 2 | ULDVX | ULDR2 | 27.94 | 265 84 | 46 97 | 37 63 | 4 00 | | 11 90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat - | | | OLD TA | OLD/ L | 2., | | | Ti-TE | | | | | | | |
| | Zone 3 | | 3 | ULDVX | ULDR2 | 49 58 | 265 84 | 46 97 | 37.63 | 4 00 | | 11 90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | 1 | ULDVX | ULDV4 | 20 45 | 266 54 | 47.67 | | 5 33 | | 11 90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | | ULDVX | ULDV4 | 29 06 | 266 54 | 47 67 | | 5 33 | | 11 90 | | | | - |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | | ULDVX | ULDV4 | 51 56 | 266 54 | 47 67 | 44.22 | 5 33 | | 11 90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | | ULDD1 | ULDF1 | 36 49 | 216 65 | 183 54 | 24.30 | | | 11 90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | | ULDD1 | ULDF1 | 51 85 | 216.65 | 183 54 | 24.30 | | | 11 90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD1 | ULDF1 | 92.00 | 216 65 | 183 54 | 24 30 | 16 95 | - | 11 90 | | ļ | - | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | ļ | ULDD3 | 1L5NC | 8 50 | FF0 07 | 343 01 | 139 13 | 96 84 | | 11 90 | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | <u> </u> | ULDD3 | ULDF3 1L5NC | 531.91 | 556 37 | 343 01 | 139 13 | 90 04 | | 1190 | | | - | |
| | Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 8 50 540 69 | 556 37 | 343.01 | 139 13 | 96 84 | | 11 90 | | - | | |
| ARK FIBER | Local Channel - Dedicated - 515-1 - Facility Termination | | - | ULDST | ULUFS | 340 09 | 330 37 | 343.01 | 109 10 | 30 04 | | 11 30 | | | | |
| ARK FIDER | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | 1- | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | <u> </u> | | |
| - | Thereof per month - Local Channel | | 1 | UDF | 1L5DC | 55 04 | | | | | | | | | 1 | l |
| | NRC Dark Fiber - Local Channel | | 1 | UDF | UDFC4 | | 751,34 | 193 88 | | | l | 11.90 | | | | 1 |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | 00. | 100.01 | | | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | · · · · · · · · · · · · · · · · · · · | | | | | |
| ŀ | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 26 85 | | | | | | | | ŀ | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 751 34 | 193.88 | | | i | 11 90 | i | | 1 | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | 1 | | | | | | | | | | | | | |
| | Thereof per month - Local Loop | | | UDF | 1L5DL | 55.04 | į | | | | | | l | | | |
| | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 751 34 | 193 88 | | | | 11.90 | | | | |
| XX ACCESS | TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Per Call | | 1 | OHD | | 0 0006252 | | | ļ <u>.</u> | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | 1 | | |] : | | | | | | | l | | | 1 |
| | Number Reserved | | 1 | OHD | N8R1X | | 4 15 | 0 70 | | | | 11 90 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No Established W/O | | i | | | | | | | | į | | ĺ | 1 | | |
| | POTS Translations | | 1 | OHD | | | 8 78 | 1 18 | 5 77 | 0 70 | ļ | 11 90 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No Established With | | 1 | | . IOFF | | 0.70 | 1 18 | 5 77 | 0.70 | | 11 90 | | | | 1 |
| | POTS Translations | | ļ | OHD | N8FTX | | 8 78 | 1 18 | 577 | 0 70 | ļ | 1190 | | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service | | l | OUD. | N8FCX | | 4 15 | 2 07 | 1 | | | 11 90 | | | | |
| | Per 8XX Number | | ₩- | OHD | NOFUX | | 4 15 | ∠ ∪/ | | | | 1180 | | | + | l |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No | | | OHD | N8FMX | | 4 85 | 2 78 | [| [| | 11 90 | | | | 1 |
| | Routing Per CXR Requested Per 8XX No 8XX Access Ten Digit Screening, Change Charge Per Request | | - | IOHD | N8FAX | | 4 85 | 0.70 | - | | | 11 90 | | <u> </u> | | |
| | 8XX Access Ten Digit Screening, Change Charge Fer Request | | 1 | 0110 | 110170 | | 7 55 | 0.70 | | | | 11.00 | | - | | |
| 1 | Features | | | OHD | N8FDX | | 4.15 | 4 15 | | | | 11 90 | | Į. | | |
| | Todares | | + | | 1137 - 1 | - | | | | | - | | | | | |
| | 8XX Access Ten Digit Screening, w/ 8FL No Delivery, per query | | | OHD | | 0 0006252 | | | | | | | į | 1 | 1 | |
| | 8XX Access Ten Digit Screening, w/ POTS No Delivery, per | | | | | | | | | | | | | | | |
| | query | | | OHD | | 0.0006252 | | | | | | | | 1 | ŀ | 1 |
| INE INFORM | ATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.0000203 | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.0136959 | | | ļ <u>.</u> | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | ١ | OQT, OQU | NRPBX | | 55 13 | 55 13 | 55.13 | 55.13 | | 11.90 | 1 | ļ | | <u> </u> |
| IGNALING (| | | L | | | 105 | | | | | | | | ļ | ļ | ļ |
| | CCS7 Signaling Termination, Per STP Port | | 1 | UDB | PT8SX | 135 05 | | | | | | | | | | |
| | CCS7 Signaling Usage, Per TCAP Message | | + | UDB | TOOL | 0 0000607 | 40.57 | 40.02 | 10.04 | 10.04 | | 11.00 | | | 1 | - |
| | CCS7 Signaling Connection, Per link (A link) | | - | UDB | TPP++ | 17.93 | 43 57 | 43 57 | 18.31 | 18 31 | | 11 90 | | | 1 | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | 1 | | UDB | TPP++ | 17 93 | 43 57 | 43 57 | 18 31 | 18 31 | | 11 90 | | ļ | | |
| | link) CCS7 Signaling Usage, Per ISUP Message | - | | UDB | 115577 | 0 0000152 | 4001 | 40 07 | 1031 | 10.31 | | (150 | | | · · · · · | |
| | CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA | | + | UDB | STU56 | 694 32 | | | - | | | | | | | |
| | CCS7 Signaling Osage Surrogate, per link per CATA CCS7 Signaling Point Code, per Originating Point Code | | + | 1000 | 15,000 | 054 52 | | | | | <u> </u> | | | - | | |
| 1 | Establishment or Change, per STP affected | 1 | 1 | UDB | CCAPO | I | 46 03 | 46 03 | 46 03 | 46 03 | 1 | 1190 | | | | 1 |

| UNBUNDLE! | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit: B |
|-----------------|---|--|--|---------------------------------------|--|----------|----------|---|--------------|------------|--------------|--------------|--|--|--|--|
| | | ľ | | | | | | | <u>-</u> | | | | Incremental | | Incremental | |
| | | | 1 | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | l | ! | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | l . | | Order vs. | Order vs. | Order vs. | Order vs. |
| SATEGURT | KAIE ELEMENIS | m | Zone | B00 | 0000 | | | 101120 (4) | | | per LSR | percan | | | 1 | 1 |
| | | | 1 | | | | | | | | | l | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | 1 | | | | | | | | | ! | 1st | Addʻl | Disc 1st | Disc Add'l |
| | | | | | | ļ | Nonrec | umna | Nonrecurring | Disconnect | | <u> </u> | OSS | Rates (\$) | ٠ | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| E911 SERVICE | | | 1 | | - | | | | | | | | | | | - |
| ESTI SERVICE | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | | 1 | | | 21 94 | 265 84 | 46 97 | 37 63 | 4 00 | | 11 90 | | | | 1 |
| | | | ├ | | _ | 29 62 | 265.84 | 46 97 | 37 63 | 4 00 | | 11 90 | | | | i |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | _ | | + | 57.22 | 265.84 | 46 97 | | 4 00 | | 11 90 | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | - | ├ ── | | | | 203.04 | 40 37 | 37.00 | 700 | - | 1100 | | - | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | 1 | ļ | | | 0 0091 | | | · | | | | | | - | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | İ | 1 | | | | | | | | | | | | |
| | Termination | | | | | 25 32 | 47.35 | 31 78 | 18 31 | 7 03 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 35 28 | 216 65 | 183 54 | 21 47 | 19 05 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | | | 1 | 47 63 | 216 65 | 183 54 | 21 47 | 19 05 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | | | 7 | 92 01 | 216 65 | 183 54 | 21 47 | 19 05 | | 11 90 | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0 1856 | | | | | | | | | | |
| | | | 1 | i | 1 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | 1 | | 1 | | 88 44 | 105 54 | 98 47 | 21 47 | 19 05 | I | 11 90 | | 1 | 1 | |
| CALLING NAS | ME (CNAM) SERVICE | | | | + | | 130 04 | | | | | 1 | | | 1 | |
| CALLING NAM | | - | | logy | | | 25.35 | 25 35 | 19 01 | 19 01 | - | 11 90 | | | | |
| | CNAM For DB Owners - Service Establishment | - | 1 | OQV | + | | 25.35 | 25 35 | 19 01 | 19 01 | | 11 90 | <u> </u> | | | |
| | CNAM For Non DB Owners - Service Establishment | <u> </u> | | OQV | | | 20 30 | 20 30 | 1901 | 19 01 | | 1190 | - | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code | | 1 | | 1 | | | | | | 1 | | | | | |
| | Establishment | | | OQV | | | 1,592 00 | 1,177 00 | 352 36 | 259 09 | L | 11 90 | | | | ļ |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | | 1 | ŀ | | | i | | i | | | | | |
| | Code Establishment | | | OQV | | ļ | 546 51 | 393 82 | 358 06 | 259 09 | | 11.90 | | | | <u> </u> |
| | CNAM for DB Owners, Per Query | | 1 | OQV | | 0 001024 | | | | | | | ! | 1 | | |
| | CNAM for Non DB Owners, Per Query | | 1 | oqv | | 0 001024 | | | | | | | | | | |
| LNP Query Ser | | | † | - | | | | | 1 | | | 1 | | | | |
| Litir Query der | LNP Charge Per query | | | OQV | | 0 000852 | | | ļ | | | Ì | | i | | i |
| | LNP Service Establishment Manual | - | | 000 | | 0 000002 | 13 83 | 13 83 | 12 71 | 12 71 | | 11 90 | | · · · · · · · · · · · · · · · · · · · | 1 | · · · · · · · · · · · · · · · · · · · |
| | | 1 | ├ | | | | 655 50 | 334 88 | 297.03 | 218 40 | | 11 90 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | <u> </u> | | | | 000 00 | 334 60 | 257.03 | 210 40 | - | - 11 30 | | | | · · · · · · |
| OPERATOR C | ALL PROCESSING | | | | | | | | | | | | | | | <u> </u> |
| | Oper Call Processing - Oper. Provided, Per Min - Using BST | | | | | | | | 1 | | | 1 | ! | | | 1 |
| . 1 | LIDB | | l | | | 1 20 | | | | | | | | ' | | |
| | Oper Call Processing - Oper. Provided, Per Min - Using | 1 | | | | | | | i l | | | 1 | | | 1 | ŀ |
| . 1 | Foreign LIDB | | 1 | | 1 | 1 24 | | | | | | | 1 | | | |
| | Oper Call Processing - Fully Automated, per Call - Using BST | | 1 | | | | | | | | | | | | | |
| | LIDB | | | | | 0 20 | | | f | | | į | | | | |
| | Oper Call Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | | |
| . 1 | | | Į. | Į. | | 0 20 | | | ! | | | 1 | 1 | | | |
| | Foreign LIDB | - | ₩- | | - | 020 | | | | | | | } | | | |
| INWARD OPER | RATOR SERVICES | \vdash | | · · · · · · · · · · · · · · · · · · · | | 1 00 | | | | | | | | 1 | · · · · | |
| | Inward Operator Services - Verification, Per Call | - | ļ | | ļ— | 1 00 | | | | | | | | | + | |
| | Inward Operator Services - Verification and Emergency Interrupt | 1 | 1 | ŀ | į. | | | | 1 | | | | | 1 | i . | ŀ |
| | - Per Call | <u> </u> | ↓ | | . | 1.95 | | | ļ | | - | | | | 1 | |
| | PERATOR CALL PROCESSING | | 1 | | | | | | | | | | | | | |
| Facility | y based CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | i l | 7,000.00 | 7,000.00 | | | | 11.90 | | | .l | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | 1 | l . | | l | | ł |
| | per OCN | | 1 | | CBAOL | | 500 00 | 500 00 | | | | 11.90 | | Ì | | |
| UNEP | | | | | | | | | | | | | | | | 1 |
| - OIVE | Recording of Custom Branded OA Announcement | | 1 | | _ | | 7,000 00 | 7,000 00 | | | | 11 90 | | | | 1 |
| | | | 1 | | | | 7,000 00 | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | 1 | 1 | |
| . | Loading of Custom Branded OA Announcement per shelf/NAV | 1 | 1 | 1 | 1 | } | 500 00 | 500.00 | , 1 | | 1 | 11 90 | 1 | 1 | 1 | 1 |
| | per OCN | _ | + | | | ļ | 300 00 | 300.00 | | | | 1, 30 | 1 | | 1 | 1 |
| | nding via OLNS for UNEP CLEC | <u> </u> | + | | | - | 4 200 20 | 4 200 00 | | | | 11.00 | | 1 | 1 | 1 |
| | Loading of OA per OCN (Regional) | <u> </u> | <u> </u> | ļ | . | | 1,200 00 | 1,200 00 | | | | 11 90 | | | 1 | |
| | SSISTANCE SERVICES | <u> </u> | 1 | | | | | | - | | | 1 | | ļ | | + |
| DIREC | TORY ASSISTANCE ACCESS SERVICE | | <u> </u> | | | igwdown | | | | | | | ļ | | | |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0 275 | | | | | | L | <u> </u> | ļ | <u> </u> | ļ |
| DIREC | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (| DACC) | | | | | | | | | L | | L | | | |
| | Directory Assistance Call Completion Access Service (DACC), | $\overline{}$ | T | | | | | | | | | | | | | |
| . 1 | Per Call Attempt | 1 | 1 | 1 | 1 | 0 10 | | | | | | | 1 | l | 1 | 1 |
| ' | | | | + | | | | | | | | | | | 1 | T |
| DIRECTORY | SSISTANCE SERVICES | 1 | | 1 | 1 | 1 1 | | | | | 1 | | 1 | 1 | 1 | |
| DIRECTORY A | SSISTANCE SERVICES TORY ASSISTANCE DATA BASE SERVICE (DADS) | - | + | | - | | | | | | | | | | | 1 |

| UNBUN | IDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | , | | nent: 2 | | bit: B |
|-------------|--------|--|-------------|--|--------------|------------|-----------|----------------------|-----------------|-----------------------|---------------------|--------------|-----------------------|---|---|---|----------|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Mапиаі Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | ļ | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | CONEC | SOMAN | OSS SOMAN | Rates (\$) | SOMAN | SOMAN |
| | | Directory Assistance Data Base Service, per month | | + | | DBSOF | 150 00 | First | Addi | Filst | Addi | JOHLO | 30111731 | JOHAN | JOHIAN | JOHIAN | - COMPAN |
| BRANDI | NG - D | RECTORY ASSISTANCE | | 1 | | 1000 | 100 00 | | | | | 1 | | | | | |
| | | Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 3,000 00 | 3,000 00 | | | | 11.90 | | | | |
| | | Loading of Custom Branded Announcement per Switch per OCN | | | AMT | CBADC | | 1,170 00 | 1,170 00 | | | | 11 90 | | | | |
| | JNEP C | | | | 74011 | , CDF LD C | | 1,11000 | ., | | | 1 | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | 3,000 00 | 3,000 00 | | | 1 | 11 90 | | | | |
| | | Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170 00 | 1,170 00 | | | | 11 90 | | | | : |
| l l | | ding via OLNS for UNEP CLEC | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420 00 | 420 00 | | | | 11 90 | | | L | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | 11 90 | | | | |
| SELECT | IVE RO | | | ļ | | | | | | | | | | | | | ļ |
| | | Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 93.55 | 93 55 | 11 46 | 11 46 | | 11 90 | | | | |
| VIRTUAL | L COLL | OCATION | | | | | | | | | | ļ | | | | | |
| | | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | VE1LS | 0.0502 | 11.57 | | | | | 11 90 | | | | |
| PHYSICA | AL COL | LOCATION | | | | | | | | | | - | | | ļ | ļ | |
| | | Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting | | | UEPSR, UEPSB | PE1LS | 0.0276 | 8 22 | 7 22 | 5 74 | 4 58 | | 11 90 | | | | |
| AIN SEL | | E CARRIER ROUTING | | ļ | 000 | 20050 | | 100 111 00 | | 7 797 00 | | | 11 90 | ļ | ļ | - | |
| | | Regional Service Establishment End Office Establishment | - | | SRC SRC | SRCEC | | 193,444 00 187.36 | 187 36 | 7,737 00 | 0 69 | | 11 90 | 1 | | - | 1 |
| | | Query NRC, per query | | - | SRC | SACEO | 0.0031868 | 107.30 | 107 30 | 0.09 | 0 03 | | 1130 | | | | |
| AIN - RE | LLSOL | JTH AIN SMS ACCESS SERVICE | | + | 0.10 | + | 0.0007000 | | | | | | | | | · · · · · | |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 43 56 | 43 56 | 44 93 | 44 93 | | 11 90 | | , | | |
| | | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 8 64 | 8 64 | 10 03 | 10 03 | | 11 90 | | | | |
| | | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 8 64 | 8.64 | 10.03 | 10.03 | | 11 90 | | | | |
| | | AIN SMS Access Service - User Identification Codes - Per User ID Code | | | A1N | CAMAU | | 38 66 | 38 66 | 29.88 | 29 88 | | 11 90 | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, | | | | 0. 2.5.10 | | | | | | | | | | | |
| | | Initial or Replacement | 1 | | A1N | CAMRC | | 75 10 | 75.10 | 12.93 | 12.93 | | 11 90 | | i <u>_</u> | | |
| | | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0 0028 | | | | | | | | | | |
| | | AIN SMS Access Service - Session, Per Minute | | ↓ | | | 0 7809 | | | | <u>.</u> | | ļ | | | | |
| | | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 0 4609 | | | | | | | | | | |
| AIN - BE | | JTH AIN TOOLKIT SERVICE | + | - | | 1 | 0 ,000 | | | | | | | | | | |
| 1 | | AIN Toolkit Service - Service Establishment Charge, Per State, | | 1 | | 1 | | | | | | | | | | | |
| | | Initial Setup | | <u> </u> | CAM | BAPSC | | 43.56 | 43.56 | 44 93 | 44 93 | | 11 90 | | | | <u> </u> |
| | | AIN Toolkit Service - Training Session, Per Customer | | | | BAPVX | | 8,439 00 | 8,439 00 | | | ļ | 11 90 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt | | | | BAPTT | | 8 64 | 8 64 | 10 03 | 10 03 | - | 11 90 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay | | | | BAPTD | | 8 64 | 8 64 | 10.03 | 10 03 | | 11.90 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | вартм | | 8 64 | 8 64 | 10 03 | 10 03 | | 11 90 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP | | | | ВАРТО | | 38 06 | 38 06 | 15 86 | 15 86 | | 11 90 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP | | | | BAPTC | | 38 06 | 38 06 | 15.86 | 15.86 | | 11 90 | | | | |
| | | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTF | | 38 06 | 38 06 | 15 86 | 15.86 | | 11 90 | | | | |
| | | AIN Toolkit Service - Query Charge, Per Query | 1 | | | | 0.0535927 | | | - | | | | | ı — | | |

| ONRONDI | ED NETWORK ELEMENTS - Florida | | | , | | , | | | | | , | | | ment: 2 | | bit: B |
|---------|--|---------------|--|---------------|--|----------------|--------------|-------------|---------------------|------------|--------------|-----------|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | Normal | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic |
| | | | 1 | | | Rec | Nonrec | | | Disconnect | 201150 | 201111 | | Rates (\$) | 5651451 | 000141 |
| | AND THE RESERVE OF THE PROPERTY OF THE PROPERT | | ļ | , | 1 | | First | Add'l | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query | | | | 1 | 0.0063698 | | | | | ł | | | | | |
| | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | <u> </u> | | | 0.0003090 | | | | | | | | | | |
| | Account, Per 100 Kilobytes | | | | 1 | 0 06 | - | | | | l | | | | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | 1 | 0 00 | | | | | 1 | | | | · · · · · · | |
| | Subscription | | | CAM | BAPMS | 8 34 | 8 64 | 8 64 | 6.08 | 6.08 | | 11 90 | | | | |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | 1 | | | | | | | | | | | |
| | Subscription | | 1 | CAM | BAPLS | 3 73 | 9 56 | 9 56 | | | | 11 90 | İ | | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | ĺ | | | | | | | | | | | | | |
| | Subscription | | | CAM | BAPDS | 4 73 | 8.64 | 8 64 | 6 08 | 6 08 | | 11 90 | | | | L |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | l | | | 1 | 1 | | | | 1 | | | | | ŀ |
| | Service Subscription | | <u> </u> | CAM | BAPES | 0 12 | 9.56 | 9 56 | | | <u> </u> | 11 90 | | | | |
| | EXTENDED LINK (EELs) | | l | | | ļ.,, | | | | | 1 | | | | | |
| | E: The monthly recurring and non-recurring charges below will | | | | | | | | | | ļ | | | | | |
| | E: The monthly recurring and the Switch-As-Is Charge and not the Switch-As-Is Charge and three me. | | | | will apply for | EELS PROVISION | ed as Curren | ay Combined | Network Eleme | ents. | | | | | | |
| | IRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | 1 | | | | | | <u> </u> | | | | | |
| 2-441 | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | ENOFF | ICE II | MIGFORT (EEL) | + | 1 | | | | | 1 | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12.24 | 127 59 | 60 54 | 42 79 | 2 81 | ļ | 11 90 | | | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | ONOW | 00.0 | 12.24 | 127 00 | 00 01 | 12.75 | 201 | 1 | 1100 | | | <u> </u> | |
| 1 | Transport Combination - Zone 2 | | 1 2 | UNCVX | UEAL2 | 17.40 | 127 59 | 60 54 | 42.79 | 2 81 | Ì | 11.90 | | | | |
| - | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | - | | | ,,,,, | | | | | | 1,7,9 | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127 59 | 60 54 | 42.79 | 2 81 | 1 | 11 90 | | | 1 | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNC1X | 1L5XX | 0 1856 | | | | | İ., | l . | i | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 88 44 | 174 46 | 122 46 | 45 61 | 17.95 | | 11 90 | | | | |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 146.77 | 51 83 | 10 75 | · - · - · · · · : · | ļ <u>.</u> | | 11 90 | | | <u> </u> | ļ |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.38 | 12 16 | 8 77 | 6 71 | 4.84 | | 11 90 | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | LINOVA | UEAL2 | 12 24 | 127 59 | 60.54 | 42.79 | 2.81 | | 11 90 | | | 1 | |
| | Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 1 | UNCVX | UEAL2 | 12 24 | 127 59 | 60.54 | 42.79 | 2.81 | | 1190 | | | - | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17 40 | 127 59 | 60 54 | 42.79 | 2 81 | | 11 90 | | | 1 | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | - | | UNCVA | UEALZ | 17 40 | 127 59 | 60 34 | 42.73 | 201 | | 1130 | | | <u> </u> | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30 87 | 127 59 | 60 54 | 42 79 | 2 81 | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | - <u>-</u> - | GHOVA | 100.00 | 000 | 12.00 | - 00 07 | 12.10 | | · · · · · | 11.00 | | | - | |
| | per month | | | UNCVX | 1D1VG | 1 38 | 12 16 | 8 77 | 671 | 4 84 | | 11.90 | | l | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| 1 | Is Charge | | | UNC1X | UNCCC | | 8 98 | 8 98 | 8 98 | 8 98 | | 11.90 | | | | |
| 4-WI | IRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TF | ANSPORT (EEL) | | | | | | | | | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | 1 | | |
| | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 18 89 | 127 59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | _ | İ <u>-</u> | 1 | | | | | | | | | 1 | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26 84 | 127 59 | 60 54 | 42 79 | 2.81 | ļ | 11 90 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 3 | UNCVX | UEAL4 | 47 62 | 127.59 | 60.54 | 42.79 | 2.81 | | 44.00 | | | | |
| | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL4 | 47 62 | 127.59 | 60.54 | 42.79 | 2.81 | | 11 90 | | | | |
| 1 1 | Per Month | | | UNC1X | 1L5XX | 0 1856 | | | | | ļ | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | DITOTA | 12070 | 0 1000 | | | | | | | | | | - |
| | Month | | | UNC1X | U1TF1 | 88.44 | 174 46 | 122.46 | 45 61 | 17.95 | | 11 90 | | 1 | | 1 |
| | Channelization - Channel System DS1 to DS0 combination Per | | T - | | | | | | | | | | | 1 | | |
| | Month | | | UNC1X | MQ1 | 146.77 | 51 83 | 10 75 | | | | 11 90 | | 1 | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | | | | |
| | per month | | | UNCVX | 1D1VG | 1.38 | 12 16 | 8 77 | 6 71 | 4 84 | | 11 90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 18 89 | 127 59 | 60.54 | 42.79 | 2 81 | | 11 90. | | L | L | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | 1 | , I | | | | | | | | | | |
| 1 | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26 84 | 127 59 | 60 54 | 42 79 | 2 81 | | 11 90 | | L | 1 | 1 |

Version 4Q02. 12/18/02 Page 13 of 52

| INDUNDLE | D NETWORK ELEMENTS - Florida | | | I | 7 | | | · · · | | | Sva O-de- | Sun Carlos | Attachr Incremental | | | bit: B |
|----------|--|-------------|-------------|----------------|--------|--------|---------|------------|-------|------------|---|------------|---|---|---|--------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | | Disconnect | 201150 | | | Rates (\$) | 0011411 | 201411 |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | + | | First | Add'l | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 47 62 | 127 59 | 60 54 | 42 79 | 2 81 | | 11 90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | Ť | ONOVA | 02,24 | *** 52 | 12. 00 | | 12.0 | | | | | | | |
| | per month | | | UNCVX | 1D1VG | 1 38 | 12 16 | 8 77 | 671 | 4 84 | | 11 90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | 1 | | | | | 1 |
| 4 141177 | Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | NITEDO | FFICE | UNC1X | UNCCC | | 8 98 | 8 98 | 8 98 | 8 98 | | 11 90 | | | | ļ |
| 4-WIR | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | NIERC | FFICE | IKANSPURI (EEL | -) | | | | | | | | | | | |
| ļ | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127 59 | 60 54 | 42 79 | 2 81 | | 11 90 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | - | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31 56 | 127 59 | 60 54 | 42 79 | 2 81 | | 11 90 | | | | ļ |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | UNCDX | UDL56 | 55 99 | 127 59 | 60 54 | 42.79 | 2 81 | | 11 90 | | | | |
| _ | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mite | | 3 | UNCUX | UDL56 | 22 88 | 127 59 | 60 54 | 42.79 | 201 | | 1190 | | | | |
| 1 | Per Month | | 1 | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| \neg | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 88 44 | 174 46 | 122 46 | 45 61 | 17 95 | | 11 90 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | 1 | | | | | | | | | | | | | |
| | Month | | | UNC1X | MQ1 | 146 77 | 51 83 | 10 75 | | | | 11 90 | | | | ļ |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) | | ļ | UNCDX | 1D1DD | 2 10 | 12 16 | 8 77 | 671 | 4 84 | | 11 90 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | † | BHODA | 10.00 | 2.10 | 12.10 | | *** | 401 | | .,,,,, | | | - | |
| ł | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22 20 | 127 59 | 60 54 | 42 79 | 2.81 | | 11 90 | | | | |
| 1 | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | Ì | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31 56 | 127 59 | 60 54 | 42.79 | 2 81 | | 11 90 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | | UNCDX | UDL56 | 55 99 | 127 59 | 60 54 | 42.79 | 2 81 | | 11 90 | | | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System - | | 3 | UNCDA | UDLSO | 20 99 | 127 59 | 60 34 | 42.79 | 201 | | 1130 | | | - | |
| | combination per month (2 4-64kbs) | | | UNCDX | 1D1DD | 2 10 | 12 16 | 8.77 | 671 | 4 84 | | 11 90 | | ; | | |
| - | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| ĺ | Is Charge | | | UNC1X | UNCCC | | 8 98 | 8.98 | 8.98 | 8 98 | | 11.90 | | | | |
| 4-WIRI | 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTER | FFICE | TRANSPORT (EEL | -) | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | ١. | LINGDY | UDICA | 22.20 | 127 59 | 60 54 | 42 79 | 2 81 | | 11 90 | | | | |
| | Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | <u></u> | 1 | UNCDX | UDL64 | 22.20 | 121 59 | 6U 54 | 42 79 | 201 | | 1190 | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31 56 | 127 59 | 60 54 | 42 79 | 2 81 | ļ | 11 90 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | ۱Ť | | | | | | | | | | | | | |
| 1 | Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127 59 | 60 54 | 42 79 | 2 81 | | 11 90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0 1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 88 44 | 174 46 | 122 46 | 45 61 | 17 95 | | 11 90 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | DITOTA | 101111 | 30 44 | 17-1-10 | 122 40 | 1001 | | | 1,00 | | | | |
| | Month | | | UNC1X | MQ1 | 146.77 | 51 83 | 10.75 | | | | 11 90 | | | | |
| "" | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month (2 4-64kbs) | | | UNCDX | 1D1DD | 2 10 | 12 16 | 8 77 | 6 71 | 4 84 | | 11 90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22 20 | 127 59 | 60 54 | 42.79 | 2 81 | | 11 90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | ONODA | 002.04 | 22 20 | 121 35 | 00 34 | 42.73 | 201 | | . 11 30 | - | - | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31 56 | 127 59 | 60 54 | 42.79 | 2 81 | | 11 90 | | | | 1 |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55 99 | 127 59 | 60 54 | 42 79 | 2 81 | | 11 90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | 1 | LINODA | 40400 | | 40.40 | | | 404 | | 14.00 | | | | |
| | combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | - | | UNCDX | 1D1DD | 2 10 | 12 16 | 8 77 | 6 71 | 4 84 | - | 11.90 | | | <u> </u> | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 8 98 | 8.98 | 8 98 | 8 98 | | 11 90. | | | | |
| 4-WIRI | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | ROFFI | CE TR | | 13 | | 2 20 | 5.50 | 2 30 | 2 00 | | | | | | <u> </u> |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | T | 1 | | · | | | | | | | | | | |
| | Transport - Zone 1 | 1 | 1 | UNC1X | USLXX | 70 74 | 217 75 | 121 62 | 51 44 | 14 45 | | 11 90 | | | | |

| INBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | F2 | | Attachr | | | oit: B |
|----------|--|-------------|--------------|----------------|---------|----------|--------|------------|--------------|-------|----------|-----------|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | i | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | Ι | | | Kec | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 100 54 | 217 75 | 121 62 | 51.44 | 14 45 | | 11 90 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217 75 | 121 62 | 51.44 | 14 45 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0 1856 | | | | | | | | | | |
| | interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 88 44 | 174 46 | 122 46 | 45.61 | 17 95 | | 11 90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 8.98 | 8 98 | 8 98 | 8 98 | | 11 90 | | | | |
| 4-WIRI | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | FROFFI | CE TRA | | 1011000 | | 0.00 | | | | | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | . | | 1 | | | | | | | | | | | |
| | 1 First DS1Loop in DS3 Interoffice Transport Combination - Zone | ļ | 1 | UNC1X | USLXX | 70 74 | 217.75 | 121 62 | 51 44 | 14 45 | <u> </u> | 11 90 | | | | |
| | 2 | | 2 | UNC1X | USLXX | 100 54 | 217 75 | 121 62 | 51 44 | 14 45 | | 11.90 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 178 39 | 217 75 | 121.62 | 51 44 | 14 45 | | 11 90 | | | | ! |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 3 87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 1,071 00 | 314 45 | 130 88 | 38 60 | 18 23 | | 11 90 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 211.19 | 115 60 | 59.93 | 5 45 | 0 00 | <u> </u> | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | <u> </u> | | UNC1X | UC1D1 | 13 76 | 12 16 | 8.77 | 6.71 | 4 84 | | 11.90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 70 74 | 217 75 | 121 62 | 51 44 | 14 45 | | 11 90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 100 54 | 217 75 | 121 62 | 51 44 | 14 45 | | 11.90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 178 39 | 217 75 | 121 62 | 51 44 | 14 45 | | 11 90 | | , | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13 76 | 12.16 | 8 77 | 6 71 | 4 84 | ļ | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | ŀ | | UNC3X | UNCCC | | 8 98 | 8 98 | 8 98 | 8 98 | | 11.90 | | | | |
| 2-WIR | VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | TEROFF | ICE TE | RANSPORT (EEL) | | | | | | | | | | | | ļ |
| l | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 12 24 | 127 59 | 60 54 | 42 79 | 2 81 |] | 11.90 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17 40 | 127 59 | 60 54 | 42 79 | 2 81 | | 11 90 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30 87 | 127.59 | 60 54 | 42 79 | 2 81 | | 11 90 | | | | |
| | interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0 0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV2 | 25 32 | 94 70 | 52.59 | 50.49 | 21.53 | | 11 90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- is Charge | | | UNCVX | UNCCC | | 8 98 | 8 98 | 8 98 | 8 98 | | 11 90 | | | | |
| 4-WIR | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | TEROFF | ICE TE | | 10.1000 | | 2.72 | | | | | | - | | | |
| - 1111 | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1 | | | UNCVX | UEAL4 | 18.89 | 127 59 | 60 54 | 42.79 | 2.81 | | 11.90 | | | | |
| | 4-WireVG Lobp used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26 84 | 127.59 | 60.54 | 42.79 | 2.81 | | 11 90 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3 | | | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 2.81 | | 11 90 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month | | Ť | UNCVX | 1L5XX | 0 0091 | 127.00 | | | 2.31 | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month | | | UNCVX | U1TV4 | 22 58 | 94 70 | 52 59 | 50.49 | 21 53 | | 11 90. | | | | |
| | Nonrecurning Currently Combined Network Elements Switch -As- | + | | UNCVX | UNCCC | 22 30 | 8 98 | 8.98 | 8.98 | 8 98 | | 11.90 | | | | |
| | IS Charge IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | 1 TO - | Hener | | JUNCOC | | 0 50 | 0.30 | 0.50 | 0 90 | | 11.50 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | 0 0 : | C C | Attachr | | | bit: B |
|-------------|--|--------------|----------|----------------|----------------|-----------------|--------|---------------|--------------|--------------|-------------------|---|---|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Submitted Elec | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs Electronic- 1st | Charge - Manual Svc Order vs Electronic- Add'l | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | LOGILAN | | Rates (\$) | SOMAN | SOMAN |
| | | | _ | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SUMAN | SUMAN | SUMAN |
| | High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month | | | UNC3X | 1L5ND | 10 92 | | | | | | | | _ | | - |
| | High Capacity Unbundled Local Loop - DS3 combination - | 1 | | UNC3X | UE3PX | 386.88 | 249.97 | 162 05 | 67 10 | 26 82 | | 11 90 | | | | |
| | Facility Termination per month Interoffice Transport - Dedicated - DS3 - Per Mile per month | | <u> </u> | UNC3X | 1L5XX | 387 | 245.51 | 102 00 | Q7 10 | 20.02 | - | 17.55 | | - | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility | | | UNUSA | ILD/A | 901 | | | | | - | | | | | |
| | Termination per per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC3X | U1TF3 | 1,071 00 | 314 45 | 130 88 | 38 60 | 18 23 | | 11 90 | | | | |
| | Is Charge | 1 | | UNC3X | UNCCC | i | 8 98 | 8 98 | 8 98 | 8 98 | | 11 90 | | | 1 | |
| STS1 F | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TE | RANSP | | 0.,000 | | | | | | | | | | - | |
| 0.0.2 | High Capacity Unbundled Local Loop - STS1 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | | | UNCSX | 1L5ND | 10 92 | | | | | | | ļ | | _ | ļ |
| | High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month | | | UNCSX | UDLS1 | 426 60 | 249 97 | 162 05 | 67 10 | 26 82 | | 11 90 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile per month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month | | | UNCSX | U1TFS | 1,056 00 | 314 45 | 130.88 | 38.60 | 18 23 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 8 98 | 8.98 | 8 98 | 8 98 | | 11 90 | | | | |
| 2-WIRE | ISON EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | RT (EEL | - | UI TOOX | 1011000 | | | | | | | | | | | İ |
| 2-11111 | First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 | | 1 | UNCNX | U1L2X | 19 28 | 127 59 | 60 60 | 42 79 | 2.81 | | 11 90 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | <u> </u> | UNCNX | U1L2X | 27 40 | 127 59 | 60 60 | 42 79 | 2 81 | | 11 90 | | | | |
| | Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | 1 | | | | | 60 60 | 42 79 | 2 81 | | 11 90 | | | | |
| | Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCNX UNC1X | U1L2X 1L5XX | 48 62 0 1856 | 127 59 | 60 60 | 4219 | 201 | ļ | 1130 | | | | 1 |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combintion - Facility | | + | UNCIA | ILOXX | 0 1030 | | | | | | | | | | |
| | Termination per month | | <u> </u> | UNC1X | U1TF1 | 88.44 | 174 46 | 122 46 | 45 61 | 17 95 | | 11.90 | | | | <u> </u> |
| | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 146 77 | 51 83 | 10 75 | | | | 11.90 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month | | | UNCNX | UC1CA | 3 66 | 12 16 | 8 77 | 6 71 | 4 84 | | 11.90 | | | | |
| | Additional 2-wire ISDN Loop in same DS1interoffice Transport Combination - Zone 1 | | 1 | UNCNX | U1L2X | 19 28 | 127 59 | 60 60 | 42.79 | 2 81 | | 11 90 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2 | | 2 | UNCNX | U1L2X | 27 40 | 127 59 | 60 60 | 42.79 | 2.81 | <u></u> | 11 90 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60 60 | 42 79 | 2 81 | | 11 90 | : | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month | | | UNCNX | UC1CA | 3 66 | 12.16 | 8.77 | 671 | 4 84 | | 11 90 | | | | |
| | Nonrecurning Currently Combined Network Elements Switch -As- | | | UNC1X | UNCCC | | 8 98 | 8 98 | 8 98 | 8 98 | | 11 90 | | | | |
| A.WIDE | Is Charge E D\$1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | | 10,,000 | | - 550 | 330 | | | | 1 | | l | | |
| 4-VIIIX | First DS1 Loop in STS1 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 70 74 | 217 75 | 121 62 | 51.44 | 14.45 | | 11 90 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | 2 | UNC1X | USLXX | 100 54 | 217 75 | 121 62 | 51 44 | 14 45 | | 11 90 | | | | |
| | Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | - 1 | | | 14 45 | | 11.90 | | - | | |
| | Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile | - | 3 | UNC1X | USLXX | 178.39 | 217 75 | 121.62 | 51.44 | 14 45 | | 11.90 | | | | |
| - | Per Month Interoffice Transport - Dedicated - STS1 combination - Facility | - | | UNCSX | 1L5XX | 3.87 | | | | | | | - | | | |
| | Termination | | | UNCSX | U1TFS | 1,056.00 | 314 45 | 130.88 | 38 60 | 18 23 | | 11.90 | | | 1 | |
| | STS1 to DS1 Channel System conbination per month | - | 4— | UNCSX | MQ3 | 211.19 | 20 06 | 31 66 8.77 | 5 45 6 71 | 0 00 4 84 | | 11 90 | | | + | 1 |
| | DS3 Interface Unit (DS1 COCI) combination per month | | +- | UNC1X | UC1D1 | 13 76 | 12 16 | 8.// | 671 | 4 84 | | 1190 | | - | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 70 74 | 217 75 | 121 62 | 51 44 | 14 45 | | 11 90 | | | | l |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | ,- | , | | | | | | | | | | | ment: 2 | | bit: B |
|--------------|---|--|-------------|--------------------|-----------------|-----------------|------------------|------------------|----------------|---------------|--------------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svi Order vs. Electronic- Disc Add'i |
| | | | | | | Rec | Nonrec | | Nonrecurning | | | | | Rates (\$) | | |
| | | | | | | Rec | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | i | | | | | | | | | | | |] | |
| | Zone 2 | | 2 | UNC1X | U\$LXX | 100 54 | 217.75 | 121 62 | 51 44 | 14 45 | | 11 90 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | 1 | 3 | UNC1X | USLXX | 178 39 | 217 75 | 121 62 | 51 44 | 14 45 | } | 11 90 | | | | |
| | Zone 3 DS3 Interface Unit (DS1 COCI) combination per month | _ | -3 | UNC1X | UC1D1 | 13 76 | 12 16 | 8 77 | | 4 84 | | 11 90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | DIAD IX | 30151 | 1010 | 12.10 | | | | | | | | | 1 |
| | Is Charge | | | UNCSX | UNCCC | | 8 98 | 8.98 | 8 98 | 8 98 | | 11 90 | | | | |
| 4-WIRE | E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE | RANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22 20 | 127.59 | 60.54 | 42 79 | 2.81 | | 11 90 | | | | |
| ļ | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | _ | LINCOV | UDL56 | 31 56 | 127 59 | 60 54 | 42 79 | 2.81 | | 11 90 | | | | 1 |
| | Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | 2 | UNCDX | UDL56 | 3156 | 127 59 | 5U 54 | 42 /9 | 2.01 | - | 1190 | | - | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55 99 | 127 59 | 60 54 | 42 79 | 2 81 | 1 | 11 90 | | 1 | ŀ | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 1 | | 00200 | - 55 55 | | 32 34 | · <u>-</u> · · | | | | - | | 1 | |
| | Per Mile | i | | UNCDX | 1L5XX | 0 0091 | | | | | 1 | | | 1 | <u> </u> | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| ļ | Facility Termination | | | UNCDX | U1TD5 | 18 44 | 94 70 | 52.59 | 50 49 | 21 53 | | 11.90 | | | | <u> </u> |
| | Nonrecurring Currently Combined Network Elements Switch -As- | - | T | | | | | | | | | | | | Ì | |
| | Is Charge | <u></u> | | UNCDX | UNCCC | | 8 98 | 8 98 | 8.98 | 8.98 | | 11 90 | | | <u> </u> | |
| 4-WIRI | E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FFICE | RANS | PORT (EEL) | | | | | | | | - | | | 1 | 1 |
| | 4-wre 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22 20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11 90 | | | | 1 |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | OHODA | I O D L O T | | .27.00 | 50.01 | 120 | | | 33 | | | | 1 |
| i | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127 59 | 60 54 | 42.79 | 2 81 | | 11 90 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55 99 | 127 59 | 60 54 | 42.79 | 2.81 | | 11 90 | | | | ļ |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | 1 | | | | | | | | | 1 | |
| | Per Mile | | ļ <u> </u> | UNCDX | 1L5XX | 0 0091 | | | | | - | | | · · · · · | <u> </u> | |
| į. | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | UNCDX | U1TD6 | 18 44 | 94 70 | 52 59 | 50 49 | 21 53 | | 11 90 | | | ł | 1 |
| | Facility Termination Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDA | 01106 | 10 44 | 94 70 | 32 39 | 30 43 | 21 30 | | 1130 | | | | |
| i | Is Charge | 1 | | UNCDX | UNCCC | | 8 98 | 8 98 | 8 98 | 8 98 | | 11 90 | | 1 | | ł |
| ADDITIONAL I | NETWORK ELEMENTS | | | | | | | | | | | | | | | |
| When | used as a part of a currently combined facility, the non-recurr | ng cha | rges de | not apply, but a | Switch As Is cl | narge does app | oly. | | | | | | | | | |
| When | used as ordinarily combined network elements in All States, t | he non | recurri | ng charges apply | and the Switch | As Is Charge of | loes not. | | | | | | | | | ļ |
| Nonre | curring Currently Combined Network Elements "Switch As Is" | Charge | (One a | applies to each co | mbination) | | | | | | | | | | | ļ |
| i | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | ļ | UNCVX | UNCCC | | 8 98 | 8.98 | 8 98 | 8 98 | | 11 90 | | | 1 | |
| | Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As- | <u> </u> | | UNCVX | DINCCC | | 0 90 | 0.90 | 0.50 | 0.50 | | 1130 | - | | | |
| | Is Charge - 56/64 kbps | 1 | 1 | UNCDX | UNCCC | | 8 98 | 8 98 | 8 98 | 8 98 | 1 | 11 90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | 51105X | 5.1000 | | | | | | | | | | | |
| | Is Charge - DS1 | | | UNC1X | UNCCC | . 1 | 8 98 | 8 98 | 8 98 | 8 98 | i | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | İ | | |
| | Is Charge - DS3 | | | UNC3X | UNCCC | | 8 98 | 8 98 | 8 98 | 8 98 | | 11 90 | | | ļ | ļ |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | | UNCCC | | 8.98 | 8 98 | 8 98 | 8.98 | | 11 90 | | 1 | 1 | 1 |
| | Is Charge - STS1 Local Channel - Dedicated Transport - minimum billing peno | d Pala | Dez | UNCSX | | r months | 5.96 | 8 98 | 0 90 | 0.90 | | 1190 | | | + | 1 |
| NOTE: | Local Channel - Dedicated Transport - minimum billing perior Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | u - peic | 1 1 | UNCVX | ULDV2 | 19 66 | 265.84 | 46.97 | 37 63 | 4 00 | | 11 90 | | | 1 | † |
| + | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | | | UNCVX | ULDV2 | 27 94 | 265.84 | 46 97 | | 4.00 | | 11 90 | | | 1 | |
| . | Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | 3 | UNCVX | ULDV2 | 49 58 | 265.84 | 46 97 | | 4 00 | | 11 90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 | | 1 | UNCVX | ULDV4 | 20 45 | 266 54 | 47.67 | | 5.33 | | 11 90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 | | | UNCVX | ULDV4 | 29 06 | 266 54 | 47 67 | 44 22 | 5 33 | ļ | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone3 | ļ | | UNCVX | ULDV4 | 51.56 | 266 54 | 47.67 | 44 22 24 30 | 5 33 16 95 | + | 11 90 11 90 | | | + | - |
| | Local Channel - Dedicated - DS1 per month Zone 1 | - | 1 2 | UNC1X UNC1X | ULDF1 | 36.49 51.85 | 216.65 216.65 | 183.54 183.54 | | 16.95 | | 11 90 | | | 1 | |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3 | + | | UNC1X | ULDF1 | 92.00 | 216 65 | 183.54 | 24 30 | 16.95 | | 11.90 | | | 1 | |
| | Local Channel - Dedicated - DS1- Per Month 2016 3 | | ۲ | UNC3X | 1L5NC | 8 50 | 2,000 | 100.04 | 2.30 | .5.55 | | 1 | | † | 1 | |
| | | | | | | | 556 37 | 343.01 | 139 13 | 96.84 | | 11.90 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------------|---|-------------|--|---------------------|----------------|----------------|------------------|----------------|-----------------------|---------------------|--------------|--|--|--|--|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | всѕ | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svo Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 8 50 | First | Add'l | FIRST | Addi | SUMEC | SUMAN | SOWAN | SUMAN | SOMAN | SUMAN |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 540.69 | 556.37 | 343 01 | 139 13 | 96 84 | | 11 90 | | | | 1 |
| Ontion | al Features & Functions: | | | | 1525.5 | 0.0.00 | | | | | | | | | | |
| | PLEXERS | | | | | | | | | | | | | | | |
| | minimum billing penod is one month for DS1 to DS0 Channel | | | | | | | | | | | | | | | |
| NOTE: | minimum billing period is three months for DS3 to DS1 and al | bove C | | | | | | | | | | | | | | |
| | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 146 77 | 101 42 | 71 62 | 11 09 | 10.49 | | 11 90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) | | | UDL | 10100 | 2 10 | 10 07 | 7 08 | | | | 11 90 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | İ | | UDN | UC1CA | 3 66 | 10 07 | 7 08 | | | | 11 90 | | | 1 | 1 |
| $\overline{}$ | month Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 1 38 | 10 07 | 7 08 | | | | 11.90 | | | | |
| | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 211 19 | 199 28 | 118 64 | | 39 07 | | 11.90 | | | | |
| | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 211 19 | 199 28 | 118 64 | | 39 07 | | 11 90 | | | 1 | |
| | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 13 76 | 10 07 | 7 08 | | | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Local Channel per month | | | ULDD1 | UC1D1 | 13.76 | 10 07 | 7.08 | | | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | | | | | | | | | | | | | | ĺ | |
| | per month | | | וסדוט1 | UC1D1 | 13.76 | 10 07 | 7 08 | | | | 11 90 | | | | |
| Sub-Le | pop Feeder | | 1 | | | | | | ļ | | | | | | | <u> </u> |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide | | | UNC1X | USBFG | 42 59 | 400.77 | 70.00 | DE 46 | | ļ <u>.</u> | | | | ļ | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | | UNC1X UNC1X | USBFG | 42 59 60 53 | 133 77 133 77 | 78 02 78 02 | | 21 21 21 21 | | | | | - | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | | UNC1X | USBFG | 107 39 | 133 77 | 78 02 | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4 | | | UNC1X | USBFG | 101 00 | 10077 | .0.02 | | 2.2 | | | | | | |
| UNBUNDLED I | OCAL EXCHANGE SWITCHING(PORTS) | | | | 1 | | | | | | | | | | | |
| Exchai | nge Ports | | | | | | | | I | | | | | | | |
| | Although the Port Rate includes all available features in GA, I | Y, LA | & TN, tl | ne desired features | will need to b | e ordered usin | g retail USOCs | | | | | | | | | |
| 2-WIRI | VOICE GRADE LINE PORT RATES (RES) | L | ļ | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res | | | UEPSR | UEPRL | 1 40 | 3.74 | 3 63 | 1 88 | 1 80 | - | 11 90 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res | | | UEPSR | UEPRC | 1 40 | 3 74 | 3 63 | 1 88 | 1 80 | | 11 90 | | | | ļ |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1 40 | 3 74 | 3.63 | 1 88 | 1.80 | | 11 90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Flonda area calling with Calter ID - Res. | | | UEPSR | UEPAF | 1 40 | 3 74 | 3 63 | 1 88 | 1 80 | | 11 90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability | | | UEPSR | UEPA9 | 1 40 | 3 74 | 3 63 | 1.88 | 1.80 | | 11 90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Flonda extended dialing port for use with CREX7 and Caller ID | | | UEPSR | UEPA1 | 1 40 | 3 74 | 3 63 | 1 88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability | | | UEPSR | UEPA8 | 1 40 | 3 74 | 3 63 | 1.88 | 1.80 | | 11 90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 1 40 | 3 74 | 3.63 | 1 88 | 1 80 | | 11 90 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | | UEPSR | UEPRT | 1 40 | 3 74 | 3 63 | 1 88 | 1 80 | | 11 90 | | | | |
| | Subsequent Activity | | - | UEPSR | USASC | 0.00 | 0 00 | 0 00 | | | - | 11.90 | | | | |
| FEATL | All Available Vertical Features | | | UEPSR | UEPVF | 2 26 | 0 00 | 0 00 | | | 1 | 11.90 | | | | |
| | EVOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | OEI OIL | 52. 11 | 2 20 | | | | | | 11.30 | | - | | |
| | Bus Exchange Ports - 2-Wire Will out of the Port without Gallet in Port Exchange Ports - 2-Wire VG unbundled Line Port with | | _ | UEPSB | UEPBL | 1 40 | 3.74 | 3 63 | 1.88 | 1 80 | - | 11.90 | | | | |
| | unbundled port with Caller+E484 ID - Bus | | | UEPSB | UEPBC | 1 40 | 3.74 | 3,63 | 1.88 | 1.80 | ļ | 11 90 | | | | ļ |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus Exhange Ports - 2-Wire VG unbundled incoming only port with | | | UEPSB | UEPBO | 1 40 | 3 74 | 3 63 | 1.88 | 1 80 | | 11 90. | | | | <u> </u> |
| | Caller ID - Bus | |] | UEPSB | UEPB1 | 1,40 | 3 74 | 3 63 | 1 88 | 1 80 | <u> </u> | 11 90 | | | | L |

Version 4Q02 12/18/02 Page 18 of 52 30 of 69

| ONRONDLE | D NETWORK ELEMENTS - Florida | | | 1 | 1 | | | | | | | | Attachn | | | bit: B |
|----------|---|--|--|----------------------|---------------|----------------|-----------------|-----------------------|---------------------------------------|----------------|---|---|---|---|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'i | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | CONTO | COMAN | | Rates (\$) SOMAN | COLLAN | COMAN |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | - | | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SUMAN | SOMAN | SOMAN |
| | Capability | İ | | UEPSB | UEPBE | 1,40 | 3 74 | 3.63 | 1 88 | 1 80 | | 11 90 | | | |] |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | 1.00 | 100 | | 11 90 | | | | |
| FEAT | | | - | 00.00 | USASC | 0.00 | 0.00 | 0 00 | | | · · · · · · · · · · · · · · · · · · · | 11 30 | - | | | † |
| 1 | All Available Vertical Features | | | UEPSB | UEPVF | 2 26 | 0.00 | 0 00 | | | | 11.90 | | | | |
| FXCH | ANGE PORT RATES (DID & PBX) | <u> </u> | | 02.02 | | | | | | | | | | | | ì |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.40 | 39 06 | 18.18 | 12 35 | 0 7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1 40 | 39 06 | 18 18 | 12 35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1 40 | 39 06 | 18 18 | 12 35 | 0.7187 | | 11 90 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.40 | 39 06 | 18.18 | 12 35 | 0 7187 | | 11 90 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 1.40 | 39 06 | 18 18 | 12 35 | 0 7187 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | VEPSP | UEPLD | 1 40 | 39 06 | 18.18 | 12.35 | 0 7187 | | 11 90 | | | | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPXA | 1 40 | 39 06 | 18 18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | <u> </u> | | UEPSP | UEPXB | 1.40 | 39.06 | 18.18 | 12.35 | 0 7187 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1 40 | 39 06 | 18.18 | 12 35 | 0 7187 | | 11 90 | | | | ļ |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1,40 | 39 06 | 18 18 | 12.35 | 0 7187 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | 1 | | | | | | | 0.7407 | | 44.00 | | | l | } |
| | Capable Port | | 1 | UEPSP | UEPXE | 1 40 | 39 06 | 18 18 | 12.35 | 0 7187 | | 11 90 | | | | |
| j | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | | | | | | | | | | | | | İ |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1 40 | 39 06 | 18 18 | 12.35 | 0.7187 | | 11 90 | | | | ļ |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | HEDOD | LIEDVIA | 1 40 | 20.00 | 40.40 | 12.35 | 0 7187 | | 11 90 | | | | |
| | Room Calling Port | - | ļ | UEPSP | UEPXM | 1 40 | 39 06 | 18 18 | 12.35 | 0 7187 | | 11 90 | | | <u> </u> | |
| - 1 | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | UEPSP | UEPXÓ | 1 40 | 39 06 | 18 18 | 12 35 | 0 7187 | | 11 90 | | | | |
| | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | ├ | | VEPSP | UEPXS | 1 40 | 39 06 | 18.18 | 12.35 | 0.7187 | | 11 90 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0 00 | 0 00 | 0.00 | 12.55 | 0,7107 | | 11.90 | | | | |
| FEATU | | | 1 | 02.1 0.1 | 100/100 | | 0 00 | 0.00 | | | | | | | | |
| - 1 | All Available Vertical Features | | | UEP\$P UEP\$E | UEPVF | 2.26 | 0.00 | 0 00 | · · · · · · · · · · · · · · · · · · · | | | 11.90 | | | | |
| EXCH | ANGE PORT RATES (COIN) | | 1 | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | | | | | 1 40 | 3 74 | 3 63 | 1 88 | 1 80 | | 11.90 | | | | |
| NOTE | : Transmission/usage charges associated with POTS circuit s | witched | usage | will also apply to c | rcuit switche | d voice and/or | circuit switche | ed data transm | ussion by B-Ch | annels associ | ated with 2- | wire ISDN p | orts. | | | |
| NOTE | : Access to B Channel or D Channel Packet capabilities will be | availal | ble only | y through BFR/New | Business Re- | quest Process. | Rates for the | packet capabi | lities will be de | termined via t | he Bona Fic | le Request/I | New Business | Request Pro | cess | |
| NBUNDLED | LOCAL EXCHANGE SWITCHING(PORTS) | | L | | | | | | | | | | | | | |
| EXCH | ANGE PORT RATES | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8 73 | 78.41 | 15 82 | 41 94 | 4 26 | | 11 90 | | | 1.83 | L |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | 1 | | ĺ | 1 | | | | | _ | | | | | | |
| | capability | | | UEPDD | UEPDD | 54.95 | 151 11 | 77 75 | 48 81 | 3 10 | | 11 90 | | | 1.83 | ļ |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below) | | | UEPTX UEPSX | U1PMA | 8.83 | 46 83 | 50.68 | 27 64 | 11 93 | | 11 90 | | | 1.83 | ļ |
| | All Features Offered | L | | UEPTX UEPSX | UEPVF | 2 26 | 0.00 | 0 00 | | | | 11 90 | | | 1.83 | ├ |
| | : Transmission/usage charges associated with POTS circuit s | | | | | | | | | | | | | D | | ļ |
| NOTE | Access to B Channel or D Channel Packet capabilities will be | avaiiai | DIE ONI | UEPTX UEPSX | U1UMA | Quest Process | 0 00 | Dacker capabi 0.00 | | termined via t | ne Bona Fic | e Request/ | new Business | Request Pro | cess. | |
| | Exchange Ports - 2-Wire ISDN Port - Channel Profiles Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 82 74 | 174.61 | 95 17 | 49 80 | 18 23 | | 11.90 | | | 1.83 | |
| LINDI | NDLED PORT with REMOTE CALL FORWARDING CAPABILITY | , | | UEFEX | UEFEX | 02 74 | 174.01 | 95 17 | 49 60 | 10 23 | ļ | 11.90 | | | 1.03 | - |
| | NOLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | - | | | |
| UNBU | Unbundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1 40 | 3.74 | 3 63 | 1 88 | 1 80 | | 11.90 | | | | |
| | Charles Terrote Car I of Harding Celvice, Alex Calling, Nes | | | | 132.00 | 1 40 | 0.14 | | 1 30 | 1 30 | | 11.50 | | | | 1 |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res | | 1 | UEPVR | UERLC | 140 | 3.74 | 3 63 | 1 88 | 1 80 | • | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | t · | \vdash | UEPVR | UERTE | 1 40 | 3.74 | 3 63 | 1 88 | 1 80 | | 11 90 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | 1 | UEPVR | UERTR | 1 40 | 3.74 | 3 63 | 1 88 | 1 80 | | 11 90 | | | | 1 |
| Non-R | Recurring | 1 | | | 1 | | | | | | | | | | 1 | |
| 1 | Unbundled Remote Call Forwarding Service - Conversion - | | 1 | | | | | | | | | | 1 | | İ | T |
| | Switch-as-is | | | UEPVR | USAC2 | <u> </u> | 0 102 | 0 102 | <u> </u> | | | 11 90 | 1 | | 1 | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | |] |
| | allowed change (PIC and LPIC) | | <u> </u> | UEPVR | USACC | | 0 102 | 0 102 | | | | | | | L | |
| UNBU | NDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | - | 1 | | | | | · | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1 40 | 3 74 | 3 63 | 1 88 | 1 80 | | 11.90 | | | | |

| | D NETWORK ELEMENTS - Florida | | , | , | | , | | | | | | | | nent: 2 | Exhit | |
|-------------|--|-------------|------------------|---|---|---|--|---|--|--|--------------|---|---|---|-------------------------------------|-------------------------------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | RATES (\$) | | | | | | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- Add'I | Charge - Manual Svc Order vs. | Charge - Manual Svo Order vs. |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001111 | | Rates (\$) | COMAN | COMAN |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | 4.40 | 3 74 | 2.62 | 1 88 | 1 80 | | 11.90 | 1 | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | | <u> </u> | UEPVB | UERLC | 1 40 | 374 | 3 63 3 63 | | 1.80 | | 11.90 | ļ | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTR | 1.40 | 374 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERIK | 1.40 | 374 | 3.03 | 1.00 | 1 00 | | 11.30 | 1 | | | |
| | Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling | 1 | | UEPVB | UERVJ | 1.40 | 3 74 | 3 63 | 1 88 | 1 80 | | 11.90 | 1 | | | |
| | ecuring | | t | OLF VD | OLIVO | 1.40 | 5,74 | - 000 | 1 | | | 11.00 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - | | · · · · · | | 1 | 1 | | | | | - | | | | | |
| | Switch-as-is | | i | UEPVB | USAC2 | | 0.102 | 0.102 | 1 1 | | | 11 90 | | i | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | - | | | | | | | | | | | | | |
| 1 1 | allowed change (PIC and LPIC) | | 1 | UEPVB | USACC | | 0.102 | 0.102 | L | | | | 1 | | <u> </u> | |
| UNBUNDLED L | OCAL SWITCHING, PORT USAGE | | L | | | | | | | | | | | | | |
| End Off | ffice Switching (Port Usage) | | \Box | | | | | | | | L | | | | | |
| | End Office Switching Function, Per MOU | | | | | 0 0007662 | | | | | | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | | 0.000164 | | | | | | | | ļ | | |
| Tanden | m Switching (Port Usage) (Local or Access Tandem) | | | | | | | | I | | <u> </u> | | | | | |
| | Tandem Switching Function Per MOU | | | | | 0 0001319 | | | | | | | | | | |
| | Tandem Trunk Port - Shared, Per MOU | | | | | 0 000235 | | | | | | | | | | |
| | on Transport | | ļ | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | <u> </u> | | | 0 0000035 | | | | | | | | | | |
| | Common Transport - Facilities Termination Per MOU | | | <u> </u> | | 0 0004372 | | | | | | | | | | |
| UNBUNDLED P | PORT/LOOP COMBINATIONS - COST BASED RATES | | ـــل | 1 | 1.11.6 | | | 5 B - 4 - | - | | | | ļ <u>.</u> | | | |
| Cost Ba | ased Rates are applied where BellSouth is required by FCC ar es shall apply to the Unbundled Port/Loop Combination - Cos | 10/or 51 | Dete | mmission rule to pr | ovide Unbur | havers control | ching or Switt | one Unbund | nd Bort conting | of this Data E | vh.h.t | | ł | | | |
| Feature | es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us | Basec | Rate | section in the same | manner as t | ney are applied t | o the Stand-Al | one Unbundi | ed Port Section | or triis Rate c | for LINE Col | n Port/Loo | n Combinatio | l | | |
| End Off | st and additional Port nonrecurring charges apply to Not Curr | sage rai | es III I | ne Port Section of the | rootly Comb | sined Combos th | an combination | chames sha | Il he those iden | tified in the h | OF CHE COL | - Currently | Combined s | ections | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | endy C | I | T Combos. For Car | Tentay Conta | ined Combos a | ie nomecarini | J Gliaiges Sile | iii be tilose ideli | inica in aic i | lomeounng | - our city | T COMBINE OF S | 20001132 | | - |
| | ort/Loop Combination Rates | - | 1 | - | + | | | | | | | | | | | |
| | | | 1 | | | | | | | | | | | | | |
| | | | | | 1 | 10 94 1 | | | 1 1 | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | - | | | + | 10 94 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15 05 | | | | | | | | 1 | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | | | | | | | | | | | | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 pop Rates | | 3 | UEPRX | UEPLX | 15 05 | | | | | | | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 | | 3 | | UEPLX UEPLX | 15 05 25 80 | | | | | | | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 3 1 2 | UEPRX UEPRX UEPRX | | 15 05 25 80 9 77 | | | | | | | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 2 3 1 2 | UEPRX | UEPLX | 15 05 25 80 9 77 13 88 | | | | | | | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) | | 2 3 1 2 | UEPRX | UEPLX | 15 05 25 80 9 77 13 88 | 53 31 1 | 26 46 | | 8 37 | | 11 90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 2 3 1 2 | UEPRX UEPRX | UEPLX UEPLX | 15 05 25 80 9 77 13 88 24 63 | 53 31 1 53 31 | 26 46 26 46 | | 8 37 8 37 | | 11 90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | | 2 3 1 2 | UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL | 15 05 25 80 9 77 13 88 24 63 | | | 27.50 | | | | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 | 53 31 | 26 46 26 46 | 27.50 27.50 | 8 37 8 37 | | 11.90 11 90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 | 53 31 | 26 46 | 27.50 | 8 37 | | 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC ÜEPRO UEPAF | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 | 53 31 53 31 53 31 | 26 46 26 46 26 46 | 27.50 27.50 27.50 | 8 37 8 37 8 37 | | 11.90 11 90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 | 53 31 53 31 | 26 46 26 46 | 27.50 27.50 | 8 37 8 37 | | 11.90 11 90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda extended dialing port for use | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 | 53 31 53 31 53 31 53 31 | 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27.50 | 8 37 8 37 8 37 8 37 | | 11.90 11.90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda extended dialing port for use with CREXT and Caller ID | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC ÜEPRO UEPAF | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 | 53 31 53 31 53 31 | 26 46 26 46 26 46 | 27.50 27.50 27.50 | 8 37 8 37 8 37 | | 11.90 11 90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID (LUM) 2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Flonda extended dialing port for use | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC ÜEPRO UEPAF UEPAF UEPAP | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 | 53 31 53 31 53 31 53 31 53 31 53 31 | 26 46 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27.50 | 8 37 8 37 8 37 8 37 8 37 | | 11.90 11.90 11.90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID cut (LUM) 2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 | 53 31 53 31 53 31 53 31 | 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27.50 | 8 37 8 37 8 37 8 37 | | 11.90 11.90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPAA | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 | 53 31 53 31 53 31 53 31 53 31 53.31 | 26 46 26 46 26 46 26 46 26 46 26 46 | 27.50 27.50 27.50 27.50 27.50 27.50 | 8 37 8 37 8 37 8 37 8 37 8 37 | | 11.90 11 90 11.90 11.90 11 90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC ÜEPRO UEPAF UEPAF UEPAP | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 | 53 31 53 31 53 31 53 31 53 31 53 31 | 26 46 26 46 26 46 26 46 26 46 | 27.50 27.50 27.50 27.50 27.50 27.50 | 8 37 8 37 8 37 8 37 8 37 | | 11.90 11.90 11.90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID res 2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9 | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 | 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 | 26 46 26 46 26 46 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 | 8 37 8 37 8 37 8 37 8 37 8 37 8 37 | | 11.90 11 90 11.90 11.90 11 90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAF UEPAP UEPAA | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 | 53 31 53 31 53 31 53 31 53 31 53.31 | 26 46 26 46 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 | 8 37 8 37 8 37 8 37 8 37 8 37 | | 11.90 11 90 11.90 11.90 11 90 11.90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID 2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRC UEPRO UEPAF UEPAF UEPA1 UEPA8 UEPA8 UEPA9 UEPA9 | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 1 | 53 31 53 31 53 31 53 31 53 31 53.31 53.31 53.31 | 26 46 26 46 26 46 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 | 8 37 8 37 8 37 8 37 8 37 8 37 8 37 | | 11.90 11 90 11.90 11.90 11 90 11.90 11 90 | | | | |
| UNE Lo | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8 UEPA9 | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 | 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 | 26 46 26 46 26 46 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 | 8 37 8 37 8 37 8 37 8 37 8 37 8 37 | | 11.90 11 90 11.90 11.90 11 90 11.90 | | | | |
| 2-Wire | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPA9 | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 1 | 53 31 53 31 53 31 53 31 53 31 53.31 53.31 53.31 | 26 46 26 46 26 46 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 | 8 37 8 37 8 37 8 37 8 37 8 37 8 37 | | 11.90 11 90 11.90 11.90 11 90 11.90 11 90 | | | | |
| 2-Wire | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundled Flonda Area Calling with Caller ID res 2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID res 2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability 1- Province unbundled Flonda Area Calling Port without Caller ID Capability 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability 1- Province Unbundled Flonda Area Calling Port without Caller ID Capability 1- Province Unbundled Flonda Area Calling Port Without Caller ID Capability 1- Province Unbundled Flonda Area Calling Port Without Caller ID Capability 1- Province Unbundled Flonda Area Calling Port Without Caller ID Capability 1- Province Unbundled Flonda | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRC UEPRO UEPAF UEPAF UEPA1 UEPA8 UEPA8 UEPA9 UEPA9 | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 1 | 53 31 53 31 53 31 53 31 53 31 53.31 53.31 53.31 | 26 46 26 46 26 46 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 | 8 37 8 37 8 37 8 37 8 37 8 37 8 37 | | 11.90 11 90 11.90 11.90 11 90 11.90 11 90 | | | | |
| 2-Wire | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAP UEPA1 UEPA8 UEPA9 UEPA9 | 15 05 25 80 9 77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 1 | 53 31 53 31 53 31 53 31 53 31 53.31 53.31 53.31 | 26 46 26 46 26 46 26 46 26 46 26 46 26 46 | 27.50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 | 8 37 8 37 8 37 8 37 8 37 8 37 8 37 | | 11.90 11 90 11.90 11.90 11 90 11.90 11 90 | | | | |

Version 4Q02 12/18/02 Page 20 of 52

| NRONDLE | D NETWORK ELEMENTS - Florida | · · · · · · | | | | | | | | | <u>,</u> | | 1 | ment: 2 | | bit: B |
|----------|--|--|--|--|---------|----------------|--------|------------|---------------------------------------|-------|---|-----------------------|--|---|---|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order v |
| | | | 1 | | | Rec | Nonrec | | Nonrecurring | | CONTO | SOMAN | | Rates (\$) | COMAN | SOMAI |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | <u> </u> | - | ļ | | | First | Addʻl | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAI |
| | Switch with change | l | | UEPRX | USACC | | 0 102 | 0 102 | | | | 11 90 | ł. | | | |
| ADDIT | IONAL NRCs | | 1 | 02.70 | 1001.00 | | 5 .52 | 0.02 | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPRX | USAS2 | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | <u> </u> |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | ļ | | | | | | | ļ | | | | _ | <u> </u> |
| UNE P | ort/Loop Combination Rates | | 1 | | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | l | + | 15.05 | - | | | | | ļ | | · · · · · · · · · · · · · · · · · · · | - | + |
| \dashv | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | - 1 | 25.80 | | | | | | | i | | | |
| UNE L | oop Rates | | | | | | | • | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 9 77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | ļ | 2 | UEPBX | UEPLX | 13 88 | | | | | | ļ | ļ | <u> </u> | ļ | |
| 0.19/5 | 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Bus) | _ | 3 | UEPBX | UEPLX | 24 63 | | | | | | | - | | | + |
| Z-VVITE | 2-Wire voice unbundled port without Caller ID - bus | | + | ÜEPBX | UEPBL. | 1 17 | 53.31 | 26 46 | 27 50 | 8 37 | | 11 90 | † | | | + |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1 17 | 53 31 | 26 46 | | 8 37 | | 11 90 | | | | t |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | 1 | 1 |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1 17 | 53.31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire voice unbundled incoming Only Port without Caller ID | | | | | | | | | | | | | | 1 | 1 |
| | Capability | ļ <u>.</u> | ├ | UEPBX | UEPBE | 1 17 | 53.31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | — |
| LOCAL | L NUMBER PORTABILITY [Local Number Portability (1 per port) | | - | UEPBX | LNPCX | 0 35 | | | · · · · · · · · · · · · · · · · · · · | | <u> </u> | | | | | + |
| FEAT | | | | QEFBA | LINFOX | 0 33 | | | | | | | - | | | + |
| 1 | All Features Offered | - | | UEPBX | UEPVF | 2 26 | 0 00 | 0.00 | | | | 11 90 | | | | † |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPBX | USAC2 | | 0 102 | 0 102 | | | ļ | 11 90 | | <u> </u> | - | ــــــ |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change | | | UEPBX | USACC | | 0 102 | 0 102 | | | | 11.90 | | · ' | | |
| ADDIT | IONAL NRCs | | - | DEFBA | OSACC | | 0 102 | 0 102 | | | | 11.00 | | | | |
| ADDII | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| - | Activity | ļ | | UEPBX | USAS2 | | 0 00 | 0.00 | | | | 11.90 | | | | 1 |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | · | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | <u> </u> | | ļ | | ļ | | | ļ |
| | 2-Wire VG Loop/Port Combo - Zone 1 | ļ <u>.</u> | 1 2 | | - | 10.94 15.05 | | | | | | | | | - | |
| | 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 | - | 3 | | | 25.80 | | | | | | | | | | + |
| UNF I | oop Rates | | Ť | | | 20.00 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEPRG | UEPLX | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 24.63 | | | | | | <u></u> | | | | |
| 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | | | - | | | | | | | | | <u> </u> | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | ł | | UEPRG | UEPRD | 1.17 | 174 81 | 100.65 | 75 88 | 12 73 | | 11 90 | 1 | | | |
| LOCAL | NUMBER PORTABILITY | - | | 52110 | OL NO | 1.17 | 17401 | 100.00 | 1508 | 12/3 | | 1130 | - | | | + |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0 00 | | | <u> </u> | 11 90 | | | | 1 |
| FEAT | JRES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 2.26 | 0 00 | 0.00 | | | | 11 90 | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | ₩ | | + | | | | | | ļ | ļ | - | | ļ | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | 1 | UEPRG | USAC2 | | 8 45 | 1 91 | | | | 11 90 | 1 | | 1 | |
| | Conversion - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | + | OLPRO | USAUZ | | 0 45 | 191 | | | | 1190 | ł | | | + |
| 1 | Conversion - Switch with Change | | | UEPRG | USACC | | 8 45 | 1.91 | | | | 11.90 |] | | 1 | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| 1 | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | , | | | | |
| | Subsequent Activity | L | 1 | UEPRG | USAS2 | 0.00 | 0 00 | 0 00 | | | ļ | 11 90 | | | | 1 |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | 1 | 1 | 1 | | | | | | | i | I | 1 | 1 | 1 | 1 |

| | | | | | | | | | | | | | | P | | |
|--------|--|-------------|-------------|--------------|-------|--------|------------|----------|--------------|------------|--------------|--------|--|-------------------------------------|------------|-------------------------------------|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | RATES (\$) | | | | | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. | Charge - | Charge - Manual Svo Order vs. |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | | |
| | | | | | | Rec | First | Add'I | First | Add'i | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2 WIDE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | + - | | 11131 | Addi | 11131 | Auu | JOINEO | OOAIT | OOMAN | OOMAN | O O MITTHE | 100111711 |
| | ort/Loop Combination Rates | | | | - | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10 94 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15 05 | | | | | 1 | | | | 1 | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 25 80 | | <u> </u> | | | | | | | | |
| | pop Rates | | | | | - 2000 | | | | | 1 | | | - | | † |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 9 77 | | | | | | | | | | — |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 13 88 | | | | | 1 | | | | | $\overline{}$ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEPPX | UEPLX | 24 63 | | | | | | | | | | |
| | Voice Grade Line Port Rates (BUS - PBX) | | Ť | | 52.21 | | | | | | 1 | | | | | |
| | , | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.17 | 174 81 | 100.65 | 75.88 | 12 73 | | 11.90 | | <u> </u> | | <u> </u> |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1 17 | 174 81 | 100 65 | 75 88 | 12 73 | | 11.90 | | | | T |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1 17 | 174 81 | 100.65 | 75.88 | 12 73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1 17 | 174 81 | 100 65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1 17 | 174 81 | 100 65 | 75 88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1 17 | 174 81 | 100 65 | 75 88 | 12.73 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1 17 | 174 81 | 100 65 | 75 88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 1.17 | 174 81 | 100 65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 1 17 | 174 81 | 100 65 | 75 88 | 12 73 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1 17 | 174 81 | 100 65 | 75 88 | 12.73 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | 1 | | |
| - 1 | Room Calling Port | | | UEPPX | UEPXM | 1 17 | 174 81 | 100 65 | 75 88 | 12.73 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPPX | UEPXO | 1 17 | 174 81 | 100.65 | 75.88 | 12.73 | | 11 90 | | | ! | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | ŲĒPPX | UEPXS | 1 17 | 174 81 | 100 65 | 75 88 | 12.73 | | 11.90 | | | | |
| LOCAL | NUMBER PORTABILITY | - | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0 00 | 0 00 | | | | 11 90 | | | | |
| FEATU | RES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 2.26 | 0 00 | 0 00 | | | | 11.90 | | | | |
| NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 8 45 | 1 91 | | | | 11 90 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | | | UEPPX | USACC | | 8 45 | 1 91 | | | ì | 11 90 | | | | 1 |
| ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | | UEPPX | USAS2 | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 7 86 | 7.86 | | | | 11.90 | | | | |
| | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | ₹T | | | | | | | | | | | | 1 | | |
| | ort/Loop Combination Rates | | | | | | | | | | | | | | | I |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo - Zone 2 | | 2 | | | 15.05 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo - Zone 3 | | 3 | | | 25.80 | | | | | J | | | | | |
| | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPCO | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPCO | UEPLX | 13 88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 24 63 | | | | | | | | | | L |
| | Voice Grade Line Ports (COIN) | | | | | | | | | | | | | | | 1 |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking 011, | | | | | | | | [| | | | | 1 | | |
| | 900/976, 1+DDD (FL) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | - | UEPCO | UEP2F | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11.90 | | | | + |
| | (FL) 2-Wire Coin 2-Way with Operator Screening and Blocking | | | UEPCO | UEPFA | 1 17 | 53.31 | 26 46 | 27 50 | 8 37 | | 11 90- | | | | + |

| ONDONDLED N | ETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachment: 2 | | | bit: B |
|-------------|---|-------------|--------------|--|---------|----------------|--------|------------|--|------------|--------------|-----------------------|---------------|---|--|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zопе | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Manual Svc | Charge - Manual Svc M Order vs. (Electronic- E | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | |
| | | | ļ | | | | First | Add'l | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Vire Coin Outward with Operator Screening and 011 Blocking | | İ | UEPCO | UEPRK | 1.17 | 53 31 | 26 46 | 27.50 | 8 37 | | 11.90 | | | | i |
| | ., FL) Vire Coin Outward with Operator Screening and Blocking | | - | UEPCO | UEPKK | 1.17 | 53 31 | 26 46 | 27.50 | 837 | | 11.90 | | | | |
| | 0/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 1.17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | İ | | 1 |
| | Vire Coin Outward with Operator Screening and Blocking | | + | 0 00 | - 00.01 | | | 20 .0 | 2, 55 | 30. | | 1100 | | | | |
| 900 | 0/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 1.17 | 53.31 | 26.46 | 27 50 | 8 37 | İ | 11 90 | | | | |
| | Vire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11.90 | | | | |
| | Vire Coin Outward Smartline with 900/976 (all states except | | | | | 1 | | | | | | | | | | |
| LA) | | | ļ | UEPCO | UEPCR | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | AL UNE COIN PORT/LOOP (RC) IE Coin Port/Loop Combo Usage (Flat Rate) | | _ | UEPCO | URECU | 1.86 | 0.00 | 0.00 | 0.00 | 0 00 | | 11.90 | | | | |
| | IMBER PORTABILITY | | | CLFCG | OIVEGO | 1.00 | | 0.00 | 0.00 | 0.00 | | 11.50 | | | | |
| | cal Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONRECU | RRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | 1 |
| 2-V | Vire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | ì |
| | rtch-as-is | | ļ | UEPCO | U\$AÇ2 | | 0 102 | 0 102 | | | | 11 90 | | | | |
| | Vire Voice Grade Loop / Line Port Combination - Conversion - | | | l | | | | | | | | | | | | |
| | ntch with change | | | UEPCO | USACC | | 0 102 | 0 102 | | | | 11,90 | | | | |
| ADDITION/ | AL NRCs Vire Voice Grade Loop/Line Port Combination - Subsequent | | - | | | | | | | | | | | | | |
| | wife voice Grade Loop/Line Port Combination - Subsequent | | | UEPCO | USAS2 | | 0 00 | 0 00 | | | | 11 90 | | | | |
| | DICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | I INF | PORT (| | OGAGE | | - 000 | | | | | 1130 | | | | - |
| | oop Combination Rates | | T | i i | | | - | | | | | | | | | |
| 2-V | Vire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1.1. | | | 13 64 | | | | | | | | | | |
| 2-V | Vire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 18.80 | | | | | l | | | | | |
| | Vire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 32 27 | | | | | | | | | | |
| UNE Loop | | | | UEDED | 115050 | 40.04 | | | | | ļ | | | | | |
| | Vire Voice Grade Loop (SL2) - Zone 1 Vire Voice Grade Loop (SL2) - Zone 2 | | 1 2 | UEPFR UEPFR | UECF2 | 12 24 17 40 | | | | | | | | | | |
| | Vire Voice Grade Loop (SL2) - Zone 2 Vire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 30.87 | | | | | | | | | | |
| | ce Grade Line Port Rates (Res) | | - | GEITIK | OLOI Z | 30.01 | | | | | | | | | | |
| | Vire voice unbundled port - residence | | | UEPFR | UEPRL | 1 40 | 174 81 | 100.65 | 75 88 | 12 73 | | 11.90 | | | | |
| 2-V | Vire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1 40 | 174 81 | 100.65 | 75 88 | 12 73 | | 11.90 | | | | |
| 2-V | Vire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1 40 | 174 81 | 100 65 | 75 88 | 12 73 | | 11.90 | | | | |
| | | | | | | | | | 1 | | 1 | | | | | |
| | Vire voice unbundled Florida Area Calling with Caller ID - res | | | UEPFR | UEPAF | 1 40 | 174.81 | 100 65 | 75 88 | 12 73 | | 11 90 | | | | |
| 2-V (LU | Vire voice unbundles res, low usage line port with Caller ID | | | UEPFR | UEPAP | 1 40 | 174.81 | 100 65 | 75 88 | 12 73 | į l | 44.00 | | | | 1 |
| | ICE TRANSPORT | | 1 | UEPFR | UEPAP | 1 40 | 174.01 | 100 65 | /5 65 | 12 /3 | - | 11 90 | | | | |
| | eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | ! | | | | | | | | | | | | | |
| | mination | | 1 | UEPFR | lu1TV2 | 25 32 | 47.35 | 31 78 | | | | | | | | |
| Inte | eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| or F | Fraction Mile | | 1 | UEPFR | 1L5XX | 0.0091 | | | | | | | | | | 1 |
| FEATURES | | | | | | | | | | | | | | | | |
| | Features Offered | | | UEPFR | UEPVF | 2 26 | 0.00 | 0 00 | | | | 11.90 | | | | |
| | MBER PORTABILITY | | | UEDED | LNPCX | 0 35 | | | | | | | | | | |
| | eal Number Portability (1 per port) RRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | - |
| | Vire Loop / Dedicated IO Transport / 2 Wire Line Port | | _ | | 1 | | | | | | | | | | | |
| | mbination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.97 | 3 73 | | | | 11 90 | | | | |
| | Vire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | 1 | | | | | - | | 50 | | | | l |
| Cor | mbination - Conversion - Switch-With-Change | | L | UEPFR | USACC | | 16 97 | 3.73 | | | L | 11 90 | | | | 1 |
| 2-WIRE VO | ICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| BUS) | | | | | | | | | | | | |
| | oop Combination Rates | | <u> </u> | | | 10.5 | | | | | L | | | | | |
| | Vire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 13 64 | | | | | ļi | | | | | |
| | Vire VG Loop/IO Tranport/Port Combo - Zone 2 Vire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 18.80 32.27 | | | | | ļ | • | | | | _ |
| UNE LOOP | | | 1 | | 1 1 | 32 21 | | | | | - | | | | | |
| | Vire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 12 24 | | | | | | | | | - | |

| UNBUNDLED N | NETWORK ELEMENTS - Florida | | | | | | | | | | | | | nent: 2 | | bit: B |
|-------------|---|-------------|--------------|---------|---------|----------------|----------|------------|--------------|------------|----------|-----------------------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | t | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates (\$) | Į. | |
| | | | I | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFB | UECF2 | 17 40 30 87 | | | | | | | | | | ├ |
| | Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 30.87 | | | | | | | | | | |
| | Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1 40 | 174 81 | 100 65 | 75 88 | 12.73 | | 11 90 | | | | - |
| | Wire voice unbundled port with Caller + E484 ID - bus | | - | UEPFB | UEPBC | 1.40 | 174 81 | 100 65 | 75.88 | 12.73 | | 11.90 | | | ļ | ├── |
| | Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1 40 | 174.81 | 100 65 | 75.88 | 12.73 | | 11 90 | | | | † |
| | Wire voice unbundled incoming only port with Caller ID - Bus | - | <u> </u> | UEPFB | UEPB1 | 1 40 | 174.81 | 100 65 | 75 88 | 12.73 | | 11 90 | | | | |
| | UMBER PORTABILITY | | | OL() D | 02.101 | . 10 | ,,,,,,,, | | 1000 | 12.10 | | 11.00 | | | . | |
| | ical Number Portability (1 per port) | | | ŲEPFB | LNPCX | 0 35 | | | | | | | | | <u> </u> | |
| | FICE TRANSPORT | | | | | | | | | | | | | | | 1 |
| | teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | t | | | | | | | | | | | | i | |
| Te | ermination teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEPFB | U1TV2 | 25 32 | 47.35 | 31 78 | | | | | | | | |
| or | Fraction Mile | | | UEPFB | 1L5XX | 0 0091 | | | | | | 1 | | | | |
| FEATURE | | | | | | | | | ļ | | | | | ļ | | ļ |
| | Features Offered | | | UEPFB | UEPVF | 2 26 | 0 00 | 0 00 | ļ | | | 11 90 | | | | |
| | JRRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | ļ | | | | | |
| Co | Wire Loop / Dedicated IO Transport / 2 Wire Line Port ombination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16 97 | 3 73 | | | | 11 90 | | | | |
| | Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | UEPFB | USACC | | 16 97 | 3 73 | | | | 11 90 | | | | |
| | OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | • | | | | | | | | | | |
| | Loop Combination Rates | | | | | | | | | | | | | | | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 13 64 | | | | | | | | | | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 18 80 | | | | | L | | | | | |
| | Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 32 27 | | | | | | | | | | l |
| UNE Loop | | | | | | | | | | | | | | | | <u> </u> |
| | Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 12 24 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 17 40 | | | | | | | | | ļ | |
| | Wire Voice Grade Loop (SL2) - Zone 3 | - | 3 | UEPFP | UECF2 | 30 87 | | | | | | | | | i | |
| 2-Wire Voi | ice Grade Line Port Rates (BUS - PBX) | - | - | | | | | | | | •• | | | • | | ļ |
| | ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.40 | 174.81 | 100 65 | 75.88 | 12 73 | | 11.90 | | | | į |
| | ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | - | UEPFP | UEPPO | 1 40 | 174.81 | 100 65 | 75.88 | 12 73 | | 11.90 | | | | <u> </u> |
| | ne Side Unbundled Incoming PBX Trunk Port - Bus | | - | UEPFP | UEPP1 | 140 | 174 81 | 100 65 | 75 88 | 12 73 | | 11 90 | | | | |
| | Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1 40 | 174 81 | 100.65 | 75 88 | 12 73 | <u> </u> | 11.90 | | | | |
| | Wire Voice Unbundled 2-Way Combination PBX Usage Port | ļ | - | UEPFP | UEPXA | 140 | 174 81 | 100.65 | 75 88 | 12 73 | | 11 90 | | | | |
| 2-1 | Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB ; | 1 40 | 174 81 | 100 65 | 75 88 | 12 73 | | 11 90 | | | | |
| | Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.40 | 174 81 | 100 65 | 75 88 | 12 73 | | 11.90 | | | | |
| | Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1 40 | 174 81 | 100 65 | | 12 73 | | 11 90 | | | | |
| | Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | i | | | | | | ! | | | | | | | |
| Ca | pable Port | | | UEPFP | UEPXE . | 1.40 | 174.81 | 100 65 | 75 88 | 12 73 | | 11 90 | | | | |
| 2-V | Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Iministrative Calling Port | | | UEPFP | UEPXL | 1 40 | 174.81 | 100 65 | 75.88 | 12 73 | | 11.90 | | | | |
| 2-1 | Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | — | | 1 | | | | 1 | | | 1 | | - | | —— |
| Ro | oom Calling Port | <u> </u> | <u></u> | UEPFP | UEPXM | 1.40 | 174 81 | 100 65 | 75 88 | 12 73 | | 11 90 | | | | L |
| 2-V | Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital scount Room Calling Port | | | UEPFP | UEPXO | 1,40 | 174 81 | 100 65 | 75 88 | 12 73 | | 11 90 | | | | |
| | Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 140 | 174 81 | 100 65 | 75 88 | 12 73 | | 11 90 | | | | |
| | JMBER PORTABILITY | l . | | | 10 | , ,,,, | 11-7-1 | 100 00 | 1000 | | | ., 50 | | | | — |
| | cal Number Portability (1 per port) | | | UEPFP | LNPCP | 3 15 | 0 00 | 0 00 | | | | 11.90 | | | | \vdash |
| | ICE TRANSPORT | | | 12. | 1 | | - 50 | | <u> </u> | | | 150 | | | | |
| inte | eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | UEPFP | U1TV2 | 25 32 | 47 35 | 31 78 | | | | | | | | |
| Inte | rmination eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | - | | | | 47 35 | 31 /8 | | | | | - | | | |
| | Fraction Mile | | | UEPFP | 1L5XX | 0 0091 | | | | | | , | | | | ļ |
| FEATURES | | <u> </u> | <u> </u> | | | | | | | | | | | | | |
| | Features Offered | | <u> </u> | UEPFP | UEPVF | 2 26 | 0 00 | 0 00 | | | | 11 90 | | | | ├ |
| NONRECU | IRRING CHARGES (NRCs) - CURRENTLY COMBINED | 1 | <u> </u> | l | | | | | | | | i | | | l | \bot |

Version 4Q02 12/18/02 Page 24 of 52

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | nent: 2 | | bit: B |
|------------------|---|--------------|----------|---------|--------------|--------------|-------|--------|------------|--|--|--------------|----------------|---|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | В | cs | usoc | | | RATES (\$) | | | | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs Electronic- Add'l | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Charge |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Addʻi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| i i | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | ĺ | | | 1 | | | | į | 1 | 1 | | | | 1 | |
| | Combination - Conversion - Switch-as-is | ļ | | UEPFP | | USAC2 | | 16 97 | 3 73 | | ļ | | 11 90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | j | | | | | 40.07 | | | | 1 | | | | 1 | |
| <u> </u> | Combination - Conversion - Switch with change | | | UEPFP | | USACC | | 16 97 | 3 73 | | - | | 11 90 | | | | |
| | PORT/LOOP COMBINATIONS - COST BASED RATES | L | | | | | | | | | 1 | 1 | | | | - | |
| | E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | ļ | | | | | | _ | | | | | |
| UNEP | ort/Loop Combination Rates 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | <u> </u> | | | | | 20 95 | | | | | + | | | - | | |
| ··· | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 2 | | | - | 26 11 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 39 58 | | | | 1 | 1 | | | | | |
| UNE | oop Rates | | | | | 1 | 00 00 | | | | | - | | - | - | | |
| J | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | 1 | 1 | UEPPX | | UECD1 | 12 24 | | | i | | | 11 90 | | | 1.83 | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 17 40 | | | i | <u> </u> | 1 | 11 90 | | | 1 83 | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | | UEPPX | | UECD1 | 30 87 | | | | | | 11 90 | | | 1.83 | |
| UNE P | Port Rate | T | | | | | | | | 1 | | 1 | | | | 1 | |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 8.71 | 214 16 | 98 29 | | | | 11.90 | | 1 | 1 83 | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | - | | | | | | | | | | | | | | | |
| | Switch-as-is | |] | UEPPX | | USAC1 | | 7 85 | 1 87 | | | | 11.90 | | | 1 | i |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | with BellSouth Allowable Changes | 1 | 1 | UEPPX | | USA1C | i | 7 85 | 1 87 | 1 | | j | 11 90 | | | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | · | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 32 26 | 32 26 | | | | 11 90 | | | | |
| Teleph | none Number/Trunk Group Establisment Charges | | | | | | | | | 1 | | | | | | | |
| | DID Trunk Termination (One Per Port) | | <u> </u> | UEPPX | | NDT | 0 00 | 0 00 | 0 00 | | | | 11.90 | | | 1 83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | 1 | | | | | | | Ţ | | | | | | | |
| | of 20 DID Numbers | <u> </u> | | UEPPX | | NDZ | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | 1 83 | |
| | Additional DID Numbers for each Group of 20 DID Numbers | ļ | | UEPPX | | ND4 | 0.00 | 0 00 | 0.00 | ļ | - | ļ | 11 90 | | | 1 83 1.83 | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | ļ | | UEPPX | | ND5 | | | 0 00 | | | | 11 90 11 90 | | | 1.83 | |
| | Reserve Non-Consecutive DID numbers | <u> </u> | | UEPPX | | ND6 NDV | 0.00 | 0.00 | | | | 1 | 11 90 | | | 1.83 | <u> </u> |
| L | Reserve DID Numbers | | - | UEPPX | | NDA | 0.00 | 0.00 | 0 00 | | 1 | - | 1190 | | | 1 63 | |
| LOCAI | L NUMBER PORTABILITY [Local Number Portability (1 per port) | | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | 1 | | | | | | |
| - LO MANDO | E ISON DIGITAL GRADE LOOP WITH 2-WIRE ISON DIGITAL LI | NE CIDE | DODI | | | LINPOP | 3.13 | 0.00 | 0.00 | | | | | | | | |
| | erson digital grade Loop with 2-wike ison digital Li | NE SIDE | PORI | ı | | - | | | | | 1 | 1 | | | | | |
| UNEP | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | - | | | | - | | | | | | + | | | | | <u> </u> |
| <i>i</i> 1 | UNE Zone 1 | ł | 1 | UEPPB | UEPPR | | 22.63 | | | | | | | | | İ | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | i i | OLI I D | | | 22.00 | | | | | | | | | | |
| | UNE Zone 2 | | 2 | UEPPB | UEPPR | ļ | 29 05 | | | | | | | | | İ | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | <u> </u> | | | | i e | 2000 | | | | | | | | | | |
| | UNE Zone 3 | | 3 | UEPPB | UEPPR | 1 | 45.84 | | | | | ļ | | | 1 | | |
| UNE L | oop Rates | | | | • | | | | | 1 | | 1 | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | VEPPR | USL2X | 15 25 | | | | | | 11 90 | | | 1 83 | |
| | | | | | | | | | | | | Ī | | | | | |
| 1 1 | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 21 67 | | | | | | 11 90 | | | 1 83 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | ŲEPPR | U\$L2X | 38 46 | | | | | 1 | 11 90 | | | 1.83 | |
| UNE P | ort Rate | | | | | ł | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | <u> </u> | | UEPPB | UEPPR | UEPPB | 7 38 | 194.52 | 145.09 | | | | 11 09 | | | 1 83 | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | 1 | L | | | | | | | t | | ļ | | | | | |
| 1 | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | 1 | 1 | LIEDDO | LIEBOO | 110465 | | 05.00 | 45.00 | 1 | 1 | | | | | | 1 |
| <u></u> | Combination - Conversion | ! | | UEPPB | UEPPR | USACB | 0.00 | 25.22 | 17.00 | ļ | - | | 11 90 | | | 1 83 | |
| | IONAL NRCs | | 1 | | | | | | | | - | | | | | | |
| LOÇAL | L NUMBER PORTABILITY | - | - | UEDDE | UEPPR | LNDOX | 0.35 | 0.00 | 0.00 | | 1 | - | | | | | |
| - In c::- | Local Number Portability (1 per port) | - | | UEPPB | UEPPR | LINPUX | 0.35 | 0.00 | 0.00 | | | ļ | | | | | |
| B-CHA | NNEL USER PROFILE ACCESS: [CVS/CSD (DM8/5ESS) | | - | UEPPB | UEPPR | LITUCA | 0.00 | 0.00 | 0 00 | · · · · · · | | | | | | - | |
| - | CVS/CSD (DMS/SESS) CVS (EWSD) | 1 | - | UEPPB | UEPPR | | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | CSD (EWSD) | | | | UEPPR | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 1 1 | NNEL AREA PLUS USER PROFILE ACCESS: (AL.KY,LA,MS S | L | J | DEFE | JEFFR | 01000 | 0.00 | 0 00 | 0.00 | | | 1 | | | | | |

| MOUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | 0.0. | 0.0 | | nent: 2 | | bit: B |
|---------|--|--|--------------|---------------------------------------|----------|------------|---------|--------|------------|--------------|-------------|-------------------|----------------|---|---|---|--------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | В | cs | usoc | | | RATES (\$) | | | Submitted Elec | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates (\$) | · · · · · · · · · · · · · · · · · · · | |
| LIGER | TERMINAL PROFILE | | 1 | | | | | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| USER | TERMINAL PROFILE User Terminal Profile (EWSD only) | - | - | UEPPB | UEPPR | 1 (4) 1646 | 0 00 | 0 00 | 0.00 | | | | | | | | |
| VEDTI | CAL FEATURES | | | UEPPB | UEPPR | UTUMA | 0 00 | 0 00 | 0.00 | | | ļ | | | | | |
| VERTI | All Vertical Features - One per Channel B User Profile | | 1 | UEPPB | UEPPR | LIEDVE | 2 26 | 0 00 | 0 00 | | | <u> </u> | 11 90 | | | | |
| INTER | OFFICE CHANNEL MILEAGE | _ | 1 | 02 | QLI I IX | U.S. VI | 223 | 0.00 | - 000 | | | <u> </u> | 11.00 | | | | - |
| III LIC | Interoffice Channel mileage each, including first mile and | | 1 | | | | | | | | | | | | | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 25.3291 | 47 35 | 31 78 | 18 31 | 7 03 | | 11 90 | | | 1 83 | |
| | Interoffice Channel mileage each, additional mile | | | ŲEPPB | UEPPR | M1GNM | 0 0091 | 0 00 | 0 00 | 1 | | | 11 90 | | | 1.83 | |
| 4-WIRE | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI | K PORT | | | | | | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPPP | | 1 : | 153 48 | | | | | | | | | | |
| 1 | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 1 . | | | | | | | | | ļ | | | | | |
| | Zone 2 | | 2 | UEPPP | | | 183.28 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | | LIEDDE | | : | 204 42 | | | | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | ļ | 261 12 | | | | | | | | | | ļ |
| UNE L | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 70 74 | | | | | | 11.90 | | | 1 83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | 1 | 2 | UEPPP | | USL4P | 100 54 | | <u> </u> | | | - | 11 90 | | | 1 83 | ļ |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | ļ . | 3 | UEPPP | | USL4P | 178 38 | | | | | | 11 90 | | | 1 83 | |
| LINE D | ort Rate | + | 3 | OEFFF | | USL4P | 170 30 | | | | | | 1190 | | | 1 03 | |
| ONEF | Exchange Ports - 4-Wire ISDN DS1 Port | | 1 | UEPPP | | UEPPP | 82 74 | 488 36 | 276 65 | | | | 11 90 | | | 1 83 | |
| NONRE | ECURRING CHARGES - CURRENTLY COMBINED | | 1 | , , , , , , , , , , , , , , , , , , , | | 02/11 | 02 14 | 400 00 | 270 03 | | | | 1130 | | | 1 00 | |
| NON | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | i – | 1 | | | | | | | | | | | | | | |
| ļ. | Combination - Conversion -Switch-as-is | 1 | 1 | UEPPP | | USACP | 0 00 | 84 17 | 61 38 | | | | 11 90 | | | 1.83 | |
| ADDIT | IONAL NRCs | | Ì | | | | | | | | | | | | · | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | · · · · · · · | |
| | Inward/two way Tel Nos (except NC) | | 1 | UEPPP | | PR7TF | | 0 5412 | | | | | 11 90 | | | 1 83 | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | ! | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 12 71 | 12.71 | | | | 11 90 | | | 1.83 | |
| ļ | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | 1 | | 1 | | | | | | | | | | | | | |
| | Subsequent Inward Tel Numbers | <u> </u> | | UEPPP | | PR7ZT | | 25 42 | 25 42 | | | | 11 90 | | | 1.83 | |
| LOCAL | NUMBER PORTABILITY | 1 | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1 75 | | | | | | | | | | |
| INTERI | FACE (Provsioning Only) | 1 | - | UEDOD | | PR71V | 0 00 | 0 00 | 0 00 | | | | | | | | |
| | Voice/Data Digital Data | 1 | - | UEPPP | | PR71D | 0 00 | 0 00 | 0 00 | | | | | | | | <u> </u> |
| | Inward Data | ! | 1 | UEPPP | | PR71E | 0.00 | 0.00 | 0 00 | | - | | | | | | |
| Now or | Additional "B" Channel | | | JUL FF | | I IVI IE | 0.00 | 0.00 | 0.00 | | | | - | | | - | — |
| INCW OF | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 15.48 | | | | | 11 90 | | | 1.83 | |
| | New or Additional - Digital Data B Channel | | 1 | UEPPP | | PR7BF | 0.00 | 15.48 | | - | | | 11 90 | | | 1 83 | |
| | New or Additional Inward Data B Channel | | 1 | UEPPP | | PR7BD | 0 00 | 15.48 | | | | | 11 90 | | | 1 83 | |
| CALL 1 | | | \vdash | 1 | | T | | | - | | | | | | | 1 | |
| - | Inward | 1 | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0 00 | | | | | | | | |
| | Outward | į – | | UEPPP | | PR7C0 | 0 00 | 0.00 | 0 00 | | | | | | | | |
| | Two-way | | | UEPPP | | PR7CC | 0 00 | 0 00 | 0 00 | | | | | | | | |
| Interof | fice Channel Mileage | | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | | 1LN1A | 88 6256 | 105.54 | 98 47 | 21 47 | 19 05 | | 11 90 | | | 1 93 | |
| | Each Arrine-Fractional Additional Mile | | | UEPPP | | 1LN1B | 0 1856 | | | | | | | | | | |
| | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | ļ | ļ | | | | | | | | | | | | | | |
| UNE Po | ort/Loop Combination Rates | ļ | <u> </u> | | - | L | | | | | | ļ | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | <u> </u> | 1 | UEPDC | | | 125 69 | | | | | | 11 90 | | | 1 83 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | ļ | | UEPDC | | - | 155 49 | | | | | | 11 90 | ļ | | 1.83 | <u> </u> |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | <u> </u> | 3 | UEPDC | | ļi | 233.33 | | | | | | 11 90 | | | 1 83 | ļ |
| | Dop Rates | | 1 | UEPDC | | LIGITOC | 70 74 | | | | | | 11.00 | - | | 1.00 | - |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | | ÜEPDC | | USLDC | 100 54 | | | | | | 11 90 11 90 | | · · · · | 1 83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | | | UEPDC | | USLDC | 178 38 | | | | | | 11 90 | | | 1 83 1 83 | |
| | prince DST Digital Loop - UNE Zone 3 | | 1 3 | DEFDO | | USEDO | 170 30 | | | | | | 1190 | | | 183 | - |

| NBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | nent: 2 | | oit: B |
|---------|--|-------------|----------------|---------------------|-----------|--------|--------|------------|--------------|------------|--|-----------|---|--|--|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Drsc Add |
| | | | <u> </u> | | | | Nonred | umna | Monrocurring | Disconnect | | | OSS | Rates (\$) | <u>.</u> | |
| | | | 1 | | | Rec - | First | Add'i | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 54.95 | 464 86 | 259 23 | 11131 | Addi | Comeo | 11 90 | 001117414 | 00 | 1 83 | |
| NONE | ECURRING CHARGES - CURRENTLY COMBINED | | | GEPDC | 00011 | 04.50 | 404 00 | 235 23 | | | 1 | ., 50 | | | | |
| NUNK | | | - | | - | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | i | UEPDC | USAC4 | | 95 31 | 46 71 | | | | 11 90 | | | 1 83 | |
| | - Switch-as-is 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | UEPDC | USACA | - | 93 31 | 4071 | | | | 11 30 | | | 1 00 | |
| | - Conversion with DS1 Changes | Ì | 1 | UEPDC | USAWA | | 95 31 | 46 71 | | | 1 | 11 90 | | | 1 83 | 1 |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | GEPDC | USAWA | | 3331 | 4071 | | | | 1130 | | | | |
| | | | | UEPDC | USAWB | | 95 31 | 46 71 | | | | 11.90 | | | 1 83 | ľ |
| | - Conversion with Change - Trunk IONAL NRCs | | | UEPDC | USAVVB | | 90 01 | 4071 | | | | 11.50 | | | | . |
| ADDIT | | - | | | | | | | | | 1 | | | | | |
| i | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | 1 | | UEPDC | UDTTA | | 15 69 | 15.69 | | | | 11 90 | | | 1 83 | 1 |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | + | UEFDC | ODITA | | 10 00 | 13.05 | | | | 1120 | | | . 00 | - |
| l l | | | | UEPDC | UDTTB | | 15 69 | 15 69 | | ļ | | 11.90 | | | 1 83 | |
| _ | Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDiTS Trunk Port - Subsont Channel | - | 1 | OLF DO | 00110 | | 12.08 | 10 09 | | | | 11.30 | | | 1.03 | |
| | Activation/Chan Inward Trunk w/out DID | l | l | UEPDC | UDTTC | | 15 69 | 15 69 | | | | 11 90 | | | 1.83 | 1 |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | <u> </u> | - | UEFDC | ODITO | | 13 03 | 13 09 | | | | 1130 | | | 1.00 | |
| | | | ļ | UEPDC | OTTOU | | 15 69 | 15 69 | | | ļ | 11 90 | | | 1.83 | İ |
| | Activation Per Chan - Inward Trunk with DID | - | ļ | UEPDC | פווטט | | 10 69 | 13 09 | | | | 1130 | | | 1.05 | |
| - 1 | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | Į. | | LIEDDO | UDTT | | 15 69 | 15 69 | | | į | 11 90 | | | 1 83 | |
| | Activation / Chan - 2-Way DID w User Trans | | ļ | UEPDC | UDTTE | - | 15 69 | 69 61 | | | ļ | 1190 | _ | | 100 | |
| BIPOL | AR 8 ZERO SUBSTITUTION | | ļ | | 00005 | | 0.00 | 655 00 | | | ļ | 11 90 | | | 1 83 | |
| | B8ZS -Superframe Format | | ₩- | UEPDC | CCOSF | | 0.00 | | | | | 11 90 | | | 1.83 | |
| | 88ZS - Extended Superframe Format | | ļ. — | UEPDC | CCOEF | | 0 00 | 655 00 | | | | 1190 | | | 1.03 | |
| Altem | ate Mark Inversion | <u> </u> | ļ | | 110005 | | 0.00 | 0.00 | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0 00 | | | | | L | | | |
| | AMI - Extended SuperFrame Format | <u> </u> | 1 | UEPDC | MCOPO | | 0 00 | <u> </u> | | | | | | | | |
| Telepi | none Number/Trunk Group Establisment Charges | ļ <u> </u> | | | UDTGX | 0 00 | | | | | ļ | 11 90 | | | 1 83 | |
| | Telephone Number for 2-Way Trunk Group | | - | UEPDC | | | | | | | | 11 90 | | | 1 83 | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0 00 | | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0 00 | | | | ļ | - | 11 90 | | | 1 83 | |
| ŀ | DID Numbers, Establish Trunk Group and Provide First Group | | 1 | | | | | | | 1 | 1 | 44.00 | | | 4.00 | 1 |
| | of 20 DID Numbers | | ļ | UEPDC | NDZ | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | 1.83 | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | <u> </u> | 11 90 | | | 1 83 | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0 00 | | | | | ļ | 11 90 | | | 1 83 | ļ |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0 00 | 0 00 | 0 00 | | | | 11.90 | | | 1 83 | |
| | Reserve DID Numbers | | <u> </u> | UEPDC | NDV | 0 00 | 0.00 | 0.00 | | | ļ | 11 90 | | | 1 83 | |
| Dedica | ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digita | i Loop | with 4-Wire DDITS T | runk Port | | | | | | ļ | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | 1 | | | | | | | | 1 | | | | | 1 |
| | Termination) | | 1 | UEPDC | 1LNO1 | 88 44 | 105 54 | 98 47 | 21 47 | 19 05 | | 11.90 | | | 1 83 | |
| ŀ | | | 1 | | | | | | | | 1 | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0 1856 | 0 00 | 0 00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | l | | | | | | 1 | İ | | i | ļ | l | |
| - 1 | Termination) | | | UEPDC | 1LNO2 | 0 00 | 0 00 | 0 00 | | | L | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | ļ | | | | į | | |
| | miles | | | UEPDC | 1LNOB | 0 1856 | 0 00 | 0.00 | | | <u> </u> | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | ŀ | | | | | į. | |
| | Termination) | | | UEPDC | 1LNO3 | 0 00 | 0 00 | 0 00 | 0 00 | | | | | | | l |
| | | | | | | | | | | 1 | | | | | | |
| - | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | L | | UEPDC | 1LNOC | 0 1856 | 0 00 | 0 00 | | | | | | | <u> </u> | <u> </u> |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0 00 | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| 4-WIR | E DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| Syster | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | ivations | 5 | | | | | | | | | | | | | 1 |
| Each S | System can have up to 24 combinations of rates depending on | type a | nd nun | nber of ports used | | | | | | | | | | | | |
| | OS1 Loop | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | | UEPMG | USLDC | 70 74 | 0 00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | · · · | 2 | UEPMG | USLDC | 100 54 | 0 00 | 0 00 | | | | | | | | |
| \neg | 4-Wire DS1 Loop - UNE Zone 3 | | , 3 | UEPMG | USLDC | 178.38 | 0.00 | 0.00 | | | | | | | | |
| UNE F | SO Channelization Capacities (D4 Channel Bank Configuration | ns) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | 1 | UEPMG | VUM24 | 118.06 | 0 00 | 0 00 | | l | 1 | 11 90 | | | 1 83 | |

| NBUNDLE | D NETWORK ELEMENTS - Florida | , , , , | | | | | | | | | | | | nent: 2 | Exhib | |
|---------------|--|-------------|---------|--------------------|-----------------|------------------|----------------|----------------|--|-----------------|-------------|----------------|--|--------------|--|---------------|
| ATEGORY | RATE ELEMENTS | Inten m | Zone | BCS | USOC | : | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svo Order vs Electronic- Disc 1st | Charge |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | 10000 | i L | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 236 12 | 0 00 | 0 00 | | | | 11 90 | | | 1 83 | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 472.24 708.36 | 0.00 | 0.00 | | | | 11 90 11 90 | | | 1.83 | |
| \rightarrow | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG UEPMG | VUM14 VUM19 | 944 48 | 0 00 | 0 00 | | | | 11 90 | | | 1.83 | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,180 60 | 0.00 | 0 00 | | | | 11 90 | | | 1.83 | \vdash |
| | 288 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM28 | 1,416 72 | 0.00 | 0 00 | | | | 11 90 | | | 183 | |
| | 384 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM38 | 1,888 96 | 0.00 | 0 00 | | | | 11 90 | | | 1.83 | |
| | 480 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM40 | 2,361 20 | 0.00 | 0 00 | | | | 11 90 | | | 1.83 | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833 44 | 0.00 | 0 00 | | • | | 11 90 | | | 1,83 | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,305.68 | 0 00 | 0 00 | | | · · · · · · | 11 90 | | | 1 83 | $\overline{}$ |
| Non-Re | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chann | | | | | | | | | | | | | | |
| | mum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| | les of this configuration functioning as one are considered Ac | | | | | | | • | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | | | T | | | | | | 1 | | | | | |
| - 1 | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0 00 | 96 77 | 4.24 | | | | 11.90 | | | | 1 |
| Systen | Additions at End User Locations Where 4-Wire DS1 Loop with | th Chani | nelizat | on with Port Com | bination Curre | ntly Exists and | - | | | | | | | | | |
| | lot Currently Combined) in all states, except in Density Zone 1 | | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | | | | | | | | | | | | | | |
| | and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 726.11 | 468.21 | 145.32 | 17 24 | | 11 90 | | | | |
| Bipola | r 8 Zero Substitution | | | | | | | | | | | | | | l i | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | |] | 1 |
| | Activity Only | | | UEPMG | CCOSF | 0 00 | 0.00 | 655 00 | | | | 11 90 | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0 00 | 0.00 | 655.00 | | | | 11 90 | | | | |
| Alterna | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0 00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | L | | UEPMG | MCOPO | 0 00 | 0 00 | 0.00 | | | | | | | | |
| | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Exchai | nge Ports | | | | | | | | | | | | | | | |
| ł | C. C. C. C. Character of DDV To at Dark Business | | | HEDDY | UEDOV | 1 38 | 0.00 | 0 00 | 0 00 | 0 00 | | 11 90 | | | 1 83 | 1 |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX UEPPX | UEPCX | 1 38 | 0 00 | 0 00 | 0 00 | 0 00 | | 11.90 | | | 1 83 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPUX | 1 38 | 0 00 | | 0 00 | 0.00 | | 11.90 | | | 1 63 | |
| - 1 | Lucy Cida Invest Only Channelmed DRY Tayak Bod without DID | | | UEPPX | UEP1X | 1 38 | 0 00 | 0 00 | 0 00 | 0 00 | | 11 90 | | | 1 83 | 1 |
| | Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8 71 | 0.00 | 0.00 | | 0 00 | | 11 90 | | | 1 83 | |
| Factor | e Activations - Unbundled Loop Concentration | | - | ULFFX | OCFDIVI | 671 | 0.00 | 0.00 | 0 00 | 0.00 | - | 11 50 | | | 1 65 | - |
| Feature | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | | | UEPPX | 1PQWM | 0 66 | 25 40 | 13 41 | 3 96 | 3 93 | | 11.90 | | | 1.83 | i . |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | OLITA | 11 (211)11 | | 20 40 | 15 41 | 3 30 | 5 55 | | 11.00 | | | 7.00 | |
| 1 | D4 Bank | | | UEPPX | 1PQWU | 0 66 | 78 16 | 18 42 | 56 03 | 10 95 | 1 | 11.90 | | | 1.83 | 1 |
| Teleph | one Number/ Group Establishment Charges for DID Service | | | JEI II | | | 7,0,10 | | | | | | | | | |
| Тетери | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0 00 | | | | 11.90 | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0 00 | | | | 11.90 | | | | $\overline{}$ |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | Reserve Non-Consecutive DID Numbers | | - | UEPPX | ND6 | 0.00 | 0.00 | 0 00 | | | | 11 90 | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 11 90 | | | | |
| Local I | Number Portability | | | | | | | | i | | | | | | | |
| | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3 15 | 0 00 | 0 00 | | | | | | | | |
| FEATU | IRES - Vertical and Optional | | | | | | | | | | | | | | | |
| | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | ŲEPPX | UEPVF | 2 26 | 0.00 | 0 00 | | | | 11 90 | | | 1 83 | |
| | PORT LOOP COMBINATIONS - MARKET RATES | | | | | | | | | | | | | | | |
| Market | Rates shall apply where BellSouth is not required to provide | unbund | led lo | al switching or sv | vitch ports per | FCC and/or Sta | te Commissio | ı rules. | | | | | | | | |
| This in | cludes: | | | | | | | | | | | | | | | |
| Unbun | dled port/loop combinations that are Currently Combined or I | lot Cum | ently (| combined in Zone | 1 of the Top 8 | MSAS in BellSc | uth's region f | or end users v | with 4 or more D | S0 equivaler | t lines. | | | | | |
| The To | p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd | ale, Miar | mi); G/ | (Atlanta); LA (Ne | w Orleans); NC | (Greensboro-W | inston Salem | Highpoint/Ch | arlotte-Gastoni | a-Rock Hill);] | N (Nashvill | e). | | | | |
| | uth currently is developing the billing capability to mechanica | 11 La. 11 A | ha | uming and non-roa | arraine Madret | | | - - | barra fa- | | ombuned in | El and NC | In the interi | m whare Dall | South connat | hell Mare |

Version 4Q02. 12/18/02

| UNBUNDLI | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | nent: 2 | Exhi | bit: B |
|--|---|--|--------------|----------------------|----------------|------------------|-----------------|---------------|-----------------|--|--|--|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Increment Charge - Manual Sv Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Drsc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | L | | | ļ | 1100 | First | Add'l | First | Addʻi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| The N | farket Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Us | ın all st | ates. | o Bost costion of th | hic rate awhih | t chall apply to | all combination | ne of loon/no | rt naturark ala | ments except | for LINE Cor | n Port/Loor | Combination | ie which hav | a flat rate us | age charge |
| (USO | Office and Tandem Switching osage and Common Transport of C-URECU). To Currently Combined scenarios the Nonrecurring charges are ional NRCs may apply also and are categorized accordingly | | | | | | | | | | | | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | 1 | | | | | ļ <u></u> | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | ļ | 23 77 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 27 88 | | | - | | | | | | | <u> </u> |
| 1101- | 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates | | 3 | | + | 38 63 | | | | | | | | | | |
| UNE | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 9 77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 2 | UEPRX | UEPLX | 13.88 | | | | | + | | | | ——— | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPRX | UEPLX | 24.63 | | | | | | | | | | |
| 2-Win | e Voice Grade Line Port (Res) | | ļ - | | 1 | 1 | | | l | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 14.00 | 90 00 | 90 00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 14.00 | 90 00 | 90.00 | | | | 11 90 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 14 00 | 90 00 | 90.00 | | ļ | ļ | 11 90 | | <u> </u> | | |
| | 2-Wire voice unbundled Flonda Area Calling with Caller ID - res | | | UEPRX | UEPAF | 14 00 | 90 00 | 90 00 | | | | 11 90 | _ | | | |
| t I | 2-Wire voice unbundles res, low usage line port with Caller ID | 1 | ŀ | | LIEBAR | 44.00 | 20.00 | 00.00 | | 1 | | 11 90 | | | 1 | 1 |
| | (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | UEPRX | UEPAP | 14 00 | 90 00 | 90 00 | | - | <u> </u> | | | | | |
| | Capability 2-Wire voice unbundled Flonda extended dialing port for use | - | | UEPRX | UEPRT | 14 00 | 90.00 | 90 00 | | | | 11 90 | | | | |
| | with CREX7 and Caller ID 2-Wire voice unbundled Florida extended dialing port for use | | - | UEPRX | UEPA1 | 14 00 | | | | | | | | l | | |
| | with CREX7, without Caller ID capability 2-Wire voice unbundled Florida Area Calling Port without Caller | | | UEPRX | UEPA8 | 14 00 | 90 00 | 90 00 | | | ļ | 11 90 | | | | |
| | ID Capability | | | UEPRX | UEPA9 | 14 00 | 90 00 | 90.00 | | | ļ | 11.90 | | | | ļ |
| LOCA | L NUMBER PORTABILITY Local Number Portability (1 per port) | | + | UEPRX | LNPCX | 0.35 | | | - | | + | - | | | | |
| ECAT | URES | - | + | OLFKX | LINFOX | 0.55 | | | | | + | | | | | |
| FEAT | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0 00 | 0.00 | | 1 | | 11 90 | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | _ | | 02.700 | 102 | 9,50 | | | | | | | | · | | |
| 110 | | | | | 1 | | | | | | | | | | | |
| ŀ | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPRX | USAC2 | · | 41 50 | 41.50 | | | | 11 90 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with change | | | UEPRX | USACC | | 41 50 | 41 50 | | | | 11 90 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | l | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPRX | USAS2 | | 0 00 | 0.00 | | | | 11 90 | | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | | | | | | | ļ | | | | | | <u> </u> |
| UNE | Port/Loop Combination Rates | | L | | | | | | | ļ | ļ | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23 77 | | | | | 1 | | | | - | ļ |
| | 2-Wire VG Loop/Port Combo - Zone 2 | <u> </u> | 3 | | | 27.88 38 63 | | | | <u> </u> | | | | | | |
| FINE I | 2-Wire VG Loop/Port Combo - Zone 3 Loop Rates | | 1-3 | | + | 30 03 | | - | <u> </u> | 1 | 1 | | | | + | <u> </u> |
| UNE | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 9.77 | - | | <u> </u> | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPBX | UEPLX | 13.88 | | | | | 1 | t | <u> </u> | | | † <u> </u> |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | l | | UEPBX | UEPLX | 24.63 | | | | | | | | | | |
| 2-Win | e Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90 00 | 90 00 | | <u> </u> | J | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | 1 | | UEPBX | UEPBC | 14 00 | 90 00 | 90 00 | | ļ | 1 | 11.90 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | ├ | | UEPBX | UEPB0 | 14 00 | 90 00 | 90 00 | | | | 11 90 | | <u> </u> | ļ | ļ |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPBX | VEPBE | 14 00 | 90.00 | 90 00 | | | | 11.90 | | | | |
| | L NUMBER PORTABILITY | 1 | 1 | UEPBX | LNPCX | 0 35 | | | I | L | 1 | L | | | | |

Version 4Q02 12/18/02 Page 29 of 52

| ONBONDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment. 2 | Exhi | bit: B |
|----------|--|--|--------------|----------------|----------|-------|--------|------------|----------|--------------|--|--|---|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs Electronic- 1st | Charge - Manual Svc Order vs Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremen Charge Manual S Order vs Electroni Disc Add |
| | | l | | | - | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | <u> </u> | | | | Rec | First | Add'l | First | Add*i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| 1 | | i | 1 | | | | | | | | | | | | | |
| 1 | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | l | UEPBX | USAC2 | | 41 50 | 41 50 | | | | 11 90 | | 1 | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | 1 | 1 | ľ | | | | | | | i | | | | | |
| | change | ļ | | UEPBX | USACC | | 41.50 | 41 50 | | | | 11 90 | | | | |
| ADDITI | ONAL NRCs | | | | | | | | | | L | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - | | Ì | | 1. | | | | | | | | | ! | | |
| | Subsequent | | <u> </u> | UEPBX | USAS2 | | 0 00 | 0 00 | | | | 11 90 | | | | |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | <u> </u> | | | | | | | | ļ | | | | | |
| | ort/Loop Combination Rates | | | | | | | | | | L | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | - | 1 | | | 23 77 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | 1 | 27 88 | | | | | | | | ļ | <u></u> | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | 1 1 | 38 63 | | | | | <u> </u> | | | | | |
| | pop Rates | | 1 | UEDDO | UEPLX | 9 77 | | | | | ļ | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 2 | UEPRG UEPRG | UEPLX | 13 88 | | | <u> </u> | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPRG | UEPLX | 24 63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (RES - PBX) | ļ | 3 | UEPRG | UEPLA | 24 63 | | | | | | | | | | |
| 2-Wire | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | ļ | | | | | |
| | Res | | į | UEPRG | UEPRD | 14 00 | 90 00 | 90 00 | | | 1 | 14.00 | | | | |
| LOCAL | NUMBER PORTABILITY | | | UEPRG | UEPKU | 14 00 | 90 00 | 90 00 | | | | 11.90 | | | | |
| | Local Number Portability (1 per port) | | - | UEPRG | LNPCP | 3 15 | 0 00 | 0 00 | | | | | | | - | |
| FEATU | | | | OEPRO | LINECE | 3 13 | 0 00 | 0.00 |] | | | | | | | |
| | All Features Offered | | ! | UEPRG | UEPVF | 0.00 | 0 00 | 0 00 | - | | | 11 90 | | - | | |
| | CURRING CHARGES - CURRENTLY COMBINED | | | OLFING | OLFVI | 0.00 | 0 00 | 0.00 | - | | | 1190 | | | | |
| NONKE | CORNING CHARGES - CORRENTET COMBINED | | | | | | | | | | | | | - | | _ |
| 1 | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | Ì | UEPRG | USAC2 | | 41 50 | 41 50 | | İ | | 11 90 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | l . | - | CETICO | DOAO2 | | 7130 | 41.50 | | | | 1130 | | | | - |
| | Change | | 1 | UEPRG | USACC | | 41 50 | 41.50 | | | | 11 90 | | | | ! |
| ADDITI | ONAL NRCs | | | OLI IVO | DOACC | - | 4130 | 41.00 | | | | 11.50 | | | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | <u> </u> | 1 | | | | | | | | - | | | | | |
| 1 | Subsequent Activity- Nonrecurring | | | | 1 | ı | 0.00 | 0.00 | | | | 11.90 | | | | ŀ |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | <u> </u> | | | | | | | 11100 | | | | |
| | Group | | | | | | 7 09 | 7.09 | | | | 11 90 | | | | |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates | | | | | | | | | | | | | - | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23 77 | | | | İ | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 27.88 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 38 63 | | | | | | | | | | |
| UNE Lo | pop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 13 88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 24.63 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| _ | | | | | | | | | | | | | | | _ | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14 00 | 90 00 | 90 00 | | | | 11 90 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14 00 | 90 00 | 90 00 | | | | 11 90 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 14 00 | 90 00 | 90 00 | | | | 11 90 | | | | |
| | 2-Wire Voice-Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 14 00 | 90 00 | 90.00 | | | ļ | 11 90 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 14 00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 14 00 | 90.00 | 90.00 | | | | 11 90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | L | ļ | UEPPX | UEPXC | 14 00 | 90.00 | 90.00 | | | | 11 90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 14 00 | 90.00 | 90 00 | | | | 11 90 | | | | l |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | 1 | | | | | | İ | İ | | | | | | |
| | Capable Port | | | UEPPX | UEPXE | 14 00 | 90.00 | 90.00 | | | | 11 90 | _ | | | <u> </u> |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | Į. | | HEBBY | UEDS# | | | | | | | <u> </u> | | | | |
| | Administrative Calling Port | | - | UEPPX | UEPXL | 14 00 | 90.00 | 90 00 | | | ļ | 11 90 | | - | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | l | | | | | | | | | | | | | |
| i | Room Calling Port | 1 | l | UEPPX | UEPXM | 14 00 | 90 00 | 90 00 | | | 1 | 11 90 | | | | 1 |

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|----------|--|--|--|---------|----------|----------------|--------|------------|-------------|--|------------------------------|--------------|--|---|---|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Submitted Elec per LSR | | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | ļ | <u> </u> | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | i | | UEPPX | UEPXO | 14 00 | 90 00 | 90 00 | | | ļ | 11 90 | | | | 1 |
| | Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 14 00 | 90 00 | 90 00 | | | + | 11 90 | | | | |
| LOCA | L NUMBER PORTABILITY | | | UEFFA | ULFAS | 14 00 | 90 00 | 90 00 | | | 1 | 11 30 | | | | <u> </u> |
| 2002 | Local Number Portability (1 per port) | - | | UEPPX | LNPCP | 3 15 | 0.00 | 0.00 | | | - | | | | | |
| FEAT | URES | | | | | | j | | | | 1 | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0 00 | 0.00 | 0.00 | | | | 11 90 | | | | <u> </u> |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | UEPPX | USAC2 | | 41 50 | 41 50 | | | | 11 90 | | | | |
| | Change | ļ | | UEPPX | USACC | | 41 50 | 41 50 | | Į. | | 11 90 | 1 | | | ļ |
| ADDI | TIONAL NRCs | | | I CLIFA | 33000 | | 4130 | 4130 | | | + | 11 90 | | | | |
| | | 1 | | l | - | | | | | | | | | 1 | | † |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | | UEPPX | USAS2 | 0.00 | 0 00 | 0 00 | | | | 11 90 | | <u> </u> | | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | | | | | | | | | | | 1 |
| | Subsequent Activity- Nonrecurring | | | | | | 0 00 | 0.00 | | | | 11.90 | | | | |
| ľ | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | 1 | | | 1 | | | 7.00 | | | | 44.00 | 1 | | | |
| 0.14/15 | Group | <u> </u> | | | | | 7 09 | 7 09 | | | | 11.90 | - | | | |
| | RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR Port/Loop Combination Rates | (1 | | | | | | | | | + | | | | | |
| ONE | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 23 77 | | | | | | <u> </u> | | | | + |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 27.88 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 38.63 | | | | | · | | | | | |
| UNE I | Loop Rates | İ | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPCO | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPCO | UEPLX | 13 88 | | | | | ļ | | ļ | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 24 63 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (Coin) [2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | <u> </u> | | | + | | | | | | | | \ | ' | | <u> </u> |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking, 011, 900/976, 1+DDD (FL) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | UEPCO | UEP2F | 14 00 | 90 00 | 90.00 | | | | 11 90 | | | | |
| | (FL) 2-Wire Coin 2-Way with Operator Screening and Blocking. | | | UEPCO | UEPFA | 14 00 | 90.00 | 90 00 | | | - | 11 90 | | | | - |
| | 900/976, 1+DDD, 011+, and Local (FL) | ŀ | | UEPCO | UEPCG | 14 00 | 90 00 | 90 00 | | | | 11 90 | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | · · · · | · · · · · | | | | | | | | | | | | | |
| 1 | (AL, FL) | | | UEPCO | UEPRK | 14 00 | 90 00 | 90 00 | | | | 11 90 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | † | | } | | | |
| | 900/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 14 00 | 90 00 | 90.00 | | ļ | | 11 90 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking. 900/976, 1+DDD, 011+, and Local (FL, GA) | İ | | UEPCO | UEPCQ | 14 00 | 90 00 | 90.00 | | | | 11 90 | | | | |
| LOCA | L NUMBER PORTABILITY | | | DEFCO | OLFCQ | 14 00 | 90 00 | 50.00 | | | + | 1130 | | | | |
| Loon | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0 35 | | | | | | | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | ļ . | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-ls | | | UEPCO | USAC2 | | 41 50 | 41 50 | | | | 11.90 | | | | ļ |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | | | } | | | | i | | | i | l | | |
| | Change | | | UEPCO | USACC | | 41.50 | 41 50 | | | ļ | | | | | |
| ADDI | TIONAL NRCs ' | | | | | | | | | | ļ <u> </u> | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | İ | | UEPCO | USAS2 | | 0.00 | 0 00 | | | | 11.90 | l | 1 | | |
| 2-1015 | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | FLINE | PORT / | | JOHOZ | | 0.00 | 0 00 | | 1 | 1 | 11.50 | | | | |
| | Port/Loop Combination Rates | 1 | | 1 | 1 | | | | | | 1 - | ļ | | | | |
| 0.1.2 | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 26 24 | | | | 1 | 1 | | İ | · | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 31 40 | | | | | | | | [| | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44 87 | | | | | | | | | | |
| UNE | Loop Rates | ļ | L. | | LUE DE D | 10.5: | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | <u> </u> | | UEPFR | UECF2 | 12 24 17 40 | | | <u> </u> | | <u> </u> | l | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 1 2 | UEPFR | IUEUF2 | 17 40 | | | l | 1 | 1 | l | L | | | <u> </u> |

| ONRONDLE | ED NETWORK ELEMENTS - Florida | | | 1 | | | | | | | <u> </u> | | | ment: 2 | | bit: B |
|----------|--|-------------|--------------|-------------|--------------|-------------|--------|------------|--------------|-------|---------------------------------------|-----------------------|--|--|--|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | <u> </u> | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 30 87 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 14.00 | 180 00 | 110 00 | 85 00 | 20 00 | 1 | 11 90 | | | | ⊢— |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | 2-Wire voice unbundled Flonda Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID | | | UEPFR | UEPAF | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| 1 | (LUM) | | 1 | UEPFR | UEPAP | 14 00 | 180 00 | 110 00 | 85 00 | 20.00 | | 11 90 | | | | l |
| INTER | ROFFICE TRANSPORT | | | UEPFR | UEFAF | 14 00 | 160 00 | 110 00 | 65 00 | 20.00 | 1 | 11 30 | | | | |
| INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | | | | | · · · · · · · · · · · · · · · · · · · | · | | | | r |
| | Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - 1 acity Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEPFR | U1TV2 | 25.32 | 47 35 | 31.78 | | | | | | | | |
| EEAT | or Fraction Mile URES | | - | UEPFR | 1L5XX | 0 0091 | | | | | | | | | | |
| 1.541 | All Features Offered | | | UEPFR | UEPVF | 0 00 | 0 00 | 0 00 | | l | | 11 90 | <u> </u> | · · · · · · · · · | | · |
| LOCA | L NUMBER PORTABILITY | | | | 1 | | - "" | | | | | 1 | | l | | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0 35 | | | | | | | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | ĺ | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16 97 | 3.73 | | | | 11 90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.97 | 3 73 | | | | 11 90 | | | | |
| 2-WIR | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | ORT (| | | | | | | | | | | | | |
| UNE F | Port/Loop Combination Rates | | Γ) | | 1 | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | 1 | 26 24 | | - | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 31 40 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44 87 | | | | | | | | | | L |
| UNE L | Loop Rates | | | | | | | | | | | | | | | 1 |
| i | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 12 24 | | | | | <u> </u> | <u> </u> | | | | Ĺ |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | ÜEPFB | UECF2 | 17 40 | | | | | | <u> </u> | | | | I |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 30 87 | | | | | <u> </u> | | | | | |
| 2-Wire | e Voice Grade Line Port (Bus) | | | | _ | | | | | | | | | | | ↓ |
| | 2-Wire voice unbundled port without Caller ID - bus | | ļ | UEPFB | UEPBL | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | ļ | 11 90 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | - | UEPFB | UEPBO | 14 00 | 180.00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| 1.000 | 2-Wire voice unbundled incoming only port with Caller ID - Bus IL NUMBER PORTABILITY | | - | UEPFB | UEPB1 | 14 00 | 180,00 | 110.00 | 85 00 | 20 00 | | 11 90 | | | | |
| LUCA | Local Number Portability (1 per port) | | - | UEPFB | LNPCX | 0 35 | | | | | | | | | | |
| INTER | ROFFICE TRANSPORT | | | OLFIB | LIVI OX | | | | | | | | | | | — |
| INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFB | U1TV2 | 25 32 | 47 35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFB | 1L5XX | 0 0091 | | | | | | | | | | |
| FEAT | | | | | | 1 | | | | 1 | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated 10 Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16 97 | 3 73 | | | | 11 90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change | | | UEPFB | USACC | | 16 97 | 3.73 | | | | 11 90 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates | | | | | | | | | | L. | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 26 24 | | | | l | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 31 40 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44 87 | | | | | | , | | | | |
| UNE L | oop Rates | | L. | | | | | | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 12 24 | | | | | | | | | | |
| ! | 2-Wire Voice Grade Loop (SL2) - Zone 2 | L | 2 | UEPFP | UECF2 | 17 40 | | | | l | L | L | L | | l | |

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | nent: 2 | | bit: B |
|-----------|---|--|--|-------|----------|--------|-----------------|-----------------|--|---------------------|-----------|---|---|--|---|--|
| CATEGORY | RATE ELEMENTS | Inten m | Zone | BCS | usoc | | | RATES (\$) | | | Submitted | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | <u> </u> | <u> </u> | | | Rec | Nonrec First | urring Add'i | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | 10 W V O d- I (012) 7 2 | <u> </u> | - | UEPFP | UECF2 | 30.87 | FIFST | Add I | FIRST | Add I | SOMEC | SUMAN | SOMAN | SUMAN | SUMAN | JUMAN |
| 2 18/100 | 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX) | - | - | UEFFF | ULUI Z | 30.07 | | | | | | | | | | |
| 2-9911 | e voice Glade Lille Fort Rates (BOS - FBA) | - | - | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | l | UEPFP | UEPPC | 14.00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11.90 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | - | UEPFP | UEPPO | 14 00 | 180 00 | 110 00 | 85.00 | 20 00 | | 11 90 | | - | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 14.00 | 180 00 | 110 00 | | 20 00 | i | 11 90 | | | | |
| - 1 | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 14 00 | 180 00 | 110 00 | 85.00 | 20.00 | i | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 14.00 | 180 00 | 110.00 | 85 00 | 20.00 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 14 00 | 180 00 | 110 00 | 85.00 | 20.00 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 14 00 | 180.00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port | | | UEPFP | UEPXE | 14 00 | 180 00 | 110 00 | 85 00 | 20.00 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPFP | UEPXL | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPFP | UEPXM | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPFP | UEPXO | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11.90 | | | | |
| • | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| LOCA | AL NUMBER PORTABILITY | | T | | | | | |) | | | | | | 1. | 1 |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3 15 | 0 00 | 0.00 | | | | 11.90 | | | | |
| INTER | ROFFICE TRANSPORT | | | | | | | | | | | | | | 1 | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFP | U1TV2 | 25.32 | 47 35 | 31 78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFP | 1L5XX | 0.0091 | | | | | | | | | | |
| FEAT | URES | | | | <u> </u> | | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | 1 | | | | | | | | | | | |
| 1 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | USAC2 | | 16 97 | 3 73 | | | i | 11.90 | | | | |
| | Combination - Conversion - Switch-as-is | - | ļ | UEPFP | USAC2 | | 169/ | 3 / 3 | | | | 11.90 | | | | ļ |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change | | | UEPFP | USACC | | 16.97 | 3.73 | | | | 11 90 | | | | |
| UNBUNDLED | PORT/LOOP COMBINATIONS - MARKET BASED RATES | | <u> </u> | | | | | | | | | | | | - | |
| | RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | - | | | | | | | | | | | | | ļ |
| UNE | Port/Loop Combination Rates | | 1 | | 1 | 67 24 | | | <u> </u> | | | | | | | - |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | + + | 72.40 | | | | | | | | | | † |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | 1 - 1 | 85 87 | | | | | | | | | 1 | |
| LINE ! | Loop Rates | | ۱Ť | | | | | - | | | | | | | l | 1 |
| 10.12 | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | —— | 1 | UEPPX | UECD1 | 12 24 | | | | | | 11.90 | | I. | 1.83 | 1 |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 17 40 | | | | | | 11 90 | | | 1 83 | |
| | 2-Wire Analog Voice Grade Loop - (St2) - UNE Zone 3 | | | UEPPX | UECD1 | 30 87 | | | | | | 11 90 | | | 1.83 | |
| UNE | Port Rate | | | | | T | | | | | | | | | | L |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 55 00 | 850 00 | 75 00 | | | | 11 90 | | | 1.83 | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | \perp | | | | | | | | | | | | | ļ |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-is Top 8 MSAs only | | | UEPPX | USAC1 | | 850 00 | 75 00 | | | | 11 90 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only | | | UEPPX | USA1C | | 850 00 | 75 00 | | | | 11 90 | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | ļ <u> </u> | UEPPX | USAS1 | | 32 26 | 32 26 | | | | 11.90 | | | 1 | ļ |
| Telep | hone Number/Trunk Group Establisment Charges | | ļ | | 1 | | | | | | | | | | | ļ |
| | DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group | | | UEPPX | NDT | 0 00 | 0 00 | 0 00 | | | | 11.90 | | | 1 83 | |
| | of 20 DID Numbers | <u></u> | | UEPPX | NDZ | 0.00 | 0.00 | 0 00 | | | | 11 90 | | | 1 83 | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0 00 | 0.00 | | | | 11 90 | | | 1 83 | |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPPX | ND5 | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | 1 83 | |

| UNBUNDLED : | NETWORK ELEMENTS - Florida | | | | | | | | | | | | | | ment: 2 | | bit: B |
|-------------|--|--|--|--------------|----------|----------------|------------------|----------|------------|--|------------|--|---|--|--|--|--|
| ATEGORY | RATE ELEMENTS | Inten m | Zone | E | ıcs | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svo Order vs Electronic- 1st | Order vs. Electronic- Add'I | Charge - | Incremen Charge Manual S Order vs Electron Disc Ade |
| | | | i | | | | Rec | Nonrec | umng | Nonrecurring | Disconnect | | | | Rates (\$) | | |
| | | | | | | | | First | Add'i | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAI |
| İR | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0 00 | 0.00 | 0.00 | | | | 11 90 | | | 1.83 | |
| R | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0 00 | 0 00 | | | <u> </u> | 11.90 | | | 1 83 | |
| LOCAL N | NUMBER PORTABILITY | | | | | | | | | | | | | | | | İ |
| | ocal Number Portability (1 per port) | <u> </u> | | UEPPX | | LNPCP | 3 15 | 0.00 | 0 00 | | | | | | | | |
| | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDE | PORT | Γ | | | | | | | | | _ | | | ļ <u> </u> | |
| | t/Loop Combination Rates | <u> </u> | | | | 1 | | | | | | | | | | | |
| U | W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - JNE Zone 1 | | 1 | UEPPB | UEPPR | | 85 25 | | | | | | | | | | |
| | W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | 1 | | j | | , | | | | | | | 1 |
| | JNE Zone 2 | | 2 | UEPPB | UEPPR | | 91 67 | | | | | | | | | ļ | |
| | W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | 1 | _ | | HEDDE | | 400 40 | 1 | | | | | | | | | 1 |
| | JNE Zone 3 | + | 3 | UEPPB | UEPPR | | 108 46 | | | | | | | | | | |
| UNE Loo | | ├── | - | HEDDE | UEPPR | IIISI 2V | 15.25 | | | | | | 1 1 90 | | | 1 83 | |
| 2- | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | - | _1_ | UEPPB | JEPPK | USLZA | 15.25 | | | | - | | 1130 | | | 1 63 | |
| | NAME OF TAXABLE PARTY O | | 2 | UEPPB | UEPPR | USL2X | 21 67 | | | | | | 11 90 | | | 1 83 | l |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | | UEPP8 | UEPPR | | 38 46 | | | | | | 11 90 | | | 1 83 | |
| UNE Port | | - | 1 | ULFFB | UEFFR | USLZA | 30 40 | | | | | - | 1130 | | · | 1.00 | \vdash |
| | x Kate Exchange Port - 2-Wire ISDN Line Side Port | | | LIEDDE | UEPPR | UEPPB | 70 00 | 525 00 | 400 00 | | | | 11 09 | | † - | 1 83 | |
| | CURRING CHARGES - CURRENTLY COMBINED | 1 | | OLFFB | OLFFIX | CLITE | 70 00 | 020 00 | 400 00 | | | | 11.00 | | † | 100 | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | - | | | | | - | | | | | - | | | | |
| | Combination - Conversion - Top 8 MSAs only | 1 | 1 | HEPPR | UEPPR | USACB | 0.00 | 215 00 | 215 00 | | | 1 | 11.90 | l | | 1 83 | l |
| | NAL NRCs | | | 102.10 | <u> </u> | CONCE | | 2.000 | 2.000 | | | | | | 1 | | |
| | NUMBER PORTABILITY | | | | | | | | | | | İ | | | | | |
| | ocal Number Portability (1 per port) | | t | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| | NEL USER PROFILE ACCESS: | 1 | | | | | | | | | | — | · | | | | |
| | CVS/CSD (DMS/5ESS) | 1 | | UEPPB | UEPPR | U1UCA | 0 00 | 0 00 | 0.00 | | | | <u> </u> | | | | |
| | CVS (EWSD) | 1 | i | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0 00 | 0.00 | | | | | 1 | | | |
| B-CHANN | NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | TN) | | | | | | | | | | | | | • | 1 |
| USER TE | ERMINAL PROFILE | T | 1 | | | | | | | | | | | | | | |
| U | Jser Terminal Profile (EWSD only) | J | | UEPPB | UEPPR | U1UMA | 0 00 | 0 00 | 0.00 | | | | | | <u> </u> | | |
| | AL FEATURES | 1 | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 2 26 | 0 00 | 0 00 | | | | 11.90 | | | | L |
| | FFICE CHANNEL MILEAGE | | l | | | <u> </u> | | | | | | ļ | | l | | | |
| | nteroffice Channel mileage each, including first mile and | 1 | 1 | 1 | | | | | | | | ! | | 1 | ļ | | Ì |
| | acilities termination | | | | UEPPR | M1GNC | 18 4491 | 47 35 | 31 78 | 18 31 | 7 03 | ļ | 11 90 | | | 1 83 | |
| ln | nteroffice Channel mileage each, additional mile | | | VEPPB | UEPPR | M1GNM | 0 0091 | 0.00 | 0.00 | | | ļ | 11 90 | | | 1 83 | — |
| | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI | K PORT | <u> </u> | | | | | | | | | ļ | | ļ | 1 | ļ | |
| | t/Loop Combination Rates | | <u> </u> | ļ | | ļ | | | | | | | - | | | | |
| | W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 1 | UEPPP | | | 970.74 | | | | | | 1 | | 1 | | İ |
| | Zone 1 | - | 1 | UEPPP | | | 9/0./4 | | | | | | | | | | |
| | W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 1,000.54 | | | | | | | | | | L |
| z | W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3 | | 3 | UEPPP | | | 1,078 39 | | | | | | | | | | |
| UNE Loo | | | ! | l | | | | | | | | | 14.55 | | 1 | + | ├ |
| | I-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 70 74 | | | | | | 11.90 11.90 | - | 1 | 1.83 | |
| | -Wire DS1 Digital Loop - UNE Zone 2 | - | | UEPPP | | USL4P USL4P | 100 54 178 39 | | | | | - | 11 90 | | | 1.83 | |
| | 1-Wire DS1 Digital Loop - UNE Zone 3 | + | 3 | UEPPP | | USL4P | 1/6 39 | | - | ļ | | | 1190 | | | 1.03 | ₩ |
| UNE Port | | | | UEPPP | | UEPPP | 900 00 | 1,150 00 | 1,150 00 | 1 | | - | 11 90 | | | 1.83 | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | 1- | \vdash | UEPPP | | UCPPP | 900 00 | 1,150 00 | 1,150 00 | 1 - | | | 11.90 | | | 1.03 | \vdash |
| | CURRING CHARGES - CURRENTLY COMBINED | + | | + | - | | | | | | | <u> </u> | | | | 1 | \vdash |
| 4- | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | 1 | | UEPPP | | USACP | 0 00 | 925 00 | 925 00 | 1 | | | 11.90 | l | | 1 83 | |
| ADDITION | Combination - Conversion -Switch-As-Is Top 8 MSAs only | | +- | JUEFFF | | COACE | 3 00 | 323 00 | 92.J 00 | | - | - | 11.50 | | 1 | 1 03 | \vdash |
| | -Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | + | - | + | | | <u> </u> | | | | - | | <u> </u> | t | <u> </u> | | |
| | nward/two way Telephone Numbers (except NC) | 1 | 1 | UEPPP | | PR7TF | | 0 5412 | | | | ł | 11 90 | 1 | | 1 83 | 1 |

| JNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | - | bit: B |
|----------|---|------------|--|--------|----------|---------|----------|------------|--------------|------------|--|--|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Inten m | Zone | всѕ | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per L\$R | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'i | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurning | Disconnect | | | | Rates (\$) | • | • |
| 1 | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| } | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | 1 | 12 71 | 12.71 | | | | 11 90 | | | 1 83 | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| 1 | Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | 1 | 25 42 | 25.42 | | | | 11.90 | | | 1.83 | 1 . |
| LOCAL | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1 75 | | | | | | | | | | |
| INTER | FACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0 00 | 0 00 | 0 00 | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0 00 | 0 00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0 00 | 0.00 | | | | | | | | |
| New o | r Additional "B" Channel | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data 8 Channel | | | UEPPP | PR7BV | 0 00 | 20.00 | | | | | 11 90 | | | 1.83 | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 20 00 | | | | | 11 90 | | | 1.83 | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 20 00 | | | | | 11 90 | | | 1.83 | |
| CALL | TYPES | | | | | | | | | | | | | | l | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | 1. | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0 00 | 0 00 | 0 00 | | | | | | | | |
| Intero | ffice Channel Mileage | | | | | | | | | | | | _ | | | |
| | Fixed Each Including First Mile | | | ŲEPPP | 1LN1A | 88 6256 | 105 54 | 98 47 | 21.47 | 19 05 | | 11 90 | | | 1 93 | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0 1856 | | | | | | | | | | |
| 4-WIRI | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | - | | | | | | |
| UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | 1 |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 820.74 | | | | | | 11 90 | | | 1.83 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 850 54 | | | | | | 11 90 | | | 1 83 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | | UEPDC | | 928 39 | | | | | | 11.90 | | | 1 83 | |
| UNE L | oop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 70 74 | | | | | | 11 90 | | | 1.83 | |
| - 1 | 4-Wire DS1 Digital Loop - UNE Zone 2 | | | UEPDC | USLDC | 100 54 | | | | | | 11 90 | | | 1 83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | | UEPDC | USLDC | 178 39 | | | | | | 11 90 | | | 1 83 | |
| UNE P | ort Rate | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 750.00 | 1,019.56 | 479.87 | 204 92 | 20 10 | | 11 90 | | | 1 83 | |
| NONR | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | · | | | | | | | i | | i |
| - | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | 1 1 | | | | | | | | | i | | |
| | - Switch-As-is Top 8 MSAs only | | | UEPDC | USAC4 | 1 | 95 31 | 46 71 | i | | | 11 90 | | 1 | 1.83 | 1 |
| - | Citian is top a mark any | | | | 1 | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | l | | !!! | 1 | | | | | - | | | ļ | | |
| | - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 95 31 | 46 71 | | | | 11 90 | | ļ | 1 83 | |
| | Contractor and De Contractor and | | | | | | **** | | | | | | | | 1 | · · · · · · · |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | l | | 1 1 | | l | | | | | | | | | |
| l | - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | 1 | 95 31 | 46 71 | | | | 11 90 | | Ì | 1 83 | |
| ADDIT | IONAL NRCs | | | 021 00 | 100/11/2 | | | | | <u>-</u> | | 11.00 | | | 100 | - |
| ADDIT | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | 1 1 | | | | | | <u> </u> | | | - | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | 1 | UEPDC | UDTTA | | 15 69 | 15 69 | | | 1 | 11 90 | | | 1 83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | _ | QLF DÇ | ODITA | | 15 05 | 15 65 | | | | 11.50 | | - | 1 65 | |
| l l | Channel Activation/Chan - 1-Way Outward Trunk | | 1 | UEPDC | ирттв | | 15 69 | 15 69 | ĺ | | | 11 90 | | | 1 83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | OEFDC | QDITIB | | 15 09 | 10 09 | | | - | 1190 | | | 103 | |
| | Activation/Chan Inward Trunk w/out DID | | 1 | UEPDC | UDTTC | į | 15 69 | 15 69 | | | | 11 90 | | 1 | 1 83 | |
| | | | - | UEFDC | TODITIC | | 10 69 | 15 69 | | | | 1190 | | | 1 63 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | I | UEPDC | UDTTD | | 15 69 | 15 69 | | | | 11 90 | | | 1.83 | |
| | | - | 1 | OLFDO | 100110 | - | 10 09 | 10 09 | | | H | 1190 | | | 1.83 | |
| - 1 | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | 1 | UEPDC | UDTTE | | 15 69 | 15 69 | 1 | | | 11 90 | | ĺ | 1 83 | |
| P'DC' | Activation / Chan - 2-Way DID w User Trans | | | UEPUC | JULIE | | 15 69 | 15 69 | | | | 11 90 | | | 1 83 | <u> </u> |
| BIPOL | AR 8 ZERO SUBSTITUTION | | 1 | UEPDC | CCOSF | | 0 00 | 655 00 | | | | 11 90 | | l | 1 83 | |
| | B8ZS -Superframe Format | | \vdash | UEPDC | CCOEF | | 0 00 | 655 00 | | | | | | | 1 83 | |
| | B8ZS - Extended Superframe Format | | | UEPUC | CLUET | - | 0 00 | 000 000 | | | | 11 90 | | | 1 83 | |
| Alterna | ate Mark Inversion | | - | UEPDC | MCOSF | | 0 00 | 0.00 | | - | ļ | , | | | | |
| | AMI -Superframe Format | | 1 | UEPDC | MCOSF | | 0 00 | 0 00 | | | ļ | | | | | |
| | AMI - Extended SuperFrame Format | | ļ | UEPDC | INICOPO | | 0 00 | 0.00 | | | ļ | | | | | ļ |

| NRONDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit: B |
|---|--|------------|----------------|-----------------|-----------------|--------------|--------|------------|--------------|------------|---|---|--|---|--|--|
| ATEGORY | RATE ELEMENTS | Inten m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs Electronic- Add'l | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Charge |
| | | | ··· | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates (\$) | | 1 |
| | | | | | | | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 11 90 | | | 1 83 | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0 00 | | | | | | 11.90 | | | 1 83 | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0 00 | | | | | | 11 90 | | | 1 83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | l | 1 | | | | | | | ł | | | | ŀ | |
| | of 20 DID Numbers | | <u> </u> | UEPDC | NDZ | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | 1 83 | |
| | DID Numbers for each Group of 20 DID Numbers | | ļ . | UEPDC | ND4 | 0 00 | | | | | | 11 90 | | | 1 83 | |
| | DID Numbers, Non-consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0 00 | | | | | | 11 90 | | | 1 83 | |
| | Reserve Non-Consecutive DID Nos | | | UEPDC | ND6 | 0.00 | 0 00 | 0 00 | | | | 11 90 | | | 1 83 | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | 1 83 | |
| | ted DS1 (Interoffice Channel Mileage) - | L | <u> </u> | | | | | | | | | | | | | |
| FX/FC | O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | ļ | | | | | | | | | | - | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | l | 1 | | 1,,,,,,,, | | 405.51 | 00 *** | | 40.05 | | 44.60 | | I | 1 4 22 | 1 |
| | Termination) | | 1 | UEPDC | 1LNO1 | 88 44 | 105 54 | 98.47 | 21.47 | 19 05 | 1 | 11 90 | | | 1 83 | |
| 1 | | | | Lucros | unc. | 6 4555 | 200 | | | | | | ĺ | I | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0 1856 | 0 00 | 0 00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | L | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0 00 | 0 00 | 0 00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | l |
| | miles | | | UEPDC | 1LNOB | 0 1856 | 0.00 | 0.00 | | | <u> </u> | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | l | i | | | | | | | | | l | | 1 | |
| | Termination) | | <u> </u> | UEPDC | 1LNO3 | 0 00 | 0 00 | 0 00 | 0 00 | | ļ | | | | | |
| İ | | | | | 1 1 | | | | İ | | | | | | ĺ | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 0.1856 | 0.00 | 0 00 | , | | | | | | l | |
| | Local Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3 15 | 0 00 | 0 00 | 0.00 | | ļ | | | | 1 | |
| | Central Office Termininating Point | | ļ | UEPDC | CTG | 0 00 | | | | | | | | | | |
| | E DS1 LOOP WITH CHANNELIZATION WITH PORT | | | | | | | | | | | | | | | |
| | n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | 1 | | | | | | | | | | | | - |
| | em can have various rate combinations based on type and nu | mber or | ports | usea | | | | | | | ļ | ļ | l | | | |
| UNE D | S1 Loop | | <u> </u> | UEPMG | USLDC | 70 74 | 0 00 | 0.00 | | | ļ | _ | | - | ļ | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | | UEPMG | USLDC | 100 54 | 0 00 | 0.00 | | | 1 | | - | | - | |
| _ | 4-Wire DS1 Loop - UNE Zone 2 | | | VEPMG | USLDC | 178.39 | 0 00 | 0.00 | | : | | | | | | - |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPING . | USEDC | 1/6.39 | 0 00 | 0.00 | | | | | | | | - |
| UNE D | SO Channetization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1 | nsį | - | UEPMG | VÚM24 | 118.06 | 0 00 | 0.00 | | | - | 11.90 | | | 1.83 | |
| | 48 DSO Channel Capacity - 1 per DS1 | | - | UEPMG | VUM48 | 236 12 | 0 00 | 0.00 | | | 1 | 11.90 | | | 1.83 | |
| | 96 DSO Channel Capacity - 1 per 2 DS1s | | - | UEPMG | VUM96 | 472 24 | 0 00 | 0 00 | | | | 11 90 | | | 1 83 | |
| | | <u> </u> | | UEPMG | VUM14 | 708 36 | 0 00 | 0.00 | | | | 11.90 | - | | 1.83 | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s | | - | UEPMG | VUM19 | 944.48 | 0.00 | 0 00 | | | | 11.90 | | | 1 83 | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | - | UEPMG | VUM20 | 1,180 60 | 0.00 | 0.00 | | | | 11 90 | | | 1 83 | |
| | 288 DS0 Channel Capacity - 1 per 10 DS1s | | <u> </u> | UEPMG | VUM28 | 1,416 72 | 0.00 | 0 00 | | | ļ | 11 90 | | | 1 83 | |
| | 384 DS0 Channel Capacity - 1 per 12 DS1s | - | ├ ─ | UEPMG | VUM38 | 1,888 96 | 0 00 | 0.00 | | | | 11.90 | | | 1 83 | |
| | | | | UEPMG | VUM40 | 2.361 20 | 0.00 | 0 00 | | | | 11.90 | | | 1.83 | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833 44 | 0.00 | 0 00 | | | - | 11.90 | - | · · · · · · · · · · · · · · · · · · · | 1 83 | |
| | | | | UEPMG | VUM67 | 3,305.68 | 0.00 | 0.00 | | | 1 | 11.90 | | | 1 83 | |
| — <u>————————————————————————————————————</u> | 672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chan | | | | | | 0.00 | | | | 11.90 | | - | 1 03 | |
| | mum System configuration is One (1) D\$1, One (1) D4 Channe | | | | | | stem | | | | 1 | | | | | |
| A WIEI | les of this configuration functioning as one are considered Ac | idiate. | r the ~ | unimum evetem o | onfiguration is | counted | | | | | <u> </u> | | - | | | |
| wintibi | NRC - Conversion (Currently Combined) with or without | 4166 | . u.e # | | Janguration 18 | ocanica. | | | | | | - | | 1 | | |
| | BellSouth Allowed Changes - Top 8 MSAs Only | | | UEPMG | USAC4 | 0 00 | 450 00 | 50 00 | | | 1 | 11.90 | | 1 | | |
| System | n Additions Where Currently Combined and New (Not Current) | v Comb | ined \ | | - 507.07 | 5 55 | 750 00 | 30 00 | | | | 11.50 | | | | |
| | sity Zone 1 Top 8 MSAs | , 00,111 |)cu | <u> </u> | | - | | | | | <u> </u> | | | | | |
| in ben | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | 1 | | |
| ! | Fea Activation - | | | UEPMG | VUMD4 | 0 00 | 950 00 | 600 00 | 200 00 | 30 00 | | 11.90 | [| | | |
| Pin-1- | r 8 Zero Substitution | | \vdash | OCI-WG | V UNID4 | 0.00 | 230 00 | 000 00 | 200 00 | 50 00 | | 11.50 | | 1 | - | |
| Bipola | Clear Channel Capability Format, superframe - Subsequent | | | - | + | | | | - | | | | | | | |
| ł | | | | UEPMG | CCOSF | 0.00 | 0.00 | 655 00 | | | 1 | 11.90 | | 1 | 1 | |
| | Activity Only Clear Channel Capability Format - Extended Superframe - | - | - | OLF IVIG | UUU3F | 0.00 | 0 00 | 000 00 | | | | 11.50 | - | + | | |
| 1 | | | l | UEPMG | CCOEF | 0 00 | 0.00 | 655 00 | | | | 11 90 | l | 1 | İ | |
| 1 | Subsequent Activity Only ate Mark Inversion (AMI) | | | ULPIVIG | COOE | 0.00 | 0.00 | 000 00 | | | <u> </u> | 1190 | <u> </u> | | <u> </u> | ļ |

Version 4Q02. 12/18/02 Page 36 of 52

| | ED NETWORK ELEMENTS - Florida | | | | _ | | | | | | | | Attachr | | Exhib | |
|----------------------|--|-------------|----------------------------|---|-------------------------------------|--|-----------------|---------------|------------------|-----------------|------------|---|--|---|---------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrecu | | Nonrecumng | | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | | | | UEPMG | MCOSF | 0 00 | First 0 00 | Add'I 0 00 | First | Add'l | SUMEC | SUMAN | SOMAN | SUMAN | SUMAN | SUMAN |
| | Superframe Format Extended Superframe Format | ļ | - | UEPMG | MCOPO | 0 00 | 0 00 | 0.00 | | | | | | | | |
| Evch | nange Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | OL: WO | 100010 | | 0.00 | 0.00 | | | | | | | | |
| | nange Ports | | | | 1 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14 00 | 0 00 | 0 00 | 0.00 | 0 00 | | 11 90 | | | 1.83 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | <u> </u> | UEPPX | UEPOX | 14 00 | 0 00 | 0 00 | 0 00 | 0 00 | | 11 90 | | | 1 83 | |
| | LOUIS TO LOU | | | LIEDBY | LIEBAY | 44.00 | 0.00 | 0.00 | | 0.00 | | 11.00 | | | 4 00 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | ├ | UEPPX UEPPX | UEP1X UEPDM | 14 00 55 00 | 0.00 | 0.00 | 0 00 | 0 00 | | 11 90 11 90 | | | 1.83 1.83 | |
| Fact | ure Activations - Unbundled Loop Concentration | <u> </u> | - | UEPPX | DEPDM | 55 00 | 0.00 | 0.00 | 0.00 | 0 00 | - | /1 90 | | | 165 | |
| reau | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | : | | - |
| ł | Bank | 1 | | UEPPX | 1PQWM | 0 66 | 40 00 | 20 00 | 600 | 5 00 | | 11 90 | | | 1 83 | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| 1 | D4 Bank | | | UEPPX | 1PQWU | 0.66 | 110 00 | 30 00 | 65.00 | 20 00 | | 11.90 | | | 1.83 | |
| Telep | phone Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0 00 | 0.00 | 0 00 | | | | 11 90 | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0 00 | 0.00 | 0 00 | | | | 11 90 11 90 | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX UEPPX | ND5 ND6 | 0 00 | 0 00 | 0.00 | - | | | 11 90 | | | | |
| | Reserve Non-Consecutive DID Numbers Reserve DID Numbers | | - | UEPPX | NDV | 0.00 | 0 00 | 0.00 | | | | 11 90 | | | | |
| Loca | Number Portability | | | UEFFX | INDV | 0.00 | 0 00 | 0.00 | | | | 11 90 | - | | | |
| Loca | Local Number Portability - 1 per port | | | UEPPX | LNPCP | 3 15 | 0.00 | 0.00 | | | - | | | | | |
| FEAT | TURES - Vertical and Optional | | | | 1 | | - | | | | | | | | | |
| | I Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | - |
| | All Features Available | | | ŲEPPX | UEPVF | 2.26 | 0 00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE | | | | | | | | | | | | | | | |
| 1. Co | ost Based Rates are applied where BellSouth is required by FCC | and/or | State (| Commission rule to | provide Unb | undled Local Sv | witching or Swi | tch Ports. | <u> </u> | | <u> </u> | | | | | |
| 2. Fe | eatures shall apply to the Unbundled Port/Loop Combination - C | ost Bas | ed Rat | e section in the san | ne manner as | they are applie | d to the Stand- | Alone Unbun | dled Port sectio | n of this Rate | EXHIBIT. | D | C | | - | |
| | nd Office and Tandem Switching Usage and Common Transport to first and additional Port nonrecurring charges apply to Not C | | | | | | | | | | | | | | | |
| | ne tirst and additional Port nonrecurring charges apply to Not Ci y also and are categorized accordingly | urrentiy | Comp | inea Compos. For | | | | | snau be mose | identified in t | ne Monrecu | | | | Additional MD | |
| | | | | | ourselling ou | mbined Combo | s, the nonrecur | ing charges | | | | | andy Combine | ed sections. | Additional NR | Cs may |
| | larket Pates for Unbundled Centrey Port/Loan Combination will | he neg | tisted | | - | | | ing charges | 1 | | | | andy Combine | d sections. | Additional NR | Cs may |
| | arket Rates for Unbundled Centrex Port/Loop Combination will | | otiated | | - | | | ring charges | | | | | andy Combine | ed sections. | Additional NR | Cs may |
| UNE- | -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | | otiated | | - | | | Ting Charges | | | | | andy Combine | ed sections. | Additional NR | Cs may |
| UNE- 2-Wir | -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | otiated | | - | | | Ting charges | | | | | andy Compine | ed sections. | Additional NR | Cs may |
| UNE- 2-Wii | -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | | otiated | on an Individual Ca | - | til further notice | | Ting charges | | | | | andy Compine | ed sections. | Additional NR | Cs may |
| UNE- 2-Wir | P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- i Non-Design | | otiated | | - | | | Ting charges | | | | | andy Combine | d sections. | Additional NR | Cs may |
| UNE- 2-Wit | P CENTREX - 1AESS - (Valud in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | on an Individual Ca | - | til further notice | | Ting Charges | | | | | andy Constitution | d sections. | Additional NR | Cs may |
| UNE- 2-Wir | P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design | | | on an Individual Ca | - | til further notice | | Ting Charges | | | | | nuy Consine | d sections. | Additional NR | Cs may |
| UNE- 2-Wit | P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design [2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design | | 1 2 | on an Individual Ca UEP91 UEP91 | - | 10 94 | | | | | | | Huy Consine | d sections. | Additional NR | Cs may |
| UNE- 2-Wii UNE | P CENTREX - 1AESS - (Valut in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design | | 1 2 | on an Individual Ca | - | til further notice | | my charges | | | | | HILLY COMPUTE | d sections. | Additional NR | Cs may |
| UNE- 2-Wii UNE | P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Portl-Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) | | 1 2 | on an Individual Ca UEP91 UEP91 | - | 10 94 | | my charges | | | | | HILLY COMEDINE | d sections. | Additional NR | Cs may |
| UNE- 2-Wii UNE | P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design | | 1 2 3 | on an Individual Ca UEP91 UEP91 UEP91 | - | 10 94 15 05 25 80 | | | | | | | HILLY COMPINE | d sections. | Additional NR | Cs may |
| UNE- 2-Wii UNE | P CENTREX - 1AESS - (Valut in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design | | 1 2 3 | on an Individual Ca UEP91 UEP91 | - | 10 94 | | ing charges | | | | | HILLY COREDITE | d sections. | Additional NR | Cs may |
| UNE- 2-Wii UNE | P CENTREX - 1AESS - (Valud in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design | | 1 2 3 | on an Individual Ca UEP91 UEP91 UEP91 | - | 10 94 15 05 25 80 | | ing charges | | | | | HILLY CORENT | d sections. | Additional NR | Cs may |
| UNE- 2-Wii UNE | P CENTREX - 1AESS - (Valut in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design | | 1 2 3 | UEP91 UEP91 UEP91 | - | 10 94 15 05 25 80 13.41 | | my charges | | | | | HILLY CORENT | d sections. | Additional NR | Cs may |
| UNE- 2-Wii UNE | P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design | | 1 2 3 | UEP91 UEP91 UEP91 | - | 10 94 15 05 25 80 | | my charges | | | | | HILLY COREDITE | d sections. | Additional NR | Cs may |
| UNE- 2-Wir UNE | P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design Loop Rate | | 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | ase Basis, un | 10 94 15 05 25 80 13.41 18 57 32 04 | | my charges | | | | | HILLY CORDINA | d sections. | Additional NR | Cs may |
| UNE- 2-Wir UNE | P CENTREX - 1AESS - (Valud in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Loop Rate [2-Wire Voice Grade Loop (St. 1) - Zone 1 | | 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | ue Basis, un | 10 94 15 05 25 80 13.41 18 57 32 04 9 77 | | ing charges | | | | | HILLY CORENTA | d sections. | Additional NR | Cs may |
| UNE- 2-Wir UNE | P CENTREX - 1AESS - (Valud in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | uECS1 | 10 94 15 05 25 80 13.41 18 57 32 04 9 77 13 88 | | my charges | | | | | Huy Consone | d sections. | Additional NR | Cs may |
| UNE- 2-Wir UNE | P CENTREX - 1AESS - (Valud in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 1 2 3 1 2 3 1 2 3 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 | 10 94 15 05 25 80 13.41 18 57 32 04 9 77 13 88 24 63 | | ing charges | | | | | HILLY CORENTA | d sections. | Additional NR | Cs may |
| UNE- 2-Wir UNE | P CENTREX - 1AESS - (Valud in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 1 2 3 1 2 3 1 1 2 3 1 1 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 UECS2 | 10 94 15 05 25 80 13.41 18 57 32 04 9 77 13 88 24 63 12 24 | | my charges | | | | | HILLY CORENT | d sections. | Additional NR | Cs may |
| UNE- 2-Wir UNE | P CENTREX - 1AESS - (Valud in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 2 3 1 2 3 3 1 2 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 | 10 94 15 05 25 80 13.41 18 57 32 04 9 77 13 88 24 63 12 24 17 40 | | ing charges | | | | | HILLY COREDITE | d sections. | Additional NR | Cs may |
| UNE 2-Wir UNE UNE | P CENTREX - 1AESS - (Valud in AL,FL,GA,KY,LA,MS,&TN only re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 1 2 3 1 2 3 3 1 2 2 | UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS1 UECS2 | 10 94 15 05 25 80 13.41 18 57 32 04 9 77 13 88 24 63 12 24 | | The Charges | | | | | HILLY CORENTE | d sections. | Additional NR | Cs may |

Version 4Q02 12/18/02 Page 37 of 52

| MOUNDE | D NETWORK ELEMENTS - Florida | | | | , | | | | | | | la a · | | ment: 2 | | bit: B |
|-------------|---|-------------|--|----------------|----------------|--------------|---------|------------|----------------|------------|--|--|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | | Nonrec | ucrina | Nonrecurning | Disconnect | | | | Rates (\$) | Disc 1st | Disc Add |
| | | | + | | + - 1 | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 | UEP91 | UEPYA | 1 17 | 53 31 | 26 46 | | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP91 | UEPYB | 1 17 | 53.31 | 26 46 | 27.50 | 8.37 | | 11 90 |] | | l | |
| | 2-Wire Voice Grade Port (Centrex with Calter ID)1Basic Local Area | | | UEP91 | UEPYH | 1 17 | 53 31 | 26 46 | 27.50 | 8.37 | | 11.90 | | | • | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | + | | 1 - | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1 17 | 139 49 | 86 10 | 65 41 | 13.81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 1 17 | 139 49 | 86 10 | 65 41 | 13.81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEP91 | UEPY9 | 1 17 | 53.31 | 26 46 | 27 50 | 8.37 | | 11 90 | | ļ | | |
| | - Basic Local Area | | - | UEP91 | DEPTS | 1.1/- | 55.51 | 20 40 | 27 50 | 0.37 | | 1190 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | 1 | UEP91 | UEPY2 | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | 1 |
| Georg | ia and Florida Only | | | 02.01 | | | - 55 51 | 20 40 | 2. 50 | 931 | | 1 | | | | |
| - 000, | 2-Wire Voice Grade Port (Centrex) | | 1 | UEP91 | UEPHA | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | 1 | UEP91 | UEPHB | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | 1 | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 1 17 | 53 31 | 26 46 | | 8 37 | l | 11 90 | | | | T |
| " | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP91 | UEPHM | 1 17 | 139 49 | 86 10 | 65 41 | 13 81 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | ł | j | | | |
| | Term | | | UEP91 | ŲEPHZ | 1 17 | 139 49 | 86 10 | 65.41 | 13.81 | | 11.90 | | | | ļ |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 1 17 | 53 31 | 26 46 | 27 50 | 8.37 | | 11.90 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0 7384 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | ļ | | <u> </u> |
| Featu | | | | | 1 | 2.00 | | | | | | 14.00 | | ' | | <u> </u> |
| | All Standard Features Offered, per port | | - | UEP91 UEP91 | UEPVF UEPVS | 2.26 0.00 | 370 70 | | | | | 11.90 11.90 | | | - | |
| | All Select Features Offered, per port | | + | UEP91 | UEPVS | 2.26 | 310 10 | | | | | 11.90 | | - | - | <u> </u> |
| NARS | All Centrex Control Features Offered, per port | | ₩ | UEP91 | OEP VC | 2.20 | | | | | | 11.50 | | | | . |
| NARS | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0 00 | 0.00 | 0 00 | | | | 11 90 | | | | |
| | Unbundled Network Access Register - Indial | | + | UEP91 | UAR1X | 0.00 | 0 00 | 0 00 | | | | 11.90 | | | | <u> </u> |
| | Unbundled Network Access Register - Outdial | | 1 | UEP91 | UAROX | 0 00 | 0.00 | 0 00 | | | l | 11 90 | | | | T |
| Misce | Ilaneous Terminations | | | | 1 | | | | | | | | | | | |
| | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8 73 | | | | | | | | | | L |
| Intero | ffice Channel Mileage - 2-Wire | | | | - | | | | | | | | | | ļ | - |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 25 32 | | | | | | | ļ | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | <u> </u> | UEP91 | M1GBM | 0 0091 | - | | | | | | | | | - |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | æ | + | | | | | | - | | | | | | | |
| D4 Ch | annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | + | UEP91 | 1PQWS | 0 66 | | | | | | | | - | | |
| | reacute Activation on 0-4 Channer bank Centrex Loop Slot | | | 051.21 | 11-0440 | 3 66 | | | | | <u> </u> | | | 1 | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | 1 | 1 | UEP91 | 1PQW6 | 0.66 | | | | | 1 | 1 | 1 | | 1 | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | 1 1 | | | | 1 | | | | | | | |
| 1 | Slot | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | L | <u> </u> |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | 1 | | | |
| | Different Wire Center | | L | UEP91 | 1PQWP | 0 66 | | | | | | | | | | ļ |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | 1 | Ì |
| | Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop | - | | 00101 | | 0.00 | | • | | | | | 1 | | | |
| l | Slot | l | 1 | UEP91 | 1PQWQ | 0 66 | | | } | | |] | 1 | | 1 | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | - | | UEP91 | 1PQWA | 0 66 | | | | | | , | | | | 1 |
| Non-F | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | 1 | F | 1 |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | l | 1 | UEP91 | USAC2 | | 21.50 | 8 42 | 1 | | L | 11 90 | L | L | L | <u> </u> |

| NRONDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | , | | | ment: 2 | | bit: B |
|-------------|--|-------------|--------------|--------|--------|-------------|---------------|---------------|-------|---------------------------------------|--|--------|--|--|--|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BC\$ | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Charge Manual S Order vs |
| | | | | | | Rec | Nonrec | | | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | First 5 17 | Add'I 8.32 | First | Addi | SUMEC | 11 90 | SUMAN | SUMAN | SUMAN | SOMAN |
| <u> </u> | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0 00 | 618 82 | 0.32 | | - | | 11 90 | | | | + |
| | New Centrex Standard Common Block | | | UEP91 | M1ACC | 0 00 | 618 82 | | | | | 11 90 | | - | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0 00 | 71 31 | | | | | 11 90 | | | - | |
| | NAR Establishment Charge, Per Occasion | | _ | UEP91 | URECA | 0 00 | 66 48 | | | | 1 | 11 90 | | | | — |
| IINE D | CENTREX - 5ESS (Valid in All States) | | | OLI 91 | OILLOA | - 000 | 30 70 | | | | | .,,,,, | | | | <u> </u> |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | + + | | | | | | 1 | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| OIIL. | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| 1 | Non-Design | | 1 | UEP95 | - 1 | 10.94 | | | | ł | | | ļ | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | | 1 | | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 15 05 | 1 | | | | | | | 1 | 1 | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | 1 | | | |
| | Non-Design | | 3 | UEP95 | | 25.80 | | | | | | | | l | | |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | <u> </u> | †·· | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | 1 | | | | | | |
| ĺ | Design | | 1 | UEP95 | | 13 41 | I | | | | | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | -1 - 1 | | | | | | | | | | | |
| 1 | Design | | 2 | UEP95 | | 18 57 | | | | | | | 1 | ! | 1 | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 32 04 | | | | 1 | | | İ | | | 1 |
| UNE L | oop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 9 77 | İ | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 13 88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 24 63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 12 24 | | | | | | | | | | ļ <u>-</u> |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 17 40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 30.87 | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | ' | | <u> </u> |
| Ali Sta | | | ļ <u>.</u> | | | | | | | | | | | | | ļ |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 1.17 | 53 31 | 26 46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11.90 | | | | |
| l l | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | 1 | | | | | | | | | l | l . |
| | Area | | 1 | UEP95 | UEPYH | 1.17 | 53 31 | 26 46 | 27.50 | 8 37 | | 11.90 | | | | - |
| i | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | i | 40.54 | | | | Į. | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.17 | 139 49 | 86.10 | 65 41 | 13 81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | 400.40 | 00.40 | 25.44 | 40.04 | | 44.00 | 1 | 1 | | |
| | Term - Basic Local Area | | | UEP95 | UEPYŻ | 1.17 | 139 49 | 86 10 | 65 41 | 13 81 | | 11.90 | | | | <u> </u> |
| 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | 00.40 | 27 50 | | | | 1 | | 1 | i . |
| | - Basic Local Area | | | UEP95 | UEPY9 | 1.17 | 53.31 | 26 46 | 27 50 | 8 37 | 1 | 11 90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | 50.04 | 20.42 | 07.50 | | | 44.00 |] | 1 | l | |
| | Basic Local Area | | | UEP95 | UEPY2 | 1.17 | 53 31 | 26 46 | 27 50 | 8.37 | | 11 90 | | | ļ | |
| | Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| FL&C | GA Only | | | UEP95 | UEPHA | 1 17 | 53.31 | 26.46 | 27 50 | 8.37 | - | 11 90 | | | | |
| _ | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11 90 | | | · | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | <u> </u> | UEP95 | UEPHH | 1.17 | 53.31 | 26 46 | 27.50 | 8.37 | | 11.90 | | - | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | 1 | UEF90 | UEFFIN | 1 17 | 33.31 | 20 40 | 21.50 | 6.37 | | 11.50 | - | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP95 | UEPHM | 1 17 | 139 49 | 86 10 | 65 41 | 13 81 | | 11 90 | | | | 1 |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | 02790 | OEPHIN | 1 1/ | 139 49 | 00 10 | 0041 | 1301 | + | 11.50 | | - | | + |
| | Term | | | UEP95 | UEPHZ | 1 17 | 139 49 | 86 10 | 65.41 | 13 81 | | 11 90 | t | | | |
| | TO III | | | | | - ::- | .55 10 | | | · · · · · · · · · · · · · · · · · · · | T | 50 | | | | † |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEP95 | UEPH9 | 1.17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | 1 | | 1 |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 1 17 | 53.31 | 26 46 | 27 50 | 8.37 | | 11 90 | | | | 1 |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0 7384 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | | | | | | | | | | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | nent: 2 | | bit: B |
|----------|---|-------------|--|-------|----------|--------|--------|------------|----------------|--------------|------------------------------|---|---|-----------------------------------|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sy Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2 26 | | | | | | | | | | ļ |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 370 70 | | | | | 11 90 | | | | |
| | All Centrex Control Features Offered, per port | | L | UEP95 | UEPVC | 2 26 | | | | | | | | | | ļ |
| NARS | | | | | | | | | | | | | | | | ļ |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0 00 | 0 00 | 0 00 | | | <u> </u> | 11 90 | | | | Ļ |
| | Unbundled Network Access Register - Indial | <u> </u> | ļ | UEP95 | UAR1X | 0 00 | 0.00 | 0.00 | | | | 11 90 | ļ | | ļ | ļ |
| | Unbundled Network Access Register - Outdial | | <u> </u> | UEP95 | UAROX | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | Ļ |
| | llaneous Terminations | | <u> </u> | | | | | | | | | | | | | <u> </u> |
| 2-Wire | e Trunk Side | | <u> </u> | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | 1 | | UEP95 | CEND6 | 8 73 | | | | | 4 | | | | | - |
| 4-Wire | e Digital (1.544 Megabits) | <u> </u> | | | 1 | | | | ļ | ļ | 1 | - | | | | |
| | DS1 Circuit Terminations, each | L | <u>. </u> | UEP95 | M1HD1 | 54 95 | | | 1 | ļ | 1 | | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0 00 | 15 69 | | | | - | 11 90 | | | | |
| Interd | office Channel Mileage - 2-Wire | L | <u> </u> | | | | | | | | - | | | | | |
| | Interoffice Channel Facilities Termination | | <u> </u> | UEP95 | MIGBC | 25 32 | | | | - | ļ | | | | | 1 |
| | Interoffice Channel mileage, per mile or fraction of mile | l | <u> </u> | UEP95 | MIGBM | 0 0091 | | | ļ | | | | | | <u> </u> | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | ;e | | | | | | | ļ | | | | | ļ | | |
| D4 CF | nannel Bank Feature Activations | L | | | | | | | ļ | ļ | | | ļ | | | └ |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | <u> </u> | ļ | UEP95 | 1PQWS | 0.66 | | | | ļ | | | | ļ | | |
| 1 | | | | | | | | | | į | | | 1 | [| l | 1 |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0 66 | | | | | | | ! | | | <u> </u> |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | 1 | | | | | | | | 1 | | | |
| | Slot | | 1 | UEP95 | 1PQW7 | 0 66 | | | ļ | ļ | ļ | | | <u> </u> | | ļ |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | 1 | | 1 | | | | | 1 | | | | ! | | 1 |
| | Different Wire Center | ļ <u>.</u> | <u> </u> | UEP95 | 1PQWP | 0 66 | | | | ļ | | | | | | ļ |
| | | | l | | | | | | | | 1 | | | | 1 | İ |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | <u> </u> | <u> </u> | UEP95 | 1PQWV | 0 66 | | | | | | | | ļ | | ļ |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | ļ | | 1 | | | | | 1 | | | | | | ŀ |
| | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | <u> </u> | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | <u> </u> | | UEP95 | 1PQWA | 0 66 | | | ļ | | | | | | | |
| Non-F | Recurring Charges (NRC) Associated with UNE-P Centrex | | L | | | | | | | | - | | - | | <u> </u> | |
| 1 | NRC Conversion Currently Combined Switch-As-Is with allowed | | 1 | | | | | | | 1 | i | | | | İ | l |
| | changes, per port | | | UEP95 | USAC2 | 0 00 | 21 50 | 8 42 | | ļ | <u> </u> | 11 90 | | | | <u> </u> |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 5.17 | 8 32 | | | | 11 90 | | | 1 | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0 00 | 618 82 | | | <u> </u> | _ | 11 90 | | | | <u> </u> |
| | New Centrex Customized Common Block | | 1 | UEP95 | M1ACC | 0 00 | 618 82 | | | | | 11 90 | | | ļ | <u> </u> |
| | NAR Establishment Charge, Per Occasion | | 1 | UEP95 | UREÇA | 0 00 | 66 48 | | | ļ | ļ | 11 90 | | | 1 | |
| | P CENTREX - DM\$100 (Valid in All States) | L | <u> </u> | | | | | | | | <u> </u> | | | | 1 | ↓ |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | <u> </u> | | | | | | | ļ | | | | | | ļ |
| UNE | Port/Loop Combination Rates (Non-Design) | | <u> </u> | | | | | | ļ . | ļ | | | | | | |
| Į. | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | ┨ | 1 | | | | | | | | ! | | | Ì | 1 | İ |
| | Non-Design | L | 1 | UEP9D | | 10 94 | | | ļ | | ļ | | | | | ↓ |
| 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | İ | 1 | | | | | | j | | 1 | | 1 | | | |
| | Non-Design | L | 2 | UEP9D | | 15 05 | | | | ļ | ļ <u>.</u> | | | | | <u> </u> |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | 1 | | | | i | | | 1 |
| | Non-Design | | 3 | UEP9D | | 25 80 | | | | | ļ | | | | | 1 |
| UNE | Port/Loop Combination Rates (Design) | <u> </u> | | | | | | | | | | | <u> </u> | | ļ | <u> </u> |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 | | | | | | | | | | l | ļ | | | |
| | Design ' | ļ | 1 | UEP9D | | 13 41 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | | | | | | | | | 1 | l | 1 | ĺ | 1 | l |
| | Design | <u> </u> | 2 | UEP9D | _ | 18.57 | | | | 1 | 1 | | ļ | | ļ | ļ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | | | 1 | | | | | 1 | 1 | | 1 | 1 | | 1 |
| | Design | ļ | 3 | UEP9D | | 32 04 | | | ļ | ļ | 1 | | | | ļ | <u> </u> |
| UNE | Loop Rate | | <u> </u> | | | | | | | ļ | ļ | ļ | | | ļ | ļ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP9D | UECS1 | 9 77 | | | ļ. <u>.</u> . | | | <u> </u> | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | <u> </u> | | UEP9D | UEC\$1 | 13 88 | | | ļ | | 1 | <u>:</u> | ļ | ļ | ļ | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | <u> </u> | | UEP9D | UECS1 | 24 63 | | | ļ | ļ | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | UEP9D | UECS2 | 12 24 | | | ļ | | 1 | | ļ | | ļ | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 17 40 | | | <u> </u> | <u> </u> | | | | | | |

| PIADOIADE | D NETWORK ELEMENTS - Florida | r | | 1 | 1 1 | | | | | | Sun Cont | Com Cont. | · | nent: 2 | | bit: B |
|-----------|---|-------------|--|--------|--------|-------|--------|------------|--------------|-------|----------|-----------------------|--|---|-------------|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increment Charge Manual So Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| - | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | <u> </u> | 3 | UEP9D | UECS2 | 30 87 | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE F | ort Rate | | 1- | OLI SB | 102002 | 30 51 | | | | | | | | | | |
| | TATES | | † | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1 17 | | | | | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 1 17 | 53.31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 1 17 | 53.31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | · | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | · | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | [|
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 1 17 | 53.31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 1.17 | 53.31 | 26.46 | 27 50 | 8.37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 1.17 | 53 31 | 26 46 | 27.50 | 8 37 | | 11.90 | | • | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 1,17 | 53.31 | 26 46 | 27 50 | 8 37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYÓ | 1 17 | 53 31 | 26.46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 1 17 | 53.31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 1 17 | 139 49 | 86 10 | 65 41 | 13.81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 1 17 | 139 49 | 86 10 | 65 41 | 13.81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 1 17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 1 17 | 139 49 | 86 10 | 65 41 | 13.81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1 17 | 139.49 | 86 10 | 65 41 | 13 81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 1.17 | 139 49 | 86 10 | 65 41 | 13.81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 1 17 | 139 49 | 86 10 | 65 41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 1,17 | 139 49 | 86 10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | - | UEP9D | UEPY9 | 1.17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | - | - | UEP9D | UEPY2 | 1.17 | 53 31 | 26 46 | 27 50 | 8 37 | | | | | | |
| FI & C | Local Area GA Only | | | DEFSD | UEP 12 | 11/ | 55 31 | ∠0 46 | 27 50 | 83/ | | 11.9Q | | | - | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 1.17 | 53 31 | 26 46 | 27 50 | 8.37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 1.17 | 53 31 | 26 46 | 27.50 | 8.37 | | 11 90 | | | | |

| NRUNDLE | D NETWORK ELEMENTS - Florida | | | , <u> </u> | | | | | | | r : | | | ment: 2 | | bit: B |
|---------|---|-------------|----------|------------|-------|--------|--------|------------|-------|------------|---|-------|--|---|---|--------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | |
| | | | | | | | First | Add'l | First | Add'I | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 1 17 | 53 31 | 26 46 | | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 1 17 | 53 31 | 26 46 | | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | <u> </u> | UEP9D | UEPHE | 1 17 | 53 31 | 26 46 | | 8 37 | | 11 90 | | | | ļ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 1 17 | 53 31 | 26 46 | | 8 37 | | 11 90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 1 17 | 53 31 | 26 46 | | 8 37 | | 11 90 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 1 17 | 53.31 | 26 46 | | 8.37 | | 11 90 | | ļ | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 1 17 | 53 31 | 26 46 | | 8.37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | L | UEP9D | UEPHV | 1 17 | 53 31 | 26 46 | | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 1 17 | 53.31 | 26 46 | | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 1 17 | 53 31 | 26.46 | 27 50 | 8 37 | | 11 90 | | ļ <u></u> | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | 1 | | | | | | | | (| | | | 1 | |
| | Indication)3 | | L | UEP9D | UEPHW | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | ļ |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| 1 | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | 1 | 1 | 1 | | 1 | | ļ | | 1 | 1 | | |
| | 2 | | | UEP9D | UEPHM | 1 17 | 139 49 | 86 10 | 65 41 | 13 81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 1 17 | 139 49 | 86.10 | 65 41 | 13 81 | | 11 90 | | | | 1 |
| | | | 1 | | | _ } | | | | | ļ. | | l | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 1.17 | 139 49 | 86.10 | 65 41 | 13 81 | | 11.90 | | | | _ |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 1.17 | 139 49 | 86.10 | 65.41 | _13 81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 1.17 | 139 49 | 86 10 | 65 41 | 13 81 | | 11.90 | | | | , |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 1.17 | 139 49 | 86 10 | 65 41 | 13 81 | | 11.90 | | | | |
| i | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 1.17 | 139 49 | 86.10 | 65.41 | 13.81 | | 11 90 | | | | |
| _ | | - | | | | | | | 65 41 | 13 81 | | 11 90 | | | | |
| _ | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | - | | UEP9D | UEPH5 | 1.17 | 139 49 | 86 10 | | | | | | | | |
| - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 1,17 | 139 49 | 86 10 | 65 41 | 13.81 | | 11.90 | - | , | | - |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPH7 | 1.17 | 139 49 | 86 10 | 65.41 | 13 81 | | 11 90 | | | | - |
| | Term | | | UEP9D | UEPHZ | 1.17 | 139 49 | 86 10 | 65 41 | 13 81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEP9D | UEPH9 | 1 17 | 53,31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | i | UEP9D | UEPH2 | 1.17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11.90 | | | | |
| Local S | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0 7384 | | • | | | | | | | | 1 |
| Local N | lumber Portability | | i | | | | | | | | | | L | | | |
| | Local Number Portability (1 per port) | | 1 | UEP9D | LNPCC | 0 35 | | | | | | | | | | |
| Feature | | | | | | | | | | | <u> </u> | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.26 | | | | | | | L | | | <u> </u> |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 370 70 | | | | | 11.90 | | <u> </u> | <u></u> | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 2.26 | | | | | | | | | | |
| NARS | | | 1 | | | | | | | <u> </u> | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0 00 | 0 00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0 00 | 0 00 | | | | 11.90 | 1 | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0 00 | 0 00 | | | | 11.90 | | | | <u> </u> |
| | aneous Terminations | | 1 | | | | | | | | | | | | | |
| | Trunk Side | | | | | | | | | | | | | | ļ | ļ |
| | Trunk Side Terminations, each | | <u> </u> | UEP9D | CEND6 | 8.73 | | | | | | | ! | | | 1 |
| | Digital (1.544 Megabits) | | | | 1 | 27.22 | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | L | UEP9D | M1HD1 | 54 95 | | | | | | | 1 | | | |
| | DS0 Channels Activated per Channel | | <u> </u> | ÜEP9D | M1HDO | 0 00 | 15 69 | | | | | 11.90 | | | | 1 |
| | ice Channel Mileage - 2-Wire | | <u> </u> | | 1 | | | | | | <u> </u> | | ļ | <u> </u> | ļ | |
| | Interoffice Channel Facilities Termination | ļ <u> </u> | <u> </u> | UEP9D | MIGBC | 25 32 | | | | | | | | | ļ | |
| 1 | Interoffice Channel mileage, per mile or fraction of mile | | <u> </u> | UEP9D | MIGBM | 0 0091 | | | | | | | | | | — |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | | | | | | | | | | | | | | | |

| INBUNDLED I | NETWORK ELEMENTS - Florida | | | | | | | | | | | | | nent: 2 | | oit: B |
|-------------|---|------------|--------------|--------|--------------|--------------|--------|------------|--------------|------------|---|-------|---|---|--|--|
| TEGORY | RATE ELEMENTS | Inten m | Zone | всѕ | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'i | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | urnng | Nonrecurring | Disconnect | | | oss | Rates (\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Fe | eature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0 66 | | | | | i | | | | | 1 |
| | | | | | | | | | | | | | | | | |
| | eature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0 66 | | | | | | | | | | |
| F€ | eature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| SI | | | | UEP9D | 1PQW7 | 0 66 | | | | | | | | | | |
| | eature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| Dr | fferent Wire Center | | | UEP9D | 1PQWP | 0 66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | eature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | <u> </u> | <u> </u> |
| | eature Activation on D-4 Channel Bank Tije Line/Trunk Loop | | | LIEBOD | langua | 0.00 | | | | | | | | | 1 | |
| | lot | | | UEP9D | 1PQWQ | 0 66 0 66 | | | | | | | | | | |
| | eature Activation on D-4 Channel Bank WATS Loop Slot | | - | UEP9D | 1PQWA | 000 | | | | | | | | | | |
| | urring Charges (NRC) Associated with UNE-P Centrex RC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | 1 | | | | 1 | |
| | nanges, per port | | | UEP9D | USAC2 | ŀ | 21 50 | 8 42 | 1 | | Į l | 11 90 | | | i | ŀ |
| | onversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 5 17 | 8 32 | | | | 11.90 | | | | |
| | ew Centrex Standard Common Block | | _ | UEP9D | MIACS | 0.00 | 618 82 | 0.32 | | | | 11.90 | | | - | |
| | ew Centrex Standard Common Block | | - | UEP9D | MIACC | 0.00 | 618 82 | | | | | 11.90 | | | | |
| | AR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0 00 | 66 48 | | | | - | 11.90 | | | | |
| | ENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | ├ | OLF 30 | UNLOA | 0 00 | 00 40 | | | | 1 | 11.30 | | | | |
| | S Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | - | | | - | |
| | /Loop Combination Rates (Non-Design) | | _ | | 1 | | | | | | 1 | | | - | <u> </u> | |
| | Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | + + + | | | | | | | | | | | |
| | on-Design | | 1 | UEP9E | | 10 94 | | | | | | | | | ! | |
| | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | 1 1 | | | | | | | | | | | |
| | on-Design | | 2 | UEP9E | 1 1 | 15 05 | | | | | | | | | i . | |
| 2- | Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | 1 1 | | | | | | | | | | | |
| | on-Design | | 3 | UEP9E | 1 1 | 25 80 | | | | | | | | | | 1 |
| UNE Port/ | /Loop Combination Rates (Design) | | | | | | | | | | | | | i | | |
| 2- | Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | - | | | | | | | | | | |
| | esign | | 1 | UEP9E | | 13 41 | | | | | | | | | | |
| 2- | Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | esign | | 2 | UEP9E | 1 | 18 57 | | | | | | | | | 1 | |
| 2-1 | Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | ł | | | 1 | | | | | | | | | 1 | 1 |
| | esign | | 3 | UEP9E | | 32.04 | | | | | | | | | | |
| UNE Loop | | | | | | | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP9E | UECS1 | 9.77 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP9E | UECS1 | 13 88 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEP9E | UECS1 | 24.63 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 2) - Zone 1 | | | UEP9E | UECS2 | 12.24 | | | | ļ | | | | | | |
| | Wire Voice Grade Loop (SL 2) - Zone 2 | | | UEP9E | UECS2 | 17.40 | | | | | ļ | | | | | |
| | Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 30.87 | | | | | | | | | | |
| UNE Port | | | - | | + + | | | | | | | | | | 1 | |
| | Y, LA, MS, & TN only | | | HEDOE | UEPYA | 1 17 | 53 31 | 26.46 | 27 50 | 8 37 | | 11.00 | | | | ļ |
| | Wire Voice Grade Port (Centrex) Basic Local Area Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | UEP9E | UEPTA | 1 17 | 53 31 | 20.40 | 27 50 | 0.3/ | | 11 90 | | | | |
| | rea | | | UEP9E | UEPYB | 1 17 | 53 31 | 26.46 | 27 50 | 8 37 | | 11 90 | | | 1 | |
| | Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | <u> </u> | UEF9E | OCF 1B | 1 17 | 33 31 | 20.40 | 27 30 | 0 3/ | ļ | 1190 | | | | |
| | rea (Centrex with Caller ID) Basic Local | | | UEP9E | UEPYH | 1.17 | 53.31 | 26 46 | 27 50 | 8 37 | 1 | 11 90 | | | | |
| 1 | Wire Voice Grade Port (Centrex from diff Serving Wire | | | OLIFOL | OLF III | 1.17 | 33.07 | 20 40 | 21 00 | 0.57 | | 11 30 | | | - | |
| | enter)2 Basic Local Area | | | UEP9E | UEPYM | 1 17 | 139 49 | 86 10 | 65 41 | 13 81 | | 11 90 | | | 1 | |
| | Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | · · · · | | | - 35 70 | 55 71 | | - | 11.00 | | | | |
| | erm - Basic Local Area | | | UEP9E | UEPYZ | 1 17 | 139 49 | 86 10 | 65 41 | 13 81 | 1 | 11 90 | | | l . | |
| | Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | - ' ' | | | | | † | | | | i . | |
| | Basic Local Area | | | UEP9E | UEPY9 | 1 17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | 1 | 1 |
| | Wire Voice Grade Port Terminated on 800 Service Term - | - | T | | | | | | | | | | | - | | |
| | asic Local Area | | | UEP9E | UEPY2 | 1.17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |
| Florida O | | | | | | | | | | | | | | | | |
| | Wire Voice Grade Port (Centrex.) | | | UEP9E | UEPHA | 1,17 | 53 31 | 26 46 | 27 50 | 8 37 | | 11 90 | | | | |

| NBUNDLE | D NETWORK ELEMENTS - Florida | | | | _ | | | | | | · | | Attachr | | | bit: B |
|---------|--|-------------|--------------|----------------|--------------|----------------|----------------|----------------|--------------|--------------|--|-----------------------|---|---|--|--------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svo Order vs Electronic- Add'I | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Charge - |
| | | | <u> </u> | | | Rec | Nonrec | | Nonrecurring | | 00450 | | | Rates (\$) | COLLAN | COMAN |
| | 0.11.0.1.0.1.0.0.1.1.1.1.1.1.1.1.1.1.1. | | | UEDOE | UEPHB | 4.47 | First 53.31 | Add'l 26.46 | First 27.50 | Add'l | SOMEC | SOMAN 11 90 | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E UEP9E | UEPHH | 1.17 | 53.31 | 26.46 | | 8.37 8.37 | | 11 90 | | | | |
| - | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP9E | UEPHH | 1 17 | 53 31 | 20 40 | 27 50 | 0.31 | | 1190 | | | | — |
| | Center)2 | 1 | | UEP9E | UEРНМ | 1 17 | 139.49 | 86 10 | 65 41 | 13 81 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9E | UEPHZ | 1 17 | 139 49 | 86 10 | 65 41 | 13 81 | | 11.90 | | | | |
| | 2 Mars Varia Conda Bod to respect to the Manager of Association | | | UEP9E | UEPH9 | 1 17 | 53 31 | 26 46 | 27 50 | 8.37 | | 11 90 | | | | 1 |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | - | UEP9E | UEPH2 | 1 17 | 53 31 | 26.46 | | 8 37 | | 11.90 | | | | |
| | Switching | 1 | | ULFBL | OEFFIZ | - ' ' ' | | 20.40 | 2, 30 | 0.01 | 1 | 11.50 | | | | |
| Local C | Centrex Intercom Funtionality, per port | | 1 | UEP9E | URECS | 0 7384 | | | | | | | | | | |
| Local N | Number Portability | — | | | | 2 | | - | | | | | | | | |
| | Local Number Portability (1 per port) | | - | UEP9E | LNPCC | 0.35 | | | | | 1 | | | | | |
| Feature | es | | | | | | | | | | | I | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2 26 | | | | | | 1 | | | | |
| | All Select Features Offered, per port | · · | | UEP9E | UEPVS | 0 00 | 370.70 | | | | | 11 90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2 26 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0 00 | | | | 11 90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9E | UAROX | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | 1 | | | | | 1 |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.73 | | | | | 1 | | | | | |
| 4-Wire | Digital (1 544 Megabits) | <u> </u> | <u> </u> | | | | | | | | | 1 | | | | <u> </u> |
| | DS1 Circuit Terminations, each | | | ŲEP9E | M1HD1 | 54.95 | | | | | | | | | | ļ |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0 00 | 15.69 | | | | | 11 90 | | | | |
| Interof | fice Channel Mileage - 2-Wire | | | | | | | | | | ļ | | | | | - |
| | Interoffice Channel Facilities Termination | | - | UEP9E | MIGBC | 25.32 | | | | | ļ | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | <u> </u> | UEP9E | MIGBM | 0 0091 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | _ | | | | | | ļ | | | | | | | - |
| | nnel Bank Feature Activations | ļ | | LIEBOE | 40000 | 2.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | - | UEP9E | 1PQWS | 0 66 | | | - | | - | | | | | |
| | Foot and Astronomy B 4 Observed Break EV has But a large Black | | } | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEPSE | TPQW6 | 0.00 | | | | | | | | | | - |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | Ì | | UEP9E | 1PQW7 | 0 66 | | | 1 | | | | | | | |
| _ | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | <u> </u> | 1 | UEP9E | IPQW/ | 0.00 | | | | | | | | | | |
| | Different Wire Center | | 1 | UEP9E | 1PQWP | 0 66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | i | 1 | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop | i | | | | | | | | | | | | · | | |
| | Slot | <u> </u> | <u>L</u> . | UEP9E | 1PQWQ | 0 66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| Non-Re | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | 1 | | | | | | | | | | | | | |
| | changes, per port | | | UEP9E | USAC2 | | 21 50 | 8 42 | | | | 11 90 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | ŲEP9Ė | USACN | | 5 17 | 8 32 | | | | 11 90 | | | | |
| | New Centrex Standard Common Block | | 1 | UEP9E | M1ACS | 0 00 | 618.82 | | | | | 11 90 | | | | |
| | New Centrex Customized Common Block | L | I | UEP9E | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | NAR Establishment Charge, Per Occasion | | <u> </u> | UEP9E | URECA | 0 00 | 66 48 | | ļ | | <u> </u> | 11.90 | | | | <u> </u> |
| | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | <u> </u> |
| | - Requres Interoffice Channel Mileage | . | 1 | | 4 | | | | ļ | | | | | | | 1 |
| | - Requires Specific Customer Premises Equipment | — | - | | | | | | | | | <u> </u> | ļ | | | |
| | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES | | <u> </u> | l | 1 11-1 | 41-4117 | 14-61 | 4-b D-4- | | | | | | | | |
| 1. Mark | tet Rates are applied where BellSouth is not required by FCC | | | | | idied Local Sw | ntening or Swi | ton Ports. | | | ļ | ļ <u>`</u> | - | | | |
| | urring Charges for all Standard Centrex and Centrex Conrol Fe | | | | | | | | | | | | | | | |

| INBUNDLED NE | TWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------------|---|---------------------------------------|--|------------------|---------------|---------------------------------------|----------------|----------------|----------------|-----------------|--------------|--------------|--|--|---------------------------------------|--|
| | | | | | | | | | | | | | Incremental | | | |
| | | | l . | | 1 | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge |
| | | | | | 1 | 1 | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual S |
| TEGORY | RATE ELEMENTS | Inten | Zone | BCS | usoc | | | RATES (\$) | | | ner I SR | per LSR | Order vs. | Order vs. | Order vs. | Order vs |
| | 10172 2221121110 | m | | | | | | | | | per Lor | per Lor | | Electronic- | | Electronic |
| | | | į . | | 1 | | | | | | | | Electronic- | | Electronic- | |
| | | | ! | | | | | | | | İ | ŀ | 1st | Add'I | Disc 1st | Disc Add |
| | | | <u> </u> | | | | | | | D | - | l | 000 | Rates (\$) | l | <u> </u> |
| | | | | | | Rec | | urring | | Disconnect | | | | | | |
| | | | | | <u> </u> | <u> </u> | Fırst | Add'l | First | | | | SOMAN | SOMAN | SOMAN | SOMAN |
| 4 The first a | ind additional Port nonrecurring charges apply to Not Cu | irrently | Comb | ined Combos. For | Currently Co | mbined Combo | s, the nonrect | urring charges | shall be those | identified in t | he Nonrecu | rrıng - Curr | ently Combin | ed sections | Additional NR | RCs may |
| | nd are categorized accordingly. | • | | | • | | • | | | | | _ | - | | | _ |
| | REX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only | | | | 1 | · · · · · · · · · · · · · · · · · · · | | | · · | Γ'' ' | £ | | | · · | | |
| | | | <u> </u> | | ļ | | | | | | | | | | - | |
| | oop/2-Wire Voice Grade Port (Centrex) Combo | | | | ļ | | | | | | | | | | | |
| | op Combination Rates (Non-Design) | | <u> </u> | | | | | | | | 1 | | | | | <u> </u> |
| 2-Wire | e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | 1 | | | | İ | | f | ŀ | | ŀ | | i |
| Non-E | Design | | 1 | UEP91 | i | 26 94 | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | T | | | |
| | Design | | 2 | UEP91 | 1 | 31 06 | | | | | 1 | l | | 1 | | 1 |
| 2 18/1- | re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | + | 2.00 | | | | | | | 1 | | | <u> </u> |
| | Design | | 3 | UEP91 | 1 | 45 87 | | | | | 1 | l | 1 | | | |
| | | | 1 3 | UEFSI | + | 45 6/ | | | - | | + | - | | | | |
| | op Combination Rates (Design) | | L | | <u> </u> | | | | | | | 1 | - | | | |
| 2-Wir | re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | 1 | 1 | | | | | 1 | 1 | 1 | 1 | 1 | | 1 |
| Desig | gn : | | 1 | UEP91 | L | 29.36 | | | L | L | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | I | | | | | | | | | | | | 1 |
| Desig | | | 2 | UEP91 | | 34 43 | | ļ | | ļ | 1 | 1 | | 1 | Į. | l |
| | re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | | - | 3, 10 | | | | | 1 " | | 1 | 1 | | - |
| | | | 3 | UEP91 | 1 | 50 68 | | | | l | | | | 1 | 1 | |
| Desig | | | 3 | UEPSI | | 50.00 | | | | | | | | | | |
| UNE Loop Ra | | | | | 1 | | | | | | | | | | | |
| 2-Wir | re Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 12 94 | | | | | | | | | | 1 |
| 2-Wir | re Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 17 06 | | | | | | | | | | |
| 2-Wir | re Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 31 87 | | | | [| | | | | | |
| | re Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 15 36 | | *** *** | | | 1 | | | | | |
| | re Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 20 43 | | | | | | | | | | |
| | | | 3 | UEP91 | UECS2 | 36 68 | | - | | | | | | | | |
| | re Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEFSI | UECOZ | 30 00 | | | | | - | | | | | |
| UNE Ports | | | | | | | | | | | | | | | | |
| | xcept North Carolina and Sout Carolina) | | | | | ļ | | | | | | | | | | |
| | re Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 14 00 | 70 00 | 35 00 | 35 00 | 10.00 | | 11 90 | | | | |
| 2-Wir | re Voice Grade Port (Centrex 800 termination)Basic Local | | | | 1 | | | | | l | | | | , | | i |
| Area | | | ŀ | UEP91 | UEPYB | 14.00 | 70 00 | 35 00 | 35 00 | 10.00 | | 11 90 | | | | l |
| 2-Wir | re Voice Grade Port (Centrex with Caller ID)1Basic Local | | | - | 1 | | | | | | | | | | | |
| Area | | | | UEP91 | UEPYH | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | re Voice Grade Port (Centrex from diff Serving Wire | | | | 155 | | | | 7,7 | | | | | | | - |
| | | | | UEP91 | UEPYM | 14.00 | 180 00 | 110 00 | 85.00 | 20.00 | | 11.90 | | | | l |
| | er)2 Basic Local Area | | _ | UEFSI | UEFTM | 14.00 | 100 00 | 110 00 | 65.00 | 20.00 | + | 11.50 | | | | - |
| | e Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | 1 | | | | | | | | | | |
| | - Basic Local Area | | L | UEP91 | UEPYZ | 14.00 | 180 00 | 110.00 | 85 00 | 20 00 | | 11 90 | ļ | | | |
| | re Voice Grade Port terminated in on Megalink or equivalent | | 1 | | 1 | [] | | | | 1 | 1 | 1 | 1 | l | i | 1 |
| - Basi | sic Local Area | | 1 | UEP91 | UEPY9 | 14.00 | 70 00 | 35 00 | 35.00 | 10.00 | | 11 90 | 1 | L | | |
| | re Voice Grade Port Terminated on 800 Service Term - | | | | " | 1 1 | | | | | | | | | | |
| | c Local Area | | l | UEP91 | UEPY2 | 14 00 | 70 00 | 35.00 | 35 00 | 10 00 | 1 | 11 90 | | l | i | 1 |
| | Flonda Only | | | - 3. 0. | 1 | 1 | | | 1 30 | 1.5 00 | 1 | 1 30 | † | | l | i — |
| | | | 1 | UEP91 | UEPHA | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | l | |
| | re Voice Grade Port (Centrex) | | | | | | | | | | | | | | | |
| | re Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHB | 14.00 | 70.00 | 35 00 | | 10 00 | | 11 90 | | ļ | | |
| | re Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 14.00 | 70 00 | 35.00 | 35 00 | 10 00 | 1 | 11.90 | ļ | | | |
| 2-Win | re Voice Grade Port (Centrex from diff Serving Wire | | 1 | | | | | | 1 | | 1 | 1 | 1 | i | 1 | |
| Cente | | | 1 | UEP91 | UEPHM | 14 00 | 180.00 | 110 00 | 85 00 | 20 00 | | 11.90 | I | I | | 1 |
| | re Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | 1 | | | | | | | | 1 | | | |
| Term | | l | 1 | UEP91 | UEPHZ | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | ĺ | ŀ | |
| | | | | | 1 | 1 | 100 00 | 1,000 | 1 00 00 | | | 1 | | | | |
| | - Maria Carda Dad Samuratad or as Mariatica commission | | 1 | UEP91 | UEPH9 | 14.00 | 70.00 | 35 00 | 35 00 | 10 00 | 1 | 11 90 | 1 | l | i | |
| | re Voice Grade Port terminated in on Megalink or equivalent | | ├ | | | | | | | | | | | | | - |
| | re Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 14 00 | 70.00 | 35 00 | 35 00 | 10 00 | | 11.90 | | | <u> </u> | |
| Local Switch | | | L | | 1 | | | | | | | | | | | |
| Centr | rex Intercom Funtionality, per port | | | UEP91 | URECS | 0 7384 | | | 1 | l | 1 | | l | | | |
| Local Number | | | 1 | | | | | | | | 1 | | | | | |
| | Number Portability (1 per port) | · · · · · · · · · · · · · · · · · · · | | UEP91 | LNPCC | 0.35 | | | | | 1 | | ĺ | | · · · · · · · · · · · · · · · · · · · | |
| Features | Trained Totalbuilty (1 per pert) | - | | | 1 | 1 | | i | | | 1 | | | | 1 | |
| | landard Features Offered, per port | | | UEP91 | UEPVF | 0 00 | | | | | | 11.90 | | | | |
| | | | - | | UEPVS | 0.00 | 370 70 | | 1 | | + | 11.90 | | — | | |
| | elect Features Offered, per port | | | UEP91 | | | 3/0/0 | L | 1 | | - | | | ļ | <u> </u> | \vdash |
| I All Co | entrex Control Features Offered, per port | | 1 | UEP91 | UEPVC | 0 00 | | | j | | | 11.90 | L | L | L | |

| ,,,DOINDLE | D NETWORK ELEMENTS - Florida | | 1 | | · | | | | | | Sun Orden | Sug Order | Incremental | ment: 2 | Incremental | bit: B |
|------------|--|--|--|----------------|----------------|--------|--------|------------|--|--------------|--|-----------------------|---|---|--|--|
| ATEGORY | RATE ELEMENTS | Inten m | Zone | BCS | usoc | | | RATES (\$) | | | Submitted | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order vs |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates (\$) | | · |
| | | | L | | | 100 | First | Add'i | First | Add'l | SOMEC | \$OMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NARS | | | | | | | | | | | | | | | | |
| _ | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | Unbundled Network Access Register - Indial | <u> </u> | | UEP91 | UAR1X | 0.00 | 0 00 | 0 00 | | | ļ | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | <u> </u> | ├ | UEP91 | UAROX | 0 00 | 0 00 | 0 00 | | | | 11.90 | | | | |
| | laneous Terminations | ļ | └ | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | ļ | <u> </u> | | CENA6 | 8 81 | | | | | | | | | | |
| _ | Trunk Side Terminations, each | | ├─ | UEP91 | CENA6 | 8 81 | | | | | 1 | | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | LIEDOA | 14000 | 25 32 | | | | | | | | - | - | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 UEP91 | M1GBC M1GBM | 0 0091 | | | | | | | ļ — | | | ── |
| | Interoffice Channel mileage, per mile or fraction of mile | | ├ | OEP91 | MIGBM | 0 0091 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations | re: | | | + | | | | | | | | | | - | |
| D4 Ch | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0 66 | | | | | | | - | | | |
| | readure Activation on D-4 Channel Bank Centrex Loop Slot | | - | OCP 91 | IFQVVO | 0.00 | | | | | + | | | | | |
| | Feeture Astronton on D.4 Channel Book EV inc Side Loop Side | | 1 | UEP91 | 1PQW6 | 0.66 | | | | 1 | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | - | 00,01 | IF QVVO | 0.00 | | | | l | | | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0 66 | | | | l | 1 | | | } | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Stot - | | | UCFSI | - IFQVV | 0.00 | | | | | 1 | | | | | |
| | Different Wire Center | 1 | | UEP91 | 1PQWP | 0 66 | | | ļ | | | | 1 | İ | | 1 |
| | Officient wire Center | <u> </u> | | ULFSI | IFQVF | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0 66 | | | ļ | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop | | | UEF91 | IFQVV | 0.00 | | | | | | | | | | + |
| | Slot | | 1 | UEP91 | 1PQWQ | 0 66 | | | | | | | | l | ļ | i |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | - | UEP91 | 1PQWA | 0 66 | | - | | | | | | | | |
| Non E | Recurring Charges (NRC) Associated with UNE-P Centrex | | - | OLF 91 | - III GWA | 0 00 | | | | | - | | | <u> </u> | | \vdash |
| NOII-N | Conversion - Currently Combined Switch-As-Is with allowed | - | | | | | - | | | | | | | | | |
| | changes, per port | | l | UEP91 | USAC2 | | 21 50 | 8.42 | | | | 11 90 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 5.17 | 8.32 | | | | 11 90 | | | | + |
| -+ | New Centrex Standard Common Block | \vdash | | UEP91 | MIACS | 0 00 | 618.82 | 0.02 | | 1 | | 11 90 | | | | |
| | New Centrex Standard Common Block | | | UEP91 | MIACC | 0 00 | 618.82 | | | | 1 | 11 90 | | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0 00 | 71.31 | | | | 1 | 11 90 | | | | |
| | NAR Establishment Charge, Per Occasion | | 1 | UEP91 | URECA | 0 00 | 66 48 | | | | | 11 90 | · · · · · · | i | · | |
| IINE D | CENTREX - 5ESS (Valid in All States) | | | 02.0. | I CINEDIN | - 000 | | | | | + | | | | | <u> </u> |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | - | | | | | | | | | | | | | |
| ONE I | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | 1 | | | | | |
| - 1 | Non-Design | 1 | 1 | UEP95 | | 26 94 | | | | l | | | 1 | | , | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 31 06 | | | | | | | 1 | ŀ | ł | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| ı | Non-Design | 1 | 3 | UEP95 | | 45 87 | | | 1 | | | | | ŀ | l | |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 | UEP95 | | 29 36 | | | 1 | | | | | | l | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | ĺ | | |
| | Design | | 2 | UEP95 | - - | 34 43 | | | ŧ | | 1 | | | | ł | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | T | | | | | | | | 1 1 | | | | | |
| 1 | Design | | 3 | UEP95 | 1 1 | 50 68 | | | • | | 1 1 | | | l | ļ | 1 |
| UNE L | oop Rate | | | | | | | | | - | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | i | 1 | UEP95 | UECS1 | 12 94 | | | i | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP95 | UECS1 | 17 06 | - | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEP95 | UECS1 | 31 87 | | | L | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | | UEP95 | UECS2 | 15 36 | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | UEP95 | UECS2 | 20 43 | | | | | | | | l | L | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 36 68 | | | i | | | | | | | L |
| UNE P | ort Rate | | | | | | | | | | 1 | | | | | |
| All Sta | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |

Version 4Q02⁻ 12/18/02

| NRONDE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 2 | Exhil | oit: B |
|---------|---|------------|----------|----------------|-------------|--------|-----------------|---------------|-----------------------|---------------------|----------|-----------|---|-----------------------------------|---|--|
| ATEGORY | RATE ELEMENTS | Inten m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| _ | | | | | | Rec | Nonrec First | umng Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| _ | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | - | - | FIFST | Addi | FIISt | Addi | SOMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| - 1 | Area | | | UEP95 | UEPYH | 14 00 | 70.00 | 35.00 | 35 00 | 10.00 | | 11 90 | | Ì | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 02.00 | 102 | | 10.00 | 00.00 | - 50 00 | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 14.00 | 180 00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 14.00 | 180 00 | 110 00 | 85.00 | 20 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPY9 | 14.00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11.00 | | | ' | |
| | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP95 | UEPY9 | 14.00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11.90 | | | | |
| ŀ | Basic Local Area | | | UEP95 | UEPY2 | 14.00 | 70 00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | | | 1,100 | 7,5 7,5 | | | 13.00 | | | | | | |
| | SA Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 14.00 | 70 00 | 35 00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| _ | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | HEBOE | | 44.00 | 400.00 | 440.00 | 05.00 | | | | | Ì | | |
| | Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP95 | UEPHM | 14.00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11.90 | | | | |
| | Term | | | UEP95 | UEPHZ | 14.00 | 180 00 | 110 00 | 85.00 | 20 00 | | 11.90 | | | | |
| _ | Team | | | OLF 33 | OLITIZ | 14.00 | 100 00 | 110 00 | 00.00 | 20 00 | | 11.50 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 14 00 | 70 00 | 35.00 | 35.00 | 10 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 14 00 | 70 00 | 35 00 | 35.00 | 10 00 | | 11.90 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0 7384 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| Featu | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0 35 | | | | | | | | | | |
| reatu | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0 00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 370 70 | | | | - | 11 90 | | - | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | 0.0.0 | | | | - | .,,,,, | | | | - |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0 00 | 0.00 | | | | 11 90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0 00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | laneous Terminations | | | | - | | | | | | | | | | | |
| 2-Wire | Trunk Side Trunk Side Terminations, each | | | UEP95 | CEND6 | 8 81 | | | | | | | | | | |
| A-Wire | Digrtal (1 544 Megabits) | | 1 | UEP90 | CENDO | 001 | | | | | | - | | | | |
| 4 11/10 | DS1 Circuit Terminations, each | - | — | UEP95 | M1HD1 | 54.95 | | | | | | | | - | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 15.69 | | | | | 11 90 | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.0091 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | <u> </u> | | - | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | LIEBOE | 450000 | 0.00 | | | | | 1 | | | | | |
| + | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | - | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0 66 | | | | | | | | | | |
| _ | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | 1 | | | | | | | | | | | |
| | Siot | | | UEP95 | 1PQW7 | 0.66 | 1 | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | <u> </u> | | | L | | |
| | | | | | 1 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | - | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| 1 | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.66 | i | | | | | | | | | |
| _ | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 UEP95 | 1PQWQ | 0 66 | | | | | | | | | | |
| - l | ecurring Charges (NRC) Associated with UNE-P Centrex | | | J. 30 | - I'I SAYVA | 0.00 | | | | | | | | | | |

| HOUNDL | ED NETWORK ELEMENTS - Florida | | _ | | , , | | | | | | Sun Order | Sun Order | | nent: 2 | | ort: B |
|-------------|--|-------------|-----------|--------|-----------|-------|--------|------------|--------------|-------|--|-----------------------|--|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sy Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | , | | Rates (\$) | | |
| | | | | | | | First | Add'I | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | 1 | 44.00 | | | l | |
| | changes, per port | | | UEP95 | USAC2 | 0.00 | 21.50 | 8.42 | | | | 11 90 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 5 17 | 8.32 | | | | 11 90 | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0 00 | 618 82 | | | | | 11 90 | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0 00 | 618 82 | | | | | 11 90 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0 00 | 66 48 | | | | | 11 90 | | | | |
| | P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | <u> </u> | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | 1 | | | | |
| | Non-Design | | 1 | UEP9D | | 26 94 | | | | | | | | | L | L |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | ļ l | 1 | | | | | | | | | | |
| | Non-Design | | 2 | UEP9D | | 31 06 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP9D | | 45 87 | | | | | | | | | <u> </u> | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | - | ĺ | |
| | Design | | 1 1 | UEP9D | | 29 36 | | | 1 | | 1 | 1 | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design | | 2 | UEP9D | | 34 43 | | | | | | | | | | |
| - | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | 02.00 | | 51.15 | | | | | | | | | | |
| | Design | | 3 | UEP9D | | 50 68 | | | | | | | | | 1 | |
| LINE | Loop Rate | | - | 021 05 | | 00 00 | | | | | | | | | | |
| UNE | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12 94 | | | | | + | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP9D | UECS1 | 17 06 | | | | | + | | | | | - |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEP9D | UECS1 | 31 87 | | | | | | | - | - | | ļ |
| - | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEP9D | UECS2 | 15 36 | | | | | | | | | | |
| | | | | UEP9D | UECS2 | 20 43 | | | | | <u> </u> | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | | UECS2 | 36 68 | | | | | | | | | | ļ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECSZ | 30 00 | | | | | | | | | | <u></u> |
| | Port Rate | | - | | | | | | | | | | | | | |
| ALL | STATES | | | LIEDOD | UEPYA | 14 00 | | | | | - | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 14 00 | | | | | | 1190 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | i l |] | | | | | | | | 1 | |
| | Area | | | UEP9D | UEPYC | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | ļ | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 14.00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 14 00 | 70.00 | 35 00 | 35 00 | 10 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | · · · · · | | | | | | | | | | | | | |
| 1 | Area | | | UEP9D | UEPYF | 14 00 | 70 00 | 35 00 | 35.00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 14.00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | UEP9D | UEPYT | 14.00 | 70 00 | 35 00 | 35 00 | 10 00 | 1 | 11 90 | | | | |
| | Area | | | OFLAD | 0271 | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | HEBOD | LIEBVII I | 14 00 | 70.00 | 25.00 | 25 00 | 10.00 | | 11.00 | | | 1 | 1 |
| + | Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | UEP9D | UEPYU | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | - | UEP9D | UEPYV | 14 00 | 70 00 | 35 00 | 35.00 | 10 00 | | 11.90 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | ļ | UEP9D | UEPY3 | 14 00 | 70 00 | 35.00 | 35.00 | 10.00 | <u> </u> | 11.90 | | | | |
| | Area | | | UEP9D | UEPYH | 14 00 | 70 00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 14 00 | 70 00 | 35.00 | 35 00 | 10 00 | | 11 90. | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 14 00 | 70 00 | 35.00 | 35 00 | 10 00 | | 11 90 | | | | |

| MOUNDEL | D NETWORK ELEMENTS - Florida | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|---------|---|-------------|--------------|----------------|----------------|----------------|------------------|------------------|----------------|----------------|---|----------------|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Z one | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 14 00 | 70 00 | 35.00 | 35 00 | 10 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 14.00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPY4 | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| + | Basic Local Area 2-Wire Voice Grade-Port (Centrex/differ SWC /EBS-M5216)2, 3 | | - | UEP9D | UEPY5 | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | - | 11.90 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | - | UEP9D | UEPY6 | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPY7 | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | |
| | Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | <u> </u> | UEP9D | UEPYZ | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11.90 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | <u> </u> | UEP9D | UEPY9 | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| (E) 0 / | Local Area | | ļ | UEP9D | UEPY2 | 14.00 | 70.00 | 35 00 | 35.00 | 10.00 | | 11 90 | | | | |
| IFL & C | GA Only 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 14 00 | 70 00 | 35.00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | 1 | UEP9D | UEPHC | 14 00 | 70 00 | 35.00 | 35 00 | 10.00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | <u> </u> | UEP9D | UEPHE | 14 00 | 70.00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 14 00 | 70.00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | 1 | UEP9D | UEPHG | 14 00 | 70.00 | 35.00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 14 00 | 70 00 | 35 00 | 35 00 | 10.00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 14 00 | 70 00 | 35 00 | 35 00 | 10.00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPHV | 14 00 | 70 00 | 35.00 | 35 00 | 10 00 | | 11 90 | | | | _ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 14.00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | • | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | L | UEP9D | UEPHH | 14 00 | 70 00 | 35 00 | 35.00 | 10 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller iD/Msg Wtg Lamp | | | | | | | | | | | | · | | | |
| | Indication)3 | | | UEP9D | UEPHW | 14.00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 14.00 | 70 00 | 35 00 | 35 00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | I | | | | | | i | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D UEP9D | UEPHM UEPHO | 14 00 14 00 | 180 00 180 00 | 110 00 110.00 | 85 00 85.00 | 20 00 20 00 | | 11.90 11 90 | | | | |
| | | | | | | | | | | |] | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D UEP9D | UEPHP | 14.00 14.00 | 180 00 180 00 | 110 00 110 00 | 85 00 85 00 | 20 00 | | 11.90 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 14 00 | 180 00 | 110 00 | 85 00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 14 00 | 180.00 | 110 00 | 85 00 | 20.00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 14 00 | 180.00 | 110.00 | 85 00 | 20 00 | | 11 90 | | | | |
| | | | 1 | | i | | | | | | | | | - | | |
| 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | L | | UEP9D | UEPH6 | 14 00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11 90 | | | | L |

| INDUNDE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit: B |
|---------|--|-------------|------|----------------|----------------|--------|----------------|------------|--------------|----------|---|----------------|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | · | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svo Order vs Electronic- 1st | Charge - Manual Svo Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - c Manual Svo Order vs Electronic- |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | 1. [| | | | | | | | | | İ | |
| _ | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 14 00 | 180 00 | 110 00 | 85.00 | 20.00 | | 11.90 | | | | ļ |
| - 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPHZ | 14.00 | 180 00 | 110.00 | 85.00 | 20 00 | | 11.90 | | | | |
| _ | term | | | UEPSD | UEPHZ | 14.00 | 180 00 | 110.00 | 85.00 | 20 00 | | 11.90 | | | | - |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | , | | UEP9D | UEPH9 | 14.00 | 70.00 | 35.00 | 35 00 | 10.00 | ļ | 11 90 | | | l . | |
| | 2-Wire Voice Grade Port Terminated in 800 Service Term | | | UEP9D | UEPH2 | 14 00 | 70.00 | 35.00 | 35 00 | 10.00 | | 11 90 | | | | ļ |
| Local | Switching | | | 1 | | | | | | ,,,,,, | | ,,,,,,, | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0 7384 | | | | • | | | | | 1 | |
| Local | Number Portability | | | | | | - | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0 35 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 370 70 | | | | | 11 90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | | | <u> </u> | | | | | |
| NARS | | | | LIEBOD | UARCX | 2.00 | 2.00 | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D UEP9D | UARCX UAR1X | 0 00 | 0.00 | 0 00 | | | ļ | 11 90 | | | | |
| | Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0 00 | 0 00 | | | | 11 90 11 90 | | | | |
| Micao | Ilaneous Terminations | | - | UEP9D | UAROX | 0 00 | 0 00 | 0 00 | | | | 1190 | | | | |
| | Trunk Side | | | | | | | - | | | | | | | | |
| 2-11110 | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8 81 | | | | | - | | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | 02.00 | 021100 | - 001 | | | | <u>.</u> | | | | | | |
| 1 | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 54 95 | | | | | | | | | | |
| - | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0 00 | 15.69 | | | | | 11 90 | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 25 32 | | | | | | | | - | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0 0091 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | LIEDOD | 150010 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0 66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Stot | | | UEP9D | 1PQW6 | 0 66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | OCFSD | IFQVV | 0 00 | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0 66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OL: SE | 11 9(11) | | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0 66 | | | | | | | | | | |
| | | | | | 11 2111 | | | | | | | | | | - | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0 66 | | | | | | | | | [] | |
| - F | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQWQ | 0 66 | j | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0 66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | ì | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 21 50 | 8 42 | | | | 11.90 | | | | |
| | Conversion of existing Centrex Common Block, each | | | UEP9D UEP9D | USACN M1ACS | 0 00 | 5 17 618 82 | 8 32 | | | | 11 90 | | | | |
| - | New Centrex Standard Common Block New Centrex Customized Common Block | | | UEP9D | M1ACS | 0 00 | 618 82 | | | | | 11.90 11.90 | | | - | <u> </u> |
| _ | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0 00 | 66 48 | | | | | 11 90 | | | | |
| LINE-E | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | 02.00 | JANEON | 3 00 | 00 +0 | | | | | 1130 | | | - | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | | | 1 | | - 1 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 | UEP9E | | 26 94 | 1 | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | i | |
| | Non-Design | | 2 | UEP9E | | 31 06 | | | | | | | | | <u> </u> | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| - 1 | Non-Design | | 3 | UEP9E | F 1 | 45.87 | | | 1 | | 1 | | 1 | | l i | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit; B |
|----------|--|--|--|----------------|----------------|--------|--------|------------|--------------|-------|----------------|-----------------------|---|--|--|---------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Submitted | Submitted Manually | Incremental Charge - Manual Svc Order vs Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | 2 Mars VC Lass 2 Was Value Conda Bod (Control) Bod Comba | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design | 1 | 1 | UEP9E | | 29.36 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | | | | | | | | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | UEP9E | | 34 43 | | | | | | | | | | |
| ļ | Design | | 3 | UEP9E | 1 1 | 50 68 | | | j l | | , | | | |] | 1 |
| UNE L | oop Rate | | 1 | | 1 | | ĺ | | | | | | | | | $\overline{}$ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 12 94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 17 06 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 31 87 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 15 36 | | | | | L | | | | | · · · · · - |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | <u> </u> | 2 | UEP9E | UECS2 | 20 43 | | | ļ | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | <u> </u> | 3 | UEP9E | UECS2 | 36 68 | | | | | | | | | | |
| | ort Rate | ! | 1 | | | | | | | | | | | | | ļ |
| AL, FL | , KY, LA, MS, & TN only | | . | | LIEDYA. | 44.00 | 70.00 | 25.00 | 25.00 | 40.00 | | 44.00 | | | | + |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | - | + | UEP9E | UEPYA | 14.00 | 70 00 | 35.00 | 35.00 | 10 00 | | 11.90 | | ļ | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9E | UÉPYB | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 14 00 | 70 00 | 35 00 | 35.00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP9E | UEPYM | 14.00 | 180 00 | 110.00 | 85.00 | 20 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UÉP9E | UEPYZ | 14.00 | 180 00 | 110 00 | 85 00 | 20 00 | | 11.90 | | | | İ. |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 14.00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP9E | UEPY2 | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| Florida | Only | 1 | 1 | | | | | | , | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPHA | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPHB | 14.00 | 70.00 | 35 00 | 35 00 | 10.00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | 1 | UEP9E | UEPHH | 14 00 | 70 00 | 35 00 | 35 00 | 10.00 | i | 11 90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | ŀ | UEP9E | UEPHM | 14.00 | 180 00 | 110.00 | 85.00 | 20 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9E | ŲEPHZ | 14 00 | 180 00 | 110.00 | 85 00 | 20 00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPH9 | 14 00 | 70 00 | 35 00 | 35 00 | 10 00 | | 11 90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPH2 | 14 00 | 70 00 | 35 00 | 35.00 | 10 00 | | 11 90 | | | | |
| Local | Switching | | | | | | | | | | | | | ` | | f |
| | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0 7384 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | ļ | | Lumpar | | | | | | | L | | | | <u> </u> | |
| | All Standard Features Offered, per port | ļ | - | UEP9E | UEPVF | 0.00 | 270.72 | | | | | 44.00 | | | | · |
| | All Select Features Offered, per port | | ├ | UEP9E UEP9E | UEPVS UEPVC | 0.00 | 370 70 | | ļ | | - | 11 90 | | | | |
| NARS | All Centrex Control Features Offered, per port | | + | OFLAE | JOEP VC | 0.00 | | | | | | | | | | |
| MARS | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0 00 | | | | 11 90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0 00 | 0 00 | | | | 11 90 | | | | |
| | Unbundled Network Access Register - India Unbundled Network Access Register - Outdial | t | | UEP9E | UAROX | 0.00 | 0.00 | 0 00 | i | | | 11 90 | | | | |
| Miscel | Inneous Terminations | | | 1 | | 5.55 | | 2 30 | | | | | | | | |
| | Trunk Side | | 1 | | 1 | | | | | | | | | | | |
| | Trunk Side Terminations, each | | T | UEP9E | CEND6 | 8 81 | | | | | | | | | — | $\overline{}$ |
| 4-Wіге | Digital (1.544 Megabits) | I | | | | | | | | | | | | | T | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 54 95 | | | | | | | | | | |
| | DS0 Channel Activated Per Channel | | | ŲEP9E | M1HDO | 0 00 | 15.69 | | | | | 11 90 | | | | |
| Interof | fice Channel Mileage - 2-Wire | | L | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | MIGBC | 25 32 | | | L | | | | | | 1 | |

| BUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment [.] 2 | Exhi | ibit: B |
|--------|--|--|--------------|-------------|-------|--------|--------|------------|--------------|--------------|--------------|-----------------------|--|---------------------|----------|-------------------------------|
| EGORY | RATE ELÉMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - | Charge Manual S Order v |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | • | oss | Rates (\$) | | |
| | | T | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0 0091 | | | | | | | | | | |
| Featur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | | | | | | | | | | | | | 1 |
| D4 Ch | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | 1 | | UEP9E | 1PQWS | 0 66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | 1 | UEP9E | 1PQW6 | 0 66 | | | | | | | ŀ | | 1 | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | - | | | | | | | |
| | Slot | | 1 | UEP9E | 1PQW7 | 0 66 | | | | | l | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0 66 | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0 66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | · · · · · · | | UEP9E | 1PQWA | 0.66 | | | | 1 | | | | | | † |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | 1 | | | | | - | | | | | | | | | T |
| 1 | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9E | USAC2 | | 21 50 | 8 42 | | | | 11 90 | | | | |
| + | Conversion of Existing Centrex Common Block, each | | 1 | UEP9E | USACN | | 5 17 | 8.32 | | | | 11 90 | - | | | |
| +- | New Centrex Standard Common Block | \vdash | | UEP9E | M1ACS | 0 00 | 618 82 | 2.02 | | | <u> </u> | 11 90 | | | | T |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 618 82 | | | | | 11 90 | | | | 1 |
| | NAR Establishment Charge, Per Occasion | | t | UEP9E | URECA | 0 00 | 66 48 | | | · · · | | 11 90 | | | | † |
| Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | 1 | t — | | | | | | | | | | | | | 1 |
| | 2 - Regures Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | - Requires Specific Customer Premises Equipment | | | | | | | | | i | | 1 | | | | + |

| OCAL IN | NIEK | CONNECTION - Florida | | | | | | | | | | | Attachment: 3 | | Exhibit: A | | |
|---------|------|--|------------|----------|-------------------|----------------|-------------------|----------------|------------|--------------|----------|--|-----------------------|-------|---|---|--|
| ATEGORY | | RATE ELEMENTS | Inten m | Zone | BCS | usoc | | | RATES (\$) | | | Submitted | Submitted Manually | | Incremental Charge - Manual Svc Order vs Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual \$ Order v |
| | | | | | | | | | | | | | | | | Disc 1st | Disc Au |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | 1 |
| | | | | | | | 1.00 | First | Add'l | First | Add'! | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | | NNECTION (CALL TRANSPORT AND TERMINATION) | | | ., | | ļ | | | - | | | | | | | ₩ |
| | | k" beside a rate indicates that the Parties have agreed to bi | II and ka | | hat alamant aum | unnt to the to | me and condition | ane in Attache | ant 7 | | | | | | ļ | | ├ |
| | | CE SWITCHING | n and ke | ep for t | nat element purs | uant to the te | ins and condition | ons in Attachi | ient 3. | | | | | | | | |
| JEND | | nd Office Switching Function, Per MOU | | 10 | OHD | | 0009302 | | | | | i | | | | | |
| TAN | | SWITCHING | | - | ×11.5 | | 0000002 | | | | | | | | | | |
| 11111 | | andem Switching Function Per MOU | | | OHD | | 0 0009778 | | | | | | | | · ··· | | |
| \neg | Mu | ultiple Tandem Switching, per MOU (applies to initial tandem | | | | | | | | | | | | | | | |
| | | ıly) | | | OHD | | 0 0006019 | | | | | | | | | İ | |
| | | andem Intermediary Charge, per MOU* | | | OHD | | 0.0015 | | | | | | | | | | |
| | | arge is applicable only to transit traffic and is applied in ad- | dition to | applica | ible switching an | d/or intercon | ection charges. | | | | | | | | | | |
| TRU | | HARGE | ├ | | NUD | TPP++ | | 336.43bk | 57 38bk | | | | | | | | |
| | | stallation Trunk Side Service - per DS0 edicated End Office Trunk Port Service-per DS0** | | | OHD OHD | TDE0P | 0 00 | 330.43DK | 5/ 385K | | | | | | | | |
| | | edicated End Office Trunk Port Service-per DS0* | - | | H1 OH1MS | TDE1P | 0 00 | | | | | | | | | | |
| - | | edicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | | | | | | | · · | | | |
| | | edicated Tandem Trunk Port Service-per DS1** | | | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | | † |
| ** TI | | e element is recovered on a per MOU basis and is included | in the E | | | | | rate elements | , | | | | | | | | |
| | | TRANSPORT (Shared) | | | | | 1 | | | | | 1 | | | | | |
| | Co | ommon Transport - Per Mile, Per MOU | | | OHD | | 0 0000064 | | | | | | | | | | |
| | | ommon Transport - Facilities Termination Per MOU | | C | OHD | 1 | 0 0003871 | | | | | | | | | | |
| | | NNECTION (DEDICATED TRANSPORT) | | | | 1 | | | | | | | | | | | |
| INTE | | FICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | ļ |
| | | teroffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | 1. | | 1 | | | i | | | | | | ł | ļ | į |
| _ | | er Mile per month | | | OHL, OHM | 1L5NF | 0.0091bk | | | | | | | | | | |
| | | teroffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | OHL. OHM | 1L5NF | 25 32bk | 47 35bk | 31 78bk | 18 31bk | 7 03bk | i l | | | | | 1 |
| | | actity Termination per month teroffice Channel - Dedicated Transport - 56 kbps - per mile | | | JHL, OHM | ILONE | 25 32BK | 47 33DK | 31 /8DK | 18 3 IDK | 7 U30K | | | | | | ļ |
| 1 | | er month | | | OHL, OHM | 1L5NK | 0.0091bk | | | | | 1 | | 1 | | | ľ |
| | | teroffice Channel - Dedicated Transport - 56 kbps - Facility | | | JIIE, OTHE | ILSINIC | 0.003 IBR | | | | | | | | · · · · · · | | |
| | | ermination per month | | lo | DHL, OHM | 1L5NK | 18.44bk | 47 35bk | 31 78bk | 18 31bk | 7 03bk | 1 1 | | | | | 1 |
| | | teroffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | | | | | | | | | |
| | | er month | | lo | DHL, OHM | 1L5NK | 0 0091bk | | 1 | | | | | | | | l |
| | İnt | teroffice Channel - Dedicated Transport - 64 kbps - Facility | | | | | | | | | • | | | - | | | |
| | | rmination per month | | | DHL, OHM | 1L5NK | 18 44bk | 47 35bk | 31 78bk | 18 31bk | 7 03bk | | | | | | |
| | | teroffice Channel - Dedicated Channel - D\$1 - Per Mile per | | | | | | | | | | | | | | 1 | |
| | | onth | | Jo | DH1, OH1MS | 1L5NL | 0 1856bk | | | | | | | | | | <u> </u> |
| | | teroffice Channel - Dedicated Tranport - DS1 - Facility | | ـ ا | | | | 405 5 11 1 | 00.4711 | 04.471.1 | 40.051.1 | i I | | | | | İ |
| | | ermination per month | | - 10 | DH1, OH1MS | 1L5NL | 88 44bk | 105 54bk | 98 47bk | 21.47bk | 19.05bk | | | | | | |
| | | teroffice Channel - Dedicated Transport - DS3 - Per Mile per onth | | 1 | DH3, OH3MS | 1L5NM | 3.87bk | | | | | } | | ł | | | |
| - | | teroffice Channel - Dedicated Transport - DS3 - Facility | | - | ons, Onsivis | ILSINIVI | 3.075K | | | | | | | | | | |
| | | ermination per month | | le | DH3, OH3MS | 1L5NM | 1071bk | 335 46bk | 219 28bk | 72.03bk | 70 56bk | | | | | | ļ |
| 100 | | HANNEL - DEDICATED TRANSPORT | | | 7110, O 101110 | , co, tin | 101101 | 000 F0ER | Z 10 ZODA | 72.00010 | 10 00010 | | | | | | |
| | | ocal Channel - Dedicated - 2-Wire Voice Grade per month | | 10 | OHL, OHM | TEFV2 | 19 66bk | 265.84bk | 46.97bk | 37.63bk | 4bk | | | | i e | | |
| | | ocal Channel - Dedicated - 4-Wire Voice Grade per month | | 10 | DHL, OHM | TEFV4 | 20 45bk | 266 54bk | 47 67bk | 44.22bk | 5.33bk | | | | | | |
| | | cai Channel - Dedicated - DS1 per month | | C | DH1 | TEFHG | 36 49bk | 216.65bk | 183 54bk | 24 3bk | 16 95bk | | | | | | |
| | | | | | | Ì | | | | | | | | | | | |
| | | ical Channel - Dedicated - DS3 Facility Termination per month | | - 0 | DH3 | TEFHJ | 531 91bk | 556.37bk | 343.01bk | 139 13bk | 96 84bk | | | | | | <u> </u> |
| | | TERCONNECTION MID-SPAN MEET | | | | <u> </u> | | | | | | ļ | | ļ | | | |
| NOT | | Access service ride Mid-Span Meet, one-half the tariffed ser | vice Loc | | | | 0.00 | 0.00 | | | | | | | ļ | <u> </u> | |
| | | cal Channel - Dedicated - DS1 per month ical Channel - Dedicated - DS3 per month | | | DH1MS DH3MS | TEFHG | 0 00 | 0 00 | | | | | | | | | |
| B42.0 | | exers | | | IONIO | ICETAS | 0 00 | 0 00 | | | | | | | | | |
| MUL | | nannelization - DS1 to DS0 Channel System | | | DH1, OH1MS | SATN1 | 146 77 | 101 42 | 71.62 | 11 09 | 10 49 | | | | | | |
| | | S3 to DS1 Channel System per month | | | DH3, OH3MS | SATNS | 211 19 | 199 28 | 118.64 | 40 34 | 39 07 | | | | - | | |
| | | 33 Interface Unit (DS1 COCI) per month | | | DH1, OH1MS | SATCO | 13 76 | 10 07 | 7 08 | | | | <u>_</u> | | | | \vdash |
| | | no rate is identified in the contract, the rates, terms, and co | | | | | | | | | | | | | | | - |

Version 4Q02: 12/18/02

| ODUF/ADUI | F/EODUF/CMDS - Florida | | | | | | | | | | | | Attach | ment: 7 | Exhi | ibıt: A |
|--|---|-------------|--------------|----------------------|---------------|-----------------|----------------|----------------|-----------------|-------------------------------------|--------------|----------|--------|---------------------|-------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | ne BCS | usoc | | | RATES (\$) | Charge - | Charge - Manual Svc Order vs. | Order vs. | Charge - | | | | |
| | | | 1 | | | _ | Молге | curring | Nonrecurring | Disconnect | l | | • | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) SOMAN | SOMAN | SOMAN |
| ODUF/ADUF/C | | | 1 | | 1 | | | | | | | | | | | ├── |
| | SS DAILY USAGE FILE (ADUF) | | | | + | | | | | | ļ | - | | | | <u> </u> |
| AGGE | ADUF Message Processing, per message | | | | N/A | 0 001656 | | | | | | | | | | |
| OPTIO | ADUF: Data Transmission (CONNECT DIRECT), per message | | | | N/A | 0 0001245 | | | | | | | | | | |
| OPTIO | ODUF Recording, per message | | 1 | | N/A | 0 0000071 | | | | | | | | | | |
| | ODUF Message Processing, per message | | + | | N/A | 0.002146 | | | | | | | | · | | - |
| | ODUF Message Processing, per Magnetic Tape provisioned | | | | N/A | 35.91 | | | | | | | | | | |
| | ODUF Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00010375 | | | | | | | | | | |
| CENT | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | <u> </u> | | | | | | | | | | | | | |
| | CMDS Message Processing, per message | | | | N/A | 0 004 | | - | ļ | | | | | | | |
| | CMDS Data Transmission (CONNECT DIRECT), per message | | | | N/A | 0 001 | | | | | | | | | | |
| ENHA | NCED OPTIONAL DAILY USAGE FILE (EODUF) | | | | | | | | | | | | | | | † |
| | EODUF Message Processing, per message | | | | N/A | 0 080698 | •• | " " | | i e | | | | | | |
| Notes: | If no rate is identified in the contract, the rate for the specific | service | e or fur | ction will be as set | forth in appl | cable BellSouth | tariff or as i | egotiated by t | he Parties upor | request by e | ther Party. | | | | | T |

Exhibit 2

Version 4Q02: 12/18/02

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Version 4Q02: 12/18/02

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.