## ORIGINAL



BellSouth Telecommunications, Inc.

Suite 400

150 South Monroe Street Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

February 17, 2003

Marshall M. Criser III Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

030187-79

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399 CLERK STR

Re: Approval of Amendment to the Interconnection, Unbundling, Resale, and Collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and DSL Telecom, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, an original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, Unbundling, Resale, and Collocation Agreement with DSL Telecom, Inc..

If you have any questions, please do not hesitate to call Kathleen Arant at (850) 222-9380.

Very truly yours,

Regulatory Vice President

Marshall M. Criser II

(K4)

RECEIVED & FILED



DOCUMENT HUMBER-DATE

CSR CORP

## Amendment to Interconnection Agreement between DSL TELECOM, Inc. and BellSouth Telecommunications, Inc. Dated 06/14/2001

Pursuant to this Agreement (the "Agreement") D S L Telecom, Inc. ("DSL"), a Florida corporation, and BellSouth Telecommunications, Inc. ("BellSouth") a Georgia corporation, hereinafter referred to collectively as the "Parties" hereby agree to amend that certain interconnection Agreement ("the Agreement") between BellSouth and DSL dated 06/14/2001. The Effective Date shall be 10 calendar days after the last signature executing the Amendment.

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, DSL and BellSouth hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2 and Attachment 2, Exhibit C version (02/07/01) in its entirety in the interconnection agreement dated 06/14/2001 for Florida and replace it with Attachment 2 and Attachment 2, Exhibit B (version 10/07/02) hereto attached for Florida.
- 2. All other provisions of the Interconnection Agreement, dated 06/14/2001, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to the appropriate state Commissions for approval subject to section 252(e) of the Federal Telecommunications Act of 1996.
- 4. IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

BellSouth Telecommunications, Inc.	D.S.L. Telecom, Inc.
By: la lung	Ву:
Name: Elizabeth R. A. Shiroishi	Name: Bey Sedagat
Title : Director	Title: President
Date: 1/34/63	Date: 1/24/03

HARRING I	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exh	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electronic
				:									1st	Add'I	Disc 1st	Disc Add
						Rec		curring Add'l	Nonrecurrin First	g Disconnect	CONTC	CONTAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
Tho."	Zone" shown in the sections for stand-alone loops or loops as	nart of	a comi	ningtion refers to G	ographically	v Deaveraged III	First NF Zones To								SUMAN	SUMAN
	/www.interconnection.bellsouth.com/become_a_clec/html/inter				sograpinoun,	y Deaverages o	TE EDITED TO	nen occigia	pinouny bours	ogou one co.	. o o o o o ga		, , , , , , , , , , , , , , , , , , , ,			
OPERATIONA	AL SUPPORT SYSTEMS	ľ	T						<u> </u>						1	
	E. (1) Electronic Service Order: CLEC should contact its contract															is rate
	oit is the BellSouth regional electronic service ordering charge															
NOTE	E: (2) Any element that can be ordered electronically will be bill	ed acco	ording	to the SOMEC rate I	sted in this	category. Pleas	e refer to Bell	South's Busin	ess Rules for L	ocal Ordering	(BBR-LO) to	o determine	if a product of	an be ordere	d electronical	ly. For
	elements that cannot be ordered electronically at present per t				e in this cate	gory reflects the	e charge that	would be bille	d to a CLEC on	ice electronic o	ordering cap	pabilities co	me on-line fo	r that element	t. Otherwise,	the manua
order	ring charge, SOMAN, will be applied to a CLECs bill when it sub Manual Service Order Charge, per LSR, Disconnect Only (FL)	omits at	LSKI	o BeilSouth.	SOMAN	1			1 83	T		T		ı	ı	1
	Electronic OSS Charge, per LSR, submitted via BSTs OSS				SOMAIT				100	1	1					
]	interactive interfaces (Regional)	L	L		SOMEC		3 50									
JNE SERVIC	E DATE ADVANCEMENT CHARGE	Γ	L													
NOTE	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tanff, Secti	on 5 as appli	icable.		ļ	ļ		-					
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			ALL UNE	SDASP		200 00									ĺ
IINRIINDI ED	Day  DEXCHANGE ACCESS LOOP			ALL UIVE	SUASP		200 00	<del> </del>		-	<del>                                     </del>				h	<del> </del>
	RE ANALOG VOICE GRADE LOOP		-		<del> </del>					-						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10 69	49 57	22 83	25 62	6 57		11 90				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15 20	49 57	22 83		6 57		11 90				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ	3	UEANL	UEAL2	26.97	49 57	22 83	25 62	6 57	ļ	11 90				ļ
	Loop Testing - Basic 1st Half Hour		ļ	UEANL	URETA		48 65 23 95	<u> </u>				11 90 11 90		<u> </u>		
	Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch		ļ	UEANL	URETA		23 95				<del></del>	1190	<del></del>			<del> </del>
- 1	(UVL-SL1)	l		UEANL	UREWO		15 78	8 94		İ		11 90	}			
	Unbundled Voice Loop, Unbundled Non-Design Voice Loop,			020 842	0.12.70											
	billing for BST providing make-up			UEANL	UEANM		13 49				<u> </u>					
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	ļ	9.00		ļ	ļ	1					
	Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	OCOSL	! !	23 02		1	1	1			:		
2 18/15	(per LSR) RE Unbundled COPPER LOOP		-	UEANL	OCUSE		23 02									<del>                                     </del>
2-7415	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7 69	44 98	20.90	19.65	5 09		11 90				-
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<u> </u>		UEQ	UEQ2X	10 92	44.98	20.90	19.65	5 09		11 90				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i	3	UEQ	UEQ2X	19 38	44.98	20 90	19.65	5 09		11 90				
	Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)	<u> </u>	ļ	UEQ	USBMC	ļ	9.00				<u> </u>			ļ. ————		<del> </del>
	Unbundled Copper Loop, Non-Designed Billing for BST providing make-up			UEQ	UEQMU		13 49			1		1190				
	Loop Testing - Basic 1st Half Hour	-		UEQ	URET1	1	48 65			<del>                                     </del>		11 90			<del></del>	
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95					11 90				
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)		l	UEQ	UREWO		14.27	7 43				11 90				
	EXCHANGE ACCESS LOOP	-	<u> </u>		+					1	<del> </del>		ļ <u></u>			
2-9911	RE ANALOG VOICE GRADE LOOP    2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<del> </del>		<del> </del>				<u> </u>	1						
	Zone 1		1	UEPSR UEPSB	UEALS	10.69	49 57	22 83	25 62	6 57		11 90	}			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	· · · · · ·														
	Zone 1	ļ	1	UEPSR UEPSB	UEABS	10 69	49 57	22 83	25 62	6 57		11 90				L
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	LIEBOD LIEBOD		45.00	49 57	22.83	25 62	6 57		11.90				
	Zone 2  2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	15.20	49 57	22.83	25 62	65/	<del> </del>	11.90				ļ
1	Zone 2		2	UEPSR UEPSB	UEABS	15 20	49 57	22 83	25 62	6 57		11 90		1		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
	Zone 3		3	UEPSR UEPSB	UEALS	26.97	49 57	22.83	25.62	6 57		11 90	1			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1 _	LIEDOD LIEDO		00.0-				1				1	1	1
	Zone 3		_3	UEPSR UEPSB	UEABS	26 97	49 57	22 83	25 62	6 57	<del>                                     </del>	11 90			1	<del> </del>
UNE	Loop Rates for Line Splitting  [2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPRX	UEPLX	12.94	0 102	0 102	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del> </del>		<del> </del>
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1			UEPRX	UEPLX	17 06	0 102	0 102		1					<b></b>	<del>                                     </del>
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	-		UEPRX	UEPLX	31.87	0 102			t	t	<del>                                     </del>	+	<del> </del>	t	+

Version 3Q02 10/07/02 Page 1 of 53

ONRONDER	D NETWORK ELEMENTS - Florida										,		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs. Electronic Disc Add
1						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
JNBUNDLED	EXCHANGE ACCESS LOOP										L					
2-WIR	E ANALOG VOICE GRADE LOOP										1					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										1					
İ	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12 24	135 75	82 47	63 53	12 01	İ	11 90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										Ì				1	
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17 40	135 75	82 47	63 53	12 01	1	11 90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		1						1			1		ĺ
	Ground Start Signaling - Zone 3		3	ŲEA	UEAL2	30 87	135 75	82 47	63 53	12 01	ļ	11 90				<b></b>
	Order Coordination for Specified Conversion Time (per LSR)		ļ	UEA	OCOSL		23 02		1							ļ
ļ.	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.	l							i		i	İ	·	1
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135 75	82.47	63.53	12 01		11 90	ļ	<u> </u>		ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				115450	47.40	405.75	00.47	CO FO	12 01		11.90		ŀ		1
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135 75	82.47	63.53	12 01		11.90	<b></b>	<u> </u>		<b></b>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			LIEA	115 4 600	30 87	135 75	82.47	63.53	12 01		11.90	1		ŀ	ŀ
	Battery Signaling - Zone 3		3	UEA UEA	UEAR2 OCOSL	30 87	23 02	82.47	63.53	12 01		11.90	<u> </u>			
	Order Coordination for Specified Conversion Time (per LSR)	-	-	UEA	UREWO		87 71	36 35			+	11 90	-		-	
	CLEC to CLEC Conversion Charge without outside dispatch		<del> </del>	UEA	UKEWU		87 71	30 33			-	1190	1			<b>├</b>
4-WIR	E ANALOG VOICE GRADE LOOP		-	1.000	UEAL4	10.00	407.00	115.15	67.08	15 56		11 90			ļ	<del> </del>
	4-Wire Analog Voice Grade Loop - Zone 1			UEA		18.89	167 86			15 56				<b></b>	ļ	
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26 84	167 86	115 15				11 90	ļ	ļ	ļ	ļ
	4-Wire Analog Voice Grade Loop - Zone 3	-	3	UEA	UEAL4	47.62	167 86	115 15	67 08	15 56	+	11 90	<del> </del>		<del>                                     </del>	ļ
	Order Coordination for Specified Conversion Time (per LSR)	-		UEA	OCOSL		23 02 87 71	36 35	ļ-—-		-	11.90		ļ		<b></b>
	CLEC to CLEC Conversion Charge without outside dispatch	-		ŲEA	UREWO		8/ / 1	30 33	<b> </b>		· · · · · · · · · · · · · · · · · · ·	11.90		<b> </b>		<del></del>
2-Win	RE ISDN DIGITAL GRADE LOOP		-	ŲDN	U1L2X	19 28	147 69	94 41	62 23	10 71		11.90	<del> </del>	ļ		
	2-Wire ISDN Digital Grade Loop - Zone 1	_		UDN	U1L2X	27 40	147.69	94.41		10 71	<del></del>	11.90	-			+
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	48 62	147.69	94.41		10 71	+	11.90	<del> </del>	-		<del></del>
	2-Wire ISDN Digital Grade Loop - Zone 3	<u> </u>	3	UDN	OCOSL	40 02	23 02	34,41	02.23	10 71	<del></del>	11 30	<del> </del>	<del>                                     </del>		<del></del>
	Order Coordination For Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		-	UDN	UREWO		91 61	44 15	-		<del>                                     </del>	11 90		<del>                                     </del>		+
2 MIE	E Universal Digital Channel (UDC) COMPATIBLE LOOP	-	<del> </del>	QDIN	UKEWU		9101	44 13			+	1130				<del></del>
2-4411	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone										+			<del> </del>		
ı	14		1	UDC	UDC2X	19 28	147.69	94 41	62 23	10 71	1	11.90		I	ł	ŀ
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		<del>- '-</del>	-	ODOZA	10 20	147.00		02 20	1011	<del> </del>				<b>†</b>	<b>—</b>
ļ	12-Wile Offiversal Digital Chainler (ODO) Compatible Loop - Zorte		2	UDC	UDC2X	27 40	147 69	94 41	62 23	10 71	1	11.90				1
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-	000	ODOLA		147 55	0111			<del></del>		<del> </del>	_		<b>—</b>
ļ	2-vviile Universal Digital Chairner (ODC) Compatible Loop - Zoite		3	UDC	UDC2X	48 62	147 69	94 41	62 23	10 71	1	11 90		1		f
	CLEC to CLEC Conversion Charge without outside dispatch		-	UDC	UREWO		91 61	44 15		,,,,,,		11.90				
2-WIE	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF		0.12,10		5.0.									
2-7411	2 Wire Unbundled ADSL Loop including manual service inquiry		1						<del> </del>		1		1			<u> </u>
	& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149 53	103 85	75 05	15 63	ì	11.90	į	l		
	2 Wire Unbundled ADSL Loop including manual service inquiry													1		i
- 1	& facility reservation - Zone 2	l	2	UAL	UAL2X	11.80	149 53	103 85	75.05	15.63		11.90	1	l		İ
	2 Wire Unbundled ADSL Loop including manual service inquiry												1			
	& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149 53	103 85	75.05	15.63		11 90	1	1		ļ
	Order Coordination for Specified Conversion Time (per LSR)		1	UAL	OCOSL		23 02					1				
	2 Wire Unbundled ADSL Loop without manual service inquiry &												Į.			
	facility reservation - Zone 1		1	UAL	UAL2W	8 30	124 83	71.12	60 64	9 12		11 90		ł		1
	2 Wire Unbundled ADSL Loop without manual service inquiry &		ļ													
	facility reservaton - Zone 2		2	UAL	UAL2W	11 80	124 83	71.12	60 64	9 12		11 90				L
-	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservation - Zone 3		3	UAL	UAL2W	20 94	124 83	71.12	60 64	9.12		11 90				ļ
	Order Coordination for Specified Conversion Time (per LSR)		L .	UAL	OCOSL		23 02								1	
	CLEC to CLEC Conversion Charge without outside dispatch		L	UAL	UREWO	1	86 19	40.39				11 90			1	<b></b>
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP								<u> </u>		1	1	<b></b>	<b></b>
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	l .	ł			,						1	i	1	1
	& facility reservation - Zone 1		1 1	UHL	UHL2X	7 22	159 09	113 41	75 05	15 63	ļ	11 90	ļ	ļ		<del> </del>
	2 Wire Unbundled HDSL Loop including manual service inquiry		1 .	l							1			ŀ	I	1
	& facility reservation - Zone 2		2	UHL	UHL2X	10 26	159 09	113.41	75.05	15 63		11 90			L	1

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exh	ıbit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring First	Disconnect Add I	COMEC	SOMAN	SOMAN	Rates(\$)	SOMÁN	SOMAN
	2 Wire Unbundled HD\$L Loop including manual service inquiry		1		-		First	Addʻl	FIRST	Add I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	& facility reservation - Zone 3		3	UHL	UHL2X	18 21	159 09	113 41	75 05	15 63		11 90				i
	Order Coordination for Specified Conversion Time (per LSR)			JHL	OCOSL	10 21	23 02	110 41		10 00	<del> </del>	11.30				<del></del>
	2 Wire Unbundled HDSL Loop without manual service inquiry				10000			•			<u> </u>					<del>                                     </del>
	and facility reservation - Zone 1		1	JHL	UHL2W	7.22	134 40	80 69	60 64	9 12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry						1									
	and facility reservation - Zone 2		2	UHL	UHL2W	10 26	134 40	80 69	60 64	9 12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry		_		l						1				ł	
	and facility reservation - Zone 3			JHL	UHL2W OCOSL	18 21	134 40	80 69	60 64	9 12	<del> </del>	11.90			ļ	1
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch			JHL JHL	UREWO	<del> </del>	23 02 86 12	40.39	<del></del>			11 90				
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE		JIIL	OKEVIO		00 12	40.05				11 30	<del></del>		-	<del> </del>
- 1111	4 Wire Unbundled HDSL Loop including manual service inquiry		1		_						<u> </u>		<del> </del>			1
	and facility reservation - Zone 1		1 1	JHL	UHL4X	10.86	193 31	138.98	77.15	12 61		11.90				
-   -	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	JHL	UHL4X	15 44	193 31	138 98	77.15	12 61		11 90			l	1
	4-Wire Unbundled HDSL Loop including manual service inquiry										T					
	and facility reservation - Zone 3		3		UHL4X	27 39	193 31	138 98	77 15	12 61	ļ	11 90				
	Order Coordination for Specified Conversion Time (per LSR)		$\sqcup$	UHL	OCOSL		23 02									ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry		1	11.11	UHL4W	10.86	168 62	115.47	62.74	11 22		11 90			!	1
	and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry	-		UHL	UHL4VV	10.86	100 02	115.47	62.74	. 1122	<del>                                     </del>	1190				<del>                                     </del>
	and facility reservation - Zone 2		2	JHL	UHL4W	15.44	168 62	115,47	62 74	11 22	-	11 90	ĺ	l		-
	4-Wire Unbundled HDSL Loop without manual service inquiry			J. 1.2	- Grient		100.02		02.1			1100				<del>                                     </del>
İ	and facility reservation - Zone 3		3	JHL	UHL4W	27 39	168 62	115 47	62 74	11 22	1	11 90		l		
	Order Coordination for Specified Conversion Time (per LSR)			JHL	OCOSL		23 02									
	CLEC to CLEC Conversion Charge without outside dispatch			JHL	UREWO		86 12	40 39				11 90				
4-WIR	E D\$1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1		USLXX	70 74	313 75	181 48	61 22	13.53		11.90		·	<u> </u>	<u> </u>
	4-Wire DS1 Digital Loop - Zone 2		3		USLXX	100 54 178,39	313 75 313 75	181 48 181 48	61.22 61.22	13.53 13.53		11.90				<u> </u>
	4-Wire D\$1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)			JSL JSL	OCOSL	178.39	23 02	181 48	61.22	13 53	<b></b>	11.90			ļ	<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			JSL	UREWO		101 07	43.04				11.90			-	<del></del>
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			JOL	UNLIVO			43.04			-	11.50			<u> </u>	<del>                                     </del>
	4 Wire Unbundled Digital 19.2 Kbps		1	JDL	UDL19	22 20	161.56	108 85	67 08	15 56		11,90				<b>†</b>
	4 Wire Unbundled Digital 19 2 Kbps			JDL	UDL19	31.56	161 56	108 85		15 56		11.90			1	<del>-</del> -
1	4 Wire Unbundled Digital 19 2 Kbps		3		UDL19	55.99	161.56	108.85	67 08	15 56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			JDL	UDL56	22.20	161.56	108.85	67 08	15 56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			JDL	UDL56	31.56	161.56	108.85	67 08	15 56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			JDL	UDL56	55.99	161.56	108.85	67 08	15 56		11.90		ļ	ļ	ļ
	Order Coordination for Specified Conversion Time (per LSR)		1	JDL	OCOSL UDL64	22.20	23 02 161.56	108 85	67 08	15 56	<del> </del>	11.90			1	<del></del>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	31.56	161.56	108.85	67 08	15 56		11.90			<del>                                     </del>	<del></del>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3		UDL64	55.99	161.56	108.85	67 08	15 56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			JDL	OCOSL	55.55	23 02	.00.00	3. 00	10 00		11.50		<del>                                     </del>		<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch			JDL	UREWO		102.11	49 74			<del> </del>	11.90				1
2-WIR	E Unbundled COPPER LOOP										T				1	
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	JCL	UCLPB	8.30	148 50	102.82	75 05	15 63		11.90				
	2-Wire Unbundled Copper Loop/Short including manual service		ا ا	101												
	inquiry & facility reservation - Zone 2		2	JCL	UCLPB	11.80	148 50	102.82	75 05	15 63		11.90				<del> </del>
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	JCL	UCLPB	20.94	148.50	102 82	75.05	15 63		11.90			1	1
	Order Coordination for Unbundled Copper Loops (per loop)			JCL	UCLMC	20.94	9 00	9 00	15.05	15 63		11.90			<del> </del>	+
-+-	2-Wire Unbundled Copper Loop/Short without manual service		$\vdash$		COLIVIO		3 00	300			<u> </u>	<del> </del>				<del> </del>
	inquiry and facility reservation - Zone 1		1	JCL	UCLPW	8.30	123.81	70.09	60 64	9.12		11.90		1		1
	2-Wire Unbundled Copper Loop/Short without manual service				1											<u> </u>
	inquiry and facility reservation - Zone 2		2	JCL	UCLPW	11 80	123 81	70 09	60 64	9 12		11 90			l	

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
					ļ	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
-	2-Wire Unbundled Copper Loop/Short without manual service		<del> </del>	<del> </del>	<del> </del>		First	Auu i	Filst	Auu	SOMEC	301117411	JOHAN	JOHAN	JOWAN	SOMA
- 1	inquiry and facility reservation - Zone 3	Ì	3	UCL	UCLPW	20 94	123 81	70 09	60 64	9 12		11.90	1	Ì		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.		T													
,	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17 42	148 50	102 82	75 05	15 63	!	11.90				
	2-Wire Unbundled Copper Loop/Long - includes manual svc										•					
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	24 76	148 50	102 82	75 05	15 63	1	11.90				
1	2-Wire Unbundled Copper Loop/Long - includes manual svc				1 1	ŀ					1				)	İ
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	43 94	148 50	102 82	75 05	15 63		11 90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	ÜCLMC		9 00	9 00								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	Į	1	UCL	UCL2W	17 42	123 81	70.09	60 64	9 12		11 90		ł		1
	2-Wire Unbundled Copper Loop/Long - without manual service	l	<del> '-</del>	IUUL	OCEZVV	1/ 42	123 81	70.09	50 64	912		11.90		-		
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24 76	123 81	70.09	60 64	9 12		11.90		i		
	2-Wire Unbundled Copper Loop/Long - without manual service	_	1-	I GOL	000211	2410	12001	10.03	00 04	J 12		11.50	ļ			
	inquiry and facility reservation - Zone 3	ŀ	3	UCL	UCL2W	43 94	123 81	70.09	60 64	9 12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	.001	9 00	9.00		<u> </u>						
	CLEC to CLEC Conversion Charge without outside dispatch				1			****							i	
	(UCL -Des)			UCL	UREWO	i	97 21	42 47				11.90			į	
4-WIR	COPPER LOOP		i -													
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	11 83	177 87	132.76	77 15	17 73		11 90	1		1	
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	16 81	177.87	132 76	77 15	17 73		11 90				
	4-Wire Copper Loop/Short - including manual service inquiry				1 i											ļ
	and facility reservation - Zone 3		3	UCL	UCL4S	29 82	177.87	132.76	77 15	17 73	_	11 90				
	Order Coordination for Unbundled Copper Loops (per loop)		ļ	UCL	UCLMC		9 00	9.00								ļ
l	4-Wire Copper Loop/Short - without manual service inquiry and		1			44.00	450.40	400.00	20.74	44.00		44.00			1	
	facility reservation - Zone 1  4-Wire Copper Loop/Short - without manual service inquiry and		1	ncr	UCL4W	11.83	153 18	100 03	62.74	11.22	ļ	11.90				
1	facility reservation - Zone 2		2	UCL	UCL4W	16 81	153 18	100 03	62 74	11 22		11 90				ŀ
<del></del>	4-Wire Copper Loop/Short - without manual service inquiry and			UCL .	UCL4VV	10 01	133 16	100 03	02 74	1122		11 90				
	facility reservation - Zone 3		3	UCL	UCL4W	29.82	153 18	100 03	62 74	11.22		11 90		ĺ	ĺ	l
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	20.02	9.00	9 00	52.11							
	4-Wire Unbundled Copper Loop/Long - includes manual svc			-		İ										
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL4L	31 10	177.87	132 76	77 15	17.73		11.90				l
	4-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	44 20	177.87	132.76	77.15	17.73		11.90				L
	4-Wire Unbundled Copper Loop/Long - includes manual svc															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	78 42	177 87	132.76	77 15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		9 00	9 00								
	4-Wire Unbundled Copper Loop/Long - without manual svc				[	1				_					1	
	inquiry and facility reservation - Zone 1		1	UCL	UCL40	31.10	153.18	100.03	62.74	11.22		11.90				
-	4-Wire Unbundled Copper Loop/Long - without manual svc		2	UCL	UCL40	44.20	153 18	100 03	62.74							
	inquiry and facility reservation - Zone 2	<u> </u>	2	JUCL	UCL4U	44.20	153 18	100 03	62.74	11 22		11 90		ļ	ļ	
- 1	4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	lucL	UCL40	78.42	153.18	100.03	62.74	11.22		11.90			ŀ	ŀ
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	10.42	9 00	9 00	02.74	11.22		11.90				<del></del>
-+-	CLEC to CLEC Conversion Charge without outside dispatch		<del> </del>	UCL	UREWO		97 21	42.47				11.90			<del>                                     </del>	<del></del>
OP MODIFI			<b>—</b> —		5.,_,,0		31 21	72.77				(1.50			<del> </del>	<del> </del>
				UAL, UHL, UCL,	<del> </del>										<b></b>	<b>—</b>
				UEQ, ULS, UEA,		į	ļ									Ī
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC.		į	ļ									l
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		0 00	0 00				11 90				
1	Unbundled Loop Modification, Removal of Load Coils - 2 wire															
	greater than 18k ft		<u></u>	UCL, ULS, UEQ	ULM2G		343.12	343 12				11 90				L
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															i
i i	less than or equal to 18K ft		l	UHL, UCL	ULM4L		0.00	0 00			]	11 90				Į.

NRONDLE	D NETWORK ELEMENTS - Florida			1							т		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremen Charge Manual S Order vs
			ļ										Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electroni Disc Add
			<u> </u>			_ 1	Nonrec	umna	Nonrecurring	Disconnect	† · · · ·		oss	Rates(\$)		1
						Rec	First	Add'l	First	Add*i	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Load Coits - 4 Wire															
	pair greater than 18k ft			UCL	ULM4G		343.12	343.12				11 90				
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL,												
1	per unbundled loop			USL	ULMBT		10 52	10.52	}			11 90				
JB-LOOPS		-			1											
Sub-L	oop Distribution				<u> </u>				·							
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-					1										
	Up		<u> </u>	UEANL	USBSA		487.23				ļ	11 90				
	Sub-Loop Box Cross Box Loopher Box 95 Box Box 2 Cat 11-			UEANL	певев		6.25					11.00				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder		-	OCANL	USBSB		ხ.∠5				<del> </del>	11 90		ļ	<del> </del>	
	Facility Set-Up	1		UEANL	USBSC		169.25		1			11 90			1	1
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>			12000		.55.25					50				<b></b>
	Set-Up	- 1		UEANL	USBSD		38.65		-			11 90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				ŀ							·				
	Zone 1		1	UEANL	USBN2	6 46	60.19	21 78	47 50	5 26		11 90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	9 18	60.19	21 78	47 50	5 26	ļ	11 90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		١.													
	Zone 3		3	UEANL	USBN2	16 29	60.19	21.78	47 50	5 26	ļ	11 90			-	
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00							ļ	]	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	DEANL	OSBINC		300									-
	Zone 1		1	UEANL	USBN4	7.37	68 83	30 42	49.71	6 60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -										1					
	Zone 2		2	UEANL	USBN4	10.47	68 83	30 42	49 71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	18 58	68.83	30 42	49 71	6 60		11 90				
	ļ		ĺ				!				ļ		ř			
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL UEANL	USBMC USBR2	3 96	9.00 51 84	13 44	47 50	5.26		11 90				
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			DEANL	USBR2	3 90	5104	13 44	47 50	5.26	<u> </u>	1190				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00									i
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55 91	17.51	49 71	6 60		11 90				
	Coop Title Integral of Title Integral										<b></b>					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1		UEF	UCS2X	5 15	60 19	21.78	47 50	5 26		11 90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS2X	7.31	60 19	21.78	47 50	5 26		11 90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.98	60.19	21.78	47 50	5 26	ļ	11 90				
	Order Constitution for Hobburghlad Sub-Language and the Constitution			luer.	LISPING		0.00							1		l
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair  4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	USBMC UCS4X	5.36	9.00 68 83	30 42	49 71	6 60	1	11 90			<del></del>	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS4X	7.61	68 83	30 42		6 60		11 90			<del> </del>	-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>-                                    </del>		UEF	UCS4X	13.51	68.83	30 42		6 60		11.90				-
	- The Tappe Growing Cap Each Springered Editor		t		- 20	.5.51	55.50	55 42		3 00	<del>                                     </del>					<del> </del>
- 1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9 00		[							
Unbur	ndled Sub-Loop Modification														L	
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															I
	Coil/Equip Removal per 2-W PR		<u> </u>	UEF	ULM2X		10.11					11 90				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load				[ l					]						
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11					11 90			ļ	
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UÉF	ULM4T		15 58					11 90				
lah	Tap Removal, per PR unloaded idled Network Terminating Wire (UNTW)		ļ	UEF	OLIVI4 I	-	10 08				<del> </del>	1190				-
- Joneur	Unbundled Network Terminating Wire (UNTW) per Pair		-	UENTW	UENPP	0 4572	18 02		<del>                                     </del>		<del>                                     </del>	11.90				$\vdash$
	rk Interface Device (NID)		+		J 1	V 7012	10 02				+	11.50	-			<del> </del>

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMÁN	SOMAN	SOMAN
	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		71.49	48 87				11 90				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113 89	89 07				11 90				1
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7 63	7.63		<del></del>		11 90				
	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		7.63	7.63				11 90				
SUB-LOOPS										1						
Sub-L	oop Feeder										1					
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		487 23					11.90				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC			6 25	6.25				11 90				ļ
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		1	ÚSL	USBFZ		522,41	11 32			<u> </u>	11 90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		1		1					1						
	Grade - Zone 1		1	UEA	USBFA	6 41	92 75	51 24	58 45	13.07		11 90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	UŞBFA	9.10	92 75	51 24	58.45	13 07		11 90				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		١.						=0.45	40.07						
	Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR		3	UEA	USBFA	16 15	92 75 23 02	51 24	58 45	13 07		11 90				
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		-	UEA	OCOSE		23 02									ļ
	Grade - Zone 1		1	UEA	USBFB	6 41	92 75	51 24	58 45	13 07		11.90				ļ
l	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	9.10	92.75	51 24	58 45	13.07		11 90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice		-	OLA .	OOD! D	9.10	32.13	3124	30 43	10.01		11.00				
	Grade - Zone 3		3	UEA	USBFB	16 15	92 75	51 24	58 45	13 07	<u> </u>	11 90				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23 02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	6 41	92 75	51.24	58.45	13 07		11 90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	9 10	92 75	51 24	58 45	13 07		11 90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	ŲEA	USBFC	16 15	92 75	51 24	58 45	13 07		11 90				ļ
	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UEA	OCOSL		23 02				1					
i	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice	l	1							1	1					1
	Grade - Zone 1		1	UEA	USBFD	12 47	106.92	64 46	63 54	14 83	1	11 90				<u> </u>
į l	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	17 73	106.92	64.46	63 54	14 83		11 90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
l	Grade - Zone 3		3	UEA	USBFD	31 45	106.92	64.46	63 54	14 83	<u> </u>	11.90				L
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	Ì	l .		l :						ļ					
	Grade - Zone 1	ļ	1	UEA	USBFE	12 47	106.92	64.46	63 54	14 83	ļ	11 90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	17 73	106 92	64 46	63 54	14 83		11 90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	31 45	106.92	64 46	63 54	14 83		11 90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	i	23 02				1					1
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	14 83	109 71	66 68	60 21	12 49		11 90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21.07	109 71	66.68	60.21	12 49	1	11 90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	37 39	109 71	66 68	60 21	12 49		11 90				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		23 02		·		,					
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	14.83	109.71	66.68	60.21	12 49		11 90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	21 07	109.71	66 68	60 21	12 49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	37 39	109.71	66.68	60 21	12 49		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	42 59	133 77	78 02	85 16	21 21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	60 53	133.77	78 02	85 16			11 90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	107.39	133.77	78 02	85.16	21.21		11 90-				
	Order Coordination For Specified Conversion Time, Per LSR	L		USL	OCOSL		23 02				ļ					
_	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	i	1	UCL	USBFH	3.76	85.27	42 24	58 54	10 82	1	11 90	1			1

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sw Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)	000111	
	No. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	ļ				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	5 35	85 27	42.24	58 54	10 82		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	<u> </u>	<del>  -</del> -	002	1000.17	0.00										
	3		3	UCL	USBFH	9 49	85 27	42 24	58 54	10 82		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23 02									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	7 32	99 66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10 40	99 66	57.20	60 98	12.28		11 90 11 90				<del> </del>
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	18 46	99 66	57.20	60 98	12.28		11 90			1	<del></del>
	Order Coordination For Specified Conversion Time, per LSR		1	UCL	OCOSL USBFN	14 48	23 02 100 62	58.16	63 54	14 83	-	11 90				<del></del>
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1 2	UDL	USBFN	20 59	100 62	58 16		14.83		11 90				
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL.	USBFN	36.53	100.62	58 16		14 83		11 90				-
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		1 -	ODE.	1005.11	00.00		33 19	3001		1	11.00				
	Zone 1	ŀ	1	UDL	USBFO	14 48	100 62	58 16	63 54	14 83		11 90	1			1
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	20 59	100 62	58 16	63 54	14 83		11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -	<b></b> -	1	002	505.0	25 00			1 3331			11100				
	Zone 3	ļ	3	UDL	USBFO	36 53	100 62	58 16	63 54	14 83		11.90				
	Order Coordination For Specified Time Conversion, per LSR		<del> </del>	UDL	OCOSL		23 02									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	14.48	100 62	58 16	63 54	14 83		11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		+-	ODL .	-1005.1	14.40	100 02	00 10	30 01	14 00	1	1				
	Zone 2		2	UDL	USBFP	20 59	100 62	58 16	63 54	14 83		11 90				<u> </u>
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDŁ	USBFP	36 53	100 62	58 16	63 54	14 83		11 90				1
	Order Coordination For Specified Conversion Time, per LSR			UDŁ	OCOSL		23.02									
SUB-LOOPS																
Sub-L	oop Feeder								1							<u> </u>
	Sub Loop Feeder - DS3 - Per Mile Per Month	- 1	<u> </u>	UE3	1L5SL	15 69					<u> </u>					1
	Sub Loop Feeder - DS3 - Facility Termination Per Month		ļ	UE3	USBF1	347 59	3,402 59	407.15	166 83	94 58	-	11 90				<b></b>
	Sub Loop Feeder - STS-1 - Per Mile Per Month		1	UDLSX	1L5SL	15 69	0.400.50	407.15	400.00	04.50		11 90				<b></b>
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	!	-	UDLSX	USBF7	402 09 11 90	3,402 59	407.15	166 83	94 58		1190				
	Sub Loop Feeder - OC-3 - Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per		ļ	UDLO3	1L5SL	1190										
	Month	١,		UDLO3	USBF5	62 98	-								l	[
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	H	<del> </del>	UDLO3	USBF2	547.22	3,402.59	407.15	166 83	94.58		11 90				
	Sub Loop Feeder - OC-12 - Per Mile Per Month	i i	<del>                                     </del>	UDL12	1L5SL	14 65	0,702.00	401.10	100 00	01.00	·					
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	<u> </u>	<del>                                     </del>	UDE:12	1.2302	11.00				-	<del> </del>					
ļ	Month	,	1	UDL12	USBF6	502 47						ł			l	1
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	1		UDL12	USBF3	1,577 00	3,402 59	407.15	166 83	94 58		11 90				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	Ī		UDL48	1L5SL	48 06										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per		l		1 1				1		l	ŀ			1	į
	Month	. 1	ļ	UDL48	USBF9	251 80										<b></b>
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	!_		UDL48	USBF4	1,589.00	3,588 59	407.15		95 43		11.90				
	Sub Loop Feeder - OC-12 Interface On OC-48	1	1	UDL48	USBF8	331.15	804 98	407 15	168 35	95 43		11 90				-
ONBONDLED	LOOP CONCENTRATION		1	ULC	UCT8A	449 49	359 42	359 42				11 90				<del>                                     </del>
	Unbundled Loop Concentration - System A (TR008)  Unbundled Loop Concentration - System B (TR008)	<del></del>	+	ULC	UCT8B	53 44	149 76	149.76			<del> </del>	11.90	1	-	l	<del> </del>
	Unbundled Loop Concentration - System 8 (TR006)	<b></b>	1	ULC	UCT3A	487 33	359 42	359.42			<del> </del>	11.90			i	<del>                                     </del>
	Unbundled Loop Concentration - System A (TR303)	<del>                                     </del>	1-	ULC	UCT3B	90.05	149 76	149.76				11.90			l	t
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 04	71 70	51.52	18.49	4 82		11 90				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8 00	16 59	16 50	6 77	6 73		11 90				
$\neg +$	Unbundled Loop Concentration - UDC Loop Interface (Brite											11 90				
	Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or			UDC	ULCCU	8 00	16 59	16.50	6 77	6.73						
	Ground Start Loop Interface (POTS Card)  Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	-	-	UEA	ULCC2	2 00	16 59	16.50	6.77	6 73		11 90				1
	Loop Interface (SPOTS Card)			UEA	ULCCR	11 90	16 59	16.50	6 77	6.73		11 90				<u></u>

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring		00450	001/41/		Rates(\$)	0014441	001111
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(Specials Card)			UEA	ULÇC4	7 10	16.59	16.50	677	6.73		11 90			1	
	Unbundled Loop Concentration - TEST CIRCUIT Card	-			UCTTC	34 68	16 59	16 50	677	6.73		11 90				
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop															
	Interface			UDL	ULCC7	10 51	16 59	16.50	677	6 73		11 90				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDL	ULCC5	10 51	16 59	16 50	677	6.73		11 90			l	
<b></b>	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop		-	UDL	ULCCO	10 51	16 28	16 30	677	0./3		1190	-			
f I	Interface			UDL	ULCC6	10 51	16 59	16 50	677	6.73		11 90			1	
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0 00	0 00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0 00	0 00									ļ
	Unbundled Contract Name, Provisioning Only - No Rate		1	UEANL,UEF,UEQ,U ENTW	UNECN	0 00	0 00									
UNE OTHER	PROVISIONING ONLY - NO RATE		-	LIA : AA	ONEON	0.00	0.00									
5 5	THE THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF T		<del>                                     </del>													
				UAL,UCL,UDC,UDL,											1	
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0 00									L
1	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		1				2.00									1
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0 00									-
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0 00									1
<b></b>	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0 00	-								
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0 00	0 00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP		<u> </u>					···				·				
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92			}							1
-	High Capacity Unbundled Local Loop - DS3 - Facility			UE3	ILSIND	10.52								+		
	Termination per month			UE3	UE3PX	386 88	556 37	343 01	139 13	96 84	ŀ	11 90				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10 92										
	High Capacity Unbundled Local Loop - STS-1 - Facility					400.00	550.07	242.24	400.40	20.04		44.00			1	l
LOOP MAKE-	Termination per month			UDL\$X	UDLS1	426.60	556 37	343 01	139.13	96.84		11 90			1.83	ļ
LOUP MAKE-	Loop Makeup - Preordering Without Reservation, per working or								<del> </del>							
	spare facility quened (Manual).			UMK	UMKLW		52 17	52 17								
	Loop Makeup - Preordering With Reservation, per spare facility														1	
	quened (Manual)		ļ	UMK	UMKLP		55 07	55 07								
i I	Loop MakeupWith or Without Reservation, per working or			13.07	DOLLAR		0.6704	0.6794								Ì
HIGH EDECITE	spare facility quened (Mechanized)  NCY SPECTRUM			UMK	PSUMK		0 6784	0 6784						-	<del> </del>	
	SHARING												-			
	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity - True up											-				
	pending approval by PSC	R		ULS	ULSDA	119.72	379 13	0.00	347.90	0 00		11 90				1
	Line Sharing Splitter, per System 24 Line Capacity - True up	R	1		LIL COR	29.93	379 13	0 00	347 90	0 00		1100				
<del>  </del>	pending approval by PSC Line Shanng Splitter, Per System, 8 Line Capacity	I K		ULS	ULSDB ULSD8	8.33	379.13	0 00	347.90	0.00		11 90 11.90				<del> </del>
<del>-                                    </del>	Line Sharing Splitter, Fer System, 6 Cite Capacity  Line Sharing-DLEC Owned Splitter in CO-CFA activation-	<del></del>		020	02000	0.33	57-9.15		347.50	0.00		11.30			t	
	deactivation (per LSOD)			ULS	ULSDG		173 66	0.00	97 42	0 00	j	11.90				
END U	ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM.													
	Line Sharing - per Line Activation -(BST Owned Splitter)		$\perp$	ULS	ULSDC	0 61	29 68	21.28	19.57	9 61		11 90				
	Line Sharing - per Subsequent Activity per Line Rearrangement		}													
	- True up pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21 68	16 44				11.90				
ı i	Line Sharing - per Subsequent Activity per Line Rearrangement	R	1	ULS	ULSCS	[		16 44	1		1	11 90		l	I	

NBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit. B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0 61	47 44	19.31	20.67	12 74		11.90				
	SPLITTING USER ORDERING-CENTRAL OFFICE BASED	<b> </b> -							ļ		ļ					
END	Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61			<del>                                     </del>							
	Line Splitting - per line activation BST owned - physical	H		UEPSR UEPSB	UREBP	0 61	29 68	21 28	19 57	9 61		11 90				
	Line Splitting - per line activation BST owned - virtual	i		UEPSR UEPSB	UREBV	1 134	29 68	21.28		9 61		11 90				
REMO	TE SITE HIGH FREQUENCY SPECTRUM															
SPLIT	TERS-REMOTE SITE						·									
	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	25 00	150 00	0 00	150 00	0 00		11 90				
	Remote Site Line Share Cable Pair Activation CLEC Owned at		1			1 1										
File :	RS and deactivation	4 61/4	DENG	ULS	ULSTG		74 38	0 00	46 77	0.00		11 90				-
ENDU	JSER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUS Remote Site Line Share Line Activation or End User Served at	M AKA	KEMOI	E SHE LINE SHAP	RING											<del>                                     </del>
	RS, BST Splitter	l i	1	ULS	ULSRC	0.61	40 00	22 00	19 57	9 61		11 90			i	1
	RS Line Share Line Activation for End User served at RS, CLEC		-	CLO	OLOICO	001	40 00	22 00	19 37	9 01		11 90		·		
	Solitter	l i		ULS	ULSTC	0.61	40 00	22.00	19 57	9 61		11 90				i
VBUNDLED I	DEDICATED TRANSPORT									-						i
NOTE:	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g penc	d - below DS3=on	e month, DS3/	STS-1=four moi	nths									
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT									l	ļ					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade			U1TVX	U1TV2	25 32	47 35	31 78	18 31	7 03		11 90				
	Rev Bat Per Mile per month  Interoffice Channel - Dedicated Transport- 2-Wire VOIce Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0 0091										
	Facility Termination  Interoffice Channet - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	25 32	47 35	31.78	18.31	7 03		11.90				
	Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			U1TVX	1L5XX	0 0091								:		
	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	22 58	47 35	31 78	18 31	7 03		11.90				
ľ	per month			U1TDX	1L5XX	0 0091										İ
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	18 44	47.35	31 78	18 31	7 03		11 90				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18 44	47 35	31.78	18 31	7 03		11 90				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	88 44	105.54	98 47	21 47	19 05		11 90				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month  Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX_	3 87										
	Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	1,071 00	335.46	219 28	72 03	70 56		11 90				
	month (Interoffice Channel - Dedicated Transport - STS-1 - Fed Wile per month (Interoffice Channel - Dedicated Transport - STS-1 - Facility		ļ	U1TS1	1L5XX	3 87									<u> </u>	
LOCAL	Termination  L CHANNEL - DEDICATED TRANSPORT			U1TS1	U1TFS	1,056 00	335 46	219 28	72 03	70 56		11 90				
	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	w D\$3=one month	1, D\$3/\$T\$-1=	four months										$\overline{}$
1	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1		1	ULDVX	ULDV2	19 66	265 84	46.97	37.63	4 00		11 90				
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX	ULDV2	27 94	265 84	46 97	37 63	4 00		11 90				
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -		3	UNDVX	ULDV2	49 58	265 84	46 97	37 63	4 00		11.90				-

UNBUNDU	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: B
Ç.100110L	THE PROPERTY OF LIGHT	T	Γ		1						Syc Order		Incremental		<del> </del>	Incremental
			f		}						Submitted			Charge -	Charge -	Charge -
				1	1						1.	1				_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEGORY	KATE ELEMENTS	m	Zone	BLS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs	Order vs.
												l	Electronic-	Electronic-	Electronic-	Electronic-
1					į								1st	Add'l	Disc 1st	Disc Add'l
															L	
						Rec	Nonrec			g Disconnect	ļ. <u></u>			Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -	1	1	1	·		i			1		1	1	1	1	
	Zone 2	l	2	ULDVX	ULDR2	27 94	265 84	46 97	37 63	4 00	}	11.90		!		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat -					· I	i i					l "				
	Zone 3		3	ULDVX	ULDR2	49 58	265 84	46 97	37 63	4 00	1	11 90			· i	
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	UNDVX	ULDV4	20 45	266 54	47 67	44 22	5 33	1	11 90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	UNDVX	ULDV4	29.06	266 54	47 67		5 33		11 90				
<del></del>	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	UNDVX	ULDV4	51 56	266.54	47 67		5 33		11 90				
<del></del>	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	36 49	216 65	183 54		16 95		11 90				
$\vdash$				ULDD1	ULDF1	51 85	216 65	183 54	24 30	16 95		11 90				
	Local Channel - Dedicated - DS1 - Zone 2		2		ULDF1							11 90				
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1		92.00	216 65	183 54	24 30	16 95		1190				
$\vdash$	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.50					ļ		ļ			
<b> </b>	Local Channel - Dedicated - DS3 - Facility Termination	<u> </u>	<u> </u>	ULDD3	ULDF3	531 91	556 37	343.01	139 13	96 84	ļ	11.90	L			
	Local Channel - Dedicated - STS-1- Per Mile per month	L	1	ULDS1	1L5NC	8 50										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	540 69	556 37	343 01	139 13	96 84	1	11 90				
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	i –	1			1	j									
	Thereof per month - Local Channel	i		UDF	1L5DC	55.04	ŀ			1			1	1		
	NRC Dark Fiber - Local Channel			UDF	UDFC4	22.27	751.34	193 88	·		1	11 90	<b>i</b>			
-	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		_	100.	00.04		701.01	100 00			+	1100				
1 1	Thereof per month - Interoffice Channel			UDF	1L5DF	26.85	1			i		i	ì			
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	20.03	751 34	193 88			-	11 90				
			-	UDF	UDF 14		/51 34	193 88			1	1190				
1 1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						ļ		i		i		ļ	İ		
	Thereof per month - Local Loop			UDF	1L5DL	55 04					<u> </u>					
	NRC Dark Fiber - Local Loop			UDF	UDFL4		751.34	193 88				11 90				
8XX ACCESS	TEN DIGIT SCREENING								<u> </u>							
	8XX Access Ten Digit Screening, Per Call		İ	OHD		0 0006252										
1	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
. i	Number Reserved			OHD	N8R1X		4 15	0.70			1	11 90		ł		
	8XX Access Ten Digit Screening, Per 8XX No Established W/O															
1 1	POTS Translations			OHD			8.78	1 18	5.77	0.70		11 90	1			
	8XX Access Ten Digit Screening, Per 8XX No Established With			U							<u> </u>	.,,,,,				
i i	POTS Translations			OHD	N8FTX	i	8 78	1 18	5.77	0.70		11 90	1			
	8XX Access Ten Digit Screening, Customized Area of Service			Onb	INOL IX		010	1 10	3.17	0.70	<del> </del>	11 90				
				OUD	NOTOY	i	4.45	0.07		,		44.00				
	Per 8XX Number	ļ		OHD	N8FCX		4.15	2 07			ļ	11 90				
1 1	8XX Access Ten Digit Screening, Multiple InterLATA CXR	1	1										1			
	Routing Per CXR Requested Per 8XX No			OHD	N8FMX		4 85	2 78			1	11.90			l	
	8XX Access Ten Digit Screening, Change Charge Per Request	,		OHD	N8FAX		4 85	0.70				11 90			L	
	8XX Access Ten Digit Screening, Call Handling and Destination														T	
1 1	Features			OHD	N8FDX		4 15	4 15			1	11.90	l	1	1	
											i					
1 1	8XX Access Ten Digit Screening, w/ 8FL No Delivery, per query		I	OHD	1	0 0006252	į			Ì	1		!		]	
<del> </del>	8XX Access Ten Digit Screening, w/ POTS No Delivery, per	<del>                                     </del>			1						1					
	query	1	l	ОНД		0 0006252					1		l		1	
I INE INCORP	ATION DATA BASE ACCESS (LIDB)		<del></del>	מווטן	+	0 0000232				<b> </b>	<del>                                     </del>		<del></del>	-		
LINE INFORM		<u> </u>		OOT		0 0000203		-	<u> </u>	ļ	ļ	<b></b>	<del> </del>		<del>                                     </del>	
L	LIDB Common Transport Per Query	ļ	<u> </u>								-	ļ			ļ i	
<b> </b>	LIDB Validation Per Query		ļ	OQU		0 0136959					<u> </u>		ļ		ļ	
	LIDB Ongmating Point Code Establishment or Change	L		OQT, OQU	NRPBX		55 13	55.13	55 13	55 13		11 90	ļ			
SIGNALING (		L		L		L.,										
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135 05										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 0000607				l						
	CCS7 Signaling Connection, Per link (A link)	1		UDB	TPP++	17 93	43 57	43.57	18 31	18.31		11 90				
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	17.93	43 57	43.57	18.31	18 31		11 90	1			
<del>                                     </del>	CCS7 Signaling Usage, Per ISUP Message	<b> </b>		UDB	<del></del>	0 0000152	70.07	40.01	10.51	10 31		11 30	<b>-</b>		<del>                                     </del>	
<del>  </del>	CCS7 Signaling Usage Surrogate, per link per LATA		<del> </del>	UDB	STU56	694 32					<del>                                     </del>				<del> </del>	
<del></del>	COST Signaling Usage Surrogate, per link per LATA		<del></del>	000	31030	094 32				-	<del>                                     </del>		<b> </b>		<b>_</b>	
	CCS7 Signaling Point Code, per Originating Point Code	[ ·	1	lupp	00450		10.00	40.00	40.00	40.00	1					
<u> </u>	Establishment or Change, per STP affected	<u> </u>	<b>—</b>	UDB	CCAPO		46 03	46 03	46 03	46 03	<del> </del>	11 90	L			
E911 SERVIC		ļ	Ļ								<u> </u>					
1 1	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46 97	37.63	4.00		11 90				

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ıbıt: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)					Incremental	Incremental Charge -	Incremental Charge -	Increment Charge - Manual So Order vs.
												L			2.55 .50	0.007,00
			ļ			Rec	Nonrec			Disconnect		SOMAN		Rates(\$)	COMAN	SOMAN
	100000000000000000000000000000000000000		ļ			20.62	First	Add'i	First	Add'I 4 00	SUMEC	11 90	SOMAN	SUMAN	SOMAN	SUMAN
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		ļ			29 62 57 22	265.84 265.84	46 97 46 97	37 63 37 63	4.00	ļ	11 90				+
	Interoffice Transport - Dedicated - 2-wr Voice Grade - 2-me 3		<b>├</b>			0 0091	200.04	40 97	37 63	4.00	<del></del>	11 90				+
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	-	<del> </del> -		+	0 0031			<del> </del>		-					+
1	Termination		1			25 32	47 35	31 78	18 31	7 03		11 90			1	1
	Local Channel - Dedicated - DS1 - Zone 1		1	· · · · · · · · · · · · · · · · · · ·		35 28	216 65	183 54	21 47	19 05		11 90				
	Local Channel - Dedicated - DS1 - Zone 2		<del> </del>	-		47 63	216.65	183 54	21 47	19 05		11 90				
	Local Channel - Dedicated - DS1 - Zone 3		1			92 01	216 65	183 54		19 05		11 90				1
	Interoffice Transport - Dedicated - DS1 Per Mile					0 1856	·									1
			1													
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u></u>			88 44	105 54	98 47	21 47	19 05	<u> </u>	11.90				<u> </u>
CALLING NA	ME (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			ΟΩV			25 35	25 35	19 01	19 01		11 90				
	CNAM For Non DB Owners - Service Establishment			oqv			25 35	25.35	19.01	19 01		11.90				<u></u>
1	CNAM For DB Owners - Service Provisioning With Point Code	1	1			1 1									l	
	Establishment	<u> </u>	-	ogv	<del> </del>		1,592 00	1,177.00	352.36	259.09		11.90			ļ	
	CNAM For Non DB Owners - Service Provisioning With Point															1
	Code Establishment		<del> </del>	OQV		0.004004	546 51	393 82	358 06	259 09		11.90				<del> </del>
	CNAM for DB Owners, Per Query			OQV		0.001024 0.001024										+
L N/D (0) C	CNAM for Non DB Owners, Per Query		<del>                                     </del>	oqv		0.001024									_	+
LNP Query Se	LNP Charge Per query	-	-	loov	<del></del>	0.000852								<del>                                     </del>		+
	LNP Service Establishment Manual	-	+	OQV	_	0.000652	13 83	13 83	12.71	12 71		11 90			-	+
	LNP Service Provisioning with Point Code Establishment	<del>                                     </del>	1	<u> </u>	+		655 50	334 88	297 03	218 40		11 90				<del> </del>
OPERATOR O	CALL PROCESSING		<del> </del>		<del></del>		000 00	00-00	257 00	210 40	ļ	11.00			-	<del>                                     </del>
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1 20										
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1.24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0 20										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 20										
NWARD OPE	RATOR SERVICES								· · · · · · · · · · · · · · · · · · ·							
	Inward Operator Services - Verification, Per Call					1 00										
	inward Operator Services - Verification and Emergency Interrupt		1													
	- Per Call					1 95									1	
	OPERATOR CALL PROCESSING															
Facili	ty based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000 00	7,000 00				11 90				<u> </u>
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500 00	500.00				11 90				
UNEP	CLEC	<b></b>	<b> </b>	<u> </u>	<del></del>		7.000.00	7,000.00				4				<del></del>
	Recording of Custom Branded OA Announcement		<u> </u>	ļ	+		7,000 00	7,000 00				11 90				<b>↓</b>
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500 00	500 00				11 90				
Unbra	inding via OLNS for UNEP CLEC	ļ	<u> </u>		<del> </del>	<b>  </b>			ļ						ļ	1
	Loading of OA per OCN (Regional)	ļ	ļ				1,200 00	1,200.00				11 90				ļ
	ASSISTANCE SERVICES		<u> </u>			ļ l										<del></del>
DIREC	Directory Assistance Access Service Calls, Charge Per Call	-	<del> </del>		1	0 275										
DIES	Urrectory Assistance Access Service Calls, Charge Per Call CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	JACC,	<b>!</b>		+	02/5										
DIREC	Directory Assistance Call Completion Access Service (DACC),	JACCI	$\vdash$			<del>                                     </del>									ļ	+
	Per Call Attempt		1	1		0.10			:							
DIRECTORY 4	ASSISTANCE SERVICES		<del> </del>	-	+	3.10										<del>                                     </del>
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)		$\vdash$	<b></b>	1	<del>                                     </del>					-			<del></del>	<del> </del>	<del> </del>
DINEC	Directory Assistance Data Base Service Charge Per Listing		<u> </u>	1	1	0.04										<del></del>
	Directory Assistance Data Base Service, per month	<b></b>	$\vdash$	1	DBSOF	150.00										
	DIRECTORY ASSISTANCE		t												· · · · · · · · · · · · · · · · · · ·	+

MOUNDLE	D NETWORK ELEMENTS - Florida				, ,						Sun Order	Suc Order	Attachment: Incremental			Incrementa
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR		Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
5	- D4 01 FO		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Facility	Based CLEC Recording and Provisioning of DA Custom Branded						-									<del> </del>
	Announcement			AMT	CBADA		6,000 00	6,000 00				11 90				
	Loading of Custom Branded Announcement per Switch			AMT	CBADC		1,170 00	1,170 00		-		11 90				
UNEP (																
	Recording of DA Custom Branded Announcement						3,000 00	3,000.00				11 90				
	Loading of DA Custom Branded Announcement per Switch per						4 470 00	4 4770 00				44.00				i
	OCN						1,170 00	1,170.00			-	11 90				
	Loading of DA per OCN (1 OCN per Order)	-					420 00	420 00				11 90				
	Loading of DA per Ociv (FOCN per Ocider)						16.00	16 00				11 90				
ELECTIVE RO																
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		93.55	93 55	12.71	12.71		11 90 .				
RTUAL COLL																
	Virtual Collocation - Application Cost			AMTFS	EAF		4,122.00	1,249 00				11 90				
	Virtual Collocation - Cable Installation Cost, per cable		<u> </u>	AMTFS AMTFS	ESPCX ESPVX	12 45 4 25	965.00					11 90			ļ	-
	Virtual Collocation - Floor Space, per sq. ft			AMTES	ESPVX	4 25 6 95										
	Virtual Collocation - Power, per fused amp Virtual Collocation - Cable Support Structure, per entrance		<del> </del>	AVIIFO	ESPAN	0 93					-					
l	cable		ļ	AMTES	ESPSX	13 35					1					
			l	UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0 0502	11 57	11.57				11 90				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0 0502	11 57	11 57				11 90		;		:
				AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	6.71	2,431 00					11.90				
	Virtual Collocation - 2-Fiber Cross Connects  Virtual Collocation - 4-Fiber Cross Connects			OLD46, ODF AMTFS, UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.71	2,431 00					11.90				
	Virtual collocation - Special Access & UNE, cross-connect per DS1	•	1	USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7 50	155 00	14 00				11 90				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56 25	151 90	11 83				11 90				
	Virtual Collocation - Co-Carner Cross Connects - Fiber Cable		1													
	Support Structure, per linear foot Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Coble Support Structure, per linear fi		-	AMTFS, CLO	VE1CB VE1CD	0 0028 0 0041										
	Cable Support Structure, per linear ft  Virtual Collocation - Co-Carner Cross Connects - Fiber Cable Support Structure,per cable			AMTFS, CLO	VE1CC	0 0041	535 54					11 90				
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTES	VE1CE		535 54					11 90				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge -	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
			<del> </del>				Nonrec	umna	Nonrecurring	Disconnect	-		OSS	Rates(\$)	t	
					·	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records - per request	-		AMTFS	VE1BA		1,525.00	1,525 00		267 08	0020					1
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		<del></del>	7411110	172.15/1		1,020.00	1,020,00	20: 00	20. 00	1					1
	record		1	AMTES	VE1BB		656.50	656.50	379 78	379 78				i	1	
	Virtual Collocation Cable Records - VG/DS0 Cable, per each		<del> </del>		1						i			i		
	100 pair		ŀ	AMTES	VE1BC		9.66	9 66	11 84	11.84				į		1
	Virtual Collocation Cable Records - DS1, per T1TIE		1	AMTFS	VE1BD		4.52	4 52	5 54	5 54						
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE	, i	15.82	15 82	19 40	19 40	1					
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		i													
	records			AMTFS	VE1BF		169 67	169 67	154 89	154 89						
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ		10.89				1	11 90				
		]	-													
	Virtual collocation - Security Escort - Overtime, per quarter hour	L	<u> </u>	AMTFS	SPTOQ		13 64					11 90			<b></b>	
1		!			SPTPQ		16 40					11 90	i		1	
	Virtual collocation - Security Escort - Premium, per quarter hour	L		AMTFS	SPIPQ		16 40				ļ	11 90			ļ	
	NAME OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY OF TAXABLE PROPERTY O	l		AMTES	VE11S	226 39	1,950 00					11 90	ŀ			ŀ
	Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS		<del> </del>	AMIFS	VETIS	220 39	1,950 00					11.90				
	Virtual Collocation - DS-1 DSX Cross Connects, PER 28 CKTS	ļ	1	AMTFS	VE11X	11.51	1,950.00					11 90	ŀ			
	Virtual Collocation - DS-3/DCS Cross Connects, PER 28 CKTS	<del> </del>	<del> </del>	AMTES	VE13S	56.97	528 00					11 90				<del> </del>
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT	<del></del>	<del> </del>	AMTES	VE13X	10 06	528 00		<del> </del>		<del> </del>	11 90			ļ	i
	Villual Collocation - Bo-5/Boo Gross Gorificets, 1 Et Cit 1	_	1	744117 0	VEION	10.00	520 00					1,,00				
İ	Virtual collocation - Maintenance in CO - Basic, per guarter hour			AMTES	SPTRE		10 89					11 90			l	1
	Virtual collocation - Maintenance in CO - Overtime, per quarter		1	, •	4											
1	hour	1	1	AMTES	SPTOE		13 64					11 90			ŀ	
	Virtual collocation - Maintenance in CO - Premium per quarter		1													
	hour	ļ		AMTES	SPTPE		16 40					11.90				l
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-								1		ł					
	Wire Analog - Res		<u> </u>	UEPSR	VE1R2	0 0502	11.57	11 57	<b></b>			11 90			1	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		1	l	li				į į							1
	Wire Line Side PBX Trunk - Bus		ļ	UEPSP	VE1R2	0 0502	11.57	11.57	1		ļ	11.90				ļ
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	ŀ	1		VE400	0.0500	44.55	44.57	l i		j .	44.00		1		1
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 0502	11 57	11 57			ļ	11 90				<u> </u>
ľ	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		ŀ	UEBOB	VE400	0.0500	44.57	11 57			1 :	11.00		1		Ì
	Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		<u> </u>	UEPSB	VE1R2	0 0502	11 57	1157			ļ	11 90				-
	ISDN	ļ	l	UEPSX	VE1R2	0 0502	11.57	11 57	! F		· ·	11 90		ł	l	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		-	UEPSA	VE IRZ	0 0502	11.57	1157				1190				
1	ISDN		1	UEPTX	VE1R2	0.0502	11 57	11 57	1			11 90		1	1	1
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		<del></del>	OLI IX	1021142	0.0002	1107	1101			<del> </del>	00				
	ISDN DS1		1	UEPEX	VE1R4	0 0502	11.57	11 57	i l			11 90			1	
VIRTUAL COL			<del>                                     </del>	<u> </u>	112011				· •							
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
1	Splitting	ĺ	1	UEPSR, UEPSB	VE1LS	0 0502	11 57		l i			11.90			1	i .
PHYSICAL CO	DLLOCATION		1													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				T						!					
	Splitting			UEPSR, UEPSB	PE1LS	0 0276	8 22	7.22	5.74	4 58		11.90				
AIN SELECTIV	/E CARRIER ROUTING										L					
	Regional Service Establishment			SRC	SRCEC		193,444 00		7.737 00			11 90				1
I	End Office Establishment	L	<b>—</b>	SRC	SRCEO		187 36	187.36	0.69	0.69	ļ	11.90				
	Query NRC, per query	L	<u> </u>	SRC	<b>4</b>	0.0031868									1	
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE	L	ļ											-	ļ	
1	AIN SMS Access Service - Service Establishment, Per State,	1			CANCE		42.50	40.50	4400	44.00		44.00		ŀ	1	
	Initial Setup		-	A1N	CAMSE		43 56	43 56	44 93	44 93	-	11 90		<b></b>	<del> </del>	<del> </del>
ļ	AIN CAR Annua Conson Bort Consoning Dial/Chart A	l		A1N	CAMDP		8 64	8 64	10 03	10 03		11.90.		ŀ	1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	<del>                                     </del>	<del> </del>	A1N	CAM1P		8 64	8 64		10.03		11.90		-	<del></del>	-
	AIN SMS Access Service - Port Connection - ISDN Access  AIN SMS Access Service - User Identification Codes - Per User	<u> </u>	+	AIII.	CANIT		0.04	0.04	10 00	10.03	<del> </del>	11.30			1	
1	ID Code	1	1	A1N	CAMAU		38.66	38 66	29.88	29 88	1	11 90	1	l	1	1

IINBIINDI F	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incrementa Charge -
			+				Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	L	<u>t</u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement		- 1	1N	CAMRC		75 10	75 10	12 93	12 93		11.90				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	<u> </u>				0 0028 0 7809										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per				_	0.7809				-				<b></b>		
	Minute	1	- 1			0 4609					ļ			[	i	
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE		$-\dagger$													
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			AM	BAPSC		43 56	43.56	44 93	44 93		11.90				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439 00	8,439 00				11 90				<b>I</b>
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		8 64	8 64	10 03	10 03		11.90				1
-+-	DN, Term, Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1			IDAPII		8 64	8 64	10 03	10 03		11.90	_			-
	DN, Off-Hook Delay				BAPTD	1	8 64	8 64	10 03	10.03		11.90				1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		+		1274 15		- 00+		10 00	10.00		11.00				
1	DN, Off-Hook Immediate	1 1			BAPTM		8 64	8 64	10 03	10 03		11 90		ļ	ĺ	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		38.06	38 06	15 86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per													i	ŀ	
	DN, CDP				BAPTC		38.06	38 06	15 86	15.86		11 90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTE		38 06	38.06	15 86	15 86		11 90				İ
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				DAPIF	0.0535927	36.00	36.00	13 00	15 60		1190				
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0000027										
1	Subscription, Per Node, Per Query					0 0063698										1
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8 64	8 64	6 08	6 08		11 90				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			AM	BAPLS	3 73	9 56	9 56				11.90		ļ		L
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		١,			4.70	2.24		0.00	0.00		44.00		ĺ		
	Subscription  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPDS	4 73	8 64	8 64	608	6 08		11.90				
	Service Subscription			AM	BAPES	0.12	9 56	9 56				11.90				1
NHANCED E	EXTENDED LINK (EELs)			7741			5 50	5 55	-			11.55				
	: New Density Zone 1 EELs are available in the following MSA	s: Orland	o, FL;	Miami, FL; Ft. La	auderdale, FL;	Atlanta, Ga; Nev	v Orleans, LA,									
NOTE:	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-	High Po	nt, NC	and Nashville,	TN		-									
	: In all states, EEL network elements shown below also apply t												UNEs (Non-re	curring rates	do not apply	.)
	In All States the EEL network elements apply to ordinarily co					rge.) When or	dering ordinar	ily combined r	retwork elemei	its, Non-recun	ing rates de	o appiy.				-
2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	EKOFFIC	EIKA	NSPORT (EEL)												-
	Combination - Zone 1		1 1	INCVX	UEAL2	12.24	127 59	60.54	42.79	2.81		11.90				-
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed				100.00	12.2.		50.0	12.10							
	Transport Combination - Zone 2	i	2 (	INCVX	UEAL2	17 40	127 59	60.54	42.79	2 81	İ	11.90		1	i	1
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3 (	INCVX	UEAL2	30 87	127 59	60.54	42 79	2 81		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			•												
	per month .			INC1X	1L5XX	0 1856								<u>.                                    </u>		
	Interoffice Transport - Dedicated - DS1 combination - Facility	1 1	I.	nio.			474 :0	400 :0		47.5-		44.55			1	1
	Termination per month DS1 Channelization System Per Month			INC1X INC1X	U1TF1 MQ1	88 44 146 77	174 46 51 83	122.46 10.75	45.61	17.95		11.90 11.90		<b> </b>	<del></del>	-
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month	1		INCVX	1D1VG	146 //	12.16	8.77	6 71	4.84		11.90			<del> </del>	
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		- 1		1.5.70	1 2	12.10	5.17	311	4.04		1130		<u> </u>		<del>                                     </del>
ŀ	Interoffice Transport Combination - Zone 1		1 (	JNCVX	UEAL2	12.24	127 59	60.54	42 79	2.81		11.90			1	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2 1	JNCVX	UEAL2	17.40	127,59	60.54	42 79	2.81		11 90				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		-	1101/	ULALE	17.40	121.05	00.04	42.73	2.01		1130				<del> </del>
	Interoffice Transport Combination - Zone 3	ı î	3 1	JNCVX	UEAL2	30.87	127 59	60 54	42 79	2.81	Į	11 90		i	i	i

OMBONDEE	D NETWORK ELEMENTS - Florida		1	<del></del>	г	1					Suc Order	Syn Order	Attachment: Incremental		Incremental	bit: B Increment
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge - Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>	<u> </u>		1400	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Voice Grade COCI - DS1 to DS0 Channel System combination -	Ì		UNCVX	1D1VG	1 38	12.16	8 77	671	4 84	i	11 90				
	per month  Nonrecurring Currently Combined Network Elements Switch -As-			DINCVA	IIDIVG	1 30	12.10	077	071	4 04		1130				
	Is Charge	l		UNC1X	UNCCC	i	8.98	8 98	8 98	8 98		11 90				
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60 54	42 79	2 81		11 90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81		11 90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	<b>-</b>		ONCVA	OLAL4	20 04	127 33	00 54	42.73	201	<del>                                     </del>	1130				
	Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile								·					,	ĺ	
	Per Month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINGAY	U1TF1	90.44	174 46	122.46	45 61	17 95		11 90			1	
	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	UTIFI	88.44	174 40	122.40	45 61	17 95		11 90				
l	Month			UNC1X	MQ1	146 77	51 83	10.75				11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			O.C.		11011	0130					11100				
	per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4 84		11 90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127.59	60.54	42 79	2.81		11 90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	LINOIN	LIEAL 4	20.04	407 E0	60.54	42 79	2 81		11.90				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		<del></del>	UNCVX	UEAL4	26 84	127 59	60.54	42 / 9	201		11.90				
1	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2.81		11 90				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ť	OHOVA	02,21	-11 02	12, 00									
	per month			UNCVX	1D1VG	1 38	12 16	8 77	671	4 84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	L		UNC1X	UNCCC		8 98	8 98	8 98	8 98		11 90				
4-WIRI	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	THICE	TRANSPORT (EEL)	-											
ļ	Transport Combination - Zone 1	İ	1	UNCDX	UDL56	22 20	127.59	60.54	42 79	2.81		11 90				
<del></del>	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		<del></del>	O.T.O.D.Y.					.2			.,,,,,,				
1	Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127.59	60.54	42 79	2 81		11 90				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice							•								
	Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127.59	60 54	42 79	2 81		11 90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41.5307	0.4050										
	Per Month Interoffice Transport - Dedicated - DS1 - combination Facility		├	UNC1X	1L5XX	0 1856										
i	Termination Per Month			UNC1X	U1TF1	88 44	174.46	122.46	45 61	17 95		11 90				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	146 77	51 83	10 75			1	11 90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				l											
	month (2 4-64kbs)	<u> </u>	<u> </u>	UNCDX	1D1DD	2 10	12 16	8.77	6 71	4 84	<u> </u>	11 90				
i	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNÇDX	UDL56	22 20	127 59	60 54	42 79	2 81		11 90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1	<del> </del>	+-	CHODA	JULUG	22 20	127 59	60 34	4219	201		1130				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60.54	42.79	2.81		11 90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1		1											
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60.54	42 79	2 81	ļ	11 90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -			LINODY	40400	ا میما	40.10	0.77		1		44.00			1	1
	combination per month (2 4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-		-	UNÇDX	1D1DD	2 10	12 16	8.77	6 71	4.84		11 90				ļ .
	INONrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC	l	8 98	8.98	8.98	8 98		11 90				
4-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.00	5.50	5.50	550		1, 50				<u> </u>
1, 1, 1, 1, 1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice											,				
	Transport Combination - Zone 1		. 1	UNCDX	UDL64	22 20	127.59	60.54	42 79	2 81		11 90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	I -		l	l	`			l		"					
- 1	Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81	1	11 90			l	

ONBONDE	ED NETWORK ELEMENTS - Florida										,		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			l			Rec	Nonrec		Nonrecurring		i			Rates(\$)		
						1,00	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42 79	2 81		11 90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45 61	17.95		11 90	·			
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 77	51 83	10 75				11 90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System			OILO IX	-	7.011	0.00				<del>                                     </del>					
	combination - per month (2 4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	2 10	12.16	8.77	6 71	4.84		11.90				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127.59	60 54	42 79	2.81		11 90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60 54	42 79	2 81		11 90				
-	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42 79	2 81		11 90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2 10	12.16	8 77	6 71	4 84		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98		11 90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TRA		0.110.00											
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 1  4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	70 74	217.75	121.62	51 44	14.45		11 90				
	Transport - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45		11 90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	178.39	217 75	121 62	51 44	14,45		11 90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856							,	:		
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95		11.90				
	Nonrecurning Currently Combined Network Elements Switch -As-					00 44							•			
	is Charge		<u></u>	UNC1X	UNCCC		8.98	8.98	8 98	8 98	<u> </u>	11 90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE First DS1Loop in DS3 Interoffice Transport Combination - Zone	ROFFI	CE TRA	ANSPORT (EEL)												
	1		1	UNC1X	USLXX	70 74	217.75	121.62	51.44	14.45		11 90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45		11 90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	178.39	217 75	121 62	51 44	14 45		11 90				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3 87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			CHOOK	122701	301										
	month			UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18 23		11 90				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	211 19	115 60	59 93	5 45	0 00		11 90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12 16	8.77	6 71	4 84		11 90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70 74	217 75	121 62	51.44	14 45		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51.44	14 45		11 90				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178 39	217.75	121.62	51.44	14 45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month		- 3	UNC1X	UC1D1	13.76	12 16	8 77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNC3X	UNCCC	10.70	8 98	8.98	8.98	8 98		11.90				
2-WID	IS Charge E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FROF	ICE TE		UNCCC		0 98	6.98	5.98	8 98		11.90				
C-AAIK	2-WireVG Loop used with 2-wire VG Interoffice Transport	LICOFF		CHOP OILT (EEL)	<b>†</b>									<u> </u>		
1	Combination - Zone 1		1 1	UNCVX	UEAL2	12.24	127 59	60.54	42 79	2.81	1	1190				

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						11.00	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2.81		11 90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127 59	60 54	42 79	2.81		11 90				
1	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0091					į					
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	25.32	94 70	52 59	50 49	21 53		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-					ŀ										$\overline{}$
	is Charge			UNCVX	UNCCC		8 98	8 98	8 98	8 98		11 90				
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE TI	RANSPORT (EEL)												-
1	4-WireVG Loop used with 4-wire VG Interoffice Transport		1	LINOLOG	UEAL4	18 89	127 59	60 54	42 79	2 81	1	11 90			ł	1
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVX												
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport	<del>                                     </del>	2	UNCVX	UEAL4	26 84	127 59	60 54	42.79	2 81		11.90				<del>                                     </del>
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81		11.90				
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	1L5XX	0 0091										<u> </u>
	combination - Facility Termination per month			UNCVX	U1⊤V4	22.58	94 70	52.59	50.49	21 53		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCVX	UNCCC		8 98	8 98	8 98	8 98		11 90				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOF	RT (EEL)							-					-
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10 92										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month	ŀ		UNC3X	UE3PX	386 88	249 97	162 05	67 10	26 82		11 90				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3 87								ì		
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	1,071 00	314 45	130.88	38.60	18 23	ĺ	11.90				
	Nonrecumng Currently Combined Network Elements Switch -As- is Charge			UNC3X	UNCCC		8 98	8 98	8 98	8 98		11 90				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	ANSP		0.1000		- 000				· · · - · · · · · · · · · · · · · · · ·					
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10 92										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	426 60	249 97	162 05	67 10	26 82		11 90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile oer month			UNCSX	1L5XX	3 87	2,001	102 00	3, 10	20 02		., 50				
+	Interoffice Transport - Dedicated - STS1 combination - Facility	<u> </u>		UNCSX	U1TFS	1,056 00	314 45	130 88	38.60	18 23		11 90				
	Termination per month Nonrecuring Currently Combined Network Elements Switch -As-	<b> </b>				UU 06U,I		-								
2 14/10	Is Charge  E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T /EF	<del></del>	UNCSX	UNCCC	-	8 98	8.98	8 98	8.98	-	11 90			<b> </b>	<del>                                     </del>
2-VVIR	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	T (EEL	<del> </del>													<del></del>
	Transport - Zone 1		1	UNCNX	U1L2X	19 28	127.59	60 60	42 79	2.81		11 90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	ļ	2	UNCNX	U1L2X	27 40	127 59	60.60	42 79	2 81		11 90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	<u> </u>	3	UNCNX	U1L2X	48 62	127.59	60.60	42 79	2 81		11 90				<u>L</u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combintion - Facility						,=									1
	Termination per month Channelization - Channel System DS1 to DS0 combination -			UNC1X	U1TF1	88 44	174 46	122.46	45 61	17 95		11 90				
	per month  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	-		UNC1X	MQ1	146.77	51.83	10.75				11 90				
i	combination - per month			UNCNX	UC1CA	3 66	12.16	8 77	6 71	4 84		11 90				

	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge
		ļ			1	Rec	Nonred First	umng Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1					FIISt	Auu i	FIISL	Addi	SOMEC	SOMAN	SUMAN	SOMAN	SOWIAN	SUMAN
'	Combination - Zone 1	1	1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81		11.90		ļ		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	ļ	2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	281		11 90				1
	Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81		11 90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		Ť	0.10.07	U.L.											
	combintaion- per month			UNCNX	UC1CA	3 66	12 16	8 77	6 71	4 84		11 90				
	Nonrecuring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		8 98	8 98	8 98	8 98		11 90				
4-WIRE	Is Charge  DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T		UNCCC		0 90	0.30	0.30	0 30		11 30				<del>                                     </del>
	First DS1 Loop in STS1 Interoffice Transport Combination -				1											
	Zone 1		1	UNC1X	USLXX	70 74	217 75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination -	1	2	LINGAV	USLXX	100 54	217 75	121 62	51 44	14 45		11.90				
	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -	1	2	UNC1X	USLAX	100 54	217 15	121 02	31 44	14 45		11.90		-		
	Zone 3	1	3	UNC1X	USLXX	178 39	217.75	121 62	51 44	14 45		11 90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile	1														
	Per Month			UNCSX	1L5XX	3 87										
	Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	U1TFS	1,056.00	314 45	130.88	38 60	18.23		11 90		•		
	Termination STS1 to DS1 Channel System conbination per month	<del>[</del>	-	UNCSX	MQ3	211 19	314 45	3.39	38 60	18.23		17 90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UÇ1D1	13 76	12.16	8 77	671	4 84		11 90				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															i
	Zone 1	<u> </u>	1	UNC1X	USLXX	70 74	217 75	121 62	51.44	14.45		11 90				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	ļ	2	UNC1X	USLXX	100.54	217 75	121 62	51 44	14 45		11 90				1
	Additional DS1Loop in STS1 Interoffice Transport Combination -	1		DINCIX	USLAA	100.04	217 13	121 02	31 44	14 45		11 90				
, ,	Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45		11 90		:		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13 76	12 16	8 77	6 71	4 84		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGON	LINGOO			0.00	0.00	0.00		44.00				
	Is Charge 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE T	PANS	UNCSX	UNCCC		8 98	8 98	8 98	8 98		11 90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE	TOARS	OK! (CEL)							-			-		
	Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60 54	42 79	2 81		11 90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60 54	42 79	2 81		11 90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNÇDX	UDL56	55 99	127 59	60.54	42.79	2 81		11 90				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	<u> </u>	Ť	CHOBA	00200		12. 00	55.51	12							
	Per Mile			UNCDX	1L5XX	0.0091										<u> </u>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINGSV	LIATE	40.44	04.70	50.50	50.40	04.50		44.00				1
	Facility Termination  Nonrecurring Currently Combined Network Elements Switch -As-	-		UNCDX	U1TD5	18 44	94 70	52.59	50.49	21.53		11 90		<del> </del>		
	Is Charge	1		UNCDX	UNCCC		8 98	8 98	8.98	8.98		11 90				
4-WIRE	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANSI	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 1 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	-	1	UNCDX	UDL64	22 20	127.59	60.54	42 79	2 81		11 90				
	Combination - Zone 2		2	UNCDX	UDL64	31 56	127.59	60.54	42 79	2 81		11 90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	55 99	127.59	60.54	42 79	2 81		11 90				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0 0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	-		UNCDA	ILDAA	0 0091					-			-		<del> </del>
	Facility Termination	1		UNCDX	U1TD6	18 44	94 70	52.59	50 49	21 53		11 90				
l i																<del></del>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	-		UNCDX	UNCCC		8 98	8 98	8 98	8 98	į	11 90				

NBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Manualiy	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred First	urnng Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
When	used as a part of a currently combined facility, the non-recurr	ng chai	raes do	not apply, but a S	witch As Is o	harge does app		Auu	Liist	Auu	SOURCE	JOHAN	JONIAN	SOMAN	SOMAN	SOMAN
	used as ordinarily combined network elements in All States, th															
	curring Currently Combined Network Elements "Switch As Is"													İ		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8 98	8 98	8.98	8 98		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps			UNCDX	UNCCC		8 98	8.98	8 98	8.98		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS1			UNC1X	UNCCC		8.98	8.98	8 98	8 98		11 90				
	Nonrecumng Currently Combined Network Elements Switch -As- is Charge - DS3			UNC3X	UNCCC		8.98	8 98	8 98	8 98		11 90				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	UNCCC		8.98	8 98	8 98	8 98		11 90				
NOTE	Is Charge - STS1 : Local Channel - Dedicated Transport - minimum billing period	l - Rela	w DS?			r months	0.96	0.80	0.90	0 90		11.90				
NOTE	Local Channel - Dedicated Transport - minimum bining period  Local Channel - Dedicated - 2-Wire Voice Grade Zone 1	Delo		UNCVX	ULDV2	19 66	265 84	46 97	37 63	4 00	<del> </del>	11 90			<del> </del>	<del> </del>
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1			UNCVX	ULDV2	27 94	265 84	46 97	37 63	4 00	-	11 90				<del> </del>
<del>-  </del>	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2			UNCXV	ULDV2	49 58	265 84	46 97	37 63	4 00		11 90				<del> </del>
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1			UNCVX	ULDV4	20 45	266 54	47 67	44 22	5 33		11 90				
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2			UNCVX	ULDV4	29.06	266 54	47 67	44 22	5 33		11.90	-			
	Local Channel - Dedicated - 4-Wire Voice Grade Zone3			UNCXV	ULDV4	51 56	266 54	47 67	44 22	5 33		11 90			· · · · · · · · · · · · · · · · · · ·	
	Local Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	36 49	216 65	183 54	24 30	16 95		11 90				
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	51.85	216 65	183 54	24 30	16 95	1	11 90				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	92.00	216.65	183 54	24 30	16 95		11.90				
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	8 50					i					
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	531.91	556.37	343 01	139 13	96 84		11 90				
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	8 50										
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	540 69	556 37	343 01	139 13	96 84		11 90				ļ
	nal Features & Functions:															
MULT	IPLEXERS			UXTD1	MQ1	146,77	101 42	71 62	11 09	10 49		11 90		<u>'</u>		
	Channelization - DS1 to DS0 Channel System  OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXIUI	MQ1	146.77	10142	/162	1109	10 49		11.90				
	month (2 4-64kbs)  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDL	1D1DD	2.10	10 07	7.08				11.90				
	month		1	UDN	UC1CA	3 66	10 07	7 08				1190			1	
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1 38	10 07	7 08				11 90				
	DS3 to DS1 Channel System per month	-		UXTD3	MQ3	211 19	199 28	118 64	40 34	39 07		11 90				
	STS1 to DS1 Channel System per month			UXTS1	MQ3	211 19	199.28	118 64	40.34	39 07	i	11.90				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	13 76	10 07	7 08				11 90				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
_	month  DS3 Interface Unit (DS1 COCI) used with Interoffice Channel		-	ULDD1	UC1D1	13.76	10.07	7 08				11 90				
	per month			U1TD1	UC1D1	13.76	10 07	7 08				11.90				
Sub-L	oop Feeder		<del> </del>	ÜNC1X	USBFG									<b></b>	<del> </del>	<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			UNC1X UNC1X	USBFG	42 59	133 77	78 02	85 16	21 21					<del> </del>	-
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			UNC1X UNC1X	USBFG	60.53	133 77	78 02	85 16	21.21				<del> </del>	<del>                                     </del>	<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			UNC1X	USBFG	107 39	133 77	78 02	85.16	21.21					<del>                                     </del>	<b> </b>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4			UNC1X	USBFG	1.5. 55	.0011	.002	33.10	2.21				· · · · · · · · · · · · · · · · · · ·	<del></del>	
BUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)				1									l -	1	
	ange Ports															T
	: Although the Port Rate includes all available features in GA, I	(Y, LA	S TN, ti	ne desired features	will need to	be ordered usir	g retail USOCs	5								
	E VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 40	3 74	3 63	1 88	1.80		11 90				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1 40	3 74	3 63	1.88	1 80		11 90				
+	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1 40	374	3 63	1 88	1 80		11 90				
-	Exchange Ports - 2-Wire VG unbundled Florida area calling with			UEPSR	UEPAF	1 40	3/4	3 63	1 88	1 00		11.90				

Version 3Q02 10/07/02 Page 19 of 53

UNBUN	DLE	NETWORK ELEMENTS - Florida												Attachment:			bit: B
CATEGOR	ĽΥ	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
				<u> </u>		1	1,00	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	i	Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability			UEPSR	UEPA9	1 40	3 74	3 63	1 88	1 80		11 90				
		Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID			UEP\$R	UEPA1	1 40	3.74	3 63	1 88	1 80	i	11 90				
		Exchange Ports - 2-Wire VG unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1 40	3.74	3 63	1 88	1 80		11 90				
		Exchange Ports - 2-Wire VG unbundled res, low usage line port		<u> </u>													
		with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID		ļ	UEPSR	UEPAP	1 40	3.74	3 63	1 88	1 80		11 90				
		Capability		l	UEPSR	UEPRT	1 40	3 74	3 63	1 88	1 80		11 90				
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				11 90				
FE	ATU																
<u> </u>		All Available Vertical Features	-	ļ	UEPSR	UEPVF	2 26	0.00	0 00				11.90			L	
2-1		VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID -										<del> </del>					
		Bus		<u> </u>	UEPSB	UEPBL	1 40	3 74	3 63	1 88	1 80		11 90				
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 40	3 74	3 63	1 88	1.80		11 90				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 40	3 74	3 63	1 88	1 80	-	11 90				
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.40	374	3 63	1 88	1 80		11 90				
		2-Wire voice unbundled incoming Only Port without Caller ID															
		Capability			UEPSB	UEPBE	1 40	3 74	3 63	1 88	1 80		11 90				
		Subsequent Activity			UEPSB	USASC	0 00	0 00	0 00				11 90				
FE	ATU				LIEBOD	1,150,45	0.00	0.00	0.00				11.00				
		All Available Vertical Features NGE PORT RATES (DID & PBX)		-	UEPSB	UEPVF	2 26	0.00	0 00				11 90		l I		
EX		2-Wire VG Unbundled 2-Way PBX Trunk - Res		<b></b>	UEPSE	UEPRD	1 40	39 06	18 18	12 35	0 7187		11 90				
<del>                                     </del>		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		<del>                                     </del>	UEPSP	UEPPC	1 00	39 06	18 18		0 7187		11 90				
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 40	39.06	18.18		0.7187		11 90				
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEP\$P	UEPP1	1 40	39 06	18.18		0 7187		11 90				
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 40	39.06	18.18		0 7187		11 90				··· ···
		2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPSP	UEPLD	1 40	39 06	18 18	12 35	0 7187		11 90				1
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 40	39 06	18.18	12 35	0 7187		11 90				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39 06	18.18		0.7187		11 90				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 40	39 06	18 18		0 7187		11 90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 40	39 06	18 18	12 35	0 7187		11 90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.40	39 06	18 18	12 35	0.7187		11 90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.40	39 06	18 18	12.35	0 7187		11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1 40	39 06	18 18	12 35	0 7187		11 90				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital									·						1
		Discount Room Calling Port		<del> </del>	UEPSP	UEPXO	1 40	39 06	18 18	12 35	0 7187		11 90		ļ		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity		├	UEPSP UEPSP	UEPXS	1,40	39 06 0 00	18.18 0.00	12 35	0 7187		11 90 11 90			ļ	
- CE	ATU			-	UEFSF	USASC	0.00	0 00	0.00				1190				
H #		All Available Vertical Features		<del></del>	UEPSP UEPSE	UEPVF	2.26	0 00	0.00	<del></del>	<del></del>		11 90				
FX		NGE PORT RATES (COIN)				1	0	2 00	2.00				50			l	
<u>-</u>		Exchange Ports - Coin Port			<u> </u>		1 40	3 74	3 63	1 88	1 80		11 90			i	1
	TE:	Transmission/usage charges associated with POTS circuit sv					d voice and/or	circuit switche	ed data transn	nission by B-Ch	annels associ						
NC	TE:	Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
		OCAL EXCHANGE SWITCHING(PORTS)															
EX		NGE PORT RATES				1				ļ							
		Exchange Ports - 2-Wire DID Port		<u> </u>	UEPEX	UEPP2	8.73	78 41	15 82	41 94	4 26	ļ	11 90			1.83	
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	54 95	151 11	77 75	48 81	3 10		11 90			1.83	

UNBUNDL	LED NETWORK ELEMENTS - Florida												Attachment:	2	Exhil	bit: B
CATEGORY		Interi m	one I	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates(\$)		
				.===.		1 1	First	Add'I	First	Add'I	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
<b></b>	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	-	UEPTX L		U1PMA UEPVF	8.83 2.26	46 83 0 00	50.68 0.00	27.64	11 93		11 90 11 90			1 83 1.83	<del></del>
	All Features Offered  E: Transmission/usage charges associated with POTS circuit si								inguan bu C C		nata al cuith. 3				1.03	<del></del>
	E. Access to B Channel or D Channel Packet capabilities will be													Poguact Pro	2000	<del></del>
NOI	Exchange Ports - 2-Wire ISDN Port Channel Profiles	avallable	UEPTX (		U1UMA		0.00	0 00		etermineo via i	ne bona ric	e Request	New business	Request Pro	cess.	<del></del>
<del></del>	Exchange Ports - 4-Wire ISDN Port — Chariner Profiles	<del>  -</del>	UEPEX		UEPEX	0.00 82 74	174 61	95 17		18.23		11.90			1 83	<del></del>
<del>                                      </del>	BUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	ļ <u> </u>	UEPEX		UEPEX	02 14	17401	93 17	49 60	10.23	-	11.50			1 03	
	BUNDLED REMOTE CALL FORWARDING CAPABILITY BUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE						<del></del>		1.							<del></del>
UNB	Unbundled Remote Call Forwarding Service, Area Calling, Res		UEPVR		UERAC	1.40	3 74	3 63	1 88	1 80	-	11 90				<del> </del>
<u> </u>	Unbundled Remote Call Forwarding Service, Area Calling, Res		UEPVK		UERAC	1.40	3 /4	3 63	100	1 00	-	1190				<del></del>
i I	Unbundled Remote Call Forwarding Service, Local Calling - Res	1 1	UEPVR		UERLC	1.40	3 74	3.63	1.88	1 80		11.90			l	i .
<del>  </del>	Unbundled Remote Call Forwarding Service, InterLATA - Res	$\vdash$	UEPVR		UERTE	1.40	3 74	3.63	1 88	180	+	11.90				<del> </del>
<b></b>	Unbundled Remote Call Forwarding Service, IntelEATA - Res		UEPVR		UERTR	1.40	3 74	3.63	1.88		-	11.90				<del> </del>
No.			CEPVK		OEKIK	1.40	374	3.00	1.00	1 00		11.50				<del></del>
Non-	-Recurring Unbundled Remote Call Forwarding Service - Conversion -	$\vdash$	-			+				<del>                                     </del>						<del></del>
1	Switch-as-is		UEPVR		USAC2	1	0 102	0 102				11.90			į.	ĺ
<del></del>	Unbundled Remote Call Forwarding Service - Conversion with	-	OEFVI		USACZ	<del> </del>	0 102	0 102				. 11.90			ļ	<del>                                     </del>
	allowed change (PIC and LPIC)		UEPVR		USACC		0 102	0 102						ŀ		j
1.11.12	BUNDLED REMOTE CALL FORWARDING - Bus		UEPVR		USACC		0 102	0 102								<del></del>
UNB	SUNDLED REMUTE CALL FORWARDING - Bus		_													<del></del>
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1	UEPVB		UERAC	1.40	3.74	3.63	1,88	1,80		11 90				1
	Sibalia da Holling Sall Forwarding Sall Hoop Food Salling Sall															
1 1	Unbundled Remote Call Forwarding Service, Local Calling - Bus		UEPVB		UERLC	1.40	3 74	3.63	1.88	1 80		11 90				l .
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		UEPVB		UERTE	1 40	3 74	3 63	1 88	1 80		11 90				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		UEPVB		UERTR	1.40	3 74	3 63	1 88	1 80		11 90				$\overline{}$
	Unbundled Remote Call Forwarding Service Expanded and								1							
	Exception Local Calling		UEPVB		UERVJ	1 40	3 74	3 63	1 88	1 80		11 90				1
Non	-Recumng								l		,			<u> </u>		L
	Unbundled Remote Call Forwarding Service - Conversion -													,		1
	Switch-as-is		UEPVB		USAC2		0 102	0 102				11 90				[
	Unbundled Remote Call Forwarding Service - Conversion with															1
	allowed change (PIC and LPIC)		UEPVB		USACC		0 102	0 102								<u> </u>
	D LOCAL SWITCHING, PORT USAGE															1
End	Office Switching (Port Usage)															1
	End Office Switching Function, Per MOU					0 0007662										ı
	End Office Trunk Port - Shared, Per MOU					0.000164			l							ĺ
Tano	dem Switching (Port Usage) (Local or Access Tandem)															(
	Tandem Switching Function Per MOU					0 0001319			Ì							ĺ
	Tandem Trunk Port - Shared, Per MOU					0.000235			l							
Com	amon Transport															(
	Common Transport - Per Mile, Per MOU					0 0000035			i							ĺ
	Common Transport - Facilities Termination Per MOU					0.0004372										
	D PORT/LOOP COMBINATIONS - COST BASED RATES							·								
Cost	t Based Rates are applied where BellSouth is required by FCC ar	nd/or State	Commission	n rule to pro	vide Unbun	dled Local Swit	ching or Swite	h Ports.								
Feat	ures shall apply to the Unbundled Port/Loop Combination - Cos	t Based Ra	te section in	ı the same n	nanner as th	ey are applied t	o the Stand-Al	one Unbundle	ed Port section	of this Rate E	xhibit.		·			
End	Office and Tandem Switching Usage and Common Transport Us	age rates	in the Port s	ection of thi	s rate exhib	it shall apply to	all combination	ns of loop/po	rt network eler	nents except	for UNE Coi	n Port/Loop	Combination	15.		
	first and additional Port nonrecurring charges apply to Not Curr	ently Com	bined Comb	os. For Curr	ently Combi	ined Combos th	e nonrecurring	g charges sha	II be those ide	ntified in the N	lonrecurring	- Currently	Combined se	ections.		
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)								L							
UNE	Port/Loop Combination Rates					L										
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1 UEPRX		UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2 UEPRX		UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3 UEPRX		UEPLX	24 63										
2-Wi	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence		UEPRX		UEPRL	1 17	53 31	26.46	27 50	8.37		11 90				
	2-Wire voice unbundled port with Caller ID - res		UEPRX		UEPRC	1 17	53,31	26 46	27 50	8.37		11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ļ			Rec	Nonred		Nonrecurring		COMEO	SOMAN	OSS	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port outgoing only - res		1	UEPRX	UEPRO	1.17	First 53 31	Add'I 26.46	First 27.50	Add'l 8 37	SUMEC	11.90	SOMAN	SOWAN	SUMAN	SOMAN
_	2-vvive voice unburiored port oatgoing only - res	<u> </u>		CLITO	OLI NO	1.11	33 31	20.40	27.00	0.07	<del> </del>	, 1.50				
1	2-Wire voice unbundled Florida Area Calling with Caller ID - res		1	UEPRX	UEPAF	1 17	53 31	26 46	27 50	8 37		11 90				l
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)  2-Wire voice unbundled Florida extended dialing port for use			UEPRX	UEPAP	1 17	53 31	26 46	27 50	8 37		11 90				
	with CREX7 and Caller ID			ŲĖPRX	UEPA1	1.17	53 31	26 46	27 50	8 37		11 90			1	
	2-Wire voice unbundled Florida extended dialing port for use			OZI TOC	- OLI AI		50.51	20 40	2, 00	0 07		1100				
	with CREX7, without Caller ID capability			UEPRX	UEPA8	1 17	53 31	26,46	27 50	8 37		11 90				
	2-Wire voice unbundled Florida Area Calling Port without Caller										ļ					1
	ID Capability	<b>—</b>	<del> </del>	UEPRX	UEPA9	1.17	53 31	26.46	27 50	8 37		11 90			ļ	<del></del>
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.17	53 31	26.46	27.50	8 37		11.90				
FEAT			<b>†</b> •				30 31	20.70	27.50		<del>                                     </del>	1			·····	····
	All Features Offered			UEPRX	UEPVF	2 26	0 00	0 00				11.90				
LOCA	L NUMBER PORTABILITY												,			
	Local Number Portability (1 per port)		<del> </del>	UEPRX	LNPCX	0.35										ļ
NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-							<b></b>	-						<del> </del>
	Switch-as-is			UEPRX	USAC2		0 102	0 102				11.90				j
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1 1 1											i e
	Switch with change			UEPRX	USACC		0 102	0 102				11.90				
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0 00	0.00				11.90				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		+	UEFKA	USASZ	0.00	0.00	0.00		-	<u> </u>	, 1.30				-
	ort/Loop Combination Rates		1													<u> </u>
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15 05					L		, .	·		
	2-Wire VG Loop/Port Combo - Zone 3		3			25 80										
UNE L	oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1		1	VEPBX	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2	<u> </u>	2	UEPBX	UEPLX	13 88										1
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	24 63										<del>                                     </del>
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus		<del> </del>	UEPBX	UEPBL	1 17	53.31	26 46	27 50	8 37		11 90				
	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus	<u> </u>	<del> </del>	UEPBX UEPBX	UEPBC UEPBO	1 17 1 17	53 31 53.31	26 46 26.46	27.50 27.50	8.37 8.37		11 90 11 90			· · · · · ·	<del> </del>
	2-Wire voice unbundled incoming only port with Caller ID - Bus		+	UEPBX	UPEB1	1 17	53.31	26.46	27.50	8.37		11 90				<del> </del>
	2-Wire voice unbundled incoming Only Port without Caller ID		<b>-</b>	OCI DA	U. LD.		00.01	20.40	2. 00	0.01						
	Capability			UEPBX	UEPBE	1 17	53 31	26 46	27.50	8 37		11 90				
LOCA	NUMBER PORTABILITY															
	Local Number Portability (1 per port)		<u> </u>	UEPBX	LNPCX	0 35										ļ
FEAT	All Features Offered		-	UEPBX	UEPVF	2 26	0.00	0.00			-	11 90				<del> </del>
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	GEI DX	- ULI VI		0.00				<del> </del>					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		T										-			1
	Switch-as-is			UEPBX	USAC2		0.102	0.102				11 90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDBY	USACC		0 102	0.102				44.00			1	
ADDIT	Switch with change		<del> </del>	UEPBX	USACC		0 102	0,102			<del> </del>	11 90			<b>—</b>	<del></del>
AUDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															<del>                                     </del>
	Activity			UEPBX	USAS2		0.00	0.00			<u></u>	11 90			L	1
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE P	ort/Loop Combination Rates		<u> </u>			40.01										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		1 2			10.94 15.05			<del> </del>		<del>                                     </del>					<del> </del>
<del>-  </del>	2-Wire VG Loop/Port Combo - Zone 2		3			25.80						-			<del></del>	t
UNFI	oop Rates		1						1	•					1	1

INRONDLED NET	WORK ELEMENTS - Florida												Attachment:			ibrt: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	9.77										Ļ
	Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13 88										Ļ
	Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24 63										
	Frade Line Port Rates (RES - PBX)		<u> </u>													<u> </u>
Res	VG Unbundled Combination 2-Way PBX Trunk Port -			UEPRG	UEPRD	1 17	174 81	100 65	75 88	12 73		11 90				
	ER PORTABILITY															<b></b>
	lumber Portability (1 per port)			UEPRG	LNPCP	0.00	0.00	0 00				11 90				<b></b>
FEATURES					,											
All Fea	tures Offered	<u> </u>		UEPRG	UEPVF	2.26	0 00	0.00				11 90				
	NG CHARGES (NRCs) - CURRENTLY COMBINED	—	<u> </u>						<b></b>	1	1	ļ				
	Voice Grade Loop/ Line Port Combination (PBX) -		ł			· · ·					1		1			1
	sion - Switch-As-Is	ļ	ļ	UEPRG	USAC2		8 45	1 91	<u> </u>	ļ	-	11 90				
	Voice Grade Loop/ Line Port Combination (PBX) -	I			1				1		1		1			i
	sion - Switch with Change	-	ļ	UEPRG	USACC		8 45	1.91		ļ	<u> </u>	11 90				ļ
ADDITIONAL N		<b></b>	<u> </u>								ļ					
	Voice Grade Loop/ Line Port Combination (PBX) -		1	l	1						1					
	quent Activity	1	<u> </u>	UEPRG	USAS2	0 00	0 00	0.00	ļ		ļ	11 90				<del> </del>
	ubsequent Activity - Change/Rearrange Multiline Hunt	ĺ	1			i							1		l	1
Group		<u> </u>					7 86	7 86		<b></b>	ļ. <u>.</u> .	11 90				ļ
	GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										ļ					<b></b>
	Combination Rates	<b>-</b>									ļ					<del></del>
	VG Loop/Port Combo - Zone 1		1			10 94			-	·	<del> </del>	<b></b>				<del></del>
	VG Loop/Port Combo - Zone 2	<u> </u>	2			15 05					ļ		<del> </del>			
	VG Loop/Port Combo - Zone 3	<u> </u>	3			25 80				<del> </del>				<u> </u>		<del></del>
UNE Loop Rat		1	-	LIEDOV	UEPLX	9 77			<u> </u>	<b></b>	-					<del> </del>
	Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEPPX UEPPX	UEPLX	13 88			1	<u> </u>	Ļ					
	Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	24 63			ļ				-			<b>├</b>
	Voice Grade Loop (St. 1) - Zone 3 irade Line Port Rates (BUS - PBX)		3	UEPPA	UEPLA	24 63				<del>                                     </del>						<del></del>
2-wire voice G	rade Line Port Rates (BOS - PBA)		├							+						
	de Unbundled Combination 2-Way PBX Trunk Port - Bus		t	UEPPX	UEPPC	1 17	174.81	100.65	75.88	12.73	i	11 90				1
	de Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	174.81	100.65		12.73		11 90				<del>                                     </del>
	de Unbundled Incoming PBX Trunk Port - Bus	<del> </del>		UEPPX	UEPP1	1 17	174 81	100 65				11 90	<del> </del>			<del>                                     </del>
	Voice Unbundled PBX LD Terminal Ports	1	<del>                                     </del>	UEPPX	UEPLD	1,17	174 81	100.65		12.73		11 90				<del></del>
	Voice Unbundled 2-Way Combination PBX Usage Port	<del>                                       </del>	-	UEPPX	UEPXA	1.17	174 81	100.65		12.73		11 90	<del> </del>			+
	Voice Unbundled PBX Toll Terminal Hotel Ports		├	UEPPX	UEPXB	1 17	174 81	100.65		12.73		11 90				<del>                                     </del>
	Voice Unbundled PBX LD DDD Terminals Port	<del> </del>	+	UEPPX	UEPXC	1,17	174 81	100.65				11 90	<del> </del>	-		<b>——</b>
	Voice Unbundled PBX LD Terminal Switchboard Port		<b>-</b>	UEPPX	UEPXD	1 17	174 81	100.65		12 73		11 90				
2-Wire	Voice Unbundled PBX LD Terminal Switchboard IDD	1		OLI I X	- OLI AB	- ' '	11401	100.00	7 3.30	12.70	<del> </del>	11.00		<u></u>		
Capabi		1		UEPPX	UEPXE	1 17	174 81	100 65	75.88	12 73		11 90	1			1
2-Wire	Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	1 17	174.81	100 65		12 73		11 90				
2-Wire	strative Calling Port Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<u> </u>														
2-Wire	Calling Port Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<b> </b>	<del>                                     </del>	UEPPX	UEPXM	1 17	174 81	100 65		12 73		11 90	<del> </del>			
	nt Room Calling Port	<u> </u>	<b>├</b>	UEPPX	UEPXO	1 17	174 81	100 65		12 73		11.90	ļ		ļ	
	Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 17	174 81	100 65	75 88	12.73		11.90				<u> </u>
	ER PORTABILITY	<del> </del>	ļ						<b> </b>	<del> </del>			<b></b>		<b> </b>	<del>                                     </del>
	lumber Portability (1 per port)	-	├	UEPPX	LNPCP	3 15	0.00	0 00		-		11.90	-			<b> </b>
FEATURES		ļ	<u> </u>	UEDDY	LUEBS =					ļ	ļ		ļ			
	tures Offered	<u> </u>	<u> </u>	UEPPX	UEPVF	2 26	0 00	0 00	1	1		11 90				
	NG CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	<u> </u>						-	-	-				l	<del> </del>
	Voice Grade Loop/ Line Port Combination (PBX) - sion - Switch-As-Is			UEPPX	USAC2		8 45	1 91				11 90				
	Voice Grade Loop/ Line Port Combination (PBX) -	T													İ	
Conven	sion - Switch with Change	1	1	UEPPX	USACC	l	8 45	1 91		1		11 90	1		1	1
ADDITIONAL N		1	1						1							1

OMBOMDLE	D NETWORK ELEMENTS - Florida		т								C O	C 0-4	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Si Order vs Electronic Disc Add
			ļ			Rec	Nonrec		Nonrecurring					Rates(\$)		
	D 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<u> </u>	_			First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ľ	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		į.	UEPPX	USAS2	0 00	0.00	0.00	I		1	11 90				i
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1	OLF F X	100002	0 00	0.00	0.00				1100				
	Group		İ				7.86	7 86	- 1			11 90				
2-WIR	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT.														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo Zone 1		1			10 94										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		_	15 05										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			25 80					ļ					
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	9 77					ļ					
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	13 88										
0.146	2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Ports (COIN)		3	UEPCO	UEPLX	24 63					<del>                                     </del>		-			
2-Wire	2-Wire Coin 2-Way with Operator Screening and Blocking 011.	<del> </del>	-		+ +		-				-	-				<del> </del>
	900/976. 1+DDD (FL)		1	UEPCO	UEP2F	1 17	53 31	26 46	27 50	8 37		11.90				1
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			00.00	OL: Zi		0001	20 10	2, 00			11100				
	(FL)	1		UEPCO	UEPFA	1 17	53 31	26 46	27.50	8 37	i	11 90	1			i
	2-Wire Coin 2-Way with Operator Screening and Blocking.	<del>                                     </del>	1	021 00	- 00.77	· ' ''		20 10	27.00			11.00				
- 1	900/976, 1+DDD, 011+, and Local (FL)	İ	1	UEPCO	UEPCG	1.17	53 31	26.46	27 50	8 37	1	11 90				
	2-Wire Coin Outward with Operator Screening and 011 Blocking				1	-					1					
1	(AL, FL)			UEPCO	UEPRK	1.17	53 31	26 46	27.50	8 37		11.90				ŀ
	2-Wire Coin Outward with Operator Screening and Blocking.															
.	900/976, 1+DDD, 011+ (FL)		<u> </u>	UEPCO	UEPOF	1 17	53 31	26 46	27 50	8 37		11.90				
	2-Wire Coin Outward with Operator Screening and Blocking															
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1 17	53 31	26 46	27.50	8 37		11 90				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 17	53 31	26.46	27.50	8 37		11 90			<u> </u>	
	2-Wire Coin Outward Smartline with 900/976 (all states except	1	1	l	I I						İ		ì			
	ILA)		<u> </u>	UEPCO	UEPCR	1.17	53 31	26 46	27.50	8 37	ļ	11 90				
ADDIT	IONAL UNE COIN PORT/LOOP (RC)		1	1.5500	USEOU	1 86	53 31	26 46	27 50	8 37		11.90				
	UNE Coin Port/Loop Combo Usage (Flat Rate)	-	1	UEPCO	URECU	186	53 31	26 46	27 50	8 3 /		11.90	<u> </u>			
LOCA	NUMBER PORTABILITY		<del></del>	ÜEPCO	LNPCX	0 35					-	-				
NONE	Local Number Portability (1 per port) ECURRING CHARGES - CURRENTLY COMBINED		<del> </del>	UEPCU	LINPCA	0.35 !					<del> </del>		<u> </u>			-
NUNK	2-Wire Voice Grade Loop / Line Port Combined - Conversion -		-									-	_			
l	Switch-as-is	l		UEPCO	USAC2		0 102	0 102				11.90				}
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-	+	OLF CO	OOAOZ		0 102	0 102			1	11.50				-
	Switch with change		1	UEPCO	USACC	ŀ	0 102	0 102	1		1	11.90			1	
ADDIT	IONAL NRCs		1	32, 33							-					
1,000	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1											
l l	Activity	ļ		UEPCO	USA\$2	1	0.00	0 00	1		1	11.90			!	
2-WIR	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)											·	
UNE P	ort/Loop Combination Rates		1						- 1		1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64									l	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80				·						
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE L	oop Rates	1	ļ								ļ		ļ	ļ		ļ
	2-Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>	1	UEPFR	UECF2	12 24										
	2-Wire Voice Grade Loop (SL2) - Zone 2	<del></del> -	2	UEPFR	UECF2	17.40					1				-	-
0.15**	2-Wire Voice Grade Loop (SL2) - Zone 3	<u> </u>	3	UEPFR	UECF2	30.87	-				<del> </del>				-	-
2-Wire	Voice Grade Line Port Rates (Res)	<del></del>		UEPFR	UEPRL	1.40	174 81	100 65	75 88	12 73		11 90			l	<del> </del>
<del></del>	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		<del> </del>	UEPFR	UEPRC	1.40	174.81	100.65	75.88	12 73		11 90			<del>                                     </del>	<del> </del>
	2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res		<del> </del>	UEPFR	UEPRO	1 40	174 81	100.65	75.88	12 73		11 90			<b></b>	
	22-YYME VOICE UNDUNOISED PORT OUTGOING ONLY - 165		+-	OLFER	- OLFAU	1 40	17401	100.03	13 00	12/3	<del>                                     </del>	11 30			<b>-</b>	<del>                                     </del>
	2-Wire voice unbundled Florida Area Calling with Caller ID - res	1		UEPFR	UEPAF	1 40	174 81	100.65	75.88	12 73	1	11.90			1	
<del>                                     </del>	2-Wire voice unburidles res, low usage line port with Caller ID	<del>                                     </del>	+		0		11-01	100.00	7 0.00	12 70			1			
l	(LUM)	1		UEPFR	UEPAP	1 40	174 81	100 65	75 88	12 73		11 90				
	OFFICE TRANSPORT	<del></del>	+		+2	. 10	.,	40	1.00	10	<del>                                     </del>	1			<del> </del>	1

NUBRANDLED NE	TWORK ELEMENTS - Florida			,							T		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
					_	Rec	Nonrec		Nonrecurring		201150	ÓOMAN		Rates(\$)	0011411	
	# T		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	UEPFR	U1TV2	25.32	47 35	31.78								
	nation iffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	-	UEPFR	01172	25.32	47 30	31.76								
	action Mile	1		UEPFR	1L5XX	0 0091									Į.	
FEATURES	acdorr wille			OLI TIK	120/01	- 0 0001							-			
	eatures Offered			UEPFR	UEPVF	2 26	0 00	0 00				11 90				
LOCAL NUM	BER PORTABILITY															
	Number Portability (1 per port)			UEPFR	LNPCX	0 35										
	RING CHARGES (NRCs) - CURRENTLY COMBINED				1											
	e Loop / Dedicated IO Transport / 2 Wire Line Port					1						44.00				
	nation - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73				11 90				
	e Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USACC		16 97	3 73			1	11 90			1	
	nnation - Conversion - Switch-With-Change E LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	PORT /		USACC		10 97	3/3			-	(130	-		<del> </del>	
	op Combination Rates	LINE	1	1												
	e VG Loop/IO Tranport/Port Combo - Zone 1		1		<del></del>	13.64										<u> </u>
	e VG Loop/IQ Tranport/Port Combo - Zone 2		2		-	18.80										
	e VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE Loop Ra		T	1												T	
2-Wir	e Voice Grade Loop (SL2) - Zone 1			UEPFB	UECF2	12.24										
2-Wır	e Voice Grade Loop (SL2) - Zone 2	Ţ		UEPFB	UECF2	17 40										
	e Voice Grade Loop (SL2) - Zone 3	<u> </u>	3	UEPFB	UECF2	30.87										
	Grade Line Port (Bus)		<u> </u>													
	e voice unbundled port without Caller ID - bus		1	UEPFB	UEPBL	1.40	174 81 174 81	100 65 100 65	75.88 75.88	12.73 12.73		11.90 11.90				
	e voice unbundled port with Caller + E484 ID - bus	<del></del>	ļ	UEPFB UEPFB	UEPBC UEPBO	1.40	174 81	100 65	75.88 75.88	12 73		11.90				
	e voice unbundled port outgoing only - bus e voice unbundled incoming only port with Caller ID - Bus	-	<del> </del>	ÜEPFB	UEPB1	1.40	174 81	100.65	75.88	12 73	<del>                                     </del>	11.90				
	BER PORTABILITY		-	CLITB	00, 01	1.40	1/401	100.00	10.00	12.10		1.00				
	Number Portability (1 per port)	<del> </del>	<del> </del>	UEPFB	LNPCX	0 35										
	E TRANSPORT		1													
	ffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1													
	nation		ļ	UEPFB	U1TV2	25 32	47 35	31 78			1				İ	
Intero	ffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	action Mile			UEPFB	1L5XX	0 0091										
FEATURES			1		<del></del>						<u> </u>					
	eatures Offered			UEPFB	UEPVF	2 26	0 00	0 00				11 90				
	RING CHARGES (NRCs) - CURRENTLY COMBINED		-					-								
	e Loop / Dedicated IO Transport / 2 Wire Line Port pination - Conversion - Switch-as-is	1	-	ŲEPFB	USAC2	1	16 97	3 73				11 90				
	e Loop / Dedicated IO Transport / 2 Wire Line Port		$\vdash$	QCFFB	USACZ		10 37	373			<del> </del>	1130				
	pination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73				11 90				
	E GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			V=1.12												
	op Combination Rates															
	e VG Loop/IO Tranport/Port Combo - Zone 1		1			13 64										
	e VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80					L					
	e VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE Loop Ra		<u> </u>	<del></del>													
	e Voice Grade Loop (SL2) - Zone 1	ļ	1	UEPFP	UECF2	12 24										
	e Voice Grade Loop (SL2) - Zone 2	-	3	UEPFP UEPFP	UECF2	17 40 30 87					-					
	e Voice Grade Loop (SL2) - Zone 3 Grade Line Port Rates (BUS - PBX)	-	+3	OFFE	UEUTZ	30 6/										<del>                                     </del>
Z-VAILE AOICE	Glade Lille Folt Rates (DOS - FDA)	<del>                                     </del>	<b></b>	<del> </del>	-										<b> </b>	-
Line S	Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPFP	UEPPC	1 40	174 81	100 65	75 88	12 73		11 90		1		1
	Side Unbundled Outward PBX Trunk Port - Bus		<b>†</b>	UEPFP	UEPPO	1 40	174 81	100 65	75 88	12 73		11.90			ļ	
	Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 40	174 81	100 65	75 88	12 73		11 90				
	e Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1 40	174.81	100 65	75.88	12.73		11.90			l	L
2-Win	e Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 40	174 81	100 65	75 88	12 73		11.90				
	e Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 40	174 81	100 65	75 88	12 73		11.90				
2.146-	e Voice Unbundled PBX LD DDD Terminals Port	1	1	UEPFP	UEPXC	1.40	174 81	100.65	75 88	12 73		11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida													Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	вс	cs	USOC			RATES(\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
							Rec	Nonrec			Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			ÜEPFP		UEPXD	1 40	174 81	100 65	75 88	12.73		11 90	_			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															1	!
	Capable Port			UEPFP		UEPXE	1 40	174 81	100 65	75 88	12 73		11 90				
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	ļ.										1					ĺ
	Administrative Calling Port		ļ	UEPFP		UEPXL	1 40	174 81	100 65	75 88	12 73		11 90				<del></del>
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	İ	1	UEPFP		UEPXM	1 40	174 81	100 65	75 88	12 73		11 90		1		
	Room Calling Port	├	<del>                                     </del>	UEPFP		UEPAM	1 40	1/4 61	100 00	15 00	12 /3		1190				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		1	UEPFP	1.	UEPXO	1 40	174 81	100 65	75 88	12 73		11 90		i		į
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	├	UEPFP		UEPX\$	1 40	174 81	100.65	75.88	12 73		11.90				
LOCAL	NUMBER PORTABILITY	<del></del>	1	JEI 1F		J_1 //J	1 40	11701	100.00	10.00	12.10						t
LUCA	Local Number Portability (1 per port)		<del> </del>	UEPFP		LNPCP	3 15	0.00	0 00	t		<b> </b>	11 90				<b>T</b>
INTER	OFFICE TRANSPORT		$\vdash$	<del></del>			- ,,,			<del>                                     </del>							
,,,,,,,,,	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l	t							1						1	
	Termination		i	UEPFP	ļ	U1TV2	25 32	47 35	31 78							1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1													1	
i	or Fraction Mile		l	UEPFP		1L5XX	0.0091										
FEAT			ļ														
	All Features Offered			UEPFP		ÜEPVF	2 26	0.00	0 00				11 90			<u> </u>	
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1							1		1					1
	Combination - Conversion - Switch-as-is			UEPFP		USAC2		16 97	3 73				11 90				-
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	į					l i			1					ł		
	Combination - Conversion - Switch with change		ļ	UEPFP		USACC		16 97	3 73	<b>!</b>		ļ	11 90				
	PORT/LOOP COMBINATIONS - COST BASED RATES											<u> </u>			ļ <u></u>		ļ
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	ļ							ļ		ļ			-	<del> </del>	├
UNE P	ort/Loop Combination Rates		-				20 95					-			_		<del></del>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1 2				26 11			<del>                                     </del>		-				<del> </del>	+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				39.58			<del> </del>		<del> </del>					<del></del>
IIME I	oop Rates		+-				35.50			<del> </del>		<del> </del>			<u> </u>		
UNEL	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12 24			1			11 90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX		UECD1	17 40						11 90			1.83	<del></del>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX		UECD1	30 87			<del></del>			11 90		İ	1.83	
LINE P	ort Rate		<del> </del>	- Carrier	-											1	
- OILL	Exchange Ports - 2-Wire DID Port		<u> </u>	UEPPX		UEPD1	8 71	214 16	98 29			1	11.90			1 83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED		1									T					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
ĺ	Switch-as-is			UEPPX		USAC1		7.85	1 87			<u> </u>	11 90			1	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion									1				ĺ	1		1
	with BellSouth Allowable Changes			UEPPX		USA1C		7 85	1 87			1	11 90		<b></b>	ļ	
ADDIT	IONAL NRCs		L						00	ļ			14.55			-	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	1		UEPPX		USAS1		32 26	32 26				11 90			<u> </u>	<del></del>
Telepi	none Number/Trunk Group Establisment Charges	<b> </b>	-	LIEDEN.		NOT	2.00	2.02	0.00	-		<del> </del>	1190	<b> </b>	<del> </del>	1 83	+
	DID Trunk Termination (One Per Port)		⊢	UEPPX		NDT	0 00	0.00	0 00	<del> </del>			1190		-	1 83	<del></del>
	DID Numbers, Establish Trunk Group and Provide First Group	1		UEPPX	ĺ	NDZ	0 00	0.00	0 00		l		11 90		1	1.83	
	of 20 DID Numbers Additional DID Numbers for each Group of 20 DID Numbers	<del>                                     </del>		UEPPX		ND4	0 00	0.00	0.00	<del> </del>		<del> </del>	11 90	<del> </del>	<del> </del>	1.83	
<del></del>	DID Numbers, Non- consecutive DID Numbers , Per Number	<del> </del>	₩-	UEPPX		ND5	0 00	0.00	0.00	<del> </del>	<del>                                     </del>	<del> </del>	11.90		<del>                                     </del>	1.83	
	Reserve Non-Consecutive DID numbers	<del>                                     </del>	-	UEPPX		ND6	0.00	0.00	0 00				11.90	l	<del> </del>	1 83	
	Reserve DID Numbers	<del>                                     </del>	+	UEPPX		NDV	0.00	0.00	0.00				11.90			1.83	
LOCAL	L NUMBER PORTABILITY	<del> </del>	$\vdash$	25.17				0.50	- 50	<u> </u>		1	, , , , 50		1	1	<b>†</b>
LOCA	Local Number Portability (1 per port)	<b>†</b>	1	UEPPX		LNPCP	3 15	0.00	0 00			<b>†</b>		l	l	1	1
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	E PORT														
	ort/Loop Combination Rates	1	T									L					T
1	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	l											,				
[	UNE Zone 1	<u></u>	1	UEPPB	UEPPR		22 63					ļ					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																1
1	UNE Zone 2	1	2	UEPPB	UEPPR		29.05			i		1	1	I	i	1	1

UNBUNDLE	ED NETWORK ELEMENTS - Florida													Attachment:	2	Exhi	ibit: B
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -	Increment
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs Electronic- Add'l		
			†				D	Nonrec	umng	Nonrecurring	Disconnect	<del> </del>		oss	Rates(\$)	L	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3	ļ	3	UEPPB	UEPPR	<u> </u>	45 84										
UNE L	Loop Rates			UEDDO	UEPPR	LIOLOV	45.05						44.00			1 83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	ļ	₩-	UEPP8	UEPPR	USL2X	15 25		<del></del>	<del>                                     </del>	ļ	<del> </del>	11 90	· · · · · · · · · · · · · · · · · · ·	<del>-</del>	183	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21 67			1		1	11 90	)	l	1.83	İ
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	<del> </del>	3	UEPPB	UEPPR	USL2X	38 46					<del> </del>	11.90			1.83	
UNE P	Port Rate		1	J	<u> </u>	1002201	00 10					1	. 1100			7.00	· · ·
	Exchange Port - 2-Wire ISDN Line Side Port	<del>                                     </del>	ļ —	UEPPB	UEPPR	UEPPB	7 38	194.52	145 09				11.09			1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED			i .													
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0 00	25 22	17 00				11 90			1 83	
	FIONAL NRCs																ļ
LOCA	L NUMBER PORTABILITY	<u> </u>	<u> </u>			Lune										<b> </b>	ļ
	Local Number Portability (1 per port)	ļ	ļ	UEPPB	UEPPR	LNPCX	0 35	0 00	0 00	<b> </b>	ļ	<b> </b>					ļ
B-CH/	ANNEL USER PROFILE ACCESS:	<b> </b>	ļ	UEPPB	UEPPR	HALICA	0 00	0 00	0.00	ļ	<u> </u>			ļ	ļ		-
_	CVS/CSD (DMS/5ESS) CVS (EWSD)	<del>                                     </del>	_	UEPPB	UEPPR	U1UCA U1UCB	0.00	0 00	0.00	ļ		<b> </b>		<u> </u>		<del> </del>	-
	C\$D		ļ	UEPPB	UEPPR	U1UCC	0.00	0 00	0.00								<del>                                     </del>
P CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS 8	TNO	UEPPB	UEPPR	UIUCC	0.00	0 00	- 000								<b>!</b>
	TERMINAL PROFILE	C,INS, 6	1114)	<del>                                     </del>		1								-		-	<del> </del>
USER	User Terminal Profile (EWSD only)		<del>                                     </del>	UEPPB	UEPPR	U1UMA	0.00	0 00	0 00							<del> </del>	<del> </del>
VERT	ICAL FEATURES	<del>                                     </del>	<del>                                     </del>	UL. I D	QLI I K	OTOME	0.00	000	0.00								<del>                                     </del>
	All Vertical Features - One per Channel B User Profile	1	1	UEPPB	UEPPR	UEPVF	2.26	0 00	0.00				11 90				<del>                                     </del>
INTER	ROFFICE CHANNEL MILEAGE	İ															<u> </u>
	Interoffice Channel mileage each, including first mile and																1
ļ	facilities termination		i	UEPPB	UEPPR	M1GNC	25 3291	47 35	31 78	18 31	7 03		11.90			1.83	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0 00				11.90			1 83	
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PÖRT													·		
UNE F	Port/Loop Combination Rates	1				J											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1 .	l				1			l					]	ļ
	Zone 1	-	1	UEPPP		<del> </del>	153 48									<b>!</b>	ļ
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	İ	2	UEPPP			400.00	ļ		•						1	
	Zone 2	l	2	UEPPP		4	183 28					ļ <u></u>					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	ł	3	UEPPP		+	261 12			1				]			
TIME	Loop Rates		-	DEFFE		+	20112					+ 1		<del>                                     </del>			<del> </del>
UNEL	4-Wire DS1 Digital Loop - UNE Zone 1	<b>+</b>	1	UEPPP		USL4P	70 74				<del>                                     </del>		11.90	<del>                                     </del>		1 83	<del> </del>
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100 54						11 90	i		1 83	
	4-Wire DS1 Digital Loop - UNE Zone 3	1		UEPPP		USL4P	178 38				T		11.90			1 83	
UNE F	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	82 74	488 36	276 65				11.90			1 83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED		L														
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	l .															
	Combination - Conversion -Switch-as-is		<u> </u>	UEPPP		USACP	0 00	84 17	61.38				11 90			1 83	
ADDIT	FIONAL NRCs	L	ļ														
1	4-Wire DS1 Loop/4-W ISDN Digt! Trk Port - Subsqt Actvy-	1	1					0.5440		ĺ							
	Inward/two way Tel Nos (except NC)	-	<del>                                     </del>	UEPPP		PR7TF		0 5412					11 90	-		1 83	<u> </u>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO	İ	12 71	12.71				11 90	1		100	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	<del>                                     </del>		UEFFF		FAIL		12/1	12.71				1190	-		1 83	<del> </del>
	Subsequent Inward Tei Numbers	1	}	UEPPP		PR7ZT		25.42	25 42				11 90		1	1 83	
LOCA	L NUMBER PORTABILITY	<del> </del>		CEFFF		11.021		20.42	20 42	<del> </del>	<del> </del>	<del>                                     </del>	1130			1 63	
	Local Number Portability (1 per port)	<del> </del>	<del> </del>	UEPPP		LNPCN	1.75					1				1	-
INTER	RFACE (Provsioning Only)	<del>                                     </del>	<del>                                     </del>	1		1	0	İ									
	Voice/Data			UEPPP		PR71V	0 00	0.00	0.00			<del> </del>				<del>                                     </del>	
	Digital Data		1	UEPPP		PR71D	0 00	0.00	0.00								
$\neg$	Inward Data	1		UEPPP		PR71E	0.00	0.00	0 00			1					
Now o	or Additional "B" Channel		1			I								l			T

Version 3Q02 10/07/02 Page 27 of 53

NRONDLED	NETWORK ELEMENTS - Florida												Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec	umna	Nonrecurring	g Disconnect		<u> </u>	088	Rates(\$)	l	<u>!</u>
-		_	<del> </del>		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l N	New or Additional - Voice/Data B Channel		<del> </del>	UEPPP	PR7BV	0.00	15 48	,,,,,,	151	7.00		11 90			1 83	
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0 00	15 48					11.90			1.83	
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15 48					11 90			1.83	
CALL TY			1									ì				
	nward			UEPPP	PR7C1	0 00	0 00	0.00								
i	Dutward		1	UEPPP	PR7C0	0 00	0 00	0.00			1					l
	wo-way		1	ÜEPPP	PR7CC	0 00	0 00	0.00								
Interoffic	ce Channel Mileage										1					
F	ixed Each Including First Mile		1	UEPPP	1LN1A	88 6256	105 54	98 47	21 47	19 05	1	11.90			1 93	
E	ach Arline-Fractional Additional Mile			UEPPP	1LN1B	0 1856						ļ.				
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	t/Loop Combination Rates		1													
4	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		125 69						11.90			1 83	
	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		155.49		•				11 90			1 83	
4	W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		233 33						11 90			1.83	
UNE Loo	p Rates															
4	-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74						11 90			1 83	
4	-Wire D\$1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100 54			T			11 90			1.83	
4	I-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178 38						11 90			1 83	i
UNE Por	t Rate							-								
4	-Wire DDITS Digital Trunk Port			UEPD¢	UDD1T	54 95	464 86	259 23				11 90			1.83	
	CURRING CHARGES - CURRENTLY COMBINED											i				
4	-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	Switch-as-is	Ì	1	UEPDC	USAC4		95.31	46 71		1	1	11.90			1 83	
4	-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															<u> </u>
	Conversion with DS1 Changes	İ	1	UEPDC	USAWA		95 31	46 71	•		i	11 90			1.83	
4	-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		Г												-	
	Conversion with Change - Trunk			UEPDC	USAWB		95.31	46 71			1	11 90			1 83	1
ADDITIO	NAL NRCs															
4	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
l s	Subsequent Channel Activation/Chan - 2-Way Trunk		ŀ	UEPDC	UDTTA		15 69	15.69	l			11 90			1 83	]
4	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
l lo	Channel Activation/Chan - 1-Way Outward Trunk	1		UEPDC	UDTTB		15.69	15 69				11 90			1 83	1
	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel													·		
l la	activation/Chan Inward Trunk w/out DID	l		UEPDC	UDTTC		15 69	15 69				11 90			1 83	1
	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsont Chan															ĺ
l la	activation Per Chan - Inward Trunk with DID	l		UEPDC	UDTTD	1	15 69	15 69				11 90	] :		1.83	l
4	-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan						1				1					
A	ctivation / Chan - 2-Way DID w User Trans	l	1	UEPDC	UDTTE		15.69	15 69				11 90	1		1 83	
BIPOLAR	R 8 ZERO SUBSTITUTION				-											
В	88ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11 90			1 83	
В	38ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00		1		11.90			1.83	
Alternate	Mark Inversion	Γ''''									1		1			
A	MI -Superframe Format			ŲEPDC	MCOSF		0 00	0 00								
A	MI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0 00			T					
Telephor	ne Number/Trunk Group Establisment Charges															
{T	elephone Number for 2-Way Trunk Group		1	UEPDC	UDTGX	0 00						11 90			1 83	
T	elephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11 90			1 83	
	elephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00						11.90			1 83	L
	DID Numbers, Establish Trunk Group and Provide First Group	[									1		1			
0	f 20 DID Numbers	l	-	UEPDC	NDZ	0 00	0 00	0 00		1		11.90			1 83	
D	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00					1	11 90			1 83	
i lõ	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00						11 90			1 83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0 00	0.00	0.00		1		11.90			1 83	l
R	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00		I		11.90	<u> </u>		1 83	
	d DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop													
	nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities		<u> </u>													
	emination)	l	i	UEPDC	1LNO1	88 44	105 54	98.47	21 47	19 05		11.90			1 83	l

NOUNDLI	ED NETWORK ELEMENTS - Florida		<del></del>	1	т	1					Sun O-de-		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecuming					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
1	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 1856	0.00	0.00			l .					
	Interoffice Channel Mileage - Additional rate per fille - 0-0 filles	_	<del> </del>	OLFDC	TENOA	0 1000	0.00	0.00								
	Termination)			UEPDC	1LNO2	0 00	0.00	0.00		i					ŀ	
	Interoffice Channel Mileage - Additional rate per mile - 9-25		1	02.50		1	0.00	0.00								<del> </del>
	miles			UEPDC	1LNOB	0.1856	0.00	0 00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		1													i
	Termination)			UEPDC	1LNO3	0 00	0 00	0 00	0 00						<u> </u>	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0 00	0 00								
	Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3 15	0 00	0 00	0 00							
	Central Office Termininating Point		<u> </u>	UEPDC	CTG	0 00					1	<u></u>				
	E DS1 LOOP WITH CHANNELIZATION WITH PORT		J						ļ							
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act					1										
	System can have up to 24 combinations of rates depending on	type a	nd nun	iber of ports used												<u> </u>
UNE	D\$1 Loop															<u> </u>
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	70.74	0 00	0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100 54	0 00	0 00			<u> </u>					
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178 38	0.00	0 00								
UNE	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)	1													L
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0 00	0 00				11 90			1 83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236 12	0 00	0 00				11 90			1 83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472 24	0.00	0.00				11 90			1 83	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708 36	0 00	0 00				11 90			1 83	
	192 DS0 Channel Capacity -1 per 8 DS1s		<u> </u>	UEPMG	VUM19	944 48	0 00	0 00				11 90			1 83	
	240 DS0 Channel Capacity - 1 per 10 DS1s		1	UEPMG	VUM20	1,180 60	0 00	0 00				11.90			1 83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416 72	0 00	0 00				11 90			1.83	
1	384 DS0 Channel Capacity - 1 per 16 DS1s		ļ	UEPMG	VUM38	1,888 96	0 00	0 00				11 90			1.83	<u> </u>
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361 20	0.00	0 00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s		<u> </u>	UEPMG	VUM57	2,833 44	0.00	0 00				11 90			1 83	
	672 DS0 Channel Capacity - 1 per 28 DS1s		<u>L</u>	UEPMG	VUM67	3,305 68	0.00	0.00				11.90			1.83	
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									ļ
	imum System configuration is One (1) DS1, One (1) D4 Channe															1
Multi	oles of this configuration functioning as one are considered Ac	id'i afte	r the m	inimum system cor	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without	1				0.00	00.77	4.04				44.00				1
	BellSouth Allowed Changes		L	UEPMG	USAC4	0 00	96 77	4 24				11 90				
	m Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ently Exists and										ļ
New	Not Currently Combined) in all states, except in Density Zone 1	OTIO	BIMISA	\ S	<b></b>	<del>                                     </del>									ļ	
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port					0.00	700 44	400.04	445.00	47.04	:	44.00				
	and Assoc Fea Activation	-		UEPMG	VUMD4	0 00	726 11	468 21	145 32	17 24		11 90				<b></b>
Bipol	er 8 Zero Substitution	-	ļ								<b></b>					-
1	Clear Channel Capability Format, superframe - Subsequent	1		UEPMG	CCOSF	0 00	0 00	655 00				11 90				
_	Activity Only		<u> </u>	UEPMG	CCOSF	0 00	0 00	655 00		_		1190				<del> </del>
	Clear Channel Capability Format - Extended Superframe -		1	UEPMG	CCOEF	0 00	0 00	655 00				11.90				1
	Subsequent Activity Only ate Mark Inversion (AMI)		-	UEPIVIG	CCOEF	0 00	0 00	000 00				11.90				-
Aiterr			<del> </del>	UEPMG	MCOSF	0 00	0.00	0.00					ļ			
	Superframe Format  Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Fueb	inge Ports Associated with 4-Wire DS1 Loop with Channelization		Dod	UEFIVIG	MICOPO	0.00	0.00	0.00						-		<del> </del>
	inge Ports Associated with 4-Wire DS1 Loop with Channelization	OH WILL	ron	-	1	t							<b></b>			1
CXCN	nige i orto		<del> </del>	<del>                                     </del>	1	<del>                                     </del>									<del>                                     </del>	
	Line Side Combination Channelized PBX Trunk Port - Business		1	LIEPPX	UEPCX	1 38	0.00	0 00	0 00	0.00		11 90			1 83	l
	Line Side Combination Channelized PBX Trunk Port - Business  Line Side Outward Channelized PBX Trunk Port - Business	-	<del>                                     </del>	UEPPX	UEPOX	1 38	0 00	0 00	0.00	0.00	+	11 90			1 83	1
	Line Olde Oddward OriginicalEed FDA Hullik Force Business	<del> </del>	<del>                                     </del>		100,00	1 30	0.00	0.00	0.00	0.00	<del>                                     </del>	11.50				<del> </del>
	Line Side Inward Only Channelized PBX Trunk Port without DID	ł	1	UEPPX	UEP1X	1 38	0 00	0.00	0.00	0.00		11.90	1		1 83	
		r .	1										L	ļ		<del>                                     </del>
			T	HEPPY	LIEPDM	8 71	0.00	വവ	ไ ถูกกไ	l 0.00	1	1 11 an-	l		122	
Fast	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 71	0.00	0.00	0.00	0 00		11.90			1.83	
Featu				UEPPX	UEPDM	8 71	0.00	0.00	0.00	0 00		11.90			1.83	

Version 3Q02: 10/07/02 Page 29 of 53

	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
					<del></del>	Rec	Nonred First	amng Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Trunk Port Terminated in				+	<del> </del>	FIISt	Addi	riist	Addi	SOMEC	JUNAN	JOHAN	JOHNAN	JOHAN	JUNIAN
	D4 Bank		ŀ	UEPPX	1PQWU	0.66	78.16	18 42	56 03	10 95		11 90			1 83	ĺ
Telepho	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00	0.00	0 00				11 90				
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0 00	0.00	0 00				11 90				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0.00	0 00				11 90				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5 ND6	0 00	0.00	0 00	1			11 90 1 <b>1</b> 90				
	Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX UEPPX	NDV	0 00	0.00	0.00				11 90				
	Number Portability	-		UEFFX	INDV	000	0.00	0.00				11 30				
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00								
	IRES - Vertical and Optional					1										
	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	2 26	0 00	0 00	1			11 90			1.83	
	PORT LOOP COMBINATIONS - MARKET RATES		<u> </u>		1	1										
	Rates shall apply where BellSouth is not required to provide	unbunc	iled lo	cal switching or sw	itch ports pe	r FCC and/or St	tate Commissio	n rules.	ļ		<u> </u>					
	cludes:		L		1					500	1					
	dled port/loop combinations that are Currently Combined or N											2)				
Ine Io	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda uth currently is developing the billing capability to mechanica	lle, Mia	the rec	A (Atlanta); LA (New	V Orieans); N	Botos in this s	winston Salem	i-rignpoint/Cr	tanotte-Gaston	not oursently	N (Nashville	El and MC	In the interi	m whom Ball	South cannot	hill Market
	BellSouth shall bill the rates in the Cost-Based section preced								ig charges for	not currently (	Jonibilieu III	FE and No.	in the inten	III WHERE BEIL	South Carriot	DIII Market
	Bell South shall bill the rates in the Cost-Based section preceders  arket Rate for unbundled ports includes all available features i			trie market Rates ai	na reserves ti	ie right to true-	up the billing (	interence	1							ı
End Off	ffice and Tandem Switching Usage and Common Transport Us : URECU). t Currently Combined scenarios the Nonrecurring charges are	age rat														
End Off (USOC: For Not Additio	: URECU). It Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly.	age rat														
End Off (USOC: For Not Addition 2-WIRE	: URECU). t Currently Combined scenarios the Nonrecurring charges are	age rat														
End Off (USOC: For Not Addition 2-WIRE UNE Po	: URECU).  t Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly.  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	age rat				ns for each Port										
End Off (USOC: For Nor Additio 2-WIRE UNE Po	: URECU).  t Currently Combined scenarios the Nonrecurring charges are nall NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2	age rat	in the I			23 77 27 88										
End Off (USOC: For Nor Additio 2-WIRE UNE Po	: URECU).  t Currently Combined scenarios the Nonrecurring charges are onal NRCs may apply also and are categorized accordingly.  E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates   2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3	age rat	in the l			ns for each Port										
End Off (USOC: For Not Additio 2-WIRE UNE Po	: URECU).  It Currently Combined scenarios the Nonrecurring charges are nall NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rates of the Combination Rate	age rat	1 2 3	First and Additional	NRC column	23 77 27 88 38 63										
End Off (USOC: For Not Additio 2-WIRE UNE Po	: URECU).  t Currently Combined scenarios the Nonrecurring charges are nall NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1	age rat	1 2 3	First and Additional	NRC column	23 77 27 88 38 63										
End Off (USOC: For Not Addition 2-WiRE UNE Po	: URECU).  t Currently Combined scenarios the Nonrecurring charges are notal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1    2-Wire VG Loop/Port Combo - Zone 2    2-Wire VG Loop/Port Combo - Zone 3    2-Wire VG Loop/Port Combo - Zone 3    2-Wire Voice Grade Loop (SL1) - Zone 1    2-Wire Voice Grade Loop (SL1) - Zone 2	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX	UEPLX	23 77 27 88 38 63 9 77 13.88										
End Off (USOC: For Not Additio 2-WIRE UNE Po	: URECU).  It Currently Combined scenarios the Nonrecurring charges are nall NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or combination Rates  12-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  12-Wire VG Loop/Port Combo - Zone 3  2-Wire VG Loop/Port Combo - Zone 3  2-Wire VG Loop/Port Combo - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	age rat	1 2 3 1 2 2 1 2	First and Additional	NRC column	23 77 27 88 38 63										
End Off (USOC: For Not Additio 2-WiRE UNE PC	: URECU).  t Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX	UEPLX	23 77 27 88 38 63 9 77 13.88 24.63	USOC. For Co		ined scenarios							
End Off (USOC: For Not Additio 2-WiRE UNE Po	: URECU).  t Currently Combined scenarios the Nonrecurring charges are notal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1    2-Wire VG Loop/Port Combo - Zone 2    2-Wire VG Loop/Port Combo - Zone 3    2-Wire VG Loop/Port Combo - Zone 3    2-Wire VG Loop/Port Combo - Zone 1    2-Wire Voice Grade Loop (SL1) - Zone 1    2-Wire Voice Grade Loop (SL1) - Zone 2    2-Wire Voice Grade Loop (SL1) - Zone 3    2-Wire Voice Grade Loop (SL1) - Zone 3    2-Wire Voice Grade Loop (SL1) - Zone 3    2-Wire Voice Grade Loop (SL1) - Zone 3    2-Wire Voice Grade Loop ort - residence	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	23 77 27 88 38 63 9 77 13.88		urrently Comb	ined scenarios			s are listed i				
End Of (USOC: For Noi Additio 2-WIRE UNE Po	: URECU).  t Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	23 77 27 88 38 63 9 77 13.88 24.63	USOC. For Ci	urrently Comb	ined scenarios			s are listed i				
End Off (USOC: For Not Addition 2-WiRE UNE Po	: URECU).  It Currently Combined scenarios the Nonrecurring charges are nall NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	23 77 27 88 38 63 9 77 13.88 24.63	90 00 90 00	90 00 90 00	ined scenarios			11 90 11 90				
End Off (USOC: For Not Addition 2-WIRE UNE Po	: URECU).  t Currently Combined scenarios the Nonrecurring charges are nall NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Doop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	23 77 27 88 38 63 9 77 13.88 24.63 14 00 14.00	90 00 90 00 90 00	90 00 90 00 90 00	ined scenarios			11 90 11 90 11 90				
End Off (USOC: For Noi Addition 2-WIRE UNE Po	: URECU).  It Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - Capability	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAF	23 77 27 88 38 63 9 77 13.88 24.63 14.00 14.00	90 00 90 00 90 00	90 00 90 00 90 00 90 00	ined scenarios			11 90 11 90				
End Of (USOC: For Noi Additio 2-WIRE UNE Po UNE Lo	: URECU).  t Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID res  2-Wire voice unbundled Flonda Area Calling with Caller ID Capability  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire voice unbundled Flonda extended dialing port for use with CREXT and Caller ID	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF	23 77 27 88 38 63 9 77 13.88 24.63 14.00 14.00 14.00	90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00	ined scenarios			11 90 11 90				
End Of (USOC: For Noi Additio 2-WIRE UNE Po	: URECU).  It Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF	23 77 27 88 38 63 9 77 13.88 24.63 14.00 14.00 14.00	90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00	ined scenarios			11 90 11 90 11 90 11 90				
End Off (USOC: For Noi Addition 2-WIRE UNE Po UNE Lo	: URECU).  t Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAF UEPAF UEPAF	23 77 27 88 38 63 9 77 13.88 24.63 14.00 14.00 14.00 14.00	90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00	ined scenarios			11 90 11 90 11 90 11 90 11 90				
End Of (USOC: For Noi Additio 2-WIRE UNE Po UNE Lo 2-Wire	: URECU).  **Tournetly Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  **EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or 1.2 Wire VG Loop/Port Combo - Zone 1  **E-Wire VG Loop/Port Combo - Zone 2  **E-Wire VG Loop/Port Combo - Zone 3  **Oop Rates  **E-Wire Voice Grade Loop (SL1) - Zone 1  **E-Wire Voice Grade Loop (SL1) - Zone 2  **E-Wire Voice Grade Loop (SL1) - Zone 2  **E-Wire Voice Grade Loop (SL1) - Zone 3  **Voice Grade Line Port (Res)  **E-Wire voice unbundled port residence  **E-Wire voice unbundled port outgoing only - res  **E-Wire voice unbundled port outgoing only - res  **E-Wire voice unbundled Flonda Area Calling with Caller ID - res  **E-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  **E-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID  **E-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID  **E-Wire voice unbundled Flonda extended dialing Port ouse with CREX7 without Caller ID capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  **E-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPAA UEPAA	23 77 27 88 38 63 9 77 13.88 24 63 14.00 14.00 14.00 14.00 14.00 14.00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	ined scenarios			11 90 11 90 11 90 11 90 11 90 11 90				
End Off (USOC: For Noi Addition 2-WIRE UNE Po UNE Lo 2-Wire	: URECU).  It Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  I-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID capability  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Flonda extended dialing port for use with CREX7 without Caller ID  2-Wire voice unbundled Flonda extended dialing Port for use with CREX7, without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda Presidence Port Without Caller ID  2-Wire voice unbundled Flonda Presidence Port Without Caller ID  2-Wire voice unbundled Flonda Presidence Port Without Caller ID  2-Wire voice unbundled Flonda Presidence Port Without Caller ID  2-Wire Voice Presidence Port Presidence Port Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Pr	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPAP UEPAA	23 77 27 88 38 63 9 77 13.88 24.63 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	ined scenarios			11 90 11 90 11 90 11 90 11 90 11 90				
End Off (USOC: For Noi Addition 2-WIRE UNE Po UNE Lo 2-Wire	: URECU).  t Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Flonda Area Calling Port without Caller ID  2-Wire voice unbundled Flonda extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Flonda Area Calling Port without Caller ID Capability  NUMBER PORTABILITY  NUMBER PORTABILITY  INCAL PORT AREA TO THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE PORT IN THE	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPAA UEPAA	23 77 27 88 38 63 38 63 24.63 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00 90 00	ined scenarios			11 90 11 90 11 90 11 90 11 90 11 90 11 90				
End Of (USOC: For Noi Additio 2-WIRE UNE Po UNE Lo 2-Wire	: URECU).  It Currently Combined scenarios the Nonrecurring charges are nal NRCs may apply also and are categorized accordingly.  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  I-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Flonda Area Calling with Caller ID - res  2-Wire voice unbundled Flonda Area Calling with Caller ID capability  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire voice unbundled Flonda extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Flonda extended dialing port for use with CREX7 without Caller ID  2-Wire voice unbundled Flonda extended dialing Port for use with CREX7, without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda extended dialing Port without Caller ID  2-Wire voice unbundled Flonda Presidence Port Without Caller ID  2-Wire voice unbundled Flonda Presidence Port Without Caller ID  2-Wire voice unbundled Flonda Presidence Port Without Caller ID  2-Wire voice unbundled Flonda Presidence Port Without Caller ID  2-Wire Voice Presidence Port Presidence Port Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Presidence Pr	age rat	1 2 3 1 2 2 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPAF UEPAAP UEPAA1 UEPAA8 UEPAA8 UEPAA9	23 77 27 88 38 63 9 77 13.88 24 63 14.00 14.00 14.00 14.00 14.00 14.00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	90 00 90 00 90 00 90 00 90 00 90 00 90 00	ined scenarios			11 90 11 90 11 90 11 90 11 90 11 90				

Version 3Q02 10/07/02 Page 30 of 53 31 of 129

UNBUNDLED	NETWORK ELEMENTS - Florida		,										Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		1 2
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-Wire Voice Grade Loop / Line Port Combination - Switch with	ļ		UEPRX	USACC		41 50	41 50				11 90				ı
	hange NAL NRCs	<del> </del>		DEPRA	USACC		4130	4150				1190				<del></del>
	IRC - 2-Wire Voice Grade Loop/Line Port Combination -	<del> </del>	-									1			-	
	Subsequent			UEPRX	USAS2		0 00	0.00	l			11 90				1
	/OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1														
	t/Loop Combination Rates															
	-Wire VG Loop/Port Combo - Zone 1	1	1			23 77										ļ
	-Wire VG Loop/Port Combo - Zone 2		2			27 88										<b>——</b>
	-Wire VG Loop/Port Combo - Zone 3		3			38 63					-	<del></del>				<del></del>
UNE Loo	P-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	9 77						<del>                                     </del>	-			<del></del>
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	13 88										
	P-Wire Voice Grade Loop (SL1) - Zone 3	<b> </b>		UEPBX	UEPLX	24 63									1	
	oice Grade Line Port (Bus)															
2	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14 00	90 00	90 00				11 90				
	-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90 00	90 00				11 90				
	-Wire voice unbundled port outgoing only - bus	ļ		UEPBX	UEPBO	14.00	90 00	90.00				11 90	1			
	-Wire voice unbundled Incoming Only Port without Caller ID	1		LUEDEV	WEDDE	14 00	00.00	90 00				11 90				ĺ
	Capability NUMBER PORTABILITY		1	UEPBX	UEPBE	14 00	90 00	90 00				1190			ļ	<del></del>
	ocal Number Portability (1 per port)		┼	UEPBX	LNPCX	0 35						1	<del>                                     </del>			<del> </del>
	CURRING CHARGES - CURRENTLY COMBINED	<b>-</b>	<del> </del>	QLF BX	LINI OX	0.00										$\overline{}$
INDININE	STATIO STATIONS SOLITION STATES	1														i
2	-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41 50	41.50				11 90				1
	-Wire Voice Grade Loop / Line Port Combination - Switch with							•								
	hange	<u> </u>		UEPBX	USACC		41 50	41.50				11 90				<u> </u>
	NAL NRCs	ļ	1													
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1		UEPBX	USAS2		0 00	0 00				11 90		· '		1
	Subsequent VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-	1	UEPBX	U3A32	<del>                                     </del>	0 00	0 00				11.90		·		<del>                                     </del>
	t/Loop Combination Rates	<del> </del>	1	<del> </del>							1					
	-Wire VG Loop/Port Combo - Zone 1		1		+	23 77					<del> </del>					
	-Wire VG Loop/Port Combo - Zone 2		2	-		27 88										
	-Wire VG Loop/Port Combo - Zone 3		3			38 63										
UNE Loo																
	-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	9 77										<b></b>
	-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	13 88										<del></del>
	-Wire Voice Grade Loop (SL1) - Zone 3	<del> </del> -	3	UEPRG	UEPLX	24 63			1		1	-	<u> </u>		·	<del></del>
	ouce Grade Line Port Rates (RES - PBX) -Wire VG Unbundled Combination 2-Way PBX Trunk Port -	<del> </del>	-			<del> </del>							<u> </u>		<u> </u>	<del> </del>
	-wire vg unbundled combination 2-way PBX Trunk Port -			UEPRG	UEPRD	14 00	90.00	90 00	]		1	11 90	I			1
	NUMBER PORTABILITY	-	$\vdash$		32,112	1.50	\$5.00	\$2.00			1	150				
	ocal Number Portability (1 per port)	1		UEPRG	LNPCP	3 15	0 00	0 00								
FEATURE	ES															
	VI Features Offered			UEPRG	UEPVF	0 00	0 00	0.00			L	11 90		L		
NONREC	URRING CHARGES - CURRENTLY COMBINED	L			ļ	ļl						1	1			
.	Week Versel Orando Lance (Lance Br. 1 Construction Co. 1 1 1 1	1		LIEDBO	LIEACO		44.50	41 50	i			11 90			!	İ
	Nure Voice Grade Loop/ Line Port Combination - Switch-As-Is -Wire Voice Grade Loop/ Line Port Combination - Switch with	-	┼	UEPRG	USAC2		41 50	41 50			<del>                                     </del>	1190	<del> </del>			<del>                                     </del>
	-wire voice Grade Loop/ Line Port Combination - Switch with Change	1		UEPRG	USACC		41 50	41.50				11 90	I		1	
	NAL NRCs		+	OE: NO	33700		4130	41.50				130				
	Wire Loop/Line Side Port Combination - Non feature -	t	<b>†</b>									T				<b></b>
[   s	Subsequent Activity- Nonrecurring						0 00	0 00				11 90	L		<u> </u>	1
P	BX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group		<u> </u>				7 09	7 09				11 90	1			
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	ļ	-								ļ	ļ	<del> </del>		-	<del> </del>
	t/Loop Combination Rates	<del></del>	1		_	22					-	-	1		<del> </del>	
2-	-Wire VG Loop/Port Combo - Zone 1		1	1,		23 77				L	L	I	1	l	<u>i</u>	

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Adďi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 2		2			27 88										
2	2-Wire VG Loop/Port Combo - Zone 3		3			38 63							_			
UNE Loc	op Rates															
2	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	9 77										
2	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	13 88			l	l .		l				1
2	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	24 63					<u> </u>					Ĺ
2-Wire V	/oice Grade Line Port Rates (BUS - PBX)		1													1
											i		-			1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90 00	90 00	1			11 90				i
I L	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90 00	90 00				11 90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14 00	90 00	90 00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90 00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90 00	90.00				11 90				
2	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90 00	90.00				11 90				
2	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14 00	90 00	90 00				11 90			1	
1 2	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90 00	90 00				11 90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		T													
	Capable Port	1		UEPPX	UEPXE	14 00	90 00	90 00		1		11 90			1	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								<u> </u>	· · · · · · · · · · · · · · · · · · ·	<u> </u>					
	Administrative Calling Port		Ì	UEPPX	UEPXL	14.00	90 00	90.00				11.90				1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	1	02.17	021,74			00.00		<del> </del>		11100				
	Room Calling Port			UEPPX	UEPXM	14 00	90 00	90.00		1		11.90				1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		+	CELLY	021 701	17.00			<del> </del>		-				···	<del></del>
	Discount Room Calling Port	1		UEPPX	UEPXO	14.00	90 00	90.00		İ	ļ	11.90				l
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	_	1	UEPPX	UEPXS	14 00	90 00	90 00	<b>†</b>		<del>†                                      </del>	11.90				
	NUMBER PORTABILITY	-		QLITY.	OLI AU			00 00	i		<u> </u>	1,100			<del></del>	·
	Local Number Portability (1 per port)	1	<u> </u>	UEPPX	LNPCP	3 15	0 00	0 00		<u> </u>	<del>                                     </del>	<del>                                     </del>				
FEATUR			1	OLI I A	12.141 01	- 0 10	- 000	0 00								
	All Features Offered	<b>—</b>	1-	UEPPX	UEPVF	0 00	0 00	0 00			<del> </del>	11 90		+		<del></del>
	CURRING CHARGES - CURRENTLY COMBINED	_	+ -	OL: 1 X	J,				<del> </del>	+		1,00			<del> </del>	<del> </del>
NONKEC	CORRING CHARGES - CORRENTET COMBINED		+-		+ +				<del>                                     </del>	<del>                                     </del>	1				-	<del> </del>
-	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is	ŀ		UEPPX	USAC2	ľ	41 50	41 50				11 90			1	1
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with	<u> </u>	<del> </del>	ULFFA	USAUZ		41 30	4130				11.50			-	<del></del>
				UEPPX	USACC		41 50	41.50				11 90			l	1
	Change		+	UEPPA	USACC		41 50	41.30		ļ	<del> </del>	1190				<del> </del>
ADDITIO	DNAL NRCs		<del> </del>								ļ					<del></del>
-				LUEDD\\	110100	0.00	0.00	0.00				44.00				ı
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		1	UEPPX	USAS2	0 00	0 00	0 00				11 90				<del></del>
	2 Wire Loop/Line Side Port Combination - Non feature -			l	1 1	l	0 00	0.00		1					1	l
	Subsequent Activity- Nonrecurring		<u> </u>		$\rightarrow$		0 00	0.00	<u> </u>		<del> </del>	11 90				<del>                                     </del>
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		ĺ		1 1	1										ı
	Group		<u> </u>				7 09	7 09			ļ	11 90				<b></b>
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	₹T	₩.							<u> </u>	ļ					<b></b>
	rt/Loop Combination Rates		<u> </u>													<del> </del>
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			23 77										
	2-Wire VG Coin Port/Loop Combo – Zone 2	<u> </u>	2			27 88			ļ			ļ			ļ	
	2-Wire VG Coin Port/Loop Combo Zone 3		3	ļ	1	38.63			ļ	1						<b></b>
UNE Loc			ļ							1	-				L	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9 77				ļ					L	
	2-Wire Voice'Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13 88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63										
	oice Grade Line Port Rates (Coin)		1													
	2-Wire Coin 2-Way with Operator Screening and Blocking 011,		1													
9	900/976, 1+DDD (FL)		<u> </u>	UEPCO	UEP2F	14 00	90 00	90 00			<u> </u>	11 90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			l "		1		-								
	FL)	<u></u>	<u></u>	UEPCO	UEPFA	14 00	90 00	90.00			1	11 90			L	
	2-Wire Coin 2-Way with Operator Screening and Blocking											•				
	900/976, 1+DDD, 011+, and Local (FL)		<u>L</u>	UEPCO	UEPCG	14.00	90 00	90.00	L	1		11 90			L	<u></u>
2	2-Wire Coin Outward with Operator Screening and 011 Blocking	1								1	1					
	AL, FL)	l	1	UEPCO	UEPRK	14 00	90 00	90 00	i	1	i	11.90			1	í

NRUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			ibit: B
TEGORY	RATE ELEMENTS	Inten m	Zone	BC\$	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
		L				1100	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	14.00	90 00	90 00				11 90			:	
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14 00	90 00	90 00				11 90				
LOCAL	NUMBER PORTABILITY		<u> </u>	OLFCO	OLI CQ	14 00	30 00	30 00			1	11 30				
LOUAL	Local Number Portability (1 per port)	-	<del> </del>	UEPCO	LNPCX	0.35					-				-	-
NONRE	ECURRING CHARGES - CURRENTLY COMBINED	-		021 00	Lin Ox	0 30					+			<del> </del>		<del> </del>
HONK	CONTAINS CHARGES - CONTAINED COMBINED		<del> </del>		<del>-  </del>				-		<del> </del>					
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2	]	41 50	41 50				11.90				1
-	2-Wire Voice Grade Loop/ Line Port Combination - Switch with		<del> </del>	OLI CO	UGAUZ		41.50	4130			<del> </del>	11,50				<del></del>
ſ	Change		İ	UEPCO	USACC	ł	41 50	41 50			1	.				ı
ADDIT	ONAL NRCs.	_	-	OLFCO	103400		4130	41 50	-		<del> </del>			ļ		$\vdash$
ADDITI	OHAL MIOS,		<b>-</b>								<del> </del>					├──
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2	1	0 00	0 00				11 90		i		ı
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (		JOURNOZ		0 00	0.00			<del> </del>	1130				
	ort/Loop Combination Rates	LINE F	I	(LO)	-						1					<del></del>
UNE P	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			26 24					-					₩
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1				+ +	31 40										-
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			44 87					1					<del> </del>
	pop Rates		3			44 61		· · · · · · · · · · · · · · · · · · ·			<b></b>					<del> </del>
UNEL		<del></del>	-	HEDED	UECE2	40.04										
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	12 24										ļ
	2-Wire Voice Grade Loop (\$L2) - Zone 2			UEPFR	UECF2	17.40										—
0.110	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30 87										
2-Wire	Voice Grade Line Port Rates (Res)		<del> </del>	UEPFR	UEPRL	14 00	180 00	110.00	85 00	20.00	-	- 44.00				⊢—
	2-Wire voice unbundled port - residence		<u> </u>	UEPFR	UEPRC	14 00	180 00	110.00	85 00	20.00	_	11 90				
	2-Wire voice unbundled port with Caller ID - res											11 90				
-	2-Wire voice unbundled port outgoing only - res	<b></b>	<del> </del>	UEPFR	UEPRO	14.00	180 00	110.00	85 00	20.00		11 90			ļ <u>.</u>	<del> </del>
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	14 00	180 00	110 00	85 00	20 00		11.90				
	2-Wire voice unbundles res, low usage line port with Caller ID															
1	(LUM)		l	UEPFR	UEPAP	14 00	180 00	110 00	85 00	20 00	į l	11.90				1
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility												··			1
	Termination		1 .	UEPFR	lu1TV2	25 32	47 35	31 78							1	1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1											
1	or Fraction Mile		'	UEPFR	1L5XX	0 0091										1
FEATU					1.44.4											$\vdash$
T EATO	All Features Offered		-	UEPFR	UEPVÉ	0.00	0 00	0 00				11.90				f
LOCAL	NUMBER PORTABILITY				1											_
LOGAL	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										<del> </del>
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLI, IX	Litti On	0.00	-			· · · · · · · · · · · · · · · · · · ·						<del> </del>
HOME	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				<del>                                     </del>						-					<del></del>
	Combination - Conversion - Switch-as-is	i		UEPFR	USAC2		16 97	3 73			!	11.90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	OLI 175	OUNUE		10 31	070	-			11,00			<del></del>	├
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16 97	3 73			1	11.90				1
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT /		00/100		1031	370				11.50				
	ort/Loop Combination Rates	- Eline I	U.V. (			-										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		<del>                                     </del>	26 24									<del> </del>	<del></del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	31 40			<del>  </del>		<del> </del>				<del> </del>	<del></del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		<del></del>	44.87			<b>—</b>					-	l	<del></del>
	pop Rates				+	77.07					<del>                                     </del>					
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24			<del></del>						1	<del></del>
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	17.40			-				-		<del> </del>	<b></b>
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	30 87	-									├
	Voice Grade Line Port (Bus)			00.10	100012	30 07								-		<del></del>
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14.00	180 00	110 00	85 00	20 00	<del>                                     </del>	11 90			<del></del>	<del></del>
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14.00	180.00	110 00	85.00	20 00		11 90			<del></del>	<b> </b>
	2-Wire voice unbundled port with Caller + £484 iD - bus 2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14.00	180.00	110 00	85.00	20 00		11 90				1
				ULFED			I DU.UU I	110 00 1	00 00 1		1	11901			1	1

UNBUNDI	DLED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
ATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		+	1-		+	1	Nonrec	urána	Nonrecurring	Disconnect	<del> </del>	L	OSS	Rates(\$)	l	
			1			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOC	OCAL NUMBER PORTABILITY				,											
	Local Number Portability (1 per port)	1		UEPFB	LNPCX	0 35										1
INT	TEROFFICE TRANSPORT	Ť T	1													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										1				-	i
	Termination	1	<u> </u>	UEPFB	U1TV2	25 32	47 35	31 78					! 			<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	3	1		1 1				1		1	ŀ				
	or Fraction Mile			UEPFB	1L5XX	0 0091										
FEA	ATURES	1	1	LIEBER	1,,50,5	0.00	0.00	0.00			<u> </u>	11.00				ļ
	All Features Offered	+		UEPFB	UEPVF	0 00	0.00	0 00				11 90			ļ	<del></del>
NON	DNRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	<del> </del>									ļ				<del> </del>
-	Combination - Conversion - Switch-as-is	1	1	UEPFB	USAC2	ļ	16 97	3 73				11.90		ŀ	]	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+	+	0	JUAUL		10 57	373				11.30	:			
	Combination - Conversion - Switch with change	1	1	UEPFB	USACC	l	16 97	3.73	-			11 90		l	1	-
2-W	WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX	3	<del> </del>	1		- 1	7.00									
	NE Port/Loop Combination Rates	1							-							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			26 24					1					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			31 40										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3	ľ		44 87					1					
UNE	NE Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24					İ					L
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17 40										
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	30 87										
2-W	Wire Voice Grade Line Port Rates (BUS - PBX)		-								1					ļ
	Land Code United States and Company Company Code Code Code Code Code Code Code Code	.	1	UEPFP	UEPPC	14 00	180.00	110 00	85 00	20 00		11 90			İ	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	5	<del>                                     </del>	UEPFP	UEPPO	14 00	180.00	110 00	85 00	20 00		11 90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus	+	+	UEPEP	UEPP1	14 00	180.00	110.00	85 00	20.00	1	11 90			l	+
	2-Wire Voice Unbundled PBX LD Terminal Ports		<del> </del>	UEPFP	UEPLD	14 00	180.00	110.00	85 00	20.00		11 90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	14 00	180 00	110 00	85 00	20 00	<u> </u>	11 90		'	<b>-</b>	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<b></b>	UEPFP	UEPXB	14 00	180 00	110 00	85.00	20.00		11 90			l	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14 00	180 00	110 00	85 00	20 00		11 90	*		<u> </u>	<b>†</b>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPFP	UEPXD	14.00	180 00	110 00	85.00	20.00		11.90				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
- 1	Capable Port	i		UEPFP	UEPXE	14 00	180 00	110 00	85 00	20 00		11 90			i	}
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										1					
	Administrative Calling Port			UEPFP	UEPXL	14 00	180 00	110 00	85 00	20 00		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	i		l												
	Room Calling Port	<u> </u>		UEPFP	UEPXM	14 00	180.00	110 00	85 00	20.00	<u> </u>	11.90				<u> </u>
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	}		l							1				i	
	Discount Room Calling Port	-	-	UEPFP	UEPXO	14 00	180 00 180 00	110 00	85 00 85 00	20 00	<u> </u>	11.90				<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<del> </del> -	UEPFP	UEPXS	14 00	180 00	110 00	85 00	20 00		11 90				
LOC	CAL NUMBER PORTABILITY  [Local Number Portability (1 per port)]		1	UEPFP	LNPCP	3.15	0 00	0.00			<del> </del>	11.90				
INT	TEROFFICE TRANSPORT		<b></b>	UEPPP	LINPUP	3.15	. 000	0 00			<del>                                     </del>	11.90				1
<del></del>	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-	†		+ +						<del> </del>					<del> </del>
	Termination	1		UEPFP	U1TV2	25 32	47 35	31 78	ŀ		ļ					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	2	1	-												· · · · · · · · · · · · · · · · · · ·
	or Fraction Mile			UEPFP	1L5XX	0 0091										İ
FEA	ATURES									-						
	All Features Offered			UEPFP	UEPVF	0 00	0.00	0.00				11 90				Ī
NON	DIRECURRING CHARGES (NRCs) - CURRENTLY COMBINED			<u> </u>												
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port					I										
	Combination - Conversion - Switch-as-is	1	ļ	UEPFP	USAC2		16 97	3.73				11 90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1				ļ			-							
- 1	Combination - Conversion - Switch with change  ED PORT/LOOP COMBINATIONS - MARKET BASED RATES	1	1	UEPFP	USACC		16.97	3 73				11 90				ļ
(A) (B) (1:		1	1	I	1 1		- 1	i	1		1	ı		1	1	1
	WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN	V DODT	_											· ·		

ONBONDLED NE	ETWORK ELEMENTS - Florida													Attachment:		Exhil	
CATEGORY	RATE ELEMENTS	Inten m	Zone	E	cs	usoc			RATES(\$)			1	Submitted	Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs Electronic- Add'l	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
							Rec	Nonrec		Nonrecurring					Rates(\$)		
						<u> </u>		First	Add'l	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wi	hre VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				67 24										
2-Wi	/ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			l	72 40										
2-Wi	/ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				85 87									<u> </u>	
UNE Loop F		1	L													l	
	/ire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12 24						11 90			1,83	
	fire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17 40						11 90			1 83	
	rre Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX		UECD1	30 87						11 90			1.83	
UNE Port Ra			L	<u> </u>													
	hange Ports - 2-Wire DID Port			UEPPX		UEPD1	55 00	850 00	75.00				11 90			1.83	
NONRECUR	RRING CHARGES - CURRENTLY COMBINED																
	ire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1														
	tch-As-Is Top 8 MSAs only	L		UEPPX		USAC1		850 00	75 00				11 90				
	/ire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	-															
with	BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		850 00	75 00			i	11 90			į į	
ADDITIONAL	AL NRCs																
2-Wi	/ire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32 26	32 26				11 90				
Telephone i	Number/Trunk Group Establisment Charges													•			
	Trunk Termination (One Per Port)			UEPPX		NDT	0 00	0 00	0 00				11.90			1.83	
DID	Numbers, Establish Trunk Group and Provide First Group		1			i i											
of 20	0 DID Numbers		i	ŲEPPX		NDZ	0.00	0 00	0.00			1	11 90			1 83	
Addı	litional DID Numbers for each Group of 20 DID Numbers		i –	UEPPX		ND4	0 00	0 00	0.00				11 90			1 83	
	Numbers, Non-consecutive DID Numbers, Per Number		i	UEPPX		ND5	0 00	0 00	0.00				11.90			1 83	
	erve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0 00	0.00				11 90			1 83	
	erve DID Numbers			UEPPX		NDV	0 00	0 00	0 00				11 90			1 83	
	MBER PORTABILITY																
	al Number Portability (1 per port)			UEPPX		LNPCP	3 15	0 00	0.00								
	IN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORT														
	oop Combination Rates			1													
	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -									i	• •						_
	E Zone 1		1	UEPPB	UEPPR		85 25										
	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					<del> </del>				İ							
	E Zone 2	i	2	UEPPB	UEPPR		91 67									ł (	
	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<del> </del>		02		0.0.										
	E Zone 3	Į.	3	UEPPB	UEPPR	1 1	108 46										
UNE Loop F			<u> </u>	02	OZ K		100 10					· ·					
	re ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	LISI 2Y	15.25						11.90			1.83	-
2-111	THE ISBN Digital Grade Loop - CIVE ZOITE T		+ '-	OC: 1 D	OLITA	COLEX	10.20						11.50	· · ·		1.00	
2 10/1	/ire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21 67					[	11 90			1 83	
	re ISDN Digital Grade Loop - UNE Zone 3			UEPPB	UEPPR		38 46						11.90			1.83	
UNE Port Ra		<u> </u>	J	OLFFB	OLFFIX	OSLEX	30 40						11.50			1.05	
	hange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	70 00	525.00	400.00				11 09			1.83	
	RRING CHARGES - CURRENTLY COMBINED			OEFFB	OEFFR	OCFFB 1	70 00	320.00	400.00				1105			1.00	
	ire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		-			<del>                                     </del>						<del>                                     </del>					
			1	HEDDE	UEPPR	USACB	0.00	215 00	215 00	ĺ		!	11.90			1.83	
	nbination - Conversion - Top 8 MSAs only			VEPPB	UEPPR	USACB	0.00	215 00	215 00				11.90			1.83	
ADDITIONAL																	
	MBER PORTABILITY			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	al Number Portability (1 per port)		-	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	-							
	L USER PROFILE ACCESS:	<del>                                     </del>	_	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	S/CSD (DMS/5ESS)	<b></b>	-	UEPPB		U1UCB	0.00	0.00	0.00							[	
	S (EWSD)	<del> </del>	-	UEPPB		U1UCC	0 00	0.00	0.00							<del> </del>	
CSD		C MC C	TAIL	UEFFB	JEFFK	01000	. 0 00	0.00	0.00							<u> </u>	
	L AREA PLUS USER PROFILE ACCESS: {AL,KY,LA,MS SI MINAL PROFILE	U,MED, &	1 N)	ļ				-								<u> </u>	
		<u> </u>	-	UEPPB	UEPPR	LIALIBAA	0.00	0.00	0.00								
	r Terminal Profile (EWSD only)		_	UEPPB	JEPPK	UTUMA	0.00	0.00	0.00								
VERTICAL F		<b>-</b>	-	LIEDOR	HEDDE	UEDVE	2.20	0.00	0.00			-	11.00			<b> </b>	
	/ertical Features - One per Channel B User Profile	-	-	UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
	CE CHANNEL MILEAGE		$\vdash$													<b></b>	
	roffice Channel mileage each, including first mile and	l	1		LIEDOS	Lucka	40.444	4= 0-								[ <u></u> . [	
1 Ifacilit	ities termination	I	1	UEPPB	UEPPR	M1GNC	18 4491	47.35	31 78	18 31	7 03		11 90			1 83	

Version 3Q02 10/07/02 Page 35 of 53

INBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			-	-			Nonrec	umng	Nonrecurring	g Disconnect	-		oss	Rates(\$)		
		+	$t^{-}$		1	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0 0091	0 00	0 00		1		11 90			1 83	
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT								1						
UNE	Port/Loop Combination Rates		1		1											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		970 74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		1,000 54										
_	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+	<del>  -</del> -	UEPPP		1,000 54										
	Zone 3		3	UEPPP	1	1,078 39										
UNE	Loop Rates		1													
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	70 74						11 90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	100 54						11 90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3	T	3	UEPPP	USL4P	178 39				T		11 90			1.83	
UNE	Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900 00	1,150 00	1,150.00		1		11 90			1 83	
NON	RECURRING CHARGES - CURRENTLY COMBINED				1											
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	T	T			•										
	Combination - Conversion -Switch-As-Is Top 8 MSAs only		,	UÉPPP	USACP	0 00	925 00	925.00				11 90			1 83	1
ADD	ITIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-		1													
	Inward/two way Telephone Numbers (except NC)		Ì	UEPPP	PR7TF	1	0 5412					11 90			1 83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -														100	
1	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO	i	12.71	12.71				11 90			1 83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1	1	1	7	- +	72									
ŀ	Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		25 42	25.42		ŀ		11.90			1 83	
LOC	AL NUMBER PORTABILITY	1	1													
	Local Number Portability (1 per port)	1	1	UEPPP	LNPCN	1 75										
INTE	RFACE (Provsioning Only)	1	<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·							1					
	Voice/Data	1		UEPPP	PR71V	0.00	0 00	0 00				·				
	Digital Data			UEPPP	PR71D	0 00	0.00	0 00								
	Inward Data	i –		UEPPP	PR71E	0.00	0.00	0 00			!					
New	or Additional "B" Channel	<del>                                     </del>	1													
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0 00	20 00		•			11 90			1 83	
	New or Additional - Digital Data B Channel	1 -		UEPPP	PR7BF	0.00	20 00					11 90			1.83	
_	New or Additional Inward Data B Channel	1		UEPPP	PR7BD	0.00	20 00					11 90			1.83	
CALL	TYPES	·	1		1							.,				
	Inward	1		UEPPP	PR7C1	0 00	0 00	0.00								
	Outward	1	<b>+</b>	UEPPP	PR7C0	0.00	0 00	0.00						-		
	Two-way	1		UEPPP	PR7CC	0 00	0 00	0 00								
Inter	office Channel Mileage	1		1	1											
	Fixed Each Including First Mile	1		UEPPP	1LN1A	88 6256	105 54	98 47	21 47	19 05		11.90			1 93	_
	Each Airline-Fractional Additional Mile	†	1	UEPPP	1LN1B	0 1856				1000		11.00			1 00	
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	<u> </u>	02	12.112	0.000										
	Port/Loop Combination Rates	1				i										
10.10	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPD¢		820.74				<del> </del>		11.90			1.83	
_	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1		UEPDC		850.54		-				11 90			1.83	
-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<del> </del>		UEPDC	<del> </del>	928.39	- 1			i		11.90		-	1.83	
UNF	Loop Rates		Ť	l	1	-20.00	- 1					.,,,,,,			1,00	
1	4-Wire DS1 Digital Loop - UNE Zone 1	<del>                                     </del>	1	UEPDC	USLDC	70.74						11 90			1.83	
-	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC	100 54					<b> </b>	11 90			1.83	
$\neg$	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	178 39						11.90			1.83	
UNF	Port Rate	+	Ť									50			1,05	
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750 00	1,019.56	479 87	204 92	20 10		11 90	-		1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	<b>†</b>	l	† · · · · · · · · · · · · · · · · · · ·		.,		10.02	20.10		., ,,,,	-		1.03	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	,	1	<b> </b>	1	-				<u> </u>						
	- Switch-As-is Top 8 MSAs only			UEPDC	USAC4		95.31	46 71				11 90			1 83	
	· · · · · · · · · · · · · · · · · · ·		1													
1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1	1		1	ļ			1	!					
1	- Conversion with DS1 Changes Top 8 MSAs only	1	1	UEPDC	lusawa		95 31	46 71		I	1	11.90			1 83	

MOUNDL	ED NETWORK ELEMENTS - Florida										Sun Order	Suc Order	Attachment:		· -	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMA
							FIISI	Addi	First	Addi	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMA
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination													1		İ
- 1	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		95 31	46 71				11 90			1 83	
ADDI	ITIONAL NRCs				155.11.5						· · · · · ·					<b></b>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				1											
1	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA	ł	15 69	15.69				11.90		ŀ	1 83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15 69	15.69				11.90			1 83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15 69	15 69				11 90			1 83	
ı	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															1
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTO		15 69	15 69			<u> </u>	11 90			1 83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			l	1	I							1	i	1	İ
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15 69	15 69				11 90			1 83	
BIPO	LAR 8 ZERO SUBSTITUTION													1	ļ	<u> </u>
	B8ZS -Superframe Format		ļ	UEPDC	CCOSF		0 00	655 00			l	11 90			1 83	<u> </u>
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 00	655 00			<u> </u>	11 90			1.83	<u> </u>
Alter	nate Mark Inversion										1					
	AMI -Superframe Format		L	UEPDC	MCOSF		0.00	0 00							ļ	
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0 00			1					
Telep	phone Number/Trunk Group Establisment Charges										1					<u> </u>
	Telephone Number for 2-Way Trunk Group	l		UEPDC	UDTGX	0 00					1	11 90			1 83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00						11 90			1 83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00					<u> </u>	11 90			1.83	
T	DID Numbers, Establish Trunk Group and Provide First Group															1
	of 20 DID Numbers			UEPDC	NDZ	0 00	0 00	0 00			<u> </u>	11 90			1 83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00					L	11 90			1 83	
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00						11 90			1 83	
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0.00				11 90			1 83	
	Reserve DID Numbers			UEPDC	NDV	0 00	0 00	0 00			L	11.90			1 83	
Dedic	cated DS1 (Interoffice Channel Mileage) -															
FX/F	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
1	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				i		ŀ						i	1		ł
	Termination)			UEPDC	1LNO1	88 44	105 54	98 47	21 47	19 05		11 90			1 83	
					1 1	1					1				l	ł
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 1856	0.00	0,00			<u> </u>					
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities					1							1			
	Termination)			UÉPDC	1LNO2	0.00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25										1			ł		1
	miles			UEPDC	1LNOB	0.1856	0.00	0.00			1					
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities										1			ł		
l	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00		1					
											1				1	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 1856	0 00	0 00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0 00	0 00							
	Central Office Termininating Point			UEPDC	CTG	0 00					ļ					
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT										1			•		
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act										1					<u></u>
	stem can have various rate combinations based on type and nu	nber of	ports	used	1											
UNE	DS1 Loop				1											1
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	70.74	0 00	0.00			1					
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100.54	0 00	0 00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178 39	0.00	0.00			1					
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	$\perp$								1					
	24 DSO Channel Capacity - 1 per DS1		$\Box$	UEPMG	VUM24	118 06	0.00	0 00				11 90			1 83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236 12	0 00	0 00				11 90-			1.83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472 24	0.00	0 00				11 90			1 83	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708 36	0.00	0 00				11 90			1 83	
	192 DS0 Channel Capacity -1 per 8 DS1s		1	UEPMG	VUM19	944.48	0.00	0.00				11 90			1 83	

Version 3Q02 10/07/02 Page 37 of 53

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment:	2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>			Rec	Nonrec		Nonrecurring		201150	2011411		Rates(\$)	00000	001141
	040 D00 0b 1 0 1 40 D04-	-	1	UEPMG	VUM20	1,180 60	First 0 00	Add'[ 0 00	First	Add'l	SOMEC	SOM AN 11 90	SOMAN	SOMAN	SOMAN 183	SOMAN
	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,416 72	0 00	0 00			-	11 90			1 83	<b>-</b>
l	384 DS0 Channel Capacity - 1 per 12 DS1s		-	UEPMG	VUM38	1,888 96	0.00	0 00				11 90			1 83	
	480 DS0 Channel Capacity - 1 per 20 DS1s		t -	UEPMG	VUM40	2,361 20	0.00	0.00				11 90			1 83	-
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833 44	0 00	0 00				11 90			1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s	1		UEPMG	VUM67	3,305 68	0.00	0 00				11 90			1 83	
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multi	oles of this configuration functioning as one are considered Ac	dd'i afte	r the n	ninımum system co	nfiguration is	counted.										
i i	NRC - Conversion (Currently Combined) with or without	l		UEPMG	USAC4	0 00	450 00	50 00			İ	11 90				}
6	BellSouth Allowed Changes - Top 8 MSAs Only m Additions Where Currently Combined and New (Not Currently	les Compl	1		USAC4	0.00	450 00	50 00			ļ	11 90				
	nsity Zone 1 Top 8 MSAs	Com	Jineu /		<del> </del>	<del> </del>					<del> </del>	<del> </del>	<del></del>			
lii Dei	11 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	<del>                                     </del>	1			<del> </del>		•				<b>!</b>			<b> </b>	
	Fea Activation -			UEPMG	VUMD4	0 00	950.00	600 00	200 00	30 00		1190			1	
Bipol	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	<u> </u>	<u> </u>	UEPMG	CCOSF	0 00	0.00	655 00				11 90				
	Clear Channel Capability Format - Extended Superframe -								ļ		Į.					
	Subsequent Activity Only		<u> </u>	UEPMG	CCOEF	0.00	0 00	655 00			<u> </u>	11 90				
Alterr	nate Mark Inversion (AMI)	ļ	<del> </del>	UEDIAC.	i coor	0.00	0 00	0.00								
<del>                                     </del>	Superframe Format  Extended Superframe Format		-	UEPMG UEPMG	MCOSF MCOPO	0 00	0.00	0 00			<b> </b>					
Evch	ange Ports Associated with 4-Wire DS1 Loop with Channelizate	on with	Port	OEF WIG	IMCOFO	0.00	0.00	0.00			<del> </del>					
	ange Ports	<u> </u>	1													
			1													
1	Line Side Combination Channelized PBX Trunk Port - Business	l		UEPPX	UEPCX	14 00	0.00	0 00	0 00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14 00	0 00	0 00	0.00	0 00		11 90			1 83	
1		I				1										
$\vdash$	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14 00	0 00	0 00	0 00	0.00		11.90			1 83	ļ
<u> </u>	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	-	-	UEPPX	UEPDM	55.00	0 00	0 00	0 00	0.00		11.90	-		1 83	
Featu	re Activations - Unbundled Loop Concentration	<b>—</b>														
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0 66	40 00	20 00	6 00	5 00		11.90			1 83	
<del>                                     </del>	Feature (Service) Activation for each Trunk Port Terminated in		ļ	OLFFX	TF QVVIVI	0 00	40 00	20 00	0.00	3 00		11.50			165	
1 1	D4 Bank			UEPPX	1PQWU	0 66	110 00	30 00	65 00	20 00	1	11 90			1 83	
Telep	hone Number/ Group Establishment Charges for DID Service										1					
	DID Trunk Termination (1 per Port)	i		UEPPX	NDT	0 00	0 00	0 00				11 90				
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0 00	0 00	0 00				11 90				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0 00	0 00				11 90				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00				11.90				
-	Reserve Non-Consecutive DID Numbers	-	<u> </u>	UEPPX UEPPX	ND6 NDV	0.00	0 00	0 00				11.90				
1.000	Reserve DID Numbers Number Portability	-		UEPPX	עמא	0.00	0 00	0 00				11.90				
Local	Local Number Portability - 1 per port	-		UEPPX	LNPCP	3.15	0 00	0.00			<del>                                     </del>					-
FEAT	URES - Vertical and Optional	<del> </del>		OLITA	LITT OIL	0.10		- 0 00		-	<u> </u>	-				
	Switching Features Offered with Line Side Ports Only		· · · ·													
	All Features Available			UEPPX	UEPVF	2.26	0 00	0 00				11.90			1 83	
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:										L					
	t Based Rates are applied where BellSouth is required by FCC															
	tures shall apply to the Unbundled Port/Loop Combination - C												L			
3. Enc	Office and Tandem Switching Usage and Common Transport	Usage	rates i	the Port section o	of this rate ext	ubit shall apply	to all combina	tions of loop/	port network e	ements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		L
4. The	first and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. Fo	r Currently Co	mbined Combo	s, the nonrecu	ırnıng charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections	Additional NR	Cs may
	also and are categorized accordingly.											,				
5. Ma	rket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual C	așe Basis, un	til further notice	e.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	2	_		<del></del>	ļ										
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ.—	<del> </del>			1										
UNE	ort/Loop Combination Rates (Non-Design)	L	<u> </u>	1		<u> </u>					1				·	i

UNBUNDLE	D NETWORK ELEMENTS - Florida		,										Attachment:			ıbit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sy Order vs.
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<u> </u>		+		First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
ļ	Non-Design		1	UEP91		10 94									Ì	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		15.05							•			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINE	Non-Design Port/Loop Combination Rates (Design)		3	UEP91		25 80										<u> </u>
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		+		-									<del></del>
i	Design	l	1	UEP91		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		18 57										<u> </u>
l l	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP91		32 04										
LINE	Design Loop Rate		3	UEF91	-	32 04		-			+					<del></del>
- ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1	<del></del>	1	UEP91	UECS1	9.77										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13 88					<del></del>					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24 63					+					<del> </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1 1	UEP91	UECS2	12 24					1					1
1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17 40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30 87										
UNE P											I					
All Sta	ates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1 17	53 31	26 46	27 50	8.37		11 90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91_	UEPYB	1 17	53 31	26 46	27 50	8.37		11 90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.17	53 31	26.46	27.50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1 17	139 49	86 10	65.41	13 81		11.90		;		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1 17	139 49	86 10	65 41	13 81	ļ	11 90				ļ
	Wire Voice Grade Port terminated in on Megalink or equivalent     Basic Local Area     Was Code Bot Townseled as 800 Sense Terminated.		ļ	UEP91	UEPY9	1,17	53 31	26 46	27 50	8 37		11.90			ļ	
	Wire Voice Grade Port Terminated on 800 Service Term -     Basic Local Area			UEP91	UEPY2	1 17	53 31	26 46	27 50	8.37		11 90				
Georg	jia and Florida Only 2-Wire Voice Grade Port (Centrex )	<b> </b> -	├	UEP91	UEPHA	1 17	53 31	26,46	27 50	8,37	· <del> </del>	11 90	-			<del>                                     </del>
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP91	UEPHB	1 17	53 31	26.46	27 50	8.37		11 90			<del>                                     </del>	<del></del>
	2-Wire Voice Grade Port (Centrex and termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1		<del> </del>	UEP91	UEPHH	1 17	53 31	26 46	27.50	8 37		11.90		-		$\vdash$
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPHM	1 17	139.49	86 10	65 41	13 81	1	11 90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPHZ	1 17	139 49	86 10	65 41	13.81		11 90				
	2 Mars Mars Crede Best terminated in an Marchell			UEP91	UEPH9	1 17	53 31	26.46	27 50	8 37		11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP91	UEPH9	1 17	53 31	26.46	27 50	8 37		11 90			-	+
Local	Switching	<b></b>	$\vdash$	02.01	JULITE	11/	33 31	20 40	21 30	0.07	<b>——</b>	(1.50			<u> </u>	<del></del>
	Centrex intercom Funtionality, per port		<u> </u>	UEP91	URECS	0 7384					1					<del>                                     </del>
Local	Number Portability														t	<b>T</b>
	Local Number Portability (1 per port)			UEP91	LNPCC	0 35										
Featur		ļ	ļ													
	All Standard Features Offered, per port	ļ	<b> </b>	UEP91	UEPVF	2 26					ļ	11 90				<del></del>
	All Select Features Offered, per port	ļ	ļ	UEP91	UEPVS	0 00	370.70				<del> </del>	11 90				1
NADO	All Centrex Control Features Offered, per port		<del> </del>	UEP91	UEPVC	2 26					<del> </del>	11 90				<del> </del>
NARS	Unbundled Network Access Register - Combination	<del>                                     </del>	<del>                                     </del>	UEP91	UARCX	0 00	0 00	0 00			-	11 90			<b> </b>	+
<del></del>	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	-	<del>                                     </del>	UEP91	UAR1X	0.00	0.00	0.00			-	11 90			<del>                                     </del>	<del> </del>
	Unbundled Network Access Register - India  Unbundled Network Access Register - Outdial	<del>                                     </del>	<del>                                     </del>	UEP91	UAROX	000	0.00	0.00	-		1	11 90				+
	Ilaneous Terminations	<del> </del>	├	Journal .	JUNION I	0.00	0.00	0.00			1	1130			<del></del>	<del> </del>

NBONDLED NE	ETWORK ELEMENTS - Florida												Attachment:			ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<del> </del> -	<del> </del>				Nonred	urring	Nonrecurring	g Disconnect	<del> </del>	<u> </u>	OSS	Rates(\$)		ــــــــــــــــــــــــــــــــــــــ
		1	<del>                                     </del>		+	Rec	First	Add'!	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Truni	k Side	<u> </u>	<b>—</b>		<del> </del>	<del></del>	11100	7,001	7,			-				-
	nk Side Terminations, each	<del> </del>	-	UÉP91	CENA6	8 73					1					<del>                                     </del>
	Channel Mileage - 2-Wire	<b>-</b>	<del>                                     </del>	02:01	021010											<del>                                     </del>
	roffice Channel Facilities Termination - Voice Grade		<del> </del>	UEP91	M1GBC	25 32									<del> </del>	<del> </del>
	roffice Channel mileage, per mile or fraction of mile		<del>                                     </del>	UEP91	M1GBM	0 0091				<u> </u>	+					<del></del>
			<del> </del>	OEF91	MITGEN	0.0091				<u> </u>	-			ļ	•	-
	vations (DS0) Centrex Loops on Channelized DS1 Service Bank Feature Activations	<i>.</i> e		· · · · · · · · · · · · · · · · · · ·	+			-		1	_					-
	ture Activation on D-4 Channel Bank Centrex Loop Slot	<del> </del>	-	UEP91	1PQWS	0.66				<del> </del>	-					<del> </del>
reati	ture Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>		OEF 91	IFWWS	0 00					+				-	
<sub>-</sub> .		ļ	ł		400140	0.00				1	i				1	Į.
	ture Activation on D-4 Channel Bank FX line Side Loop Slot	<b></b>	1	UEP91	1PQW6	0 66				<del>                                     </del>	<del> </del>		<del> </del>	<del> </del>	<del> </del>	<del></del>
	ture Activation on D-4 Channel Bank FX Trunk Side Loop		1	LIEBO4	100147	200					1					1
Slot		-	-	UEP91	1PQW7	0 66				ļ	+				<del> </del>	
	ture Activation on D-4 Channel Bank Centrex Loop Slot -	ļ	1	l							i	1	ł		1	1
Diffe	erent Wire Center		-	UEP91	1PQWP	0 66					-					+
1 1		1	1		1	1 _ <b>I</b>					1	1	1		1	1
	ture Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP91	1PQWV	0.66				<b>_</b>	1	ļ			1	
	ture Activation on D-4 Channel Bank Tjie Line/Trunk Loop														1	l
Slot		j		UEP91	1PQWQ	0.66							<u> </u>			1
Feat	ture Activation on D-4 Channel Bank WATS Loop Slot	1		UEP91	1PQWA	0.66										
Non-Recurri	ing Charges (NRC) Associated with UNE-P Centrex															
Conv	version - Currently Combined Switch-As-Is with allowed	1														
chan	nges, per port	l		UEP91	USAC2		21 50	8 42				11.90	1			
	version of Existing Centrex Common Block	1		UEP91	USACN		5 17	8 32				11.90				
	/ Centrex Standard Common Block	1		UEP91	M1ACS	0.00	618 82					11.90				
	Centrex Customized Common Block	i		UEP91	M1ACC	0 00	618 82					11 90				
	ondary Block, per Block			UEP91	M2CC1	0.00	71 31			1 " '		11.90				
	R Establishment Charge, Per Occasion	<b></b>	_	UEP91	URECA	0 00	66 48					11.90				
	TREX - 5ESS (Valid in All States)	<u> </u>			U. 1.2.1.					t	-					<del>                                     </del>
	.oop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>			· · · · · · · · · · · · · · · · · · ·								*		<b>——</b>
	oop Combination Rates (Non-Design)		<del>                                     </del>		+						1				1	<del></del>
	re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		<del>                                     </del>		1					1	-					+
	-Design		1	UEP95	ł	10 94				1				i	1	
	re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	ULF 80	1	10.54				<del> </del>				<del> </del>		<u> </u>
			2	UEP95		15 05				į				i		
	-Design		- 4	UEP90		15 05								ļ		
	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	_		ì					F			•		Ì	
	-Design	ļ	3	UEP95		25 80							-			
	oop Combination Rates (Design)	<del>   </del>									<del> </del>			<u> </u>	ļ	
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	1	Ι.	l				1			1		1			1
Desig		ļ	1	UEP95	<u> </u>	13.41				ļ	<del> </del>			ļ		<del></del>
	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1									1				1	
Desig			2	UEP95		18.57										1
	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			1										1	
Desig			3	UEP95	l	32.04				<u> </u>					<u> </u>	
UNE Loop R		L														
	ire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77										
2-Wii	ire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13 88				L				1		I
	ire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										
	ire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12 24				T	1		1	1	1	
	ire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17,40				ľ					1	
	ire Voice Grade Loop (SL 2) - Zone 3	!		UEP95	UECS2	30 87				1	1				İ	<b>†</b>
UNE Port Ra			Ť		† · · · · · ·		-			1	1			l	1	$\vdash$
All States			1		1					<del> </del>	<del></del>	-		1	· · · · · · · · · · · · · · · · · · ·	$\vdash$
	ire Voice Grade Port (Centrex ) Basic Local Area	<del>                                     </del>	<del>                                     </del>	UEP95	UEPYA	1 17	53 31	26 46	27 50	8 37	†	11 90			1	<del>                                     </del>
	ire Voice Grade Port (Centrex ) basic Local Alea ire Voice Grade Port (Centrex 800 termination)	···		UEP95	UEPYB	1 17	53 31	26.46	27 50			11 90			<b></b>	<del></del>
	ire Voice Grade Port (Centrex with Caller ID)1Basic Local	<del> </del>	<del> </del>	00.00	02110	· · · · · · · · · · · · · · · · · · ·	30 31	20.40	2, 30	1 33/	<del></del>	1130		<del> </del>	<del></del>	<del></del>
Area	1			UEP95	UEPYH	1.17	53 31	26.46	27.50	8 37		11.90				
	ire Voice Grade Port (Centrex from diff Serving Wire										1				T	
	ter)2 Basic Local Area	I	1	UEP95	UEPYM	1.17	139 49	86.10	65.41	13 81	1	11 90	1	i	1	

HOUNDEL	D NETWORK ELEMENTS - Florida												Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m Z	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring	Disconnect Add'l	CONTO	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						Fırst	Add'I	First	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Term - Basic Local Area			UEP95	UEPYZ	1 17	139 49	86 10	65 41	13 81		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.17	53 31	26 46	27.50	8 37		11 90				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.17	53 31	26 46	27 50	8 37		11.90				
	, LA, MS, SC, & TN Only															
	A Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1.17	53 31	26 46	27.50	8 37		11 90		l		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UÉPHB	1 17	53 31	26 46	27.50	8 37		11.90				
_	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPHH	1,17	53 31	26 46	27.50	8 37		11.90				
	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPHM	1 17	139 49	86.10	65.41	13.81		11 90				
	Term			UEP95	UEPHZ	1 17	139.49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	į į		UEP95	UEPH9	1 17	53 31	26 46	27 50	8 37		11 90			ļ	
i	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.17	53.31	26 46	27 50	8.37		11 90			•	
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0 7384										
	Number Portability															
Feature	Local Number Portability (1 per port) es			UEP95	LNPCC	0 35										
	All Standard Features Offered, per port			UEP95	UEPVF	2 26										
1	All Select Features Offered, per port			UEP95	UEPVS	0 00	370.70					11 90				
NARS	All Centrex Control Features Offered, per port			UEP95	UEPVC	2 26										
1.57.1.10	Unbundled Network Access Register - Combination			UEP95	UARCX	0 00	0 00	0.00				11 90				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0 00	0.00	0.00				11.90		,		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0 00	0 00				11 90				
Miscel	laneous Terminations			•												
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8 73										
	Digital (1 544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	54 95										
	DS0 Channels Activated, each			ÚEP95	M1HDO	0 00	15 69					11.90				
	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	25 32										
	Interoffice Channel mileage, per mile or fraction of mile	-		UEP95	MIGBM	0 0091										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	e	_		-										-	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0 66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	-		UEP95	1PQWP	0 66			-	,						<del>                                     </del>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP95	1PQWV	0.66										<del></del>
	Slot			UEP95	1PQWQ	0.66										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0 66										
	ecurring Charges (NRC) Associated with UNE-P Centrex			,,												
	NRC Conversion Currently Combined Switch-As-Is with allowed															I
	changes, per port			UEP95	USAC2	0 00	21 50	8 42				11 90				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5 17	8 32				11.90				L
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618 82					11.90				

JNBUNDL	LED NETWORK ELEMENTS - Florida												Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<u> </u>			Rec	Nonrec		Nonrecurring			001/41/		Rates(\$)	0011411	
			<u> </u>	UEP95	URECA	0.00	First 66 48	Add'I	First	Add'l	SOMEC	SOMAN 11,90	SOMAN	SOMAN	SOMAN	SOMAN
IIME	NAR Establishment Charge, Per Occasion  -P CENTREX - DMS100 (Valid in All States)	-		UEP95	URECA	0.00	00 40					11.90	-			
	fire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<del>                                     </del>		-					-						
	Port/Loop Combination Rates (Non-Design)									•						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		10 94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1 _		- 1		1									f
	Non-Design		2	UEP9D		15 05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	!	3	UEP9D		25.80										1
UNE	E Port/Loop Combination Rates (Design)	<b>-</b>	-	021 05		20.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1													i
	Design		2	UEP9D		18 57										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	İ	١.	UEBOD.	1 1	20.04	I									
	Design	ļ	3	UEP9D	+	32 04										<del> </del>
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1 1	UEP9D	UECS1	9 77										-
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	13 88			-							l
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	24 63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12 24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17 40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30 87					L					1
	E Port Rate															
ALL	STATES											44.00				<b></b>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		₩	UEP9D	UEPYA	1 17		-	-			11 90				<del> </del>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1 17	53 31	26 46	27 50	8.37		11 90				İ
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	-		00, 30	- OCI 1B		33 31	20 40	27 50	0.01		1130		· · · · ·		
i	Area			UEP9D	UEPYC	1 17	53 31	26 46	27 50	8 37		11 90				1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
1	Area			UEP9D	UEPYD	1 17	53 31	26.46	27.50	8 37		11 90			<u> </u>	<u>i                                      </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local					4.47	70 04 l	00.40	07.50	8 37		44.00				!
	Area			UEP9D	UEPYF	1.17	53 31	26 46	27 50	831		11.90				<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.17	53 31	26 46	27 50	8 37		11.90				†
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	<b>-</b>		V-1. VU	102.10		30 01	20 40	2, 30	0.07		71.00				
	Area		1	UEP9D	UEPYT	1.17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local						İ									
	Area		<u> </u>	UEP9D	UEPYU	1.17	53 31	26 46	27 50	8 37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local					]										
	Area	<u> </u>		UEP9D	UEPYV	1 17	53.31	26 46	27 50	8 37		11 90				ļ
- 1	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPY3	1 17	53 31	26 46	27 50	8.37		11 90				1
	Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	-	<u> </u>	OFFAD	UEF 13	1 17	33 31	20 40	2/ 50	0.3/		1190				<del></del>
	Area			UEP9D	UEPYH	1 17	53 31	26 46	27 50	8.37		11 90			1	
_	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		<del>                                     </del>		<del>-   -   -  </del>	- ' '										
	Indication))3 Basic Local Area			UEP9D	UEPYW	1 17	53 31	26 46	27 50	8 37		11 90				<u></u>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area		ļ	UEP9D	UEPYJ	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)							20.12		0.00		44.55				1
	2 Basic Local Area	<u> </u>	<del> </del>	UEP9D	UEPYM	1 17	53 31	26 46	27 50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1 17	53 31	26 46	27 50	8 37		11 90				
$\overline{}$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		<del>                                     </del>	OLF 3D	100110		30 31	20 40	21 30	0.07		(130				<del>                                     </del>
1	Basic Local Area	l	1	UEP9D	UEPYP	1 17	53 31	26.46	27 50	8 37		11 90				1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			ì	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add*
						Rec		curring		Disconnect				Rates(\$)		
							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			ŲEP9D	UEPYS	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1 17	139 49	86 10	65 41	13.81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.17	139 49	86.10	65.41	13 81	1	11 90				
-	Term  2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	UEP9D	UEPYZ	1 17	139 49	86 10	65 41	13 81		11 90				<del>                                     </del>
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1 17	53 31	26 46	27 50	8.37		11 90				-
FLR	Local Area GA Only		-	UEP9D	UEPY2	1.17	53 31	26.46	27 50	8.37		11 90				_
1.2.4	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1 17	53 31	26 46	27 50	8.37		11 90			i	†
	2-Wire Voice Grade Port (Centrex 800 termination)		<b>†</b>	UEP9D	UEPHB	1 17	53 31	26 46				11 90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17	53 31	26.46				11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.17	53 31	26.46		8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	VEPHE	1.17	53 31	26 46		8 37		11 90		<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3	L		UEP9D	UEPHF	1 17	53 31	26 46		8 37		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		<u> </u>	UEP9D	UEPHG	1 17	53 31	26 46				11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3		<u> </u>	UEP9D	UEPHT	1 17	53 31	26 46				11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3	L		UEP9D	UEPHU	1 17	53 31	26 46		8 37		11.90				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.17	53 31	26 46		8 37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.17	53 31	26 46		8 37	<u> </u>	11 90				
	2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D	UEPHH	1.17	53 31	26.46	27 50	8 37		11.90				L
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	1 17	53 31	26 46	27.50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		1	UEP9D	UEPHJ	1.17	53.31	26 46	27.50	8 37		11 90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	1 17	139 49	86 10	65.41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1 17	139.49	86.10		13.81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1 17	139 49	86.10	65 41	13.81	Į	11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1 17	139.49	86 10	65.41	13.81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1,17	139 49	86.10	65 41	13 81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1 17	139 49	86.10	65 41	13 81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17	139 49	86.10	65 41	13.81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17	139.49	86.10	65 41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1 17	139 49	86 10	65 41	13.81		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH7	1 17	139 49	86 10	65 41	13.81		11 90				
<del>-  </del>	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				UEPHZ							11 90				
<del>-   -</del>	Term	-	-	UEP9D		1.17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	<del> </del>	UEP9D	UEPH9	1 17	53 31	26 46	27 50	8 37	<del> </del>	11 90			-	<del> </del>
	2-Wire Voice Grade Port Terminated on 800 Service Term	L	<u> </u>	UEP9D	UEPH2	1 17	53 31	26.46	27 50	8 37		11 90			L	

NBUNDLE	D NETWORK ELEMENTS - Florida	.,											Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			l	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonred First	urring Add'l	Nonrecurning First	Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
Local	Switching	-	1				Filst	Auu	11130	Auu	COMEC	JONIAN	JOINAIN	JOHAN	JOHAN	JOHIAN
LOCAL .	Centrex Intercom Funtionality, per port	<del> </del>	1	UEP9D	URECS	0 7384										
Local I	Number Portability		1													
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					11 90				
	All Centrex Control Features Offered, per port		-	UEP9D	UEPVC	2.26										
NARS		1	-	LIEDOD	UARCX	0.00	0.00	0.00				11 90				
	Unbundled Network Access Register - Combination	+	+	UEP9D UEP9D	UAR1X	0.00	0.00	0.00	-			11 90				<u> </u>
	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial	+	+	UEP9D	UAROX	0.00	0 00	0 00	<del>                                     </del>			11 90	<u> </u>			<del> </del>
Missel	Unbundled Network Access Register - Outdial	<del>                                     </del>	+	OLF 3D	UARUA	0.00	0 00	- 000			-	1190				<b>-</b>
	Trunk Side	<b> </b>	<del> </del>		1				1							
2-1116	Trunk Side Terminations, each	<del>                                     </del>	1	UEP9D	CEND6	8 73					-					
4-Wire	Digital (1.544 Megabits)	t	1		1	3.3									-	
	DS1 Circuit Terminations, each	1		UEP9D	M1HD1	54 95										
	DS0 Channels Activiated per Channel	1	1	UEP9D	M1HDO	0.00	15 69					11 90				
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	25 32										
	interoffice Channel mileage, per mile or fraction of mile		1	UEP9D	MIGBM	0 0091										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Cha	annel Bank Feature Activations	ļ	₩.		1.50							ļ				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	┞	ļ	UEP9D	1PQWS	0 66										<b> </b>
1	Foot on Antonion on D.A.Channel Book EV Inc. S. de Long Cité.	i	1	UEP9D	1PQW6	0 66									1	1
	Feature Activation on D-4 Channel Bank FX Ime Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<del> </del> -	+	UEP9D	IFUVVO	0 00									<del>  -</del>	<del>                                     </del>
	Slot	1	1	UEP9D	1PQW7	0 66			ļ 1							l
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	<del> </del>	1	32, 33		- 500					<del> </del>			-		
1	Different Wire Center	1	1	UEP9D	1PQWP	0 66			1							
1		i														
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1	1	UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		1													
	Slot	<u>L</u> .	L	UEP9D	1PQWQ	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 66										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed												!		1	
	changes, per port	<u> </u>	<u> </u>	UEP9D	USAC2		21.50	8.42	ļ <b>.</b>			11 90				
	Conversion of existing Centrex Common Block, each	1	<b> </b>	UEP9D	USACN	0.00	5.17	8.32			1	11 90				ļ
	New Centrex Standard Common Block	<del> </del>	+	UEP9D	M1ACS M1ACC	0.00	618.82 618.82					11 90 11 90				<u> </u>
-	New Centrex Customized Common Block	<del> </del>	<del> </del>	UEP9D UEP9D	URECA	0.00	618.82					11 90	ļ		<del> </del>	<del> </del>
IINE P	NAR Establishment Charge, Per Occasion  CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	+	+	DELAD	URECA	0.00	00.46		<del>  </del>	····	-	1130				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<del> </del>	+		+				<del>                                     </del>							<b>-</b>
	ort/Loop Combination Rates (Non-Design)	t	1	<del>                                     </del>	1				<del>        </del>		<del> </del>				l	
J.IL.F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	<del> </del>	-	+ -1											
	Non-Design		1	UEP9E		10.94										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1													
	Non-Design '	<u>L</u>	2	UEP9E		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	I									1					
	Non-Design	<u>.</u>	3	UEP9E		25 80							_			
UNE P	ort/Loop Combination Rates (Design)		1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1				. <u> </u>									[	l
	Design		1	UEP9E		13.41			ļ							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1 _	LIEBOE					į į							[
	Design		2	UEP9E		18 57					ļ	· · · · · ·			-	-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9E		32.04			ļ I				i			

NRONDLE	D NETWORK ELEMENTS - Florida		<del>,</del> .	,	<del>, , , , , , , , , , , , , , , , , , , </del>						1		Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc		-	RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
				·		Rec	Nonrec		Nonrecurring		1			Rates(\$)		
					_		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9 77										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24 63										
-	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12 24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	i	2	UEP9E	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										
UNE Po	ort Rate															
AL, FL,	KY, LA, MS, & TN only														L	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.17	53 31	26 46	27 50	8 37		11 90				ŀ
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1 17	53.31	26 46	27 50	8.37		11 90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1													
+	Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	UEP9E	UEPYH	1,17	53 31	26 46	27 50	8 37		11 90				<del></del>
	Center)2 Basic Local Area		ļ	UEP9E	UEPYM	1 17	139.49	86 10	65 41	13 81	-	11 90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1 17	139 49	86 10	65 41	13 81		11 90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1 17	53 31	26 46	27 50	8 37	1	11 90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY2	1 17	53 31	26 46	27 50	8 37		11 90				
Elevido	Basic Local Area	-	┼	UEF9E	UEP12	1 17	پې د دې د د دې	20 40	27 50	0.31	-	1190				<del></del>
Florida	2-Wire Voice Grade Port (Centrex.)	-	-	UEP9E	UEPHA	1 17	53.31	26 46	27 50	8 37	<u> </u>	11 90				
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)		├	UEP9E	UEPHB	1.17	53.31	26 46		8 37	<b>.</b>	11 90			<b></b>	┢──
	2-Wire Voice Grade Port (Centrex with Caller ID)1	-	<del>                                     </del>	UEP9E	UEPHH	1.17	53.31	26 46	27 50	8.37	<del> </del>	11 90				<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPHM	1.17	139 49	86.10	65 41	13.81		11.90				ļ - <del></del>
	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service													,		
	Term		-	UEP9E	UEPHZ	1.17	139 49	86 10	65 41	13 81		11.90		'		_
i	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1 17	53 31	26 46	27 50	8 37		11.90				1
	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP9E	UEPH2	1 17	53 31	26 46	27 50	8 37	1	11.90				
Local S	Switching															
-	Centrex Intercom Funtionality, per port		T	UEP9E	URECS	0 7384										
Local N	lumber Portability		T													
	Local Number Portability (1 per port)			UËP9E	LNPCC	0 35										
Feature			]	,,										1		i .
	All Standard Features Offered, per port		1	UEP9E	UEPVF	2 26										
	All Select Features Offered, per port			UEP9E	UEPVS	0 00	370 70					11 90				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										<u> </u>
NARS			l													
1.	Unbundled Network Access Register - Combination		1	UEP9E	UARCX	0 00	0.00	0 00				11 90				
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0 00	0.00	0 00				11 90				L
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0 00				11 90				<u> </u>
	aneous Terminations		ļ													-
	Trunk Side				1											
	Trunk Side Terminations, each		-	UEP9E	CEND6	8 73									ļ	<del> </del>
	Digital (1.544 Megabits)	<b>—</b> —	<del> </del>	UEDOE .	Leaving.	54.95					ļ			ļ	<del> </del>	<b>├</b>
	DS1 Circuit Terminations, each	ļ	ļ	UEP9E	M1HD1		15.00				<del> </del>		-	-		<del></del>
	DS0 Channel Activated Per Channel		+	UEP9E	M1HDO	0 00	15.69					11.90			ļ	
	Fice Channel Mileage - 2-Wire		<del> </del>	HEROE	MICEC	05.00							ļ	1	1	
	Interoffice Channel Facilities Termination		<u> </u>	UEP9E	MIGBC	25.32 0 0091										$\vdash$
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>	ļ	UEP9E	MIGBM	0 0091							<del> </del>	<u> </u>	-	<del></del>
	Activations (DS0) Centrex Loops on Channelized DS1 Service	ie -	$\vdash$										<u> </u>	<del> </del>		—
D4 Cha	nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	-	UEP9E	1PQWS	0.66									<del> </del>	
	realistic Activation on Day Channel Bank Centrex Loop Stot	<b>-</b>	+	OE: 3E	II GVVO	0 00			<del> </del>		-	•	1	<del> </del>		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										1

ATTEMPT ANT ELEMENTS   United   Table   United   Table   United   Table   United   Table   United   Table   United   Table   United   Table   United   Table   United   Table   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United   United	NBUNDLED NETWORK ELEMENTS - Florida	,											Attachment:			bit: B
First Advances or Det Channel Bark FX Traits Set Loop   UEPPE   170WP   0.95	ATEGORY RATE ELEMENTS	1 1	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual S Order vs Electronic Disc Add
Packer Advancer on Por Channel Bark Cyte Log Sold   UEPSE   \$70x77   .048						Rec										
State   Contract Not Center   Contract Basis Centres Loss Sid	5 - 5 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature Activation on Of Chainel Bank Central Loss Size				HEPGE	1POW7	0.66								ļ		
Feature Architotion on D4 Channel Bank Tip LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Lo	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Architotion on D4 Channel Bank Tip LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Loop   LearSymin Lo	Feature Activation on D.4 Channel Bank Private Line Loon Slot			LIEDOE	1POW/	0.66										
Soil				OEF 3E	II QVV	0.00										
Non-Recurring Charges (REQ) Associated with UREP Centrex				UEP9E	1PQWQ	0.66										
New Contract Office and Principle (NRIC) Associated with UNEP Centrex	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Consequence of Seasing Gentless Common Block seach   UEPSE   USACC   2 1.50   9.42   11.50																
Conversion of Existing Cardieve Common Block and   UIFPRE   UISACN   5.17   5.22   1.150	NRC Conversion Currently Combined Switch-As-Is with allowed														ļ.	
Consertion of Estating Centres Common Block and   UEPSE   USAN   9.77   8.32   11.50	changes, per port															
New Centre Stanger Common Block   UIPPE   M1ACS   0.00   618.82   11.90	Conversion of Existing Centrex Common Block, each							8.32								
NAX Establishment Charge, Per Occasion   URECA	New Centrex Standard Common Block			UEP9E	M1ACS	0 00	618 82					11 90				
Note 1 - Required Port for Centroic Control in 14555, 5855 & EWSD   Note 2 - Required Port for Centroic Centrol in 14555, 5855 & EWSD   Note 2 - Required Port for Centroic Centrol in 14555, 5855 & EWSD   Note 2 - Required Port for Centroic Centrol in 14555, 5855 & EWSD   Note 2 - Required Port for Centroic Centrol in 14555, 5855 & EWSD   Note 2 - Required Port for Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Centroic Cen	New Centrex Customized Common Block			UEP9E	M1ACC	0 00	618.82					11 90				
Note 2- Requires InterOffice Channel Miteage Note 3- Requires Specific Customer Primises Equipment Note 3- Requires Specific Customer Primises Equipment Note 3- Requires Specific Customer Primises Equipment SubCLEC CENTREX PORTALOP COMBINATIONS. MARKET RATES  S. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of topiporn network elements except for UNIX Coin PortIL-opp Combinations.  4. The first and additional Port noncomuring changes and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of topiporn network elements except for UNIX Coin PortIL-opp Combinations.  4. The first and additional Port noncomuring changes shall be those identified in the Nonrecurring - Currenty Combined Sections. Additional NNCs ms apply also and are categorized accordingly.  2-Wire Visit Loop/ZWIRE Visice Grade Port (Centreal Combine UNIX EXPLICATE VISITED AND ASSET OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF TRANSPORT OF	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48					11 90				
Note 2 - Requires Interoffice Channel Mileage	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD							i								
Note 3 - Requires Specific Customer Premises Equipment   SubDNLED CENTREX PORTLODE COMBINATIONS - MARKET PATES																
1. Market Rates are applied where BellSouth is not required by FCG and/or State Commission rule to provide Unbundled Local Switching or Switch Ports 2. Recurring Charges for all Standard Centres and Centres cannot Centre and Extense an Included in the Market Rate 3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all common transport Usage rates in the Port section of this rate exhibit shall apply to all common transport Usage rates in the Port section of this rate exhibit shall apply to all common transport Usage rates in the Port section of this rate exhibit shall apply to all common transport Usage rates in the Port section of this rate exhibit shall apply to all common transport Usage rates in the Port section of this rate exhibit shall apply to all common transport Usage rates in the Port section of this rate exhibit shall apply to all common transport Usage rates in the Port section of this rate exhibit shall apply to all common transport Usage rates in the Port Section of this rate exhibit shall apply to all common transport Usage rates in the Port Section of this rate exhibit shall apply to all common transport Usage rates in the Port Section of this rate exhibit shall apply to all common transport Usage rates in the Port Section of this rate exhibit shall apply to all common transport Usage rates in the Port Section of this rate exhibits shall apply to all common transport Usage rates in the Port Section of this rate exhibits shall apply to all common transport Usage rates in the Port Section of this rate exhibits shall apply to all common transport Usage rates in the Port Section of this rate exhibits shall apply to all common transport Usage rates in the Port Section of this rate exhibits shall apply to all common transport Usage rates in the Port Section of this rate exhibits shall apply to all common transport Usage rates in the Port Section of this port of the Port Section of this port Section of this port Section of th																
2. Recurring Charges for all Standard Centrex and Centrex Corrol Features are included in the Market Rate 3. Ead Office and Tradens Witching Usage and common Transport Usage rates in the Port section of this rate arbibit shall apply to all combinations of loop/corn network elements except for UNE Coin Port/Loop Combinations.  4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges sh	BUNDLED CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
2. Recurring Charges for all Standard Centrex Corrol Features are Included in the Market Rate 3. End Office and Tradmen Switching Usage and Common Transport Usage rates in the Port section of this rate arbibit shall apply to all combinations of loop/rorn network elements except for UNE Coin Port/Loop Combinations. 4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those identified in the Nonrecurring Charges shall be those	1. Market Rates are applied where BellSouth is not required by FCC	and/or S	State C	ommission rule t	provide Unbu	ndled Local Sw	ritching or Swi	tch Ports					· ·			
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.    4. The first and additional Port nonnecuming charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecuming charges shall be those identified in the Nonrecuming - Currently Combined sections. Additional NNCs mapply also and are categorized accordingly.  UNEP PORTUREX - IASSE, Vicial on AL, FL, GAKY, LA, MS, &TN only)  2. Wire VI Loop/2-Wire Voice Grade Fort (Centres) Combo  UNE Porturboy Combination Rates (Non-Design)  1. UEP91  2. Wire VI Loop/2-Wire Voice Grade Fort (Centres) Port Combo  1. UEP91  2. Wire VI Loop/2-Wire Voice Grade Fort (Centres) Port Combo  2. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  3. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4. UEP91  4.																
DNE Port Loop Combination Rates (Non-Design)   2	3. End Office and Tandem Switching Usage and Common Transport     4 The first and additional Port nonrecurring charges apply to Not Common Transport	Usage r								• • • • • • • • • • • • • • • • • • • •					Additional NR	Cs may
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo   1 UEP91   28 94	End Office and Tandem Switching Usage and Common Transport     The first and additional Port nonrecurring charges apply to Not Coapply also and are categorized accordingly.     UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	Usage r urrently								• • • • • • • • • • • • • • • • • • • •					Additional NR	Cs may
Non-Design	3. End Office and Tandem Switching Usage and Common Transport     4 The first and additional Port nonrecurring charges apply to Not Coapply also and are categorized accordingly.     UNE-P CENTREX - 1AESS - {Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Usage r urrently								• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
Non-Design   2   UEP91   31 06	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurning charges apply to Not Coapply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - {Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)	Usage r urrently								• • • • • • • • • • • • • • • • • • • •					Additional NR	Cs may
Non-Design   3   UEP91   45.87	3. End Office and Tandem Switching Usage and Common Transport  4. The first and additional Port nonrecurring charges apply to Not Comply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL.,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	Usage r urrently	Combi	ined Combos. F		mbined Combo				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
UNE PortLoop Combination Rates (Design)   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combobesign   1   UEP91   29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36   29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 36     29 3	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly. UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design	Usage r urrently	Combi	ined Combos. F		mbined Combo				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly. UNE-P CENTREX - 1AESS - {Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port (Centrex)Port Combo Particle Vivia Voice Grade Port	Usage r urrently	1 2	UEP91		26 94 31 06				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
Design   1   UEP91   29 36	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Cotapply also and are categorized accordingly. UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage r urrently	1 2	UEP91		26 94 31 06				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Coapply also and are categorized accordingly. UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  UNE Port/Loop Combination Rates (Design)	Usage r urrently	1 2	UEP91		26 94 31 06				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
2-Wire Voice Grade Loop (SL 1) - Zone 1	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	Usage r urrently	1 2 3	UEP91 UEP91 UEP91		26 94 31 06 45 87				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
Design   3   UEP91   50 68	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	Usage r urrently	1 2 3 1	UEP91 UEP91 UEP91 UEP91		26 94 31 06 45 87				• • • • • • • • • • • • • • • • • • • •					Additional NR	CS may
UNE Loop Rate	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly. UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	Usage r urrently	1 2 3 1	UEP91 UEP91 UEP91 UEP91		26 94 31 06 45 87				• • • • • • • • • • • • • • • • • • • •					Additional NR	PCS may
2-Wire Voice Grade Loop (SL 1) - Zone 1	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ct apply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - {Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	Usage r urrently	1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91		26 94 31 06 45 87 29 36 34.43				• • • • • • • • • • • • • • • • • • • •					Additional NR	PCS may
2-Wire Voice Grade Loop (SL 1) - Zone 2   2   UEP91   UECS1   17.06	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	Usage r urrently	1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91		26 94 31 06 45 87 29 36 34.43				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP91 UECS1 31 87	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  UNE Loop Rate	Usage r urrently	1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	or Currently Co	26 94 31 06 45 87 29 36 34.43 50 68				• • • • • • • • • • • • • • • • • • • •					Additional NR	ICs may
2-Wire Voice Grade Loop (SL 2) - Zone 1	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ct apply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  UNE Loop Rate  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1	Usage r urrently	1 2 3 1 2 3 1 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	26 94 31 06 45 87 29 36 34.43 50 68				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
2-Wire Voice Grade Loop (SL 2) - Zone 2   2   UEP91   UECS2   20.43       UEP91   UECS2   36.68       UEP91   UECS2   36.68       UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UEP91   UE	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ci apply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2	Usage r urrently	1 2 3 1 2 3 1 2 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06				• • • • • • • • • • • • • • • • • • • •					Additional NR	ICs may
2-Wire Voice, Grade Loop (SL 2) - Zone 3   3   UEP91   UECS2   36 68	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 2	Usage r urrently	1 2 3 1 2 3 1 2 3 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
UNE Ports	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ct apply also and are categorized accordingly. UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 3	Usage r urrently	1 2 3 1 1 2 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87 15 36				• • • • • • • • • • • • • • • • • • • •					Additional NR	ICs may
All States (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  UEP91  UEPYB  14 00  70 00  35.00  35 00  10 00  11 90  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area  UEP91  UEPYH  14 00  70 00  35.00  35 00  10 00  11 90  11 90  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area  UEP91  UEPYH  14 00  70 00  35 00  35 00  10 00  11 90  11 90  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area  UEP91  UEPYM  14 00  18 00  11 00  85 00  20 00  11 90  11 90	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ct apply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1	Usage r urrently	1 2 3 1 2 2 3 1 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87 15 36 20 43				• • • • • • • • • • • • • • • • • • • •					Additional NR	ICs may
2-Wire Voice Grade Port (Centrex ) Basic Local Area   UEP91   UEPYA   14 00   70 00   35.00   35 00   10 00   11 90	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ct apply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	Usage r urrently	1 2 3 1 2 2 3 1 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87 15 36 20 43				• • • • • • • • • • • • • • • • • • • •					Additional NR	RCs may
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP91 UEPYB 14 00 70 00 35.00 35 00 10 00 11 90  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP91 UEPYH 14 00 70 00 35 00 35 00 10 00 11 90  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area UEP91 UEPYM 14 00 180 00 110 00 85 00 20 00 11 90  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ct apply also and are categorized accordingly. UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports	Usage r urrently	1 2 3 1 2 2 3 1 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87 15 36 20 43				• • • • • • • • • • • • • • • • • • • •					Additional NR	ICs may
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area  UEP91  UEPYH  14 00  70 00  35 00  10 00  11 90  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area  UEP91  UEPYM  14 00  180 00  110 00  11 90  12-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  UNE Ports All States (Except North Carolina and Sout Carolina)	Usage r urrently	1 2 3 1 1 2 3 3 1 2 3 3 1 2 3 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87 15 36 20 43 36 68	os, the nonrecu	erring charges	shall be those	identified in t		mng - Curre			Additional NR	ICs may
Area         UEP91         UEPYH         14 00         70 00         35 00         35 00         10 00         11 90           2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area         UEP91         UEPYM         14 00         180 00         110 00         85 00         20 00         11 90           2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service         UEP91         UEPYM         14 00         180 00         110 00         85 00         20 00         11 90	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ct apply also and are categorized accordingly. UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Loop (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	Usage r urrently	1 2 3 1 1 2 3 3 1 2 3 3 1 2 3 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87 15 36 20 43 36 68	70 00	arring charges	shall be those	identified in t		11 90			Additional NR	ICs may
2-Wire Voice Grade Port (Centrex from diff Serving Wire   UEP91	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ci apply also and are categorized accordingly. UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports All States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area	Usage r urrently	1 2 3 1 1 2 3 3 1 2 3 3 1 2 3 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87 15 36 20 43 36 68	70 00	arring charges	shall be those	identified in t		11 90			Additional NR	ICs may
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Ctapply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  UNE Ports  All States (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area	Usage r urrently	1 2 3 1 1 2 3 3 1 2 3 3 1 2 3 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87 15 36 20 43 36 68 14 00	70 00 70 00	35.00	35 00 35 00	10 00 10 00		11 90 11 90			Additional NR	CS may
Term - Basic Local Area     UEP91   UEPYZ   14 00   180 00   110.00   85 00   20 00   11 90	3. End Office and Tandem Switching Usage and Common Transport 4 The first and additional Port nonrecurring charges apply to Not Citapply also and are categorized accordingly.  UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo  UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  UNE Ports  All States (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	Usage r urrently	1 2 3 1 1 2 3 3 1 2 3 3 1 2 3 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB	26 94 31 06 45 87 29 36 34.43 50 68 12 94 17.06 31 87 15 36 20 43 36 68	70 00 70 00	35.00 35.00	35 00 35 00	10 00 10 00		11 90 11 90			Additional NR	ICs may

Version 3Q02 10/07/02 Page 46 of 53

NRONDLED N	ETWORK ELEMENTS - Florida												Attachment:		<b>.</b>	bit: B
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
-   -						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
12-W	ire Voice Grade Port terminated in on Megalink or equivalent							,,,,,,	1						1	
	isic Local Area			UEP91	UEPY9	14 00	70.00	35 00	35 00	10 00		11 90				1
	fire Voice Grade Port Terminated on 800 Service Term -		<del>                                     </del>	OLI OI	102, 10	14 00	10.00	55 55	00 00	10.00					1	
	ic Local Area	1		UEP91	UEPY2	14 00	70 00	35 00	35 00	10.00		11 90			1	1
	d Florida Only		<del>                                     </del>	OLI 31	1021.72	17 00	1000	00 00	00 00	10.00						
	fire Voice Grade Port (Centrex )			UEP91	UEPHA	14 00	70 00	35 00	35.00	10.00		11.90				
	re Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	14 00	70.00	35 00	35 00	10.00		11.90			<del> </del>	<del> </del>
	re Voice Grade Port (Centrex ood termination)	<del></del>		UEP91	UEPHH	14 00	70.00	35 00		10.00		11 90		<del> </del>	<del> </del>	
	Ire Voice Grade Port (Centrex with Carler ID) I	-		OLFSI	OLF7III	14 00	70 00	35 00	55 00	10.00	-	1120			1	
	ter)2		ļ	UEP91	UEPHM	14 00	180 00	110 00	85 00	20 00		11 90		ĺ		
	re Voice Grade Port, Diff Serving Wire Center - 800 Service	-		UEFSI	OEF FIN	14 00	100 00	110 00	83 00	20 00	-	1130				<del></del>
				UEP91	UEPHZ	14 00	180 00	110 00	85 00	20 00		11 90				1
Tern	ņ ,	<b> </b>	-	OFLAI	JOET TE	14 00	100 00	110 00	65 00	20 00	<del> </del>	1130		<b> </b>	<del>                                     </del>	
1 10.4		ŀ	ļ	LIEDOA	luceun I	14.00	70.00	25.00	35.00	10.00		11.00				
	re Voice Grade Port terminated in on Megalink or equivalent	<b>-</b>	-	UEP91	UEPH9 UEPH2	14 00 14 00	70 00 70.00	35.00 35.00	35 00	10.00	-	11.90 11.90		<del>                                     </del>	1	<del></del>
	re Voice Grade Port Terminated on 800 Service Term		-	UEP91	UEPHZ	14 00	70.00	35.00	35 00	10.00		11.90		-	1	
Local Switch		<b></b>	-	115504	lupres !	0.7001			-	ļ				ļ	<del> </del>	<b> </b>
	trex Intercom Funtionality, per port		ļ	UEP91	URECS	0 7384										
	ber Portability		<u> </u>												<u> </u>	
	al Number Portability (1 per port)		<u> </u>	UEP91	LNPCC	0 35										
Features					<u> </u>											
	Standard Features Offered, per port	<u> </u>	<u> </u>	UEP91	UEPVF	0.00						11.90				
	Select Features Offered, per port			UEP91	UEPVS	0.00	370 70					11.90				
	Centrex Control Features Offered, per port		i	UEP91	UEPVC	0.00			1			11.90				·
NARS					I											
Unb	undled Network Access Register - Combination			UEP91	UARCX	0.00	0 00	0 00				1 <b>1 90</b>				
Unb	undled Network Access Register - Indial			UEP91	UAR1X	0 00	0 00	0 00				11 90				
Unb	undled Network Access Register - Outdial		Ì	UEP91	<b>UAROX</b>	0 00	0.00	0 00				11 90				
Miscellaneo	ous Terminations															
2-Wire Trun	ık Side					-									ļ	
	nk Side Terminations, each		T	UEP91	CENA6	8 81			İ							
	Channel Mileage - 2-Wire						· ·									
	roffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25 32										
	roffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 0091										1
	tivations (DS0) Centrex Loops on Channelized DS1 Service	ie.								···						1
	Bank Feature Activations	ř			1				-						•	
	ture Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP91	1PQWS	0 66										<u> </u>
1 681	tate Acavazori on B-4 orienter bank centrex coop oler			<u>DEFOR</u>	11. 41.10											
Ena	ture Activation on D-4 Channel Bank FX line Side Loop Slot	i	1	UEP91	1PQW6	0 66				l	1 1			į		1
	ture Activation on D-4 Channel Bank FX Trunk Side Loop			OLI SI	111 Q110					-	-	-		<del> </del>	<del> </del>	
Slot			1	UEP91	1PQW7	0 66				1				i		i
				QEPSI	TIPQVV						-				-	-
	ture Activation on D-4 Channel Bank Centrex Loop Slot -	i	1		470111					1						
Diffe	erent Wire Center	ļ	<del> </del>	UEP91	1PQWP	0 66								ļ		
1		ĺ	ł							ŀ						
	ture Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 66								ļ	ļ	
	ture Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l			1 1										1	
Slot				UEP91	1PQWQ	0 66										
	ture Activation on D-4 Channel Bank WATS Loop Slot	ļ		UEP91	1PQWA	0.66				ļ				1		L
	ing Charges (NRC) Associated with UNE-P Centrex														l	
	version - Currently Combined Switch-As-Is with allowed	l			1	1	1			1			]	i		
	nges, per port	L		UEP91	USAC2		21 50	8.42				11 90		L	1	
	version of Existing Centrex Common Block			UEP91	USACN		5.17	8.32				11 90			1	
	Centrex Standard Common Block			UEP91	M1ACS	0 00	618 82					11 90				
New	Centrex Customized Common Block			UEP91	M1ACC	0.00	618 82					11 90		j		
Seco	ondary Block, per Block			UEP91	M2CC1	0.00	71 31					11 90				
	R Establishment Charge, Per Occasion			UEP91	URECA	0.00	66 48					11 90		T	1	Γ
	TREX - 5ESS (Valid in All States)				1											
	oop/2-Wire Voice Grade Port (Centrex) Combo				1										1	
LIVE B. 41	oop Combination Rates (Non-Design)				1											1

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			ļ			neo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP95		26 94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>  '</del> -	02.1 30		20 54				-	<del> </del>				· · · · · ·	
- 1	Non-Design	ľ	2	UEP95		31 06										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															İ
	Non-Design		3	UEP95	1	45 87			-		-					<del></del>
UNE P	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								-							<del> </del>
	Design	]	1	UEP95		29 36										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		i i		1											
	Design		2	UEP95		34 43										<u> </u>
ļ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOS	]	50.00									İ	1
lusie .	Design		3	UEP95		50 68								<del> </del>	<b> </b>	<b>├</b> ──
UNEL	cop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP95	UECS1	12.94					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 1	-		UEP95	UEC\$1	17 06										-
+	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	31 87										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1	<del> </del>		UEP95	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	20 43										<b>—</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	36 68										
UNE P	ort Rate			1												
All Sta																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	14 00	70 00	35 00		10.00		11 90				i
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	70 00	35.00	35.00	10 00	l	11 90				L
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	ĺ	ļ		. remail	44.00	70.00	25.00	35.00	40.00		11 90				1
+	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPYH	14 00	70 00	35.00	35.00	10 00		11 90				
	Center)2 Basic Local Area	i		UEP95	UEPYM	14.00	180 00	110.00	85.00	20 00		11 90			1	
+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 93	OLF TWI	14.00	100 00	110.00	03.00	20 00		11 30		<del>                                     </del>		<del>                                     </del>
1	Term - Basic Local Area	ł	į	UEP95	UEPYZ	14.00	180.00	110 00	85.00	20 00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		l													1
	- Basic Local Area			UEP95	UEPY9	14 00	70 00	35 00	35 00	10 00		11.90		ł		l
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area		İ	UEP95	UEPY2	14 00	70 00	35 00	35 00	10 00		11 90				l
	Y, LA, MS, SC, & TN Only		<u> </u>													<u> </u>
FL & C	GA Only															ļ
	2-Wire Voice Grade Port (Centrex )		<u> </u>	UEP95	UEPHA	14 00	70,00	35 00		10 00		11 90				<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)		<del> </del>	UEP95	UEPHB UÉPHH	14.00 14.00	70 00 70 00	35.00 35.00		10 00 10 00		11 90 11 90				├──
	2-Wire Voice Grade Port (Centrex with Caller ID)1	<u> </u>	ļ	UEP95	UEPHH	14 00	70 00	35.00	35 00	10 00	_	1190		<del></del>		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2	l	1	UEP95	UEPHM	14 00	180 00	110 00	85.00	20 00		11.90			·	
-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<b>-</b>		021 30	OCI TIM	14 00	100 00	1,000	00.00	20 00		11.50				-
	Term	i		UEP95	UEPHZ	14 00	180 00	110 00	85 00	20 00		11 90		İ		
_																
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP95	UEPH9	14 00	70 00	35.00	35 00	10.00		11.90				1
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	14.00	70 00	35 00	35 00	10 00		11 90				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0 7384					ļ					<u> </u>
Local	Number Portability															
<del></del>	Local Number Portability (1 per port)	<u> </u>	<u> </u>	UEP95	LNPCC	0.35									ļ	├
Featur		<u> </u>	<u> </u>	UEP95	UEPVF	0 00		-	ļ		<del>                                     </del>				<u> </u>	<del>                                     </del>
-	All Standard Features Offered, per port All Select Features Offered, per port	<del> </del> -		UEP95	UEPVS	0.00	370 70					1 <b>1</b> 90			·	<del></del>
	All Centrex Control Features Offered, per port	<u> </u>		UEP95	UEPVC	0 00	3/0/0				+	11 30		<del></del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>
NARS		<del>                                     </del>	<del> </del>	02.00	- JOE: VO	0.00			<u> </u>			_				<del>                                     </del>
ITARO	Unbundled Network Access Register - Combination	l	<u> </u>	UEP95	UARCX	0 00	0.00	0 00				11.90				<b></b>
-	Unbundled Network Access Register - Indial	$\vdash$	<del> </del>	UEP95	UAR1X	0.00	0 00	0 00				11.90				$\vdash$
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0 00	0 00		•		11 90				
Misco	laneous Terminations		1													

Version 3Q02 10/07/02 Page 48 of 53

NBUNDLED NET	WORK ELEMENTS - Florida												Attachment:			bit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vi Electron Disc Add
							Nonrec	urrina	Nonrecurrin	g Disconnect	<del> </del>		oss	Rates(\$)	k	
						Rec	First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2-Wire Trunk S	Side										-					
	Side Terminations, each			UEP95	CEND6	8.81										
	(1 544 Megabits)															t
	rcuit Terminations, each			UEP95	M1HD1	54.95					1					
	nannels Activated, each			UEP95	M1HDO	0.00	15 69					11 90				
	nnel Mileage - 2-Wire															
Interoffi	ice Channet Facilities Termination			UEP95	MIGBC	25 32										
	ice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0 0091										
	tions (DS0) Centrex Loops on Channelized DS1 Service	e									1					
	ank Feature Activations															
Feature	Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
																1
	e Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0 66										ļ
	Activation on D-4 Channel Bank FX Trunk Side Loop						T							1		
Slot		L		UEP95	1PQW7	0 66									ļ	L
	Activation on D-4 Channel Bank Centrex Loop Slot -		l				l		i	1	1					
Differen	nt Wire Center			UEP95	1PQWP	0 66			<u> </u>							
							1						1			
	Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0 66										
	Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
Slot			<u> </u>	UEP95	1PQWQ	0.66					<u> </u>				<u> </u>	
	Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
	Charges (NRC) Associated with UNE-P Centrex								]		<u> </u>					<u> </u>
	onversion Currently Combined Switch-As-Is with allowed		i			ŀ					1	_				1
	es, per port			UEP95	USAC2	0 00	21 50	8 42	ļ			11.90				ļ
Conver	sion of Existing Centrex Common Block, each		<u> </u>	ÜEP95	USACN		5.17	8 32			4	11 90				<b>↓</b>
	entrex Standard Common Block			UEP95	M1ACS	0 00	618 82			ļ	-l	11.90				<u> </u>
	entrex Customized Common Block			UEP95	M1ACC	0 00	618 82			ļ	<b></b>	11 90				<u> </u>
	stablishment Charge, Per Occasion			UEP95	URECA	0.00	66.48				ļ	11 90		,		
	EX - DMS100 (Valid in All States)										ļ					ļ
	p/2-Wire Voice Grade Port (Centrex) Combo														ļ	
	Combination Rates (Non-Design)										ļ					₩
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		1	20.04									-	
Non-De				UEP9D		26 94			<del> </del>		<del> </del>					
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD		31 06	-		1						ĺ	İ
Non-De			_2_	UEP9D		31 06			-							
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9D		45 87	1									l
Non-De	o Combination Rates (Design)		3	UEPSD	-	45 07				-						
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
Design			1	UEP9D		29 36										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		,	UEPSU		29 30				<del> </del>	+					
			2	UEP9D		34 43										
Design	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OEFBD		34 43					<del>i                                      </del>					<del> </del>
Design			3	UEP9D		50 68	i		j				1		İ	l
UNE Loop Rate				OLF 3D	_	30 00				-	+					1
	Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9D	UECS1	12 94				<del></del>						<del></del>
	Voice Grade Loop (SL 1) - Zone 1	<b>-</b>	2	UEP9D	UECS1	17 06										<del> </del>
	Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31 87			i	<u> </u>	<del>                                     </del>					<del></del>
	Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UEC\$2	15 36				<b>†</b>				<b></b>		<del>                                     </del>
	Voice Grade Loop (SL 2) - Zone 1		2	UEP9D	UECS2	20 43				<u> </u>	†					<del></del>
	Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36 68			1		1			<b></b>		<del></del>
UNE Port Rate			<u> </u>													
ALL STATES	· · · · · · · · · · · · · · · · · · ·															$\vdash$
	Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	14 00	-		T	T		11 90			İ	<b>†</b>
	Voice Grade Port (Centrex 800 termination)Basic Local									i						$\vdash$
Area		1	1	UEP9D	UEPYB	14.00	70 00	35 00	35 00	10 00		11 90	l	1		1
	Voice Grade Port (Centrex / EBS-PSET)3Basic Local		i													1
Area	(	1	[	UEP9D	UEPYC	14 00	70.00	35.00	35.00	10.00		11 90				1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		20450	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14 00	70 00	35 00	35 00	10 00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			02.02	100											
	Area			UEP9D	UEPYE	14 00	70 00	35 00	35 00	10 00		11.90				1
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		!	EDOD	UEPYF	14 00	70 00	35 00	35 00	10 00		11 90				1
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	-	-	UEP9D	DEPTF	14 00	70 00	33 00	33 00	10 00	1	1130				
	Area			UEP9D	UEPYG	14.00	70 00	35 00	35.00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local											44.00				
	Area			UEP9D	UEPYT	14.00	70 00	35 00	35 00	10 00		11 90				
ļ	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14 00	70 00	35 00	35 00	10.00		11 90	1			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			55, 55	1 - 1											
	Area			UEP9D	UEPYV	14 00	70 00	35 00	35 00	10 00		11 90				<del></del>
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1	UEP9D	UEPY3	14.00	70 00	35 00	35 00	10 00		11.90		1		
	Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	-		UEPSD	UEF13	14.00	70 00	35 56	30 00	10 00	<u> </u>					1
	Area			UEP9D	UEPYH	14 00	70 00	35.00	35.00	10 00		11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp									40.00		1	1			İ
	Indication))3 Basic Local Area		ļ	UEP9D	UEPYW	14 00	70.00	35 00	35 00	10 00	-	11 90		-	-	<del> </del>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14 00	70 00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			02.00				-								
	2 Basic Local Area		<u> </u>	UEP9D	UEPYM	14 00	70 00	35 00	35 00	10 00		11 90		ļ <u>.</u>		<del></del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		l	UEP9D	UEPYO	14.00	70 00	35 00	35 00	10 00		11 90		ł		
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		-	OCFSD	CEFTO	14.00	70 00	33 00	35.00	10 00	<del>                                     </del>					1
ļ	Basic Local Area		1	UEP9D	UEPYP	14 00	70 00	35 00	35 00	10 00		11 90				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3						400.00	440.00	25.00	20.00		11.00		'		1
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		<del> </del>	UEP9D	UEPYQ	14 00	180 00	110 00	85 00	20 00	+	11 90	<del></del>			+
l	Basic Local Area			UEP9D	UEPYR	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area		<u> </u>	UEP9D	UEPYS	14 00	180 00	110 00	85 00	20 00		11.90	<b>ļ</b>		-	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			VEP9D	UEPY4	14 00	180 00	110 00	85 00	20.00		11 90				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OEF-9D	OEF 14	14 00	100 00	110 00	- 50 00	20.00		1 55				
1	Basic Local Area			UEP9D	UEPY5	14 00	180 00	110 00	85 00	20 00		11 90	<u> </u>			<del></del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			I				440.00		00.00		11 90				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	14 00	180 00	110 00	85 00	20.00		1190				+
1	Basic Local Area			UEP9D	UEPY7	14 00	180.00	110 00	85 00	20 00		11 90	l			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		ļ	UEP9D	UEPYZ	14.00	180 00	110.00	85 00	20 00	-	11 90		-		<del> </del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14 00	70 00	35.00	35 00	10 00		11 90				-
-	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			021 35	- JULY 13	1100		35.00					1			<del></del>
	Local Area		<u> </u>	UEP9D	UEPY2	14 00	70 00	35 00	35 00	10 00		11 90				ļ
FL & (	GA Only			UEP9D	ÜEPHA	14 00	70 00	35 00	35 00	10 00		11 90		ļ	ļ	<del> </del>
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP9D	UEPHB	14.00	70 00	35.00		10 00		11 90				+
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3		<u> </u>	UEP9D	UEPHC	14.00	70 00	35 00		10 00		11 90	1			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		<u> </u>	UEP9D	UEPHD	14 00	70.00	35 00	35 00	10 00		11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	14.00	70 00	35 00				11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	14.00	70 00	35 00				11 90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	14.00	70 00	35 00				11.90		L		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	ļ	_	UEP9D	UEPHT	14 00	70 00 70 00	35 00				11 90		<b></b>	-	+
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3	ı	1	UEP9D	UEPHU	14 00	70.00	35 00	35 00	1 70 00	1	11 90	1	i	I .	1

UNBUNDI F	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		T = 2
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
_	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	14 00	70 00	35 00	35 00 35.00	10.00 10.00		11 90 11.90				<del></del>
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	14 00	70 00	35 00	35.00	10 00		11.90				<del> </del>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UÉP9D	UEPHW	14.00	70 00	35.00	35.00	10 00		11.90				ľ
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		1	UEP9D	UEPHJ	14.00	70 00	35.00	35.00	10 00		11.90				<del> </del>
<del>-  </del>	2-Wire Voice Grade Port (Centrex/Msg Wilg Earlip indication)3			OLF 9D	OLITIO	14 00	7000	00 00	35 50	10 00	<del> </del>	1130				<b></b>
	2		1	UEP9D	UEPHM	14 00	180 00	110.00	85 00	20 00		11.90				ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14 00	180 00	110 00	85 00	20 00		11.90				
			1													
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	L		UEP9D	UEPHP	14 00	180 00	110 00	85.00	20 00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	14 00	180 00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	ļ		UEP9D	UEPHR	14 00	180.00	110.00	85 00	20.00		11 90			<u> </u>	<u> </u>
ļ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14 00	180.00	110 00	85 00	20 00		11 90				
-	2-vviie voice Grade Port (Certilexiditer SVVC /EB3-W3312)2, 3		-	DEF9D	ULFFIS	14 00	100.00	110 00	85 00	20 00		11.50				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14 00	180.00	110 00	85 00	20 00		11 90			1	ŀ
<del></del>	2-Wile Voice Grade Fort (Certife Aditier SWC / LBS-Wiscod)2, 3		<del> </del>	OLI 3D	OLI TIT	14 00	100.00	110 00	05 00	20 00		1130				
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		1	UEP9D	UEPH5	14 00	180 00	110 00	85 00	20 00		11 90			ľ	1
	2 YARE VOICE GRADET GIT (BOTHLOWGHIEL GYTO TEBO MOESO)2, C		<del>                                     </del>	00.00	QZ. II.		100 00		52 00				•			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		l	UEP9D	UEPH6	14 00	180 00	110 00	85 00	20 00	1	11 90			i	
											1		-			
i i	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14 00	180 00	110 00	85 00	20 00	t	11 90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
<u> </u>	Term			UEP9D	UEPHZ	14 00	180.00	110 00	85 00	20 00		11 90				
					ii											1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9 UEPH2	14 00 14 00	70 00 70 00	35 00 35 00	35 00 35 00	10 00 10.00		11 90				ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	14 00	70 00	35 00	35 00	10.00		1190		+		<del></del>
Local	Switching Centrex Intercom Funtionality, per port		-	UEP9D	URECS	0 7384			· · · · · · · · · · · · · · · · ·							-
Local	Number Portability			OEFBD	IONEGS	0 7304										†
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35		-								<del></del>
Featur	<u> </u>	-		QL: 05	24.00	0.00										<b>†</b>
1.554	All Standard Features Offered, per port			UEP9D	UEPVF	0.00			i							
	All Select Features Offered, per port			UEP9D	UEPVS	0 00	370,70					11.90				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0 00										
NARS									L							
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0 00	0 00				11 90				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0 00	0 00	0 00				11 90				
	Unbundled Network Access Register - Outdial		1	UEP9D	UAROX	0.00	0.00	0.00			!	11 90				<del> </del>
	llaneous Terminations				<u> </u>											<del> </del>
2-Wire	Trunk Side Terminations, each			UEP9D	CEND6	8 81	-									<del> </del>
4 Mires	Digital (1.544 Megabits)			OLF 9D	CENDO	901					<del> </del>	-		-		<del>                                     </del>
4-44116	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95					1					<del>                                     </del>
	DS0 Channels Activiated per Channel			UEP9D	M1HDQ	0.00	15 69					11 90				<del> </del>
Intero	ffice Channel Mileage - 2-Wire													i <del></del>		
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	25.32									i	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0 0091									ŀ	
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0 66										
	L						1				1				Ī	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										L
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW7	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	ļ	-	OEPSU	IFQW/	0 00						,				-
- 1	Different Wire Center	1	Ĭ.	UEP9D	1POWP	0 66					1				l	1

			1		1 - 1											
TEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Etectronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs
			<b>-</b>				Nonrec	urring	Nonrecurring	Disconnect	·		oss	Rates(\$)		
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-							11101							1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		l	UEP9D	1PQWV	0.66								ļ		1
-+-	Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop			021 32		0.00										1
	Slot			UEP9D	1PQWQ	0.66	1						ĺ			
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	ecurring Charges (NRC) Associated with UNE-P Centrex		+	021 32	11 52177					-						
HOII-KE	NRC Conversion Currently Combined Switch-As-is with allowed		1				i									
į į	changes, per port		1	UEP9D	USAC2		21 50	8 42				11 90			İ	
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5 17	8.32				11.90				<del> </del>
	New Centrex Standard Common Block	-	<del></del>	UEP9D	M1ACS	0 00	618 82	0.02	· · · · · ·			11 90				
	New Centrex Standard Common Block			UEP9D	M1ACC	0.00	618.82					11 90				<del></del>
<del></del>	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48		<del> </del>			11 90				<del></del>
IINE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		<del>                                     </del>	021 30	0112011		00.40	-				1100		i		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															-
	ort/Loop Combination Rates (Non-Design)		1		-				-							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+				-		<del> </del>					<del> </del>
ı	Non-Design		1	UEP9E	1 1	26 94					i I			ì		ì
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			ULF 3L		20 54									1	<del></del>
	Non-Design		2	UEP9E	1 1	31 06										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF 9L		3100					-					<del> </del>
	Non-Design		3	UEP9E		45 87										
	ort/Loop Combination Rates (Design)		1 3	UEP9E		45 67					<del> </del>					
UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		_													-
1	Design	1	1	UEP9É	i 1	29.36										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+ +	OEF 3E		29.30										<del> </del>
ı	Design		2	VEP9E		34.43									l	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>-</del>	ULFSL	<del></del>	34.43										
1			3	UEP9E		50.68	-								l	
LIATE L.	Design Doop Rate			ULFSL	<del>                                      </del>	30.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12 94									<del> </del>	
	2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17.06										-
	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	31 87										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9E	UECS2	15 36										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		<u> </u>	UEP9E	UECS2	20 43										₩
			2													-
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.68										-
	ort Rate				<del>                                     </del>				<del> </del>						ļ	├──
AL, FL,	, KY, LA, MS, & TN only		<del>                                     </del>	LIEDOE	UCOVA	11.00	70.00	35 00	35 00	10 00	-	11.00				
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	14 00	70 00	35 00	35 00	10 00		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1	UEP9E	UEPYB	14 00	70.00	35 00	35 00	10 00		11.90	i			
	Area		┡	UEP9E	UEPTB	14 00	70.00	35 00	35 00	10 00		11.90			ļ	<b>├</b>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	LIEBOE	UEDVAL	44.00	70.00	25.00	25.00	40.00		44.00		•		
	Area			UEP9E	UEPYH	14 00	70.00	35.00	35 00	10 00		11 90			1	1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1		UEBNA	44.00	400.00	440.00	05.00	00.00		44.00			1	i
	Center)2 Basic Local Area		1	UEP9E	UEPYM	14 00	180 00	110 00	85 00	20 00		11 90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1					440.00	05.00							
	Term - Basic Local Area		<u> </u>	UEP9E	UEPYZ	14 00	180 00	110.00	85 00	20 00		11 90				<del> </del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1								j			l		
	- Basic Local Area		L	UEP9E	UEPY9	14.00	70 00	35 00	35 00	10 00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEGOE	LIEBVO	44.00	70.00	05.00	35.00	40.00	i l	44.55		ļ		
	Basic Local Area	<u> </u>	ļ	UEP9E	UEPY2	14 00	70 00	35.00	35.00	10 00		11 90				
Florida		ļ		LIEBOE	LICOLIA	44.00	70.00	05.00	25.00	40.00		44.60		<b></b>	1	
	2-Wire Voice Grade Port (Centrex )		⊢—	UEP9E	UEPHA	14 00	70 00	35 00	35.00	10.00		11 90				<del></del>
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ	-	UEP9E	UEPHB	14 00	70 00	35 00		10 00		11.90				-
	2-Wire Voice Grade Port (Centrex with Caller ID)1	<u> </u>	_	UEP9E	UEPHH	14 00	70 00	35 00	35.00	10 00	ļ	11.90			<del></del>	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	LIEBOE	LIEBUM	44.00	400.00	440.00	05.00	00.00		44.00			I	
	Center)2			UEP9E	UEPHM	14 00	180 00	110 00	85 00	20 00		11.90-			<del> </del>	<del> </del>
-	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1

BUNDLED N	NETWORK ELEMENTS - Florida											i	Attachment:	2	Exhi	ıbit: B
EGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES(\$)			Submitted Elec			Incremental Charge -	Charge -	Charg
			-				Nonrecu	ırrina	Nonrecurning	Disconnect		I	OSS	Rates(\$)	l	<u> </u>
			1		<b>+</b> • • •	Rec	First	Add'i	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
			1													
2-V	Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E	UEPH9	14 00	70.00	35 00	35 00	10 00	İ	11 90				·
2-V	Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	14 00	70 00	35 00	35 00	10 00		11 90				
Local Swit																
Cer	ntrex Intercom Funtionality, per port		T	UEP9E	URECS	0.7384										<u> </u>
	nber Portability		Ì													<u> </u>
Loc	cal Number Portability (1 per port)			UEP9E	LNPCC	0 35										<u> </u>
Features			1													ļ
	Standard Features Offered, per port			UEP9E	UEPVF	0 00										
	Select Features Offered, per port			UEP9E	UEPVS	0 00	370.70				<u> </u>	11 90		1		
	Centrex Control Features Offered, per port	<u> </u>	1	UEP9E	UEPVC	0 00					ļ					₩
NARS			1								ļ					<del> </del>
	bundled Network Access Register - Combination		ļ.,	UEP9E	UARCX	0 00	0 00	0 00				11.90				
	bundled Network Access Register - Indial	L		UEP9E	UAR1X	0 00	0 00	0 00			ļ	11 90				—
	bundled Network Access Register - Outdial			UEP9E	UAROX	0 00	0 00	0.00				11 90			ļ	
	eous Terminations			<u> </u>											ļ	<del> </del>
2-Wire Trui											ļ					——
	unk Side Terminations, each		<del>   </del>	UEP9E	CEND6	8 81										├──
	ital (1.544 Megabits)		<b></b>											L		-
	31 Circuit Terminations, each	-	-	UEP9E	M1HD1	54 95					ļ					─
	60 Channel Activated Per Channel		ļ	UEP9E	M1HDO	0 00	15.69					11.90				
	Channel Mileage - 2-Wire		1	LIEBOE		05.00										₩
	eroffice Channel Facilities Termination		┿	UEP9E	MIGBC	25 32 0.0091										<del></del>
linte	eroffice Channel mileage, per mile or fraction of mile		-	UEP9E	MIGBM	0.0091					1					+
	ctivations (DS0) Centrex Loops on Channelized DS1 Servicel Bank Feature Activations	e	1								ļ					+
		1	1	UEP9E	1POWS	0.66										<del></del>
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEPSE	IPQWS	0.00					-				<u> </u>	+
Fea	ature Activation on D-4 Channel Bank FX line Side Loop Slot	}		UEP9E	1PQW6	0 66	1							1		
Fea	ature Activation on D-4 Channel Bank FX Trunk Side Loop															
Slo	ot	l		UEP9E	1PQW7	0 66										
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot -															
Diff	ferent Wire Center			UEP9E	1PQWP	0.66					1					
7							i									1
	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0 66										ļ
	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1				1										
Slo			ļ	UEP9E	1PQWQ	0 66					1					
	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										1
Non-Recur	rnng Charges (NRC) Associated with UNE-P Centrex															<u> </u>
	RC Conversion Currently Combined Switch-As-Is with allowed	l	1	l	1			_	ĺ							
	anges, per port	ļ	ļ	UEP9E	USAC2		21.50	8.42			ļ	11 90				<del> </del>
	nversion of Existing Centrex Common Block, each	L	ļ	UEP9E	USACN		5 17	8 32			ļ	11 90		ļ		1
	w Centrex Standard Common Block	ļ	1	UEP9E	M1ACS	0 00	618 82					11 90		-	ļ	<del></del>
	w Centrex Customized Common Block	ļ	ļ	UEP9E	M1ACC	0.00	618 82				1	11 90		ļ	ļ	
	AR Establishment Charge, Per Occasion		1	UEP9E	URECA	0 00	66 48				ļ	11.90				
	equired Port for Centrex Control in 1AESS, 5ESS & EWSD	ļ	<del> </del>													<del> </del>
	tequres Interoffice Channel Mileage	L	-		·						1				<del></del>	<del></del>
INIANA 2 DA	equires Specific Customer Premises Equipment	1	1	1	1						1			I .	I	1

# Attachment 2

**Network Elements and Other Services** 

# TABLE OF CONTENTS

1	INTRODUCTION	. 3
2	UNBUNDLED LOOPS	. 4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	25
4	LOCAL SWITCHING	35
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	42
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	48
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT EENING SERVICE	53
8	LINE INFORMATION DATABASE (LIDB)	53
9	SIGNALING	56
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE).	62
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	67
12	CALLING NAME (CNAM) DATABASE SERVICE	68
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ANCED INTELLIGENT NETWORK (AIN) ACCESS	69
14	BASIC 911 AND E911	70
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	71
LIE	B Storage Agreement Exhibit	A
Rat	es Exhibit	R

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to DSL in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to DSL. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require DSL to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment DSL used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of DSL, and to the extent technically feasible, provide to DSL access to its Network Elements for the provision of DSL's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- DSL may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner DSL chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by DSL to the demarcation point associated with DSL's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 DSL may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 Rates
- 1.7.1 The prices that DSL shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If DSL purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.7.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.7.3 If DSL modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by DSL in accordance with FCC No. 1 Tariff, Section 5.
- 1.7.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

### 2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to DSL's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification process, then DSL can use the Special Construction process to request that BellSouth place facilities in order to meet DSL's loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to DSL in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 DSL may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where DSL has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and DSL shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by DSL using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

## 2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 DSL will be responsible for testing and isolating troubles on the Loops. DSL must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, DSL will be required to provide the results of the DSL test which indicate a problem on the BellSouth provided loop.
- 2.1.8.2 Once DSL has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If DSL reports a trouble on a non-designed or designed loop and no trouble actually exists, BellSouth will charge DSL for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.

#### 2.1.9 Order Coordination and Order Coordination-Time Specific

2.1.9.1 "Order Coordination" (OC) allows BellSouth and DSL to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to DSL's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical-

conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows DSL to order a specific time for OC to take place. BellSouth will make every effort to accommodate DSL's specific conversion time request. However, BellSouth reserves the right to negotiate with DSL a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. DSL may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If DSL specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

## 2.1.10 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by DSL when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in DSL's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to DSL pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable Option	Chargeable Option	Not available	Chargeable Option –	Charged for Dispatch inside and outside
(Non-				ordered as	Central Office
Designed)				Engineering	
				Information	

				Document	
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, DSL must order and will be billed for both OC and OC-TS if requesting OC-TS.

## 2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that DSL will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in

two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by DSL. DSL may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that DSL may request further testing on new UVL-SL1 loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to DSL. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow DSL to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

#### 2.3 Unbundled Digital Loops

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)
- 2.3.2.3 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.4 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled HDSL Compatible Loop

- 2.3.2.6 4-wire Unbundled DS1 Digital Loop
- 2.3.2.7 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.8 DS3 Loop
- 2.3.2.9 STS-1 Loop
- 2.3.2.10 OC-3 Loop
- 2.3.2.11 OC-12 Loop
- 2.3.2.12 OC-48 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. DSL will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR.

A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.

- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC-3 Loop/OC-12 Loop/OC-48 Loop. OC-3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 155.52 Mbps; OC-12 622.08 Mbps; and OC-48 2488 Mbps.
- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501

  LightGate®Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

## 2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

## 2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by DSL.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by DSL to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

#### 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any

intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, DSL can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that DSL may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by DSL to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 DSL may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

## 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by DSL, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, DSL will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so

that DSL can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. DSL will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.

- 2.5.4 In those cases where DSL has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.
- 2.5.6 DSL shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that DSL desires BellSouth to condition.
- 2.5.7 When requesting ULM for a loop that BellSouth has previously provisioned for DSL, DSL will submit a service inquiry to BellSouth. If a spare loop facility that meets the loop modification specifications requested by DSL is available at the location for which the ULM was requested, DSL will have the option to change the loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the loop facility in lieu of providing ULM, DSL will not be charged for ULM but will only be charged the service order charges for submitting an order.

#### 2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where DSL has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to DSL. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to DSL (e.g. hairpinning).
- 2.6.2 BellSouth will select one of the following arrangements:
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.
  - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. DSL will then have the option of paying the one-time SC rates to place the loop.

## 2.7 **Network Interface Device (NID)**

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit DSL to connect DSL's Loop facilities to the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

#### 2.7.3 Access to NID

- 2.7.3.1 DSL may access the end user's customer-premises wiring by any of the following means and DSL shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1
   1) BellSouth shall allow DSL to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be DSL's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with DSL to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to DSL's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. DSL may request BellSouth to do additional work to the NID on a time and material basis. When DSL deploys its own local loops with respect to multiple-line termination devices, DSL shall specify the quantity of NIDs connections that it requires within such device.
- 2.8 <u>Sub-loop Elements</u>

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

## 2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If DSL requests a UCSL and it is not available, DSL may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for DSL's use on this cross-connect panel. DSL will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, DSL shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. DSL's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by DSL is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet DSL's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate DSL's request for Unbundled Sub-Loops, DSL may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. DSL will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before DSL can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice DSL's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, DSL will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when DSL requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by DSL for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

#### 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber

configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-users premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing Multi-Dwelling Units (MDUs) and/or Multi-Tenant Units (MTUs) in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, DSL will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate DSL for each pair activated commensurate to the price specified in DSL's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

# 2.8.4 Unbundled Sub-Loop Feeder

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of DSL's loop distribution elements onto BellSouth's feeder system.

## 2.8.4.5 Requirements

- 2.8.4.5.1 DSL will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, DSL may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to DSL. DSL will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.

- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

## 2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to DSL Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
  BellSouth loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to DSL at DSL's collocation site. System B will allow up to 192
  BellSouth loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to DSL's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each loop that is terminated onto the ULC system.

## 2.8.6 Unbundled Sub-Loop Concentration (USLC)

- 2.8.6.1 Where facilities permit, DSL may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- 2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of DSL's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of DSL's sub-loops to be

concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to DSL's demarcation point associated with DSL's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.

2.8.6.3 DSL is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth RT/cross-box and shall allow DSL's sub-loops to be placed on the USLC and transported to DSL's collocation space at a DS1 level.

## 2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with DSL's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for DSL to utilize Dark Fiber Loops.

#### 2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 DSL is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to DSL information regarding the location, availability and performance of Dark Fiber

Loop within ten (10) business days after receiving a Service Inquiry ("SI") from DSL.

2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to DSL within twenty (20) business days after DSL submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable DSL to connect DSL provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

# 2.9 Loop Makeup (LMU)

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to DSL LMU information so that DSL can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment DSL intends to install and the services DSL wishes to provide. This section addresses LMU as a preordering transaction, distinct from DSL ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide DSL LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to DSL as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 DSL may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by DSL and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR

must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee DSL's ability to provide advanced data services over the ordered loop type. Further, if DSL orders loops that do not require a specific facility medium (i.e. copper only) or loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. DSL is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

# 2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 DSL may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if DSL needs further loop information in order to determine loop service capability, DSL may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

# 2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, DSL may reserve up to ten Loop facilities. For a Manual LMUSI, DSL may reserve up to three Loop facilities.
- 2.9.3.2 DSL may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to DSL. During and prior to DSL placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If DSL does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

#### 2.9.4 Ordering of Other UNE Services

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. DSL will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, DSL does not reserve facilities upon an initial LMUSI, DSL's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where DSL has reserved multiple Loop facilities on a single reservation, DSL may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to DSL, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by DSL. If the ordered Loop type is not available, DSL may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

## 3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide DSL access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow DSL the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. DSL shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to DSL on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section

2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If DSL requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, DSL shall pay for the Loop to be restored to its original state.

- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and DSL desires to continue providing xDSL service on such Loop, DSL shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give DSL notice in a reasonable time prior to disconnect, which notice shall give DSL an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and DSL purchases the full standalone loop, DSL may elect the type of loop it will purchase. DSL will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event DSL purchases a voice grade Loop, DSL acknowledges that such Loop may not remain xDSL compatible.
- 3.1.6 Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular loop.

## 3.2 Provisioning of High Frequency Spectrum and Splitter Space

- 3.2.1 BellSouth will provide DSL with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, DSL must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 DSL may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of DSL's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.

- 3.2.1.3 Once a splitter is installed on behalf of DSL in a central office in which DSL is located, DSL shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and DSL shall pay the electronic or manual ordering charges as applicable when DSL orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for DSL's data.

## 3.3 **BellSouth Provided Splitter**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide DSL access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to DSL's xDSL equipment in DSL's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide DSL with a carrier notification letter, informing DSL of change. DSL shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. DSL shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to DSL's collocation area, if possible; or (ii) in a BellSouth relay rack as close to DSL's DS0 termination point as possible. DSL shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for DSL on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified DSL DS0 at such time that a DSL end user's service is established.

## 3.4 **CLEC Provided Splitter**

- 3.4.1 DSL may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. DSL may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4 shall apply.
- 3.4.2 Any splitters installed by DSL in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. DSL may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

#### 3.5 **Ordering**

- 3.5.1 DSL shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide DSL the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.5.4 BellSouth will provide DSL access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and DSL shall pay the rates for such services, as described in Exhibit B.

# 3.6 Maintenance and Repair

- 3.6.1 DSL shall have access for repair and maintenance purposes to any loop for which it has access to the High Frequency Spectrum. If DSL is using a BellSouth owned splitter, DSL may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If DSL provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. DSL will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 DSL shall inform its end users to direct data problems to DSL, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to DSL, BellSouth will notify DSL. DSL will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, DSL will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue DSL's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

## 3.7 Line Splitting

#### 3.7.1 General

- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. DSL shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if DSL will not provide voice and data services.
- 3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by DSL or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.7.4 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing DSL for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of DSL or its authorized agent to determine if the loop is compatible for Line Splitting Service. DSL or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and DSL or its authorized agent submits an LSR to BellSouth to change the loop.

#### 3.8 Provisioning Line Splitting and Splitter Space

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When DSL or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

#### 3.9 Ordering

- 3.9.1 DSL shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide DSL the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.9.4 BellSouth will provide DSL access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and DSL shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide loop modification to DSL on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

  HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

#### 3.10 Maintenance

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. DSL will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 DSL shall inform its end users to direct data problems to DSL, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.

- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.10.5 If DSL is not the data provider, DSL shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

#### 3.11 Remote Site High Frequency Spectrum

- 3.11.1 General
- 3.11.2 BellSouth shall provide DSL access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow DSL the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. DSL shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.11.5 BellSouth will provide Loop Modification to DSL on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative.

  Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop

Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a loop for access to the High Frequency spectrum if modification of that loop significantly degrades BellSouth's voice service. If DSL requests modifications on a sub-loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the loop, DSL shall pay for the loop to be restored to its original state.

- 3.11.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and DSL desires to continue providing xDSL service on such sub-loop, DSL shall be required to purchase a full stand-alone subloop. To the extent commercially practicable, BellSouth shall give DSL notice in a reasonable time prior to disconnect, which notice shall give DSL an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and DSL purchases the full stand-alone sub-loop, DSL may elect the type of sub-loop it will purchase. DSL will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event DSL purchases a voice grade Loop, DSL acknowledges that such sub-loop may not remain xDSL compatible.
- Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.12 Provisioning of High Frequency Spectrum and Splitter Space
- 3.12.1 BellSouth will provide DSL with access to the High Frequency Spectrum as follows:
- 3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, DSL must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such sub-loop.
- 3.12.1.2 DSL may provide its own splitters or may order splitters in a remote site once the DSL has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of DSL's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- Once a splitter is installed on behalf of DSL in a remote site in which DSL is located, DSL shall be entitled to order the High Frequency Spectrum on lines

served out of that remote site. BellSouth will bill and DSL shall pay applicable for High Frequency Spectrum end-user activation.

# 3.13 BellSouth Owned Splitter

- 3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The DSL's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). DSL will provide a cable facility to the BellSouth FDI. BellSouth will splice the DSL's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the DSL's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the DSL's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.13.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the DSL's Remote Terminal (RT) collocation space and routed back to the DSL's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide DSL with a carrier notification letter informing DSL of change. DSL shall purchase ports on the splitter in increments of 24 ports.
- 3.13.3 BellSouth will install the splitter in (i) a common area close to DSL's collocation area, if possible; or (ii) in a BellSouth relay rack as close to DSL's DS0 termination point as possible. DSL shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified DSL DS0 at such time that a DSL end user's service is established.

#### 3.14 CLEC Owned Splitter

- 3.14.1 DSL may at its option purchase, install and maintain splitters in its collocation arrangements. DSL may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. DSL will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.14.2 Any splitters installed by DSL in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. DSL may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

#### 3.15 Ordering

- 3.15.1 DSL shall use BellSouth's Remote Splitter Ordering Document ("RSOD") to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.15.2 BellSouth will provide DSL the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.15.4 BellSouth will provide DSL access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and DSL shall pay the rates for such services as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for DSL's data.

## 3.16 Maintenance and Repair

- 3.16.1 <Customer\_short\_name> shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If DSL is using a BellSouth owned splitter, DSL may access the sub-loop at the point where the data signal exits. If DSL provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.16.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. DSL will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 DSL shall inform its end users to direct data problems to DSL, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to DSL, BellSouth will notify DSL. DSL will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, DSL will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the

collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue DSL's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

## 4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to DSL for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to DSL for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

# 4.2 <u>Local Circuit Switching Capability, including Tandem Switching Capability</u>

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch. which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for DSL when DSL serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that DSL orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge DSL the market based rates in Exhibit B for use of the local

circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.

- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
  Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
  Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to DSL's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that DSL purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a DSL local end user, or originated by a BellSouth local end user and terminated to a DSL local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge DSL the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and DSL shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where DSL purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a DSL end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge DSL the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and DSL shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill DSL the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

#### 4.2.9 Unbundled Port Features

4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.

- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the- BFR/NBR process.
- 4.2.9.4 BellSouth will provide to DSL selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by DSL will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

#### 4.2.10 Remote Call Forwarding

- 4.2.10.1 As an option, BellSouth shall make available to DSL an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, DSL will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge DSL the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

## 4.2.11 Provision for Local Switching

4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

Version 3Q02: 09/06/02

- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to DSL all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by DSL.
- 4.2.12 **Local Switching Interfaces**.
- 4.2.12.1 DSL shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling:
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

## 4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

## 4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by DSL and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to DSL.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from DSL's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.

- 4.3.3 Upon DSL's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for DSL's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of DSL. AIN Selective Carrier Routing will provide DSL with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 DSL shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by DSL, the routing of DSL's end user calls shall be pursuant to information provided by DSL and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, DSL shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each DSL end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. DSL shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN\_SCR Central Office Identification Form Form C, AIN\_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to DSL's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to DSL, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least

90% of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The non-recurring End Office Establishment Charge will be billed to DSL following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to DSL following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to DSL following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

## 4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services DSL seeks to offer;
- 4.5.2.3 BellSouth has not permitted DSL to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has DSL obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in

Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

#### 5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by DSL are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by DSL are not already combined by BellSouth in the location requested by DSL but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by DSL are not elements that BellSouth combines for its use in its network.

#### 5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled loops and unbundled dedicated transport as defined in Section 6. BellSouth shall provide DSL with EELs where they are available.
- 5.2.2 BellSouth will provide access to EELs in the combinations set forth in Section 5.4.1 below.
- 5.2.3 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to DSL's collocation space in a BellSouth central office. The circuit must be connected to the DSL's switch for the purpose of provisioning circuit telephone exchange service to the DSL's end-user customers. DSL may connect EELs within the DSL's collocation space to other transport terminating into DSL's switch. DSL may also connect the local loops listed in Section 5.3.1.3 to an appropriate Unbundled Local Channel to form additional EELs which terminate in DSL's switch. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon DSL's request, terminate to a CLEC's Point of Presence ("POP"). DSL will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seq. below. Upon BellSouth's request, DSL shall indicate under what local usage option DSL seeks to qualify. DSL shall be deemed to providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 5.3.1 et seg. is met. BellSouth shall have the right to audit DSL's EELs as specified in Section 5.3.3 below.

## 5.3 Conversions from Special Access Service to EELs

5.3.1 DSL may not convert existing special access services to combinations of loop and transport network elements, whether or not DSL self-provides its entrance

facilities (or obtains entrance facilities from a third party), unless DSL uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent DSL requests to convert any special access services to combinations of loop and transport network elements at UNE prices, DSL shall provide to BellSouth a certification that DSL is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option DSL seeks to qualify for conversion of special access circuits. DSL shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

- 5.3.1.1 Option 1: DSL certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at DSL's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, DSL is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. DSL can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.1.2 **Option 2:** DSL certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The loop-transport combination must terminate at DSL's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.1.3 **Option 3:** DSL certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. DSL does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic

specified in this option.

- 5.3.2 In addition, there may be extraordinary circumstances where DSL is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, DSL may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon DSL's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit DSL's records in order to verify compliance with the local usage option provided by DSL pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and DSL shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, DSL shall reimburse BellSouth for the cost of the audit. If, based on the audit, DSL is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth will convert such combinations of loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill DSL for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that DSL is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.
- 5.3.4 In the event DSL converts special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section, DSL shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 5.4 Rates
- 5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.1.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop

5.4.1.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop 5.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop 5.4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop 5.4.1.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop 5.4.1.6 DS1 Interoffice Channel + DS1 Local Loop 5.4.1.7 DS3 Interoffice Channel + DS3 Local Loop 5.4.1.8 STS-1 Interoffice Channel + STS-1 Local Loop 5.4.1.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.4.1.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.4.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop 5.4.1.12 4wire VG Interoffice Channel + 4-wire VG Local Loop 5.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop 5.4.1.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop 5.4.2 Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.

5.4.3 To the extent that DSL requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

## 5.5 UNE Port/Loop Combinations

- 5.5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for interLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, as long as such combinations are Ordinarily Combined in BellSouth's network.
- 5.5.3 Except as set forth in Section 5.5.4 below, BellSouth shall provide UNE port/loop combinations described in Section 5.5.6 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.4 below, BellSouth shall provide UNE port/loop combinations not described in Section 5.5.6 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.4.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to DSL if DSL's customer has 4 or more DS0 equivalent lines.
- 5.5.4.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.

- 5.5.5 BellSouth shall make 911 updates in the BellSouth 911 database for DSL's UNE port/loop combinations. BellSouth will not bill DSL for 911 surcharges. DSL is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.6 Combination Offerings
- 5.5.6.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

#### 5.6 Other UNE Combinations

5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to DSL in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent DSL requests a combination for which BellSouth does not have methods and procedures in place

to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

#### 5.6.2 Rates

5.6.3 The rates for Ordinarily Combined UNE Combinations shall be the sum of the recurring rates and nonrecurring rates for the stand-alone network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations shall be the sum of the recurring rates for the stand-alone network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent DSL requests a Not Typically Combined Combination, or to the extent DSL requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

#### 6 Transport, Channelization and Dark Fiber

## 6.1 Transport

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to DSL for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and DSL.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

#### 6.1.2 BellSouth shall:

6.1.2.1 Provide DSL exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;

- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, DSL to connect such interoffice facilities to equipment designated by DSL, including but not limited to, DSL's collocated facilities; and
- Permit, to the extent technically feasible, DSL to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

## 6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between DSL's Point of Presence ("POP") and DSL's collocation space in the BellSouth Serving Wire Center for DSL's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.3.1 As capacity on a shared UNE facility.
- 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to DSL.

Version 3Q02: 09/06/02

6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to DSL designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.4.1 DS0 Equivalent; 6.2.2.4.2 DS1; 6.2.2.4.3 DS3; and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. DSL shall specify the termination points for Dedicated Transport. 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.2.7 BellSouth Technical References: TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, 6.2.2.7.1 May 1986. TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, 6.2.2.7.2 June 1995. TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus 6.2.2.7.3 Service Interface and Performance Specifications, Issue C, May 1996.

## 6.3 Unbundled Channelization (Multiplexing)

- Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps)
  Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, DSL may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- In order to assure proper operation with BellSouth provided central office multiplexing functionality, DSL's channelization equipment must adhere strictly to form and protocol standards. DSL must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 DS0 to DS1 Channelization
- 6.3.3.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.3.3 DS1 to DS3 Channelization

- 6.3.3.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.3.4 DS1 to STS Channelization
- 6.3.3.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

## 6.4 **Dark Fiber Transport**

- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between DSL's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from DSL's POP to DSL's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for DSL to utilize Dark Fiber Transport.
- 6.4.2 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- DSL is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to DSL information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from DSL. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to DSL within twenty (20) business days after DSL submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable DSL to connect DSL provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

# 7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At DSL's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by DSL.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

#### 8 Line Information Database (LIDB)

- The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, DSL must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to DSL any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process DSL's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth

shall indicate to DSL what additional functions (if any) are performed by LIDB in the BellSouth network.

- 8.2.3 Within two (2) weeks after a request by DSL, BellSouth shall provide DSL with a list of the customer data items, which DSL would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of DSL data to the LIDB shall be solely at the direction of DSL. Such direction from DSL will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for DSL data upon DSL's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of DSL customer records will be missing from LIDB, as measured by DSL audits. BellSouth will audit DSL records in LIDB against DBAS to identify record mismatches and provide this data to a designated DSL contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to DSL within one business day of audit. Once reconciled records are received back from DSL, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact DSL to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of DSL's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 8.2.11 BellSouth shall provide DSL with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between DSL and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of DSL data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by DSL in writing.
- 8.2.13 BellSouth shall provide DSL performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by DSL at least at parity with BellSouth Customer Data. BellSouth shall obtain from DSL the screening information associated with LIDB Data Screening of DSL data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to DSL under the BFR/NBR process as set forth in Attachment 11.
- 8.2.14 BellSouth shall accept queries to LIDB associated with DSL customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. DSL shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. DSL shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day

of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

## 9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

# 9.2 Signaling Link Transport

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between DSL-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.4.1 An A-link layer shall consist of two links.
- 9.2.4.2 A B-link layer shall consist of four links.
- 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and

- 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
- 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at DSL's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 Signaling Transfer Points (STPs)
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a DSL local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between DSL local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a DSL or third party local or tandem switching system directly

connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a DSL database, then DSL agrees to provide BellSouth with the Destination Point Code for DSL database.

- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a DSL or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

## 9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by DSL, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with DSL's SS7 network to exchange TCAP queries and responses with a DSL SCP.
- 9.4.2 SS7 AIN Access shall provide DSL SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and DSL SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the DSL SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect DSL or DSL-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from DSL local switching systems; and,
- 9.4.3.1.2 A B-link interface from DSL local STPs.

- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from DSL local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the DSL switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from DSL local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the DSL switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from DSL from any signaling point or network interconnected through BellSouth's SS7 network where the DSL SCP has a valid signaling relationship.

### 9.5 Service Control Points/Databases

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational

interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

### 9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

### 9.7 SS7 Network Interconnection

- 9.7.1 SS7 Network Interconnection is the interconnection of DSL local signaling transfer point switches or DSL local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, DSL local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and DSL or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a DSL local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the DSL local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;

- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a DSL local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of DSL local STPs and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect DSL or DSL-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from DSL local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from DSL STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from DSL local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the DSL switching system has a valid signaling relationship.

## 10 Operator Services (Operator Call Processing and Directory Assistance)

- Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- Process calls that are billed to DSL end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.
- 10.2.5 Process collect calls.
- 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls.
- 10.2.7 Process station-to-station calls.
- 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests.
- 10.2.9 Process emergency call trace originated by Public Safety Answering Points.
- 10.2.10 Process operator-assisted directory assistance calls.
- 10.2.11 Adhere to equal access requirements, providing DSL local end users the same IXC access as provided to BellSouth end users.
- Exercise at least the same level of fraud control in providing Operator Service to DSL that BellSouth provides for its own operator service.

- 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.
- Direct customer account and other similar inquiries to the customer service center designated by DSL.
- 10.2.15 Provide call records to DSL in accordance with ODUF standards specified in Attachment 7.
- The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.

### 10.3 **Directory Assistance Service**

- Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by DSL's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.

### 10.3.3 Directory Assistance Service Updates

- 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.3.1.1 New end user connections:
- 10.3.3.1.2 End user disconnections;
- 10.3.3.1.3 End user address changes.
- These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

### 10.4 Branding for Operator Call Processing and Directory Assistance

10.4.1 BellSouth's branding feature provides a definable announcement to DSL end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows DSL to have its calls custom branded with DSL's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.

- BellSouth offers three branding offering options to DSL when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- Upon receipt of the custom branding order from DSL, the order is considered firm after ten business days. Should DSL decide to cancel the order, written notification to DSL's Local Contract Manager is required. If DSL decides to cancel after ten business days from receipt of the custom branding order, DSL shall . pay all charges per the order.

### 10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 10.4.4.1 Where DSL purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route DSL's end user calls to that provider through Selective Call Routing.
- Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for DSL to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, DSL specific and unique line class codes are programmed in each BellSouth end office switch where DSL intends to serve end users with customized OCP/DA branding. The line class codes specifically identify DSL's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and DSL intends to provide DSL -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require DSL to order dedicated trunking from each BellSouth end office identified by DSL, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the DSL Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices

identified by DSL to the BellSouth TOPS. These calls are routed to "No Announcement."

- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.
- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.4.10 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, DSL shall not be required to purchase dedicated trunking.
- 10.4.4.11 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, DSL must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, DSL must submit a manual order form which requires, among other things, DSL's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. DSL shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon DSL's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all DSL end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.12 BellSouth Branding is the default branding offering.
- 10.4.4.13 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill DSL applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, DSL shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where DSL is purchasing unbundled local switching from BellSouth, UNE usage charges for end

office switching, tandem switching and transport, as applicable, shall continue to apply.

### 10.4.5 Facilities Based Carrier Branding

- All Service Levels require DSL to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which DSL requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
- 10.4.5.5.1 the recording of DSL;
- 10.4.5.5.2 the loading of the recording in each switch.
- 10.4.5.6 Operator Call Processing customized branding uses:
- 10.4.5.6.1 the recording of DSL;
- 10.4.5.6.2 the loading of the recording in each switch (North Carolina);
- the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

### 10.5 Directory Assistance Database Service (DADS)

10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to DSL end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). DSL agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, DSL agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.

- 10.5.2 BellSouth shall initially provide DSL with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30-45 days after receiving an order from DSL to prepare the Base File.
- BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since DSL's previous update. Delivery of updates will commence immediately after DSL receives the Base File. Updates will be provided via magnetic tape unless BellSouth and DSL mutually develop CONNECT: Direct TM electronic connectivity. DSL will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- DSL authorizes the inclusion of DSL Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

### 10.6 Direct Access to Directory Assistance Service

- Direct Access to Directory Assistance Service (DADAS) will provide DSL's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide DSL with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to DSL by BellSouth upon subscription to the service. Subscription to DADAS requires that DSL utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

### 11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements

- 11.2.1 BellSouth shall provide DSL access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to DSL after DSL provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless DSL requests otherwise and shall be updated if DSL requests, provided DSL supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface), it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- The interface between the E911 Switch or Tandem and the ALI/DMS database for DSL end users shall meet industry standards.

### 12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides DSL the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- DSL shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to DSL's access to BellSouth's CNAM Database Services and shall be addressed to DSL's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to DSL requires interconnection from DSL to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP,
  DSL shall provide its own CNAM SSP. DSL's CNAM SSPs must be compliant
  with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

- 12.5 If DSL elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that DSL desires to query.
- 12.6 If DSL queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by DSL for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by DSL in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of DSL to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- DSL CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- Service Creation Environment and Service Management System (SCE/SMS)
  Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide DSL the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to DSL. Training, documentation, and technical support will

address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.

- BellSouth SCP shall partition and protect DSL service logic and data from unauthorized access.
- When DSL selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable DSL to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- DSL access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow DSL to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

#### 14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to DSL a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. DSL will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. DSL will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, DSL will be required to begin using E911 procedures.
- E911 Service Provisioning. DSL shall install a minimum of two dedicated trunks originating from the DSL serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. DSL will be required to provide BellSouth daily updates to the E911 database. DSL will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, DSL will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's

interoffice network and will not carry the ANI of the calling party. DSL shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on DSL beyond applicable charges for BellSouth trunking arrangements.
- Basic 911 and E911 functions provided to DSL shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

### 15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which DSL may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.
- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event DSL provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 DSL will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.4.3 Network Elements and Other Services Manual Additive

The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

### LINE INFORMATION DATA BASE (LIDB)

#### FACILITIES BASED STORAGE AGREEMENT

#### I. Definitions

- A. Billing number a number that DSL creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by DSL.
- C. Special billing number a ten-digit number that identifies a billing account established by DSL.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by DSL that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by DSL.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by DSL.

### II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of DSL and pursuant to which BellSouth, its LIDB customers and DSL shall have access to such information. In addition, this Agreement sets forth the terms and conditions for DSL's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. DSL understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of DSL, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to DSL's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

Version 3Q02: 09/06/02

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

#### 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether DSL has identified the billing number as one that should not be billed for collect or third number calls.

### 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

#### 3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify DSL of fraud alerts so that DSL may take action it deems appropriate.

## III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by DSL pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to DSL for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

### B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate DSL's data from BellSouth's data, the following terms and conditions shall apply:

 BellSouth will identify DSL's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users. 2. BellSouth shall have no obligation to become involved in any disputes between DSL and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to DSL. It shall be the responsibility of DSL and the B&C Customers to negotiate and arrange for any appropriate adjustments.

### C. SPNP Arrangements

- 1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. DSL will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of DSL. BellSouth will not issue line-based calling cards in the name of DSL's individual End Users. In the event that DSL wants to include calling card numbers assigned by DSL in the BellSouth LIDB, a separate agreement is required.

### IV. Fees for Service and Taxes

- A. DSL will not be charged a fee for storage services provided by BellSouth to DSL as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by DSL in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.