## ORIGINAL



BellSouth Telecommunications, Inc.

Suite 400

150 South Monroe Street Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798

Fax 850 224 5073

030317 -TP

April 4, 2003

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399 SAPR-4 PH 3: 40
COMMISSION

Re: Approval of Amendment to the Interconnection, Unbundling, Resale, and Collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and TCG South Florida

Dear Mrs. Bayo:

Please find enclosed for filing and approval, an original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, Unbundling, Resale, and Collocation Agreement with TCG South Florida.

If you have any questions, please do not hesitate to call Kathleen Arant at (850) 222-9380.

Very truly yours,

Regulatory Vice President

shall M. Criser I

(UA)

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

DOCUMENT HUMBER-DATE

03200 APR-48

FPSC-COMMISSION CLERK

## FIFTH AMENDMENT TO THE AGREEMENT BETWEEN TCG SOUTH FLORIDA AND

## BELLSOUTH TELECOMMUNICATIONS, INC. FLORIDA DATED OCTOBER 26, 2001

Pursuant to this Amendment, (the "Amendment"), TCG South Florida ("TCG"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated October 26, 2001 ("Agreement").

WHEREAS, BellSouth and TCG entered into the Agreement on October 26, 2001, and;

WHEREAS, BellSouth made available the Loop and Port Combination rates from the Statements of Generally Available Terms and Conditions dated September 11, 2002 for the state of Florida, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete the Loop and Port Combination cost based rates in their entirety and replace with the rates as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
- 2. All of the other provisions of the Agreement, dated October 26, 2001, shall remain in full force and effect.
- 3. This Amendment is made effective the date of the last signature of both Parties.
- 4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

TCG South Florida	BellSouth Telecommunications, Inc.
By Bull C. De week	Ву:
Name: Bill C. Peacock	Name: Elizabeth R. A. Shiroishi
Director – Local Services & Title: Access Management	Title: <u>Director</u>
Date: 3/1/03	Date: $\frac{3}{100000000000000000000000000000000000$

UNBUNDLED	NETWORK ELEMENTS - Florida													ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Increment
i											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l-sand	!							-	Elec	Manually	Manual Svc	Manual Svc		Manual St
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
JAI LOOK!	.01.2 22	m						• • •			per LOIC	hei cov	Electronic-	Electronic-		
			1		1						ł l				Electronic-	Electronic
1					Į.	1							1st	Add	Disc 1st	Disc Add
					i	<del>                                     </del>	Nonre	curring	Nonrecurring	Disconnect			220	Rates (\$)	1	L
		-			<del> </del>	Rec	First	Add'!	First	Add'i	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	ne" shown in the sections for stand-alone loops or loops as					. Danisasanad II										SUMAN
					eograpmcan	y Deaverageo u	NE Zones. 10	view Geograp	nicany Deavera	iged UNE ZON	e vesignatio	ns by Cent	rai Umice, ren	er to internet	website:	
	ww.interconnection.bellsouth.com/become_a_clec/htmt/inter	connec	tion.ht	m											_	
OPERATIONAL S	SUPPORT SYSTEMS				<u>L</u>	L									L	
	1) Electronic Service Order: CLEC should contact its contract															is rate
exhibit is	s the BellSouth regional electronic service ordering charge.	CLEC	may ete	ect either the state s	pecific Com	mission ordere	d rates for the	electronic serv	ice ordering ch	arges, or CLE	C may elect	the region:	al electronic s	service orderi	ng charge.	
NOTE: (2	2) Any element that can be ordered electronically will be bill	ed acco	rdina (	to the SOMEC rate li	sted in this	category. Plea	se refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	if a product of	can be ordere	d electronical	v. For
those ole	ements that cannot be ordered electronically at present per t	he RRR	H O II	e listed SOMEC rate	e in this cate	cory reflects th	e charge that y	would be billed	to a CLEC on	ce electronic d	mierina can	abilities co	me on-line fo	r that elemen	t Otherwise	the manua
	charge, SOMAN, will be applied to a CLECs bill when it sub				o in this gate	gory removes a	e unarge man			00 0.000 00	oracining out	abiii:03 00	1410 011-11116 10	i wier eiernen	c. Outel Wise,	tire manua
		imits an	LOR	o Belloouti.	ISOMAN				1.83		1		-		<del></del>	
	Manual Service Order Charge, per LSR, Disconnect Only (FL)		_		SOMAN				1.03						<del> </del>	
	Electronic OSS Charge, per LSR, submitted via BST's OSS	l				1			į l					I	ļ	İ
	nteractive interfaces (Regional)	<u> </u>	ļ		SOMEC		1.52				<b></b>					
UNBUNDLED PO	ORT/LOOP COMBINATIONS - COST BASED RATES	Ь	L	L	<u> </u>	<u> </u>		L								
Cost Bas	sed Rates are applied where BellSouth is required by FCC ar	id/or St	ate Co	mmission rule to pro	ovide Unbun	idled Local Swi	tching or Swit	ch Ports.	L			i				
Features	s shall apply to the Unbundled Port/Loop Combination - Cos	t Based	i Rate s	section in the same :	manner as th	ney are applied	to the Stand-A	Jone Unbundie	ed Port section	of this Rate E	xhibit.					
End Office	ce and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of th	is rate exhib	it shall apply to	all combinati	ons of loop/po	rt network eler	nents except	for UNE Col	Port/Loop	Combination	ns.		
The firet	and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	d Combos. For Cur	rently Comb	ined Combos t	he nonrecurrin	g charges sha	Il be those ider	tified in the N	Ionrecurring	- Currently	Combined s	ections.	1	
2 Wine I	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			T	1	1							T	1	<del>                                     </del>	<del>                                     </del>
		<del></del>	<del>                                     </del>		1						<del> </del>	·				
	rt/Loop Combination Rates	<del></del>	٠.		<u> </u>	12.18		<u> </u>			-				<del> </del>	
	2-Wire VG Loop/Port Combo - Zone 1		1_1_		<del> </del>						· · · · · · · · · · · · · · · · · · ·					
	2-Wire VG Loop/Port Combo - Zone 2	ļ	2		<del></del>	16.29					ļ				<del></del>	
2	2-Wire VG Loop/Port Combo - Zone 3		3		<u> </u>	27.04									<u> </u>	
UNE Loo	op Rates				İ	L									<u> </u>	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3			ÜEPRX	UEPLX	24.63					1				t	
	/oice Grade Line Port Rates (Res)		1								1					
	2-Wire voice unbundled port - residence		_	UEPRX	UEPRL	2.41	53.31	26.46	27.50	8.37		11,90			<del> </del>	
			<del>                                     </del>	UEPRX	UEPRC	2.41	53.31	26 46	27.50	8.37		11.90				
	2-Wire voice unbundled port with Caller ID - res		<u> </u>		UEPRO	2.41	53.31	26.46	27.50	8.37		11.90		<del> </del>	<del> </del>	
2	2-Wire voice unbundled port outgoing only - res			UEPRX	DEPRO	2,41	53.31	20.40	27.50	0.37	<del></del>	(1.90			ļ	
							l				1					
	2-Wire voice unbundled Flonda Area Calling with Caller ID - res		L	UEPRX	UEPAF	2.41	53.31	26 46	27.50	8.37		11.90				
2	2-Wire voice unbundles res, low usage line port with Caller ID	1	1	<u> </u>		1					1					
	(LUM)	1	į .	UEPRX	UEPAP	2.41	53 31	26.46	27.50	8.37	L	11.90				
	2-Wire voice unbundled Florida extended dialing port for use					1										
	with CREX7 and Caller ID		1	UEPRX	UEPA1	2.41	53 31	26.46	27.50	8.37	1	11.90				
W	2-Wire voice unbundled Florida extended dialing port for use			-	1									<del></del>		
2	2-Wire voice unbundled Florida exterided dialing port for use		ł	UEPRX	UEPA8	2.41	53 31	26.46	27.50	8.37		11 90		1		
v	with CREX7, without Caller ID capability		1	UEFRA	ULFAU	2.41	90 91	20,40	27.00	0.01		1130		-	1	
	2-Wire voice unbundled Florida Area Calling Port without Caller	1	1	LUEBBY	LIEDAS	1	E2 24	20.40	27.50	8.37	1	11.90		I	1	l
	ID Capability		<del> </del>	UEPRX	UEPA9	2.41	53 31	26.46	21.50	0.37		11.90			<del> </del>	
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1	1	l	1	1 -				l <u>-</u>	1		l	l	1	l
	Capability	<u> </u>	L	UEPRX	UEPRT	2 41	53.31	26 46	27.50	8.37	1	11.90	ļ	ļ	ļ	ļ
FEATUR					<u> </u>	<u></u>	<u> </u>				<u> </u>			1	1	
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00			1	11.90			<u> </u>	
	NUMBER PORTABILITY				1						l				I	
	Local Number Portability (1 per port)	l	1	UEPRX	LNPCX	0.35	i	1								
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		1			1					1				1	
NUNREC	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<del></del>	_	<del></del>	<del>-</del>	1		1			1		1		1	
		1	1	UEPRX	USAC2	1	0.102	0,102	1 .		1	11.90	ĺ	1	}	J
	Switch-as-is	$\vdash$	<del> </del>	ULF FOX	100002	<del>                                     </del>	V.102	V. 102	<u> </u>		<del> </del>		<b></b>		<del> </del>	<del></del>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		l				0 102			1	11.90		1		
	Switch with change	<u> </u>	<b>-</b>	UEPRX	USACC	1	0.102	0 102	<del> </del>	<b></b>	+	11.90	}	+	1	<b>-</b>
	DNAL NRCs	L	L		ļ	<u> </u>					<del>                                     </del>				ļ	ļ
12	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	ł	1	1	1		1		1		1		]		1	1
	Activity	i	1	UEPRX	USAS2	0.00	0.00	0.00			L	11 90			1	
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	1		1											
	rt/Loop Combination Rates		1				[									
		-	1	<u> </u>	1	12.18					1					
	2-Wire VG Loop/Port Combo - Zone 1	<del></del>	2		<del> </del>	16 29	<del></del> -				†			1	<del>                                     </del>	···
	2-Wire VG Loop/Port Combo - Zone 2	<del> </del>			+	27 04	h · · · — —		<u> </u>		<del> </del>			1		
1 1 12	2-Wire VG Loop/Port Combo - Zone 3	ļ	3	<del></del>	+	21 04	<b> </b>		<del> </del>		<del> </del>			<del>                                     </del>	<del>                                     </del>	<del> </del>
	op Rates															

ONBONDE	ED NETWORK ELEMENTS - Florida		,								<del>,</del>			ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			1			Rec		urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
1	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-Wi	re Voice Grade Line Port (Bus)										L					
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.41	53.31	26.46	27.50	8.37	ļ	11.90			L	
	2-Wire voice unbundled port with Caller + £484 ID - bus		<u> </u>	UEPBX	UEPBC	2.41	53.31	26 46		8.37		11.90				
	2-Wire voice unbundled port outgoing only - bus		1	UEPBX	UEPBO	2.41	53.31	26.46		8.37		11.90				<b>└</b>
	2-Wire voice unbundled incoming only port with Caller ID - Bus		<u> </u>	UEPBX	UPEB1	2.41	53.31	26.46	27.50	8.37		11 90				<del></del>
	2-Wire voice unbundled Incoming Only Port without Caller ID		ļ	LIEDDY	UEPBE	2.41	53.31	26,46	27.50	8 37		11.90			l	
	Capability	├	ļ	UEPBX	DEPBE	2.41	53.31	20.40	27.50	6 37		11.90			<u> </u>	<del> </del>
LOC	AL NUMBER PORTABILITY		ļ	UEPBX	LNPCX	0.35						-				<del> </del>
	Local Number Portability (1 per port)	<del> </del>	├	ULFDA	- LINFOX	0.35			<del></del>		<del> </del>	<del></del>		<del>                                     </del>	<del>                                     </del>	<del></del>
FEA	TURES		1	UEPBX	UEPVF	0.00	0.00	0.00			<del>                                     </del>	11.90	_			<del> </del>
NO	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del>                                     </del>		OLI BA	JEI VI	0.00	0.00	0.00				11.30	<del></del>	<del> </del>	<del> </del>	<del> </del>
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		$\vdash$		<del>-  </del>								_		<del>                                     </del>	<del></del>
	Switch-as-is	1		UEPBX	USAC2	l	0.102	0.102				11.90		1		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<b>-</b>	UCI OX	JOGAGE		0.102	01.02			<b>—</b>	11.55	_	<b>-</b>		<del> </del>
	Switch with change	}		UEPBX	USACC		0.102	0 102				11.90		}		
ADD	ITIONAL NRCs			02727	100.100		3,,,,,,					7,100				
ADD	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	<del> </del>			<del> </del>					•	1			i		
	Activity		j	UEPBX	USAS2	İ	0.00	0,00			1	11.90		1		[
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		<b>—</b>		1											
	Port/Loop Combination Rates															
1311	2-Wire VG Loop/Port Combo - Zone 1		1			12.18										
<del></del>	2-Wire VG Loop/Port Combo - Zone 2		2			16 29										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.04										
UNE	Loop Rates		L								<u> </u>					1
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	9.77					<u> </u>				1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	13 88					<u> </u>					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
2-W	re Voice Grade Line Port Rates (RES - PBX)		<b>_</b>													
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		ļ	l	1					40.70						
L	Res		-	UEPRG	UEPRD	2.41	174.81	100.65	75.88	12.73		11.90				<del> </del>
LOC	AL NUMBER PORTABILITY	⊢—	1		LNDCD		0.00	0.00				11.90			1	<b>├</b>
	Local Number Portability (1 per port)	<b> </b>	ļ	UEPRG	LNPCP	3.15	0.00	0.00			<del> </del>	11.90	<del></del>			├──
FEA	TURES	ļ-—	—	UEPRG	UEPVF	0.00	0.00	0 00	<del> </del>		<del> </del>	11.90				$\vdash$
	Ali Features Offered		<del> </del>	UEPRG	UEPVF	0.00	0.00	- 000	<del></del>		<del> </del>	11.50				<del> </del>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		┼		<del>                                     </del>			-	<del> </del>		<del> </del>			<del> </del>		<del></del>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	ł	UEPRG	USAC2		8.45	1.19	i .		1	11 90	ļ.	l	1	1
	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<del> </del>	-	OLITIO	00/102	——— <del> </del>	00	11.19				1100		·	1	<del></del>
	Conversion - Switch with Change		i	UEPRG	USACC	I	8.45	1.19				11.90		1	i	ì
100	OTTIONAL NRCs	<del></del>	<del> </del> -	1021110	1007.00						<u> </u>	11100			· ·	$\vdash$
AUL	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	<del></del>	<del></del>	_		****				·					<del>                                     </del>
i l	Subsequent Activity	l	1	UEPRG	USAS2	0.00	0.00	0.00				11.90				i
├ <del>┈┈╎╺</del> ╸	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	<del>                                     </del>	1													1
	Group	1	1	1		ĺ	7.86	7.86	L			11.90	L	L	I	1
2.W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<del> </del>	1	i												
	Port/Loop Combination Rates		<del></del>													
J.   J.   J.   J.   J.   J.   J.   J.	2-Wire VG Loop/Port Combo - Zone 1		1			12 18										
<del>                                     </del>	2-Wire VG Loop/Port Combo - Zone 2	F-	2			16 29										
$\vdash$	2-Wire VG Loop/Port Combo - Zone 3		3			27.04									L	
UNE	Loop Rates										<u> </u>				L	<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77			L							
<del></del>	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88		<u> </u>				L			L	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24 63										<del></del>
2.10	ire Voice Grade Line Port Rates (BUS - PBX)			,				<u> </u>								1

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: B
CATEG	ORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)		-		Submitted	Incremental		Incremental Charge -	Incrementa Charge -
				<u>i                                      </u>			Rec	Nonrec		Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1			Γ													
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	2.41	174.81	100.65	75.88	12.73		11.90		1	1	ĺ
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.41	174.81	100,65	75.88	12.73		11 90				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			ÜEPPX	UEPP1	2 41	174.81	100,65	75.88	12 73		11 90				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.41	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		Ī	UEPPX	UEPXA	2.41	174.81	100.65	75 88	12.73		11 90				
- '		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.41	174.81	100,65	75.88	12 73		11.90			_	
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		$\overline{}$	UEPPX	UEPXC	2.41	174.81	100.65	75 88	12 73		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.41	174 81	100.65	75.88	12.73		11.90		<del></del>		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD													<del></del>	<del></del>	
	ĺ	Capable Port		Í	UEPPX	UEPXE	2.41	174.81	100.65	75.88	12 73		11.90		Ì		1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		ţ		1				-							
	i	Administrative Calling Port	i	1	UEPPX	UEPXL	2.41	174.81	100.65	75.88	12.73		11.90		1		į.
	_	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<del> </del>											<del> </del>	<u> </u>	
	1	Room Calling Port			UEPPX	UEPXM	2 41	174.81	100 65	75.88	12.73		11.90				l .
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				. =	= 11	- 11.11.01		13.50					i		
	1	Discount Room Califing Port			UEPPX	UEPXO	2.41	174.81	100.65	75.88	12.73		11.90		1	l	1
	<del> </del>	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPPX	UEPXS	2.41	174.81	100.65	75.88	12.73		11 90		<del></del>		
	LOCA	L NUMBER PORTABILITY		<del></del>	OLF TX	ULI AU	2.41	174.01	100,00	70.00	12.73		1, 50				
	LUCA	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0.00	0.00				11.90				
	FEAT			-	OEFFA	CIVI CI	3 13	0.00	0.00				11.50				
	PEAIL			├	UEPPX	UEPVF	0.00	0.00	0.00				44.00				
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				11.90				
	NONK	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<del> </del>						[					<u> </u>		
	Į	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBOY	1,104.00		0.45	4.40				44.00				i
		Conversion - Switch-As-Is		ļ	UEPPX	USAC2		8.45	1.19				11.90				
	l	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	i					1	4.40	i I							ĺ
	L	Conversion - Switch with Change			UEPPX	USACC		8 45	1.19				11.90				
	ADDIT	IONAL NRCs		<u> </u>		1											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1											;		1
		Subsequent Activity		<u> </u>	UEPPX	USAS2	0.00	0.00	0,00				11.90				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		]		1											
	L	Group		<u> </u>				7.86	7 86				11 90				
	2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	<u> </u>	ļ <u> </u>		ļ								4			
	UNE P	ort/Loop Combination Rates									,						
		2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	12.18										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		L	16 29										
		2-Wire VG Coin Port/Loop Combo Zone 3		3			27.04										
	UNE L	oop Rates				l									L		
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	9 77										
	$\overline{}$	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88								[ -		
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63										
	2-Wire	Voice Grade Line Ports (COIN)													1		
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		[		T											
	i	900/976, 1+DDD (FL)			UEPCO	UEP2F	2 41	53.31	26 46	27.50	8.37		11.90				i
_		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	Į.	(FL)		1	UEPCO	UEPFA	2.41	53.31	26.46	27 50	8 37	i 1	11.90		1	İ	l
		2-Wire Coin 2-Way with Operator Screening and Blocking.															
	1	900/976, 1+DDD, 011+, and Local (FL)		!	UEPCO	UEPCG	2.41	53.31	26.46	27.50	8.37		11.90				i
	<del>                                     </del>	2-Wire Coin Outward with Operator Screening and 011 Blocking		1		1											
		(AL, FL)		ĺ	UEPCO	UEPRK	2.41	53.31	26.46	27.50	8.37		11.90		}		į .
	<del></del>	2-Wire Coin Outward with Operator Screening and Blocking															
	l	900/976, 1+DDD, 011+ (FL)		l	UEPCO	UEPOF	2.41	53.31	26.46	27.50	8.37		11 90				i
	<del></del>	2-Wire Coin Outward with Operator Screening and Blocking:		<del></del>		12-13			20.40	21.00					<u> </u>		
	ł	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	2.41	53.31	26.46	27.50	8 37		11 90				i
	├	2-Wire 2-Way Smartline with 900/976 (all states except LA)		<del>                                     </del>	UEPCO	UEPCK	2.41	53.31	26.46	27.50	8.37		11.90		-		
	<del> </del>		<del></del>	<del>-</del>	JEF GO	JULI UK	- 4-7!	30.51	20.40	21.50	5.51		(1.30				
	1	2-Wire Coin Outward Smartline with 900/976 (all states except		İ	UEPCO	UEPCR	2.41	53 31	26.46	27.50	8.37		11 90				i
		LA)		-	DEFUU	UEFUR	2.41	3331	20.40	21.50	0.37		1190				
	ADDIT	IONAL UNE COIN PORT/LOOP (RC)		-	UEDOO	LIDECT	4.00	0 00	0.00		7		11.00				
		UNE Coin Port/Loop Combo Usage (Flat Rate)	l	1	UEPCO	URECU	1 86	0.00	0.00	0 00	0.00		11.90		Ĺ		I .

JNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach:	ment: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge -	Incremen Charge
			Ť			Rec	Nonrec			Disconnect				Rates (\$)	<u> </u>	<u> </u>
						1.00	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
LOCA	L NUMBER PORTABILITY	ļ	<u> </u>													
	Local Number Portability (1 per port)		<b>└</b> ─	UEPCO	LNPCX	0.35					ļ					
NONE	ECURRING CHARGES - CURRENTLY COMBINED										↓					<u> </u>
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1		1 1									]	1	1
	Switch-as-is	ļ <u> </u>	1	UEPCO	USAC2		0.102	0.102				11.90				<del> </del>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	i	UEPCO	USACC		0,102	0.102			1	11.90				[
4000	Switch with change		<del> </del>	DEPCO	USACC		0.102	0.102			·	71.90		<del> </del> -		<del>}</del> ——
AUUI	7: IONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent	-	<del> </del>		<del>   </del>					-	+			<del> </del>		<del> </del>
- 1	Activity			UEPCO	USAS2		0.00	0.00			1	11.90		1		]
2.0010	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINE	PORT (		IOGAGE			0.00			<del>                                     </del>	11.50				<del> </del>
	Port/Loop Combination Rates	1	<u> </u>	1	1 1	*****					<del>1                                    </del>				·	<del>                                     </del>
VIII I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	<del>                                     </del>	_	14.88								-		t
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<del> </del>	2			20.04										<del>                                     </del>
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		-	33.51			***						_	<b>—</b>
UNE I	oop Rates			l												t
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24								i		<u> </u>
	2-Wire Voice Grade Loop (SL2) - Zone 2	-		UEPFR	UECF2	17.40										
-	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30 87										
2-Wire	Voice Grade Line Port Rates (Res)					-					1					1
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.64	174 81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.64	174.81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundled port outgoing only - res		i	UEPFR	UEPRO	2.64	174.81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundled Florida Area Calling with Caller ID - res		<u> </u>	UEPFR	UEPAF	2.64	174.81	100.65	75 88	12.73		11.90				<u> </u>
	2-Wire voice unbundles res, low usage line port with Caller ID	1	1			1		[			ĺ	[		ĺ		
	(LUM)			UEPFR	UEPAP	2.64	174.81	100.65	75.88	12.73	L	11.90				Ļ
INTER	ROFFICE TRANSPORT		<u> </u>													ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1			05.00	47.05	04.70			ļ			· ·		1
!	Termination		—	UEPFR	U1TV2	25.32	47.35	31.78								<b>├</b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	ļ	Į	WEDED.	11.5XX	0 0091	1	)						]		J
	or Fraction Mile	<del> </del>	├	UEPFR	11.533	0 0091					<del> </del>					├
FEAT	URES		┼──	UEPFR	UEPVF	0.00	0.00	0.00	_		<del> </del>	11.90				<del> </del>
	All Features Offered		├	UEPPR	UEFVF	0.00	0.00	0.00			<del> </del>	11.50				├
LOCA	L NUMBER PORTABILITY		<del> </del>	UEPFR	LNPCX	0.35										<del> </del> -
NONE	Local Number Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	DEFFR	LINFOX	0.55					<del>                                     </del>					<del> </del>
NONE	2-Wire Loop / Dedicated 10 Transport / 2 Wire Line Port	-	+		<del></del>						<del> </del>					<del>                                     </del>
- [	Combination - Conversion - Switch-as-is	1	1	UEPFR	USAC2		9.03	1.87				11.90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<del> </del>	OZ	150:10=											<b>†</b>
	Combination - Conversion - Switch-With-Change		ŀ	UEPFR	USACC	1	9.03	1.87				11.90				
2-WSE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	ELINE	PORT (													t —
LINE	Port/Loop Combination Rates	1	T ,											_		<u> </u>
(ONE )	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<del> </del>	1			14.88					1					$\overline{}$
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	Τ	2	1		20.04										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			33.51					Ĺ			[		
UNF	oop Rates			1												
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2	T	2	UEPFB	UECF2	17.40								l		
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30 87										
2-Win	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPF8	UEPBL	2.64	174.81	100.65	75.88	12.73		11.90				
-	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.64	174.81	100.65	75.88	12.73		11.90				
-1	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.64	174.81	100.65	75.88	12.73	Į	11.90				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.64	174 81	100.65	75.88	12.73	ļ	11.90				ļ
LOCA	L NUMBER PORTABILITY										<u> </u>					
	Local Number Portability (1 per port)		1	UEPFB	LNPCX	0.35				L						
INTER	ROFFICE TRANSPORT	1					i	١			1					

UNBUNDL	ED NETWORK ELEMENTS - Florida		,											ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		-		Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<u> </u>				Rec	Nonrec		Nonrecurring		001150			Rates (\$)		
		<u> </u>	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		l	UEPFB	U1TV2	25.32	47.35	31 78						ŀ		
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<del> </del>		UEPFB	01172	25.32	47.35	31 70								<del> </del>
	or Fraction Mile		1	UEPFB	1L5XX	0.0091				1				•		1
FEAT	TURES			-	1.20,51											
1	All Features Offered		1	UEPFB	UEPVF	0.00	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is		ļ	UEPFB	USAC2		9 03	1.87				11 90				<u> </u>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		!	110400		9,03	1 87				11.90		1		
	Combination - Conversion - Switch with change RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPFB	USACC		9.03	101				11.90				
		<del></del>	<del>-</del>								<del> </del>	ļ			<del></del>	<del> </del>
UNE	Port/Loop Combination Rates  [2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<del></del>	1		<del>                                     </del>	14.88					<del> </del>	<del> </del>		-	<del> </del>	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<del>                                     </del>	2	<u> </u>	-	20.04	-				-					
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<del>                                     </del>	3			33.51								i		
UNE	Loop Rates	<del>                                     </del>	1													
10.12	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2	1		UEPFP	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87					<u> </u>					1
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)															
		i	}				47.04	400.05	75.00	40.70		44.00				{
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	₩	UEPFP	UEPPO	2.64	174.81 174.81	100 65 100.65	75.88 75.88	12.73 12.73	<u> </u>	11 90 11.90				-
	Line Side Unbundled Outward PBX Trunk Port - Bus		<del> </del>	UEPFP UEPFP	UEPPO UEPP1	2.64 2.64	174.81	100.65	75.88	12.73		11.90		<del></del>		<del></del>
	Line Side Unbundled Incoming PBX Trunk Port - Bus	-	┼	UEPFP	UEPLD	2.64	174.81	100.65	75.88	12.73		11 90				
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	<del> </del>	+-	UEPFP	UEPXA	2.64	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	_	<del> </del>	UEPFP	UEPXB	2.64	174.81	100.65	75 88	12.73		11 90		<u> </u>		
-+-	2-Wire Voice Unbundled PBX LD DDD Terminals Port	<del> </del>	1	UEPFP	UEPXC	2.64	174 81	100.65	75.88	12.73		11.90		:		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	2.64	174.81	100.65	75.88	12.73		11 90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.64	174 81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2 64	174.81	100.65	75 88	12.73		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	1				474.04	400.05	75.00	40.70		44.00		ļ		1
	Room Calling Port		-	UEPFP	UEPXM	2.64	174.81	100 65	75.88	12 73	-	11 90				ļ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXO	2 64	174.81	100.65	75.88	12.73	1	11.90		I	•	1
	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	<del></del>	-	UEPFP	UEPXS	2.64	174.81	100.65	75.88	12.73	<del></del>	11 90			<del> </del>	
100	AL NUMBER PORTABILITY	<del></del> -	<del> </del>	-			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								· · · · · · · · · · · · · · · · · · ·	
LUC	Local Number Portability (1 per port)	<del></del>	_	UEPFP	LNPCP	3.15	0.00	0.00				11.90				
INTE	EROFFICE TRANSPORT	$\vdash$														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	25 32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile											1		1		
	or Fraction Mile	L	ł	UEPFP	1L5XX	0.0091					<u> </u>					
FEA	TURES										-	<u></u>				<del> </del>
	All Features Offered		—	UEPFP	UEPVF	0.00	0.00	0 00			<del></del>	11.90				<del> </del>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	—								<del></del>	<del></del>	<del></del>	<del></del>		<del> </del>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is		<u> </u>	UEPFP	USAC2		9 03	1.87				11 90		ļ		ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change	<u> </u>	_	UEPFP	USACC		9,03	1.87				11 90				<u> </u>
UNBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATES	CDCDT	+-	<del> </del>	+	<del></del>										
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNI	TORT	+		+					<del> </del>	<del> </del>	<del> </del>	·		<del>                                     </del>	<del></del>
UNE	Port/Loop Combination Rates    2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	+	1		+	22.19				$\vdash$	+	1				<del> </del>
-+	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	1	2	<del> </del>	1	27.35				· · · · · · · · · · · · · · · · · · ·						
	12-YERE VG LOOP/2-YERE DID TRUIK POR COMIDG - GNZ ZONE Z	1	1 3	<del></del>		40.82						<del> </del>				

NBUNDLE	D NETWORK ELEMENTS - Florida											<del></del>			nent: 2	Exhib	
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
							Rec	Nonrec			Disconnect				Rates (\$)		200111
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	oop Rates		ـــــ									+	14.50		<u> </u>	1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12 24						11.90		<u> </u>		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17.40					+	11.90		ļ	1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	<u> </u>	3	UEPPX		UECD1	30.87					-	11.90	-	}	1.83	
UNE P	ort Rate	ļ						04440	98.29			<del> </del>	11.90	ļ	ļ	1.83	
	Exchange Ports - 2-Wire DID Port	<u> </u>		UEPPX		UEPD1	9.95	214.16	98.29		<u> </u>	-	11.90		l	1.83	
NONRE	CURRING CHARGES - CURRENTLY COMBINED	<b>└</b>	<b> </b>								<del></del>	<del></del>	<b></b>		<u> </u>	<del></del>	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1	1				1	7.05	4.07			1	1100	]	ĺ	Į.	
	Switch-as-is			UEPPX		USAC1		7.85	1.87		<del> </del>	-	11.90		<b> </b>		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	Į.	1			1		7.05	4.07		}	1	14.00	1	Ì	Ì	
	with BellSouth Allowable Changes	<u> </u>	↓	UEPPX		USA1C		7.85	1.87		1	<del></del>	11.90	<del> </del>	<del> </del>		
ADDITI	IONAL NRCs	1	ļ	LIEDDY:		LICAGE		32.26	32.26		+	+	11.90	<del> </del>	<del> </del>	<del>                                     </del>	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	<u> </u>	<del> </del>	UEPPX		USAS1		32.26	32.20		<del>                                     </del>	<del> </del>	11.90	<del> </del>	<b>-</b>		
Teleph	one Number/Trunk Group Establisment Charges		<u> </u>					0,00	0.00			+	11 90	<del></del>		1.83	
	DID Trunk Termination (One Per Port)	<del></del>	<b>!</b>	UEPPX		NDT	0.00	0.00	0.00		-		1190	ļ	<del> </del>	1.03	
	DID Numbers, Establish Trunk Group and Provide First Group	1	1			ND7	0.00	0.00	0.00		1	t	11.90	l	1	1.83	
	of 20 DID Numbers		1	UEPPX		NDZ						+	11.90	<del> </del>		1.83	
	Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX		ND4	0.00	0.00	0.00		<del> </del>	<del></del>	11.90	<del> </del>		1.83	
	DID Numbers, Non- consecutive DID Numbers, Per Number	<u> </u>	ļ	UEPPX		ND5	0 00	0.00			<del> </del>	+	11.90		ļ	1.83	
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00			<del> </del>				1.83	
	Reserve DID Numbers	<u> </u>	↓	UEPPX		NDV	0.00	0.00	0.00				11.90			1.63	
LOCAL	NUMBER PORTABILITY	1	<u> </u>						2.00			+					
	Local Number Portability (1 per port)		<u>l</u>	UEPPX		LNPCP	3.15	0.00	0.00					<del></del>			
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SID	E PORT	<u> </u>		<u> </u>					ļ			<u> </u>		ļ	
UNE P	ort/Loop Combination Rates		<u> </u>								ļ	<del></del>					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1_1_	UEPPB	UEPPR		23.87				<u> </u>						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		30.29				1						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	VEPPB	UEPPR		47.08						<u> </u>				
UNE	oop Rates		1										J		L		
ONLE	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25						11.90			1.83	
	2-11/1/E TODAY Digital Crade Edop Charles			T							1	ŀ				}	
1	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	U\$L2X	21.67				<u> </u>		11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	<del>                                      </del>	3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
UNE D	ort Rate					1							<u> </u>	<u> </u>		<u> </u>	
ONE	Exchange Port - 2-Wire ISDN Line Side Port	<u> </u>		UEPPB	UEPPR	UEPPB	8.62	194.52	145.09		<u> </u>		11.09	<u> </u>		1.83	
NOND	ECURRING CHARGES - CURRENTLY COMBINED	1				T					<u> </u>		1			<u> </u>	<u> </u>
NONK	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1									1			Į.		ŀ
1	Combination - Conversion	1	1	UEPPB	UEPPR	USACE	0.00	25.22	17.00	İ			11.90			1.83	
ADDIT	IONAL NRCs									<u> </u>	<u> </u>	1					
	L NUMBER PORTABILITY										<u> </u>	<u> </u>		<u> </u>		ļ	
LOOAL	Local Number Portability (1 per port)	T	1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			<u>.</u>		<u> </u>			
B CHA	NNEL USER PROFILE ACCESS:		1								<u> </u>		1		ļ	<u> </u>	
B-CHA	TCVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0 00				l	1		<u> </u>	
	CVS (EWSD)	<del>                                     </del>	+	ÜEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1	<u> </u>	<u> </u>	L	<u> </u>	
	CSD	<del> </del>	+-		UEPPR		0.00	0.00	0.00		T.		1			1	
D CUA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS.	R TN)						-		Τ''''			l			
D-CHA	TERMINAL PROFILE	1	Τ'''	<b></b>													
USER	User Terminal Profile (EWSD only)	1	+	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00				1				
VEDT	CAL FEATURES	+	1	T		1										<u> </u>	
VERT	All Vertical Features - One per Channel B User Profile	+	1	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00		T		11.90		1		
INTER	OFFICE CHANNEL MILEAGE	1	<del> </del>	1		1								1	1		
INTER	Interoffice Channel mileage each, including first mile and	+	+	<b>T</b>		1									1		
- 1	facilities termination		Ì	UEPPB	UEPPR	MIGNO	25.3291	47 35	31 78	18.31	7.03	3	11.90	l	l	1.83	L
	Interoffice Channel mileage each, additional mile	+-	+		UEPPR	M1GNM	0 0091	0.00	0.00	T			11.90			1.83	
<del>-  =</del>	E DS1 DIGITAL LOOP WITH 4-WIRE ISON DS1 DIGITAL TRUN	K POP1	-	+		1				1							
J4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRON Port/Loop Combination Rates	TON	4			+				1	1	1		1		T	

MOUNDE	D NETWORK ELEMENTS - Florida													nent: 2	Exhil	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		-		Submitted	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremen Charge Manual S Order vs
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring		abut a	l'anni du		Rates (\$)		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<del> </del> -		+		riist	AGGI	First	Add'l	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 1		1	UEPPP	<b>}</b>	154.72										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE								·							
-	Zone 2		2	UEPPP	1	184.52						ļ				
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	UEPPP		262.37						i				
UNE	Zone 3			OGFFF	1	202.31		-	<del></del>			<del> </del>				<u> </u>
- JUNE 2	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	70.74						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP	USL4P	100.54						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	178 38						11.90			1.83	
UNE P	Port Rate	<u> </u>														
	Exchange Ports - 4-Wire ISDN DS1 Port	<u> </u>	-	UEPPP	UEPPP	83 98	488 36	276.65			<u> </u>	11.90	ļ		1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	⊢-		+	<u> </u>					<u> </u>	<del> </del>	<del> </del>		ļ	ļ
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is		1	UEPPP	USACP	0.00	84.17	61.38			1	11.90			1.83	
ADDIT	TIONAL NRCs	├	+	<u></u>	20,10			J			t —	150	<del></del>	<del></del>	1.65	-
ADDIT	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	<del></del>									<b></b>			-		
i	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF	- [	0.5412					11.90			183	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)	L	l	UEPPP	PR7TO	<u> </u>	12.71	12.71			1	11 90	•		1.83	l
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		T		T - I							[				
ł	Subsequent Inward Tel Numbers	L	1	UEPPP	PR7ZT		25 42	25.42				11.90			1.83	
LOCA	L NUMBER PORTABILITY	<u></u>														
	Local Number Portability (1 per port)		<u> </u>	UEPPP	LNPCN	1.75					<u> </u>		<u> </u>			
INTER	RFACE (Provsioning Only)	<del> </del>	ļ	UEPPP	PR71V	0.00	0.00	0.00			<del> </del>		<u> </u>			
	Voice/Data	<del> </del>	+	UEPPP	PR71D	0.00	0.00	0.00			<del> </del>					<u> </u>
$\longrightarrow$	Digital Data Inward Data	<del> </del>	+	UEPPP	PR71E	0.00	0.00	0.00		···	<del></del>					
Nows	or Additional "B" Channel		-		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									,		
14044 0	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48					11.90			1.83	
	New or Additional - Digital Data B Channel		1	UEPPP	PR7BF	0.00	15.48					11.90			1.83	
	New or Additional Inward Data B Channel		<u> </u>	UEPPP	PR7BD	0.00	15.48				ļ <u>.</u>	11.90			1.83	
CALL	TYPES											<u> </u>				
	Inward		ļ	UEPPP	PR7C1	0.00	0.00	0.00			ļ	<b>!</b>				
	Outward		<del> </del>	UEPPP UEPPP	PR7C0	0.00	0.00	0.00			<del> </del>	<del></del>	<del> </del>			
	Two-way		+-	UEPPP	PRICE	0.00	Ų.UU	0.00			<del> </del>	<del>                                     </del>	<u> </u>			
Intero	ffice Channel Mileage	<del></del>	<del>                                     </del>	UEPPP	1LN1A	88.6256	105.54	98 47	21,47	19.05	<del> </del>	11.90	<b></b>		1.93	
$\longrightarrow$	Fixed Each Including First Mile  Each Airline-Fractional Additional Mile	<del></del>	<del>                                     </del>	UEPPP	1LN1B	0.1856				141			i			
A-WIE	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<del> </del>	1							1					
	Port/Loop Combination Rates												Ī			
- ONE I	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		126.93						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		156.73						11 90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		234.58					<del> </del>	11 90			1.83	
UNE I	oop Rates	L	1	WEDDO	1.20.00	70.74					ļ	11 90	<del></del>		1.83	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	100.54					<b>-</b>	11.90	<del></del>	<del> </del>	1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPDC	USLDC	178.39					<del>                                     </del>	11.90	<del> </del>		1.83	
<del></del>	4-Wire DS1 Digital Loop - UNE Zone 3	<del> </del>	+ 3	ULFUU	100200	170.08			-		t	11.30	<b>—</b>		1.00	<b> </b>
UNE	Port Rate  4-Wire DDITS Digital Trunk Port	-	+-	UEPDC	UDD1T	56.19	464.86	259.23			f	11.90			1.83	
NONE	RECURRING CHARGES - CURRENTLY COMBINED	$\vdash$	+-	† <del></del>	1	555		200.20				T				
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1	<u> </u>	1											[
1	- Switch-as-is	L		UEPDC	USAC4		95.31	46 71			L	11 90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination											1				
	- Conversion with DS1 Changes	L	1	UEPDC	USAWA		95.31	46 71				11 90	ļ		1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	I	1	UEPDC	USAWB		95 31	46.71				11.90	1		1.83	
1	- Conversion with Change - Trunk															

ONRONDLE	D NETWORK ELEMENTS - Florida		т		<del></del> -						C O	O O		ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
I						Rec	Nonrec		Nonrecurring				oss	Rates (\$)		
			1			1,00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				I						i				l	
	Subsequent Channel Activation/Chan - 2-Way Trunk		<b> </b>	UEPDC	UDTTA		15.69	15 69				11,90			1.83	
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDTTB	1	15.69	15.69			i	11.90		ļ	1.83	
	Channel Activation/Chan - 1-Way Outward Trunk	<b></b>	+	DEPDC	או זמט		15.09	10.09			ļ	11.90	ļ. <u> </u>		1.83	<del> </del>
ļ	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69			1	11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		<del> </del>	OLF DC	00110		10.00	10.00			<del> </del>	11.50			1.00	
	Activation Per Chan - Inward Trunk with DID	l	1	UEPDC	UDTTD		15,69	15.69			l	11.90			1 83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		<del> </del>	52.50	155						<del> </del>			!	1	
1	Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE	ĺ	15.69	15.69			1	11.90		ŀ	1.83	
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00			ļ	11.90			1.83	
	B8ZS - Extended Superframe Format		$\perp$	UEPDC	CCOEF		0.00	655.00			ļ	11.90	<u></u>		1.83	ļ
Alterna	ate Mark Inversion										<b></b>					<b> </b>
	AMI -Superframe Format	1		UEPDC	MCOSF		0.00	0.00			<del></del>			<del> </del>	<b> </b>	ļ <u>-</u>
	AMI - Extended SuperFrame Format		-	UEPDC	MCOPO		0.00	0.00			<del> </del>		<b> </b>	<del></del>	<del> </del>	
Teleph	one Number/Trunk Group Establisment Charges			UEPDC	UDTGX	0.00	-				<del> </del>	11 90			1.83	
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGY	0.00				~ <del>-</del>	<del> </del>	11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID	<del> </del>	+	UEPDC	UDTGZ	0.00					1	11.90			1.83	
<del></del> -	DID Numbers, Establish Trunk Group and Provide First Group		<del> </del>	00	JOURNAL	0.00					<del> </del>	11.55				
ĺ	of 20 DID Numbers			UEPDC	NDZ İ	0.00	0.00	0 00				11.90	ŀ		1.83	
<del></del>	DID Numbers for each Group of 20 DID Numbers		1	UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0 00				11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS	Trunk Port						<u> </u>					
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90		,	1.83	
	reminatory		1													
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	l	1	UEPDC	1LNOA	0 1856	0.00	0.00			<u>i</u>					
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		i -								1			!		1
1	Termination)			UEPDC	1LNO2	0.00	0.00	0.00			<u> </u>					<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 9-25													l	]	1
	miles	<u> </u>		UEPDC	1LNOB	0.1856	0.00	0.00								1
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	ļ	1		41.1100	0.00	0 00	0.00	0.00						Į.	
	Termination)	<u> </u>	╄	UEPDC	1LNO3	0.00	0 00	0.00	0.00		<del> </del>	<del> </del>				
		1	1	UEPDC	1LNOC	0.1856	0.00	0 00			1	į	l	i		
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated	├─	1	UEPDC	LNPCP	3.15	0.00	0.00	0.00		1		1			
	Central Office Termininating Point		<b>†</b> •	UEPDC	CTG	0 00										
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT			-									1			
System	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	vation	s													
Each S	System can have up to 24 combinations of rates depending or	ı type a	nd nun	nber of ports used							<u> </u>					
UNE D	S1 Loop		┺-						L				<b></b>			
	4-Wire DS1 Loop - UNE Zone 1		1 1	UEPMG	USLDC	70.74	0.00	0.00						<del> </del>	<del> </del>	
	4-Wire DS1 Loop - UNE Zone 2	<u> </u>		UEPMG	USLDC	100.54	0 00	0.00			<del> </del>		-	<del>                                     </del>	1	-
	4-Wire DS1 Loop - UNE Zone 3	<u> </u>	3	UEPMG	USLDC	178.39	0.00	0.00		ļ	+	<del> </del>	<del>                                     </del>	<del>                                     </del>	<b></b>	<del> </del>
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)	<del> </del>	UEPMG	VUM24	118.06	0,00	0.00	-		1	11.90		<del>                                     </del>	1.83	<del> </del>
	24 DSO Channel Capacity - 1 per DS1	<b></b>	+-	UEPMG	VUM48	236.12	0.00	0.00	<del>                                     </del>		<del> </del>	11.90		<b>—</b>	1.83	<del>                                     </del>
	48 DSO Channel Capacity - 1 per 2 DS1s	<del> </del>	+	UEPMG	VUM96	472.24	0.00	0.00		<b> </b>		11.90			1.83	1
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s	+	+	UEPMG	VUM14	708.36	0.00	0.00		1	1	11.90	<del> </del>	<b></b>	1.83	l
	192 DS0 Channel Capacity - 1 per 6 DS1s	<del>                                     </del>	<del> </del>	UEPMG	VUM19	944.48	0.00	0.00	1		1	11.90			1.83	
	240 DS0 Channel Capacity - 1 per 8 DS1s	<del>                                     </del>	1-	UEPMG	VUM20	1,180.60	0.00	0.00	T			11.90			1.83	L
	288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,416.72	0.00	0.00			I	11.90			1.83	
	384 DS0 Channel Capacity - 1 per 16 DS1s	<del>                                     </del>	1	UEPMG	VUM38	1,888.96	0.00	0 00				11.90			1.83	
<del>- 1</del>	480 DS0 Channel Capacity - 1 per 10 DS1s	1	<del> </del>	UEPMG	VUM40	2,361.20	0.00	0.00			L	11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s	T	1	UEPMG	VUM57	2,833 44	0.00	0.00				11.90		<u> </u>	1.83	

INBUNDLED NETWORK ELEMENTS - Florida													nent: 2	Exhib	
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		-		Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
					Rec	Nonrec		Nonrecurring					Rates (\$)		
						First	Add'l_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	th Chan	neliztio	n with Port - Conver	sion Charge	Based on a Sy	stem				ļ					
A Minimum System configuration is One (1) DS1, One (1) D4 Chann	el Bank,	and Up	To 24 DSO Ports w	ith Feature	Activations.					<b></b>					
Multiples of this configuration functioning as one are considered A	dd'i afte	r the m	inimum system con	figuration is	counted.			ļ <del>  </del>		<del> </del>					
NRC - Conversion (Currently Combined) with or without	1	1	UEPMG	USAC4	0.00	96.77	4.24			1					
BellSouth Allowed Changes	1 Ch -	L					4,24	<del></del>			11.90				
System Additions at End User Locations Where 4-Wire DS1 Loop w	ith Char	nelizat	on with Port Comb	nation Curre	ently Exists and					<del> </del>	ļ				
New (Not Currently Combined) in all states, except in Density Zone 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1 01 100	OMSA		<del> </del>	<del>  </del>			<del></del>		<del></del>					
and Assoc Fea Activation			UEPMG	VUMD4	0.00	726.11	468.21	145 32	17.24		11.90		i		
Bipolar 8 Zero Substitution	+	<del> </del>	OEF MIO	VOIVIDA	0.00		400.21	140 02	11.24	<del> </del>	11.50				_
Clear Channel Capability Format, superframe - Subsequent	+	<del> </del>													
Activity Only			UEPMG	CCOSF	0.00	0 00	655.00	1		ł	11.90				
Clear Channel Capability Format - Extended Superframe -	<del>                                     </del>	<del>                                     </del>		1				<del></del>		<del> </del>					
Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00			į .	11.90				
Alternate Mark Inversion (AMI)				1						1					
Superframe Format			UEPMG	MCOSF	0 00	0.00	0.00			1					
Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelizat	ion with	Port													
Exchange Ports		=													
	$\Gamma$					1									
Line Side Combination Channelized PBX Trunk Port - Business		↓	UEPPX	UEPCX	2.64	0.00	0.00	0.00	0.00		11.90			1.83	
Line Side Outward Channelized PBX Trunk Port - Business	1		UEPPX	UEPOX	2.64	0.00	0.00	0.00	0.00		11 90			1.83	
		ţ							2.50	1	1				
Line Side Inward Only Channelized PBX Trunk Port without DID	<u>'</u>	<del> </del>	UEPPX	UEP1X	2.64	0.00	0.00	0.00	0.00	1	11.90			1.83	
2-Wire Trunk Side Unbundled Channelized DID Trunk Port	<del> </del>		UEPPX	UEPDM	8.71	000	0.00	0.00	0,00		11.90			1.83	
Feature Activations - Unbundled Loop Concentration		-		<del> </del>											
Feature (Service) Activation for each Line Port Terminated in D4		1	UEPPX	1PQWM	0.64	25.40	13.41	3.96	3 93		11.90		,	1 83	
Bank Feature (Service) Activation for each Trunk Port Terminated in	<del> </del> -	<del> </del>	ULFFX	I COTTO	0.04	20.40	10.41	0.50	0.00	<del>                                     </del>	11.50			100	
D4 Bank		l	UEPPX	1PQWU	0.64	78.16	18,42	56.03	10.95	1	11.90			1.83	
Telephone Number/ Group Establishment Charges for DID Service	-	-	<u> </u>	1	0.01						11.55			1,50	
DiD Trunk Termination (1 per Port)	+	<del>                                     </del>	UEPPX	NDT	0.00	0.00	0.00			1	11,90				
Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	1	<del> </del>	UEPPX	NDZ	0.00	0.00	0.00			1	11.90				
DID Numbers - groups of 20 - Valid all States	1-		UEPPX	ND4	0.00	0.00	0.00				11 90				
Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				11.90				
Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0 00	0.00				11.90				
Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0.00				11 90				
Local Number Portability															
Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0 00	0.00								
FEATURES - Vertical and Optional	<del>_</del> _			<del> </del>				ļ							
Local Switching Features Offered with Line Side Ports Only		ļ		I			6 72			<del> </del>				7.55	
Ali Features Available		<u> </u>	UEPPX	UEPVF	0.00	0.00	0.00			<u> </u>	11,90	L	L	1.83	