VERIZON - FLORIDA

COLLOCATION - INVESTMENT SUMMARY

LINE <u>NO</u>	<u>ITEM</u>	TOTAL CENTRAL OFFICE <u>INVESTMENT</u>	TOTAL LAND & BUILDING <u>INVESTMENT</u>	TOTAL OUTSIDE PLANT <u>INVESTMENT</u>	TOTAL INVESTMENT <u>(ALL ACCOUNTS)</u>
1	CAGED				
2	CAGELESS				
3	VIRTUAL		REDACTED		
4	ADJACENT				
5	CATT		· · · · · · · · · · · · · · · · · · ·		

6 TOTALS

DOCUMENT NUMPERFERNTE U 4517 MAY 20 S FPSC-COMMISSION CLERK456

98 18 34-76

FL-TOTALS

VERIZON - FLORIDA

	ON - FLORII <u>REGION</u>	DA Arrangement	RATE ELEMENT	DESCRIPTION	INCREMENT	MATERIAL INVESTMENT AMOUNT	EF&I FACTOR
MRCs	WEST	CAGED	BUILDING MODIFICATION	1/2" CONDUIT HANGERS AND SUPPORTS-ELECTRICAL OUTLET	PER OUTLET	Α	В
1 2	WEST	CAGED	BUILDING MODIFICATION	1/2" CONDUCT HANGERS AND SUPPORTS-ELECTRICAL OUTLET 1/2" CONDUCT HANGERS AND SUPPORTS-LIGHTING FIXTURE	PER OUTLET PER UNIT		
2	WEST	CAGED	BUILDING MODIFICATION	1/2" CONDUIT HANGERS AND SUPPORTS-LIGHTING FIXTORE	PER OUTLET		
3	WEST	CAGED	BUILDING MODIFICATION	1/2" COUPLING-CONDUIT - LIGHT FIXTURE	PER UNIT		
4 5	WEST	CAGED	BUILDING MODIFICATION	2-40 WATT LAMP FIXTURES - LIGHT FIXTURE	PER UNIT		
6	WEST	CAGED	BUILDING MODIFICATION	2-40 WATT LAME FIXTORES - LIGHT FIXTORE 2-DOOR CABINETS FOR TEST EQUIPMENT	PER COLLO OFFICE		
7	WEST	CAGED	BUILDING MODIFICATION	3" PVC SCH. 40 CONDUIT - FLOOR GROUND BAR	PER BAR		
8	WEST	CAGED	BUILDING MODIFICATION	4" FLUSH COVER BLANK - LIGHT FIXTURE	PER UNIT		
9	WEST	CAGED	BUILDING MODIFICATION	40 WATT LAMP - LIGHT FIXTURE	PER UNIT		REDACTED
9 10	WEST	CAGED	BUILDING MODIFICATION	750 MCM GROUNDING CABLE - FLOOR GROUND BAR	PER BAR		REDACTED
11	WEST	CAGED	BUILDING MODIFICATION	90 OR 45 DEGREE ELLS -BUILDING MOD,- ELECTRICAL OUTLET	PER OUTLET		
12	WEST	CAGED	BUILDING MODIFICATION	90 OR 45 DEGREE ELLS -BUILDING MOD ELECTRICAL OUTLET	PER UNIT		
13	WEST	CAGED	CAGED FLOOR SPACE	BUILDING FLOOR SPACE (WEST)	PER SQ FT		
13	WEST	CAGED	CABLE RACK SHARED SPACE - FIBER				
	WEST	CAGED	CABLE RACK SHARED SPACE - FIBER	CABLE RACK SHARED SPACE - FIBER CABLE RACK SHARED SPACE - METALLIC	PER INNERDUCT FT		
15 16	WEST	CAGED	CABLE HACK SHARED SPACE - METALLIC CABLE SUBDUCT SPACE	CABLE SUBDUCT SPACE	PER LINEAR FT PER LINEAR FT		
17	WEST	CAGED	CABLE SUBDUCT SPACE-MANHOLE	CABLE SUBDUCT SPACE CABLE SUBDUCT SPACE-MANHOLE	PER PROJECT		
18	WEST	CAGED	BUILDING MODIFICATION	CARD READER	PER READER		
19	WEST	CAGED	BUILDING MODIFICATION		PER OUTLET		
20	WEST	CAGED	BUILDING MODIFICATION	CIRCUIT BREAKER - LIGHT FIXTURE	PER UNIT		
21	WEST	CAGED	BUILDING MODIFICATION	CONTROLLER	PER CONTROLLER		
22	WEST	CAGED	BUILDING MODIFICATION	DEMOLITION & SITE WORK	PER REQUEST		
23	WEST	CAGED	BUILDING MODIFICATION	DUST PARTITION	PER REQUEST		
24	WEST	CAGED	BUILDING MODIFICATION	ELECTRICAL RECEPTACLE - ELECTRICAL OUTLET	PER OUTLET		
25	WEST	CAGED	BUILDING MODIFICATION	ELECTRICAL WIRE (100 LF) - ELECTRICAL OUTLET	PER OUTLET		
26	WEST	CAGED	BUILDING MODIFICATION	ELECTRICAL WIRE (100 LF) - LIGHT FIXTURE	PER UNIT		
27	WEST	CAGED	ENVIRONMENTAL CONDITIONING	ENVIRONMENTAL CONDITIONING	PER AMP		
28	WEST	CAGED	FACILITY TERMINATION - DS0	FACILITY TERMINATION - DS0	PER 100 PR		
29	WEST	CAGED	FACILITY TERMINATION - DS1	FACILITY TERMINATION - DS1	PER 28 PR		
30	WEST	CAGED	FACILITY TERMINATION - DS3	FACILITY TERMINATION - DS3	PER COAXIAL		
31	WEST	CAGED	BUILDING MODIFICATION	FILING CABINETS FOR CIRCUIT LAYOUT RECORDS	PER COLLO OFFICE		
32	WEST	CAGED	DC POWER	FUSES & FUSE PANELS (BDFB)	PER AMP		
33	WEST	CAGED	BUILDING MODIFICATION	FLOOR GROUND BAR	PER BAR		
34	WEST	CAGED	BUILDING MODIFICATION	HVAC MINOR	PER OCCURRENCE		
35	WEST	CAGED	CAGED FLOOR SPACE	LAND FLOOR SPACE (WEST)	PER SQ FT		
36	WEST	CAGED	BUILDING MODIFICATION	OCTAGON OUTLET BOX - LIGHT FIXTURE	PER UNIT		
37	WEST	CAGED	BUILDING MODIFICATION	OUTLET BOX COVER - ELECTRICAL OUTLET	PER OUTLET		
38	WEST	CAGED	DC POWER	POWER SUPPLY	PER AMP		
39	WEST	CAGED	BUILDING MODIFICATION	RACK LOCK FOR EXPOSED TEST EQUIPMENT	PER COLLO OFFICE		
40	WEST	CAGED	BUILDING MODIFICATION	RECEPTACAL COVER - ELECTRICAL OUTLET	PER OUTLET		
41	WEST	CAGED	BUILDING MODIFICATION	RIGID GALVANIZED STEEL CONDUIT - ELECTRICAL OUTLET	PER OUTLET		
42	WEST	CAGED	BUILDING MODIFICATION	RIGID GALVANIZED STEEL CONDUIT- LIGHT FIXTURE	PER UNIT		
43	WEST	CAGED	BUILDING MODIFICATION	SERVICE CALL - BUILDING MOD CONTRACTOR - ELECTRICAL OU	PER OUTLET		
44	WEST	CAGED	BUILDING MODIFICATION	SERVICE CALL - BUILDING MOD CONTRACTOR - LIGHT FIXTURE	PER UNIT		
45	WEST	CAGED	BUILDING MODIFICATION	SWITCH BOX - ELECTRICAL OUTLET	PER OUTLET		
46	WEST	CAGED	BUILDING MODIFICATION	SWITCH COVER - LIGHT FIXTURE	PER UNIT		
47	WEST	CAGED	BITS TIMING	BITS TIMING	PER PORT		
48	WEST	CAGED	CABLE VAULT SPLICE - 48 FIBER	CABLE VAULT SPLICE - 48 FIBER	PER SPLICE CLOSURE		
49	WEST	CAGED	CABLE VAULT SPLICE - 96 FIBER	CABLE VAULT SPLICE - 96 FIBER	PER SPLICE CLOSURE		
50 ,	WEST	CAGED	CABLE VAULT SPACE - FIBER	CABLE VAULT SPACE - FIBER	PER SUBDUCT		
51 [°] ,	WEST	CAGED	FACILITY TERMINATION - FIBER OPTIC PATCHCORD	FACILITY TERMINATION - FIBER OPTIC PATCHCORD	PER CONNECTOR		
52 ·	WEST	CAGED	CABLE DUCT SPACE - FIBER OPTIC PATCHCORD		R FIBER STRAND PER FOOT		
				Total Investment			

Sources:

457

Column A = Material Investments taken from FL ver 7 cost study. Column B = EF&I factor received from Pat Haramija. Column E & F = was developed by West's Collocation Product Management and Costing Teams. Column G = Demand Amounts were extracted from the Collocation Central Database.

.

MATERIAL

	TOTAL								
EF&I	INVESTMENT	UNITS REQUIRED	ARRANGEMENTS REQUIRED	# OF	TOTAL INVESTMENT	ACCOUNT	CENTRAL OFFICE	LAND & BUILDING	OUTSIDE PLANT
AMOUNT	AMOUNT	PER ARRANGEMENT	PER CENTRAL OFFICE	ARRANGEMENTS	AMOUNT	NUMBER	INVESTMENT	INVESTMENT	INVESTMENT
C=A*B	D=A+B	E	F	G	H=D*E*F*G			к	

REDACTED

1

.

÷

VERIZON - EL ORIDA

VERIZ	ON - FLORI	DA				MATERIAL INVESTMENT	EF&I	EF&I
MRCs	REGION	Arrangement	RATE ELEMENT	DESCRIPTION	INCREMENT	AMOUNT A	FACTOR B	AMOUNT C=A*B
1	WEST	CAGELESS	BUILDING MODIFICATION	1/2" CONDUIT HANGERS AND SUPPORTS-ELECTRICAL OUTLET	PER OUTLET	~	В	C=A B
2	WEST	CAGELESS	BUILDING MODIFICATION	1/2" CONDUIT HANGERS AND SUPPORTS-LIGHTING FIXTURE	PER UNIT			
3	WEST	CAGELESS	BUILDING MODIFICATION	1/2" CONDUIT HANGERS AND SUPPORTS-ELECTRICAL OUTLET	PER OUTLET			
4	WEST	CAGELESS	BUILDING MODIFICATION	1/2" COUPLING-CONDUIT - LIGHT FIXTURE	PER UNIT			
5	WEST	CAGELESS	BUILDING MODIFICATION	2-40 WATT LAMP FIXTURES - LIGHT FIXTURE	PER UNIT			
6	WEST	CAGELESS	BUILDING MODIFICATION	2-DOOR CABINETS FOR TEST EQUIPMENT	PER COLLO OFFICE			
7	WEST	CAGELESS	BUILDING MODIFICATION	3" PVC SCH. 40 CONDUIT - FLOOR GROUND BAR	PER BAR			
8	WEST	CAGELESS	BUILDING MODIFICATION	4" FLUSH COVER BLANK - LIGHT FIXTURE	PER UNIT			
9	WEST	CAGELESS	BUILDING MODIFICATION	40 WATT LAMP - LIGHT FIXTURE	PER UNIT			
10	WEST	CAGELESS	BUILDING MODIFICATION	750 MCM GROUNDING CABLE - FLOOR GROUND BAR	PER BAR			
11	WEST	CAGELESS	BUILDING MODIFICATION	90 OR 45 DEGREE ELLS -BUILDING MOD ELECTRICAL OUTLET	PER OUTLET			
12	WEST	CAGELESS	BUILDING MODIFICATION	90 OR 45 DEGREE ELLS -BUILDING MOD LIGHT FIXTURE	PER UNIT		REDACTED	
13	WEST	CAGELESS	CAGED FLOOR SPACE	BUILDING FLOOR SPACE (WEST)	PER SQ FT			
14	WEST	CAGELESS	CABLE RACK SHARED SPACE - FIBER	CABLE RACK SHARED SPACE - FIBER	PER INNERDUCT FT			
15	WEST	CAGELESS	CABLE RACK SHARED SPACE - METALLIC	CABLE RACK SHARED SPACE - METALLIC	PER LINEAR FT			
16	WEST	CAGELESS	CABLE SUBDUCT SPACE	CABLE SUBDUCT SPACE	PER LINEAR FT			
17	WEST	CAGELESS	CABLE SUBDUCT SPACE-MANHOLE	CABLE SUBDUCT SPACE-MANHOLE	PER PROJECT			
18	WEST	CAGELESS	BUILDING MODIFICATION		PER READER			
19	WEST	CAGELESS	BUILDING MODIFICATION		PER OUTLET			
20 21	WEST WEST	CAGELESS CAGELESS	BUILDING MODIFICATION BUILDING MODIFICATION	CIRCUIT BREAKER - LIGHT FIXTURE CONTROLLER				
21	WEST	CAGELESS	BUILDING MODIFICATION	DEMOLITION & SITE WORK	PER CONTROLLER PER REQUEST			
22	WEST	CAGELESS	BUILDING MODIFICATION	DUST PARTITION	PER REQUEST			
23	WEST		BUILDING MODIFICATION	ELECTRICAL RECEPTACLE - ELECTRICAL OUTLET	PEROUTLET			
25	WEST		BUILDING MODIFICATION	ELECTRICAL WIRE (100 LF) - ELECTRICAL OUTLET	PEROUTLET			
26	WEST	CAGELESS	BUILDING MODIFICATION	ELECTRICAL WIRE (100 LF) - LIGHT FIXTURE	PER UNIT			
27	WEST	CAGELESS	ENVIRONMENTAL CONDITIONING	ENVIRONMENTAL CONDITIONING	PER AMP			
28	WEST	CAGELESS	FACILITY TERMINATION - DS0	FACILITY TERMINATION - DS0	PER 100 PR			
29	WEST	CAGELESS	FACILITY TERMINATION - DS1	FACILITY TERMINATION - DS1	PER 28 PR			
30	WEST	CAGELESS	FACILITY TERMINATION - DS3	FACILITY TERMINATION - DS3	PER COAXIAL			
31	WEST	CAGELESS	BUILDING MODIFICATION	FILING CABINETS FOR CIRCUIT LAYOUT RECORDS	PER COLLO OFFICE			
32	WEST	CAGELESS	DC POWER	FUSES & FUSE PANELS (BDFB)	PER AMP			
33	WEST	CAGELESS	BUILDING MODIFICATION	FLOOR GROUND BAR	PER BAR			
34	WEST	CAGELESS	BUILDING MODIFICATION	HVAC MINOR	PER OCCURRENCE			
35	WEST	CAGELESS	CAGED FLOOR SPACE	LAND FLOOR SPACE (WEST)	PER SQ FT			
36	WEST	CAGELESS	BUILDING MODIFICATION	OCTAGON OUTLET BOX - LIGHT FIXTURE	PER UNIT			
37	WEST	CAGELESS	BUILDING MODIFICATION	OUTLET BOX COVER - ELECTRICAL OUTLET	PER OUTLET			
38	WEST	CAGELESS	DC POWER	POWER SUPPLY	PER AMP			
39	WEST	CAGELESS	BUILDING MODIFICATION	RACK LOCK FOR EXPOSED TEST EQUIPMENT	PER COLLO OFFICE			
40	WEST	CAGELESS		RECEPTACAL COVER - ELECTRICAL OUTLET	PER OUTLET			
41	WEST	CAGELESS	BUILDING MODIFICATION		PER OUTLET			
42	WEST	CAGELESS		RIGID GALVANIZED STEEL CONDUIT- LIGHT FIXTURE	PER UNIT			
43 44	WEST	CAGELESS CAGELESS		SERVICE CALL - BUILDING MOD CONTRACTOR - ELECTRICAL OU				
44 45	WEST WEST	CAGELESS	BUILDING MODIFICATION BUILDING MODIFICATION	SERVICE CALL - BUILDING MOD CONTRACTOR - LIGHT FIXTURE SWITCH BOX - ELECTRICAL OUTLET	PER UNIT			
45	WEST	CAGELESS	BUILDING MODIFICATION	SWITCH COVER - LIGHT FIXTURE	PER OUTLET PER UNIT			
40	WEST	CAGELESS	BITS TIMING	BITS TIMING	PER PORT			
48	WEST	CAGED	CABLE VAULT SPLICE - 48 FIBER	CABLE VAULT SPLICE - 48 FIBER	PER SPLICE CLOSURE			
49	WEST	CAGED	CABLE VAULT SPLICE - 96 FIBER	CABLE VAULT SPLICE - 96 FIBER	PER SPLICE CLOSURE			
50	WEST	CAGED	CABLE VAULT SPACE - FIBER	CABLE VAULT SPACE - FIBER	PER SUBDUCT			
51	WEST	CAGED		I FACILITY TERMINATION - FIBER OPTIC PATCHCORD	PER CONNECTOR			
52	WEST	CAGED	CABLE DUCT SPACE - FIBER OPTIC PATCHCORD		R FIBER STRAND PER FOOT			
				Total Investment				

Sources.

Column A = Material Investments taken from FL ver 7 cost study.

Column B = EF&I factor received from Pat Haramija. Column B = EF&I factor received from Pat Haramija. Column E & F = was developed by West's Collocation Product Management and Costing Teams. Column G = Demand Amounts were extracted from the Collocation Central Database

TOTAL								
INVESTMENT	UNITS REQUIRED	ARRANGEMENTS REQUIRED	# OF	TOTAL INVESTMENT	ACCOUNT	CENTRAL OFFICE	LAND & BUILDING	OUTSIDE PLANT
AMOUNT	PER ARRANGEMENT	PER CENTRAL OFFICE	ARRANGEMENTS	AMOUNT	NUMBER	INVESTMENT	INVESTMENT	INVESTMENT
D=A+B	E	F	G	H=D*E*F*G	1	J	к	L

REDACTED

4

ţ

.

.

VERI	ZON - FLOR	DA					EF&I
MRC	REGION	Arrangement	RATE ELEMENT	DESCRIPTION	INCREMENT	AMOUNT	FACTOR B
1	WEST	VIRTUAL	CABLE RACK SHARED SPACE - FIBER	CABLE RACK SHARED SPACE - FIBER	PER INNERDUCT FT		-
2	WEŞT	VIRTUAL	CABLE RACK SHARED SPACE • METALLIC	CABLE RACK SHARED SPACE - METALLIC	PER LINEAR FT		
з	WEST	VIRTUAL	CABLE SUBDUCT SPACE	CABLE SUBDUCT SPACE	PER LINEAR FT		
4	WEST	VIRTUAL	CABLE SUBDUCT SPACE-MANHOLE	CABLE SUBDUCT SPACE-MANHOLE	PER PROJECT		
5	WEST	VIRTUAL	FACILITY TERMINATION - DS0	FACILITY TERMINATION - DS0	PER 100 PR		
6	WEST	VIRTUAL	FACILITY TERMINATION - DS1	FACILITY TERMINATION - DS1	PER 28 PR		
7	WEST	VIRTUAL	FACILITY TERMINATION - DS3	FACILITY TERMINATION - DS3	PER COAXIAL		REDACTED
8	WEST	VIRTUAL	DC POWER	FUSES & FUSE PANELS (BDFB)	PER AMP		
9	WEST	VIRTUAL	DC POWER	POWER SUPPLY	PER AMP		
10	WEST	VIRTUAL	VIRTUAL EQUIP MAINT & FRAME SPACE	VIRTUAL EQUIP MAINT & FRAME SPACE	PER QUARTER RACK		
11	WEST	VIRTUAL	ENVIRONMENTAL CONDITIONING	ENVIRONMENTAL CONDITIONING	PER AMP		
12	WEST	CAGED	BITS TIMING	BITS TIMING	PER PORT		
12	WEST	CAGED	CABLE VAULT SPLICE - 48 FIBER	CABLE VAULT SPLICE - 48 FIBER	PER SPLICE CLOSURE		
13	WEST	CAGED	CABLE VAULT SPLICE - 96 FIBER	CABLE VAULT SPLICE - 96 FIBER	PER SPLICE CLOSURE		
14	WEST	CAGED	CABLE VAULT SPACE - FIBER	CABLE VAULT SPACE - FIBER	PER SUBDUCT		
14	WEST	CAGED	FACILITY TERMINATION - FIBER OPTIC PATCHCORD	FACILITY TERMINATION - FIBER OPTIC PATCHCORD	PER CONNECTOR		
15	WEST	CAGED	CABLE DUCT SPACE - FIBER OPTIC PATCHCORD	CABLE DUCT SPACE - FIBER OPTIC PATCHCORD Total Investment	R FIBER STRAND PER FOOT		

Sources:

Column A = Matenal Investments taken from FL ver 7 cost study

Column B = EF&I factor received from Pat Haramija.

Column 5 & F = was developed by West's Collocation Product Management and Costing Teams. Column 6 = Demand Amounts were extracted from the Collocation Central Database.

•

1

	TOTAL									
EF&I	INVESTMENT	UNITS REQUIRED	ARRANGEMENTS REQUIRED	# OF	TOTAL INVESTMENT	ACCOUNT	CENTRAL OFFICE	LAND & BUILDING	OUTSIDE PLANT	
AMOUNT	AMOUNT	PER ARRANGEMENT	PER CENTRAL OFFICE	ARRANGEMENTS	AMOUNT	NUMBER	INVESTMENT	INVESTMENT	INVESTMENT	
C=A*B	D=A+B	E	F	G	H=D*E*F*G	1	J	к	L	

REDACTED

ł

*

Expense Factor for Florida Cost of Money Analysis

Source = 2000 FL Fact Finder database

YEAR	ST_DESC	STATE	ACCT	ACCT_DESC	Plant Non- Specific	Sales	Marketing	Operations	Order Processing	Other Tax	Netsup	Advertising	Corporate Operations Expense	Gensup	Maintenance	Total
2000	VERIZON WEST FLORIDA	FL1V	221200	DIGITAL ELEC SWITCHING												
2000	VERIZON WEST FLORIDA	FL1V	223211	ANALOG CIRCUIT EQUIPMENT											4	
2000	VERIZON WEST FLORIDA	FL1V	223212	ANALOG CIRCUIT TEST SYS												
2000	VERIZON WEST FLORIDA	FL1V	223221	DIGITAL CIRCUIT EQUIPMENT												
2000	VERIZON WEST FLORIDA	FL1V	223222	DIGITAL CIRCUIT TEST SYS												
2000	VERIZON WEST FLORIDA	FL1V	223223	LIGHTWAVE CIRCUIT EQUIP			_						REDACTED			
			223200	DIGITAL CIRCUIT EQUIPMENT												
2000	VERIZON WEST FLORIDA	FL1V	242210	UNDERGRND CABLE-METALLIC												
2000	VERIZON WEST FLORIDA	FL1V	242220	UNDERGRND CABLE-NON-MET												
2000	VERIZON WEST FLORIDA	FL1V	244100	CONDUIT SYSTEMS						,					,	
		æ														

•

÷

Verizon: EIS Study - Florida Monthly Recurring Costs Annual Cost Factors (ACFs) Rate of Return = 18.36%

*

Account	Description	Capital Recovery Compo	site Tax Pool Factor	Property Tax	Total ACF
211100	Land				
212100	Buildings				
221200	Digital Electronic Switching				
223200	Circuit Equipment		REDACTED		
242210	Underground Cable-Metallic				
242220	Underground Cable-Fiber				
244100	Conduit Systems				

.

•