ORIGINAL



BellSouth Telecommunications, Inc.

Suite 400 150 South Monroe Street Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

30 535 -TP

June 16, 2003

Mrs. Blanca S. Bayo Director, Division of The Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399 CLERK

JUN 16 PM 4: 04

CENT HISC

Re: Notice of the Adoption of Interconnection, Unbundling, Resale, and Collocation agreement with modifications between BellSouth Telecommunications, Inc. ("BellSouth") and MCI WorldCom Communications, Inc. by Premiere Network Services, Inc..

Dear Mrs. Bayó:

BellSouth Telecommunications, Inc. hereby provides notice to the Florida Public Service Commission of the adoption by Premiere Network Services, Inc. of the Interconnection, Unbundling, Resale, and Collocation Agreement with modifications for the State of Florida entered into between BellSouth Telecommunications Inc. and MCI WorldCom Communications, Inc., which was filed with this Commission on September 17, 2001 in Docket No. 000649-TP.

Premiere Network Services, Inc. is adopting the agreement and all amendments (if applicable), with modifications as provided by Section 252(i) of the Telecommunications Act of 1996.

Enclosed is the original and two (2) copies of the contract between BellSouth Telecommunications, Inc. and Premiere Network Services, Inc., for your records.

If you have any questions please do not hesitate to contact Kathleen Arant at (850) 222-9380.

Very truly yours,

Regulatory Vice President

(KA)

FPSC-BUREAU OF TE ORDS

DOCUMENT STWEER-CATE

05317 JUN 168

FPSC-COHMISSION CLERK

BELLSOUTH®/CLEC Agreement

Customer Name: Premiere Network Services, Inc.

| Premiere Network - FL | 2 |
|--------------------------------|-----|
| Adoption Papers | 3 |
| Signature Page | 10 |
| Att2-UNEs | 11 |
| Att2-UNERates | 87 |
| Att3-LocalInterconnectionRates | 140 |
| Att4-Collocation-CentralOffice | 141 |
| Att4-Collocation-RemoteSite | 182 |
| Att4-CollocationRates | 217 |
| EODUFDDUF | 223 |
| Att7-ODUFADUFEODUFCMDSRates | 228 |

By and Between

BellSouth Telecommunications, Inc.

And

Premiere Network Services, Inc.

AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties ("Effective Date"), is entered into by and between Premiere Network Services, Inc. ("Premiere") a Texas corporation on behalf of itself, and BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, Premiere has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and MCI WorldCom Communications, Inc. ("MCIm") dated September 12, 2001 for the state of Florida.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, Premiere and BellSouth hereby agree as follows:

1. Premiere and BellSouth shall adopt in its entirety, except for those items identified in Paragraphs 2 – 11 following, the MCIm Interconnection Agreement dated September 12, 2001 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The MCIm Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

| ITEM | NO. |
|------------------------------|-------|
| | PAGES |
| Title Pages | 2 |
| Adoption Papers | 7 |
| General Terms and Conditions | 50 |
| Attachment 1 | 39 |
| Attachment 2 | 10 |
| Attachment 3 | 77 |
| Attachment 4 | 30 |
| Attachment 5 | 179 |
| Attachment 6 | 34 |

| Attachment 7 | 10 |
|---------------|------|
| Attachment 8 | 60 |
| Attachment 9 | 24 |
| Attachment 10 | 188 |
| Amendment 1 | 34 |
| Amendment 2 | 3 |
| Amendment 3 | 3 |
| Amendment 4 | 51 |
| Exhibit 1 | 1 |
| Exhibit A | 53 |
| Exhibit B | 1 |
| Exhibit C | 6 |
| Exhibit D | 1 |
| Exhibit E | 76 |
| Exhibit F | 76 |
| Exhibit G | 3 |
| Exhibit H | 2 |
| TOTAL | 1020 |

2. The Parties hereby agree to delete Section 9.1.1 of Attachment 4 and replace with Section 9.1.1. as follows:

"For the purpose of compensation for call termination under this Agreement, the traffic exchanged between Premiere and BellSouth will be classified as Local Traffic, ISP-bound Traffic, IntraLATA Transit Traffic, or switched access Traffic. The Parties agree that, notwithstanding the classification of traffic under this Agreement, either Party is free to define its own local calling areas for the purposes of providing Telecommunications Services to its own Customers."

- 3. The Parties hereby agree to delete Sections 9.4.7 9.4.7.9 of Attachment 4 and replace with Sections 9.4.7, 9.4.7.1 and 9.4.7.2 as follows:
- 9.4.7 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service ("EAS") exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 9.4.7.1 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and Premiere agree to the rebuttable presumption that all combined circuit

switched Local and ISP-bound Traffic delivered to BellSouth or Premiere that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Premiere further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Premiere that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.

- 9.4.7.2 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of ISP-bound Traffic.
 - 4. The Parties hereby agree to delete Sections 9.4, 9.4.1, 9.4.1.1, and 9.4.1.2 of Attachment 4 and replace with Sections 9.4 as follows:

"Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call and Termination of Local Traffic."

- 5. The rates (Network Elements, Local Interconnection, Collocation, Number Portability, Billing Usage) in Attachment 1, Table 1 are deleted in their entirety, and replaced with rates for Network Elements (Exhibit A), Local Interconnection (Exhibit B), Collocation (Exhibit C), Billing Usage Rates (Exhibit D).
- 6. Attachment 3, Network Elements is replaced in entirety with Attachment 3, Network Elements and Other Services, Exhibit E attached. Attachment 5, Collocation is deleted in its entirety and replaced with Attachment 5, Collocation, Exhibit F attached.
- 7. Attachment 2, Section 1.4 of the Agreement is hereby deleted in its entirety and replaced with new Attachment 2, Section 1.4, as follows:

"Notwithstanding the foregoing, BellSouth may provide Premiere notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and polices, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs."

- 8. Section 1.7.4 of Attachment 8 of the Agreement is hereby deleted in its entirety and replaced with a new Section 1.7.4, incorporated herein by reference, as follows:
- 1.7.4 Deposit Policy

- 1.7.4.1 When purchasing services from BellSouth, Premiere will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, the BellSouth reserves the right to secure the account with a suitable form of security deposit from Premiere. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, if the Parties agree, some other form of security. Such security deposit shall be required prior to the inauguration of service. If circumstances so warrant and/or gross monthly billing increases substantially beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security deposit amounts. Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth General Subscriber Services Tariff. Security deposits collected under this Section shall not exceed two (2) months' estimated billing.
- 1.7.4.2 In determining whether a security deposit is required, BellSouth will review Premiere's D&B rating and report details, Premiere's payment history with BellSouth and payment history with others as available; the number of years Premiere has been in business; Premiere's management history and manager's length of service with Premiere; liens, suits and judgments against Premiere; and to the extent available, Premiere's financial information. Upon the conclusion of this review, if BellSouth continues to insist on an additional security, at Premiere's request, BellSouth will document in writing to Premiere the details of BellSouth's credit risk analysis directly relating to Premiere within five (5) business days of the receipt of such request by BellSouth.
- 1.7.4.3 BellSouth shall review Premiere's credit worthiness on a semiannual basis, at Premiere's request, or upon a substantial change in Premiere's usage, in order to determine the need for adjustments to the current security amount. Dependent on the results of these reviews, BellSouth will (1) where credit worthiness has been demonstrated if a deposit is held refund the deposit; (2) where credit worthiness has not been demonstrated a new or additional deposit may be requested.
- 1.7.4.4 In the event Premiere fails to remit to BellSouth any deposit requested pursuant to this Section within thirty (30) days or as mutually agreed upon by the Parties, service to Premiere may be terminated and any security deposits will be applied to Premiere's account(s).
 - 9. Attachment 6 is deleted in its entirety and replaced with the following:

"Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center."

10. The Parties hereby agree to add language to General Terms and Conditions as follows:

21.2.6 Percent Local Facility. Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. "

11. The Parties agree to add to Attachment 2, Local Resale, Exhibits G and H as set forth in Exhibit 2. The Parties also agree to add to Attachment 2, Local Resale, Section 8 – ODUF and Section 9 – EODUF, as follows:

Section 8. Optional Daily Usage File

- 8.1 The Optional Daily Usage File ("ODUF") Agreement with terms and conditions is included in this Attachment as Exhibit G, attached hereto and incorporated herein by this reference. Rate for ODUF are as set forth in Table 1 of Attachment 1.
- 8.2 BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

Section 9. Enhanced Optional Daily Usage File

- 9.1 The Enhanced Optional Daily Usage File ("EODUF") service Agreement with terms and conditions in included in this Attachment as Exhibit H, attached hereto and incorporated herein by this reference. Rates for EODUF are as set forth in Table 1 of Attachment 1.
- 9.2 BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

- 12. In the event that Premiere consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of Premiere under this Agreement.
- 13. The term of this Agreement shall be from the effective date as set forth above and shall expire as set forth in section 3 of the MCIm Interconnection Agreement for Florida. For the purposes of determining the expiration date of this Agreement pursuant to the 1st paragraph of the General Terms and Conditions of the MCIm Interconnection Agreement for Florida, the effective date shall be September 12, 2001.
- 14. Premiere shall accept and incorporate any amendments to the MCIm Interconnection Agreement executed as a result of any effective judicial, regulatory, or legislative action in accordance with Section 2.3 of the General Terms and Conditions of the MCIm Interconnection Agreement.
- 15. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc. BellSouth Local Contract Manager 8th Floor 600 North 19th Street Birmingham, Florida 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Premiere Network Services, Inc. Jacquetta L. Peace 1510 North Hampton Road Suite 120 DeSoto, TX 75115 Ph. 972-228-6810 e-mail: jaqi@rewireit.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

PREMIERE NETWORK

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

| BellSouth Telecommunications, Inc. | Premiere Network Services, inc. |
|------------------------------------|---------------------------------|
| By: Ca Sunde | By: |
| Name Elizabeth RA Shiroshi | Name: Jacque la L. Peace |
| Tule: Quich | Title: Associate Vice President |
| Date: 5/22/03 | Date: May 21, 2003 |

Attachment 3, Exhibit E

Page 1

Attachment 3

Network Elements and Other Services

Version 1Q03: 02/28/03

TABLE OF CONTENTS

| 1 | INTRODUCTION | 3 |
|-----------|---|--------|
| 2 | UNBUNDLED LOOPS | 4 |
| 3 | HIGH FREQUENCY SPECTRUM NETWORK ELEMENT | 26 |
| 4 | LOCAL SWITCHING | 36 |
| 5 | UNBUNDLED NETWORK ELEMENT COMBINATIONS | 43 |
| 6 | TRANSPORT, CHANNELIZATION AND DARK FIBER | 49 |
| 7 SER | BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREEN | |
| 8 | LINE INFORMATION DATABASE (LIDB) | 54 |
| 9 | SIGNALING | 56 |
| 10 | OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE) | E). 62 |
| 11 | AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) | 68 |
| 12 | CALLING NAME (CNAM) DATABASE SERVICE | 68 |
| 13 ADV | SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SM/ANCED INTELLIGENT NETWORK (AIN) ACCESS | |
| 14 | BASIC 911 AND E911 | 70 |
| 15 | OPERATIONAL SUPPORT SYSTEMS (OSS) | 71 |
| LID | B Storage AgreementExhi | ibit A |
| Rate | es Exhi | ibit B |

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Premiere in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Premiere. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Premiere to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Premiere used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- BellSouth shall, upon request of Premiere, and to the extent technically feasible, provide to Premiere access to its Network Elements for the provision of Premiere's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Premiere may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Premiere chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Premiere to the demarcation point associated with Premiere's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Premiere may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 BellSouth shall not connect individual UNEs or combinations of UNEs to BellSouth tariffed services.
- 1.8 If Premiere reports a trouble on a UNE and no trouble actually exists on the BellSouth portion, BellSouth will charge Premiere for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the UNE's working status.

- 1.9 Rates
- 1.9.1 The prices that Premiere shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Premiere purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.9.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.9.3 If Premiere modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Premiere in accordance with FCC No. 1 Tariff, Section 5.
- 1.9.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User customer premises, including inside wire owned by BellSouth. The local Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Premiere's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested Loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification process, then Premiere can use the Special Construction process to request that BellSouth place facilities in order to meet Premiere's Loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at

http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to Premiere in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Premiere may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Premiere has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Premiere shall pay the recurring and nonrecurring charges for a UCL. For non-service specific Loops (e.g. UCL, Loops modified by Premiere using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the end user's location. If Premiere wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, UCL-ND, Premiere may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit B of this Attachment.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 Premiere will be responsible for testing and isolating troubles on the Loops. Premiere must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, Premiere will be required to provide the results of the Premiere test which indicate a problem on the BellSouth provided Loop.
- 2.1.8.2 Once Premiere has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions

necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.

2.1.8.3 If Premiere reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge Premiere for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.9 Order Coordination and Order Coordination-Time Specific

- 2.1.9.1 "Order Coordination" (OC) allows BellSouth and Premiere to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Premiere's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 "Order Coordination - Time Specific" (OC-TS) allows Premiere to order a specific time for OC to take place. BellSouth will make every effort to accommodate Premiere's specific conversion time request. However, BellSouth reserves the right to negotiate with Premiere a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Premiere may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Premiere specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff. Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Premiere when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Premiere's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the

Attachment 2, Exhibit E Page 7

same end user location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.10.3 The Loops converted to Premiere pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

| | Order Coordination (OC) | Order Coordination - Time Specific (OC-TS) | Test Points | DLR | Charge for Dispatch and Testing if No Trouble Found |
|---|---|---|------------------------------------|---|---|
| SL-1 (Non- Designed) | Chargeable Option | Chargeable Option | Not available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| UCL-ND (Non- Designed) | Chargeable Option | Not Available | Not Available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed) | Included | Chargeable Option | Included | Included | Charged for Dispatch outside Central Office |
| Unbundled Digital Loop (Designed) | Included | Chargeable Option (except on Universal Digital Channel) | Included (where appropriate) | Included | Charged for Dispatch outside Central Office |
| Unbundled Copper Loop (Designed) | Chargeable in accordance with Section 2 | Not available | Included | Included | Charged for Dispatch outside Central Office |

For UVL-SL1 and UCLs, Premiere must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)

- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Premiere will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI Loops when reuse of existing facilities has been requested by Premiere. Premiere may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Premiere may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Premiere. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Premiere to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs: 2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Premiere will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable Loop to support IDSL service. 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable Loop. These specifications are listed in BellSouth's TR73600. 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL. 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned 2.3.4 according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.

2.3.5

2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop

- length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not

intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Premiere.
- 2.4.2.5 These Loops are not intended to support any particular services and may be utilized by Premiere to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms

resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Premiere can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Premiere may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Premiere to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Premiere may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Premiere, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Premiere will require access to a copper twisted pair Loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Premiere can use the Loop for a variety of services by attaching appropriate terminal equipment at the ends. Premiere will determine the type of service that will be provided over the Loop. BellSouth's Unbundled Loop

Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the Loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.

- In those cases where Premiere has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 ULM includes the following: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on Loops of any length.
- 2.5.6 Premiere shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Premiere desires BellSouth to condition.
- 2.5.7 When requesting ULM for a Loop that BellSouth has previously provisioned for Premiere, Premiere will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by Premiere is available at the location for which the ULM was requested, Premiere will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Premiere will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Premiere has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Premiere. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Premiere (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the Loop facilities. Premiere will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device (NID)

- 2.7.1 The NID is defined as any means of interconnection of End User customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Premiere to connect Premiere's Loop facilities to the End User's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Premiere may access the end user's customer-premises wiring by any of the following means and Premiere shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Premiere to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Premiere may request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

- In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Premiere's responsibility to ensure there is no safety hazard, and Premiere will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Premiere shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Premiere shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments,
 BellSouth will work with Premiere to develop specific procedures to establish the
 most effective means of implementing this section if the procedures set forth herein
 do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the distribution media and/or cross connect to Premiere's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Premiere may request BellSouth to do additional work to the NID on a time and material basis. When Premiere deploys its own local Loops in a multiple-line termination device, Premiere shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.
- 2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.4 If Premiere requests a UCSL and it is not available, Premiere may request the Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Premiere's use on this cross-connect panel. Premiere will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 For access to Voice Grade USLD and UCSL, Premiere shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Premiere's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Premiere is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Premiere's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate Premiere's request for Unbundled Sub-Loops, Premiere may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Premiere will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Premiere can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Premiere's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Premiere will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Premiere requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Premiere for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual end user's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises or where the property owner will not allow the other Party to place its facilities to the end user.

- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, Premiere will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Premiere for each pair activated commensurate to the price specified in Premiere's Agreement.
- Upon receipt of the UNTW Service Inquiry (SI) requesting access to the 2.8.3.3.5 Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 The Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If the Requesting Party issued a LSR to disconnect an End User from the Provisioning Party in order to use a UNTW pair, the Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If the Requesting Party activated a UNTW pair on which the Provisioning Party was not previously providing service, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service using that pair. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Unbundled Sub-Loop Feeder

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves one or more end user locations.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).

- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level Loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Premiere's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Premiere will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Premiere may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to Premiere. Premiere will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder DS3 and above
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) collocation arrangement and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder shall be utilized for voice and digital traffic. It may be configured at DS3 or STS-1 transmission capacities and shall require a Service Inquiry.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.

2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to Premiere Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local Loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth Loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to Premiere at Premiere's collocation site. System B will allow up to 192
 BellSouth Loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to Premiere's collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each Loop that is terminated onto the ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Premiere may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Premiere's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Premiere's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Premiere's demarcation point associated with Premiere's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 Premiere is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth

RT/cross-box and shall allow Premiere's sub-loops to be placed on the USLC and transported to Premiere's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with Premiere's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Premiere to utilize Dark Fiber Loops.

2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 Premiere is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to Premiere information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry (SI) from Premiere.
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Premiere within twenty (20) business days after Premiere submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Premiere to connect Premiere provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 <u>Loop Makeup (LMU)</u>

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Premiere LMU information so that Premiere can make an independent judgment about whether the Loop is capable of supporting

the advanced services equipment Premiere intends to install and the services Premiere wishes to provide. This section addresses LMU as a preordering transaction, distinct from Premiere ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering Loop Make-Up are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.

- 2.9.1.2 BellSouth will provide Premiere LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Premiere as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 Premiere may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Premiere and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Premiere's ability to provide advanced data services over the ordered Loop type. Further, if Premiere orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Premiere is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 Premiere may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Premiere needs further Loop information in order to determine Loop service capability, Premiere may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, Premiere may reserve up to ten Loop facilities. For a Manual LMUSI, Premiere may reserve up to three Loop facilities.
- 2.9.3.2 Premiere may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Premiere. During and prior to Premiere placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Premiere does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 Ordering of Other UNE Services

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Premiere will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Premiere does not reserve facilities upon an initial LMUSI, Premiere's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- Where Premiere has reserved multiple Loop facilities on a single reservation, Premiere may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Premiere, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Premiere. If the ordered Loop type is not available,

Premiere may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide Premiere access to the high frequency spectrum of the local Loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Premiere the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Premiere shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Premiere on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Premiere requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Premiere shall pay for the Loop to be restored to its original state.

- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Premiere desires to continue providing xDSL service on such Loop, Premiere shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Premiere notice in a reasonable time prior to disconnect, which notice shall give Premiere an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Premiere purchases the full stand-alone Loop, Premiere may elect the type of Loop it will purchase. Premiere will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Premiere purchases a voice grade Loop, Premiere acknowledges that such Loop may not remain xDSL compatible.
- Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 <u>Provisioning of High Frequency Spectrum and Splitter Space</u>
- 3.2.1 BellSouth will provide Premiere with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Premiere must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 Premiere may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Premiere's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Premiere in a central office in which Premiere is located, Premiere shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Premiere shall pay the electronic or manual ordering charges as applicable when Premiere orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for Premiere's data.
- 3.3 **BellSouth Provided Splitter**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Premiere access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Premiere's xDSL equipment in Premiere's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Premiere with a carrier notification letter, informing Premiere of change. Premiere shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Premiere shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Premiere's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Premiere's DS0 termination point as possible. Premiere shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Premiere on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Premiere DS0 at such time that a Premiere end user's service is established.

3.4 **CLEC Provided Splitter**

- 3.4.1 Premiere may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Premiere may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by Premiere in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Premiere may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering**

- 3.5.1 Premiere shall use BellSouth's Line Splitter Ordering Document (LSOD) to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Premiere the Local Service Request (LSR) format to be used when ordering the High Frequency Spectrum.

- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Premiere access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Premiere shall pay the rates for such services, as described in Exhibit B.

3.6 Maintenance and Repair

- 3.6.1 Premiere shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If Premiere is using a BellSouth owned splitter, Premiere may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Premiere provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Premiere will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Premiere shall inform its end users to direct data problems to Premiere, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Premiere, BellSouth will notify Premiere. Premiere will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Premiere will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Premiere's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

3.7.1 General

- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. Premiere shall provide BellSouth with a signed Letter of Authorization (LOA) between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Premiere will not provide voice and data services.
- 3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Premiere or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.4 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Premiere for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Premiere or its authorized agent to determine if the Loop is compatible for Line Splitting Service. Premiere or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and Premiere or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 Provisioning Line Splitting and Splitter Space

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Premiere or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering

- 3.9.1 Premiere shall use BellSouth's Line Splitter Ordering Document (LSOD) to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide Premiere the Local Service Request (LSR) format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Premiere access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Premiere shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide Loop modification to Premiere on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment.

3.10 Maintenance

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Premiere will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Premiere shall inform its end users to direct data problems to Premiere, unless both voice and data services are impaired, in which event the end users should call BellSouth.

- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such Loop.
- 3.10.5 If Premiere is not the data provider, Premiere shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

3.11 Remote Site High Frequency Spectrum

- 3.11.1 General
- 3.11.2 BellSouth shall provide Premiere access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Premiere the ability to provide Digital Subscriber Line (xDSL) data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Premiere shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

- 3.11.5 BellSouth will provide Loop Modification to Premiere on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering are as set forth in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Premiere requests modifications on a sub-loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the Loop, Premiere shall pay for the Loop to be restored to its original state.
- 3.11.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Premiere desires to continue providing xDSL service on such sub-loop, Premiere shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Premiere notice in a reasonable time prior to disconnect, which notice shall give Premiere an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and Premiere purchases the full stand-alone sub-loop, Premiere may elect the type of sub-loop it will purchase. Premiere will pay the appropriate recurring and nonrecurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event Premiere purchases a voice grade Loop, Premiere acknowledges that such sub-loop may not remain xDSL compatible.
- Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.12 Provisioning of High Frequency Spectrum and Splitter Space
- 3.12.1 BellSouth will provide Premiere with access to the High Frequency Spectrum as follows:
- 3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, Premiere must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the End User of such sub-loop.
- 3.12.1.2 Premiere may provide its own splitters or may order splitters in a remote site once the Premiere has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of Premiere's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.

Once a splitter is installed on behalf of Premiere in a remote site in which Premiere is located, Premiere shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Premiere shall pay applicable for High Frequency Spectrum End User activation.

3.13 BellSouth Owned Splitter

- 3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The Premiere's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). Premiere will provide a cable facility to the BellSouth FDI. BellSouth will splice the Premiere's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the Premiere's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the Premiere's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.13.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the Premiere's Remote Terminal (RT) collocation space and routed back to the Premiere's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Premiere with a carrier notification letter informing Premiere of change. Premiere shall purchase ports on the splitter in increments of 24 ports.
- 3.13.3 BellSouth will install the splitter in (i) a common area close to Premiere's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Premiere's DS0 termination point as possible. Premiere shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Premiere DS0 at such time that a Premiere end user's service is established.

3.14 **CLEC Owned Splitter**

- 3.14.1 Premiere may at its option purchase, install and maintain splitters in its collocation arrangements. Premiere may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. Premiere will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.14.2 Any splitters installed by Premiere in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Premiere may

install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.15 Ordering

- 3.15.1 Premiere shall use BellSouth's Remote Splitter Ordering Document (RSOD) to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.15.2 BellSouth will provide Premiere the Local Service Request (LSR) format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.15.4 BellSouth will provide Premiere access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Premiere shall pay the rates for such services as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for Premiere's data.

3.16 Maintenance and Repair

- 3.16.1 <Customer_short_name> shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If Premiere is using a BellSouth owned splitter, Premiere may access the sub-loop at the point where the data signal exits. If Premiere provides its own splitter, it may test from the collocation space or the Termination Point.
- BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Premiere will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 Premiere shall inform its end users to direct data problems to Premiere, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Premiere, BellSouth will notify Premiere. Premiere will

provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Premiere will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Premiere's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Premiere for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Premiere for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a Loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Premiere when Premiere serves an End User with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

- 4.2.3 In the event that Premiere orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Premiere the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Premiere's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Premiere purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its end users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Premiere local end user, or originated by a BellSouth local end user and terminated to a Premiere local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Premiere the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Premiere shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where Premiere purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Premiere end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Premiere the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Premiere shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Premiere the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.9 Unbundled Port Features

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the- BFR/NBR process.
- 4.2.9.4 BellSouth will provide to Premiere selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Premiere will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.10 Remote Call Forwarding

- 4.2.10.1 As an option, BellSouth shall make available to Premiere an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Premiere will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge Premiere the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

4.2.11 **Provision for Local Switching**

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Premiere all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Premiere.
- 4.2.12 Local Switching Interfaces.
- 4.2.12.1 Premiere shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;

- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Premiere and BellSouth:
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Premiere.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.

- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Premiere's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Premiere's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Premiere's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Premiere.

 AIN Selective Carrier Routing will provide Premiere with the capability of routing operator calls, 0+ and 0- and 0+ NPA (Local Numbering Plan Area) (LNPA) 5551212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Premiere shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- Where AIN Selective Carrier Routing is utilized by Premiere, the routing of Premiere's end user calls shall be pursuant to information provided by Premiere and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, Premiere shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit B of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said nonrecurring charge shall be as set forth in Exhibit B of this Attachment. For each Premiere end user activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit B of this Attachment. Premiere shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form

A, Central Office AIN Selective Carrier Routing (SCR) Order Request - Form B, AIN_SCR Central Office Identification Form - Form C, AIN_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has 30 days to respond to Premiere's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Premiere, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to Premiere following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to Premiere following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Premiere following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper Loops capable of supporting the xDSL services Premiere seeks to offer;
- 4.5.2.3 BellSouth has not permitted Premiere to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor

has Premiere obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and

- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

5 Unbundled Network Element Combinations

For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Premiere are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by Premiere are not already combined by BellSouth in the location requested by Premiere but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by Premiere are not elements that BellSouth combines for its use in its network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops as defined in Section 2 and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Premiere with EELs where they are available.
- 5.2.2 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to Premiere's collocation space in a BellSouth central office. The circuit must be connected to Premiere's switch for the purpose of provisioning circuit telephone exchange service to Premiere's End User customers. Premiere may connect EELs within Premiere's collocation space to other transport terminating into Premiere's switch. Premiere may connect the local loops to an unbundled local channel to form an EEL provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon Premiere's request, terminate to a CLEC's Point of Presence (POP). Premiere will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seq. below. Upon BellSouth's request, Premiere shall indicate under what local usage option Premiere seeks to qualify. Premiere shall be deemed to be providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 5.3.1.1 through 5.3.1.3 is met. BellSouth shall have the right to audit Premiere's EELs as specified in Section 5.3.3 below.

5.3 Conversions from Special Access Service to EELs

- 5.3.1 Premiere may convert existing (Currently Combined) special access services to combinations of Loop and transport network elements, whether or not Premiere self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Premiere does not use the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Premiere requests to convert any special access services to combinations of Loop and transport network elements at UNE prices, Premiere shall provide to BellSouth a certification that Premiere is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Premiere seeks to qualify for conversion of special access circuits. Premiere shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.1.1 Option 1: Premiere certifies that it is the exclusive provider of an end user's local exchange service. The Loop-transport combinations must terminate at Premiere's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Premiere is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Premiere can then use the Loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.1.2 **Option 2:** Premiere certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the Loop portion of the Loop-transport combination have at least 5 percent local voice traffic individually, and the entire Loop facility has at least 10 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The Loop-transport combination must terminate at Premiere's collocation arrangement in at least one BellSouth central office. This option does not allow Loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.1.3 **Option 3:** Premiere certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire Loop facility has at least 33 percent local voice traffic. When a Loop-transport combination includes multiplexing, each of the individual

DS1 circuits must meet this criterion. This option does not allow Loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Premiere does not need to provide a defined portion of the end user's local service, but the active channels on any Loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.

- In addition, there may be extraordinary circumstances where Premiere is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, Premiere may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon either Party's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit Premiere's records in order to verify compliance with the local usage option provided by Premiere pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and Premiere shall be given thirty days written notice of BellSouth's intent to audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Premiere shall reimburse BellSouth for the cost of the audit. If, based on the audit, Premiere is not providing a significant amount of local exchange traffic over the combinations of Loop and transport network elements, BellSouth will convert such combinations of Loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Premiere for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Premiere is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement.

In the event Premiere converts special access circuits to combinations of Loop and transport UNEs pursuant to the terms of this Section, Premiere shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.4 Rates

5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment and a nonrecurring switch-as-is charge as set forth in Exhibit B of this Attachment.

| 5.4.1.1 | DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop |
|----------|---|
| 5.4.1.2 | DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop |
| 5.4.1.3 | DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop |
| 5.4.1.4 | DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop |
| 5.4.1.5 | DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop |
| 5.4.1.6 | DS1 Interoffice Channel + DS1 Local Loop |
| 5.4.1.7 | DS3 Interoffice Channel + DS3 Local Loop |
| 5.4.1.8 | STS-1 Interoffice Channel + STS-1 Local Loop |
| 5.4.1.9 | DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop |
| 5.4.1.10 | STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop |
| 5.4.1.11 | 2-wire VG Interoffice Channel + 2-wire VG Local Loop |
| 5.4.1.12 | 4wire VG Interoffice Channel + 4-wire VG Local Loop |
| 5.4.1.13 | 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop |
| 5.4.1.14 | 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop |
| 5.4.2 | Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the |

individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.

To the extent that Premiere requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

5.5 UNE Port/Loop Combinations

- 5.5.1 Combinations of port and Loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ Loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations described in Section 5.5.5 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.3 below, BellSouth shall provide UNE port/Loop combinations not described in Section 5.5.5 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- 5.5.3 BellSouth is not required to provide combinations of port and Loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Premiere if Premiere's customer has 4 or more DS0 equivalent lines.
- 5.5.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and Loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/Loop combination, such rate shall be negotiated by the Parties.

- 5.5.4 BellSouth shall make 911 updates in the BellSouth 911 database for Premiere's UNE port/Loop combinations. BellSouth will not bill Premiere for 911 surcharges. Premiere is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.5 Combination Offerings
- 5.5.5.1 2-wire voice grade port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.2 2-wire voice grade Coin port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.3 2-wire voice grade DID port, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.4 2-wire CENTREX port, voice grade Loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.5 2-wire ISDN Basic Rate Interface, voice grade Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.6 4-wire ISDN Primary Rate Interface, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.5.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6 Other UNE Combinations

5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Premiere in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Premiere

requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

5.6.2 Rates

The rates for Ordinarily Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates and nonrecurring rates for the individual network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations provisioned pursuant to this Section 5.6 shall be the sum of the recurring rates for the individual network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent Premiere requests a Not Typically Combined Combination pursuant to this Section 5.6, or to the extent Premiere requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Premiere for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Premiere.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Premiere exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and

- capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Premiere to connect such interoffice facilities to equipment designated by Premiere, including but not limited to, Premiere's collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, Premiere to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Premiere's Point of Presence (POP) and Premiere's collocation space in the BellSouth Serving Wire Center for Premiere's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.3.1 As capacity on a shared UNE facility.
- 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Premiere.

6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators. 6.2.2 Technical Requirements 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Premiere designated traffic. 6.2.2.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards. 6.2.2.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.3.1 DS0 Equivalent; 6.2.2.3.2 DS1; 6.2.2.3.3 DS3; and 6.2.2.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.4 BellSouth shall design Dedicated Transport according to its network infrastructure. Premiere shall specify the termination points for Dedicated Transport. 6.2.2.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.2.6 BellSouth Technical References: 6.2.2.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986. TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D. 6.2.2.6.2 June 1995. TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus 6.2.2.6.3 Service Interface and Performance Specifications, Issue C, May 1996. 6.3 **Unbundled Channelization (Multiplexing)**

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Premiere may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of 24 DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of 28 DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of 28 DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- In order to assure proper operation with BellSouth provided central office multiplexing functionality, Premiere's channelization equipment must adhere strictly to form and protocol standards. Premiere must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 **Dark Fiber Transport**

Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between Premiere's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from Premiere's POP to

Premiere's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Premiere to utilize Dark Fiber Transport.

6.4.2 Requirements

- 6.4.2.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.2.2 Premiere is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to Premiere information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Premiere. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Premiere within twenty (20) business days after Premiere submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Premiere to connect Premiere provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service

7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a Signaling control Point (SCP) that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point (SSP) or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Premiere's option, 8XX TFD Service is provided with

or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Premiere.

7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

- The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Premiere must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Premiere any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Premiere's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions.

 BellSouth shall indicate to Premiere what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Premiere, BellSouth shall provide Premiere with a list of the customer data items, which Premiere would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.

- 8.2.7 All additions, updates and deletions of Premiere data to the LIDB shall be solely at the direction of Premiere. Such direction from Premiere will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Premiere data upon Premiere's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Premiere customer records will be missing from LIDB, as measured by Premiere audits. BellSouth will audit Premiere records in LIDB against DBAS to identify record mismatches and provide this data to a designated Premiere contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Premiere within one business day of audit. Once reconciled records are received back from Premiere, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Premiere to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of Premiere's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Premiere with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Premiere and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Premiere data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Premiere in writing.
- 8.2.13 BellSouth shall provide Premiere performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Premiere at least at parity with BellSouth Customer Data. BellSouth shall obtain from Premiere the screening information associated with LIDB Data Screening of Premiere data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available,

BellSouth shall offer it to Premiere under the BFR/NBR process as set forth in Attachment 11.

- 8.2.14 BellSouth shall accept queries to LIDB associated with Premiere customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Premiere shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Premiere shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Premiere-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.4.1 An A-link layer shall consist of two links.
- 9.2.4.2 A B-link layer shall consist of four links.
- 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
- 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Premiere's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 Signaling Transfer Points (STPs)
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.

- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point's shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Premiere local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Premiere local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Premiere or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Premiere database, then Premiere agrees to provide BellSouth with the Destination Point Code for Premiere database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Premiere or third party local or tandem switching

system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by Premiere, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Premiere's SS7 network to exchange TCAP queries and responses with a Premiere SCP.
- 9.4.2 SS7 AIN Access shall provide Premiere SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Premiere SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Premiere SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Premiere or Premiere-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Premiere local switching systems; and,
- 9.4.3.1.2 A B-link interface from Premiere local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Premiere local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Premiere switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Premiere local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Premiere switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Premiere from any signaling point or network interconnected through BellSouth's SS7 network where the Premiere SCP has a valid signaling relationship.

9.5 Service Control Points/Databases

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 Local Number Portability Database

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 SS7 Network Interconnection

- 9.7.1 SS7 Network Interconnection is the interconnection of Premiere local signaling transfer point switches or Premiere local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Premiere local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Premiere or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Premiere local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Premiere local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a

Premiere local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Premiere local STPs and shall not include SCCP Subsystem Management of the destination.

- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Premiere or Premiere-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Premiere local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Premiere STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Premiere local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Premiere switching system has a valid signaling relationship.
- 10 Operator Services (Operator Call Processing and Directory Assistance)

10.1 Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance. 10.1.1 Upon request for BellSouth OCP, BellSouth shall: 10.1.2 Process 0+ and 0- dialed local calls. 10.1.3 Process 0+ and 0- intraLATA toll calls. 10.1.4 Process calls that are billed to Premiere end user's calling card that can be validated by BellSouth. 10.1.5 Process person-to-person calls. 10.1.6 Process collect calls. 10.1.7 Provide the capability for callers to bill to a third party and shall also process such calls. 10.1.8 Process station-to-station calls. 10.1.9 Process Busy Line Verify and Emergency Line Interrupt requests. 10.1.10 Process emergency call trace originated by Public Safety Answering Points. 10.1.11 Process operator-assisted directory assistance calls. 10.1.12 Adhere to equal access requirements, providing Premiere local end users the same IXC access as provided to BellSouth end users. 10.1.13 Exercise at least the same level of fraud control in providing Operator Service to Premiere that BellSouth provides for its own operator service. 10.1.14 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.1.15 Direct customer account and other similar inquiries to the customer service center designated by Premiere. 10.1.16 Provide call records to Premiere in accordance with ODUF standards specified in Attachment 7.

10.1.17 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.

10.2 **Directory Assistance Service**

- Directory Assistance (DA) Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- DA Service shall provide up to two listing requests per call. If available and if requested by Premiere's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.
- 10.3 DA Service Updates
- 10.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.2 New end user connections;
- 10.3.3 End user disconnections;
- 10.3.4 End user address changes.
- These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 Branding for Operator Call Processing and Directory Assistance

- BellSouth's branding feature provides a definable announcement to Premiere end users using DA/OCP prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Premiere to have its calls custom branded with Premiere's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in this Attachment.
- BellSouth offers three branding offering options to Premiere when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from Premiere, the order is considered firm after ten business days. Should Premiere decide to cancel the order, written notification to Premiere's Local Contract Manager is required. If Premiere decides to cancel after ten business days from receipt of the custom branding order, Premiere shall pay all charges per the order.

10.4.4 <u>UNE Provider Branding via Originating Line Number Screening (OLNS)</u>

- 10.4.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Premiere shall not be required to purchase dedicated trunking.
- 10.4.4.2 BellSouth Branding is the default branding offering.
- 10.4.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Premiere must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Premiere must submit a manual order form which requires, among other things, Premiere's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Premiere shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Premiere's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Premiere end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in this Attachment. In addition to the charges for Unbranding and Custom Branding via OLNS software, Premiere shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in this Attachment. Further, where Premiere is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.5 Facilities Based Carrier Branding

- All Service Levels require Premiere to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.6 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 10.4.6.1 Where Premiere purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Premiere's end user calls to that provider through Selective Call Routing.

- Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Premiere to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.6.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Premiere specific and unique line class codes are programmed in each BellSouth end office switch where Premiere intends to serve end users with customized OCP/DA branding. The line class codes specifically identify Premiere's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Premiere intends to provide Premiere -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.6.5 BellSouth Branding is the default branding offering.
- 10.4.6.6 SCR-LCC supporting Custom Branding and Self Branding require Premiere to order dedicated trunking from each BellSouth end office identified by Premiere, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Premiere Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.6.7 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Premiere to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.6.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/Loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/Loop switch combinations.
- 10.4.7 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and

Network Applications Vehicle (NAV) equipment for which Premiere requires service.

- 10.4.7.1 Directory Assistance customized branding uses:
- 10.4.7.2 the recording of Premiere;
- 10.4.7.3 the loading of the recording in each switch.
- 10.4.7.4 Operator Call Processing customized branding uses:
- 10.4.7.5 the recording of Premiere;
- the loading of the recording in each switch (North Carolina);
- the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

10.5 <u>Directory Assistance Database Service (DADS)</u>

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Premiere end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Premiere agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Premiere agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- BellSouth shall initially provide Premiere with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30-45 days after receiving an order from Premiere to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Premiere's previous update. Delivery of updates will commence immediately after Premiere receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Premiere mutually develop CONNECT: Direct TM electronic connectivity. Premiere will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.

10.5.4 Premiere authorizes the inclusion of Premiere Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

10.6 <u>Direct Access to Directory Assistance Service</u>

- Direct Access to Directory Assistance Service (DADAS) will provide Premiere's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Premiere with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Premiere by BellSouth upon subscription to the service. Subscription to DADAS requires that Premiere utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- Rates, terms and conditions for provisioning DADAS are as set forth in the FCC Tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide Premiere the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Premiere after Premiere provides end user information for input into the ALI/DMS database.
- 11.2.2 Premiere shall conform to the National Emergency Number Association (NENA) recommended standards for Local Number Portability and updating the ALI/DMS database.

12 Calling Name (CNAM) Database Service

12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Premiere the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

- Premiere shall submit to BellSouth a notice of its intent to access and utilize
 BellSouth CNAM Database Services. Said notice shall be in writing no less than
 60 days prior to Premiere's access to BellSouth's CNAM Database Services and
 shall be addressed to Premiere's Local Contract Manager.
- 12.3 BellSouth's provision of CNAM Database Services to Premiere requires interconnection from Premiere to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Premiere shall provide its own CNAM SSP. Premiere's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Premiere elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Premiere desires to query.
- 12.6 If Premiere queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by Premiere for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Premiere in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Premiere to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

- Premiere CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- Service Creation Environment and Service Management System (SCE/SMS)
 Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Premiere the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Premiere. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Premiere service logic and data from unauthorized access.
- When Premiere selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Premiere to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Premiere access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Premiere to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to Premiere a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Premiere will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Premiere will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Premiere will be required to begin using E911 procedures.

- 14.3 E911 Service Provisioning. Premiere shall install a minimum of two dedicated trunks originating from the Premiere serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver automatic number identification (ANI) with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Premiere will be required to provide BellSouth daily updates to the E911 database. Premiere will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Premiere will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point (PSAP). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Premiere shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Premiere beyond applicable charges for BellSouth trunking arrangements.
- Basic 911 and E911 functions provided to Premiere shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Premiere may submit LSRs electronically.

LENS Local Exchange Navigation System EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.

- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event Premiere provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 Premiere will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.6 Network Elements and Other Services Manual Additive
- 15.6.1 The Commissions in some states have ordered per-element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Premiere creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Premiere.
- C. Special billing number a ten-digit number that identifies a billing account established by Premiere.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Premiere that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Premiere.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Premiere.
- J. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.
- K. GetData refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- L. Originating Line Number Screening (OLNS) refers to the query service used to determine the billing, screening and call handling indicators, station type, and Account Owner provided to BellSouth by Premiere for originating line numbers.

II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Premiere and pursuant to which BellSouth, its LIDB customers and Premiere shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Premiere's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Premiere understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Premiere, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Premiere's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.
- B. BellSouth will provide responses to on-line, call-by-call queries to local exchange line and/or billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Premiere has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. OLNS

BellSouth is authorized to provide originating line screening information for billing and services restrictions, station type, and Account Owner on the lines of Premiere from which a call originates.

4. GetData

BellSouth is authorized to provide, at a minimum, the Account Owner and/or Regional Accounting Office information on the lines of Premiere indicating the local service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Premiere of fraud alerts so that Premiere may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Premiere pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Premiere for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers (B&C Customers) query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Premiere's data from BellSouth's data, the following terms and conditions shall apply:

- 1. BellSouth will identify Premiere's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
- 2. BellSouth shall have no obligation to become involved in any disputes between Premiere and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Premiere. It shall be the responsibility of Premiere and the B&C Customers to negotiate and arrange for any appropriate adjustments.

IV. Fees for Service and Taxes

- A. Premiere will not be charged a fee for storage services provided by BellSouth to Premiere as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by

Attachment 2, Exhibit E Page 76

Premiere in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

| NBU | NDLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhil | bit: A |
|------|-------------------------------|--|------------------------------|-------------------------------|--|------------------------------|------------------------------------|-------------------------------------|----------------------------------|-----------------|---------------------------------|----------------------------|--------------------------|-----------------|--|---|---------|
| ATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Submitted Elec | Submitted | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | | Rec | | curring | | Disconnect | | | | Rates(\$) | | |
| | | | | _ | | | , , , | First | Add'i | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| - | The "Zo | one" shown in the sections for stand-alone loops or loops as | nart of | a comi | hinstion refers to Ga | noranhically | Deaveraged II | NF Zones To | view Geograp | hically Deaver | ned UNE Zon | o Designatio | ne hy Centr | ral Office refe | r to internet | Vehcite: | |
| | | ww.interconnection.bellsouth.com/become_a_clec/html/inter | | | | og. op. nouny | Dear an agou o | AL LONGS. 10 | rich Goograp | mouny bourers | iged Oile Loi. | c besignanc | no by benn | an omoc, ron | i to sinciner | vobsite. | |
| ERA | TIONAL | SUPPORT SYSTEMS | | | | | - | | | | | | | | | | |
| | exhibit NOTE: (those e | 1) Electronic Service Order: CLEC should contact its contract is the BellSouth regional electronic service ordering charge. 2) Any element that can be ordered electronically will be bill lements that cannot be ordered electronically at present per t g charge, SOMAN, will be applied to a CLECs bill when it sub | CLEC of according to the BBR | may ele ording R-LO, th | ect either the state sp to the SOMEC rate list he listed SOMEC rate | ecific Comn ted in this o | mission ordered category. Pleas | d rates for the se refer to Bell | electronic serv South's Busin | ice ordering cl | narges, or CLE ocal Ordering | C may elect (BBR-LO) to | the regions determine | al electronic s | ervice orderi | ig charge. | ly. For |
| - | - | Manual Service Order Charge, per LSR, Disconnect Only (FL) Electronic OSS Charge, per LSR, submitted via BST's OSS | | - | | SUMAN | | | | 1.83 | | - | | | | | |
| | | interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | - 360 | | | | | | |
| | RVICE | DATE ADVANCEMENT CHARGE | | | | | | | | E | | | | | | - | |
| | NOTE: | The Expedite charge will be maintained commensurate with I | BellSou | th's FC | CC No.1 Tariff, Section | n 5 as appli | cable. | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per Day | | , | UTTD1, UTTD3, UTTD4, UTTD5, UTTD7, UTTD3, UTTD7, UTTD5, UTTD7, UC1BC, UC1BL, UC1CC, UC1CL, UC1EC, UC1EC, UC1EC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1GG, UC1HC, UC1HC, UC1HC, UC1HC, UC1HC, UC1HC, UC1MC, ULD48, ULD01, ULD03, ULD51, ULD03, ULD51, ULDVX, UNC1X, UNC3X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNC1MC, UNTUC, UTTUC, UTTU | SDASP | | 200.00 | | | | | | | | | |
| | | XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP | | - | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 10.69 | 49.57 | 22.83 | 25,62 | 6:57 | | 11.90 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | | UEANL | UEAL2 | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | 11,90 | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEANL | URETL | | 8.33 | 0.83 | | | | 11.90 | | | | |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 48.65 | 0.03 | | | | 11.90 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 23.95 | | | | | 11,90 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | 11.90 | | | | |
| | | Unbundled Voice Loop, Non-Design Voice Loop, billing for BST | | - | 10.00 | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | nent: 1 | Exhil | bit: A |
|-------------|--|--------------|--------------|-----------------|----------------|----------------|------------------|----------------|----------------|----------------|---|----------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec - | Nonrec | | Nonrecurring | | | | | Rates(\$) | | 1 |
| | Order Coordination for Specified Conversion Time for UVL-SL1 | - | - | | - | | First | Add'l | First | Addʻl | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | (per LSR) | | | UEANL | OCOSL | | 23.02 | | | | | | | | | |
| 2-WIR | E Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | 1 | | UEQ | UEQ2X | 7.69 | 44.98 | 20.90 | 19.65 | 5.09 | | 11.90 | | | | |
| | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | | | UEQ UEQ | UEQ2X | 10.92 | 44.98 | 20.90 | 19.65 | 5.09 | | 11.90 | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | <u> </u> | 3 | UEQ | UEQ2X | 19.38 | 44.98 | 20.90 | 19.65 | 5.09 | | 11.90 | | | | |
| | Premise | | | UEQ | URETL | | 8.33 | 0.83 | | | | 11.90 | | | | |
| | Order Coordination 2 Wire Unbundled Copper Loop - Non- | † | † | | 011272 | | 0.00 | 0.00 | | | | 11.30 | | | | |
| | Designed (per loop) | | | UEQ | USBMC | | 9.00 | | | | | | | | | |
| | Unbundled Copper Loop, Non-Design Cooper Loop, billing for | | | | | | | | | *** | | | | | | |
| | BST providing make-up (Engineering Information - E.I.) | | ļ | UEQ | UEQMU | | 13.49 | | | | | 11.90 | | | | |
| | Loop Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 48.65 | | | | | 11.90 | | | | |
| | Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch | - | | UEQ | URETA | | 23.95 | | | | | 11.90 | | | | |
| | (UCL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | 11.90 | | | | |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | JEW | JUNETIC | | | 7.40 | | | | 11.30 | | | | |
| 2-WIR | E ANALOG VOICE GRADE LOOP | | T | ***** | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPSR UEPSB | UEALS | 10.69 | 49,57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | ١. | UEDOD UEDOD | | 40.00 | 40.55 | | | | | | | | | |
| | Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | - | 1 | UEPSR UEPSB | UEABS | 10.69 | 49,57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEALS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | - | OLI SIT OLI SIS | ULALU | 10.20 | 45.57 | 22.00 | 23.02 | 0.31 | | 11.90 | ļ | | | |
| | Zone 2 | | 2 | UEPSR UEPSB | UEABS | 15.20 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | i |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | · | | | | | | | | | | | | | | |
| J | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | 11,90 | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | l | | | | |
| (INDUNDI ED | Zone 3 EXCHANGE ACCESS LOOP | _ | 3 | UEPSR UEPSB | UEABS | 26.97 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | ļ |
| | E ANALOG VOICE GRADE LOOP | 1 | | | | | | | | | ļ | | | | | |
| 2-7711 | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | - | | | | | | | | | | | | | | |
| | Ground Start Signating - Zone 1 | l | 1 | UEA | UEAL2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | 1 | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | 11,90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | 1 | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 3 | ļ | 3 | UEA | UEAL2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | ļ | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL. | | 23.02 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 12.24 | 135.75 | 82.47 | 63.53 | 12.01 | 1 | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | 1 | + '- | Seminary . | المان المان | 12.24 | 100.70 | UE17 | 00.00 | 10,31 | | 17.50 | | | | |
| | Battery Signaling - Zone 2 | 1 | 2 | UEA | UEAR2 | 17.40 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | 1 | <u> </u> | | 1 | | | | | | | | | | | |
| | Battery Signaling - Zone 3 | 1 | 3 | UEA | UEAR2 | 30.87 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | 1 | | UEA | UREWO | | 87.71 | 36.35 | | | ļ | 11.90 | | ļ | | |
| A IAPPA | Loop Tagging - Service Level 2 (SL2) E ANALOG VOICE GRADE LOOP | | | UEA | URETL | | 11.21 | 1,10 | | | ļ | 11.90 | | | | |
| 4-9918 | 4-Wire Analog Voice Grade Loop - Zone 1 | - | 1 | UEA | UEAL4 | 18.89 | 167.86 | 115,15 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | † | 2 | UEA | UEAL4 | 26.84 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | l | | | |
| - | 4-Wire Analog Voice Grade Loop - Zone 3 | 1 | 3 | UEA | UEAL4 | 47.62 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | · | |
| | Order Coordination for Specified Conversion Time (per LSR) | 1 | | UEA | OCOSL | | 23.02 | | | | l | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | ļ | UEA | UREWO | | 87.71 | 36,35 | | | | 11.90 | | | | |
| 2-WIR | E ISDN DIGITAL GRADE LOOP | ļ | ļ.,. | LIFAL | 1141 01 | 10.05 | 457.00 | | 50.00 | 40 ~ : | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2 | 1- | 1 2 | UDN UDN | U1L2X U1L2X | 19.28 27.40 | 147.69 147.69 | 94.41 94,41 | 62.23 62.23 | 10.71 10.71 | | 11.90 11.90 | | | | |
| | | | | | | | | | | | | | L | L | I | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | 1 | 3 | UDN | U1L2X | 48.62 | 147.69 | 94.41 | 62.23 | 10.71 | 1 | 11.90 | 1 | | | |

| ,,,OO | TOLED | NETWORK ELEMENTS - Florida | r | т | Τ | | | | | | | 10 0 : | | Attachi | | | bit: A |
|-------|-------|--|-------------|--------------|--------|----------------|-------|-----------------|------------|--------------|------------|--------|-----------------------|--|--|---|---|
| ATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svo Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | oss | Rates(\$) | L | l |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | ļ | UDN | UDEINO | , tec | First | Add'l | First | Addʻl | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Universal Digital Channel (UDC) COMPATIBLE LOOP | | ┼ | DUN | UREWO | | 91.61 | 44.15 | | <u> </u> | | 11.90 | | | | |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | | 1 ' ' ' | | 1 | UDC | UDC2X | 19.28 | 147.69 | 94.41 | 62.23 | 10.71 | 1 | 11.90 | | | | |
| | 13 | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | |
| | | 2-Wire Universal Digital Channet (UDC) Compatible Loop - Zone | ļ | 2 | UDC | UDC2X | 27.40 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 1 | Private Universal Digital Charinel (ODC) Compatible Eoop - Zone | | 3 | UDC | UDC2X | 48.62 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | 1 | Ť | UDC | UREWO | 46.02 | 91.61 | 44.15 | 02.23 | 10.71 | | 11.90 | | | | |
| | | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOF | , | | | | | | | | 11.20 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | 3 facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry | | 1 | UAL | UAL2X | 8.30 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| | | 2 Wire Orbundled AOSE Loop including manual service inquiry 3 facility reservation - Zone 2 | | 2 | UAL | UAL2X | 11.80 | 149.53 | 103.85 | 75.05 | 15.63 | | 14.00 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | \vdash | +- | C// 1L | JONEA | 11.00 | 149.00 | 103.63 | 75.05 | 15.63 | - | 11.90 | | | | |
| | | 3 facility reservation - Zone 3 | | 3 | UAL | UAL2X | 20.94 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UAL | OCOSL | | 23.02 | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | l | | | 404.00 | | | | | | | | | |
| | | acility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 1 | UAL | UAL2W | 8.30 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | | acility reservation - Zone 2 | | 2 | UAL | UAL2W | 11.80 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | | Wire Unbundled ADSL Loop without manual service inquiry & | | † | | J. L.L. | | 72.00 | 71.12 | 00.0-7 | 3.12. | | 71.50 | | | | |
| | | acility reservaton - Zone 3 | | 3 | UAL | UAL2W | 20.94 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | ļ | | UAL | OCOSL | _ | 23.02 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOD | UAL | UREWO | | 86.19 | 40.39 | | | | 11.90 | | | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry | I | LOOP | | | | | | | | ļ | | | | | |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 7.22 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry | | | | | | 100.00 | | 70.55 | 10.00 | | 11.50 | | | | |
| | | 3 facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.26 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | 1 | _ | | I I | | | | | | | | | | | |
| | | & facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | ļ | 3 | UHL | UHL2X OCOSL | 18.21 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | | 2 Wire Unbundled HDSL Loop without manual service inquiry | | - | UHL | UCUSL | | 23.02 | | | | | | | | | |
| | | and facility reservation - Zone 1 | [| 1 | UHL | UHL2W | 7.22 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | 1 | | |
| | 12 | Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.26 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | | Wire Unbundled HDSL Loop without manual service inquiry | | ١. | | | 40.04 | 40.40 | 00.00 | 20.04 | | | | | | | |
| | | and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | UHL2W OCOSL | 18.21 | 134.40 23.02 | 80,69 | 60.64 | 9.12 | | 11.90 | | | | <u> </u> |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | - | UHL | UREWO | | 86.12 | 40.39 | | | | 11,90 | | | | |
| | | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | 0.1.2 | - U.V. | | 00.12 | 10.00 | | | | 111.00 | | | | |
| | | Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 | | 1. | UHL | UHL4X | 10.86 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | | I-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 | ł | 2 | UHL | UHL4X | 15.44 | 193.31 | 138.98 | 77.15 | 12.61 | } | 11.90 | | | | |
| - | | Wire Unbundled HDSt Loop including manual service inquiry | | | One | UHL4X | 15,44 | 193.31 | 136.90 | 77.15 | 12.01 | | 11.90 | | | | |
| | | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 27.39 | 193.31 | 138.98 | 77.15 | 12.61 | | 11,90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL. | | 23.02 | | | | | | | | | |
| | | I-Wire Unbundled HDSL Loop without manual service inquiry | | ١. | l | | | | | | | | | | | | |
| | | and facility reservation - Zone 1 I-Wire Unbundled HDSL Loop without manual service inquiry | ļ | 1 1 | UHL | UHL4W | 10.86 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| - 1 | | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.44 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | - 2 | I-Wire Unbundled HDSL Loop without manual service inquiry | l | | | | | | | | 11.22 | | 71.00 | | | | |
| | | and facility reservation - Zone 3 | L | 3 | UHL | UHL4W | 27.39 | 168.62 | 115,47 | 62.74 | 11.22 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | ļ | UHL. | OCOSL | | 23.02 | | | | | | | | | |
| | 10 | CLEC to CLEC Conversion Charge without outside dispatch | | 1 | UHL | UREWO | | 86.12 | 40.39 | | | | 11.90 | | | | |
| | | DS1 DIGITAL LOOP | | 1 | 1 | | | | | | | | | | | | |

Version 1Q03: 02/28/03 Page 3 of 53 89 of 228

| UNBU | NDLE | D NETWORK ELEMENTS - Florida | | Ţ | | | | | | | | | | | ment: 1 | Exhil | oit: A |
|-------------|--------|--|-------------|--------------|------|----------|--------|--------|------------|--|-------|---|-----------------------|--|--|---|---|
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge ~ Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | 1101 | 1,,0,,0, | | First | Add'l | First | Add'l | SOMEC | SOM AN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 100.54 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | <u> </u> | 3 | USL | USLXX | 178.39 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | - | USL | UREWO | | 23.02 | 43.04 | | | | 11.90 | | | | |
| — | 4-WIRE | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | OGL | JUNEWO | | 101.07 | 43.04 | - | | | 11.90 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | | UDL | UDL56 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | l | | UDL | UDL56 | 31.56 | 161.56 | 108.85 | 67.08 | 15,56 | | 11.90 | | | | ••••• |
| | | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | | UDL | UDL56 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | Ī | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | | UDL | UDL64 | 22.20 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | 1 | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 | 31.56 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | L | 3 | UDL | UDL64 | 55.99 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.11 | 49.74 | | | | 11.90 | | | | |
| | 2-WIRE | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 8.30 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short including manual service | | t | | | | | | | | | | | | | |
| | | inquiry & facility reservation - Zone 2 | | 2 | UCI. | UCLPB | 11.80 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 20.94 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 8.30 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Short without manual service | - | 2 | UCL | UCLPW | 11.80 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 20.94 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | L | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | | | 1 | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 17.42 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | 1 | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 24.76 | 148.50 | 102.82 | 75.05 | 15.63 | ļ | 11.90 | | | | |
| | | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | 45 | | | | | | |
| ļI | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 43.94 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | - | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | <u> </u> | - | UCL | UCLMC | | 9.00 | 9.00 | ļ | | | | | ļ | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 17.42 | 123.81 | 70.09 | 60.64 | 9,12 | | 11.90 | | l | | |
| | | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service | | 2 | UCL | UCL2W | 24.76 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 43.94 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 43.34 | 9.00 | 9.00 | 00.04 | 3.12 | | 11.50 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | - | | COLIVIO | | 3.00 | 5.00 | | | | | | | | |
| | | (UCL -Des) | | | UCL | UREWO | ļ | 97.21 | 42.47 |] | | | 11.90 | | l | | |
| | 4-WIRI | COPPER LOOP | l | | | 3,12,10 | | 31.21 | 42.47 | | | | 11.00 | | | | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | | 1 1 | | | - | | | | | l | l | | |
| | | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 11.83 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| 1 | | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| ' | | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 16.81 | 177.87 | 132.76 | 77.15 | 17.73 | | 11,90 | | | i | |
| | | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 29.82 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | <u></u> | <u> </u> | | |
| | | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | l | | |
| 1 7 | | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | 1 | 1 | | | | | | | | | | |
| \bigsqcup | L | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 11.83 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | <u> </u> | L | L | |

| NBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 1 | | ibit: A |
|----------|---|-------------|------|---|----------------|--------|----------------|-------------|--------------|-------|-------|-----------|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | 8 | 1720 | Law Street | 110.00 | 0.00 | | | | | | | | - | |
| | facility reservation - Zone 2 | | 2 | UCL | UCL4W | 16.81 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | 1101 | | 00.00 | 450 40 | *00.00 | 20.74 | 44.00 | | | | | | |
| _ | facility reservation - Zone 3 | | 3 | UCL | UCL4W UCLMC | 29.82 | 153.16 9.00 | 100.03 | 62.74 | 11.22 | | 11,90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc. | - | | UCL | UCLING | | 9.00 | 9.00 | | | | | | | | - |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 31.10 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | i | | |
| _ | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | - | UOL | DCLAL | 31,10 | 111.01 | 132,10 | 71.13 | 17.75 | | 11.00 | | | - | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 44.20 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | - | 302 | JOCAL | 11120 | 111101 | 102110 | 711.10 | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 78.42 | 177.87 | 132.76 | 77.15 | 17.73 | F 8 | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | | UCL | UCL40 | 31.10 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| 10. | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL40 | 44.20 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | 2 | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | 200 | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL40 | 78.42 | 153.18 | 100.03 | 62.74 | 11.22 | 5.0 | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | 1 | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | _ | UCL | UREWO | | 97.21 | 42.47 | | | | 11.90 | | | | |
| OP MODIF | CATION | | | UAL, UHL, UCL, | - | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | UEQ, ULS, UEA, UEANL, UEPSR, UEPSB | ULM2L | | 0,00 | 0.00 | | | | 11.90 | | | | |
| | greater than 18k ft | | | UCL, ULS, UEQ | ULM2G | | 343.12 | 343.12 | | | | 11.90 | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | | | | | | | | | | | | | |
| | less than or equal to 18K ft | | | UHL, UCL, UEA | ULM4L | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | and the second | | | Silver stay | salina ener | | | 1 | | | | | |
| | pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UCL UAL, UHL, UCL, UEQ, ULS, UEA. UEANL, UEPSR, UEPSB | ULM4G ULM8T | | 343.12 | 343.12 | | | | 11.90 | | | | |
| UB-LOOPS | per undunuled loop | - | - | UEFSB | OLIVID I | | 10.52 | 10.52 | | | | 11.30 | | | | |
| | oop Distribution | | - | | | | | | | | | | | | | |
| SUD-L | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Sel- | | - | | | | | | | | | | | | | |
| | Up | 1_ | | LIEANL | USBSA | | 487.23 | | | | | 11.90 | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | 1 | | UEANL | USBSB | | 6.25 | | | | | 11.90 | | | | |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder | | | | | | | | | | | | | | | |
| | Facility Set-Up | 1 | | UEANL | USBSC | - 1//1 | 169.25 | | | | | 11.90 | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | | | UEANL | USBSD | | 38.65 | | | | | 11.90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | - | | | | | | | | - | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN2 | 6.46 | 60.19 | 21.78 | 47.50 | 5.26 | | 11,90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEANL | USBN2 | 9.18 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 3 | UEANL | USBN2 | 16.29 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| - | Zone 3 | | 3 | | | 10.28 | | 21.70 | 47.50 | 5.26 | | 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | | | | | | | | | |
| | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | riet | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEANL | USBN4 | 7.37 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| 1 | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | _ | LIEANII. | USBN4 | 40.47 | 00.07 | 20.40 | 10.70 | 0.00 | | ** 00 | | | | |
| | Zone 2 | 1 | 2 | UEANL | USBN4 | 10.47 | 68.83 | 30.42 | 49,71 | 6.60 | | 11.90 | | | | |
| _ | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | | | | | | | | | | | | | |

| INRUNDLE | D NETWORK ELEMENTS - Florida | г | т | | | | | | | | | T | Attach | , | | ibit: A |
|----------|--|--------------|--------------|-------------------------|----------|--------|-----------------|------------|--------------|----------------|-------|-----------------------|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | ļ | | | Rec | Nonrec First | | Nonrecurring | | SOMEC | SOMAN | | Rates(\$) | T | T 001111 |
| | | | | | | | riist | Add'l | First | Add'l | SUMEC | SUMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | | | | | | | | |] |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | - 1 | | UEANL | USBR2 | 3.96 | 51.84 | 13.44 | 47.50 | 5.26 | | 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | 1 | | UEANL | USBR4 | 9.37 | 55.91 | 17.51 | 49.71 | 6.60 | | 11.90 | | | | |
| | | <u> </u> | | | J. C. | 0.07 | 00.01 | | 10.77 | 0.00 | | 11.50 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | L | L., | UEANL | USBMC | | 9.00 | | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | 1 | 1_1_ | UEF | UCS2X | 5.15 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | 1 !- | 2 | UEF | UCS2X | 7.31 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | L |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 12.98 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | ļ | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | 1 | | UEF | USBMC | | 9.00 | | | | | | | İ | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS4X | 5.36 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | 1 | | VEF | UCS4X | 7.61 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | 1 | 3 | UEF | UCS4X | 13.51 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | | | | | | | | | |
| Unbur | Idled Network Terminating Wire (UNTW) | | ↓ | 115150 | lierion. | 0.4570 | 40.00 | | | | | | | | | |
| Motero | Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID) | | 1 | UENTW | UENPP | 0.4572 | 18.02 | | | | | 11.90 | | | | |
| IVELWO | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 71.49 | 48.87 | | | | 11.90 | | | ļ | |
| | Network Interface Device (NID) - 1-6 lines | | 1 | UENTW | UND16 | | 113.89 | 89.07 | | | | 11.90 | | | | |
| | Network Interface Device Cross Connect - 2 W | | † | UENTW | UNDC2 | | 7.63 | 7.63 | | | | 11.90 | | | | † |
| | Network Interface Device Cross Connect - 4W | | 1 | UENTW | UNDC4 | | 7.63 | 7.63 | | | | 11.90 | | | | |
| B-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Feeder | | | | | | , | | | | | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up | | | UEA, UDN,UCL,UDL,UDC | USBFW | | 487.23 | | | | | 11.90 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA. UDN,UCL,UDL,UDC | USBFX | | 6.25 | 6.25 | | | | 11.90 | | | | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | 1 | USL | USBFZ | | 522.41 | 11.32 | | | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 | | 1 | UEA | USBFA | 6.41 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFA | 9.10 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | | | | | | | | | | | | | |
| | Voice Grade - Zone 3 | | 3 | UEA | USBFA | 16.15 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | - |
| | Order Coordination for Specified Conversion Time, per LSR | <u> </u> | ┼ | UEA | OCOSL | | 23.02 | | | _ . | | 1 | | | | - |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFB | 6.41 | 92.75 | 51.24 | 58.45 | 13.07 | ! | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop. 2 Wire Loop-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFB | 9.10 | 92.75 | 51.24 | 58,45 | 13.07 | | 11.90 | | | | |
| - | Unbundled Sub-Loop Feeder Loop. 2 Wire Start Loop, Voice | | + | ULA | GODI D | 9.10 | 92.13 | 31.24 | 30,43 | 13.07 | ļ | 11.50 | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFB | 16.15 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1 | | 1 | UEA | USBFC | 6.41 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2 | | 2 | UEA | USBFC | 9.10 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 16.15 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Unburndled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1 | | 1 | UEA | USBFD | 12.47 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2 | | 2 | UEA | USBFD | 17.73 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | | 3 | UEA | USBFD | 31.45 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |

Version 1Q03: 02/28/03 Page 6 of 53 92 of 228

| ONRONDER | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | | | bit: A |
|-------------|--|--------------|--|------------|----------------|---|-----------------|----------------|----------------|----------------|--|---|--|--|---|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| <u>T</u> | | | - | | | 1 | Nonrec | urring | Nonrecurring | Disconnect | | | 088 | Rates(\$) | i | · |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.02 | Auu i | rnst | Addi | JOHILO | SOMAR | JUNAN | JONIAN | SOME | JOMAN |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start. Voice | | | OLA | GGGGE | | 25.02 | | | | | | ——— | | | |
| 1 | Grade - Zone 1 | | 1 | UEA | USBFE | 12.47 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | i |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFE | 17.73 | 106.92 | 64.46 | 63.54 | 14.83 | 1 | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFE | 31.45 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | L | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop. 2 Wire ISDN BRI - Zone 1 | <u> </u> | 1 | UDN | USBFF | 14.83 | 109.71 | 66.68 | 60.21 | 12.49 | | 11,90 | | | | |
| | Unbundled Sub-Loop Feeder Loop. 2-Wire ISDN BRI - Zone 2 | | 2 | UDN | USBFF | 21.07 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop. 2-Wire ISDN BRI - Zone 3 | | 3 | UDN UDN | USBFF OCOSL | 37.39 | 109.71 23.02 | 66.68 | 60.21 | 12.49 | | 11.90 | ļ | | · | |
| | Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 1 | UDC | USBFS | 14.83 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | - | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | NDC | USBFS | 21.07 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | · | 3 | UDC | USBFS | 37.39 | 109.71 | 66.68 | 60.21 | 12.49 | | 11,90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | t | 1 | USL | USBFG | 42.59 | 133.77 | 78.02 | 85.16 | 21.21 | ļ | 11.90 | | | | · · · · · · |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 60.53 | 133.77 | 78.02 | 85.16 | 21.21 | 1 | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL. | USBFG | 107.39 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL. | USBFH | 3.76 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | 1 | |
| | 2 | | 2 | UCL | USBFH | 5.35 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | ŀ | | | | | | | | 1 | İ | | | | |
| | 3 | | 3 | UCL | USBFH | 9.49 | 85.27 | 42.24 | 58.54 | 10.82 | <u> </u> | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23.02 | | | 40.00 | ļ | | | ļ | | ļ |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | ļ | | UCL. | USBFJ | 7.32 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | ļ | | UCL | USBFJ | 10.40 18.46 | 99.66 99.66 | 57.20 57.20 | 60.98 60.98 | 12.28 12.28 | - | 11.90 | ļ | - | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 16.40 | 23.02 | 37.20 | 00.96 | 12.20 | + | 11.30 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 14.48 | 100.62 | 58.16 | 63.54 | 14.83 | - | 11.90 | | | ļ | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 20.59 | 100.62 | 58.16 | 63.54 | 14.83 | + | 11.90 | | | | — |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | - | 3 | UDL | USBEN | 36.53 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | 1 | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | - | t – Č | | - 1000:11 | 00.00 | 100102 | | 7.00 | | | | | | | |
| 1 | Zone 1 | | 1 | UDL | USBFO | 14.48 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | İ | ł | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | 1 | † | | | *************************************** | | | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFO | 20.59 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 1 | | | | | | | | | | • | | | 1 |
| | Zone 3 | | 3 | UDL | USBFO | 36.53 | 100.62 | 58.16 | 63.54 | 14.83 | ļ | 11.90 | | | | |
| | Order Coordination For Specified Time Conversion, per LSR | 1 | 1 | UDL | OCOSL | | 23.02 | | | | | | ļ | | | - |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | 1 | | | | | 00.5 | | | | | | | 1 |
| | Zone 1 | 1 | 1_1_ | UDL | USBFP | 14.48 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | - |
| l İ | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | 1 | | | Lienen | 20.50 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Zone 2 | | 2 | UDL | USBFP | 20.59 | 100.62 | 58.16 | 03.54 | 14.83 | + | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | 1 | 3 | UDL. | USBFP | 36,53 | 100.62 | 58.16 | 63,54 | 14.83 | 1 | 11.90 | | | | |
| | Zone 3 Order Coordination For Specified Conversion Time, per LSR | + | | UDL | OCOSL | 30.33 | 23.02 | 30.10 | 05.54 | 14.03 | | 11.50 | | † | | |
| SUB-LOOPS | | | | IODE . | - OGOGE | | 20.02 | | t | | + | † | | - | | |
| | oop Feeder | † | | | | | | | <u> </u> | | | <u> </u> | | | 1 | |
| - Cub- | Sub Loop Feeder - DS3 - Per Mile Per Month | 1 - | † | UE3 | 1L5SL | 15.69 | | | † | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | 1 1 | 1 | UE3 | USBF1 | 347.59 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | Sub Loop Feeder - STS-1 - Per Mile Per Month | 1 | 1 | UDLSX | 1L5SL | 15.69 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | 1 | | UDLSX | USBF7 | 402.09 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| UNBUNDLED | LOOP CONCENTRATION | | | | | | | | | | | | ļ | ļ | | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 449.49 | 359.42 | 359.42 | | | | 11.90 | | ļ | _ | L |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 53.44 | 149.76 | 149.76 | | | | 11.90 | | | | |
| | Unbundled Loop Concentration - System A (TR303) | | <u> </u> | ULC | UCT3A | 487.33 | 359.42 | 359.42 | ļ | | | 11.90 | | | | + |
| L T. | Unbundled Loop Concentration - System B (TR303) | | <u> </u> | ULC | UCT3B | 90.05 | 149.76 | 149.76 | ļ | | | 11.90 | | | 1 | + |
| 4 1 | Unbundled Loop Concentration - DS1 Loop Interface Card | | 1 | ULC | UCTCO | 5.04 | 71.70 | 51.52 | 18.49 | 4.82 | _L | 11.90 | | 1 | 1 | |

| ONBOL | NULEI | NETWORK ELEMENTS - Florida | | | | | , | | | | | · | | | ment: 1 | | bit: A |
|---------|--------|---|-------------|----------|-------------------------------------|----------|--------|--------|------------|--------------|-------|----------|---|--|--|---|--|
| CATEGO | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Card) | | | UDN | ULCC1 | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - UDC Loop Interface (Brite | | | 0014 | 0000 | 0.00 | 10.55 | 10.00 | 0.77 | 0.13 | | 11.90 | | | | |
| | | Card) | | | UDC | ULCCU | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card) | | | UEA | | 0.00 | | 10.50 | | | | | | | | |
| | | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | UEA | ULCC2 | 2.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Loop Interface (SPOTS Card) | | | UEA | ULCCR | 11.90 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | | | | | | | | | | | | |
| | | (Specials Card) | | | UEA | ULCC4 | 7.10 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | | ULC | UCTTC | 34.68 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Interface | | | UDL | ULCC7 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | | | 75.51 | .0.50 | 10.00 | 9.77 | 0.13 | † | 11,30 | | | | |
| | | Interface | | <u> </u> | UDL | ULCC5 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | | Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface | | | LIDI | LH 000 | 40.51 | 40.55 | 10.5- | | | | | | | | |
| INE OT | HER P | ROVISIONING ONLY - NO RATE | | | UDL | ULCC6 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | ļ | 11.90 | | | | ļ |
| JIL OI | | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | | | | | UEANL, UEF, UEQ, U | | | | *** | | | | | | , | | |
| | | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE UI | HER, P | ROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL. UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| - 1 | | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | | | | | | | | | | İ | | | |
| | | rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | UEA.UDN,UCL.UDC | USBFQ | 0.00 | 0.00 | <u>.</u> | | | | | | | | |
| | | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| | | Y UNBUNDLED LOCAL LOOP minimum billing period of three months for DS3/STS-1 Local | Lann | | | | | | | | | | | | | - | |
| | | High Capacity Unbundled Local Loop - DS3 - Per Mile per | Г | | | | | | | | | | | | | | |
| | | month | | | UE3 | 1L5ND | 10.92 | | | | | | | | | | |
| | | High Capacity Unbundled Local Loop - DS3 - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | | ļ | UE3 | UE3PX | 386.88 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | 1 | UDLSX | 1L5ND | 10.92 | | 1 | | | | | | | 1 | 1 |
| | | High Capacity Unbundled Local Loop - STS-1 - Facility | | | ODEOX | (CUIVE) | 10.92 | | | | | | | | | | |
| | | Termination per month | | | UDLSX | UDLS1 | 426.60 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | 1.83 | |
| LOOP M | IAKE-U | P | | | | ., | | | | | | | | | | | |
| | | Loop Makeup - Preordering Without Reservation, per working or | | | | | | en | F0 (= | 7 | | | | | | | |
| | | spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility | | | UMK | UMKLW | | 52.17 | 52.17 | | | | | | | | - |
| | | Loop Makeup - Preordering with Reservation, per spare facility queried (Manual). | | | UMK | UMKLP | | 55.07 | 55.07 | | | | | | | 1 | |
| HIGH FF | REQUE | NCY SPECTRUM | | | | OWITCE . | | 00.01 | 55.01 | | | | | | | | |
| I | LINE S | HARING | | | | | | | | | | | | | | | |
| ; | | ERS-CENTRAL OFFICE BASED | | ļ | | | | | | | | | | | | | |
| | | Line Sharing Splitter, per System 96 Line Capacity - True up | R | | ULS | ULSDA | 440.70 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | 1 |
| - | | pending approval by PSC Line Sharing Splitter, per System 24 Line Capacity - True up | K | | ULO | ULSDA | 119.72 | 3/9.13 | 0.00 | 347.90 | 0.00 | - | 11.90 | | | | |
| | | pending approval by PSC | R | } | ULS | ULSDB | 29.93 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | 1 |
| | | Line Sharing Splitter, Per System, 8 Line Capacity | 1 | | ULS | ULSD8 | 8.33 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | | Line Sharing-DLEC Owned Splitter in CO-CFA activation- | | | | | | | | | | | | | | | |
| | | deactivation (per LSOD) | | • | ULS | ULSDG | . 1 | 173.66 | 0.00 | 97.42 | 0.00 | 4 | 11.90 | t . | | | Į. |

| UNB | UNDLE | D NETWORK ELEMENTS - Florida | | | | .,,,,, | | | | **** | | ······ | | | ment: 1 | | bit: A |
|------|--------|--|-------------|--|-------------------|-------------|-----------------|----------------|----------------|--------------|---------------|---------|---|---|---|---|----------|
| CATE | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001644 | | Rates(\$) | COMAN | SOMAN |
| | | | | ļ | | ULSDC | 0.61 | First 29.68 | Add'l 21.28 | First 19.57 | Add'l 9.61 | SUMEC | SOMAN 11.90 | SOMAN | SOMAN | SOMAN | SUMAN |
| ļ | - | Line Sharing - per Line Activation -(BST Owned Splitter) | | - | ULS | IOESDC | 0.01 | 29.00 | 21.20 | 19.37 | 9.01 | | 11.30 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(BST Owned Splitter) | R | | ULS | ULSDS | | 21.68 | 16.44 | | | | 11.90 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(DLEC Owned Splitter) | R | | ULS | ULSCS | 0.61 | 21.68 47.44 | 16.44 19.31 | 20.67 | 12.74 | | 11.90 11.90 | | | | |
| | LINE | Line Sharing - per Line Activation (DLEC owned Splitter) PLITTING | 1 | | ULS | ULSCC | 0.61 | 47.44 | 19.01 | 20.07 | 12.74 | | 11.30 | | | | |
| | | PENTING SER ORDERING-CENTRAL OFFICE BASED | | | | ! | l | | | | | | | | | | |
| | LAGO | Line Splitting - per line activation DLEC owned splitter | | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | | | |
| | 1 | Line Splitting - per line activation BST owned - physical | i | l | UEPSR UEPSB | UREBP | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | L | |
| | 1 | Line Splitting - per line activation BST owned - virtual | i | l | UEPSR UEPSB | UREBV | 1,134 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | REMOT | TE SITE HIGH FREQUENCY SPECTRUM | | | | | | | | | | | | | | | |
| | SPLITT | ERS-REMOTE SITE | | | | | | | | | | | | | | | |
| | | Remote Site Line Share BellSouth Owned Splitter, 24 Port | | | ULS | ULSRB | 46.07 | 114.81 | 0.00 | 86.20 | 0.00 | | 11,90 | | | | |
| | | Remote Site Line Share Cable Pair Activation CLEC Owned at | ١. | | | | 1 | 05.04 | 0.00 | 60.40 | 0.00 | | 11.90 | | | | |
| | ENDIN | RS and deactivation SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM | 9.45/4 | 251107 | ULS | ULSTG | 1 | 95.64 | 0.00 | 69.19 | 0.00 | | 11.90 | | | | |
| | ENDU | Remote Site Line Share Line Activation for End User Served at | M ANA | KEMOI | E SHE LINE SHARI | NG T | | | | | | | | | | | |
| | - | RS, BST Splitter RS Line Share Line Activation for End User served at RS, CLEC | 1 | | ULS | ULSRC | 0.61 | 40.00 | 22.00 | 19.57 | 9.61 | | 11.90 | | | | |
| | | Splitter Remote Site Line Share Subsequent Activity-RS BST Owned | 1 | | ULS | ULSTC | 0.61 | 40.00 | 22.00 | 19.57 | 9.61 | | 11.90 | | | | |
| | ļ | Splitter Remote Site Line Share Subsequent Activity-RS CLEC Owned | 1 | | ULS | ULSRS | | 49.15 | 17.83 | | | | 11.90 | | | | |
| | | Splitter | 1 | | ULS | ULSTS | j | 49.15 | 17.83 | | | | 11.90 | | | | |
| UNBU | | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billin | g perio | d - below DS3=one | month, DS3/ | STS-1=four mor | nths | | | | | | | | | |
| | INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | L | | | ļ | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | U1TVX | U1TV2 | 25.22 | 47.35 | 04.70 | 40.04 | 7.03 | | 11.90 | | | | |
| | - | Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 25.32 0.0091 | 47.35 | 31.78 | 18.31 | 7,03 | | 11.90 | | | | |
| | + | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | 01147 | IFOVY | 0.0081 | | | | | | | | | | |
| | - | Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - | | | UITVX | U1TR2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | ., |
| | | - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | U1TVX | U1TV4 | 22.58 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | per month | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TDX | U1TD5 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.1856 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 88.44 | 105.54 | 98.47 | 21,47 | 19.05 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 3.87 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |

| OUROUDL | ED NETWORK ELEMENTS - Florida | r | | · | т | T | | | | | , | | | ment: 1 | | bit: A |
|-------------|---|--------------|--|-------------------|--|---------------|---------|------------|--|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | <u></u> | ļ | | <u> </u> | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | • |
| | | | ļ | | | | First | Add'l | First | Addʻl | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| į | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 3.87 | | | | | | | | 1 | | |
| | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 1,056.00 | 335.46 | 219.28 | 70.00 | | | | | | | |
| LOC | AL CHANNEL - DEDICATED TRANSPORT | | | 01131 | UTIFS | 1,056.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |
| | E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin | la perio | d = be | low DS3=one month | DS3/STS-1 | l≡four months | | | - | | | | | | | |
| *** | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | | | ULDVX | ULDV2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2 | | 2 | ULDVX | ULDV2 | 27.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | | UNDVX | ULDV2 | 49.58 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | ULDVX | ULDR2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | • |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat Zone 2 | | 2 | ULDVX | ULDR2 | 27.94 | 265.84 | 46.97 | 37,63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | 020.12 | | 200101 | 10.07 | 01.55 | 4.00 | | 11.09 | | | | |
| | Zone 3 | | 3 | ULDVX | ULDR2 | 49.58 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | 1 | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | 1 | ULDVX | ULDV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | 2 | ULDVX | ULDV4 | 29.06 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | - | |
| | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | | 3 | ULDVX | ULDV4 | 51.56 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 36.49 | 216.65 | 183,54 | 24.30 | 16.95 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1 | ULDF1 | 51.85 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD1 | ULDF1 | 92.00 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 8.50 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 8.50 | | | | | | | | | | |
| | Local Channel - Dedicated - STS-1 - Facility Termination | | L | ULDS1 | ULDFS | 540.69 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| DARK FIBER | Dark Fiber. Four Fiber Strands, Per Route Mile or Fraction | | | | <u> </u> | | | | | | | | <u></u> | | | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 55.04 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 751.34 | 193.88 | | | | 11.90 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | 00.05 | | | | | | | | Ì | | |
| | Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel | | | UDF UDF | 1L5DF | 26.85 | 751.34 | 193.88 | | | | 11.00 | | ļ | ļ | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | UUF | UDF14 | | /51.34 | 193.88 | | | | 11.90 | | | | |
| | Thereof per month - Local Loop | | | UDF | 1L5DL | 55.04 | | | | | | | | l | | |
| | NRC Dark Fiber - Local Loop | - | | UDF | UDFL4 | 33.04 | 751,34 | 193,88 | | | | 11.90 | | | | |
| XX ACCESS | S TEN DIGIT SCREENING | | - | 001 | TODI ES | | 7.51.54 | 193.00 | | | | 11.90 | | | | |
| I | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006252 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | <u> </u> | | · | U.GCGGLDL | | | | | | | | , | | |
| | Number Reserved | | | OHD | N8R1X | | 4.15 | 0.70 | | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations | | | OHD | | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | | 1 | | 0.10 | 1.10 | 9.77 | 0.70 | | 11.30 | | | | |
| | POTS Translations | | | оно | N8FTX | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number | | | OHD | N8FCX | | 4.15 | 2.07 | | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Multiple Intert.ATA CXR Routing Per CXR Requested Per 8XX No. | | | ОНО | N8FMX | | 4.85 | 2.78 | | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 4.85 | 0.70 | ļ l | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Fer Request 8XX Access Ten Digit Screening, Call Handling and Destination | | | OT ILD | 1401 (4 | | 4.00 | 0.70 | | | | 13,50 | | | | |
| | Features | | | ОНД | N8FDX | | 4.15 | 4.15 | | | | 11.90 | | | | |
| | 8XX Access Ten Digit Screening, w/ 8Ft. No. Delivery, per query | | | ОНД | | 0.0006252 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query | | | OHD | | 0,0006252 | | | | | | | | | | |
| INF INFORM | MATION DATA BASE ACCESS (LIDB) | <u> </u> | | OI ID | | 0,0000232 | | | | | | | | | | |
| LINE INFOR | LIDB Common Transport Per Query | <u> </u> | - | ООТ | | 0.0000203 | | | l | | | | | | | |
| | LIDB Validation Per Query | | <u> </u> | ogu | 1 | 0.0136959 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | | OOT, OQU | NRPBX | 0.0.0000 | 55.13 | 55.13 | 55.13 | 55.13 | | 11,90 | | | | |
| | (CCS7) | | | , | † · · · · · · · · · · · · · · · · · · · | · | | | | | | | | 1 | | |

| ONDONDEE | D NETWORK ELEMENTS - Florida | Τ | 1 | | T | ı . | | | | | Te 0 | I 6 | | ment: 1 | | bit: A |
|---------------|--|--------------|---------------|-----|--------------|----------------|------------------|---|----------------|---|--------------|-----------------------|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | всѕ | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svo Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | CCS7 Signating Termination, Per STP Port | | | UDB | PT8SX | 135.05 | First | Add'l | First | Add't | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Usage, Per TCAP Message | - | | UDB | 1100% | 0.0000607 | | ······ | | | - | | | ļ | - | |
| | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | | - | |
| | CCS7 Signating Connection, Per link (B link) (also known as D | | | | | | | | 10.07 | | | 17.50 | | | - | |
| | link) | | | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000152 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogale, per link per LATA | L | | UDB | STU56 | 694.32 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | 1 | | | | | | | | | 1 |
| E911 SERVICE | Establishment or Change, per STP affected | | | UDB | CCAPO | <u> </u> | 46.03 | 46.03 | 46.03 | 46.03 | | 11.90 | | | | |
| E911 SERVICE | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | ļ | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | | | | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | ļ | 11.90 | | | ļ | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | | | | | 29.62 57.22 | 265.84 265.84 | 46.97 46.97 | 37.63 37.63 | 4.00 | ļ | 11,90 | | | - | ļ |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | - | | | + | 0.0091 | 200.04 | 40.97 | 37.63 | 4.00 | | 11.90 | | ļ | + | ļ |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | 0.0091 | | | | | - | | | | | |
| | Termination | | | | | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 35.28 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | Local Channel - Dedicated - DS1 - Zone 2 | | | | <u> </u> | 47.63 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | · | | |
| | Local Channel - Dedicated - DS1 - Zone 3 | | | | | 92.01 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.1856 | | | | | | | | | 1 | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | |
| CALLING NAM | E (CNAM) SERVICE | | | | | | | | | | | | | | | |
| | CNAM For DB Owners - Service Establishment | | | OQV | _ | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | <u> </u> | |
| | CNAM For Non DB Owners - Service Establishment | | | ΟΩV | | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | ļ | ļ |
| | CNAM For DB Owners - Service Provisioning With Point Code Establishment | | | oqv | | | 1,592.00 | 4 477 00 | 250.00 | 250.00 | | | | | 1 | |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | OQV | | | 1,592.00 | 1,177.00 | 352.36 | 259.09 | | 11.90 | | ļ | 1 | |
| | Code Establishment | l | | oqv | | | 546.51 | 393.82 | 358.06 | 259.09 | | 11.90 | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.001024 | 540.51 | 333.02 | 330.00 | 203.03 | | 11.30 | | | | |
| | CNAM for Non DB Owners. Per Query | | - | OQV | | 0.001024 | | | | | | | | | | |
| LNP Query Ser | | | | | | | | | | | | | | | | |
| | LNP Charge Per query | | | OQV | | 0.000852 | | | | | | | | 1 | | |
| | LNP Service Establishment Manual | | | | | | 13.83 | 13.83 | 12.71 | 12.71 | | 11.90 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | 655.50 | 334.88 | 297.03 | 218.40 | | 11.90 | | | | |
| OPERATOR CA | ALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | - | | | | | | | | | | | |
| | LIDB | ļ | | | | 1.20 | | | | | | | | | | |
|] | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | 1 | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | - | 1.24 | | | | | | | | | - | - |
| 1 | LIDB | | | | 1 | 0.20 | | | | | 1 | | | 1 | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | - | 5.20 | | *************************************** | | | † | | | | | |
| 1 | Foreign LIDB | | | | 1 | 0.20 | 1 | | | | | | | ! | 1 | |
| INWARD OPER | ATOR SERVICES | | | | | | | | | | | | | | | |
| T | Inward Operator Services - Verification, Per Call | | | | | 1.00 | | | | *************************************** | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt | | | | | | 1 | | | | | | | | | |
| | - Per Call | | | | | 1.95 | | | | | | L | | | L | |
| | PERATOR CALL PROCESSING | | | | | | , | | | | | | | | | |
| Facility | based CLEC | | | | | | | | | | | | | | ļ | ļ |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | ļ | | ļ | 11.90 | | | <u> </u> | ļ |
| - 1 | Loading of Custom Branded OA Announcement per shelf/NAV | | | | cnici | | 500.55 | F00 | | | i | | | | | 1 |
| UNEP (| per OCN | ļ | | | CBAOL | | 500.00 | 500.00 | | | | 11,90 | | | ļ <u>-</u> | ļ |
| UNEP | Recording of Custom Branded OA Announcement | - | \vdash | | | | 7,000.00 | 7,000.00 | - | - | - | 11.00 | | ļ | - | İ |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | + | | 7,000,00 | 7,000.00 | | | | 11.90 | | | - | |
| | per OCN | | | | | | 500.00 | 500.00 | | | 1 | 11.90 | | | | 1 |
| Unbran | iding via OLNS for UNEP CLEC | | | | | | 300.00 | 500.00 | | | | 11.80 | | | <u> </u> | |
| | Loading of OA per OCN (Regional) | | \vdash | | | | 1,200.00 | 1,200.00 | l | | | 11.90 | | | + | |

| UNBU | INDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | | | bit: A |
|---------|--------------|---|--------------|--------------|--------------|----------------|-----------|--------------|------------|--------------|-------|--------------|-----------------------|---|---|---|---|
| CATEG | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | , | | Rates(\$) | | |
| DIDE 0 | 1 | 00/0744/05 050/4050 | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DIKEC | | SSISTANCE SERVICES | - | - | | - | | | | | | ļ | | | | | |
| | | TORY ASSISTANCE ACCESS SERVICE Directory Assistance Access Service Calls, Charge Per Call | | | | - | 0.275 | | | | | | ļ | | | | |
| | | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | ACC) | | | | 0.273 | | | | | | _ | | | ļ | |
| | DINLO | Directory Assistance Call Completion Access Service (DACC), | l | - | | } | | | | - | | | | | | | |
| | | Per Call Attempt | | | | | 0.10 | İ | | | | | | | | | |
| DIREC | TORY A | SSISTANCE SERVICES | <u> </u> | | | 1 | 9.10 | | | | | | | | | | |
| | | TORY ASSISTANCE DATA BASE SERVICE (DADS) | | | - | | | | | | | | | | | 1 | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.04 | | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | | |
| BRAND | | IRECTORY ASSISTANCE | | 1 | | | | | | | | | | | | | |
| | Facility | Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded Announcement | | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | 11.90 | | | | |
| | | Loading of Custom Branded Announcement per Switch per OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 11.90 | | | | |
| | UNEP | | | <u> </u> | | | | | | | | | | | | | |
| | ļ | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | 11.90 | | | | |
| | | Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | 11.90 | | | | |
| | Unbrar | ding via OLNS for UNEP CLEC | | ļ | | | | 400.00 | 100.00 | | | | 11.90 | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | <u> </u> | | | | 420.00 | 420.00 | | | | 11.90 | | | | |
| 051.50 | TIVE D | Loading of DA per Switch per OCN | ļ | | | | | 16.00 | 16.00 | | | | 11.90 | | | - | |
| SELEU | .IIVE R | OUTING Selective Routing Per Unique Line Class Code Per Request Per Switch | | | | USRCR | | 93.55 | 93.55 | 12.71 | 12.71 | | 11.90 | | | | |
| WETH | AL COL | LOCATION | | | | USAGN | | 30.00 | 55.55 | 12.11 | 12.11 | ! | 11.50 | | | † | |
| VIKTO | AL COL | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | 1 | | | | |
| | | Splitting | l | | UEPSR, UEPSB | VE1LS | 0.0502 | 11.57 | | | | | 11.90 | | | | |
| PHYSIC | CAL CO | LLOCATION | | t | | 1 | | | | | | | | | | | |
| | T | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | - | | | | | | | | | | | |
| | | Splitting | | | UEPSR. UEPSB | PE1LS | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | | 11.90 | | | | |
| AIN SE | LECTIV | E CARRIER ROUTING | | | | | | | | | | | | | | | |
| | | Regional Service Establishment | | | SRC | SRCEC | | 193,444.00 | | 7,737.00 | | | 11.90 | | | | |
| | | End Office Establishment | | | SRC | SRCEO | | 187.36 | 187.36 | 0.69 | 0.69 | | 11.90 | | | | |
| | <u></u> | Query NRC, per query | <u> </u> | <u> </u> | SRC | | 0.0031868 | | | | | | | | | | |
| AIN - B | BELLSO | UTH AIN SMS ACCESS SERVICE | L | _ | | 1 | | | | <u> </u> | | | | ļ | ļ | | |
| | | AIN SMS Access Service - Service Establishment, Per State, Initial Setup | | | A1N | CAMSE | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | | | | |
| | | ANA CAMO A SECOND CONTRACTOR DISTRICT | | | | CAMDP | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | 1 | | | |
| | ļ | AIN SMS Access Service - Port Connection - Dial/Shared Access | ⊢ | \vdash | A1N A1N | CAMDP CAM1P | | 8.64 8.64 | 8.64 | 10.03 | 10.03 | - | 11.90 | | | | |
| | | AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User | | | ATIV | CAMIP | | 0.04 | 0.04 | 10.03 | 10.03 | | 11.90 | - | | 1 | |
| | | ID Code | | ļ | A1N | CAMAU | | 38.66 | 38.66 | 29.88 | 29.88 | | 11.90 | | | | |
| | | AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement | | | A1N | CAMRC | 0.0028 | 75.10 | 75.10 | 12.93 | 12.93 | | 11.90 | | | | - |
| | - | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | + | 0.0028 | | | | | | | | 1 | | |
| ļ | - | AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per | | | | + | 0.7809 | | . , | | | · | | | | | l |
| | | Minute | | | | | 0.4609 | | | ļ | | | | | | | |
| AIN - B | ELLSO | UTH AIN TOOLKIT SERVICE | | | | | | | | - | ļ | | | ļ | 1 | | |
| | | AlN Toolkit Service - Service Establishment Charge, Per State, | | | CAM | BAPSC | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | 1 | | Ì | |
| | | Initial Setup AIN Toolkit Service - Training Session, Per Customer | | | CAIVI | BAPVX | | 8,439.00 | 8,439.00 | 44.93 | 44.93 | | 11.90 | | | | |
| | | AlN Toolkit Service - Training Session, Per Customer AlN Toolkit Service - Trigger Access Charge, Per Trigger. Per | | | <u> </u> | DW. AV | | 0,435.00 | 0,455,00 | ! | | | 11.50 | | | + | † |
| | ļ | DN, Term. Attempt All Toolkit Service - Trigger Access Charge, Per Trigger. Per All Toolkit Service - Trigger Access Charge, Per Trigger. Per | | <u> </u> | | BAPTT | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | | DN, Off-Hook Delay | <u></u> | <u> </u> | | BAPTD | l | 8.64 | 8.64 | 10.03 | 10.03 | <u></u> | 11.90 | | | | 1 |

| | ED NETWORK ELEMENTS - Florida | T | , | γ | 7 | | | | | | ····· | | | ment: 1 | Exhi | |
|----------|---|--------------|--|---|--|--|---|--|--|--|-------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS . | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | | Nonrecurring | Disconnect | | | oss | Rates(\$) | · | L |
| | | ļ | | | | Nec | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | ВАРТМ | | 8.64 | 8.64 | 10.03 | 10.03 | | 14.00 | | (' | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | <u> </u> | | | DAPTM | | 6.04 | 6.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | DN, 10-Digit PODP | | | | BAPTO | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | · ' | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, CDP | | | | BAPTC | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code | | | | BAPTE | } | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | 1 | | |
| | AlN Toolkit Service - Query Charge, Per Query | | - | | DAT II | 0.0535927 | 30.00 | 30.00 | 13.60 | 13.00 | | 11.90 | | l | | |
| | AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit | l | 1 | | | | | | | | | | | | | l |
| | Subscription, Per Node, Per Query | ļ | | | | 0.0063698 | | | | | | | | | | |
| | AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes | | | | | 0.00 | | | | | | | | 1 | | |
| | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | 0.06 | | | | | | | | | | |
| | Subscription | | | CAM | BAPMS | 8.34 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | ' | 1 | |
| | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | 1 | | | | | | | | | 1 | | |
| | Subscription | | | CAM | BAPLS | 3.73 | 9.56 | 9.56 | | | | 11.90 | | <u> </u> | | |
| | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription | | | CAM | BAPDS | 4.73 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | , , | | |
| | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | - | - | CAIVI | DAPUS | 4.73 | 6.04 | 0,64 | 6.00 | 0.00 | | 11.90 | | ļ —— | | |
| | Service Subscription | | | CAM | BAPES | 0.12 | 9.56 | 9.56 | | | | 11.90 | | í ' | | |
| | XTENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | : The monthly recurring and non-recurring charges below will | | | | | | | | | | | | | | | |
| | The monthly recurring and the Switch-As-Is Charge and not to Minimum billing is one month for DS1 and below and three n | | | | vill apply for | EELs provision | ed as ' Curren | tly Combined' | Network Eleme | ents. | | | | i' | | |
| | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | | | | | | | | | | | | |
| | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | T | 1 | | 1 | | | | | | | | | | | |
| | Combination - Zone 1 | L | 1 | UNCVX | UEAL2 | 12.24 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | l | | |
| | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | 1 | 47.40 | 107.50 | 00.54 | 10.70 | 2.04 | | | | | | |
| | Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | - | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | <u> </u> | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | | | | | 1 | | 471.40 | 420.46 | 45.04 | 47.05 | | 44.00 | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 51.83 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | | | | | 1 | | 174.46 51.83 12.16 | 122.46 10.75 8.77 | 45.61 6.71 | 17.95 | | 11.90 11.90 11.90 | | | | |
| | Termination per month DST Channelization System Per Month Voice Grade COCI - DST To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(St. 2) in the same DS1 | | | UNC1X UNC1X UNCVX | U1TF1 MQ1 1D1VG | 88.44 146.77 1.38 | 51.83 12.16 | 10.75 8.77 | 6.71 | 4.84 | | 11.90 11.90 | | | | |
| | Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X UNC1X | U1TF1 MQ1 | 88.44 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | Termination per month DS1 Channetization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | Ť | UNC1X UNC1X UNCVX | U1TF1 MQ1 1D1VG UEAL2 | 88.44 146.77 1.38 12.24 | 51.83 12.16 127.59 | 10.75 8.77 60.54 | 6.71 | 4.84 2.81 | | 11.90 11.90 11.90 | | | | |
| | Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 | | Ť | UNC1X UNC1X UNCVX | U1TF1 MQ1 1D1VG | 88.44 146.77 1.38 | 51.83 12.16 | 10.75 8.77 | 6.71 | 4.84 | | 11.90 11.90 | | | | |
| | Termination per month DS1 Channetization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 2 | UNC1X UNC1X UNCVX | U1TF1 MQ1 1D1VG UEAL2 | 88.44 146.77 1.38 12.24 | 51.83 12.16 127.59 127.59 | 10.75 8.77 60.54 60.54 | 6.71 42.79 42.79 | 4.84 2.81 | | 11.90 11.90 11.90 | | | | |
| | Termination per month DS1 Channelization System Per Month Voice Grade. COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - | | 2 | UNC1X UNC1X UNCVX UNCVX UNCVX | U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 | 88.44 146.77 1.38 12.24 17.40 | 51.83 12.16 127.59 | 10.75 8.77 60.54 60.54 60.54 | 6.71 42.79 42.79 42.79 | 2.81 2.81 2.81 | | 11.90 11.90 11.90 11.90 | | | | |
| | Termination per month DST Channelization System Per Month Voice Grade COCI - DST To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | 2 | UNC1X UNC1X UNCVX UNCVX | U1TF1 MQ1 1D1VG UEAL2 UEAL2 | 88.44 146.77 1.38 12.24 17.40 | 51.83 12.16 127.59 127.59 | 10.75 8.77 60.54 60.54 | 6.71 42.79 42.79 | 4.84 2.81 2.81 | | 11.90 11.90 11.90 | | | | |
| | Termination per month DS1 Channetization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channet System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- | | 2 | UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX | U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 | 88.44 146.77 1.38 12.24 17.40 30.87 | 51.83 12.16 127.59 127.59 127.59 127.59 | 10.75 8.77 60.54 60.54 60.54 8.77 | 6.71 42.79 42.79 42.79 6.71 | 4.84 2.81 2.81 2.81 4.84 | | 11.90 11.90 11.90 11.90 11.90 | | | | |
| 4-WiR | Termination per month DS1 Channelization System Per Month Voice Grade. COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | 3 | UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 | 88.44 146.77 1.38 12.24 17.40 30.87 | 51.83 12.16 127.59 127.59 | 10.75 8.77 60.54 60.54 60.54 | 6.71 42.79 42.79 42.79 | 2.81 2.81 2.81 | | 11.90 11.90 11.90 11.90 | | | | |
| 4-WIR | Termination per month DS1 Channetization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channet System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- | | 3 | UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 | 88.44 146.77 1.38 12.24 17.40 30.87 | 51.83 12.16 127.59 127.59 127.59 127.59 | 10.75 8.77 60.54 60.54 60.54 8.77 | 6.71 42.79 42.79 42.79 6.71 | 4.84 2.81 2.81 2.81 4.84 | | 11.90 11.90 11.90 11.90 11.90 | | | | |
| 4-WIR | Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge IE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 2 3 | UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX | U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 | 88.44 146.77 1.38 12.24 17.40 30.87 | 51.83 12.16 127.59 127.59 127.59 127.59 | 10.75 8.77 60.54 60.54 60.54 8.77 | 6.71 42.79 42.79 42.79 6.71 | 4.84 2.81 2.81 2.81 4.84 | | 11.90 11.90 11.90 11.90 11.90 | | | | |
| 4-WIR | Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- is Charge IE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 2 3 3 3 3 CE TR | UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ANSPORT (EEL) UNCVX | U1TF1 MO1 1D1VG UEAL2 UEAL2 1D1VG UNCCC | 88.44 146.77 1.38 12.24 17.40 30.87 1.38 | 51.83 12.16 127.59 127.59 127.59 12.16 8.98 | 10.75 8.77 60.54 60.54 60.54 8.77 8.98 | 6.71 42.79 42.79 42.79 6.71 8.98 | 4.84 2.81 2.81 2.81 4.84 8.98 | | 11.90 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |
| 4-WIR | Termination per month DS1 Channetization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channet System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- is Charge EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 3 3 3 3 CE TR | UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ANSPORT (EEL) | U1TF1 MO1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG UNCCC | 88.44 146.77 1.38 12.24 17.40 30.87 | 51.83 12.16 127.59 127.59 127.59 12.16 8.98 | 10.75 8.77 60.54 60.54 60.54 8.77 8.98 | 6.71 42.79 42.79 42.79 6.71 8.98 | 4.84 2.81 2.81 2.81 4.84 8.98 | | 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |
| 4-WIR | Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | 2 3 3 3 3 1CE TR | UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ANSPORT (EEL) UNCVX | U1TF1 MO1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 | 88.44 146.77 1.38 12.24 17.40 30.87 1.38 | 51.83 12.16 127.59 127.59 127.59 12.16 8.98 127.59 | 10.75 8.77 60.54 60.54 8.77 8.98 60.54 | 6.71 42.79 42.79 42.79 6.71 8.98 42.79 | 4.84 2.81 2.81 2.81 4.84 8.98 2.81 | | 11.90 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |
| 4-WIR | Termination per month DS1 Channetization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channet System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- is Charge EVOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 3 3 3 3 1CE TR | UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ANSPORT (EEL) UNCVX | U1TF1 MO1 1D1VG UEAL2 UEAL2 1D1VG UNCCC | 88.44 146.77 1.38 12.24 17.40 30.87 1.38 | 51.83 12.16 127.59 127.59 127.59 12.16 8.98 | 10.75 8.77 60.54 60.54 60.54 8.77 8.98 | 6.71 42.79 42.79 42.79 6.71 8.98 | 4.84 2.81 2.81 2.81 4.84 8.98 | | 11.90 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |
| 4-WIR | Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- is Charge IE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 3 3 3 3 1CE TR | UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ANSPORT (EEL) UNCVX | U1TF1 MO1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 | 88.44 146.77 1.38 12.24 17.40 30.87 1.38 | 51.83 12.16 127.59 127.59 127.59 12.16 8.98 127.59 | 10.75 8.77 60.54 60.54 8.77 8.98 60.54 | 6.71 42.79 42.79 42.79 6.71 8.98 42.79 | 4.84 2.81 2.81 2.81 4.84 8.98 2.81 | | 11.90 11.90 11.90 11.90 11.90 11.90 11.90 | | | | |

Version 1Q03: 02/28/03 Page 13 of 53 99 of 228

| DINDUNDLE | D NETWORK ELEMENTS - Florida | | F | | | | | | | | | | Attach | | | bit: A |
|-------------|--|-------------|--|----------------|---------|---------|-----------------|-----------------|-----------------------|---------------------|-------|---|--|---|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'I | COMEC | 201441 | | Rates(\$) | | |
| | Channelization - Channel System DS1 to DS0_combination Per | | | | | | FIISL | Addi | First | Addi | SUMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | | | | |
| | per month Additional 4-Wire Analog Voice Grade Loop in same D\$1 | | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | 12.10 | 2 | | 17.00 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 47.62 | 127.59 | 60.54 | 42.79 | 0.04 | | 44.00 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | - | ONCVA | UEAL4 | 47.02 | 121.09 | 60.34 | 42.79 | 2.81 | | 11.90 | | | | |
| | per month | <u></u> . | | UNCVX | 1D1VG | 1.38 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | _ | | | | | | | | | | | | | |
| 4-WIRE | Is Charge 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | NTEDO | EEICE | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | H I LIKC | I I ICE | TRANSPORT (EEL | 4 | | | ~ | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX · | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | <u> </u> | O//OD/ | 00200 | 00.00 | 127.00 | 00.34 | 42.73 | 2.01 | | 11.90 | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNICAY | | 00.44 | 4774.40 | | 15.01 | | | | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | ļ | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | ļ | UNCDX | 1D1DD | 2.10 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | | <u> </u> | OHODA | - ODEGO | 22.20 | 127.00 | 00.04 | 42.10 | 2.01 | | 11.30 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 55.99 | 407.50 | 00.54 | 40.70 | | | 44.00 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | 3 | UNCDX | UDLS6 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| ı | combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 12.16 | 8,77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| 4 14/101 | Is Charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I | | FFIOR | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-11/10 | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | NIERU | FFICE | TRANSPORT (EEL | 4 | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | i i | 11.90 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | ٦ | DIACDX | ODE04 | 33.99 | 127.09 | 60.34 | 42.79 | 2.01 | - | 11.90 | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | | | | | - | | | | | | | | |
| | Termination Per Month Channelization - Channel System DS1 to DS0 combination Per | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | Month | | | UNC1X | MQ1 | 146.77 | 51.83 | 10.75 | | | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | 1 | 1,10.11 | 01.00 | 10.70 | | | | . 1.00 | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 12.16 | 8,77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 20.20 | 407 EO | 00.54 | 40.70 | 0.51 | | 14.00 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | OWCDX | UUL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| 1 | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |

| NOONDEL | D NETWORK ELEMENTS - Florida | | | r | | | | | | | 10 0 | | Attach | | | bit: A |
|---------|--|--------------|----------|----------------|-----------|----------|--------|------------|--------------|-------|---------------------------------------|---|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | - | | | Rec | Nonrec | | Nonrecurring | | CONTC | COVAN | | Rates(\$) | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | <u> </u> | | | 1 | | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | |] | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | GNODA | - IODEG4 | 00.00 | 127.55 | 00.34 | 42.73 | 2.01 | | 37.50 | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 12.16 | 8,77 | 6.71 | 4.84 | | 11.90 | | | ĺ | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | ls Charge | <u> </u> | <u> </u> | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI | EROFFI | CE TRA | ANSPORT (EEL) | | | | | | - | | | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | - | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | -'- | UNCIA | USLAA | 70.14 | 217.73 | 121.02 | 31.44 | 14.45 | | 11.90 | | | | |
| | Transport - Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | 1 | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | 11100 | | | | |
| | Transport - Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11,90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | LINCAV | U1TF1 | 88.44 | 474.40 | 120.40 | 45.61 | 17.05 | | 14.00 | | | 1 | |
| _ | Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As- | ļ | | UNC1X | UIIFI | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11,90 | | | } | |
| 4-WIRE | DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | EROFFI | CE TRA | | 10000 | | | 3,00 | | | · · · · · · · · · · · · · · · · · · · | | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | T | | ' ' | 1 | | | | | | | | | | | |
| | 1 | | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | ļ | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | ļ | 11.90 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | 1 | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | 3 | UNCIA | USLAA | 176,39 | 217.75 | 121.02 | 31.44 | 14,45 | | 11.90 | | | | ļ |
| | Per Month | 1 | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | | | | | | | | | | | | | |
| | month | | | UNC3X | U1TF3 | 1.071.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 211.19 | 115.60 | 59.93 | 5.45 | 0.00 | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | L | UNC1X | UC1D1 | 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | LINGAY | LIGUAY | 70.74 | 247.75 | 404.60 | 51.44 | 14.45 | | 11.00 | | | | |
| | Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - | - | 1 | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | ļ | |
| | Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | 1 | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | l | | ONOTA | 100001 | | 211.10 | 721.02 | 01.77 | | | | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | 1 | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNCIX | UC1D1 | 13.76 | 12.16 | 8.77 | 6.71 | 4.84 | | 11,90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | Ī | | · · | | | | | | | | | | | |
| | Is Charge | L | L | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 2-WIRE | VOICE GRADE EXTENDED LOOP! 2 WIRE VOICE GRADE IN | TEROFF | ICE TE | RANSPORT (EEL) | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | 1 | LINCIA | I ITTAL O | 12,24 | 107 50 | CO 54 | 40.70 | 2.81 | | 11.90 | | | | |
| | Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | UNCVX | UEAL2 | 12,24 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 17.40 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| _ | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | 1 | UNUN | OL LL | | 121.00 | 00.01 | 12,10 | | | 11700 | | | | |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 30.87 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | Ì | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per | T | | | | | | | | | | | | | | |
| | Mile Per Month | L | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | | | 05.00 | 04.70 | 50.50 | 50.40 | 04.50 | | | | | | |
| | combination - Facility Termination per month | | ├ | UNCVX | U1TV2 | 25.32 | 94.70 | 52.59 | 50.49 | 21.53 | _ | 11.90 | | | | - |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | 1 | į | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIRE | VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN | TEROFF | ICE TE | | 311000 | | 9.30 | 0.30 | 0.50 | 3.50 | 1 | 71.50 | | - | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | 1 | 1 | T | | | | | | | 1 | l | | | | |
| | Combination - Zone 1 | 1 | 1 | UNCVX | UEAL4 | 18.89 | 127.59 | 60.54 | 42.79 | 2.81 | 1 | 11.90 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 1 | | | | | | | | | | | | | |
| l l | Combination - Zone 2 | 1 | 2 | UNCVX | UEAL4 | 26.84 | 127.59 | 60.54 | 42.79 | 2.81 | <u> </u> | 11.90 | | | | |

| Combis Interof Mile P Interof combis Norres Is Cha DS3 DIGITAL High C Facility Interof | EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC Capacity Unbundled Local Loop - DS3 combination - Per ber month Capacity Unbundled Local Loop - DS3 combination - ly Termination per month office Transport - Dedicated - DS3 - Per Mile per month office Transport - Dedicated - DS3 combination - Facility ination per per month courning Currently Combined Network Elements Switch -Assecting Currently Combined Network Elements Switch -Assections | 1 | | BCS UNCVX UNCVX UNCVX | USOC | Rec 47.62 | Nonrec First | RATES (\$) urring Add'i | Nonrecurring | | Submitted Elec | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sv Order vs. Electronic Disc Add |
|--|--|--|--------------|--------------------------|---------|-----------|-----------------|-------------------------|--------------|------------|--|-----------|---|-----------|---|--|
| Combis Interof Mile P Interof combis Norres Is Cha DS3 DIGITAL High C Facility Interof | pination - Zone 3 ffice Transport - Dedicated - 4-wire VG combination - Per 2er Month Affice Transport - Dedicated - 4-wire VG combination - Per 2er Month Affice Transport - Dedicated - 4-Wire Voice Grade ination - Facility Termination per month 2curring Currently Combined Network Elements Switch - As- arge EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC Capacity Unbundled Local Loop - DS3 combination - Per 2er month Capacity Unbundled Local Loop - DS3 combination - Per 2er month Affice Transport - Dedicated - DS3 - Per Mile per month 2er Affice Transport - Dedicated - DS3 combination - Facility 2er mination per per month 2er month Capacity Combined Network Elements Switch - As- 2er Management - Dedicated - Network Elements Switch - As- 2er Mont | 1 | | UNCVX | | | | | | Disconnect | | | | 1 | | DISC Add |
| Combis Interof Mile P Interof combis Norres Is Cha DS3 DIGITAL High C Facility Interof | pination - Zone 3 ffice Transport - Dedicated - 4-wire VG combination - Per 2er Month Affice Transport - Dedicated - 4-wire VG combination - Per 2er Month Affice Transport - Dedicated - 4-Wire Voice Grade ination - Facility Termination per month 2curring Currently Combined Network Elements Switch - As- arge EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC Capacity Unbundled Local Loop - DS3 combination - Per 2er month Capacity Unbundled Local Loop - DS3 combination - Per 2er month Affice Transport - Dedicated - DS3 - Per Mile per month 2er Affice Transport - Dedicated - DS3 combination - Facility 2er mination per per month 2er month Capacity Combined Network Elements Switch - As- 2er Management - Dedicated - Network Elements Switch - As- 2er Mont | 1 | | UNCVX | | | First | Addi | | | L | | | Rates(\$) | | |
| Combis Interof Mile P Interof combis Norres Is Cha DS3 DIGITAL High C Facility Interof | pination - Zone 3 ffice Transport - Dedicated - 4-wire VG combination - Per 2er Month Affice Transport - Dedicated - 4-wire VG combination - Per 2er Month Affice Transport - Dedicated - 4-Wire Voice Grade ination - Facility Termination per month 2curring Currently Combined Network Elements Switch - As- arge EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC Capacity Unbundled Local Loop - DS3 combination - Per 2er month Capacity Unbundled Local Loop - DS3 combination - Per 2er month Affice Transport - Dedicated - DS3 - Per Mile per month 2er Affice Transport - Dedicated - DS3 combination - Facility 2er mination per per month 2er month Capacity Combined Network Elements Switch - As- 2er Management - Dedicated - Network Elements Switch - As- 2er Mont | 1 | | UNCVX | | 47.00 | | nuu i | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Interof Mile P Interof | office Transport - Dedicated - 4-wire VG combination - Per- Per Month ffice Transport - Dedicated - 4- Wire Voice Grade ination - Facility Termination per month accurring Currently Combined Network Elements Switch - As- arge EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC Capacity Unbundled Local Loop - DS3 combination - Per- per month Capacity Unbundled Local Loop - DS3 combination - Ity Termination per month ffice Transport - Dedicated - DS3 - Per Mile per month ffice Transport - Dedicated - DS3 combination - Facility ination per per month becurring Currently Combined Network Elements Switch - As- | 1 | | UNCVX | | | 127.59 | 60.54 | 40.70 | 2.01 | i 1 | 14.00 | į | 1 | | |
| Interof combis Nonree Is Che DS3 DIGITAL High C Facility Interof Is Che STS1 DIGITAL High C Mile pp High C Facility Interof Is Che STS1 DIGITAL High C Facility Interof Is Che Is Che STS1 DIGITAL High C Facility Interof Is Che | Affice Transport - Dedicated - 4- Wire Voice Grade ination - Facility Termination per month accurring Currently Combined Network Elements Switch - Assarge EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC Capacity Unbundled Local Loop - DS3 combination - Per per month The Capacity Unbundled Local Loop - DS3 combination - Local Termination per month The Transport - Dedicated - DS3 - Per Mile per month ffice Transport - Dedicated - DS3 combination - Facility ination per per month The Capacity Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements Switch - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assauring Currently Combined Network Elements - Assau | 1 | NSPOS | | | | 127,59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| combin Nonree Is Cha DS3 DIGITAL High C Mile pure High C Facility Interof Inte | ination - Facility Termination per month accurring Currently Combined Network Elements Switch - As- arge EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC Capacity Unbundled Local Loop - DS3 combination - Per per month Capacity Unbundled Local Loop - DS3 combination - ty Termination per month (If Transport - Dedicated - DS3 - Per Mile per month office Transport - Dedicated - DS3 combination - Facility ination per per month courring Currently Combined Network Elements Switch - As- | 1 | NSPOP | LINCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| ls Che DS3 DIGITAL High C Mile py High C Facility Interof Interof STS1 DIGITAL High C Mile pe High C Facility Interof Interof Facility Interof Facility Interof Facility Interof Per mc Interof Termir Nonre Is Cha 2-WIRE ISDN First 2 Transg First 2 Transg Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof | arge EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC Capacity Unbundled Local Loop - DS3 combination - Per per month Capacity Unbundled Local Loop - DS3 combination - It Capacity Unbundled Local Loop - DS3 combination - It Capacity Unbundled Local Loop - DS3 combination - It Capacity Temmination per month Office Transport - Dedicated - DS3 - Per Mile per month Capacity Capacity Combined Network Elements Switch - As- Capacity Courrontly Combined Network Elements Switch - As- | 1 | NSPOR | OHOVA | U1TV4 | 22.58 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | | | ĺ |
| DS3 DIGITAL High C Mile pi High C Facility Interof Interof STS1 DIGITAL High C STS1 DIGITAL High C Mile pi High C Facility Interof Termin Nonre Is Cha STS1 DIGITAL High C Mile pi High C Facility Interof Termin Nonre Is Cha 2-WIRE ISDN First 2 Trans; First 2 Trans; Interof Interof Interof Termin | EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC Capacity Unbundled Local Loop - DS3 combination - Per ber month Capacity Unbundled Local Loop - DS3 combination - ly Termination per month office Transport - Dedicated - DS3 - Per Mile per month office Transport - Dedicated - DS3 combination - Facility ination per per month courning Currently Combined Network Elements Switch -Assecting Currently Combined Network Elements Switch -Assections | CE TRA | NSPOR | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| High C Mile pu High C Facility Interof | Capacity Unbundled Local Loop - DS3 combination - Per per month Capacity Unbundled Local Loop - DS3 combination - ty Termination per month office Transport - Dedicated - DS3 - Per Mile per month office Transport - Dedicated - DS3 combination - Facility ination per per month courning Currently Combined Network Elements Switch -As- | | | | 1011000 | <u> </u> | 0.00 | 0.50 | 0.30 | 0.30 | | 11.50 | | | | |
| Mile pu High C Facility Interof Interof STS1 DIGITAL High C Mile pe High C Facility Interof Facility Interof Facility Interof Per mo Interof Termir Nonre Is Cha 2-WIRE ISDN First 2 Trans; First 2 Trans; Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof Interof | per month Capacity Unbundled Local Loop - DS3 combination - If Temmination per month Office Transport - Dedicated - DS3 - Per Mile per month Office Transport - Dedicated - DS3 combination - Facility Ination per per month Currently Combined Network Elements Switch -As- | - | 1 | 1 | | | | | | | , ———————————————————————————————————— | | | | | |
| Facility Interof Termir Nonres STS1 DIGITAL High C Facility Interof per ma Interof Termir Nonres Is Cha 2-WIRE ISDN First 2 Transg First 2 Transg Interof Interof Termir Nonres Is Cha Termir Nonres Is Cha Termir Nonres Is Cha Transg First 2 Transg First 2 Transg Interof Interof Termir Nonres Interof Interof Termir | ty Termination per month ffice Transport - Dedicated - DS3 - Per Mile per month ffice Transport - Dedicated - DS3 combination - Facility ination per per month courning Currently Combined Network Elements Switch -As- | 1 | 1 | UNC3X | 1L5ND | 10.92 | | | | | | | | | | |
| Interof Interof Termin Nonres Is Cha STS1 DIGITAL High C Mile pe High C Facility Interof per mo Interof Termin Nonres Is Cha 2-WIRE ISDN First 2 Transs First 2 Transs Interof Interof Interof | office Transport - Dedicated - DS3 - Per Mile per month office Transport - Dedicated - DS3 combination - Facility ination per per month courning Currently Combined Network Elements Switch -As- | 1 | | UNC3X | UE3PX | 386.88 | 249.97 | 162.05 | 67.10 | 26.82 | | 11.90 | | | | |
| Interofi Termin Nonree Is Cha STS1 DIGITA High C Mile pe High C Facility Interof per ma Interof Termin Nonree Is Cha 2-WIRE ISDN First 2 Transg First 2 Transg Interof Interof Interof Termin First 2 Transg First 2 Transg | office Transport - Dedicated - DS3 combination - Facility ination per per month ecurring Currently Combined Network Elements Switch -As- | - | | UNC3X | 1L5XX | 3.87 | 243.51 | 102.03 | 07.10 | 20.62 | | 71.90 | | | | |
| Termir Norrer Is Cha STS1 DIGITAI High C Mile pe High C Facility Interof per mm Interof Termir Norrer Is Cha 2-WIRE ISDN First 2 Transg First 2 Transg Interof Interof Interof Interof Interof Interof Termir | ination per per month ecurring Currently Combined Network Elements Switch -As- | | † | G. V. Gar. | 1200 | 0.01 | | | | | | | | | | |
| Is Cha STS1 DIGITAI High C Mile pe High C Facility Interof per ma Interof Termir Nonree Is Cha 2-WIRE ISDN First 2 Transg First 2 Transg Interof Interof Interof Interof Interof Interof Interof Interof Termir | | ļ | <u> </u> | UNC3X | U1TF3 | 1,071.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | | | | L |
| STS1 DIGITAL High C Mile pe High C Facility Interof per me Interof Termir Nonree Is Cha 2-WIRE ISDN First 2 Trans; First 2 Trans; Interof Interof Interof Interof Termir | | 1 | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | ı l | 11,90 | , , | ' | | |
| High C Mile pp High C Facility Interof per me Interof Termin Nonree Is Cha 2-WIRE ISDN First 2 Transg First 2 Transg First 2 Transg Interof Interof Interof | LEXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TE | ZANSP | | ONCCC | | 0.50 | 0.30 | 0.36 | 0.96 | | 11,90 | | t | | |
| High C Facility Interof per me Interof Termir Nonree Is Cha 2-WIRE ISDN First 2 Transg First 2 Transg Interof Interof Interof Termir | Capacity Unbundled Local Loop - STS1 combination - Per | 1 | T | I | - | | | | | | | | | l | | |
| Facility Interof per mm interof Termir Nonrec Is Cha 2-WIRE ISDN First 2 Trans; First 2 Trans; Interof Interof Termir Ter | per month | L | | UNCSX | 1L5ND | 10.92 | | | | | | | | | | |
| Interof per mix interof Termir Nonre Is Cha 2-WIRE ISDN First 2 Transp First 2 Iransp Interof Interof Interof | Capacity Unbundled Local Loop - STS1 combination - ty Termination per month | | | UNCSX | UDLS1 | 426.60 | 249.97 | 162.05 | 67.10 | 26.82 | | 11.90 | | | | |
| Interof Termir Nonree Is Cha 2-WIRE ISDN First 2 Trans; First 2 Trans; Interof Interof Termir | ffice Transport - Dedicated - STS1 combination - Per Mile | | † | | 1 | | #14161 | | 01.10 | | | | | ^ | | |
| Termir Nonree Is Cha 2-WIRE ISDN First 2 Transs First 2 Transs First 2 Transs Interof Interof Termir | | | | UNCSX | 1L5XX | 3.87 | | | | | | | | L | | |
| ls Cha 2-WIRE ISDN First 2 Transp First 2 Transp Interof Interof Termin | office Transport - Dedicated - STS1 combination - Facility ination per month | | | UNCSX | U1TFS | 1,056.00 | 314.45 | 130.88 | 38.60 | 18.23 | | 11.90 | , | | | |
| Z-WIRE ISDN First 2 Transp First 2 Transp First 2 Transp Interof Interof Termin | ecurring Currently Combined Network Elements Switch -As- | - | | IBICOV | LINGGO | | 0.00 | 0.00 | 0.00 | 0.00 | | 14.00 | | | | |
| First 2 Transp First 2 Transp First 2 Transp Interof Interof Termin | arge EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOL | DT /EEL | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | r | 11,90 | | t | | |
| Transp First 2 Transp First 2 Transp Interof Interof Termin | 2-Wire ISDN Loop in a DS1 Interoffice Combination | IN TELE | 1 | | | | | | | | / - | | | i | | - |
| Transp First 2: Transp Interof Interof Termir | sport - Zone 1 | | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | į į | | |
| First 2 Transp Interof Interof Termin | 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | i | | | | | |
| Transç Interof Interof Termir | port - Zone 2 2-Wire ISDN Loop in a DS1 Interoffice Combination | ļ | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | ļ | | |
| Interof Interof Termir | port - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | 1 | 11.90 | | į | | 1 |
| Termin | office Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | I | | |
| | office Transport - Dedicated - DS1 combintion - Facility ination per month | | | UNC1X | U1TF1 | 88.44 | 174.46 | 122.46 | 45.61 | 17.95 | | 11.90 | | | | |
| Chann per mo | nelization - Channel System DS1 to DS0 combination - | | | UNC1X | MQ1 | 146,77 | 51.83 | 10.75 | | | i | 11,90 | | | | |
| | SISDN COCI (BRITE) - DS1 to DS0 Channel System | | † | O. CO. | | | 01.00 | 10.70 | | | | 11.00 | | | | |
| combin | ination - per month | | ļ | UNCNX | UC1CA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | i | 11.90 | | | | |
| Combi | ional 2-wire ISDN Loop in same DS1Interoffice Transport pination - Zone 1 | | 1 | UNCNX | U1L2X | 19.28 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | onal 2-wire ISDN Loop in same DS1Interoffice Transport oination - Zone 2 | | 2 | UNCNX | U1L2X | 27.40 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| | ional 2-wire ISDN Loop in same DS1Interoffice Transport pination - Zone 3 | | 3 | UNCNX | U1L2X | 48.62 | 127.59 | 60.60 | 42.79 | 2.81 | | 11.90 | | | | |
| 2-wire | ISDN COCI (BRITE) - DS1 to DS0 Channel System | 1 | | | | | | | | | | | | | | |
| Nonre | intaion- per month ecurring Currently Combined Network Elements Switch -As- | - | - | UNCNX | UC1CA | 3.66 | 12.16 | 8.77 | 6.71 | 4.84 | | 11.90 | | | | |
| ls Cha | | | | UNC1X | UNCCC | | 8.98 | 8,98 | 8,98 | 8.98 | | 11.90 | | <u> </u> | L | |
| | arge | TEROF | FICE T | RANSPORT (EEL) | ļ | | | | | | , | | | ļ | | |
| Zone | DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | | 1_ | UNC1X | USLXX | 70.74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11,90 | | | | |
| First D Zone 2 | DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN DS1 Loop in STS1 Interoffice Transport Combination - | 1 | | | | | | | | | | | | | , | |

| ATTEMPT NATE LEAVISTS AND ALL PLANTS | JNBUNDLE | D NETWORK ELEMENTS - Florida | 1 | | | | Ţ | | | | | , | | Attach | | | bit: A |
|--|-----------|--|--|--------------|-------------------|-----------------------|-------------------|--------|------------|--|-------|-------------------|-----------------------|--|--|--|--|
| Part DEC Top 1 575 Investigat Top 1 50 | CATEGORY | RATE ELEMENTS | 1 | Zone | BCS | บรอด | | | RATES (\$) | | | Submitted Elec | Submitted Manually | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| Past GRI Corp. TSP 1 interface Tonescare Construction. June 1997 June 19 | | | | ļ | | | Rec | | | | | | | | | | , |
| Company Comp | | First DS1 Loop in STS1 Interoffice Transport Combination | | | | | | First | Add1 | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Prescribed Temporary Declarated STST contentation - For Mile March St. 150 M | | | | 3 | UNC1X | USLXX | 178.39 | 217.75 | 121 62 | 51 44 | 14 45 | | 11 90 | | | | |
| Terrivation | | Per Month | | | | | | | | | | | , 11.00 | | | | |
| SIS1 to DS: Chemical System confusions on month DSCSX MGCS 211.9 26.06 3160 3160 3160 3160 DSC D | | | | | | | | | | | | | | | | | |
| BSI Inhefate Lettus (ISS) COCI combination per month UNCIX DUCID 13/06 17/16 8/7 6/71 4/45 11/06 1 | | | ļ | - | | | | | | | | | | | | | |
| Additional Continues of Still Interesting Engaged Controllation 1 UNCIX USUX T0.74 217.75 121.02 51.44 14.45 11.00 | | DS2 Interface Unit (DS1 COCI) combination per month | | | | | | | | | | | 11,90 | | | | |
| Zime 1 | | | | | UNCIX | UC1D1 | 13.76 | 12,16 | 8.77 | 6.71 | 4.84 | | | | | | |
| Zone 2 | | Zone 1 | | 1 | UNC1X | USLXX | 70,74 | 217.75 | 121.62 | 51.44 | 14.45 | | 11,90 | | | | |
| Zone 3 | | Zone 2 | | 2 | UNC1X | USLXX | 100.54 | 217.75 | 121.62 | 51.44 | 14.45 | | 11.90 | | | | |
| DS3 Interface Interface Principe Office Anthropis Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Controlled Methods Exercises Switch - April 1.00 Nonercourse Gurently Control | | | | 3 | LING1X | USLXX | 178 30 | 217 75 | 191 69 | 51 44 | 14.45 | | 11 00 | | | | 1 |
| Normorrowing Currently Combined Network Elements Switch Associated Normorrowing Currently Cu | | | | 1 - | | | | | | | | | | | | | |
| A-Wire Se KRPS DIGITAL EXTENDED L.O.OP WITH 8K REPS INTEROFFEC TRANSPORT (EEL) | | Nonrecurning Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| Combanition - Zone 1 | 4-WIRE | E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE 1 | RANS | PORT (EEL) | | | | • | | | | | | | | |
| Combination - Zone 2 2 UNCDX UDL56 31.56 127.59 60.54 42.79 2.81 11.90 | | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| Combination - Zone 3 | | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| Per Mile Interoffice Transport - Decisated -4 -were 56 kbps combination - UNCDX | | Combination - Zone 3 | | 3 | UNÇDX | UDL56 | 55.99 | 127.59 | 60,54 | 42.79 | 2.81 | | 11.90 | | | | |
| Facility Termination UNCDX UTTDS | | Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | v.4144 | | |
| Scharge UNCDX | | Facility Termination | | | UNCDX | U1TD5 | 18,44 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | | | |
| 4-wire 64 kbps Loop/4-wire | 4 1411701 | Is Charge | | | | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| Combination - Zone 1 | 4-44166 | | FFICE | RANS | PORT (EEL) | | | | | | | | | | | | |
| Combination - Zone 2 | | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 22.20 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| Combination - Zone 3 3 UNCDX UDL64 55.99 127.59 60.54 42.79 2.81 11.90 | | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 31.56 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination UNCDX | | Combination - Zone 3 | | 3 | UNCDX | UDL64 | 55.99 | 127.59 | 60.54 | 42.79 | 2.81 | | 11.90 | | | | |
| Facility Termination | | | | ļ | UNCDX | 1L5XX | 0.0091 | | | | | | | | ***** | *************************************** | |
| Is Charge | | Facility Termination | | | UNCDX | U1TD6 | 18.44 | 94.70 | 52.59 | 50.49 | 21.53 | | 11.90 | | | | |
| When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements Switch As Is Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch As Is UNCVX UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps UNCDX UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1 UNCTX UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 UNCTX UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 UNCTX UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3 UNCTX UNCCC 8.98 8.98 8.98 8.98 11.90 Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1 UNCSX UNCCC 8.98 8.98 8.98 8.98 11.90 NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3-one month, DS3 and above=four months | DOLLIONS | Is Charge | | ļ | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements "Switch As Is "Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch - As- Is Charge - 2 wire/4-Wire VG | | | na cha | rnes de | not apply but a s | Switch Actes | harne does ann | dv | | ļ — — | | | | | | | |
| Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As- UNCVX UNCCC 8.98 8.98 8.98 8.98 8.98 11.90 | | | | | | | | | | | | | | | <u> </u> | ······································ | |
| Nonrecurring Currently Combined Network Elements Switch -As- UNCVX | | | | | | | | | | | | | | | | | |
| Is Charge - 56/64 kbps | | Nonrecurning Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG | | | | | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| Is Charge - DS1 | | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11,90 | | | | |
| Is Charge - DS3 | | Is Charge - DS1 | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11,90 | | | | |
| Is Charge - STS1 | | Is Charge - DS3 | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | NOTE | ls Charge - STS1 | Da'- | Dea | | | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | NOTE: | Local Channel - Dedicated Transport - minimum billing perior Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | u - Belo I | | | nd above=fou ULDV2 | r months 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | L |

Version 1Q03: 02/28/03 Page 17 of 53
103 of 228

| UNBUN | DLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhi | bit: A |
|----------|----------|--|---------------------------------------|--|-----------------------------|----------------|----------------|------------------|----------------|----------------|--------------|--------------|---|--|--|---|---|
| CATEGO | RY | RATE ELEMENTS | Interi m | Zone | всѕ | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | <u></u> |
| - | | 1 | | | | | | First | Add'l | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | 2 | UNCVX | ULDV2 | 27.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| - | | Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | 3 | UNCVX | ULDV2 ULDV4 | 49.58 20.45 | 265.84 266.54 | 46.97 47.67 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 | | 2 | UNCVX | ULDV4 | 29.06 | 266.54 | 47.67 | 44.22 44.22 | 5.33 5.33 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade Zone3 | | 3 | UNCVX | ULDV4 | 51.56 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | ļ | | |
| | | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 36,49 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | l | | |
| | | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 51,85 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| | | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 92.00 | 216.65 | 183.54 | 24.30 | 16.95 | l | 11.90 | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 8.50 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X | ULDF3 | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 8.50 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | L | L | UNCSX | ULDFS | 540.69 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | | l Features & Functions: | | L | | | | | | | | | | | | | |
| | | Clear Channel Capability (SF/ESF) Option - Subsequent | ١. | | ULDD1, U1TD1, | | | | | | | | | | I | | |
| | | Activity - per DS1 | <u> </u> | ļ | UNC1X, USL | NRCCC | | 65.01 | | | | ļ | 11.90 | | | | |
| 1 | | C-bit Parity Option - Subsequent Activity - per DS3 | ۱. | | U1TD3, ULDD3, UE3, UNC3X | NRCC3 | | 50.01 | | | | | 14.00 | | | | |
| l N | IIII TIP | LEXERS | - '- | | UES, UNUSA | INKCC3 | | 10.00 | | - | | | 11.90 | | ļ | | |
| | | ninimum billing period is one month for DS1 to DS0 Channel | System | and i | nterfaces | | | | | | | ļ | | | | | |
| | | ninimum billing period is three months for DS3 to DS1 Chann | | | | | | | | | | | | | | | |
| | | DS1 to DS0 Channel System (with the higher-level connected to | | [| I Michigo | | | | | | | | | | | | |
| | | a collocation in the same SWC) per month | | | UXTD1 | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | ļ | 11,90 | | | | |
| | | DS1 to DS0 Channel System (used to channelize a DS1 Local | | | | 1 | 1.0,1.1 | 1377.2 | 71102 | 10 | 10.10 | | 11.00 | | | | |
| | | Channel) per month | | | ULDD1 | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | İ |
| | | DS1 to DS0 Channel System (used to channelize a DS1 | | | | | | | | | | 1 | | | | | |
| | | Interoffice Channel) per month | Ĺ | | U1TD1 | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | 1 | 11.90 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | ļ |
| \vdash | | month (2.4-64kbs) used for a Local Loop | | | UDL | 1D1DD | 2.10 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | l | | | | | |
| | | month (2.4-64kbs) used for connection to a channelized DS1 | | | | | | 40.07 | ~ ~ ~ | | | 1 | | | | | |
| | | Local Channel in the same SWC as collocation | | | U1TUD | 1D1DD | 2.10 | 10.07 | 7.08 | | | ļ | 11.90 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop | | | UDN | UC1CA | 3.66 | 40.07 | 7.00 | | | 1 | 11.00 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | UUN | UCICA | 3.00 | 10.07 | 7,08 | | ·-· | | 11.90 | | | ļ. | |
| | | month used for connection to a channelized DS1 Local Channel | | | | | | | | | | [| | | | | ļ |
| | | in the same SWC as collocation | | 1 | U1TUB | UC1CA | 3.66 | 10.07 | 7.08 | | | | 11.90 | | | | |
| - | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | 0.100 | 100,00 | 5.50 | 10.07 | 1,00 | | | | 11.50 | | | | · · · · · · |
| | | used for a Local Loop | | | UEA | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | | | | | | | | İ | 1 | | | <u> </u> | |
| 1 1 | | used for connection to a channelized DS1 Local Channel in the | |] | | | | | | | | 1 | | | | | |
| | | same SWC as collocation | | L | U1TUC | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | | DS3 to DS1 Channel System (with the higher level connected to | | | | | | | | | | | l | _ | | | |
| | | a collocation in the same SWC) per month | L | | UXTD3 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | <u> </u> | | | |
| | | DS3 to DS1 Channel System (used to channelize a DS3 Local | | | | | | | | | | | | | | | |
| \vdash | | Channel) per month | | <u> </u> | ULDD3 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11,90 | | | | |
| | | DS3 to DS1 Channel System (used to channelize a DS3 | | l | | | | | | | | 1 | | | | 1 | |
| + | | Interoffice Channel per month | ļ | ļ | U1TD3 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | | | |
| | | STS-1 to DS1 Channel System (with the higher level connected to a collection in the same SWC), nor month | | 1 | HVTC1 | моз | 214.40 | 400.00 | 440.04 | 40.24 | 20.07 | 1 | 44.00 | | | | |
| \vdash | | to a collocation in the same SWC) per month STS-1 to DS1 Channel System (used to channelize a STS-1 | ļ | | UXTS1 | IMGO | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | | - | ļ |
| | | Local Channel) per month | | 1 | ULDS1 | моз | 211.19 | 199.28 | 118,64 | 40.34 | 39.07 | 1 | 11.90 | | | | |
| | | STS-1 to DS1 Channel System (used to channelize a STS-1 | | | 02.001 | 7,1020 | 211.13 | 133.20 | 110.04 | 40.34 | 33.01 | | 11.50 | | | l | |
| | | Interoffice Channel) per month | l | | U1TS1 | моз | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | | | |
| T | | DS1 COCI used with Loop per month | · · · · · · · · · · · · · · · · · · · | l | USL | UC1D1 | 13.76 | 10.07 | 7.08 | 70.04 | | l | 11.90 | - | | | |
| | | DS1 COCI (used for connection to a channelized DS1 Local | l | † | | 1 | | | | | | | 1 | | | l | |
| | | Channel in the same SWC as collocation) per month | | l | U1TUA | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | 1 | |
| | | DS1 COCI used with Interoffice Channel per month | | T | U1TD1 | UC1D1 | 13.76 | 10.07 | 7.08 | l | | l | 11.90 | | | 1 | |
| s | | op Feeder | | 1 | | | | | | 1 | | † | l | | | | - |
| | | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | UNC1X | USBFG | 42.59 | 133.77 | 78.02 | 85.16 | 21.21 | | | | | İ | |

Version 1Q03: 02/28/03

| UNBUNDL | LED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhi | bit: A |
|----------|--|--------------|--------------|---------------------|----------------|-----------------|------------------|---|----------------|------------------|--------------|-----------|---|---|---|--|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | 1 | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | ļ | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | T |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | ļ | - 2 | LINICAV | UCDEC | 00.50 | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | ļ | 3 | UNC1X UNC1X | USBFG | 60.53 107.39 | 133.77 133.77 | 78.02 78.02 | 85.16 85.16 | 21.21 | | | | | | |
| UNBUNDLE | ED LOCAL EXCHANGE SWITCHING(PORTS) | | 3 | DINCIA | USBFG | 107.39 | 133.77 | 78.02 | 85.16 | 21,21 | | ļ | | | ļ | - |
| | change Ports | ļ | | | | | | | | | | | | | | |
| | TE: Although the Port Rate includes all available features in GA, | KY. LA | & TN. t | he desired features | will need to b | pe ordered usin | g retail USOCs | | | | | · | | | | - |
| | /IRE VOICE GRADE LINE PORT RATES (RES) | T | T | | | | J 101011 | | | | | | | | <u> </u> | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | 1 | | UEPSR | UEPRL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | *************************************** | | | | | | | | i |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | <u> </u> | İ | UEPSR | UEPRC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| 1 | Exchange Ports - 2-Wire VG unbundled Florida area calling with | | | Lienon | | | | _ | | | | | | | | |
| | Caller ID - Res. | | ļ | UEPSR | UEPAF | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | ļ | |
| 1 | Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability | | | UEPSR | UEPA9 | 1.40 | 3.74 | 2.00 | 1.88 | 4.00 | | 14.00 | ĺ | | | |
| | Exchange Ports - 2-Wire VG unbundled Florida extended | ļ | ļ | DEPSK | UEPAS | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | dialing port for use with CREX7 and Caller ID | | | UEPSR | UEPA1 | 1,40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Florida extended | | | OLI ON | OLI AT | 1.40 | 3.14 | 3.05 | 1.00 | 1.00 | | 11.50 | | | | |
| 1 | dialing port for use with CREX7, without Caller ID capability | | | UEPSR | UEPA8 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | 02.01 | 021710 | 1.10 | 0.14 | 5.00 | 1.00 | 1.00 | <u> </u> | 17,30 | | | | |
| 1 | with Caller ID (LUM) | | | UEPSR | UEPAP | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | ! | | | | | | 0.00 | neo | 1100 | | 1,,,,,, | | | | |
| | Capability | | | UEPSR | UEPRT | 1,40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | İ | |
| FEA | ATURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| 2-W | /IRE VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | 1 | 1 | | | | | | | | | | | | | |
| | Bus | | | UEPSB | UEPBL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | | 1 | | | | | | | | | | | | 1 | |
| | unbundled port with Caller+E484 ID - Bus. | | <u> </u> | UEPSB | UEPBC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | <u> </u> | 11.90 | | | | ļ |
| 1 | 5 | | | LIEDOD | LIEDDO | | 0.74 | 0.00 | 4.00 | 4.00 | į | 11.60 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | ļ | | UEPSB | UEPBO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | - | 11,90 | | | | ļ |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | i | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | ULF-36 | OLFBI | 1.40 | 3.74 | 3.03 | 1.00 | 1.00 | | 11.50 | | | | |
| 1 | Capability | | | UEPSB | UEPBE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FEA | ATURES | t | | | | | | | | | | T | İ | | T | T |
| | All Available Vertical Features | 1 | | UEPSB | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| EXC | CHANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | ļ | L | UEPSP | UEPPC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | ļ | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | ļ | ļ | UEPSP | UEPPO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | ļ | UEPSP | UEPP1 | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | ļ | | ļ | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | ļ | ļ | UEPSP | UEPLD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | <u> </u> | 11.90 | | | ļ | ļ |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | ├ ── | UEPSP | UEPLD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | ļ | ļ | |
| | 2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | - | UEPSP UEPSP | UEPXA UEPXB | 1,40 1,40 | 39.06 39.06 | 18.18 18.18 | 12.35 12.35 | 0.7187 0.7187 | | 11.90 | | | ! | |
| | 2-Wire Voice Unbundled PBX Foil Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXB | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | 1 | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | † | | UEPSP | UEPXD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | - | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | VI | JEI AU | 1.40 | 35.00 | 10.10 | 12.00 | 0.1 101 | | 1 ,1.50 | | | | |
| - 1 | Capable Port | | | UEPSP | UEPXE | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | ł | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | † | t | t | | | 55.55 | .5.16 | 1 | 551 | | 1 | | | | T |
| | Administrative Calling Port | | | UEPSP | UEPXL | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | 1 | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | T | T | | 1 | | | | | | | | | | | |
| 1 | Room Calling Port | | | UEPSP | UEPXM | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | L | 11.90 | | | <u> </u> | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | T | Τ | T | I | | | | 1 | | 1 | | 1 | l | | |
| | [2-Ville Voice Orbitingled 1-VVay Outgoing FBA Hotel/Hospital | 1 | i . | 1 | UEPXO | 1.40 | l l | | 12.35 | 0.7187 | 1 | 11.90 | i | 1 | | |

| | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 1 | | bit: A |
|------------|---|--|--------------|---------------------|--|--|-----------------|---------------|-------------------|----------------|--|--|--|---------------|--|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - | Charge - |
| т | | | | | | | Nonrec | urina | Nonrecurring | Disconnect | | L | | Rates(\$) | | 1 |
| | | | + | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | † | 1 | UEPSP | UEPXS | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 2.26 | 0.00 | 0.00 | | | <u> </u> | 11.90 | | | | |
| EXCH | IANGE PORT RATES (COIN) | | - | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | <u> </u> | <u>.</u> l | L | .L | 1.40 | 3.74 | 3.63 | 1.88 | 1,80 | L | 11.90 | L | ļ | ļ | |
| | : Transmission/usage charges associated with POTS circuit s | | | | | | | | | | | | | D | <u> </u> | - |
| | : Access to B Channel or D Channel Packet capabilities will b LOCAL EXCHANGE SWITCHING(PORTS) | e avalla | ble ont | y through BFR/New | Business Re | quest Process. | Rates for the | раскет сараві | itties will be de | termined via t | ne Bona Fi | ie Kequesti | New Busines | s Request Pro | ocess. | |
| | IANGE PORT RATES | | | | - | | | . | | | | | | | <u> </u> | |
| | Exchange Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.73 | 78.41 | 15.82 | 41,94 | 4.26 | | 11.90 | | | 1.83 | 1 |
| | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | † | 1 | | 1221.2 | 0.70 | 7011 | 10.02 | 41.54 | 1.20 | | 1 | | | 1 | |
| | capability | 1 | 1 | UEPDD | UEPDD | 54.95 | 151.11 | 77.75 | 48.81 | 3.10 | | 11.90 | 1 | | 1.83 | |
| | Exchange Ports - 2-Wire ISDN Port (See Notes below.) | 1 | 1 | UEPTX UEPSX | U1PMA | 8.83 | 46.83 | 50.68 | 27.64 | 11.93 | | 11.90 | | | 1.83 | |
| | All Features Offered | | 1 | UEPTX UEPSX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | : Transmission/usage charges associated with POTS circuit s | | | | | | | | | | | | | | | |
| NOTE | : Access to B Channel or D Channel Packet capabilities will b | e availa | ble ont | | | | | | lities will be de | termined via t | he Bona Fi | de Request/ | New Busines | s Request Pr | ocess. | |
| | Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | <u></u> | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | <u></u> | <u> </u> | UEPEX | UEPEX | 82.74 | 174.61 | 95.17 | 49,80 | 18.23 | | 11.90 | | ļ | 1.83 | |
| | INDLED PORT with REMOTE CALL FORWARDING CAPABILIT | | - | | | | | | | | | ļ | | | | |
| UNB | INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | - | | 1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | ļ | | 1 | |
| | Unbundled Remote Call Forwarding Service, Area Calling, Res | 1 | - | UEPVR | UERAC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | - | |
| 1 | Note and add Demote Call Forward on Continue Land Colling Des | .1 | | UEPVR | UERLC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11,90 | | | | 1 |
| | Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res | - | + | UEPVR | UERTE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, IntelEATA - Res | + | | UEPVR | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | 1 |
| Non- | Recurring | 1 | + | OLI VI | - OLKIN | 1.10 | | | | 11.55 | | | | | | 1 |
| 7,011 | Unbundled Remote Call Forwarding Service - Conversion - | | _ | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPVR | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | 1 | | | | | | | | | | | | | |
| l | allowed change (PIC and LPIC) | | 1 | UEPVR | USACC | | 0.102 | 0.102 | | | | | ļ | | | |
| UNB | JNDLED REMOTE CALL FORWARDING - Bus | ļ | 1 | | | | | | | | | | | _ | | |
| | | | 1 | | | [| | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | ļ | UEPVB | UERAC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | - | 11.90 | - | _ | | |
| | | | | | | | 2.71 | 3.63 | 1.88 | 1.80 | | 11.90 | | 1 | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | - | | UEPVB UEPVB | UERLC | 1.40 1.40 | 3.74 3.74 | 3.63 | 1.88 | 1.80 | ļ | 11.90 | | + | 1 | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | - | | UEPVB | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and | + | + | DELAB | JENIK | 1.40 | 3.74 | J.03 | 1.00 | 1.00 | | 11.90 | | 1 | † | |
| - | Exception Local Calling | 1 | 1 | UEPVB | UERVJ | 1,40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | 1 | | 1 | |
| Non- | Recurring | | + | | 020 | 1 | V.1.4 | 0.00 | | 1,50 | | 1 | Ť . | 1 | T | |
| 11011 | Unbundled Remote Call Forwarding Service - Conversion - | + | 1 | | | | | | | | | | | | | |
| 1 | Switch-as-is | | | UEPVB | USAC2 | | 0.102 | 0.102 | | <u> </u> | <u> </u> | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | 1 | 1 | | | | | | | | | | | | | |
| 1 | allowed change (PIC and LPIC) | L_ | | UEPVB | USACC | | 0.102 | 0.102 | | | | | <u> </u> | 1 | | |
| | LOCAL SWITCHING, PORT USAGE | | | | | | | | | | ļ | _ | | <u> </u> | _ | ļ |
| End | Office Switching (Port Usage) | | | | _ | | | | | | | ļ | ļ | <u> </u> | ļ | |
| | End Office Switching Function, Per MOU | ļ | 1 | | | 0.0007662 | | | | | | | | - | | - |
| | End Office Trunk Port - Shared, Per MOU | | 1- | | | 0.000164 | | | | | - | | - | | + | + |
| Tand | em Switching (Port Usage) (Local or Access Tandem) | | | | | 0.0001340 | | | | | - | + | | - | + | |
| | Tandem Switching Function Per MOU | | | | + | 0.0001319 | | | - | | | | + | | - | 1 |
| | Tandem Trunk Port - Shared, Per MOU | | + | | | 0.000235 | | | | ļ | | | | 1 | | |
| Com | mon Transport Common Transport - Per Mile, Per MOU | + | + | | + | 0.0000035 | | | | | | 1 | † | | | 1 |
| | Common Transport - Per Mile, Per MiOU Common Transport - Facilities Termination Per MOU | + | + | | 1 | 0.0004372 | | | | 1 | | 1 | † | | | 1 |
| | PORT/LOOP COMBINATIONS - COST BASED RATES | + | + | | 1 | 9.000,012 | | | | | | | 1 | | | |
| UNBUNDI EL | | ř. | | | 1 | | | · | | | 1 | | 1 | T | 1 | 1 |
| UNBUNDLED | Based Rates are applied where BellSouth is required by FCC a | nd/or S | tate Co | mmission rule to pr | rovide Unbun | dled Local Swit | tching or Swite | ch Ports. | l | | | | <u>i </u> | <u> </u> | | |

| NRONDE | י עם. | NETWORK ELEMENTS - Florida | , | · | r | | ····· | | | | | | | | ment: 1 | | bit: A |
|---------|--------|---|--|----------|--------------------|----------------|----------------|----------------|----------------|-----------------|---|--------------|---|--|--|---|--|
| ATEGORY | , | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| 1 | + | | ļ | ļ | | - | P | Nonred | curring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | 1 |
| | | Water 1 to 1 to 1 to 1 to 1 to 1 to 1 to 1 t | | <u> </u> | | | Rec | First | Add'l | First | Add'i | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | and additional Port nonrecurring charges apply to Not Curr | rently C | ombine | ed Combos. For Cur | rrently Comb | ined Combos t | ne nonrecurrin | g charges sha | I be those iden | ntified in the N | onrecurring | - Currently | Combined s | ections. | | |
| | | OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | ļ | | | | | | | | | | | | | |
| UNE | | Loop Combination Rates | | 1_ | | - | 1001 | | | | | | | | | | |
| | | Wire VG Loop/Port Combo - Zone 1 Wire VG Loop/Port Combo - Zone 2 | | 1 | | | 10.94 15.05 | | | | | | | | | | |
| | | Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 25.80 | | | | | | | | | - | |
| LINE | | Rates | | - | | | 25.60 | | | | | | | | | | |
| - ONE | | Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 | UEPRX | UEPLX | 9.77 | | | | | | | | | | - |
| | | Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 13.88 | | | | *************************************** | | | | | | |
| | | Wire Voice Grade Loop (SL1) - Zone 3 | † | 3 | UEPRX | UEPLX | 24.63 | | | | | | | | | | |
| 2-W | | ice Grade Line Port Rates (Res) | 1 | | | 1 | | | | | | | | | | | |
| | 2- | Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | 1 | | |
| | | Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2- | Wire voice unbundled port oulgoing only - res | ļ | ļ | UEPRX | UEPRO | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | | Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPRX | UEPAF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | (LI | Wire voice unbundles res, low usage line port with Caller ID UM) | | | UEPRX | UEPAP | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | wi | Wire voice unbundled Florida extended dialing port for use th CREX7 and Caller ID | | | UEPRX | UEPA1 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | wi | Wire voice unbundled Florida extended dialing port for use th CREX7, without Caller ID capability | | | UEPRX | UEPA8 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | ID. | Wire voice unbundled Flonda Area Calling Port without Caller Capability | | | UEPRX | UEPA9 | 1.17 | 53.31 | 26,46 | 27.50 | 8.37 | | 11.90 | | | | |
| EEA | | Wire voice unbundled Low Usage Line Port without Caller ID apability | | <u> </u> | UEPRX | UEPRT | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| FEM | | Features Offered | | | UEPRX | UEPVF | 2.26 | 0.00 | 0.00 | | | - | 11.90 | | | | |
| LOC | | UMBER PORTABILITY | 1 | | 52.181 | 102. 11 | 2.110 | 0.00 | 0.00 | | | | | | | t | † |
| | | ocal Number Portability (1 per port) | | † | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| 10И | NRECU | URRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 | | | | | | | | | | | | | |
| | | Wire Voice Grade Loop / Line Port Combination - Conversion - witch-as-is | | | UEPRX | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | Sı | Wire Voice Grade Loop / Line Port Combination - Conversion - witch with change | - | | UEPRX | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| ADD | | AL NRCs | <u> </u> | <u> </u> | | | | | | | | | | | <u> </u> | <u> </u> | ļ |
| | | Wire Voice Grade Loop/Line Port Combination - Subsequent | 1 | 1 | Lumber | | | | | | | 1 | | | | | 1 |
| | | ctivity POPT (PUS) | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | ļ | 11.90 | | | | - |
| | | OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | ļ | - | | | 1 | | | | | | | <u> </u> | 1 | | |
| UNE | = Port | /Loop Combination Rates Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.94 | | | | | | | | | | |
| | | Wire VG Loop/Port Combo - Zone 2 | 1 | 2 | | + | 15.05 | | | | | l . | l | | | | |
| | | Wire VG Loop/Port Combo - Zone 3 | | 3 | <u> </u> | † | 25.80 | | | | | † | | | 1 | | T |
| UNF | | p Rates | 1 | † | | · | 1 | | | | | | | | <u> </u> | | T |
| | | Wire Voice Grade Loop (SL1) - Zone 1 | T | 1 | UEPBX | UEPLX | 9.77 | | | | | | | | | | |
| | | Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 13.88 | | | | | | | | | | |
| | 2- | Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 24.63 | | | | | | | | | | |
| 2-W | | rice Grade Line Port (Bus) | 1 | | | | | | | | | <u> </u> | | | | | |
| | | Wire voice unbundled port without Caller ID - bus | 1 | 1 | UEPBX | UEPBL | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | ļ | ļ | | |
| | | Wire voice unbundled port with Caller + E484 ID - bus | ļ | | UEPBX | UEPBC | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | - | <u> </u> | | - |
| | | Wire voice unbundled port outgoing only - bus | + | | UEPBX | UEPBO | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | <u> </u> | 11.90 11.90 | - | | ļ | |
| | 2- | Wire voice unbundled incoming only port with Caller ID - Bus Wire voice unbundled Incoming Only Port without Caller ID | | | UEPBX | UEPB1 UEPBE | 1.17 | 53.31 53.31 | 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 | | | | |
| LOC | CAL N | apability UMBER PORTABILITY | <u> </u> | | UEPBX | | 0.35 | 53.31 | 25.46 | 27.30 | 6.37 | | 11.90 | | | | |
| | | ocal Number Portability (1 per port) | | \vdash | UEPBX | LNPCX | 0.35 | | | | | | | - | 1 | | |
| rt:A | TURE | S Features Offered | | ╂ | UEPBX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | - | |
| | | | | | | | | | | | | | | | | | |

| MOUNDEEL | NETWORK ELEMENTS - Florida | | | r · · · · · · · · · · · · · · · · · · · | | | | | | | T = | | | ment: 1 | | bit: A |
|----------|---|--------------|--|---|----------------|----------------|--------|------------|--|-------|----------|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Switch-as-is | | | UEPBX | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | ŀ | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | OLI DA | OUNUZ | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | Switch with change | | | UEPBX | USACC | l | 0.102 | 0.102 | | | | 11.90 | | | | |
| | ONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | - | - | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | rt/Loop Combination Rates | | - | | | | | | | | | ļ | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 10.94 | | | - | | | | | | - | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | † | 2 | | 1 | 15.05 | | | | | | | | | · | ļ |
| | 2-Wire VG Loop/Port Combo - Zone 3 | 1 | 3 | | | 25.80 | | | | | | | | | 1 | |
| | op Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 24.63 | | | | | | | | | | |
| | Voice Grade Line Port Rates (RES - PBX) | | <u> </u> | | | | | | | | | | | | ļ., | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res | | | UEPRG | UEPRD | 1.17 | 174.81 | 100.65 | 75.88 | 10.72 | | 11.90 | İ | | i | |
| | NUMBER PORTABILITY | | - | UEPRO | UEPRD | 1.17 | 174,01 | 100.65 | /5.00 | 12.73 | | 11.90 | | | | |
| | Local Number Portability (1 per port) | | 1 | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | <u> </u> | | |
| FEATUR | | | | OLI NO | 2111 01 | 0.10 | 0.50 | 0.00 | <u> </u> | | | 17.50 | | | ļ | |
| | All Features Offered | | 1 | UEPRG | UEPVF | 2.26 | 0.00 | 0.00 | l | | | 11.90 | | | | |
| | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | 1 | | | | | | 1 | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch-As-Is | | | UEPRG | USAC2 | | 8.45 | 1.91 | İ | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Conversion - Switch with Change | ļ | ļ | UEPRG | USACC | | 8.45 | 1.91 | ļ | | | 11.90 | | | ļ | |
| | ONAL NRCs | ļ | ļ | | | | | | | | ļ | | | ļ | ļ | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity | | 1 | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | ┼ | DEPRO | U3A32 | 0.00 | 0.00 | 0.00 | - | | | 11.89 | | | ļ | |
| | Group | | | | | | 7.86 | 7.86 | | | | 11.90 | | | 1 | |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | 1.00 | 1.00 | | | | 71.00 | | | | |
| | rt/Loop Combination Rates | | † | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Comba - Zone 1 | | 1 | | | 10.94 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 15.05 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 25.80 | | | | | | ļ | | | | |
| | op Rates | | L. | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (St. 1) - Zone 1 | ļ | 1 | UEPPX | UEPLX | 9.77 | | | ļ | | | <u></u> | ļ., | | ļ | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX UEPPX | UEPLX UEPLX | 13.88 24.63 | | | <u> </u> | | ļ | | | | | |
| | Voice Grade Line Port Rates (BUS - PBX) | | | UEPPA | UEFLA | 24.03 | | | | | | | | | | - |
| 2.44116 | voice Glade Line Fort Rates (BOS - FBX) | | | | 1 | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | 1 | 1 | UEPPX | UEPPC | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | İ |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | 1 | UEPPX | UEPPO | 1,17 | 174,81 | 100.65 | 75.88 | 12.73 | ļ | 11,90 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | T | | UEPPX | UEPP1 | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | I | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | ļ | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | ļ | UEPPX | UEPXD | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | ļ | ļ | ļ | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | LICDOV | luen.e | | 474.0. | 400.00 | | 40.70 | | 11.00 | | | | |
| | Capable Port | | ļ | UEPPX | UEPXE | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | ֈ | | — |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPPX | UEPXL | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | 1 | 1 | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OCI-F A | - John VI | | 174.01 | 100.03 | 75.00 | 12.13 | | 11.30 | | | | |
| | Room Calling Port | | | UEPPX | UEPXM | 1.17 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | 1 | 1 | 1 | |

| NOUNDLE | D NETWORK ELEMENTS - Florida | | | , | | | | | | | | | Attach | ment: 1 | Exhil | bit: A |
|---------|---|-------------|--------------|----------------|----------------|---------------|------------------|------------------|----------------|----------------|-------|---|--------|--|---|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | ļ | | | | Rec | Nonrec | | Nonrecurring | | | | oss | Rates(\$) | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | First | Add'l | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Discount Room Calling Port | | 1 | UEPPX | UEPXO | 4.47 | 474.04 | 400.05 | | | | | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.17 | 174.81 174.81 | 100.65 100.65 | 75.88 75.88 | 12.73 12.73 | | 11.90 11.90 | | | | |
| LOCA | L NUMBER PORTABILITY | | 1 | OL IX | 021 AU | 3,11 | 174.01 | 100.03 | 13.00 | 12.73 | | 31.90 | - | | | |
| | Local Number Portability (1 per port) | | † · · · · · | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FEAT | | | T | | | | | | | | | 11.50 | | | | - |
| | All Features Offered | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONR | ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is | | | UEPPX | USAC2 | | 8.45 | 1.91 | | | | 11.90 | | | | |
| - 1 | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| ADDIT | Conversion - Switch with Change | | | UEPPX | USACC | | 8.45 | 1.91 | | | | 11,90 | | | | |
| MUDII | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.00 | | | Į l | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | 1- | OP.LV | USASZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Group | | | | | 1 | 7.86 | 7.86 | | | | 11.90 | | | | |
| 2-WIR | E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | ξT | † | | 1 | | | 1100 | | | | 17.50 | | | | |
| UNE F | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo Zone 1 | | 1 | | | 10.94 | | | | | | | , | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 15.05 | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 25.80 | | | | | | | | | | |
| UNEL | oop Rates | | | UEDOO | UEO. V | A == | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO UEPCO | UEPLX UEPLX | 9.77 13.88 | | | | | | | | A | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPCO | UEPLX | 24.63 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Ports (COIN) | , | ऻ—ॕ─ | OLI CO | OLI LX | 24.00 | | | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | † | | <u> </u> | | | | | | | | | | | |
| | 900/976, 1+DDD (FL) | | | UEPCO | UEP2F | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (FL) | | <u> </u> | UEPCO | UEPFA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | | i | i | | | | | | | | | |
| | 900/976, 1+DDD, 011+, and Local (FL) | | ļ | UEPCO | UEPCG | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| 1 | 2-Wire Coin Outward with Operator Screening and 011 Blocking (AL. FL) | | | UEPCO | UEPRK | 1.17 | E2 24 | 20.40 | 27.50 | 0.07 | | 44.00 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | DEPCO | UEPRIN | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | - | |
| | 900/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | 02. 00 | 02.0 | | 00.01 | 20.10 | 27.00 | 0.07 | | 11.50 | | | | |
| | 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | |
| | LA) | | ļ | UEPCO | UEPCR | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| ADDIT | TIONAL UNE COIN PORT/LOOP (RC) | | ļ | | | | | | | | | | | *************************************** | | |
| 1.004 | UNE Coin Port/Loop Combo Usage (Flat Rate) L NUMBER PORTABILITY | | | UEPCO | URECU | 1.86 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | | |
| LUCA | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| NONE | ECURRING CHARGES - CURRENTLY COMBINED | | | DEFCO | LINPOA | 0.35 | | | | | | | | | | |
| 1.0.41 | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | Switch-as-is | | | UEPCO | USAC2 | | 0.102 | 0.102 | | | | 11.90 | İ | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | T | | 1 -= -1 | | | | | | | | | | | |
| | Switch with change | | <u></u> | UEPCO | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | L | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | PORT (| RES) | | | | | | | | | | | | |
| UNE P | Port/Loop Combination Rates | | - | | + | 10.01 | | | | | | | | | | |
| 1 | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 2 | | | 13.64 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | | | | | | | | | | | | | | |

| ADOMDE | ED NETWORK ELEMENTS - Florida | | | · | | | | | | | | | Attach | nent: 1 | Exhi | bit: A |
|---------|--|-------------|--------------|---------------------------------------|-----------|--------|--------|--|--------------|---|-------|---|--|-----------|---|--------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | <u> </u> | <u></u> | | 1166 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | | UEPFR | UECF2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 17.40 | | | | | | | | | | |
| 0.100 | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 30.87 | | | | | | | | | | |
| Z-VVII | re Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | ļ | UEPFR | UEPRL | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | ļ | UEPFR | UEPRC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPFR | UEPAF | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | I | | | | | | | | | | |
| | (LUM) | | | UEPFR | UEPAP | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11,90 | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFR | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFR | 1L5XX | 0.0091 | | | | | | | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| LUCA | AL NUMBER PORTABILITY | | | | | | | | | *************************************** | | | | | | |
| NON | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NUN | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-as-is | | ļ | UEPFR | USAC2 | | 16.97 | 3.73 | | | | 11,90 | | | | |
| ł | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| 2 1405 | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates | LINE | ORT (| BUS) | | | | | | | | | | | | |
| UNE | | | | | | 10.01 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 13.64 | | | | | | | | · ···· | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 32.27 | | | | | | | | | | |
| LINE | Loop Rates | | - | · · · · · · · · · · · · · · · · · · · | | 32.21 | | | | | | | | | | |
| - 0.42 | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | | UEPFB | UECF2 | 30.87 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port (Bus) | | | OCITO | OLGIZ | 30.07 | | | | | | | | | | ļ |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | ļ | UEPFB | UEPBC | 1,40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | ļ |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1,40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| LOCA | AL NUMBER PORTABILITY | | | 00170 | OL. DI | 1,70 | 174.01 | 100.03 | 75.60 | 12.13 | | 11.50 | | | | |
| | Local Number Portability (1 per port) | | | VEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INTE | ROFFICE TRANSPORT | | | OLC I D | - CIVI OX | 0.00 | | | | | | | | | | |
| 1,1,1,2 | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFB | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFB | 1L5XX | 0.0091 | 41.00 | 31.76 | | | | | | | | |
| FFAT | URES | | | | 1,50,00 | 3.0031 | | | | | | | | | | |
| | All Features Offered | | t | UEPFB | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | <u> </u> | 1001 11 | | 0.00 | 0.00 | | | | 71.50 | | | | <u> </u> |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change | | | UEPFB | USACC | | 16.97 | 3.73 | | -17 | | 11.90 | | | | |
| 2-WIF | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | 130100 | | 10.01 | 0.73 | | | | , , , , , 0 | | | | |
| | Port/Loop Combination Rates | | | | | | | ······································ | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | - | 1 | | | 13,64 | | | | | | | | | | · · · · · |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 18.80 | | | | | | | | | | |
| - 1 | | | | | | | | | | | | | | | | |

| INBU | NULE | NETWORK ELEMENTS - Florida | , | ····· | | | | | | | | | | Attach | ment: 1 | Exhi | bit: A |
|-----------|---------|---|--|--|---------------------------------------|----------|--------|---|--|--------------|------------|--------------|-----------|-------------|---------------------------------------|--------------|--------------|
| | | | | | | | | | ······································ | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | 1 | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Intori | | | 1 | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Sv |
| ATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES (\$) | | | • | | | | i . | |
| | | | m | | | | | | | | | perLSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | 1 1 | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | 1 1 | | | | | | | | 1st | Add'i | Disc 1st | Disc Add'l |
| | | | | | | | 1 | Nonrec | vering | Nonrecurring | Dicconnect | | ł | 000 | D-4/6) | <u> </u> | l |
| | | | | | <u> </u> | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | | Rates(\$) | 1 001111 | |
| | UNFIC | op Rates | | | | | | riist | Addi | rirst | Addi | SOMEC | SUMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | OIVE EC | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UFPEP | UEOEO | 4004 | | | | | | | | | | |
| | | | ļ | | | UECF2 | 12.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 17.40 | | ************ | | | | | | | I | |
| | 0.140 | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 30.87 | | | | | | | | | | |
| | Z-Wire | Voice Grade Line Port Rates (BUS - PBX) | | ! | | | | *************************************** | | | | | | | | | |
| | | | ĺ | i | | | i | | | | | | | | | | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | 1 | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | 1 | UEPFP | UEPLD | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | t | UEPFP | UEPXA | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | 1 | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | - | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | - | | UEPFP | UEPXC | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | | | | <u> </u> | - |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | \vdash | UEPFP | UEPXD | 1.40 | | | | | ļ | 11.90 | | ļ | - | |
| | | | ļ | | UEPFP | UEPAU | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | ļ | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | 1 | | 1 | | | | | | | 1 | | | | | i |
| | | Capable Port | ļ | | UEPFP | UEPXE | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | ļ | 11.90 | | | | L |
| ĺ | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | 1 1 | 1 | | | | | | | | | | |
| | | Administrative Calling Port | | | UEPFP | UEPXL | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | l | | 1 |
| | | Room Calling Port | ĺ | ļ | UEPFP | UEPXM | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11,90 | | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | · · | | | | | |
| | | Discount Room Calling Port | | | UEPFP | UEPXO | 1.40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | 1 | |
| - | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | <u> </u> | - | UEPFP | UEPXS | 1,40 | 174.81 | 100.65 | 75.88 | 12.73 | | 11.90 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | OLITI | OLI AU | 1,40 | 174.01 | 100.00 | 73.00 | 12.13 | | 11.90 | | | | |
| - | | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 0.45 | | - 0.00 | | | | | | | | |
| | | PEFICE TRANSPORT | ļ | | UEPFP | LINPUP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | 1 | 1 | | 1 | | | | | | | | 1 | i | |
| | | Termination | | l | UEPFP | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | l | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | 1 1 | 1 | | | | | | | | | | |
| | | or Fraction Mile | | l | UEPFP | 1L5XX | 0.0091 | | | | | | | | 1 | | |
| | FEATU | RES | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPFP | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | l | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | 1 | | | | | | | | - | | | | | |
| | | Combination - Conversion - Switch-as-is | | 1 | UEPFP | USAC2 | 1 | 16.97 | 3.73 | | | | 11.90 | | | 1 | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | 100111 | - JOONGE | | 10.51 | 3.73 | | | | 11.50 | | ļ | | |
| | | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 16.97 | 2.72 | | | | 44.00 | | | | |
| IAIDI IAU | DI ED D | ORT/LOOP COMBINATIONS - COST BASED RATES | | - | UCFFF | USACC | | 10.97 | 3.73 | | | | 11.90 | | ļ | ļ | ļ |
| | | | DO5** | ļ | | | | | | | | | | | ļ | | ļ |
| | | VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | - | 1 |
| | | rt/Loop Combination Rates | ļ | | | | | | | | | | | | _ | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 20.95 | | | | | | | | | 1 | |
| - 1 | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | j | 1 1 | 26.11 | | | | - | | | | | | |
| | | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 39.58 | | | | | | | | | | |
| | UNE Lo | op Rates | | | | | | | | | | | | | | • | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | UECD1 | 12.24 | | | | | 1 | 11.90 | | | 1.83 | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | ! | 2 | UEPPX | UECD1 | 17.40 | | | | | | 11.90 | | t | 1.83 | ! |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | | UEPPX | UECD1 | 30.87 | | | | | | 11.90 | | t | 1.83 | |
| | UNE P | rt Rate | | | V-1/ | JEOD! | 30.07 | | | | | | 11.30 | | · · · · · · · · · · · · · · · · · · · | 1.03 | |
| | | Exchange Ports - 2-Wire DID Port | | ├── | UEPPX | UEPD1 | 8.71 | 044.40 | 00.00 | | | | 14.00 | | | 4.00 | - |
| | | | <u> </u> | | UCPPA | UEPUI | 8.71 | 214.16 | 98.29 | | | | 11.90 | | ļ | 1.83 | |
| | MONKE | CURRING CHARGES - CURRENTLY COMBINED | <u> </u> | <u> </u> | | | | | | | | ļ | | | | | |
| - 1 | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | l | l | I | | İ | | | | | | | | 1 | 1 | 1 |
| 1 | | Switch-as-is | | L | UEPPX | USAC1 | | 7.85 | 1.87 | | | L | 11.90 | | L | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | l | | | T | | | | | 1 | | | | 1 | 1 |
| 1 | | with BeliSouth Allowable Changes | | l | UEPPX | USA1C | | 7.85 | 1.87 | | | 1 | 11.90 | | I | 1 | 1 |
| | ADDITI | ONAL NRCs | | · · | | | | | | | ***** | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 32.26 | 32.26 | | | | 11.90 | | 1 | l | T |
| | | one Number/Trunk Group Establisment Charges | | | | | | | J.,20 | | | | | | | | |
| | | | | — | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | L | 11.90 | | | 1.83 | 1 |

| DUNDER | D NETWORK ELEMENTS - Florida | · | т | r | | | | | | | | 10 0 | | Attach | | Exhil | |
|--------|---|--------------|--|-------|--------|----------|---------|-----------------|---------------------------------------|-----------------------|--------------|---|---|---|---|---|--|
| regory | RATE ELEMENTS | Interi m | Zone | E | ıcs | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremer Charge Manual S Order v Electron Disc Ad |
| | | | ļ | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | | COMEC | SOMAN | OSS SOMAN | Rates(\$) SOMAN | SOMAN | SOMA |
| | DID Numbers, Establish Trunk Group and Provide First Group | + | | | | | | riist | Addi | riist | Addʻl | SOMEC | 30WAN | SUMAN | SUMAN | SOWAN | SUMAI |
| | of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Non- consecutive DID Numbers . Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve DID Numbers | ļ | <u> </u> | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| LOCA | IL NUMBER PORTABILITY | ļ | <u> </u> | | | | l | | | | | | | | | ļ | |
| | Local Number Portability (1 per port) | | <u></u> | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | INE SIDI | E POR | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1 | | 1 | UEPPB | UEPPR | | 22.63 | | | | | | | | | | |
| ĺ | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | i | | | | | 00.05 | | | | | | l | | | 1 | |
| +- | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 29.05 | | | | | - | - | ļ | | ļ | ļ |
| - | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | 1 | 1 | UEDDD | Henne | | 450. | | | | | | j | | | 1 | |
| LONE | UNE Zone 3 Loop Rates | + | 3 | UEPPB | UEPPR | ļ | 45.84 | | | | | + | | | | | |
| UNE | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | LICI 2Y | 15.25 | | | | | | 11.90 | | | 1.83 | |
| + | 2-Wile ISDN Digital Grade Loop - ONE Zone 1 | | +-'- | UEFFB | UEFFR | USLZA | 15.25 | | | | | 1 | 11.50 | | | 1.03 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 21.67 | | | | | | 11.90 | | | 1.83 | |
| _ | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 38.46 | | | | | 1 | 11,90 | | | 1.83 | |
| UNF | Port Rate | - | | OL. I | 021111 | 10022 | 307.13 | | | | | | | | | | |
| UITE. | Exchange Port - 2-Wire ISDN Line Side Port | 1 | | UEPPB | UEPPR | UEPPB | 7.38 | 194.52 | 145.09 | | | | 11.09 | | | 1.83 | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | 1 | 1 | 1 | | | | | | | | | | · . | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | 1 | 1 | -A.I | | | | | | | | | | | | |
| | Combination - Conversion | ı | 1 | UEPPB | UEPPR | USACB | 0.00 | 25.22 | 17.00 | | | | 11.90 | İ | | 1.83 | |
| ADDI | TIONAL NRCs | | 1 | | | | | | | | | | | | | | |
| LOCA | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | | ļ |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CH | ANNEL USER PROFILE ACCESS: | ļ | <u> </u> | | | | 200 | 0.00 | 0.00 | | | | ļ | | | | |
| _ | CVS/CSD (DMS/5ESS) | ļ | ļ | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | ļ | | | <u> </u> | - | |
| | CVS (EWSD) | | ₩- | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | } | | | ļ | | | - |
| - n cu | CSD | C MC C | Thi | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | - | | | | | - |
| | ANNEL AREA PLUS USER PROFILE ACCESS: (AL.KY,LA,MS S R TERMINAL PROFILE | 1 | 1 (N) | | | - | - | | | | | | | · | <u> </u> | | - |
| USEN | User Terminal Profile (EWSD only) | + | 1 | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VERT | TCAL FEATURES | + | - | CLITO | OCTIV | O TOTAL | 0.00 | 0.00 | 0.00 | | l | | | | | | |
| 1-2-11 | All Vertical Features - One per Channel B User Profile | + | † | UEPPB | UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | 1 | 11.90 | 1 | | 1 | |
| INTER | ROFFICE CHANNEL MILEAGE | 1 | t | | | T | | | | | | | | | | | |
| T | Interoffice Channel mileage each, including first mile and | 1 | 1 | · · | | | | | | | | | | | | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 25.3291 | 47.35 | 31.78 | 18.31 | 7.03 | <u> </u> | 11.90 | | | 1.83 | ļ |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | | | | 11.90 | | l | 1.83 | <u> </u> |
| 4-WiF | RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN | K PORT | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | 1 | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | 1 | | | | I | | |
| | Zone 1 | | 1 | UEPPP | | | 153.48 | | | ļ | | | | | ļ | | ļ |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | | | | | 402.55 | | | | | | 1 | i | i | | 1 |
| | Zone 2 | + | 2 | UEPPP | | ļ | 183.28 | | · · · · · · · · · · · · · · · · · · · | | | | ļ | - | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | 1 , | UEPPP | | | 261.12 | | | | | | | 1 | | 1 | |
| I I I | Zone 3 | | 3 | UEPPP | | | 201.12 | | | | | + | † | <u> </u> | | <u> </u> | † |
| UNE | Loop Rates 4-Wire DS1 Digital Loop - UNE Zone 1 | + | 1 | UEPPP | | USL4P | 70.74 | | | | | 1 | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | + | 2 | UEPPP | | USL4P | 100.54 | | | | | | 11.90 | | | 1.83 | 1 |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | + | 3 | UEPPP | | USL4P | 178.38 | | | | | - | 11.90 | | 1 | 1.83 | |
| UNE | Port Rate | 1 | ۲Ť | + | | 1 | 1 | | | | | T | | | | | |
| JAL | Exchange Ports - 4-Wire ISDN DS1 Port | 1 | + | UEPPP | | UEPPP | 82.74 | 488.36 | 276.65 | | 1 | 1 | 11.90 | | | 1.83 | L^ |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | 1 | † | 1 | | 1 | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | 1 | T | 1 | | | | | | | | | " | | | | |
| | Combination - Conversion -Switch-as-is | | 1 | UEPPP | | USACP | 0.00 | 84.17 | 61.38 | l | 1 | 1 | 11.90 | | 1 | 1.83 | 1 |

| NBUNDLED NETWORK ELEMENTS - Florida | ·,····· | | ·r | | , | | | | | , | · | | ment: 1 | | bit: A |
|---|--------------|--------------|--------|--------|---------|--------|------------|--------------|--------------|--------------|-----------------------|--|--|---|---|
| ATEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | 1 | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | 1 | L | OSS | Rates(\$) | l | l |
| | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ADDITIONAL NRCs 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | ļ | | | ļ | | L |
| Inward/two way Tel Nos. (except NC) | | | UEPPP | PR7TF | | 0.5412 | | | | | 11.90 | | l | 1.83 | |
| 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | — | 100.11 | | | 0.0412 | | | | | 11.30 | | | 1.03 | |
| Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 12.71 | 12.71 | i | | | 11.90 | | | 1.83 | |
| 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | 1 | | |
| Subsequent Inward Tel Numbers | | ļ | UEPPP | PR7ZT | | 25.42 | 25.42 | | | | 11,90 | | | 1.83 | |
| LOCAL NUMBER PORTABILITY Local Number Portability (1 per port) | | ļ | UEPPP | LNPCN | 1.75 | | | ļ | | | | | | | |
| INTERFACE (Provsioning Only) | + | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| Voice/Data | + | + | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Digital Data | † | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | · | | <u> </u> | | | | |
| Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | <u> </u> | | | | |
| New or Additional "B" Channel | | | | | | | | | | | | | | | |
| New or Additional - Voice/Data B Channel | ļ | ļ | UEPPP | PR7BV | 0.00 | 15.48 | | | | | 11.90 | | ļ | 1.83 | |
| New or Additional - Digital Data B Channel | - | - | UEPPP | PR7BF | 0.00 | 15.48 | | ļ | <u> </u> | | 11.90 | | ļ | 1.83 | |
| New or Additional Inward Data B Channel CALL TYPES | | + | UEPPP | PR7BD | 0.00 | 15.48 | | | | l | 11.90 | | | 1.83 | |
| Inward | - | | UEPPP | PR7C1 | 0.00 | 0.00 | 0,00 | | | | | | | | |
| Outward | | | UEPPP | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | † | | |
| Two-way | - | † | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | l | | | <u> </u> | | | | |
| Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| Fixed Each Including First Mile | | | UEPPP | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.93 | |
| Each Airline-Fractional Additional Mile | ļ | 1 | UEPPP | 1LN1B | 0.1856 | | | | | | | | | | |
| 4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT UNE Port/Loop Combination Rates | | - | | | | | | | | | ļ | | | | |
| 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | + | UEPDC | | 125.69 | | | | - | | 11,90 | <u> </u> | | 1,83 | |
| 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 155.49 | | | | l | | 11.90 | | | 1.83 | |
| 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | † | | UEPDC | | 233.33 | | | | | † | 11.90 | | | 1.83 | |
| UNE Loop Rates | 1 | | | | | | | | | | | | | | |
| 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 70.74 | | | | | | 11.90 | | | 1 83 | |
| 4-Wire DS1 Digital Loop - UNE Zone 2 | | . 2 | UEPDC | USLDC | 100.54 | | | | | | 11.90 | | | 1.83 | |
| 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 178.38 | | | ļ | | ļ | 11.90 | ļ | ļ | 1.83 | |
| UNE Port Rate 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 54.95 | 464.86 | 259.23 | | | <u> </u> | 11.90 | | | 1.83 | |
| NONRECURRING CHARGES - CURRENTLY COMBINED | | - | UEFDC | ODDII | 34.93 | 404.60 | 239.23 | | | - | 13,30 | | | 1.65 | |
| 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | , | + | | | | | - | † | · | | | | | | · |
| - Switch-as-is | 1 | 1 | UEPDC | USAC4 | | 95.31 | 46.71 | 1 | | | 11.90 | | | 1.83 | |
| 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| - Conversion with DS1 Changes | | ļ | UEPDC | USAWA | | 95.31 | 46.71 | | | ļ | 11.90 | | | 1.83 | |
| 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | | ucope | LICANA | | 05.01 | 40.74 | | | | 11.90 | | 1 | 1.83 | |
| - Conversion with Change - Trunk ADDITIONAL NRCs | + | + | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | 1 | 1 | - | | | | | | | | | | | | 1 |
| Subsequent Channel Activation/Chan - 2-Way Trunk | 1 | 1 | UEPDC | UDTTA | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | 1 |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | 1 | 1 | | | | | | | | | | | | | T |
| Channel Activation/Chan - 1-Way Outward Trunk | 1 | | UEPDC | UDTTB | | 15.69 | 15.69 | | | | 11.90 | | ļ | 1.83 | |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | 1 | | | | | | | | | | l | | | | |
| Activation/Chan Inward Trunk w/out DID | - | - | UEPDC | UDTTC | | 15.69 | 15.69 | | | <u> </u> | 11.90 | | | 1,83 | ļ |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsent Chan Activation Per Chan - Inward Trunk with DID | 1 | | UEPDC | UDTTD | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | + | + | JUEFUL | IODITO | | 15.09 | 10.09 | | | t | 11.90 | | 1 | 1.03 | <u> </u> |
| Activation / Chan - 2-Way DID w User Trans | 1 | | UEPDC | UDTTE | | 15.69 | 15.69 | | 1 | 1 | 11.90 | | l | 1.83 | |
| BIPOLAR 8 ZERO SUBSTITUTION | 1 | + | 1 | 1 | | 10.00 | 10.50 | | | † | 1 | | | 1 | |
| B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 655.00 | | | 1 | 11.90 | | | 1.83 | |
| B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| Alternate Mark Inversion | 1 | | | | | | | | | | | | | | |
| AMI -Superframe Format | 1 | | UEPDC | MCOSF | | 0.00 | 0.00 | ļ | ļ | | | ļ | | | |
| AMI - Extended SuperFrame Format | 1 | | UEPDC | MCOPO | LJ | 0.00 | 0.00 | l | <u> </u> | 1 | L | L | L | I | L |

| UNBUNDLED | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhi | bit: A |
|-----------|--|--------------|--------------|-------------------|--------------|--|--------|------------|--------------|------------|--|-----------|--------|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | <u> </u> | OSS | Rates(\$) | 4 | L |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | ne Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | Felephone Number for 2-Way Trunk Group | | <u> </u> | UEPDC | UDTGX | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Outward Trunk Group | | <u> </u> | UEPDC | UDTGY | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | <u> </u> | UEPDC | UDTGZ | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | OID Numbers, Establish Trunk Group and Provide First Group | | İ | uenno | | | | • • • | | | | | | | | |
| | of 20 DID Numbers DID Numbers for each Group of 20 DID Numbers | ļ | - | UEPDC UEPDC | NDZ ND4 | 0.00 | 0.00 | 0.00 | | | ļ | 11.90 | | | 1.83 | |
| | DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers. Per Number | | 1 | UEPDC | ND5 | 0.00 | | | | | | 11,90 | | | 1.83 | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve DID Numbers | | ł | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digital | LLoan | | | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | nteroffice Channel Mileage - Fixed rate 0-8 miles (Facilities | . Digital | Loop | THE PURE PURE I | GIIS F'UIT | | | | | | | | 1 | | - | |
| | Fermination) | | 1 | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | 1 | | 1.83 | |
| | | | | | | 1 | 7 0.00 | | 2 | .0.00 | † | 1 | | | t | |
| l lir | nteroffice Channel Mileage - Additional rate per mile - 0-8 miles | | 1 | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | | | 1 | | 1 | |
| | nteroffice Channel Mileage - Fixed rate 9-25 miles (Facilities | l | | | | | | | | | | <u> </u> | | | 1 | |
| т | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| Jr. | nteroffice Channel Mileage - Additional rate per mile - 9-25 | | ļ | | | | | | | | | | | | | |
| l la | niles | | į | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | | 1 | |
| İr | nteroffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| т | Termination) | | l | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | i | |
| | | | | | | | | • | | | | | - | | | |
| | nteroffice Channel Mileage - Additional rate per mile - 25+ miles | L | | UEPDC | 1LNOC | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | ocal Number Portability, per DS0 Activated | | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Central Office Termininating Point | | <u> </u> | UEPDC | CTG | 0.00 | | | | | | <u> </u> | | | | |
| | DS1 LOOP WITH CHANNELIZATION WITH PORT | <u> </u> | | | | ļ | | | | | | <u> </u> | | | | |
| | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | <u></u> | | ļ | | | | | | | | | | |
| | stem can have up to 24 combinations of rates depending on | type ar | nd nun | ber of ports used | | 1 | | | | | | | | | | |
| UNE DS1 | | ļ | | UEPMG | USLDC | 70,74 | 0.00 | 0.00 | | | | | | | | |
| - 4 | 1-Wire DS1 Loop - UNE Zone 1 | | 2 | UEPMG | USLDC | 100.54 | 0.00 | 0.00 | | | <u> </u> | | | | | |
| | I-Wire DS1 Loop - UNE Zone 2 | | | UEPMG | USLDC | 178.38 | 0.00 | 0.00 | | | ļ | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 O Channelization Capacities (D4 Channel Bank Configuration | 1 | 3 | UCPING | USLUC | 170.30 | 0.00 | 0.00 | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | 15) | - | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | - | - | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| - 0 | 36 DSO Channel Capacity - 1 per 2 DS1s | | \vdash | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | · | 11.90 | | | 1.83 | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 192 DS0 Channel Capacity - 1 per 8 DS1s | | | UEPMG | VUM19 | 944.48 | 0.00 | 0.00 | | | 1 | 11.90 | l | | 1.83 | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | - | UEPMG | VUM20 | 1,180.60 | 0.00 | 0.00 | | | | 11.90 | l | t | 1.83 | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | t | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | <u> </u> |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | l | t | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | 11.90 | | l | 1.83 | |
| | 180 DS0 Channel Capacity - 1 per 20 DS1s | l | † | UEPMG | VUM40 | 2,361.20 | 0.00 | 0.00 | | | <u> </u> | 11.90 | l | t | 1.83 | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | † | 11.90 | l | 1 | 1.83 | |
| | 572 DS0 Channel Capacity - 1 per 28 DS1s | | 1 | UEPMG | VUM67 | 3.305.68 | 0.00 | 0.00 | | | 1 | 11.90 | | İ | 1.83 | |
| | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chant | neliztio | | | | | - | | | | | | | 1 | |
| | um System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| Multiples | s of this configuration functioning as one are considered Ac | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | l | | | | | | | | | | | | | | |
| | BellSouth Allowed Changes | L | <u></u> | UEPMG | USAC4 | 0.00 | 96.77 | 4.24 | | | | 11.90 | | | ļ | |
| | Additions at End User Locations Where 4-Wire DS1 Loop wi | | | | nation Curre | ently Exists and | | | | | | | | | | |
| | t Currently Combined) in all states, except in Density Zone 1 | of Top | 8 MSA | \'s | | | | | | | | | - | | 1 | |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | l | | | | | | | | _ | | 1 | 1 | | 1 | |
| | and Assoc Fea Activation | L | ļ | UEPMG | VUMD4 | 0.00 | 726.11 | 468.21 | 145.32 | 17.24 | | 11.90 | ļ | ļ | <u> </u> | |
| | 8 Zero Substitution | <u> </u> | | | | | | | | | <u> </u> | | | | | <u> </u> |
| | Clear Channel Capability Format, superframe - Subsequent | 1 | 1 | l | | | | | | | | | 1 | | | 1 |
| | Activity Only | L | <u> </u> | UEPMG | CCOSF | 0.00 | 0.00 | 655.00 | | | ļ | 11.90 | | | | |
| | Clear Channel Capability Format - Extended Superframe - | l | 1 | | l | | _ [| | | | | | 1 | 1 | | |
| | Subsequent Activity Only | | 1 | UEPMG | CCOEF | 0.00 | 0.00 | 655.00 | | | 1 | 11.90 | | | | ļ |
| | e Mark Inversion (AMI) | 1 | 1 | 1 | I . | 1 | | | : i | | 1 | 1 | 1 | 1 | I . | 1 |

| | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | | Exhil | |
|---|---|-------------------------------------|--|--|--|--|--|----------------------------------|------------------|-----------------|---|-------------------------------|---|--|------------------|---|
| EGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svo Order vs. Electronic- Add'I | Charge - | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | , | |
| | | ļ | <u> </u> | | | i | First | Add'l | First | Addʻl | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Superframe Format | | ļ | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - Cueben | Extended Superframe Format Ige Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Dort | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ige Ports Associated with 4-Wife D31 Loop with Charmenzation | Jii With | FUIL | | - | | | | | | | | | <u> </u> | | |
| L.ACITOT | ige i vita | | | | | | | | | | | | | | | - |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.40 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.40 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | | 1 | | | | | 0.00 | | | 0.00 | | 44.00 | | 1 ' | 4.00 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.40 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 11.90 | | | 1.83 1.83 | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | <u> </u> | - | UEPPX | UEPDM | 8.71 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.03 | |
| reature | Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 | | - | | + | | | | | | | | | t | | |
| | Bank | | | UEPPX | 1PQWM | 0.6402 | 25.40 | 13.41 | 3.96 | 3.93 | | 11,90 | | l ' | 1.83 | |
| + | Feature (Service) Activation for each Trunk Port Terminated in | | +- | | 1 | 1 0.0.02 | 20.40 | | 2.39 | 0,00 | | | | [| | |
| | D4 Bank | | | UEPPX | 1PQWU | 0.6402 | 78.16 | 18.42 | 56.03 | 10.95 | | 11.90 | | l ' | 1.83 | |
| Telepho | one Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | ļ | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | ļ | | · |
| | Reserve Non-Consecutive DID Numbers | | ļ | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | ' | | |
| | Reserve DID Numbers | | 1 | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | <u> </u> | | |
| | lumber Portability | <u> </u> | - | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | ļ | | |
| | Local Number Portability - 1 per port RES - Vertical and Optional | - | 1 | UEPPX | LINPUP | 3.15 | 0.00 | 0.00 | | | | | | ' | | |
| | Switching Features Offered with Line Side Ports Only | | | | | l | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | *************************************** | · | 1.83 | |
| | PORT LOOP COMBINATIONS - MARKET RATES | | | DELLY | 102, 11 | 2.20 | 0.00 | | | | | | | I | | |
| | Rates shall apply where BellSouth is not required to provide | unbunc | died lo | cal switching or sw | itch ports per | FCC and/or Sta | ate Commissio | n rules. | | | | | | | | |
| This in | | | Г | 7 | 1 , | 1 | | | | | | | | | | |
| | dled port/loop combinations that are Currently Combined or I | | | | | | | | | | | | | | | |
| The To | p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd | ale, Mia | mi); G | A (Atlanta); LA (New | v Orleans); NO | C (Greensboro-V | Winston Salem | -Highpoint/Ch | arlotte-Gastoni | a-Rock Hill); T | N (Nashville | e). | | | | |
| | uth currently is developing the billing capability to mechanica | | | | | | | or nonrecurrir | ig charges for r | ot currently o | ombined in | FL and NC. | . In the interi | m where Bell! | South cannot | |
| | | | | | | | | | | | | | | | oouti, duiii.ot | bill Marke |
| Rates, I | BellSouth shall bill the rates in the Cost-Based section precede | ding in l | lieu of | | | | | | , | | | | , | | r and a second | bill Marke |
| Rates, I | BellSouth shall bill the rates in the Cost-Based section precedures that for unbundled ports includes all available features | ding in I in all sta | lieu of ates. | the Market Rates ar | nd reserves th | ne right to true-u | up the billing o | ifference. | [T | | LINE O. | | 0 | | | |
| Rates, I The Ma End Off | BellSouth shall bill the rates in the Cost-Based section precet brket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us | ding in I in all sta | lieu of ates. | the Market Rates ar | nd reserves th | ne right to true-u | up the billing o | ifference. | rt network elen | ents except | or UNE Coir | | Combination | | | |
| Rates, I The Ma End Off (USOC: | BellSouth shall bill the rates in the Cost-Based section precedures the Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport UstuRECU). | ding in l in all sta sage rat | lieu of ates. tes in t | the Market Rates ar | nd reserves th his rate exhib | ne right to true-t | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charg |
| Rates, I The Ma End Off (USOC: For Not | BellSouth shall bill the rates in the Cost-Based section precedures thate for unbundled ports includes all available features includes all available features ince and Tandem Switching Usage and Common Transport UstuRECU). I Currently Combined scenarios the Nonrecurring charges are | ding in l in all sta sage rat | lieu of ates. tes in t | the Market Rates ar | nd reserves th his rate exhib | ne right to true-t | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charg |
| Rates, I The Ma End Off (USOC: For Not Additio | BellSouth shall bill the rates in the Cost-Based section precedured Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Use URECU). I URECU). I Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly. | ding in l in all sta sage rat | lieu of ates. tes in t | the Market Rates ar | nd reserves th his rate exhib | ne right to true-t | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE | BellSouth shall bill the rates in the Cost-Based section precedured Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Us. URECU). I Currently Combined scenarios the Nonrecurring charges are unal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | ding in l in all sta sage rat | lieu of ates. tes in t | the Market Rates ar | nd reserves th his rate exhib | ne right to true-t | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE | BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport UsuRECU). It Currently Combined scenarios the Nonrecurring charges are until NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | ding in l in all sta sage rat | lieu of ates. tes in the | the Market Rates ar | nd reserves th his rate exhib | ne right to true-t | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE | BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features ince and Tandem Switching Usage and Common Transport UstuRECU). It Currently Combined scenarios the Nonrecurring charges are unal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | ding in l in all sta sage rat | lieu of ates. tes in the in the l | the Market Rates ar | nd reserves th his rate exhib | ne right to true-to tr | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precented Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Us: URECU). I Currently Combined scenarios the Nonrecurring charges are unal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 | the Market Rates ar | nd reserves th his rate exhib | re right to true-ell it shall apply to is for each Port | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Ust URECU). It Currently Combined scenarios the Nonrecurring charges are smal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 | ding in l in all sta sage rat | lieu of ates. tes in the in the l | the Market Rates ar | nd reserves th his rate exhib | ne right to true-to tr | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport UstuRECU). It Currently Combined scenarios the Nonrecurring charges are anal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 pop Rates | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 | the Market Rates ar | nd reserves the last of the la | re right to true-ell it shall apply to is for each Port | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precentret Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Us. URECU). I Currently Combined scenarios the Nonrecurring charges are used in NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates [2-Wire VG Coop Fort Combo - Zone 1 | ding in l in all sta sage rat | lieu of ates. tes in the lin t | the Market Rates ar | nd reserves th his rate exhib | eright to true-tits shall apply to us for each Port 23.77 27.88 38.63 | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport UstuRECU). It Currently Combined scenarios the Nonrecurring charges are anal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 pop Rates | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 2 3 | the Market Rates are Port section of the First and Additional UEPRX | I NRC column | re right to true-list shall apply to us for each Port 23.77 27.88 38.63 9.77 | up the billing o | ifference. | | | | ı Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Ust URECU). It Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Joop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 2 3 1 2 | the Market Rates ar ne Port section of the irst and Additional | UEPLX UEPLX UEPLX UEPLX UEPLX | e right to true- it shall apply to is for each Port 23.77 27.88 38.63 9.77 13.88 | up the billing of all combination. | ifference. | | | | n Port/Loop | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Ust URECU). It Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly. EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 DOP Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 2 3 1 2 | the Market Rates are Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX | e right to true- it shall apply to is for each Port 23.77 27.88 38.63 9.77 13.68 24.63 | up the billing of all combination USOC. For Cu | ins of loop/po irrently Combi | | | | n Port/Loop s are listed i | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precented Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Us. URECU). I Currently Combined scenarios the Nonrecurring charges are unal NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 2 3 1 2 | the Market Rates are ne Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL | e right to true- it shall apply to so for each Port 23.77 27.88 38.63 9.77 13.88 24.63 | up the billing of all combination used. For Cu | 90.00 | | | | n Port/Loop s are listed | | ns which have | e a flat rate us | age charg |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precented Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Ust URECU). It Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Jop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 2 3 1 2 | the Market Rates are Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX | e right to true- it shall apply to is for each Port 23.77 27.88 38.63 9.77 13.68 24.63 | up the billing of all combination USOC. For Cu | ins of loop/po irrently Combi | | | | n Port/Loop s are listed i | | ns which have | e a flat rate us | age charg |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precented Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Ust URECU). 1 Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly. 1 VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 1 2-Wire VG Loop/Port Combo - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 2 3 1 2 | the Market Rates are ne Port section of the First and Additional UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL | e right to true- it shall apply to so for each Port 23.77 27.88 38.63 9.77 13.88 24.63 | up the billing of all combination used. For Cu | 90.00 | | | | n Port/Loop s are listed | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precenter Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Ust URECU). It Currently Combined scenarios the Nonrecurring charges are man NRCs may apply also and are categorized accordingly. FOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) or/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Joop Rates 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | e right to true- it shall apply to is for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 | up the billing of all combination of the billing of all combination used. For Cu | 90.00 90.00 | | | | 11.90 11.90 | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precented Rate for unbundled ports includes all available features in fice and Tandem Switching Usage and Common Transport Ust URECU). 1 Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly. 1 VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 1 2-Wire VG Loop/Port Combo - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 2 3 1 2 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO | e right to true- it shall apply to is for each Port 23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 | up the billing of all combination of the billing of all combination used. For Cu | 90.00 90.00 | | | | 11.90 11.90 | | ns which have | e a flat rate us | age charge |
| Rates, I The Ma End Off (USOC: For Not Additio 2-WIRE UNE Po | BellSouth shall bill the rates in the Cost-Based section precentrict Rate for unbundled ports includes all available features if fice and Tandem Switching Usage and Common Transport Us. URECU). It Currently Combined scenarios the Nonrecurring charges are and NRCs may apply also and are categorized accordingly. VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res | ding in l in all sta sage rat | lieu of ates. tes in the lin the lin 1 2 3 1 2 | the Market Rates are Port section of the First and Additional UEPRX UEPX | UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPAF | e right to true- it shall apply to as for each Port 23.77 27.88 38.63 9.77 13.86 24.63 14.00 14.00 | up the billing of all combination used. For Cu | 90.00 90.00 | | | | 11.90 11.90 | | ns which have | e a flat rate us | age charge |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhi | bit: A |
|----------|---|-------------|------|----------------|----------------|----------------|--------|------------|------------------|-------|-------|----------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring Dis | | | | | Rates(\$) | | |
| | 2-Wire voice unbundled Florida extended dialing port for use | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 1 | with CREX7 and Caller ID | | | UEPRX | UEPA1 | 14.00 | 90,00 | 90.00 | | | | 11.90 | | | | 1 |
| | 2-Wire voice unbundled Florida extended dialing port for use | | | OE/ TO | - OLI 711 | 14.50 | 30.00 | 30.00 | | | | 11.90 | | | | |
| | with CREX7, without Caller ID capability | | | UEPRX | UEPA8 | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled Flonda Area Calling Port without Caller | | | | | | | | | | | | | | | |
| | ID Capability NUMBER PORTABILITY | | | UEPRX | UEPA9 | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | - | | | | | | | | | - |
| FEATU | | | | | 0.17.07. | 3.00 | | | | · | | | | | | <u> </u> |
| | All Features Offered | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | 1 | | UEPRX | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | 1 | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | OLI NA | UGAUZ | | 41.30 | 41.00 | | | | +1.90 | | | | |
| | change | | | UEPRX | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | |
| ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPRX | LICACO | | 0.00 | 0.00 | | | | 14.00 | | | | |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | · · · · · · |
| | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | ······ | | 23.77 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 27.88 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Comba - Zone 3 | | 3 | | | 38.63 | | | | | | | | | | |
| UNELO | pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPBX | UEPLX | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPBX | UEPLX | 24,63 | | | | | | | | | | |
| | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus | | | UEPBX UEPBX | UEPBC UEPBO | 14.00 14.00 | 90.00 | 90.00 | | | | 11.90 11.90 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | - | OLF DA | OLFBO | 14.00 | 90.00 | 90.00 | | | | 11.30 | | | | |
| İ | Capability | | | UEPBX | UEPBE | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | 1 |
| | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | ļ | |
| NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is | | | UEPBX | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Switch with | | | | | | 77100 | 71700 | | | | 11100 | | | | |
| | change | | | UEPBX | USACC | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | ONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | 1 |
| | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | OLFBA | USAGZ | | 0.00 | 0.00 | | | | 11.50 | | | | |
| | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 23.77 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 27.88 | | | | | | | | | | - |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 38.63 | | | | | | | | | <u> </u> | l |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.77 | | | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPRG | UEPLX | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPRG | UEPLX | 24.63 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | ļ | ···· | | | | | | | | | | | | ļ |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | 1 | | UEPRG | UEPRD | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | 1 |
| LOCAL | NUMBER PORTABILITY | <u> </u> | - | ULFRU | UEFRU | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEATU | RES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |

| NBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachr | nent: 1 | Exhit | bit: A |
|---------|--|--------------|--|----------|--------|----------------|--------|------------|----------------|-------|--------------|-----------|---|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | ļ | | _ | Rec | Nonrec | | Nonrecurring D | | | | | Rates(\$) | | |
| NONE | ECURRING CHARGES - CURRENTLY COMBINED | ļ | | - | | | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| MOINT | ECONNING CHARGES - CORRENTET COMBINED | | ├ | | | | | | | | | | | , | , | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPRG | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | , | , | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | | | OLI NO | OOAOZ | | 41,50 | 41.50 | | | | 11.50 | | | / | |
| | Change | | | UEPRG | USACC | | 41.50 | 41.50 | | | | 11.90 | | , ' | , , | |
| ADDI" | FIONAL NRCs | - | T | | | | | | | | | | | | , | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | T | | | | | | | | | | | | | |
| | Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | 11.90 | | | · | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | ļ | | | | 7.09 | 7.09 | | | | 11.90 | | | | |
| | E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | ļ | | | | | | | | | | | | ļ ¹ | <u> </u> | |
| UNE | Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | - | - | | - | 23.77 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 | ļ | 2 | | | 23.77 | | | | | | | | | , | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 3 | | + | 38.63 | | | | | | | | | , | |
| UNF I | oop Rates | - | - | | - | 30.03 | - | | | | l | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPPX | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPPX | UEPLX | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPPX | UEPLX | 24.63 | | | | | | | | | | |
| 2-Wir | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | 1 | | | · | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | • |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | ļ | UEPPX | UEPP1 | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | ļ | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | ļ | ļ | UEPPX | UEPLD | 14.00 | 90.00 | 90.00 | | | | 11.90 | | , | <u></u> ! | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | ļ | ļ | UEPPX | UEPXA | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | ļ | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | ├— | UEPPX | UEPXB | 14.00 14.00 | 90.00 | 90.00 | | | | 11.90 | | | , | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | ├ | UEPPX | UEPXD | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | / | |
| - | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | UCFFA | UCEAD | 14.00 | 90.00 | 90.00 | | | | 11.89 | | , | | |
| | Capable Port | | | UEPPX | UEPXE | 14.00 | 90.00 | 90.00 | | | | 11.90 | | , ' | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | 02317 | OLI AL | 11,00 | 30.00 | 20.00 | | | | 11.00 | | | · | |
| | Administrative Calling Port | | İ | UEPPX | UEPXL | 14.00 | 90.00 | 90.00 | | | | 11.90 | | , | , , | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | | | | | | | | | | | | | |
| | Room Calling Port | İ | 1 | UEPPX | UEPXM | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | 1 | | |
| | Discount Room Calling Port | | ļ | UEPPX | UEPXO | 14.00 | 90.00 | 90.00 | | ~~. | | 11.90 | | | . | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | ļ | UEPPX | UEPXS | 14.00 | 90.00 | 90.00 | | | | 11.90 | | ļ | ļ | |
| LOCA | L NUMBER PORTABILITY | | - | HEDDA | LNDCD | 2.45 | 0.00 | 0.00 | | | ļ | | | | | |
| CEAT | Local Number Portability (1 per port) URES | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| FEAT | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | - | J=11/ | ULI VI | 0.00 | 0.00 | 0.00 | | | | 11.30 | | | | |
| 1 | The state of the s | † | | | | | | | | | l | | | | · | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | r . | · ' | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with | · · · · · | T | | | | | | | | | | | | 1 | |
| | Change | | L | UEPPX | USACC | | 41.50 | 41.50 | | | | 11.90 | | ļ | ' | |
| ADDI | FIONAL NRCs | | | | | | | | | | L | | | | | |
| | | | | 1 | | _ [| 1 | _ | | | | | | i ' | i ' | |
| | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | ļ | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | · | ļ' | |
| | 2 Wire Loop/Line Side Port Combination - Non feature - | | | | | [| 0.00 | 0.00 | | | 1 | 44.00 | | i ' | í . | |
| | Subsequent Activity- Nonrecurring | ļ | | | | | 0.00 | 0.00 | | | | 11.90 | | ı | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | 1 | 1 | 1 | 7.00 | 7.00 | | | | 11,90 | | i ' | (' | |
| 2 14/15 | Group E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR |] | | } | | | 7.09 | 7.09 | | | | 11.90 | | · | _ | |
| | The VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR Port/Loop Combination Rates | | | | | | | | | | | | | · | | |
| | | - | 1 | | | 23.77 | | | | | | | | | · · · · · · · · · · · · · · · · · · · | |
| - 0.112 | 12-Wire VG Coin Port/Loon Combo Zone 1 | | | | | | | | | | | | | | | |
| | 2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 27.88 | · | | | | | | | - | ļ ₁ | |

| UNBU | NDLE | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhil | bit: A |
|-------|--------|---|--|--------------|--------|--------------|--------|--------|------------|--------------|---|-------------------|---|--|---|---|---|
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Submitted Elec | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | , |
| | LIME L | op Rates | | | | | | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 9.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | - | | UEPCO | UEPLX | 13.88 | | | | | ļ | ļ | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPCO | UEPLX | 24.63 | | | | | ļ | | | | | |
| | | Voice Grade Line Port Rates (Coin) | | | OL GO | OLI LX | 24.00 | | | | | - | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011. 900/976, 1+DDD (FL) | | | UEPCO | UEP2F | 14.00 | 90.00 | 90.00 | | | - | 11.90 | | | , | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL) | | | UEPCO | UEPFA | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| 1 | | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | | 900/976. 1+DDD, 011+, and Local (FL) | | ļ | UEPCO | UEPCG | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL) 2-Wire Coin Outward with Operator Screening and Blocking: | | | UEPCO | UEPRK | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL) 2-Wire Coin Outward with Operator Screening and Blocking: | | | UEPCO | UEPOF | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 14.00 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is | | | UEPCO | USAC2 | | 41.50 | 41.50 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | | | | |
| | | ONAL NRCs | - | | UEFCO | USACC | | 41.50 | 41.00 | | | - | - | | | | |
| | 700111 | ONAL NICOS | - | | | | | | | | | | | | | | |
| i | | 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent | | 1 | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | 2-WIRE | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | ORT (| | | | | | | *************************************** | | | | | | |
| | | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 26.24 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 31,40 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44.87 | | | | | | | | ļ | | |
| | UNE LO | op Rates | | | UEPFR | UECF2 | 12.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | ļ | 1 2 | UEPFR | UECF2 | 17.40 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | | UEPFR | UECF2 | 30.87 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (Res) | | - | OC TIV | OLCI 2 | 30.07 | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | † | UEPFR | UEPRL | 14.00 | 180,00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | 1 | UEPFR | UEPRC | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | 1 | 11.90 | | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | 1 | 11.90 | | | | |
| | | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPFR | UEPAF | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | MTEP. | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) FFICE TRANSPORT | | | UEPFR | UEPAP | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | WIER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | <u> </u> | |
| | | Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - 1 aciny Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEPFR | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | FEATU | or Fraction Mile | | | UEPFR | 1L5XX | 0.0091 | | | | | | | | | | |
| | | All Features Offered | 1 | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | ļ |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | 1 |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | 1 |

| יוטמאט | ANCE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 1 | | bit: A |
|--------|---------|--|-------------|--------------|--------|----------------|--------|--------|---|----------------|-------|--------------|-----------|---|---|---|--------------|
| CATEGO | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Charge - Manual Svo Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | ļ | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | WE D | ort/Loop Combination Rates | | ! | | | | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | UNEP | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | <u> </u> | | | | | | | | | | | | | ļ |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 1 | | | 26.24 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 31.40 | | | | | | | | | | |
| | HAIE I | pop Rates | | 3 | | | 44,87 | | | | | - | | | | ļ | ļ |
| | ONE L | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 12.24 | | | | | | | | | ļ | ļ |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 17.40 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | | UEPFB | UECF2 | 30.87 | | | | | - | | | | | ļ |
| | 2.Wire | Voice Grade Line Port (Bus) | | 1 | OCFIB | UECFZ | 30.67 | | | | | | | | | | ļ |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | ļ |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | - | | UEPFB | UEPBC | 14.00 | 180.00 | 110.00 | | | - | | | | | ļ |
| | | 2-Wire voice unbundled port with Care + E404 ID - bus | | | UEPFB | UEPBO | 14.00 | 180.00 | 110.00 | 85.00 85.00 | 20.00 | | 11,90 | - | | | |
| | | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPBO UEPB1 | 14.00 | 180.00 | 110.00 | 85.00 85.00 | 20.00 | - | 11.90 | - | - | | |
| | LOCAL | . NUMBER PORTABILITY | | 1 | OCFFD | ULPDI | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | - | 11.90 | ļ | ! | ļ | |
| | LOOAL | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | l | | | | | | ļ | |
| | INTER | OFFICE TRANSPORT | | + | 00.70 | LINECA | 0.35 | | *************************************** | | | | | ļ | - | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | - | | | - | | |
| | | Termination | | 1 | UEPFB | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | l | | 1 | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEPPB | UTIVZ | 25.32 | 47.35 | 31.78 | - | | | | | | _ | ļ |
| | | or Fraction Mile | | 1 | urara | 41.5777 | 0.0004 | | | i l | | | | | | i | |
| | FEATU | | | ļ | UEPFB | 1L5XX | 0.0091 | | | | | | | ļ | | <u> </u> | |
| | | All Features Offered | | | ueee | | | | | | | | | | | | |
| | | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | 11,90 | | | | |
| | NONNE | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | ļ | | | | | | | | | | | ļ | | |
| | | Combination - Conversion - Switch-as-is | | | uenen | | | 40.07 | | } | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | UEPFB | USAC2 | | 16.97 | 3.73 | | | ļ | 11.90 | | | | |
| | | Combination - Conversion - Switch with change | | | UEPFB | | | 40.07 | | | | | | Į. | Į. | | |
| | 2 Maios | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | DEPFB | USACC | | 16.97 | 3.73 | | | | 11,90 | | | | |
| | | | | | | | | | | | | | | | | | - |
| | DIVE P | ort/Loop Combination Rates | | | | | 20.04 | | | ļ | | . | | | | ļ | ļ |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 26.24 | | | ļ | | | | | | | ļ |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 31.40 | | | | | | | | | | |
| | ther t | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 44.87 | | | | | | | | | İ | |
| | UNEL | | | ــــــ | LIEGER | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | | UEPFP | UECF2 | 12.24 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFP | UECF2 | 17.40 | | | | | | | | | 1 | ļ |
| | 0 (AP | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 30.87 | | | | | | | | | ļ | |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | 1 | | | | | | | | | | | | ļ | |
| 1 | | | l | ļ | | | | , | | | | | | 1 | | 1 | |
| | | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | ļ | ļ | ļ |
| | | Line Side Unbundled Outward PBX Trunk Port - Bus | ļ | ļ | UEPFP | UEPPO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | ļ | 11.90 | | | 1 | |
| | | Line Side Unbundled Incoming PBX Trunk Port - Bus | | 1 | UEPFP | UEPP1 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | ļ | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | 1 | UEPFP | UEPXA | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | <u> </u> | |
| | | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | <u> </u> | UEPFP | UEPXB | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11,90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | ļ | <u> </u> | UEPFP | UEPXD | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | <u> </u> | |
| | | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | l | 1 | | | | | | | | | | | | 1 | |
| | | Capable Port | | L | UEPFP | UEPXE | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | <u></u> | L | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | | | | | | | | | | 1 | | | |
| | | Administrative Calling Port | | <u> </u> | UEPFP | UEPXL | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | <u> </u> | | 1 | |
| | | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | 1 | | | | | | | | | | | | | |
| | | Room Calling Port | | <u></u> | UEPFP | UEPXM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | L | L | | |
| T | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | | Discount Room Calling Port | | L | UEPFP | UEPXO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | 1 | | | |
| | | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | I | UEPFP | UEPXS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | 1 | | 1 | |
| | LOCAL | NUMBER PORTABILITY | | T | | | | | | | | | | | | 1 | |
| | • | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | 1 | 11.90 | | | ļ | |
| | MITCH | OFFICE TRANSPORT | | 1 | | | | | 2.00 | | | 1 | | 1 | † | | |

| NBUNDLE | D NETWORK ELEMENTS - Florida | Γ | 1 | T | | 7 | т | | | | | la | 12 | | ment: 1 | | bit: A |
|----------|--|--------------|--------------|--|---|--------|------------------|--------|------------|--------------|----------------|---------------------------------------|--------------|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interí m | Zone | В | cs | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | ļ | | | | | 1100 | First | Add'l | First | Addʻl | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Termination | 1 | | UEPFP | | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OC/ II | | 011172 | 20.02 | 47,33 | 31.70 | | | | | | | | ļ |
| | or Fraction Mile | | | UEPFP | | 1L5XX | 0.0091 | | | | | | | | | | |
| FEATU | | | <u> </u> | | | | | | | | | | | | | | |
| NONDI | All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | ļ | UEPFP | | UEPVF | 0.00 | 0.00 | 0.00 | | | ļ | 11.90 | | | | |
| HORK | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | - | | | | | | ļ | | | | |
| ļ | Combination - Conversion - Switch-as-is | 1 | | UEPFP | | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | , |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | l | |
| | Combination - Conversion - Switch with change | | ļ | UEPFP | | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | PORT/LOOP COMBINATIONS - MARKET BASED RATES EVOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | DODT | | | | | | | | | | | | | | | |
| | ort/Loop Combination Rates | PURI | | | | | | | | | | | ļ | | | | |
| 0.10 | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | - | | - | 67.24 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | | 72.40 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | | 85.87 | | | | | | | | | | |
| UNE L | oop Rates | | | | - | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 12.24 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 2 | UEPPX | | UECD1 | 17.40 | | | | | | 11.90 | | | 1.83 | |
| LINE P | ort Rate | | 3 | UEPPX | | UECD1 | 30.87 | | | | | ļ | 11,90 | | | 1.83 | |
| O, L | Exchange Ports - 2-Wire DID Port | <u> </u> | | UEPPX | | UEPD1 | 55.00 | 850.00 | 75.00 | | W/W/W - 44 4 4 | | 11.90 | | | 1.83 | |
| NONRI | CURRING CHARGES - CURRENTLY COMBINED | | | OLITA | | OCI DI | 33.00 | 000.00 | 75.00 | | | | 11.90 | | | 1.83 | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | · · · · · | | | | 1 | | | | | | | l | | | | |
| | Switch-As-Is Top 8 MSAs only | | | UEPPX | | USAC1 | | 850.00 | 75.00 | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | *************************************** | | | | | | | | | | | | |
| | with BellSouth Allowable Changes Top 8 MSAs only | ļ | <u> </u> | UEPPX | | USA1C | | 850.00 | 75.00 | | | | 11.90 | | | | |
| ADDIT | IONAL NRCs | <u> </u> | <u> </u> | | | | | | | | | | | | | | |
| Tolonh | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk one Number/Trunk Group Establisment Charges | | | UEPPX | | USAS1 | | 32.26 | 32.26 | | | ļ | 11.90 | | | | |
| Tesepsi | DID Trunk Termination (One Per Port) | | ļ | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | 11,90 | | | 1.83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | ULFFA | | INDI | 0.00 | 0.00 | 0.00 | | | | 11,90 | | | 1.63 | |
| | of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| * ** | Additional DID Numbers for each Group of 20 DID Numbers | | l | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Non-consecutive DID Numbers, Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | 11,90 | | | 1.83 | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve DID Numbers | | ļ | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | NUMBER PORTABILITY Local Number Portability (1 per port) | ļ | ļ | UEPPX | | LNPCP | 3,15 | 0.00 | 0.00 | | | | | | | | |
| | EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | I NE SIDI | PORT | | | LINECE | 3.13 | 0.00 | 0.00 | | | | | | | | |
| | ort/Loop Combination Rates | I | 1 | T | | † | | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | l | T | † | | 1 | | | | | | | | | | | |
| | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 85.25 | | | <u> </u> | | | | | | i | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | UNE Zone 2 | | 2 | UEPPB | UEPPR | ļ | 91.67 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 108.46 | 1 | | | | | | | | l | |
| UNE | pone zone s | | ٥ | UCFFB | JEFFR | | 100.46 | | · | - | | - | | | | | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 15.25 | | | | | | 11.90 | | | 1.83 | |
| | | l | Ė | T | | 1 | "" | | | | | · · · · · · · · · · · · · · · · · · · | 1 | | | 1.05 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 21.67 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 38.46 | | | | | | 11.90 | | | 1.83 | |
| UNE P | ort Rate | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | ļ | UEPP8 | UEPPR | UEPPB | 70.00 | 525.00 | 400.00 | | | ļ | 11.09 | | | 1.83 | |
| NONRI | CURRING CHARGES - CURRENTLY COMBINED | <u> </u> | <u> </u> | | | - | | | | ļl | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only | | | UEPPB | HEDDO | USACB | 0.00 | 215.00 | 045.00 | | | | 14.00 | | | 4.00 | |
| | COMBINATION - CONVERSION - TOP & IVISAS ONLY | l . | 1 | UEPPB | UEPPR | USAUB | 0.00 | 215.00 | 215.00 | | | 1 | 11.90 | | l | 1.83 | |

| いいむいいししし | ED NETWORK ELEMENTS - Florida . | | | | | | | | | | | | | Attach | ment: 1 | Exhi | bit: A |
|----------|---|--|--|--------------|--------|----------------|----------|---------------------------------------|------------|--------------|---------------------------------------|--------------|--------------|-------------|--|--------------|--|
| | | T | | | | | | | | ··········· | | Svc Order | Svc Order | | | Incremental | |
| | | | | | | 1 | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | 1 | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | m | Zone | E | BCS | USOC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | l m | | | | i l | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | ł I | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | J | | | | | | · · · · · · · · · · · · · · · · · · · | | , | | | | | | | |
| | | | L | | | 1 | Rec | Nonrec | | Nonrecurring | | | , | OSS | Rates(\$) | y | • |
| | | <u> </u> | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LOCA | AL NUMBER PORTABILITY | ļ | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CH | ANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | · | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0,00 | | | | | | | | |
| | CVS (EWSD) | | <u> </u> | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - B CU | CSD | CMC | 711 | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS 5 | U,N35, 8 | [[N] | ļ | | | | | | | | | | | | | |
| USER | R TERMINAL PROFILE User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | ļ | | |
| Verma | TICAL FEATURES | | ļ | UEPPB | UEPPR | UTUWA | 0.00 | 0.00 | 0.00 | | | ļ | | | ļ | | |
| VERI | | + | ├ | UCDDD | LICOPO | LIEDVE | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | ļ |
| INTE | All Vertical Features - One per Channel B User Profile | + | | UEPPB | UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | ! | - | |
| INIE | ROFFICE CHANNEL MILEAGE | | | | | 1 | | | | | | | | | l | - | |
| | Interoffice Channel mileage each, including first mile and facilities termination | 1 | 1 | LIEDOD | UEPPR | M1GNC | 18.4491 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | 1.83 | 1 |
| | Interoffice Channel mileage each, additional mile | + | | | UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | 16.31 | 1.03 | | 11.90 | | | 1.83 | |
| 4 14/15 | RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN | K DODT | | UEFFB | OEFFR | MIGNIM | 0.0081 | 0.00 | 0.00 | | | | 11.30 | | <u> </u> | 1.03 | |
| | Port/Loop Combination Rates | TORI | | | | - | I | | | | | | | | | | |
| UNE | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | - | | | | | | | | | | ļ | | | ļ | ļ | |
| | Zone 1 | | 1 | UEPPP | | - | 970.74 | | | | | | | | 1 | | |
| | | - | | UEFFF | | ļ | 970.74 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | 2 | UEPPP | | | 1,000.54 | | | | | | | | 1 | | |
| | Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | - | - 2 | UEPPP | | | 1,000.54 | | | | | | | | | | |
| | | | ١, | UEPPP | | | 1,078.39 | | | | | | 1 | | Ì | | |
| | Zone 3 | - | 3 | UEPPP | | - | 1,076.39 | | | | | l | | | | | |
| UNE | Loop Rates | | , - | UCDDD | | LICLAD | 70.74 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | | UEPPP | | USL4P USL4P | 100.54 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 3 | UEPPP | | USL4P | 178.39 | | | | | | 11.90 | | | 1.83 | |
| - 1115 | 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate | + | 3_ | UEPPP | | USL4P | 176.39 | | | | | ļ | 11.30 | | | 1.03 | |
| UNE | Exchange Ports - 4-Wire ISDN DS1 Port | + | | UEPPP | | UEPPP | 900.00 | 1,150.00 | 1,150.00 | | | | 11.90 | | | 1.83 | |
| - HONE | RECURRING CHARGES - CURRENTLY COMBINED | | ├ ─── | UEFFF | | JUEPPP | 300.00 | 1, 130.00 | 1,130.00 | | | | 11.50 | | | 1.05 | |
| NON | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | + | | | | | | | | | | - | - |
| l | Combination - Conversion -Switch-As-Is Top 8 MSAs only | | | UEPPP | | USACP | 0.00 | 925.00 | 925.00 | | | i | 11.90 | | | 1.83 | |
| Anot | TIONAL NRCs | | | ULFFF | | OSACE | 0.00 | 523.00 | 323.00 | | · · · · · · · · · · · · · · · · · · · | | 11.30 | | | 1.65 | ł |
| ADDI | 4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy- | | | | | - | | | | | | | | | | | ļ |
| | Inward/two way Telephone Numbers (except NC) | | | UEPPP | | PR7TF | | 0.5412 | | | | | 11.90 | | l | 1.83 | 1 |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | + | | OC. T | | 1, 10, 11 | | 0.5412 | | | | | 11.00 | | | 1.00 | |
| | Outward Tel Numbers (All States except NC) | 1 | | UEPPP | | PR7TO | | 12.71 | 12.71 | | | 1 | 11.90 | | | 1.83 | [|
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | + | | 100111 | | 1.17.10 | | 12.71 | 12.71 | | | | 11.50 | | 1 | 1.00 | t |
| 1 | Subsequent Inward Telephone Numbers | | 1 | UEPPP | | PR7ZT | | 25.42 | 25.42 | | | | 11.90 | | | 1.83 | |
| 1004 | AL NUMBER PORTABILITY | | + | J=111 | | | | 20.72 | 20.72 | | | · · | 11.50 | | | 1 | † |
| 1.004 | Local Number Portability (1 per port) | | | UEPPP | | LNPCN | 1.75 | | | | | | | | T | | |
| INTE | RFACE (Provsioning Only) | + | | - Came () 1 | | LITE OIN | 1.73 | | | | | | | | 1 | 1 | |
| INTE | Voice/Data | 1 | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | <u> </u> | | † |
| | Digital Data . | + | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | Inward Data | + | + | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | † |
| Non | or Additional "B" Channel | + | | JEFFF | | 111111 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| inem (| New or Additional - Voice/Data B Channel | + | | UEPPP | | PR7BV | 0.00 | 20.00 | | | | | 11.90 | | | 1.83 | |
| | New or Additional - Voice/Data B Channel | + | | UEPPP | | PR7BF | 0.00 | 20.00 | | | | † | 11.90 | | | 1.83 | 1 |
| | New or Additional Inward Data B Channel | + | | UEPPP | | PR7BD | 0.00 | 20.00 | | | | | 11.90 | | | 1.83 | † |
| CALL | L TYPES | + | + | SETT | | 1,17,20 | 0.00 | 20.00 | | | | | , , , , , , | | | 1.00 | t |
| CALL | Inward | + | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | 1 | † |
| | Outward | + | | UEPPP | | PR7CO | 0.00 | 0.00 | 0.00 | | | | l | | | 1 | t |
| | | + | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | t |
| | Two-way | + | + | ULFFF | | 1 1/00 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| miero | office Channel Mileage Fixed Each Including First Mile | + | | UEPPP | | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.93 | t |
| | Each Airline-Fractional Additional Mile | | - | UEPPP | | 1LN1B | 0.1856 | 193.34 | 50.41 | Z1.47 | 15.00 | | 11,30 | | | 1.33 | |
| | RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | + | | DEPP | | ILIVID. | U. 1000 | | | | | l | | | | · · · · · | |
| | | t | 1 | 1 | | 1 | | | | | | 1 | | L | 1 | L | 4 |
| | Port/Loop Combination Rates | | | | | | | | | | | 1 | 1 | i | 1 | | 1 |

Page 35 of 53

| UNBUND | LEC | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 1 | Exhil | bit: A |
|---------|------|--|-------------|--|----------------|------------|------------------|----------|------------|--------------|---|--|-----------------------|--|--|---|--|
| CATEGOR | Υ | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| ļ | | NV CO . EV | | | | | | First | Add'l | First | Add'I | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | ļ | . 2 | UEPDC UEPDC | | 850.54 928.39 | | | | | | 11.90 | | | 1.83 | |
| UN | | op Rates | ļ | -3- | DEPDC | - | 920.39 | | | | | | 11.90 | | | 1.83 | |
| | T | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 70.74 | | | | | | 11,90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 2 | <u> </u> | 2 | UEPDC | USLDC | 100.54 | | | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 178.39 | | | | | | 11.90 | | | 1.83 | |
| UN | | rt Rate | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | ļ | | UEPDC | UDD1T | 750.00 | 1,019.56 | 479.87 | 204.92 | 20.10 | | 11.90 | | | 1.83 | |
| NO | NRE | CURRING CHARGES - CURRENTLY COMBINED | ļ | <u> </u> | | | | | | | | | | | | | |
| | 1 | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | usana | | | 55.54 | | | | | | | | | |
| | - | - Switch-As-Is Top 8 MSAs only | | <u> </u> | UEPDC | USAC4 | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | 1 | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | } | | 1 | | | İ | | | | | | | | | |
| İ | 1 | - Conversion with DS1 Changes Top 8 MSAs only | | | UEPDC | USAWA | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | | and a second of the contract o | | | | | | 00.01 | 70.71 | | | l | 1 | | | 1,00 | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | 1 | | | | | | | | | |
| | | - Conversion with Change - Trunk Top 8 MSAs only | | | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| AĐ | DITK | ONAL NRCs | | | | | | | | | | | | | | | |
| | 1 | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | I | | | | | | | | | | | |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | <u> </u> | UEPDC | UDTTA | | 15.69 | 15,69 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | l | | UEPDC | UDTTB | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | - | UEPUC | אווטט | | 15.69 | 15.09 | | | | 11.90 | | | 1.83 | |
| | | Activation/Chan Inward Trunk wout DID | | | UEPDC | UDTTC | ı | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | OLI DO | 100110 | | 10.00 | 10.00 | | | | 11.00 | | | 1.00 | |
| | | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | 1 | 15.69 | 15.69 | ł | | | 11.90 | | | 1.83 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | - | | |
| | | Activation / Chan - 2-Way DID w User Trans | | <u> </u> | UEPDC | UDTTE | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| BIF | | R 8 ZERO SUBSTITUTION | | ļ | | | | | | | | | | | | | |
| | | B8ZS -Superframe Format | ļ | ļ | UEPDC | CCOSF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| 814 | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| Att | | te Mark Inversion AMI -Superframe Format | | ļ | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | <u> </u> | | | - |
| Tel | | one Number/Trunk Group Establisment Charges | | t | OLI DO | 100.0 | | 0.00 | 0.00 | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | † | UEPDC | UDTGX | 0.00 | | | | *************************************** | | 11.90 | | | 1.83 | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | 1 | | | | | |
| | | of 20 DID Numbers | <u> </u> | _ | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | ļ | 11.90 | | | 1.83 | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 11.90 | | | 1.83 1.83 | |
| | | DID Numbers, Non-consecutive DID Numbers . Per Number Reserve Non-Consecutive DID Nos. | ļ | | UEPDC UEPDC | ND5 ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | | Reserve Non-Consecutive DID Nos. Reserve DID Numbers | ļ | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | l |
| Dev | | reserve DID Numbers red DS1 (Interoffice Channel Mileage) - | | | DEI DO | 1404 | 0.00 | 0.00 | 0.00 | | | | 11,30 | | | | |
| | | for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | † | | -1 | | | | | | l | † | 1 | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | T | | 1 | | | | | | | | | | | |
| | | Termination) | | - | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.83 | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | L | ļ | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| - | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | LIEBBC | 11 NO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 | | ┼ | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | _ | - | | | |
| | | miles | | | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | , | | T | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | 1 | UEPDC | 1LNOC | 0.1856 | 0.00 | 0.00 | | | | | | | | ļ |
| | | Local Number Portability, per DS0 Activated | L | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | <u></u> | 1 | J | <u> </u> | L | <u> </u> |

| JINDL | MULE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | r | Attach | | | bit: A |
|-------|--|--|-------------|--------------|-------------------|----------------|----------------------|--------|------------|--------------|------------|--|---|--|---|---|---|
| ATEC | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual St Order vs Electronic Disc Add |
| | - | | | | | | Rec | Nonrec | | | Disconnect | | , | | Rates(\$) | | , |
| | | 0-1-10% | | ļ | | | | First | Addi | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4 (407) | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | | E DS1 LOOP WITH CHANNELIZATION WITH PORT | L | ļ | | | | | | | | | | | ļ | | |
| | | n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | L | L | | | | | | | | | | | | |
| | | em can have various rate combinations based on type and nu | mber of | ports | used | | | | | | | | | | | | |
| | UNE U | S1 Loop | | | Lucio III | 1101 70 | 70.74 | | | | | _ | | | | | |
| | - | 4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USEDC | 70.74 100.54 | 0.00 | 0.00 | | | | | | | | |
| | | | | | UEPMG | | | 0.00 | 0.00 | | | | | | | | |
| | UNE D | 4-Wire DS1 Loop - UNE Zone 3 | L | _3 | UEPMG | USLDC | 178.39 | 0.00 | 0.00 | | | ↓ | | | | | |
| | ONED | SO Channelization Capacities (D4 Channel Bank Configuration | 15) | | UEDI IO | | | | | | | 4 | | | ļ | | |
| | | 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s | | ļ | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | | | _ | 11.90 | | | 1.83 | |
| | | 96 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG UEPMG | VUM48 VUM96 | 236.12 472.24 | 0.00 | 0.00 | ļ | | | 11.90 11.90 | | - | 1.83 | |
| | + | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM96 VUM14 | | 0.00 | | | | | | | | 1.83 | |
| | + | 192 DS0 Channel Capacity - 1 per 6 DS1s | ļ | | UEPMG | VUM14 VUM19 | 708.36 | 0.00 | 0.00 | | | | 11.90 | | ļ | 1.83 | |
| | - | | | | | | 944.48 | 0.00 | 0.00 | | | - | 11.90 | | ļ | 1.83 | ļ |
| | - | 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s | - | | UEPMG UEPMG | VUM20 VUM28 | 1,180.60 1,416.72 | 0.00 | 0.00 | - | | ļ | 11.90 | | ļ | 1.83 | |
| | | 384 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 VUM38 | 1,416.72 | 0.00 | 0.00 | | | ļ | 11.90 | | | | |
| | | | | ļ | | VUM40 | | | | | | | | | | 1.83 | <u> </u> |
| | i | 480 DS0 Channel Capacity - 1 per 20 DS1s | | ļ | UEPMG | | 2,361.20 | 0.00 | 0.00 | | | ļ | 11.90 | | | 1.83 | |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | ↓ | 11.90 | | | 1,83 | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | L | L | UEPMG | VUM67 | 3,305.68 | 0.00 | 0.00 | | | ļ | 11.90 | | | 1.83 | |
| | | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | ļ | | | | | |
| | | mum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| | Multip | les of this configuration functioning as one are considered Ac | Id'l afte | r the n | ninimum system co | nfiguration is | counted. | | | | | ļ | | | | | ļ |
| | | NRC - Conversion (Currently Combined) with or without | | l | | | . 1 | | | | | | | | | | |
| | ļ | BellSouth Allowed Changes - Top 8 MSAs Only | L | L | UEPMG | USAC4 | 0.00 | 450.00 | 50.00 | | | | 11.90 | | | | ļ |
| | | n Additions Where Currently Combined and New (Not Currentl | y Comb | ined) | | | | | | | | 1 | | | | | ļ |
| | In Den | sity Zone 1 Top 8 MSAs | | | | | | | | | | 1 | | | | | |
| | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | i | | | | | 1 |
| | 1 | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 950.00 | 600.00 | 200.00 | 30.00 | | 11.90 | | | | |
| | Bipola | r 8 Zero Substitution | | | | | | | | | | L | | | | | |
| | į | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | 1 | | | 1 | | |
| | 1 | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| | İ | Clear Channel Capability Format - Extended Superframe - | - | l | | | | | | l i | |] | | | | | |
| | | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | l | | |
| | Alterna | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Excha | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| | Excha | nge Ports | | | | | | | | | | | | | | | |
| | 1 | | | l | | | | | | | | | | | | | |
| | 1 | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | <u> </u> | 1.83 | L |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | | | | | I | | | | | | | | | | | | |
| | 1 | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 14.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 55.00 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Featur | e Activations - Unbundled Loop Concentration | | | | | | | | 1 | | | | | | | |
| | | Feature (Service) Activation for each Line Port Terminated in D4 | | | T | | | | | 1 | | | | | | 1 | |
| | 1 | Bank | | | UEPPX | 1PQWM | 0.66 | 40.00 | 20.00 | 6.00 | 5.00 | | 11.90 | | | 1.83 | |
| | T | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | 1 | D4 Bank | | | UEPPX | 1PQWU | 0.66 | 110.00 | 30.00 | 65.00 | 20.00 | | 11.90 | | | 1.83 | |
| | Teleph | none Number/ Group Establishment Charges for DID Service | | | | | | | | 1 | | | | | | 1 | |
| | 1 | DID Trunk Termination (1 per Port) | | T | UEPPX | NDT | 0.00 | 0.00 | 0.00 | 1 | | | 11.90 | | | | |
| | | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | l | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | 1 | | | 11.90 | | | | |
| | 1 | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1 | T |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | 1 | | | 11.90 | | | 1 | t |
| | + | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | + | 11.90 | | | | |
| | + | Reserve DID Numbers | ļ | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | <u> </u> | | + | 11.90 | | | | |
| | Local | Number Portability | | | JULI I | 1404 | 0.00 | 0.00 | 0.00 | | | | 11.00 | | | | t |
| | | animos i Arianalità | i i | 1 | UEPPX | LNPCP | 3, 15 | 0.00 | 0.00 | ļ | | | <u> </u> | | 1 | | ļ |

| INRONDE | LED NETWORK ELEMENTS - Florida | | | | | | | | | | · | | | ment: 1 | | bit: A |
|---------|---|----------------|--|---------------------|---------------|-------------------|----------------|----------------|----------------|-----------------|--------------|--------------|----------------|--|---|--------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | L | | | Nec | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMA |
| | TURES - Vertical and Optional | | | | | | | | | | | | | | | |
| Loca | al Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | l |
| | D CENTREX PORT/LOOP COMBINATIONS - COST BASED RAT | | L | | } ., | | | | | | | | | | | |
| | ost Based Rates are applied where BellSouth is required by FO | | | | | | | | | | I | | | | | |
| | eatures shall apply to the Unbundled Port/Loop Combination - | | | | | | | | | | | | 1 | l | | |
| | nd Office and Tandem Switching Usage and Common Transpo | | | | | | | | | | | | | | <u> </u> | |
| | he first and additional Port nonrecurring charges apply to Not | Currently | Comb | ined Combos. For | Currently Co | mbined Combo | s, the nonrect | urring charges | shall be those | identified in t | he Nonrecu | rring - Curr | ently Combin | ed sections. | Additional | |
| | S may apply also and are categorized accordingly. | | | | | | | | | | | · | | | | |
| 5. M | farket Rates for Unbundled Centrex Port/Loop Combination w | ll be neg | otiated | on an Individual Ca | ise Basis, un | til further notic | e. | | | | | | | | | |
| | -P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN or | ly) | | | | | | | | | | | | | | |
| | ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | L | I |
| UNE | Port/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comb | o - | | | | | | | | | | | | | | |
| | Non-Design | 1 | 1 | UEP91 | | 10.94 | | | | | | į | ļ. | | 1 . | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | | | | | | | | | | | | | | |
| 1 | Non-Design | | 2 | UEP91 | | 15.05 | | | | | | ! | İ | | Ì | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | 1 | | | | | | | | | | | | | |
| | Non-Design | | 3 | UEP91 | 1 | 25.80 | | | i | | | | | | | 1 |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comb | 5- | | | | 1 | | | | | | | | | | |
| | Design | · | 1 | UEP91 | | 13.41 | | | i | | 1 | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | - | <u> </u> | | 1 | | | | | | | | | | | |
| | Design | | 2 | UEP91 | 1 | 18.57 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | | <u> </u> | OL. O. | 1 | | | | | | 1 | | | | l | |
| | Design | | 3 | UEP91 | i | 32.04 | | | | | 1 | | | 1 | | |
| UNE | Loop Rate | | | 01.01 | 1 | 1 | | | | | 1 | | | | | |
| UNL | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP91 | UECS1 | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 13.88 | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL. 1) - Zone 3 | _ | 3 | UEP91 | UECS1 | 24.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 1 | UEP91 | UECS2 | 12.24 | | | | | | | | t | i | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 17.40 | | | | | | l | | t | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 30.87 | | | | | 1 | l | | | 1 | |
| IINE | Ports | | +- <u>~</u> - | OLS OF | OLCOE | 30.07 | | | | | | - | | | | |
| | States (Except North Carolina and Sout Carolina) | | ! | | + | | | | | | | l | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | 02. 31 | JOET IX | 1 | | 20.10 | 21,00 | 0.07 | | | | | | † |
| 1 | Area | - | | UEP91 | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | +- | 02/ 3/ | TOLI ID | l | | 20.70 | 2.1.00 | 0.07 | | 7 1.00 | | | † | |
| | Area | | | UEP91 | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | 1 | | l |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | + | \vdash | | +===::: | 1 | 00.01 | 20.70 | 21.50 | | † | 1 | | 1 | | — |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | i | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | ┼ | OLI 31 | OL: IV | | 100.40 | 00.10 | 00.41 | 10.01 | - | 17.00 | | | | |
| | Term - Basic Local Area | ٤ | | UEP91 | UEPYZ | 1.17 | 139.49 | 86,10 | 65,41 | 13,81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivale | | | OLF 81 | OLI 12 | 1.11 | 100,40 | 00,10 | 00.41 | 15.01 | | 71.00 | | | | |
| | | nt | 1 | UCD04 | UEPY9 | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | 1 | | | 1 |
| | - Basic Local Area | | | UEP91 | UEPTS | 1,17 | 55.51 | 20,46 | 27.50 | 0.37 | | 11.90 | - | | ļ | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEDOA | L CONTO | 1 4 4 7 | E0 ^4 | 20.10 | 27.50 | 8.37 | 1 | 11.90 | | | | 1 |
| | Basic Local Area | | - | UEP91 | UEPY2 | 1.17 | 53.31 | 26,46 | 27.50 | 8.37 | - | 11.90 | | | - | · |
| Geor | orgia and Florida Only | | ₩ | UEDOA | lucer: | 1 | *** | 20.00 | - AT F. | 0.07 | + | 11.90 | | | _ | + |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPHA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | - | | | - | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ļ | 11.90 | ļ | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | ↓ | UEP91 | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | ļ | . | + |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | | l | | | 400 | | | 40.01 | 1 | .,,,,, | 1 | l | I | 1 |
| | Center)2 | | | UEP91 | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | e | 1 | I | l | | | | | | 1 | | | | | 1 |
| 1 | Term | | | UEP91 | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | ļ | | - | + |
| | | | 1 | 1 | 1 | I | î . | 1 | | | 1 | I | 1 | 1 | 1 | 1 |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivals | į | ! | UEP91 | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | 1 | 1 | 1 | |

Page 38 of 53

| NBUNDLED NE | TWORK ELEMENTS - Florida | , | | , | | | | | | | - | | Attachi | | Exhi | |
|--------------|--|--------------|--|----------------|----------------|--------|---------------|--------------|-------|--------------|--------------|---|-------------------------------------|-------------------------------------|-------------------------|----------------------------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Order vs. | Charge - Manual S Order vs |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| Local Switch | N | | ļ | | - | ,,,,, | First | Addʻl | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | rex Intercom Funtionality, per port | | | UEP91 | URECS | 0.7384 | | | | | | | | | | f |
| | er Portability | | | ULF 91 | UNLUG | 0.1304 | | | | <u> </u> | | | | | | |
| | Number Portability (1 per port) | | | UEP91 | LNPCC | 0.35 | | | | | | | | | | t |
| Features | | | | | | | | | | | | | | | | |
| All S | tandard Features Offered, per port | | | UEP91 | UEPVF | 2.26 | | | | T | | 11.90 | | | | |
| | elect Fealures Offered, per port | | | UEP91 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | entrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.26 | | | | | | 11.90 | | | | |
| NARS | | ļ | ļ | | | | | | | | 1 | | | | | |
| | undled Network Access Register - Combination | | ļ | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | 4 | 11.90 | | | | |
| | undled Network Access Register - Indial undled Network Access Register - Outdial | | | UEP91 UEP91 | UAR1X UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 11.90 | | | | ļ |
| | us Terminations | | | UEP91 | UARUX | 0.00 | 0.00 | 0.00 | | | - | 11.90 | | | | |
| 2-Wire Trunk | | | | | | | | | | | - | | | | | |
| | k Side Terminations, each | | | UEP91 | CENA6 | 8.73 | | | | | | | | | | |
| | hannel Mileage - 2-Wire | | † | | | 5.10 | | | | | <u> </u> | - | | | · | <u> </u> |
| | office Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 25.32 | | | | | | | | | | |
| | office Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0091 | | | | | | | | | | |
| | vations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | - " | | | | | | | | |
| | Bank Feature Activations | | | | | | | | | | | | | | | |
| Feat | ure Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1POWS | 0.66 | | | | | | | | | | |
| | ure Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| Slot | ure Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | |
| | ure Activation on D-4 Channel Bank Centrex Loop Stot - rent Wire Center | <u> </u> | ļ | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | ure Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| Slot | ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | |
| | ure Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | |
| | ng Charges (NRC) Associated with UNE-P Centrex | | ļ | | | | | | | | | | | | | |
| | version - Currently Combined Switch-As-Is with allowed | | 1 | UEP91 | USAC2 | | 21.50 | 0.40 | | | | 11.90 | 1 | | | |
| | iges, per port version of Existing Centrex Common Block | | | UEP91 | USACN | | 21.50 5.17 | 8.42 8.32 | | | - | 11.90 | | | | |
| | Centrex Standard Common Block | | | UEP91 | MIACS | 0.00 | 618.82 | 0.32 | | | - | 11.90 | | | ··· | |
| | Centrex Standard Common Block Centrex Customized Common Block | | - | UEP91 | MIACC | 0.00 | 618.82 | | | | + | 11.90 | | | | |
| | ondary Block, per Block | | † | UEP91 | M2CC1 | 0.00 | 71.31 | | | | 1 | 11.90 | | | 1 | |
| NAR | Establishment Charge, Per Occasion | 1 | | UEP91 | URECA | 0.00 | 66.48 | | | | | 11.90 | L | | | |
| UNE-P CENT | TREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | oop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | L |
| | pop Combination Rates (Non-Design) re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | | - | | | | | | | <u> </u> | | | | | | ļ |
| | Design re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | - | 1 | UEP95 | - | 10.94 | | | | | - | | | | | - |
| | Design re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP95 | | 15,05 | | | | 1 | | | | | | |
| Non- | Design Dop Combination Rates (Design) | | 3 | UEP95 | | 25.80 | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- | | 1 | UEP95 | | 13.41 | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP95 | | 18.57 | | | | | | | | | | |
| Desig | | | 3 | UEP95 | | 32.04 | | | | | | | | | | |
| UNE Loop R | | | | | | | | - | | | 1 | | | | | |
| | re Voice Grade Loop (SL. 1) - Zone 1 | | 1 | UEP95 | UECS1 | 9.77 | | | | | I | | ļ | | | |
| 2-Wi | re Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 13.88 | | | | | | <u> </u> | | | <u>l</u> | |

| UNBUNDI | LED NETWORK ELEMENTS - Florida | | | T | т | | | | | | 1 | | | ment: 1 | | bit: A |
|----------|---|-------------|----------|---------|---------|--------|--------|------------|--------------|-------|----------|-----------------------|---|---|-------------|--|
| CATEGORY | / RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | . | ļ | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | ļ | | | ı | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 24.63 | | | | | | | | ļ | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 30.87 | | | ļ | | | | | | | |
| | E Port Rate | | | ļ | | | | | ļ | | | | | | | |
| All 3 | States | 1 | 1 | luenos. | UE SUCE | | | 20.40 | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | ļ | UEP95 | UEPYA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | <u> </u> | |
| | 2-Wire Voice Grade Port (Centrex with Catler ID)1Basic Local | | 1 | | | | | | | | | | | | | |
| | Area | - | | UEP95 | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | ļ | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | luen - | 1 | , | | | | | | | | | 1 |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1,17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | ' | | 1 | 1 | | | | | | | | | | | |
| | Term - Basic Local Area | | 1 | UEP95 | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | ļ |
| ľ | 2-Wire Voice Grade Port terminated in on Megalink or equivaler | ıl | | | | | | | | | 1 | 1 | | | | |
| | - Basic Local Area | | 1 | UEP95 | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | <u> </u> | Ļ |
| 1 | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | İ | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| FL & | & GA Only | | ļ | | | | | | | | | | | | | <u></u> |
| | 2-Wire Voice Grade Port (Centrex) | | ļ | UEP95 | UEPHA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | | | | | | | | | | | | | Į. |
| | Center)2 | | | UEP95 | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | <u> </u> | 11.90 | | İ | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | : | | UEP95 | UEPHZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | T | | | | | | | | | | | | | |
| 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivaler | nt | | UEP95 | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | 1 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| Loc | al Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7384 | | | | | | | | 1 | | |
| Loc | al Number Portability | | | | | | | | | | | | | | | l |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Fea | tures | | T | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.26 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.26 | | | | | | | | | | |
| NAF | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| Mis | cellaneous Terminations | | | | | | | | | | | | | | | |
| 2-W | /ire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.73 | | | | | | | | | | |
| 4-W | /ire Digital (1.544 Megabits) | | | | | | | | | | | | | <u> </u> | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 54.95 | | | | | | | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | |
| Inte | eroffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | 1 |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 25.32 | | | | | | | l | L | <u> </u> | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0091 | | | | | | | | | | |
| | ture Activations (DS0) Centrex Loops on Channelized DS1 Serv | ice | | | | | | | <u> </u> | | | | | | | 1 |
| D4 (| Channel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | 1 | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slo | | | UEP95 | 1PQW6 | 0.66 | | | | | L | | | L | | L |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | 1 | | | | | | | | | 1 | 1 | | | 1 |
| | | | | | | | | | | | | | | | | |

| | ED NETWORK ELEMENTS - Florida | | Τ | | 1 | | | | | | Sua Ordan | Sun Deda- | Attach | | | bit: A |
|--------|--|-------------|------------------|--------|--------|-------|--------|------------|--------------|-------|---------------------------------------|---|--|---|---|---|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | · · · · · · · · · · · · · · · · · · · | T |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | ļ | - | | | | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tivate Line/Trunk Loop | | - | OLF 33 | IFOVV | 0.00 | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | · · · · · · · · · · · · · · · · · · · | | - | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | 1 | | | | | | | | | | | | | İ |
| Ì | changes, per port | | | UEP95 | USAC2 | 0.00 | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | Ţ | UEP95 | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 618.82 | | | | 1 | 11.90 | | | · · | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| UNE- | P CENTREX - DMS100 (Valid in All States) | | <u> </u> | | | | | | | | | | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | - | 1 | | | | | | | | | | | | | |
| | Port/Loop Combination Rates (Non-Design) | | † | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Non-Design | | 1 1 | UEP9D | | 10.94 | | | | | | | | | 1 | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | ' - | OLI 3D | | 10.54 | | | | | | | | | | |
| | Non-Design | | 2 | UEP9D | | 15.05 | | | | | | | | | l | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OELAD | | 15.05 | | | | | | | | | <u> </u> | |
| | | | 1 . | UEDOD | | 25.80 | | | | | | | | | l | |
| | Non-Design (Particular | ļ | 3 | UEP9D | | 25.80 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | ļ | Į | | | | | | | | ļ | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | İ | | | | | | | | | | | | | | |
| | Design | | 1 | UEP9D | | 13.41 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | | | | | | | | | | | | | 1 |
| | Design | | 2 | UEP9D | | 18.57 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | 1 | | | | | | | | | | | | | |
| | Design | | 3 | UEP9D | | 32.04 | | | | | | | | | | |
| UNE | Loop Rate | 1 | | | | | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP9D | UECS1 | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 24.63 | | | | | Į | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 17.40 | | | | | 1 | | | T | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | UEP9D | UECS2 | 30.87 | | | | | İ | | | | | |
| UNE | Port Rate | | T - | | - | 22.27 | | | | | | | | l | | |
| ALI | STATES | İ | 1 | | | | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | <u> </u> | | UEP9D | UEPYA | 1,17 | | | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Fort (Centrex 800 termination)Basic Local | | t | | 100,11 | 1, 17 | | | | | ļ | 11.50 | | | | |
| - | Area | | 1 | UEP9D | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | l | l | 1 | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | VL: JU | OLF 10 | 1.17 | 55.51 | 20.40 | 21.30 | 0.37 | 1 | 11.90 | | | | |
| 1 | | l | 1 | UEP9D | UEPYC | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | 1 | | 1 | 1 |
| | Area 2 Micro Voyco Crado Bod (Control LERS M6000)2Page Legal | | | ひにてもひ | UEPTO | 1.17 | 55.31 | ∠0.46 | 27.50 | 6.37 | - | 11.90 | | | | |
| 1 | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | 1 | HEDOD | UEDVO | 4 477 | E0 04 | 20.40 | 07.50 | 0.07 | | 1100 | | | 1 | 1 |
| +- | Area | | | UEP9D | UEPYD | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | - | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | 1 | 1 | | | | | | | | | | | | 1 | 1 |
| | Area | | ļ | UEP9D | UEPYE | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | ļ | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | 1 | | | | | | | | | | | | | ŀ |
| | Area | | 1 | UEP9D | UEPYF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | ļ | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | 1 | 1 | | | | l | | | | | | | | 1 | 1 |
| | Area | | | UEP9D | UEPYG | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | L | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | l | 1 | | | | | | | | 1 | | | | | |
| | Area | L | 1 | UEP9D | UEPYT | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| T | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | 1 | 1 | | | | | | | | | | | | | |
| | Area | 1 | 1 | UEP9D | UEPYU | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | 1 | | | | | | | | 1 | | | | | 1 |
| | | | | | | | | | | | | | | | | |

| JILDON DE. | ED NETWORK ELEMENTS - Florida | | | T | | | | | | | γ | | | ment: 1 | | bit: A |
|------------|--|-------------|--------------|----------------|---------|------|----------------|----------------|----------------|--------------|----------|-----------------------|--|--|---|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | | Rec | Nonrec | | | Disconnect | | | | Rates(\$) | | L |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | | First | Add'i | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| İ | Area | | | UEP9D | UEPY3 | 1.17 | 53.31 | 26.46 | 27.50 | 0.07 | | 44.00 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | OCI 3D | OLI 13 | 1.17 | 10,31 | 26.46 | 27.50 | 8.37 | <u> </u> | 11.90 | | | | |
| | Area | | | UEP9D | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | - 1100 | | | | |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | ļ | UEP9D | UEPYJ | 4.43 | FO. 04 | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9U | UEPTJ | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | 20110 | 21.00 | 0.51 | | 11.50 | | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | I | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPYP | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 1.17 | 139.49 | 86.10 | 65,41 | 13.81 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | OLF 515 | 102110 | , | 100.40 | 00.10 | 00,41 | 15.01 | | 11.90 | | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYS | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 1.17 | 400.40 | 00.48 | 05.44 | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | OLFSD | OEF 14 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 1.17 | 139.49 | 86.10 | 65 41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | urnon | 1,500 | 4.47 | | | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPY7 | 1,17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | i |
| | Term | | | UEP9D | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | 00.10 | | 10.01 | | 11.00 | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | Í |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | | | |
| F1 8.1 | Local Area GA Only | | | UEP9D | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11,90 | | | | |
| - | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | _ | UEP9D | UEPHD | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11,90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPHE | 1,17 | 53.31 | 26,46 | 27.50 | 8.37 | | 11,90 | | | | _ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | i |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | · |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | ĺ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPHV | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11,90 | | | • | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHW | | F2 24 | 06.40 | 07.50 | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D UEP9D | UEPHW | 1.17 | 53.31 53.31 | 26.46 26.46 | 27.50 27.50 | 8.37 8.37 | | 11.90 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | OC 30 | OLI 110 | 1.17 | 33.31 | 20.46 | 21.50 | 0.37 | | 11.90 | | | | l |
| | 2 | | | UEP9D | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | i |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | 1 |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | I |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11,90 | | | | <u> </u> |
| 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 1.17 | 139,49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | i . |

| | D NETWORK ELEMENTS - Florida | , | , | , | - · · · · · · · · · · · · · · · · · · · | | | | | | | | | ment: 1 | | bit: A |
|---------|---|-------------|----------|---------|---|--------|-----------------|---|-----------------------|---------------------|--------------|---------------|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'i | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring First | Disconnect Add'I | SOMEC | SOMAN | | Rates(\$) | COMAN | CONTAN |
| | | | | | | | FIISC | Augi | FIISL | Addi | SUMEC | SUMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 1,17 | 139.49 | 86.10 | 65.41 | 13.81 | 1 | 11.90 | | 1 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2 Time Voice crease for (Schaesealler SWO) EBO-MO000/2, 3 | | | 00 30 | OLFTIA | 1.17 | 139.49 | 86.10 | 65.41 | 13.61 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 1.17 | 139.49 | 86.10 | 65,41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | ļ | UEP9D | UEPH7 | 1,17 | 139.49 | 86.10 | 65.41 | 13.81 | ļ | 11.90 | | | | |
| İ | Term | | 1 | UEP9D | UEPHZ | 1,17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | | | | | | | | t | , , , , , , , | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| Local | 2-Wire Voice Grade Port Terminated on 800 Service Term Switching | | - | UEP9D | UEPH2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | ļ | 11,90 | | | | |
| LUCA | Centrex Intercom Funtionality, per port | | <u> </u> | UEP9D | URECS | 0.7384 | | | | | | | | | | ļ |
| Local | Number Portability | | <u> </u> | OCI 200 | ONLOG | 0.7354 | - | o/marane | | | | | | <u> </u> | | |
| | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.26 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | | ļ | UEP9D | UEPVC | 2.26 | | *************************************** | | | | | | | | |
| NARS | | | | | 1 | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | <u> </u> | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | ļ |
| | Unbundled Network Access Register - Inward | | ļ | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | - | 11.90 | | ļ | | |
| Bicco | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Trunk Side | | | | | | | | | | - | | | | | |
| 2 77110 | Trunk Side Terminations, each | | ! | UEP9D | CEND6 | 8.73 | | | | | | | | | | |
| 4-Wire | Digital (1.544 Megabits) | | i | 0 | 1 | 5.1.0 | | | | | | | | t | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 54.95 | | | | | | | | | 1 | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | 1 | | | | | | | | | | | | 1 | |
| | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0091 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Servic | е | 1 | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | 1 | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | - | UEP9D | 1PQWS | 0.66 | | | | | ļ | | | ļ | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | ļ | UEP9D | 1PQWP | 0.66 | | | | | | | | ļ | | |
| 1 | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Trie Line/Trunk Loop | <u></u> | | ULPOU | IFQWV | U.56 | | | | | | | | | ļ | |
| | Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | T | UEP9D | 1PQWA | 0.66 | | | | | | | | | | T |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | 1 | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | L |
| | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | l |
| 1 | New Centrex Standard Common Block | | L | UEP9D | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | 1 |
| | New Centrex Customized Common Block | | 1 | UEP9D | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | 1 |
| | | | | | | | | | | | | | | | | |
| | NAR Establishment Charge. Per Occasion CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | | UEP9D | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |

| RONDER | D NETWORK ELEMENTS - Florida | | • | • | | | | | | | | | Attachi | nent: 1 | Exhi | bit: A |
|---------|---|--------------|--|----------------|-----------------|--------------|--------|--------------|--|-------|--|-----------|---|---|---|--------------|
| FEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | ļ | | | | First | Add'l | First | Add'i | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| UNE P | ort/Loop Combination Rates (Non-Design) | | <u> </u> | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | | LIEBOE | | 40.04 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | | 10.94 | | | | | _ | | | | | |
| | Non-Design | | 2 | UEP9E | | 15.05 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | UCFSE | | 15.05 | | | | | | | | | | |
| | Non-Design | | 3 | UEP9E | | 25.80 | | | | | | | | | | |
| UNE P | ort/Loop Combination Rates (Design) | - | 1 | OLI SL | | 23.00 | | | | | | | | | - | ļ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 1 1 | UEP9E | | 13.41 | | | 1 1 | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | 02.02 | | | | | | | | | | | | |
| | Design | | 2 | UEP9E | | 18.57 | | |] | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | 1 | 3 | UEP9E | | 32.04 | | | | | | | | | | |
| UNE L | pop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | 1 | 1 | UEP9E | UECS1 | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 13.88 | | | | | 1 | | | | | İ |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 24.63 | | | | | T | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 30.87 | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | |
| AL, FL | , KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | L | UEP9E | UEPYA | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | 1 | | | | | | | | | 1 |
| | Area | ļ | | UEP9E | UEPYB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | 1 |
| | Area | | ļ | UEP9E | UEPYH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | _ | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | HEDOC | UEPYM | 1.17 | 400.40 | 86.10 | 05.44 | 13.81 | 1 | 11.90 | | | | |
| | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | - | UEP9E | DEPTN | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | | | UEP9E | UEPYZ | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | l | 11.90 | | | | |
| | Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UCP9E | UEPTZ | 1.17 | 139.49 | 00.10 | 03.41 | 13.01 | | 11,90 | | | | ! |
| | I-Basic Local Area | | | UEP9E | UEPY9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OL SL | OLI 13 | (.17 | 33.31 | 20.40 | 21.00 | 0.01 | - | 17.00 | | | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | İ | 11.90 | | | | |
| Florida | | | | | | | 55.5 | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPHA | 1,17 | 53.31 | 26,46 | 27.50 | 8.37 | - | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | † | UEP9E | UEPHB | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | 1 | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPHH | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11,90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | Ţ | | | | | | | | | | | - | | |
| | Center)2 | | | UEP9E | UEPHM | 1.17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9E | UEPHZ | 1,17 | 139.49 | 86.10 | 65.41 | 13.81 | | 11.90 | | | | |
| | | l | | | | | П | | 1 | | | | | | 1 | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPH9 | 1.17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | <u> </u> | UEP9E | UEPH2 | 1,17 | 53.31 | 26.46 | 27.50 | 8.37 | | 11.90 | | | | |
| Local S | Switching | | 1 | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | - | - | UEP9E | URECS | 0.7384 | | | | | | ļ | | | <u> </u> | |
| Local | Number Portability | | | LIEDOE | LNDGG | 0.05 | | | ! | | - | | | | | ļ |
| | Local Number Portability (1 per port) | ļ | | UEP9É | LNPCC | 0.35 | | | | | 1 | | | | | |
| Feature | | | | LIEDOE | LIEDVE | 2.20 | | | | | - | | | | | |
| | All Standard Features Offered, per port | | - | UEP9E UEP9E | UEPVF UEPV\$ | 2.26 0.00 | 370,70 | | | | | 11.90 | | | | |
| | All Select Features Offered, per port | ļ | - | UEP9E | UEPVS | 2.26 | 3/0./0 | | ļ - | | | 11.90 | | | | |
| NARS | All Centrex Control Features Offered, per port | | | IOCLAC | DEPVC | 2.26 | | | | | - | | | | | |
| MAKS | Unbundled Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | 1 1 | | 1 | 11.90 | | | l | |
| | | | - | | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Indial | | | UEP9E | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhi | bit: A |
|--------------|--|--------------|--------------|---------------------|-----------------|--|---|----------------|--|----------------|--------------|--|--------------|--------------|--|--------------|
| | | | T | | | | | | | | Svc Order | Svc Order | Incremental | ···· | | · |
| | | - | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | usoc | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| i | | | | | | | | | | | ' | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | j l | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| ļ | | | | | | ··· - ··· - · · · · · · · · · · · · · · | Nonroe | | Managaria | - Dissessed | | L | 000 | Datas(S) | l | |
| | | | | | | Rec | Nonrec First | Add'l | Nonrecurring First | Add'I | SOMEC | SOMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| Miscel | Ianeous Terminations | | 1 | | | | 11131 | Auu i | 11130 | Audi | JOHEC | 000 AIR | JOINAIN | JOMAN | 30117.11 | JOHAN |
| | Trunk Side | | | | <u> </u> | | | | | | 1 | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.73 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | L | | UEP9E | M1HD1 | 54.95 | | | | | | | | | | |
| | DS0 Channel Activated Per Channel | | ļ | UEP9E | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | |
| Interof | fice Channel Mileage - 2-Wire | | 1 | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | ļ | - | UEP9E | M1GBC | 25.32 | | | | | | | - | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | J | ļ | UEP9E | M1GBM | 0.0091 | | | ļ | <u> </u> | ļ | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Servic annel Bank Feature Activations | e | | | | | | | | | + | | | | | |
| D4 C11 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | ł | | | | - | |
| | Treature Activation on 2"4 Channel Dank Centrex 2009 5100 | | | OLI JL | 11 (244.9 | 0.06 | | | | | | - | | l | l | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | - | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | 1 277 | 5.50 | | | İ | l | 1 | † | | 1 | | |
| | Slot | 1 | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | i | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | İ | 1 | | | | | | | | | | 1 | | | |
| | Different Wire Center | L | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | | | 1 | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | 1 | 1 | | | | | | | | | | 1 | | | |
| | Slot | | ļ | UEP9E | 1PQWQ | 0.66 | | | ļ | | | | - | | | |
| L | Feature Activation on D-4 Channel Bank WATS Loop Slot | | ļ | UEP9E | 1PQWA | 0.66 | | | | | - | | | | | |
| Non-R | ecurring Charges (NRC) Associated with UNE-P Centrex | ļ | - | | | | | | | | 1 | | <u> </u> | | | - |
| | NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port | | | UEP9E | USAC2 | | 21.50 | 8.42 | | | Į | 11.90 | | | | |
| ļ | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | ł |
| | New Centrex Standard Common Block | | \vdash | UEP9E | MIACS | 0.00 | 618.82 | 0.02 | | | † | 11.90 | | | | _ |
| | New Centrex Customized Common Block | | † | UEP9E | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | 1 | | | | |
| | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | - Requires Specific Customer Premises Equipment | | | | | | | | | | 1 | | | | | |
| | CENTREX PORT/LOOP COMBINATIONS - MARKET RATES | 1 | <u> </u> | | | | | | | | | ļ | | | | ļ |
| | ket Rates are applied where BellSouth is not required by FCC | | | | | ndied Local Sw | vitching or Sw | tch Ports. | | | ļ | | | | | |
| 2. Rec | urring Charges for all Standard Centrex and Centrex Conrol Fe | eatures | are inc | luded in the Marke | t Rate |] | 4 | | | L | 4 5 LINE 6 | Sain Dadille | an Cambinat | <u> </u> | | |
| 3. End | Office and Tandem Switching Usage and Common Transport | usage | rates ir | the Port Section of | r this rate exh | indit snail apply | to all combin | mons of loop/ | port network e | elements exce | TOT UNE | OHI POTULO | op Combina | uons. | Additional MI | 200 |
| | first and additional Port nonrecurring charges apply to Not Co | urrently | Comb | ined Combos. For | Currently Co | mbinea Comba | s, the nonrect | irring charges | snall be those | i identined in | іле мопгесы | rring - Cum | entry Combin | ea sections. | Augitional Ni | CS Blay |
| | also and are categorized accordingly. | | Т | Г | | r | | | | 1 | Т | T | Τ | Т | T | 1 |
| | CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo | 7 | | ļ | | | | | | | | | | | · | - |
| | ort/Loop Combination Rates (Non-Design) | | - | | | | | | | - | + | | | | | |
| UNE | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | + | | - | | | | | | + | | t | | | |
| 1 | Non-Design | | 1 | UEP91 | | 26.94 | | | | 1 | | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | + | | + | 20.54 | | | | — | <u> </u> | † | | | 1 | 1 |
| | Non-Design | | 2 | UEP91 | | 31.06 | | | | I | 1 | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | † <u> </u> | 7. | | | | | | | | | | | 1 | |
| | Non-Design | | 3 | UEP91 | | 45.87 | | | | L | | | | | | 1 |
| UNE P | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | 1 | | | | | | | | | | | | 1 | | |
| | Design | | 1 | UEP91 | | 29.36 | | | | | | ļ | | ļ | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | 1 | | | | ŀ | | 1 |
| | Design | <u> </u> | 2 | UEP91 | | 34.43 | | | | ļ | ļ | | | | | _ |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 . | | | | | | | 1 | | | | 1 | | 1 |
| ļ | Design | ļ | 3 | UEP91 | | 50.68 | | | - | | - | | | | <u> </u> | + |
| UNE L | oop Rate | | + | UEP91 | UECS1 | 12.94 | | | | - | | <u> </u> | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | <u> </u> | 2 | UEP91 UEP91 | UECS1 | 12.94 | | | ļ | | - | | | 1 | | |
| | 2-Wire Voice Grade Loop (St. 1) - Zone 2 2-Wire Voice Grade Loop (St. 1) - Zone 3 | - | 3 | UEP91 | UECS1 | 31.87 | | | | <u> </u> | + | | | | | |
| | IZ-AARG AGICG GLARG EROD (OF 1) - SOLIS 2 | 1 | 1 5 | DC 21 | TOFOOT | 31.01 | L | | 1 | | .1 | <u> </u> | <u> </u> | 1 | .1 | |

Version 1Q03: 02/28/03 Page 45 of 53
131 of 228

| IADOIANE | D NETWORK ELEMENTS - Florida | I | Т | | T | | | | | | 10 | 10.00 | | ment: 1 | | bit: A |
|----------|--|-------------|--|---------|--|--------|--------|-------------|--------------|----------|---------|-----------------------|--|--|---|---|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submetted Manually | incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss | Rates(\$) | | · |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP91 | UECS2 | 15.36 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP91 | UECS2 | 20.43 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 36.68 | | | | | | | | | | ····· |
| UNE P | | | | OLI 31 | OLGGE | 30.00 | | | | | | | | | | |
| | ites (Except North Carolina and Sout Carolina) | | 1 | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 14.00 | 70.00 | 35.00 | 35.00 | 10,00 | | 11,90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | 1 | UEP91 | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | 1 | | | | | | | | | | | | | |
| | Area | | | UEP91 | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | ļ | UEP91 | UEPYM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | ļ | 11.90 | | | | ļ |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDO4 | luero I | | , | | | | | | | | 1 | 1 |
| | Term - Basic Local Area | <u> </u> | | UEP91 | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | LIEDO4 | luenvo | 44.00 | 70.00 | 05.00 | 05.00 | 40.00 | | | | | 1 | 1 |
| | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | ļ | | UEP91 | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Basic Local Area | | | UEP91 | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Goorg | ia and Florida Only | | | UEF91 | UEP12 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Georg | 2-Wire Voice Grade Port (Centrex) | | - | UEP91 | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | ļ | UEP91 | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | - | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | · | 1 | JEI VI | 192, | | 10.00 | | 00.00 | 10.00 | | 17.50 | | | | |
| | Center)2 | | 1 | UEP91 | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | 00.00 | 20100 | | - 111 | | - | | |
| | Term | 1 | 1 | UEP91 | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | · | 1 | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | ĺ | 1 | UEP91 | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPH2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | l | | UEP91 | URECS | 0.7384 | | | | | | | | | | |
| Local | Number Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | ļ | UEP91 | LNPCC | 0.35 | | | | | | | | | | |
| Featur | | | | | | | | ··· ······· | | | | | | | | |
| | All Standard Features Offered, per port | | ļ | UEP91 | UEPVF | 0.00 | 270.70 | | | | | 11.90 | | | | |
| _ | All Select Features Offered, per port | <u> </u> | | UEP91 | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| NARS | All Centrex Control Features Offered, per port | | . | UEP91 | UEPVC | 0.00 | | | | | | 11,90 | | | ļ | |
| MARG | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Uribundled Network Access Register - Indial | | <u> </u> | UEP91 | UAR1X | 0.00 | 0.00 | 0,00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | <u> </u> | |
| Misce | laneous Terminations | | 1 | 0.27 01 | 1071107 | 0.05 | 0.00 | 0.00 | | | | 11.00 | | | - | |
| | Trunk Side | | - | | 1 | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.81 | | | | | | | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | 1 | | 1 | | | | | | | | | | 1 | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 25.32 | | | 1 | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0091 | | | | | I | L | <u> </u> | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | ļ | ļ | UEP91 | 1PQWS | 0.66 | | | | | | | | | | L |
| | le., 11 c 210 | | | Lumma. | Language | | | | | | ļ | | | | 1 | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | ļ | ļ | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | Lumma. | I nove | | | | | | | | | | | |
| | Slot | | - | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | l | | LIEBO4 | Inown | | | | | | | [| | | | |
| _ | Different Wire Center | ļ | | UEP91 | 1PQWP | 0.66 | | | ļ | | ļ | | | | | |
| | | l | 1 | | 1 | [| | | | | 1 | | | | | 1 |
| 1 | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | <u></u> | UEP91 | 1PQWV | 0.66 | | | | <u> </u> | l | <u> </u> | | L | 1 | L |

| NARONDE | ED NETWORK ELEMENTS - Florida | , | | | | | | | | | | | Attach | ment: 1 | Exhi | ibit: A |
|----------|---|--------|--|----------|----------|-------|--------|------------|--------------|---|-----------|--------------|--------------|-------------|--|--------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | 1 | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | ì | | | | | | | | Elec | Man∺alfy | Manual Svc | Manual Svc | | Manual Sv |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES (\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | 1 | | | | | | | | per Lor | per con | | Electronic- | l. | 1 |
| | | | | | | | | | | | | | Electronic- | | Electronic- | Electronic |
| | | | İ | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | A |
| | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | t |
| | Slot | | | UEP91 | 1PQWQ | 0.66 | | | | | | | l | ĺ | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | | | | | | |
| Non-F | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | 1 |
| | changes, per port | | 1 | UEP91 | USAC2 | | 21.50 | 8.42 | | | | 11.90 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | New Centrex Standard Common Block | | T | UEP91 | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | 1 |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 71.31 | | | *************************************** | | 11.90 | | | | - |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | l | 1 |
| UNE- | P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | i | | | | † |
| 2-Wir | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | Port/Loop Combination Rates (Non-Design) | | † | | | | | | | ······································ | | | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | İ | | | | | | | | | | | | | + |
| | Non-Design | | 1 | UEP95 | | 26.94 | | | | | | 1 | | | | 1 |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | 00.7 00 | | 20.54 | | | | | | | | | | |
| | Non-Design | | 2 | UEP95 | | 31.06 | | | | | | | • | | 1 | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | - | OCI 33 | | 31.00 | | | | | | | ļ | | | |
| ı | Non-Design | | 3 | UEP95 | | 45.87 | | | | | | | į | | | |
| TIME | Port/Loop Combination Rates (Design) | | 3 | UEP93 | | 45.67 | | | | | | | | | | |
| UNE | | | | | | | | | | | | | | | | |
| I | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | ١. | UECOE. | | | | | | | | | ŀ | | | |
| | Design | | 1 | UEP95 | | 29.36 | | | | | | | | | | |
| - 1 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | _ | | | | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 34.43 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | İ | | |
| | Design | | 3 | UEP95 | | 50.68 | | | | | <u> </u> | | | | | |
| UNE L | oop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 12.94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP95 | UECS1 | 17.06 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 31.87 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 15.36 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 20.43 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 36.68 | | | | *** | | | | | | |
| UNE F | Port Rate | | | | | | | | | | | | | | | |
| All St | ates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 | UEP95 | UEPYA | 14.00 | 70,00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | † | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | 7 5700 | 00.00 | | | | 11.00 | | | | - |
| | Area | | | UEP95 | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | ł | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 02.100 | JOC: 711 | 14.00 | 70.00 | 00.00 | 33.00 | 10.00 | | 11.50 | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 14.00 | 180.00 | 110.00 | 95.00 | 20.00 | | 11.00 | | | 1 | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI 33 | OLS TW | 14.00 | 100.00 | 110,00 | 85.00 | 20.00 | | 11.90 | | | ļ | + |
| l | | | | LIEDOE | UEDVZ | 14.00 | 400.00 | 440.00 | 05.00 | 00.00 | | 44.00 | ĺ | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | ļ | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | 1 | | i | 1 |
| | - Basic Local Area | | | UEP95 | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | 1 | | 1 | ļ | I | | | | | | | | | 1 |
| | Basic Local Area | | | UEP95 | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | <u> </u> | | | 1 |
| | Y, LA, MS, SC, & TN Only | | ļ | | | | | | | | | | | | | |
| FL & | GA Only | | L. | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex) | | L | UEP95 | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | L | L |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | l | | 1 | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 1 | | | | | | | | | | | 1 | |
| 1 | Center)2 | | 1 | UEP95 | UEPHM | 14.00 | 180.00 | 110,00 | 85.00 | 20.00 | | 11.90 | [| | l | 1 |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | T | | | | | | | | l | | ĺ | | | |
| I | Term | | 1 | UEP95 | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | 4 | <u> </u> | 1 | 1.007 | .00.00 | 110.00 | | 20.00 | | | | l | | + |
| | | | ŀ | I | 1 1 | 1 | 1 | | 1 | | i | 1 | l | | 1 | 1 |

| CHDONDEED | NETWORK ELEMENTS - Florida | · | | | 1 1 | | | | | | 1= | | Attach | | | bit: A |
|-----------|--|--------------|--------------|----------------|----------------|--------|----------------|----------------|--|----------------|---|-----------------|--|---|--------------|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increment Charge Manual S Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | T |
| | -Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 14.00 | First 70.00 | Add'l 35.00 | First 35.00 | Add'l 10.00 | SOMEC | SOM AN 11.90 | SOMAN | SOMAN | SOMAN | SOMAN |
| Local Sw | | † | | 00.00 | 1021112 | 17.00 | 10.00 | 33.00 | 55.00 | 10.00 | <u></u> | 11.00 | | | · | |
| C | entrex Intercom Funtionality, per port | 1 | | UEP95 | URECS | 0.7384 | | | l | | | | | | | |
| | mber Portability | | T | | | | | | l i | *********** | | | | | | <u> </u> |
| | ocal Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Features | | 1 | | | | | | | | | | | | | | |
| | I Standard Features Offered, per port | ļ | | UEP95 | UEPVF | 0.00 | | | | | | | | | | ļ |
| | Il Select Features Offered, per port | ļ | ļ | UEP95 | UEPVS | 0.00 | 370.70 | | | ~~~~ | | 11.90 | | | | ļ |
| NARS | If Centrex Control Features Offered, per port | | ļ | UEP95 | UEPVC | 0.00 | <u></u> | | lI | | | | | | | ļ |
| | nbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | nbundled Network Access Register - Indial | 1 | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | nbundled Network Access Register - Outdial | † · · · | i | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | † | |
| Miscellan | neous Terminations | | | | | | | | | | | | | | 1 | |
| 2-Wire Tr | | 1 | | | | | | | | | | | | | | |
| | runk Side Terminations, each | | | UEP95 | CEND6 | 8.81 | | | | | | | | | | |
| | gital (1.544 Megabits) | | ļ | | | | | | | | | | | | | |
| | S1 Circuit Terminations, each | - | | UEP95 | M1HD1 | 54.95 | | | ļ | | | | | | | |
| | S0 Channels Activated, each | - | | UEP95 | M1HDO | 0.00 | 15.69 | | ļ | | 1 | 11.90 | | | | |
| | e Channel Mileage - 2-Wire steroffice Channel Facilities Termination | | | UEP95 | M1GBC | 25.32 | | - | | | | | | | | - |
| | steroffice Channel mileage, per mile or fraction of mile | - | | UEP95 | M1GBM | 0.0091 | | | | | | | | | | ļ |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | 001 30 | MITODIKI | 0.0051 | | | l | | | | | | | |
| | nel Bank Feature Activations | T | | | | | | | | | | | | | | |
| | eature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | i | | | | | | | | | |
| | eature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | |
| | eature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | 1 | | | | 1 | | | | | |
| | lot | - | ļ | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | eature Activation on D-4 Channel Bank Centrex Loop Slot - ifferent Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | l | | | | | |
| In | interent whe Center | | | UEP95 | IPQVP | 0.00 | | | | | | | | ļ | | |
| l le | eature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | 1 | | | | 1 | | | | | |
| | eature Activation on D-4 Channel Bank Title Line/Trunk Loop | | · | OLI 30 | 1, 4,,, | 0.00 | | | | | <u> </u> | | | | | |
| | lot | | | UEP95 | 1PQWQ | 0.66 | | | 1 | | İ | | | | | |
| F | eature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | | | | | | |
| | arring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | RC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | l i | | l | | | | | |
| | hanges, per port | ļ | ļ | UEP95 | USAC2 | 0.00 | 21.50 | 8.42 | | | | 11.90 | | | | |
| | onversion of Existing Centrex Common Block, each lew Centrex Standard Common Block | | | UEP95 UEP95 | USACN M1ACS | 0.00 | 5,17 618.82 | 8.32 | | | | 11.90 11.90 | | | | |
| | ew Centrex Standard Common Block | 1 | | UEP95 | MIACC | 0.00 | 618.82 | | | | | 11.90 | | | | - |
| | AR Establishment Charge, Per Occasion | - | | UEP95 | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| | ENTREX - DMS100 (Valid in All States) | | i | 02100 | JORGON | 0.00 | 00.40 | | | | | 11.00 | | | | |
| | G Loop/2-Wire Voice Grade Port (Centrex) Combo | † | | | | | | | | | | | | | | |
| | /Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | -Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | - | | | | | | | | | | | | | | |
| | on-Design | 1 | 1 | UEP9D | 1 | 26.94 | | | | | | | | | ļ | |
| | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | - | l . | | | | | |] | | | | | | | |
| | lon-Design | | 2 | UEP9D | | 31.06 | | | | | | | | | ļ | 1 |
| | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 3 | UEP9D | | 45.87 | | | | | | | | | | |
| | lon-Design //Loop Combination Rates (Design) | | 1 3 | OCLAD | | 40.67 | | | | | | | | | | |
| | -Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo | | - | | | | | | | | - | | | | | - |
| | esian | | 1 | UEP9D | | 29.36 | | | | | | | | | | |
| | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | 1 | † <u>-</u> - | | | 20.55 | | | | | | | | | | |
| | esign | | 2 | UEP9D | | 34.43 | | | | | | | | | | |
| 2- | -Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | esign | | 3 | UEP9D | | 50.68 | | | | | | | | | | |

| JNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 1 | <u> </u> | bit: A |
|----------|---|--------------|--------------|--------|----------|-------|-----------------|------------|--------------|-------|----------|---------|--|---|---|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | l . | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec First | | Nonrecurring | | 001150 | 000(40) | | Rates(\$) | 0011411 | |
| UNF | oop Rate | | | | 1 | | First | Add'l | First | Addʻi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 12.94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP9D | UECS1 | 17.06 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 31.87 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 15.36 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 20.43 | | | | | | | | | | |
| - LINE F | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 36.68 | | | | | | | | | | ļ |
| | Port Rate STATES | - | - | | + | | | | | | | | | | | ļ |
| MLL C | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 14.00 | | | | | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | <u> </u> | | OL: 30 | - OLI IX | 14.00 | | | | | | 11,30 | | ···· | | |
| | Area | | | UEP9D | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | 1 | OEF90 | UEFIC | 14.00 | 70.00 | 33.00 | 35.00 | 10.00 | | 11.90 | | | | <u> </u> |
| | Area | | | UEP9D | UEPYD | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11,90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | - | UEP9D | UEPYF | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | ļ |
| | Area | | | UEP9D | UEPYG | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | · | UEP9D | UEPYT | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | ļ |
| | Area | | | UEP9D | UEPYU | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | uenon | LIEDVA | 11.00 | 70.00 | 25.00 | 25.00 | 10.00 | | 11.00 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | \vdash | UEP9D | UEPYV | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Area | | | UEP90 | UEPY3 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | ļ | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | DEF 90 | OLF III | 14.00 | 70.00 | 33.00 | 33.00 | 10.00 | | 11.30 | | | | |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 14.00 | 70,00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | Į. | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | t | 1 | | | | | | | | | | | | | † |
| | 2 Basic Local Area | ļ | ļ | UEP9D | UEPYM | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | 1 | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | ļ | | UEP9D | UEPYP | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | T | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | - | UEP9D | UEPYR | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | 1 |
| | Basic Local Area | | | UEP9D | UEPYS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | HEDOD | UEDVA | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | - | UEP9D | UEPY4 | 14.00 | 100.00 | | 65.00 | 20.00 | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11,90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | <u> </u> | | 00.00 | OLF 10 | 14.00 | 100,00 | 119.00 | 03.00 | 20.00 | <u> </u> | 11.30 | | | | † |
| | Basic Local Area | | L. | UEP9D | UEPY7 | 14.00 | 180,00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11,90 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhi | ibit: A |
|-------------|--|--------------|--------------|----------------|----------|----------------|------------------|----------------|----------------|----------------|--|---|---|---|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per ESR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | <u> </u> | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | <u> </u> | ļ | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| l | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | - | | UEDOD | LIED IN | | 72.00 | | | | 1 | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | ļ | | UEP9D | UEPY9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | ļ | 11.90 | | | | |
| l i | Local Area | | | UEP9D | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | 1 | 11.90 | | | | |
| FL & C | GA Only | | | OLI SB | 100112 | 14,00 | 70.00 | 33.00 | 33.00 | 10.00 | ļ | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | - | UEP9D | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | - |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | ļ | | UEP9D | UEPHE | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | ļ | ļ | UEP9D | UEPHF | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | - | UEP9D UEP9D | UEPHG | 14.00 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | ļ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | - | UEP9D | UEPHU | 14.00 | 70.00 70.00 | 35.00 35.00 | 35.00 35.00 | 10.00 10.00 | | 11.90 | | | | ļ |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5206)3 | | - | UEP9D | UEPHU | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | · | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | 33100 | | | | | | | |
| | Indication)3 | | 1 | UEP9D | UEPHW | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | 1 | | | | | | | | | | | |
| | 2 | | ļ | UEP9D | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | ļ | 1 | UEP9D | UEPHO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| 1 | O WE - 1/2 - O - 1 - Th. 1/O - 1 - U/F - O/HO /FDO NECODIO D | | | uenon | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHP | 14.00 14.00 | 180.00 180.00 | 110.00 | 85.00 | 20,00 | | 11,90 | | | | |
| | 12-Wife Voice Grade Fort (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | ļ | | | |
| 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPHR | 14,00 | 180.00 | 110.00 | 85.00 | 20,00 | | 11,90 | | | | |
| | | — | - | 02.00 | 02,7,00 | 7 1100 | 100.00 | 110.00 | 00.00 | 2.0,00 | | 1 | · | | | |
| - 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | <u> </u> | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | <u> </u> | | UEP9D | UEPH4 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | i | | | |
| 1 | | | | | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | ļ | UEP9D | UEPH5 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2 Mires Voice Crosts Dark (Contraveleller SIMO (EDS ME246)2 2 | | | UEP9D | UEPH6 | 14.00 | 400.00 | 440.00 | 05.00 | 00.00 | | 14.00 | ĺ | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9U | UEPHO | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | i | ! | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OL7 00 | 102.71 | 14.00 | 100.00 | 710.00 | 05.00 | 20.00 | | 11.50 | | | | |
| | Term | | | UEP9D | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | | | T | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | <u> </u> | <u> </u> | UEP9D | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | ļ | | UEP9D | UEPH2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| 1 2 1 | Centrex Intercom Funtionality, per port | - | ┼── | UEP9D | URECS | 0.7384 | | | | | ļ | ļ | | | | |
| Local | Number Portability | | | HEDOD | LNDCC | 0.35 | | | | | | | | | | |
| Featur | Local Number Portability (1 per port) | | | UEP9D | LNPCC | 0.35 | | | | | | | | | | |
| - Cata | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | | | | | | | | | | - |
| | All Select Features Offered, per port | t | 1 | UEP9D | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| | All Centrex Control Features Offered, per port | 1 | 1 | UEP9D | UEPVC | 0.00 | 2.27.0 | | | | | T | | | | İ |
| NARS | | 1 | | -mur | <u> </u> | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | - | |
| | laneous Terminations | | ļ | | | | | | | | ļ | | | | | |
| 2-Wire | Trunk Side | ļ | ļ | UEDOD | OFNES | | | | | | ļ | | | | | ļ |
| 4 15: | Trunk Side Terminations, each | ļ | _ | UEP9D | CEND6 | 8.81 | | | | | } | ļ | | ļ | | |
| 4-Wire | Digital (1.544 Megabits) | 1 | | l | | 1 | | l | L | L | L | L | L | i | L | <u></u> |

| BUNDLED NETWORK ELEMENTS - Florida | | · | Τ | | | | | | | | · | | ment: 1 | | bit: A |
|--|-------------|--|----------------|---------|--------|--------|---------------------------------------|--------------|-------|--|---|--|--|---|--------------|
| TEGORY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge |
| | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | <u> </u> | |
| DS1 Circuit Terminations, each | | - | UEP9D | M1HD1 | 54.95 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DS0 Channels Activiated per Channel | _ | + | UEP9D | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | ļ | <u> </u> |
| Interoffice Channel Mileage - 2-Wire | | + | OLF 3D | IWITIDO | 0.00 | 13.09 | | ļ | | | 11.90 | | | ļ | |
| Interoffice Channel Facilities Termination | | + | UEP9D | M1GBC | 25.32 | | | | | - | | | | 1 | - |
| Interoffice Channel mileage, per mile or fraction of mile | | 1 | UEP9D | M1GBM | 0.0091 | | | | | | | | | | - |
| Feature Activations (DS0) Centrex Loops on Channelized DS1 Se | rvice | | 1 | | | - | | | | | | | | | |
| D4 Channel Bank Feature Activations | | 1 | | | | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank Centrex Loop Slot | | 1 | UEP9D | 1PQWS | 0.66 | | | | | | | | | | 1 |
| Feature Activation on D-4 Channel Bank FX line Side Loop S | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | <u> </u> | | | |
| Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | | | I | | . 1 | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank Private Line Loop SI | | 1 | UEP9D | 1PQWV | 0.66 | | | | ļ | L | | | | | |
| Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot | ' | | Lucron | 1001110 | 2.00 | | | | | | | ĺ | | | |
| Feature Activation on D-4 Channel Bank WATS Loop Slot | | - | UEP9D UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| Non-Recurring Charges (NRC) Associated with UNE-P Centrex | | | UEP9D | 1PQWA | 0.66 | | | | · | | | | | | |
| NRC Conversion Currently Combined Switch-As-is with allow | od . | | ļ | | | | | | | | | | ļ | | - |
| changes, per port | su | 1 | UEP9D | USAC2 | l | 21.50 | 8.42 | i | | | 11.90 | | l | | |
| Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | ! |
| New Centrex Standard Common Block | | | UEP9D | MIACS | 0.00 | 618.82 | 0.02 | | | | 11.90 | | | | - |
| New Centrex Customized Common Block | | + | UEP9D | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| NAR Establishment Charge, Per Occasion | | + | UEP9D | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |
| UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | 1 | | | | | | | | | | | | † | 1 |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | † | | | | | | | | | | | | | |
| UNE Port/Loop Combination Rates (Non-Design) | | 1 | | | | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Com | bo - | T | | | | | · | | | | | | | | |
| Non-Design | | 1 | UEP9E | | 26.94 | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb | 10 - | | | | 1 | | | | | | | | | | |
| Non-Design | | 2 | UEP9E | | 31.06 | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb | ю - | 1 . | | | | | | | | | | | | l | |
| Non-Design | | 3 | UEP9E | | 45.87 | | | | ļ | | | | | | |
| UNE Port/Loop Combination Rates (Design) | | ļ | | | | | | | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Com Design | 00 - | ١, | UEBOE. | | 20.20 | | | | | | | | | İ | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb | _ | 1 | UEP9E | | 29.36 | | | | | ļ | ļ | - | | | |
| Design Design | 0 - | 2 | UEP9E | | 34.43 | | | 1 | | | | | | | |
| 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Comb | 00 - | | OLI OL | | 3-4,43 | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| Design | ~ | 3 | UEP9E | | 50.68 | | | | | | | | | 1 | |
| UNE Loop Rate | | + | 102.02 | | | | | <u> </u> | | † | | | | | - |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9Ë | UECS1 | 12.94 | | | | | 1 | | | | † | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | | UECS1 | 17.06 | | | | · | † · · · · · · · | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 31.87 | | | | | 1 | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 15.36 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 20.43 | | | | | | | | | I | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 36.68 | | | | | | | | | | |
| UNE Port Rate | | | | | | | | | | | | | | | L |
| AL, FL, KY, LA, MS, & TN only | | ļ | | | | | | | ļ | ļ | | | | | |
| 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | ļ | 11.90 | | | | <u> </u> |
| 2-Wire Voice Grade Port (Centrex 800 termination)Basic Loca | | | l | I | | | | | | | | l |] | | 1 |
| Area | - | <u> </u> | UEP9E | UEPYB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | ļ | 11.90 | ļ | ļ | ļ | |
| 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | <u> </u> |
| 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP9E | UEPYM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |

| NUDUNDEED NE | ETWORK ELEMENTS - Florida | , | | | | | | | | | | | Attach | ment: 1 | Exhi | bit: A |
|--------------|--|-------------|----------|----------------|----------------|--------------|--------|------------|--------------|--------------|-------|-----------------------|--|--|---|--|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | n | Nonrec | urring | Nonrecurring | a Disconnect | | | | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOM AN | SOMAN | SOMAN | SOMAN | SOMAN |
| | /ire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | m - Basic Local Area | | | UEP9E | UEPYZ | 14.00 | 180.60 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | fire Voice Grade Port terminated in on Megalink or equivalent usic Local Area | | | UEP9E | UEPY9 | 14.00 | 70.00 | 35.00 | 25.00 | 10.00 | | 44.00 | | | | |
| | fire Voice Grade Port Terminated on 800 Service Term - | | | ULFSE | OCF19 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Bası | ic Local Area | | | UEP9E | UEPY2 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Florida Only | | | | | | | | | | | | | | ··· | | |
| | rire Voice Grade Port (Centrex.) | | | UEP9E | UEPHA | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | fire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPHB | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | fire Voice Grade Port (Centrex with Caller ID)1 fire Voice Grade Port (Centrex from diff Serving Wire | | | UEP9E | UEPHH | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| | Rer)2 | | | UEP9E | UEPHM | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | re Voice Grade Port, Diff Serving Wire Center - 800 Service | <u></u> | | <u> </u> | OLI TIME | 14.00 | 180.00 | 110.00 | 65.00 | 20.00 | | 11.90 | | | | |
| Term | | | | UEP9E | UEPHZ | 14.00 | 180.00 | 110.00 | 85.00 | 20.00 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | İ | |
| | fire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPH9 | 14.00 | 70.00 | 35.00 | 35.00 | 10.00 | | 11.90 | | | | |
| Local Switc | fire Voice Grade Port Terminated on 800 Service Term | | \vdash | UEP9E | UEPH2 | 14.00 | 70.00 | 35.00 | 35,00 | 10.00 | | 11.90 | | | | |
| | cring Itrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.7384 | | | | | | | | | | |
| | per Portability | | | UEFSE | UKECS | 0,7304 | | | | | | | | | | |
| | al Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Features | | | | | 1 1 | 0,00 | | | | | | · | | | | |
| | Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | · | | | | | - | | |
| All S | Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 370.70 | | | | | 11.90 | | | | |
| All C | Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| Unbi | oundled Network Access Register - Combination oundled Network Access Register - Indial | | | UEP9E UEP9E | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| Unbi | bundled Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 11.90 | | | | |
| | ous Terminations | | | OLI SL | DAROX | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| 2-Wire Trun | ık Side | | | | | | | | | | | | | | | |
| | nk Side Terminations, each | | | UEP9E | CEND6 | 8.81 | | | | | | | | | | |
| | tal (1.544 Megabits) | | | | | | | | | | | | | | | |
| | Circuit Terminations, each | | | UEP9E | M1HD1 | 54.95 | | | | | | | | | | |
| | Channel Activated Per Channel Channel Mileage - 2-Wire | | | UEP9E | M1HDO | 0.00 | 15.69 | | | | | 11.90 | | | | |
| | roffice Channel Facilities Termination | | | UEP9E | M1GBC | 25.32 | | | | | | | | | | |
| | roffice Channel mileage, per mile or fraction of mile | | | UEP9E | M1GBM | 0.0091 | | | | | | | | | | |
| | ivations (DS0) Centrex Loops on Channelized DS1 Service | e | | 7-7-1 | 1 | 0,330, | | | | | | | | | | |
| | Bank Feature Activations | | | | | | | | | | | | | | | |
| Feat | ture Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| l lenat | huse Astination on D. A. Channel Beat, EV line Cide Lane Clat | | | urnor | anour l | 0.00 | İ | | | | | | | | | |
| | ture Activation on D-4 Channel Bank FX line Side Loop Slot ture Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| Slot | | | | UEP9E | 1PQW7 | 0.66 | I | | | | | | | | | |
| | ture Activation on D-4 Channel Bank Centrex Loop Stot - | | | VL | 11. 34.77 | 0.00 | | | | | | | | | | |
| | erent Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | ture Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| Feat | ture Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | LEDOE | 1DOM: | | | | | | | | | | | |
| | ture Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E UEP9E | 1PQWQ 1PQWA | 0.66 0.66 | | | | | | | | | | |
| | ring Charges (NRC) Associated with UNE-P Centrex | | | OLI JE | II-COVA | 0.00 | | | | | | | | | | |
| | C Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | nges, per port | | | UEP9E | USAC2 | [| 21.50 | 8.42 | | | | 11.90 | | | | |
| Conv | version of Existing Centrex Common Block, each | | | UEP9E | USACN | | 5.17 | 8.32 | | | | 11.90 | | | | |
| | Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 618.82 | | | | | 11.90 | | | | |
| | / Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 618.82 | | | | | 11.90 | | | | |
| NAR | R Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 66.48 | | | | | 11.90 | | | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | Attach | ment: 1 | Exhi | bit: A |
|----------|---|---------|-----------|---------------------|--------------|----------------|-------|------------|--------------|---------------------------------------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | ŀ | | | | | | Elec | Man∺aliy | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | usoc | | | RATES (\$) | | | per LSR | per L\$R | Order vs. | Order vs. | Order vs. | Order vs. |
| 1 | | | 1 1 | | Į. | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | 1 | OSS | Rates(\$) | | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Note 1 | 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| Note | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | 1 | | | | | |
| Note 3 | 3 - Requires Specific Customer Premises Equipment | | | | | | | | | t | İ | | | | | |
| Note: | Rates displaying an "R" in Interim column are interim and sub | ject to | rate true | -up as set forth in | General Tern | ns and Conditi | ons. | | | | 1 | | | | | |

| LOCAL | INTE | RCONNECTION - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhi | ibit: B |
|----------------|---------|--|--|--|-----------------------|----------------|-------------------|---------------------------------------|------------------|-----------------------|------------------|--------------|--|--|--|--|--|
| CATEGO | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | Increment Charge - Manual St Order vs. |
| | | | | | | | | | | | | | | | | DISC ISI | DISC Add |
| - | | | ļ | | | - | Rec | Nonre | curring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | SOMAN | Rates (\$) | SOMAN | SOMAN |
| | | | | | | - | | FIISL | Augi | riist | Addi | SUMEC | SUMAN | SUMAN | SUMAN | SOMAN | SUMAN |
| LOCAL | INTER | CONNECTION (CALL TRANSPORT AND TERMINATION) | l | <u> </u> | | | 1 | | | | | | | | | - | |
| | | "bk" beside a rate indicates that the Parties have agreed to b | ill and k | eep for | that element pursu | ant to the ter | rms and conditi | ions in Attach | ment 3. | | | | | | | | |
| | TANDE | M SWITCHING | L | | | | | | | | | | | | - | | |
| | | Tandem Switching Function Per MOU | | I | OHD | | 0.0006019bk | | | | | | | | | | |
| 1 | | Multiple Tandem Switching, per MOU (applies to intial tandem | | | | | | | | | | | | | | | |
| | | only) | | | OHD | | 0.0006019 | | | | | | L | | | | |
| | | Tandem Intermediary Charge, per MOU* | <u> </u> | <u></u> | OHD | 1 | 0.0015 | l | | | | 1 | | | | | |
| | TRUS | charge is applicable only to transit traffic and is applied in ad | dition t | o appli | cable switching and | or intercon | nection charges | S | | | | | | | | | |
| | IKUNP | CHARGE Installation Trunk Side Service - per DS0 | | - | OHD | TPP++ | | 04.70 | 0.40 | | | | | _ | | | <u> </u> |
| - | | Dedicated End Office Trunk Port Service-per DS0** | - | <u> </u> | OHD | TDE0P | 0.00 | 21.73 | 8.19 | | | ļ | | ļ | ļ | | - |
| | | Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1** | | 1 | OH1 OH1MS | TDE1P | 0.00 | _ | | | | - | | ļ . | 1 | - | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | | | OHD | TDW0P | 0.00 | - | · | | <u> </u> | | | | ļ | | |
| | | Dedicated Tandem Trunk Port Service-per DS0** | ! | † | OH1 OH1MS | TDW1P | 0.00 | | | | | | | | | ļ | |
| | ** This | rate element is recovered on a per MOU basis and is included | l in the | End O | | | | l. Il rate element | · | | | | | | | | |
| | | ON TRANSPORT (Shared) | T | I | l | I | lonning, per mo | T Take cientent | i | | | | | | - | | |
| | | Common Transport - Per Mile, Per MOU | | \vdash | OHD | | 0.0000035bk | | | | | | | | | - | |
| | | Common Transport - Facilities Termination Per MOU | | | OHD | | 0.0004372bk | | | | | | | | | | |
| LOCAL | INTER | CONNECTION (DEDICATED TRANSPORT) | | — | | | | | | | | | | | | | |
| | | OFFICE CHANNEL - DEDICATED TRANSPORT | | 1 | | | | | | | | | | | | | † |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | 1 | | f e |
| i | | Per Mile per month | | | OHL, OHM | 1L5NF | 0.0091 | | į | | | | 1 | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | | | - | | | | | | | | | | |
| | | Facility Termination per month | | | OHL, OHM | 1L5NF | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 1 | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | | | T | | | | | | i | | | | |
| | | per month | | | OHL, OHM | 1L5NK | 0.0091 | l | | | | | L. | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | | | | | | | | | | | | | |
| | | Termination per month | L | | OHL, OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | |
| l í | | Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | | | | | l | | | | | | | | |
| | | per month | ļ | | OHL, OHM | 1L5NK | 0.0091 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | | 1 | 1 | 1 | 1 | | | i | İ | 1 | | | |
| | | Termination per month | <u> </u> | | OHL, OHM | 1L5NK | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | | | | | <u> </u> |
| | | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | | i | | | İ | | | ŀ | | | į. | | |
| | | month | | | OH1, OH1MS | 1L5NL | 0.1856 | | | | | | | | | | |
| ŧ | | Interoffice Channel - Dedicated Tranport - DS1 - Facility | | | 0114 011440 | 44.53.0 | 00.44 | 405.54 | 00.47 | 0.4.47 | 40.05 | | 1 | | | | |
| | | Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per | - | | OH1, OH1MS | 1L5NL | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 1 | | ļ | | |
| ł | | month | | | OH3. OH3MS | 1L5NM | 2 07 | | } | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - DS3 - Facility | | 1 | UNS, UNSMS | ILDINM | 3.87 | · · · · · · · · · · · · · · · · · · · | | | | - | | | | | |
| | | Termination per month | 1 | | OH3, OH3MS | 1L5NM | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | 1 | 1 | 1 | | I | 1 |
| , | I OCAI | . CHANNEL - DEDICATED TRANSPORT | | | OLIO, OLIOIMO | LIEDINIVI | 1,07 1.00 | 333.46 | 2 19.28 | 12.03 | 70.36 | 1 | | | | | |
| ¹ | LOUAL | Local Channel - Dedicated - 2-Wire Voice Grade per month | | | OHL, OHM | TEFV2 | 19.66 | 265.84 | 46.97 | 37.63 | 4.00 | 1 | | | - | | |
| 1 | | Local Channel - Dedicated - 2-Wire Voice Grade per month | t | ! | OHL, OHM | TEFV4 | 20.45 | 266.54 | 47.67 | 44.22 | 5.33 | 1 | | | | | |
| | | Local Channel - Dedicated - 4-44the Voice Grade per Month | — | | OH1 | TEFHG | 36.49 | 216.65 | 183.54 | 24.30 | 16.95 | | | | | | |
| | | | t - | l | | 1 | 00.40 | 2.5.00 | 1.00.01 | 200 | 10.30 | | | | | | |
| | | Local Channel - Dedicated - DS3 Facility Termination per month | l | | онз | TEFHJ | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 1 | | | | |
| | | INTERCONNECTION MID-SPAN MEET | 1 | | | | | 1 | 1 | 1 | | 1 | ! | <u> </u> | 1 | 1 | |
| | | If Access service ride Mid-Span Meet, one-half the tariffed se | rvice Lo | cal Ch | annel rate is applica | ble. | | | | | | 1 | | | | <u> </u> | |
| | | Local Channel - Dedicated - DS1 per month | | I | OH1MS | TEFHG | 0.00 | 0.00 | | | | | | | | | T |
| | | Local Channel - Dedicated - DS3 per month | | | OH3MS | TEFHJ | 0.00 | 0.00 | | | | l | | | | | L |
| Ţi | MULTI | PLEXERS | L | | | | L | | | | | | | | | | |
| | | Channelization - DS1 to DS0 Channel System | | | OH1, OH1MS | SATN1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | | | | | |
| _ | | DS3 to DS1 Channel System per month | <u> </u> | <u> </u> | OH3, OH3MS | SATNS | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | L | | | | | L |
| | | DS3 Interface Unit (DS1 COCI) per month | l | <u>L</u> | OH1, OH1MS | SATCO | 13.76 | 10.07 | 7.08 | | | | | | L | | ļ |
| i i | Notes: | If no rate is identified in the contract, the rates, terms, and c | onditio | is for t | he specific service o | r function w | ill be as set for | th in applicable | le BellSouth ta | riff. | | | I | 1 | 1 | | |

Attachment 5

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Premiere is physically collocated as a sole occupant or as a Host within a BellSouth Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to Premiere collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Premiere to occupy a certain area designated by BellSouth within a Premises, or on BellSouth property upon which the Premises is located, of a size which is specified by Premiere and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by Premiere may contemplate a request for space sufficient to accommodate Premiere's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by Premiere may contemplate a request for space sufficient to accommodate Premiere's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate Premiere's requested preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase Premiere's cost or materially delay Premiere's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Premiere wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e)

properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the Premises. Premiere will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Premiere shall use the Collocation Space for the purposes of installing, maintaining and operating Premiere's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to Premiere may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Premiere agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Premiere and at the Premiere's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation at a particular Premises. This report will include the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises for which the Space Availability Report was requested by Premiere.
- 2.1.1 The request from Premiere for a Space Availability Report must be in writing and include the Premises street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the Premises.

CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) Premises within the same state. The response time for Space Availability Report requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Premiere and inform Premiere of the timeframe under which it can respond.

3. <u>Collocation Options</u>

- 3.1 <u>Cageless.</u> BellSouth shall allow Premiere to collocate Premiere's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Premiere to have direct access to Premiere's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Premiere's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Premiere must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 <u>Caged</u>. At Premiere's expense, Premiere will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Premiere and Premiere's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Premiere's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Premiere and provide, at Premiere's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Premiere's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Premiere's BellSouth Certified Supplier shall bill Premiere directly for all work performed for Premiere pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Premiere's BellSouth Certified Supplier. Premiere must provide the local BellSouth Central Office building contact with two Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth

will not access Premiere's locked enclosure prior to notifying Premiere at least fortyeight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Premiere.

- 3.2.1 BellSouth may elect to review Premiere's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify Premiere of its desire to execute this review in BellSouth's response to the Initial Application, if Premiere has indicated its desire to construct its own enclosure. If Premiere's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after BellSouth shall complete its review within fifteen (15) calendar the Firm Order date. days after the receipt of Premiere's plans and specifications. Regardless of whether or not BellSouth elects to review Premiere's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Premiere's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Premiere. BellSouth shall require Premiere to remove or correct within seven (7) calendar days, at Premiere's expense, any structure that does not meet Premiere's plans and specifications or BellSouth's Specifications, if applicable.
- Shared Caged Collocation. Premiere may allow other telecommunications carriers to share Premiere's caged collocation arrangement, pursuant to the terms and conditions agreed to by Premiere (Host) and the other telecommunications carriers (Guests) pursuant to this Section, except where the Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Premiere. BellSouth shall be notified in writing by Premiere upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Premiere that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Premiere.
- 3.3.1 Premiere, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Premiere with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each, with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the above, Premiere shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for

the Guest(s). In Florida, the Guest(s) may submit its own initial and additional equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).

- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Premiere shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Premiere's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on Premises' property only when space within the Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises' property. An Adjacent Arrangement shall be constructed or procured by Premiere and must be in conformance with BellSouth's design and construction Specifications. Further, Premiere shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- If Premiere requests Adjacent Collocation, pursuant to the conditions stated in 3.4 3.4.1 above, Premiere must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Premiere and Premiere's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Premiere's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Premiere's BellSouth Certified Supplier shall bill Premiere directly for all work performed for Premiere pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Premiere's BellSouth Certified Supplier. Premiere must provide the local BellSouth Central Office building contact with two cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Premiere's locked enclosure prior to notifying Premiere at least fortyeight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

- 3.4.2 Premiere must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Premiere's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure Premiere's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from Premiere for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Premiere's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Premiere. BellSouth shall require Premiere to remove or correct within seven (7) calendar days at Premiere's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, if applicable.
- 3.4.3 Premiere shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Premiere's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC subject to individual case basis pricing. Premiere's BellSouth Certified Supplier shall be responsible, at Premiere's sole expense, for filing and receiving any and all necessary zoning, permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in 3.3 above.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Premiere to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Premiere's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. Premiere is prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Premiere must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Premiere. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Premiere's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged

Collocation Spaces, Premiere may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers and construct a dedicated cable support structure between the two contiguous cages. Premiere shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. Premiere shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Premiere is responsible for ensuring the integrity of the signal.

- 3.5.2 Premiere shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting Premiere-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Premiere may use its own technicians to construct the dedicated support structure between the two collocation arrangements.
- 3.5.3 To order CCXCs, Premiere must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to Premiere.

4. Occupancy

4.1 Occupancy. BellSouth will notify Premiere in writing when the Collocation Space is ready for occupancy (Space Ready Date). Premiere will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in Premiere's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame. BellSouth will also establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If Premiere completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of Premiere's acceptance of the Collocation Space (Space Acceptance Date). In the event that Premiere fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Premiere on the Space Ready Date and billing will commence from that date. If Premiere decides to occupy the space prior to the Space Ready Date, the date Premiere occupies the space becomes the new Space Acceptance Date and billing will begin from that date. Premiere must notify BellSouth in writing that

collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept orders for cross connects until it has received such notice. For the purposes of this paragraph, Premiere's telecommunications equipment will be deemed operational when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Premiere may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Premiere and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Premiere signs off on the Space Relinquishment Form and sends this form to BellSouth. if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth does reveal discrepancies, billing will cease on the date that BellSouth and Premiere jointly conduct an inspection, which confirms that Premiere has corrected all of the noted discrepancies. A Subsequent Application Fee will not apply for the termination of occupancy. BellSouth may terminate Premiere's right to occupy the Collocation Space in the event that Premiere fails to comply with any provision of this Agreement, including the payment of the applicable fees.
- 4.2.1 Upon termination of occupancy, Premiere, at its sole expense, shall remove its equipment and any other property from the Collocation Space. Premiere shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Subsequent Application date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Premiere's Guest(s), unless Premiere's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the Premiere removal date. Premiere shall continue the payment of all monthly fees to BellSouth until the date that Premiere, and if applicable Premiere's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Should Premiere or Premiere's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Premiere or Premiere's Guest(s), in any manner that BellSouth deems fit, at Premiere's expense and with no liability whatsoever for Premiere's property or Premiere's Guest(s)'s property. Upon termination of Premiere's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and Premiere shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Premiere, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Premiere's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications

including, but not limited to, Central Office Record Drawings and ERMA Records. Premiere shall be responsible for the cost of removing any Premiere constructed enclosure, together with any supporting structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network
 Equipment Building Systems (NEBS) General Equipment Requirements: Criteria
 Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1.
 Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Premiere's failure to comply with this Section.
- 5.1.3 Premiere shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event Premiere submits an application for terminations that will exceed the total capacity of the collocated equipment, Premiere will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

- Premiere shall notify BellSouth whenever Premiere submits a Method of Procedure (MOP) adding equipment to Premiere's Collocation Space and shall provide to BellSouth a list of all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Premiere's Collocation Space. Premiere shall submit a list of any lien holders or other entities that have a financial interest in the equipment that is collocated by Premiere to its RCM Representative.
- 5.3 Premiere shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- Premiere shall place a plaque or affix other identification (e.g., stenciling) to Premiere's equipment, in order for BellSouth to identify Premiere's equipment, including a list of emergency contacts with telephone numbers.
- 5.5 Entrance Facilities. Premiere may elect to place Premiere-owned or Premiere-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Premiere will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Premiere will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to Premiere's equipment in the Collocation Space. In the event Premiere utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Premiere must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. Premiere is responsible for maintenance of the entrance facilities. At Premiere's option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- Dual Entrance Facilities. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by Premiere for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Premiere with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Premiere's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to Premiere in the Application Response.

- 5.5.2 Shared Use. Premiere may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to Premiere's collocation arrangement within the same Premises. BellSouth shall allow the splice, as long as the fiber is non-working fiber. Premiere must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to perform the splice of the Premiere provided riser cable to the spare capacity on the entrance facility. If Premiere desires to allow another telecommunications carrier to use its entrance facilities, that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Premiere for BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on Premiere's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Premiere's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Premiere shall be responsible for providing, and Premiere's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. For all other terminations, BellSouth shall designate a demarcation point on a per arrangement basis. Premiere or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Premiere's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Premiere-provided Point of Termination Bay (POT Bay) in a common area within the Premises. Premiere shall be responsible for providing, and Premiere's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between Premiere's Collocation Space and the demarcation point. Premiere or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, in the event that Premiere desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.

- Premiere's Equipment and Facilities. Premiere, or if required by this Attachment, Premiere's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Premiere which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. Premiere and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to the Collocation Space. BellSouth retains the right to access Premiere's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to Premiere at least forty-eight (48) hours before access to the Collocation Space is required. Premiere may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Premiere will not bear any of the expense associated with this type of work.
- 5.9 Access. Pursuant to Section 12, Premiere shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Premiere agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Premiere or Premiere's Guests that will be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. Key acknowledgement forms, the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys must be signed by Premiere and returned to BellSouth Access Management within fifteen (15) calendar days of Premiere's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. Premiere agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of Premiere's employees, suppliers, Guests, or agents after termination of the employment relationship, the contractual obligation with Premiere ends, upon the termination of this Attachment, or upon the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to Premiere's designated collocation arrangement location, after receipt of the BFFO without charge to Premiere. Premiere must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the Premises within a minimum of thirty (30) calendar days prior to the date Premiere desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Premiere may submit a request for its one accompanied site visit to its designated collocation arrangement location at any time subsequent to BellSouth's receipt of the

BFFO. In the event Premiere desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit Premiere to access the Collocation Space accompanied by a security escort, at Premiere's expense. Premiere must request escorted access to its designated collocation arrangement location at least three (3) business days prior to the date such access is desired.

- Lost or Stolen Access Keys. Premiere shall notify BellSouth in writing <u>immediately</u> in the case of lost or stolen Access Keys. If it becomes necessary for BellSouth to rekey buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Premiere shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.11 <u>Interference or Impairment</u>. Notwithstanding any other provisions of this Attachment, Premiere shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Premiere violates the provisions of this paragraph, BellSouth shall provide written notice to Premiere, which shall direct Premiere to cure the violation within forty-eight (48) hours of Premiere's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the arrangement.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Premiere fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation, including, without limitation, the interruption of electrical power to Premiere's equipment. BellSouth will endeavor, but is not required, to provide notice to Premiere prior to the taking of such action and BellSouth shall have no liability to Premiere for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of

other advanced services or traditional voice band services and Premiere fails to take curative action within forty-eight (48) hours, then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Premiere or, if subsequently necessary, the Commission must be supported by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Premiere is significantly degrading the performance of other advanced services or traditional voice band services, Premiere shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology

- Personalty and its Removal. Facilities and equipment placed by Premiere in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Premiere at any time. Any damage caused to the Collocation Space by Premiere's employees, suppliers, agents or representatives during the removal of such property shall be promptly repaired by Premiere at its sole expense. If Premiere decides to remove equipment from its Collocation Space and the removal requires no physical change, BellSouth will bill Premiere a Supplemental Application Fee (Administrative Only Application Fee) as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. Under no condition shall Premiere or any person acting on behalf of Premiere make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the Premises, hereinafter referred to individually or collectively as "Augments", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Augment shall be paid by Premiere. Any such Augment shall require an application and will result in the assessment of an application fee, which will be billed by BellSouth on the date that BellSouth provides Premiere with an Application Response.
- 5.14 <u>Janitorial Service</u>. Premiere shall be responsible for the general upkeep of its Collocation Space. Premiere shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis, upon request.

6. Ordering and Preparation of Collocation Space

6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to Premiere and BellSouth that are different from the procedures or intervals set forth in

this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.

- 6.2 <u>Initial Application</u>. For Premiere or Premiere's Guest(s) initial equipment placement, Premiere shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by Premiere, which will be billed by BellSouth on the date that BellSouth provides Premiere with an Application Response.
- Subsequent Application. In the event Premiere or Premiere's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Premiere shall complete an application that contains all of the detailed information associated with an Augment to the Collocation Space, as defined in Section 5.13 of this Attachment (Subsequent Application). The Subsequent Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the Augment. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Premiere in the application. Such modifications to the Premises may include, but are not limited to: floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by Premiere for its request for an Augment shall be dependent upon the level of assessment needed for the Augment requested. Where the Subsequent Application does not require assessment for provisioning or construction work but requires administrative costs by BellSouth, a Subsequent Application Fee (Administrative Only Application Fee) will be required as set forth in Exhibit B. This Administrative Only Application Fee will be applicable in instances such as Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, modification to an application prior to BFFO and V-to-P Conversion (In Place). The fee for a Subsequent Application where the Augment requested has limited effect (e.g., requires limited assessment but no capital expenditure by BellSouth as sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth provides Premiere with an Application Response.
- 6.4 <u>Space Preferences</u>. If Premiere has previously requested and received a Space Availability Report for the Premises, Premiere may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event

BellSouth cannot accommodate the Premiere's preference(s), Premiere may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Premiere with an Application Response.

- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a requested Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Premiere of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Premiere or space that is configured differently, no application fee will apply. If Premiere decides to accept the available space, Premiere must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Premiere resubmits its application, BellSouth will bill Premiere the appropriate application fee.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill Premiere an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Premiere or space that is configured differently, if Premiere decides to accept the available space, Premiere must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days in regard to space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Premiere of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Premiere or space that is configured differently, no application fee will apply. If Premiere decides to accept the available space, Premiere must resubmit its application to reflect the actual space available,

including the configuration of the space, prior to submitting a BFFO. When Premiere resubmits its application, BellSouth will bill Premiere the appropriate application fee. Denial of Application. If BellSouth notifies Premiere that no space is available (Denial of Application), BellSouth will not assess an application fee to Premiere. After notifying Premiere that BellSouth has no available space in the requested Premises, BellSouth will allow Premiere, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, the request for the tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Premiere to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of each telecommunications carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Premiere must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of notification by BellSouth that space will be available in the Premises previously out of space. If Premiere has originally requested caged Collocation Space and cageless Collocation Space becomes available, Premiere may refuse such space and notify BellSouth in

writing within the thirty (30) day timeframe that Premiere wants to maintain its place on the waiting list, without accepting the available cageless Collocation Space. Premiere may accept an amount of space less than its originally requested space by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Premiere does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunications carrier on the waiting list and remove Premiere from the waiting list. Upon request, BellSouth will advise Premiere as to its position on the waiting list.

- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space has become available in a Premises previously on the space exhaust list.
- 6.9 Application Response.
- 6.9.1 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Premiere to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Premiere submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a

minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10 <u>Application Modifications</u>.

6.10.1 If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of Premiere, or necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Premiere the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Premiere to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides Premiere with an Application Response.

6.11 Bona Fide Firm Order.

- 6.11.1 Premiere shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Premiere's Bona Fide Application or Premiere's application will expire.
- 6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of Premiere's BFFO. BellSouth will acknowledge the receipt of Premiere's BFFO within seven (7) calendar days of receipt, so that Premiere will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

7. Construction and Provisioning

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to the Collocation Space after

initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant timeframe and BellSouth and Premiere cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required such as, but not limited to, HVAC, cabling and the power plant. Extraordinary conditions shall include, but not be limited to, major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; a major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 When Premiere adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or additional intervals will be imposed by BellSouth that would delay Premiere's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Premiere, when Premiere requests an Augment after the Space Ready Date for existing physical collocation space. In such instances, Premiere must provide an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for Premiere's point of termination.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB

- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:
 - 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - Install Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments Physical Collocation will be completed within ninety (90) calendar days after BFFO and includes all requests for additional physical collocation space (caged or cageless).
- 7.1.4.5 Major Augments Virtual Collocation will be completed within seventy-five (75) calendar days after BFFO and includes all requests for additional virtual collocation space.
- 7.1.4.6 If Premiere submits an augment application request that includes two augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the augment interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If Premiere submits an augment application request that includes three augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar Version 1003: 02/28/03

days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval;).

- 7.1.4.8 If Premiere submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories as outlined above will be placed into the appropriate category as negotiated by Premiere and BellSouth. If Premiere and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category identified in Sections 7.1.4.4 and 7.1.4.5 would apply based on whether the augment request is for Premiere's physical or virtual collocation arrangement.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to Premiere at the time BellSouth provides Premiere with the Application Response. Premiere will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Joint planning between BellSouth and Premiere will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion interval will be provided to Premiere during the joint planning meeting.
- 7.3 Permits. Each Party or its agent(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agent(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- Acceptance Walkthrough. Premiere will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notification to Premiere that the Collocation Space is ready for occupancy. In the event Premiere fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Premiere on the Space Ready Date. BellSouth will correct any deviations to Premiere's original or jointly amended design and/or specification requirements within

- seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different timeframe.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Premiere prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those Premises in which Premiere has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Premiere prior to the Provisioning Interval for those Premises in which Premiere has a physical collocation arrangement with a POT bay provided by Premiere or a virtual collocation arrangement, until Premiere provides BellSouth with the following information:
- 7.5.1 For a physical collocation arrangement with a Premiere-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For a virtual collocation arrangement a complete layout of Premiere's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Premiere's BellSouth Certified Supplier.
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Premiere. If the EIU form is provided ten (10) calendar days prior to the ending date of the Provisioning Interval, then CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill Premiere a nonrecurring charge, as set forth in Exhibit B, each time Premiere requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to Premiere.
- 7.6 Use of BellSouth Certified Supplier. Premiere shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Premiere and Premiere's BellSouth Certified Supplier must follow and comply with all of BellSouth's requirements, outlined in BellSouth TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Premiere must select separate BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Premiere with a list of BellSouth Certified Suppliers, upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Premiere's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Premiere upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Premiere directly for all work performed for Premiere pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Premiere's BellSouth Certified

Supplier. BellSouth shall make available its supplier certification program to Premiere or any supplier proposed by Premiere and will not unreasonably withhold certification. All work performed by or for Premiere shall conform to generally accepted industry standards.

- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Premiere shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Premiere's Collocation Space. Upon request, BellSouth will provide Premiere with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Premiere. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Premiere may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical collocation and the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth Tariffs. In the event BellSouth knows when additional space for physical collocation may become available at the location requested by Premiere, such information will be provided to Premiere in BellSouth's written denial of physical collocation space. To the extent that (i) physical Collocation Space becomes available to Premiere within one hundred eighty (180) calendar days of BellSouth's written denial of Premiere's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Premiere was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Premiere may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Premiere must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation

arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Premiere an Administrative Only Application Fee as set forth in Exhibit B on the date that BellSouth provides an Application Response to Premiere.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, Premiere cancels its order for the Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate(s) for any and all work processes for which work has begun or been completed. In Georgia, if Premiere cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Premiere for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Premiere, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Premiere.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Premiere. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Premiere.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Premiere's BFFO.
- 8.3 Recurring Charges. If Premiere has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Premiere fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s),

billing for recurring charges will commence on the Space Ready Date. If Premiere occupies the space prior to the Space Ready Date, the date Premiere occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Premiere shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Premiere opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Premiere as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Premiere shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Premiere shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Premiere's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Premiere shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Premiere's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Premiere's option within the Premises. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Premiere's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Premiere certifying the completion of the power reduction, including the removal of the power cabling by Premiere's BellSouth Certified Supplier.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Premiere's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be

engineered (sized), and installed by Premiere's BellSouth Certified Supplier. Premiere is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to Premiere's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Premiere must provide BellSouth with a copy of the engineering power specifications prior to the day on which Premiere's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Premiere's arrangement area. Premiere shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Premiere's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Premiere shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If Premiere elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed Premiere's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Premiere's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Premiere's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Premiere's option, Premiere may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Premiere's equipment or space enclosure. Premiere shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Premiere's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Premiere's arrangement area.
- 8.6.4 In Alabama and Louisiana, Premiere has the option to purchase power directly from an electric utility company. Under such an option, Premiere is responsible for contracting with the electric utility company for its own power feed and meter, and is financially

responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Premiere. Premiere's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If Premiere previously had power supplied by BellSouth, Premiere may request to change its arrangement to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by Premiere in provisioning said power will be billed on an ICB basis.

- 8.6.5 In South Carolina, Premiere has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested Premises. Under such an option, Premiere is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Premiere. Premiere's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Premiere must submit an application to BellSouth for the appropriate amount of Collocation Space that Premiere requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Premiere's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Premiere shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office. BellSouth may seek a waiver of these requirements from the Commission for the central office requested. Premiere would still have the option to order its power needs directly from BellSouth.
- 8.6.6 If Premiere requests a reduction in the amount of power that BellSouth is currently providing, Premiere must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If

- modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response.
- 8.6.7 In Alabama and Louisiana, if Premiere is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Premiere must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever Premiere or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Premiere shall pay for such half-hour charges in the event Premiere fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of Premiere's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 Premiere shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Premiere shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Premiere's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Premiere may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Premiere to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Premiere shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to Premises and shall remain in effect for the term of this Attachment or until all Premiere's property has been removed from BellSouth's Premises, whichever period is longer. If Premiere fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Premiere.
- 9.5 Premiere shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Premiere shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Premiere's insurance company. Premiere shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Premiere must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Premiere's net worth exceeds five hundred million dollars (\$500,000,000), Premiere may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Premiere shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Premiere in the event that self-insurance status is not granted to Premiere. If BellSouth approves Premiere for self-insurance, Premiere shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Premiere's corporate officers. The

- ability to self-insure shall continue so long as the Premiere meets all of the requirements of this Section. If Premiere subsequently no longer satisfies this Section, Premiere is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Premiere to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Premiere), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

BellSouth may conduct an inspection of Premiere's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Premiere's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Premiere adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Premiere with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

Unless otherwise specified, Premiere will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Premiere employee hired in the past five years being considered for work on the Premises, for the states/counties where the Premiere employee has worked and lived for the past five years. Where state

law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Premiere shall not be required to perform this investigation if an affiliated company of Premiere has performed an investigation of the Premiere employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Premiere has performed a pre-employment statewide investigation of criminal history records of the Premiere employee for the states/counties where the Premiere employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- Premiere will be required to administer to its personnel assigned to the Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Premiere shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Premiere's name. BellSouth reserves the right to remove from its Premises any employee of Premiere not possessing identification issued by Premiere or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Premiere shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Premiere shall be solely responsible for ensuring that any Guest(s) of Premiere is in compliance with all subsections of this Section.
- Premiere shall not assign to the Premises any personnel with records of felony criminal convictions. Premiere shall not assign to the Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Premiere personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Premiere chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Premiere may, in the alternative, certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Premiere shall not knowingly assign to the Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Premiere shall not knowingly assign to the Premises any individual who was a former supplier of BellSouth and whose access to a Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- For each Premiere employee or agent hired by Premiere within five years of being considered for work on the Premises, who requires access to a Premises pursuant to this Attachment, Premiere shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Premiere will disclose the nature of the convictions to BellSouth at that time. In the alternative, Premiere may certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Premiere employees requiring access to a Premises pursuant to this Attachment, Premiere shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Premiere shall promptly remove from Premises any employee of Premiere BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Premiere is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- Security Violations. BellSouth reserves the right to interview Premiere's employees, 12.7 agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Premiere's Security representative of such interview. Premiere and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Premiere's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Premiere for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Premiere's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Premiere for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Premiere's employees, agents, or suppliers and where Premiere agrees, in good faith, with the results of such investigation. Premiere shall notify BellSouth in writing immediately in the event that Premiere discovers one of its employees already working on the Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Premiere shall hold BellSouth harmless for any damages resulting from such removal of its personnel from Premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, 13.1 tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Premiere's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Premiere's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Premiere, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Premiere may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Premiere's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Premiere. Where allowed and where practical, Premiere may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Premiere shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Premiere's permitted use, until such Collocation Space is fully repaired and restored and Premiere's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Premiere has placed an Adjacent Arrangement pursuant to Section 3.4, Premiere shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Premiere shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

15.1 Premiere understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Premiere agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and Premiere shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Premiere should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Premiere to follow when working at a Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Premiere will require its suppliers, agents and others accessing the Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Premiere when operating in the Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Premiere space with proper notification. BellSouth reserves the right to stop any Premiere work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the Premises by Premiere are owned by Premiere. Premiere will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Premiere or different hazardous materials used by Premiere at Premises. Premiere must demonstrate adequate emergency response capabilities for its materials used or remaining at the Premises.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately

be reported by Premiere to BellSouth.

- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Premiere will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Premiere will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Premiere must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Premiere shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Premiere agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Premiere further agrees to cooperate with BellSouth to ensure that Premiere's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Premiere, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Premiere's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|--|--|--|
| Disposal of hazardous | Compliance with all applicable | Std T&C 450 |
| material or other regulated material | local, state, & federal laws and regulations | Fact Sheet Series 17000 |
| (e.g., batteries, fluorescent tubes, solvents & cleaning | | Std T&C 660-3 |

| materials) | Pollution liability insurance | Approved Environmental Vendor List (Contact RCM |
|--|---|--|
| | EVET approval of supplier | Representative) |
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises) |
| Contract labor/outsourcing for services with environmental implications | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 |
| to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Performance of services in accordance with BST's environmental M&Ps | Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.) |
| | Insurance | Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet Series 17000 |
| | Pollution liability insurance | Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact RCM Representative) |
| Maintenance/operations work which may produce a waste | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 |
| Other maintenance work | Protection of BST employees and equipment | 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations | Procurement Manager (CRES Related Matters)-BST Supply Chain Services |
| | All Hazardous Material and Waste | Fact Sheet Series 17000 |
| | Asbestos notification and | GU-BTEN-001BT, Chapter 3 |

| | protection of employees and equipment | BSP 010-170-001BS (Hazcom) |
|---|---|--|
| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 |
| | Pollution liability insurance | Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact RCM Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740 |

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

RCM - Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Attachment 5

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

- 1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when Premiere is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to Premiere Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Premiere to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Premiere and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by Premiere may contemplate a request for space sufficient to accommodate Premiere's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Premiere may contemplate a request for space sufficient to accommodate Premiere's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies Premiere that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Premiere's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Premiere. Premiere agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Premiere. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Premiere as above, Premiere shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Premiere in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Premiere will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Premiere shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Premiere's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Premiere agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

2.1 <u>Space Availability Report</u>. Upon request from Premiere, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last

report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Premiere for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If Premiere is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Premiere may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Premiere should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Premiere should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Premiere and inform Premiere of the time frame under which it can respond.
- Remote Terminal information. Upon request, BellSouth will provide Premiere with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Premiere request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Premiere, up to a maximum of thirty (30) wire centers per Premiere request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Premiere agrees to pay the costs incurred by BellSouth in providing the information.

3. Collocation Options

3.1 <u>Cageless.</u> BellSouth shall allow Premiere to collocate Premiere's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth

shall allow Premiere to have direct access to Premiere's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single rack/bay increments. Except where Premiere's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Premiere must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.

- 3.2 Caged. At Premiere's expense, Premiere may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. Premiere's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Premiere and provide, at Premiere's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Premiere's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Premiere's BellSouth Certified Supplier shall bill Premiere directly for all work performed for Premiere pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Premiere's BellSouth Certified Supplier. Premiere must provide the local BellSouth Remote Site Location contact with two Access Kevs used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Premiere's locked enclosure prior to notifying Premiere at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Premiere.
- 3.2.1 BellSouth may elect to review Premiere's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Premiere indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if Premiere has indicated their desire to construct their own enclosure. If Premiere's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Premiere's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require Premiere to remove or correct within seven (7) calendar days at Premiere's expense any structure

that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- Shared Collocation. Premiere may allow other telecommunications carriers to share Premiere's Remote Collocation Space pursuant to terms and conditions agreed to by Premiere ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Premiere shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Premiere that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Premiere.
- Premiere, as the Host, shall be the sole interface and responsible Party to BellSouth for 3.3.1 assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Premiere with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Premiere shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Premiere shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Premiere's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Premiere and in conformance with BellSouth's design and construction Specifications. Further, Premiere shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Premiere elect Adjacent Collocation, Premiere must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Premiere and Premiere's BellSouth Certified Supplier must comply with local building code requirements. Premiere's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Premiere's BellSouth Certified Supplier shall bill Premiere directly for all work performed for Premiere pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Premiere's BellSouth Certified Supplier. Premiere must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Premiere's locked enclosure prior to notifying Premiere at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 Premiere must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Premiere's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require Premiere to remove or correct within seven (7) calendar days at Premiere's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.4.3 Premiere shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Premiere's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other

physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Premiere's BellSouth Certified Supplier shall be responsible, at Premiere's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Premiere to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both Premiere's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Premiere use the Remote Collocated telecommunications carriers.
- 3.5.1 Premiere must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Premiere. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Premiere's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Premiere will have the option of using Premiere's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Premiere shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Premiere shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Crossconnect) or LGX (Light Guide Cross-connect). Premiere is responsible for ensuring the integrity of the signal.
- 3.5.2 Premiere shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Premiere-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Premiere will have the option of using Premiere's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, Premiere must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If

modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. Occupancy

- Occupancy. BellSouth will notify Premiere in writing that the Remote Collocation 4.1 Space is ready for occupancy ("Space Ready Date"). Premiere will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Premiere that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to Premiere's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Premiere has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Premiere's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Premiere fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Premiere on the Space Ready Date and billing will commence from that date. If Premiere decides to occupy the space prior to the Space Ready Date, the date Premiere occupies the space becomes the new Space Acceptance Date and billing begins from that date. Premiere must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Premiere's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, Premiere may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Premiere and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Premiere signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Premiere jointly conduct an inspection which confirms that Premiere has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Premiere's right to occupy the Remote Collocation Space in the event Premiere fails to comply with any provision of this Agreement.

4.2.1 Upon termination of occupancy, Premiere at its expense shall remove its equipment and other property from the Remote Collocation Space. Premiere shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Application Date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Premiere's Guest(s), unless Premiere's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Premiere shall continue payment of monthly fees to BellSouth until such date as Premiere, and if applicable Premiere's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Premiere or Premiere's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Premiere or Premiere's Guest(s), in any manner that BellSouth deems fit, at Premiere's expense and with no liability whatsoever for Premiere's or Premiere's Guest(s)'s property. Upon termination of Premiere's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Premiere shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Premiere except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts Premiere's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. Premiere shall be responsible for the cost of removing any Premiere constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC.

Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network
 Equipment Building Systems (NEBS) General Equipment Requirements: Criteria
 Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1.
 Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Premiere's failure to comply with this Section.
- 5.1.2.1 All Premiere equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 Premiere shall identify to BellSouth whenever Premiere submits a Method of Procedure ("MOP") adding equipment to Premiere's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Premiere's Remote Collocation Space. Premiere shall submit a copy of the list of any lien holders or other entities that have a financial interest to Premiere's ATCC Representative.
- 5.2 Premiere shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- Premiere shall place a plaque or other identification affixed to Premiere's equipment to identify Premiere's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Premiere may elect to place Premiere-owned or Premiere-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Premiere will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Premiere must contact BellSouth for instructions prior to placing the entrance facility cable. Premiere is responsible for maintenance of the entrance facilities.

- Shared Use. Premiere may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Premiere's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. Premiere must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Premiere provided riser cable to the spare capacity on the entrance facility. If Premiere desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Premiere for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Premiere's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Premiere's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Premiere or its agent must perform all required maintenance to Premiere equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- Premiere's Equipment and Facilities. Premiere, or if required by this Attachment, Premiere's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Premiere which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Premiere and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 BellSouth's Access to Remote Collocation Space. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Premiere at least forty-eight (48) hours before access to the Remote Collocation Space is required. Premiere may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Premiere will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 12, Premiere shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Premiere agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Premiere or Premiere's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys

using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Premiere and returned to BellSouth Access Management within fifteen (15) calendar days of Premiere's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Premiere agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Premiere's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Premiere or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.

- BellSouth will permit one accompanied site visit to Premiere's designated collocation arrangement location after receipt of the BFFO without charge to Premiere. Premiere must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Premiere desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Premiere may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Premiere desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Premiere to access the Remote Collocation Space accompanied by a security escort at Premiere's expense. Premiere must request escorted access at least three (3) business days prior to the date such access is desired.
- Lost or Stolen Access Keys. Premiere shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Premiere shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, Premiere shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4)creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Premiere violates the provisions of this paragraph, BellSouth shall give written notice to Premiere, which notice shall direct Premiere to cure the violation within forty-eight (48) hours of Premiere's actual receipt of written notice or, at a

minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Premiere fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Premiere's equipment. BellSouth will endeavor, but is not required, to provide notice to Premiere prior to taking such action and shall have no liability to Premiere for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Premiere fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Premiere or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Premiere shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.11 Personalty and its Removal. Facilities and equipment placed by Premiere in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Premiere at any time. Any damage caused to the Remote Collocation Space by Premiere's employees, agents or representatives shall be promptly repaired by Premiere at its expense.
- 5.11.1 If Premiere decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Premiere an Administrative

Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.

- Alterations. In no case shall Premiere or any person acting on behalf of Premiere make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Premiere. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Premiere shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Premiere shall be responsible for removing any Premiere debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

- 6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Premiere and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- Remote Site Application. When Premiere or Premiere's Guest(s) desires to install a bay/rack in a Remote Site Location, Premiere shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.
- Availability of Space. Upon submission of an application, BellSouth will permit Premiere to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent

collocation options may be available. If the amount of space requested is not available, BellSouth will notify Premiere of the amount that is available.

- 6.4 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Premiere of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Premiere or differently configured no application fee shall apply. If Premiere decides to accept the available space, Premiere must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- 6.4.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Premiere or differently configured, if Premiere decides to accept the available space, Premiere must amend its application to reflect the actual space available prior to submitting a BFFO.
- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Premiere of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Premiere or differently configured no application fee shall apply. If Premiere decides to accept the available space, Premiere must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- 6.5 <u>Denial of Application</u>. If BellSouth notifies Premiere that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Premiere that BellSouth has no available space in the requested Remote Site

Location, BellSouth will allow Premiere, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Premiere to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Premiere must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Premiere has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Premiere may refuse such space and notify BellSouth in writing within that time that Premiere wants to maintain its place on the waiting list without accepting such space. Premiere may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Premiere does not submit such an application or notify

BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Premiere from the waiting list. Upon request, BellSouth will advise Premiere as to its position on the list.

6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list

6.9 Application Response.

- 6.9.1 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Premiere to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Premiere submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10 Application Modifications.

6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information,

Contact Information or Billing Contact Information, either at the request of Premiere or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Premiere a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

- 6.10.2 Bona Fide Firm Order.
- 6.10.3 Premiere shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Premiere's Bona Fide application or the application will expire.
- 6.10.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Premiere's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Premiere cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade;

major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Premiere with the estimated completion date in its Response.
- Joint Planning. Joint planning between BellSouth and Premiere will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Premiere during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 7.5 Acceptance Walkthrough. Premiere will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Premiere that the Remote Collocation Space is ready for occupancy. In the event that Premiere fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Premiere on the Space Ready Date. BellSouth will correct any deviations to Premiere's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 <u>Use of BellSouth Certified Supplier</u>. Premiere shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Premiere and Premiere's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Premiere must select separate BellSouth Certified Suppliers for

transmission equipment, switching equipment and power equipment. BellSouth shall provide Premiere with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Premiere's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Premiere upon successful completion of installation. The BellSouth Certified Supplier shall bill Premiere directly for all work performed for Premiere pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Premiere or any supplier proposed by Premiere and will not unreasonably withhold certification. All work performed by or for Premiere shall conform to generally accepted industry standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Premiere shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Premiere's Remote Collocation Space. Upon request, BellSouth will provide Premiere with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Premiere. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, Premiere may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by Premiere, such information will be provided to Premiere in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to Premiere within one hundred eighty (180) calendar days of BellSouth's written denial of Premiere's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Premiere was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then Premiere may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. Premiere must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Premiere an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Premiere cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Premiere cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Premiere for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. Premiere, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. Rates and Charges

8.1 Recurring Charges. If Premiere has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Premiere fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Premiere occupies the space prior to the Space Ready Date, the date Premiere occupies the

space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Premiere. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 <u>Rack/Bay Space</u>. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Premiere's equipment. Premiere shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Premiere's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Premiere's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Premiere's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Premiere's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Premiere certifying the completion of the power reduction, including the removal of the power cabling by Premiere's BellSouth Certified Supplier.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Premiere's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Premiere's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Premiere's option, Premiere may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 8.5 <u>Security Escort</u>. A security escort will be required whenever Premiere or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Premiere shall pay for such half-hour charges in the event Premiere fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. Insurance

- 9.1 Premiere shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Premiere shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Premiere's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Premiere may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Premiere to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Premiere shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be

in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Premiere's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Premiere fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Premiere.

9.5 Premiere shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Premiere shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Premiere's insurance company. Premiere shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Premiere must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Premiere's net worth exceeds five hundred million dollars (\$500,000,000), Premiere may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Premiere shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Premiere in the event that self-insurance status is not granted to Premiere. If BellSouth approves Premiere for self-insurance, Premiere shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Premiere's corporate officers. The ability to self-insure shall continue so long as Premiere meets all of the requirements of this Section. If Premiere subsequently no longer satisfies this Section, Premiere is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Premiere to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Premiere), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

11.1 BellSouth may conduct an inspection of Premiere's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Premiere's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Premiere adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Premiere with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

Unless otherwise specified, Premiere will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Premiere employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Premiere employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Premiere shall not be required to perform this investigation if an affiliated company of Premiere has performed an investigation of the Premiere employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Premiere has performed a pre-employment statewide investigation of criminal history records of the Premiere employee for the states/counties where the Premiere employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- Premiere will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Premiere shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and Premiere's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Premiere not possessing identification issued by Premiere or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Premiere shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Premiere shall be solely responsible for ensuring that any Guest(s) of Premiere is in compliance with all subsections of this Section.
- Premiere shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Premiere shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Premiere personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Premiere chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Premiere may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- Premiere shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- Premiere shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Premiere employee or agent hired by Premiere within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Premiere shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Premiere will disclose the nature of

the convictions to BellSouth at that time. In the alternative, Premiere may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

- 12.5.1 For all other Premiere employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Premiere shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Premiere shall promptly remove from BellSouth's Remote Site Location any employee of Premiere BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Premiere is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Premiere's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Premiere's Security representative of such interview. Premiere and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Premiere's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Premiere for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Premiere's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Premiere for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Premiere's employees, agents, or suppliers and where Premiere agrees, in good faith, with the results of such investigation. Premiere shall notify BellSouth in writing immediately in the event that the Premiere discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Premiere shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. <u>Destruction of Remote Collocation Space</u>

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Premiere's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Premiere's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Premiere, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Premiere may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Premiere's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Premiere. Where allowed and where practical, Premiere may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Premiere shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Premiere's permitted use, until such Remote Collocation Space is fully repaired and restored and Premiere's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Premiere has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, Premiere shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Premiere shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. Nonexclusivity

Premiere understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- Compliance with Applicable Law. BellSouth and Premiere agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Premiere shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Premiere should contact 1-800-743-6737 for any BellSouth MSDS required.
- Practices/Procedures. BellSouth may make available additional environmental control procedures for Premiere to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Premiere will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Premiere when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Premiere space with proper notification. BellSouth reserves the right to stop any Premiere work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Premiere are owned by Premiere. Premiere will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Premiere or different hazardous materials used by Premiere at the BellSouth Remote Site Location. Premiere must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Premiere to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Premiere will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Premiere will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Premiere must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Premiere shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Premiere agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Premiere further agrees to cooperate with BellSouth to ensure that Premiere's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Premiere, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Premiere's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

| ENVIRONMENTAL CATEGORIES | ENVIRONMENTAL ISSUES | ADDRESSED BY THE FOLLOWING DOCUMENTATION |
|---|--|---|
| Disposal of hazardous material | Compliance with all applicable | • Std T&C 450 |
| or other regulated material (e.g., batteries, fluorescent | local, state, & federal laws and regulations | Fact Sheet Series 17000 |
| tubes, solvents & cleaning materials) | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact ATCC) |

| | | Representative) |
|---|---|--|
| Emergency response | Hazmat/waste release/spill fire safety emergency | Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location) |
| Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks) | Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance | Std T&C 450 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.) Std T&C 660 |
| Transportation of hazardous material | Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier | Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact ATCC Representative) |
| Maintenance/operations work which may produce a waste Other maintenance work | Compliance with all applicable local, state, & federal laws and regulations Protection of BST employees and equipment | Std T&C 450 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard) |
| Janitorial services | All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment | -Procurement Manager (CRES Related Matters)-BST Supply Chain Services Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom) |

| Manhole cleaning | Compliance with all applicable local, state, & federal laws and regulations | Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 |
|---|---|--|
| | Pollution liability insurance | • Std T&C 660-3 |
| | EVET approval of supplier | Approved Environmental Vendor List (Contact ATCC Representative) |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices | GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740 |

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

Version 1Q03: 02/28/03

| COLLOCAI | TION - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhibit: C | |
|--------------|---|--|--|--|--------------|--------|----------|--|-------------|--------------|-------|-----------------------|--------|------------|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted Manually | | | Incremental Charge - | Increment Charge |
| | | | - | | | | Nonrec | curring | Nonrocurrin | g Disconnect | | | 000 | D-4 (6) | | |
| | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | Rates (\$) | SOMAN | SOMAN |
| | | | | | | | | | , | 7.001 | COME | COMPAN | JOMAN | JOHAN | SOWAN | SUMAN |
| PHYSICAL CO | | | | | | | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Voice Grade PBX Trunk - Res | | | UEPSE | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus | | | | | | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | UEPSB | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Wire ISDN | | | UEPSX | PE1R2 | 0.0070 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | |
| | Wire ISDN | | \vdash | UEPTX | PE1R2 | 0.0276 | 8.22 | 7.22 | | | | 11.90 | | | | 1 |
| 1 | Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1 | | | | | | | | | | | | | | | |
| PHYSICAL CO | | | ļI | UEPEX | PE1R4 | 0.0552 | 8.42 | 7.36 | | | | 11.90 | | | | L |
| TITISICAL CC | Physical Collocation - Application Fee - Initial | | 1 | 01.0 | DE 40.4 | | | | | | | | | | | |
| | Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent | | | CLO | PE1BA | | 2,597.00 | | | | | | | | | L |
| | Physical Collocation Administrative Only - Application Fee | | | CLO | PE1CA | | 2,236.00 | | | | | | | | | |
| | Physical Collocation - Space Preparation - Firm Order | ' | - | CLO | PE1BL | | 742.00 | | | | | | | | | L |
| l | Processing | | | CLO | DE401 | | 200.00 | | | | | | | | | 1 |
| | Physical Collocation - Space Preparation - C.O. Modification per | | | CLO | PE1SJ | | 288.93 | | | | | | | | | L |
| | square ft. | | | CLO | PE1SK | 2.38 | | | | | | | | | | |
| | Physical Collocation - Space Preparation - Common Systems | | | CLO | PEISK | 2.36 | | | | | | | | | | — |
| 1 | Modification per Cage | | 1 1 | CLO | PE1SM | 92.55 | | | | | | | | | | i |
| | Physical Collocation - Cable Installation per Cable | | | CLO | PE1BD | 92.55 | 1,750.00 | ······································ | 45.16 | | | | | | | |
| | Physical Collocation - Floor Space per Sq. Ft. | | | CLO | PE1PJ | 7.86 | 1,750.00 | | 45.16 | | | | | | | - |
| | Physical Collocation - Cable Support Structure, Per Entrance | | | 020 | 1 - 11 0 | 7.00 | | | | | | | | | | |
| ŀ | Cable | | 1 | CLO | PE1PM | 18.96 | | | | | | | | | | l . |
| | Physical Collocation - Power, per Fused Amp | | | CLO | PE1PL | 7.80 | | | | | | | | | | |
| | Physical Collocation - Power Reduction, Application Fee | 1 | | CLO | PE1PR | 1.00 | 399.43 | · | | | | | | | | |
| | | | 1 | *** | | | 000110 | | | | | | | | | ı |
| | Physical Collocation - 120V, Single Phase Standby Power Rate | | | CLO | PE1FB | 5.38 | | | | | | | | | | i |
| ŀ | | | | | | | | | | | | | | | ~~ | |
| | Physical Collocation - 240V, Single Phase Standby Power Rate | | | CLO | PE1FD | 10.77 | | | | | | | | | | l . |
| | Physical Collocation - 120V, Three Phase Standby Power Rate | | | CLO | PE1FE | 16.15 | | | | | 2.7 | | | | | 1 |
| | | | | 020 | | 10.10 | | | | | | | | | | |
| | Physical Collocation - 277V, Three Phase Standby Power Rate | | | CLO | PE1FG | 37.30 | | | | | | | | | | i |
| | | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, | | | | | | | | | | | | |
| | Physical Collocation - 2-Wire Cross-Connects | | | UNLDX, UNCNX | PE1P2 | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | | | | | | i |
| | | | | CLO, UAL, UDL, UDN, UEA, UHL, | | | | | | | | | | | | |
| 1 | | | | UNCVX, UNCDX, | | | 1 | | | | | | | | | ı |
| | Physical Collocation - 4-Wire Cross-Connects | | | | PE1P4 | 0.0552 | 8.42 | 7.36 | 5.90 | 4.66 | | | | l | | ı |
| | | | | CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, | | | | | | | | | | | | |
| 1 | Physical Collocation - DS1 Cross-Connects | | | | PE1P1 | 1.32 | 27.77 | 15.52 | E 00 | 4 77 | | | i | | 1 | 1 |
| | | | L | ODL | p E IF I | 1.32 | 21.11 | 15.52 | 5.93 | 4.77 | | 1 | l | | | |

| COLLOCAT | ION - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhi | bit: C |
|----------|---|-------------|------|---|-------|--------|----------------|------------|-------------|--------------|---|-------|--|-------------------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | - | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sy Order vs. Electronic Disc Add |
| | | | | | | | Nonrec | curring | Nonrecurrin | g Disconnect | | | oss | Rates (\$) | L | L |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation - DS3 Cross-Connects | | | CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL CLO, ULDO3, ULD12, ULD48, | PE1P3 | 16.81 | 25.48 | 14.05 | 7.77 | 5.01 | | | | | | |
| | | | | U1TO3, U1T12, U1T48, UDLO3, | | | | | | | | | | | | ĺ |
| | Physical Collocation - 2-Fiber Cross-Connect | | | UDL12, UDF | PE1F2 | 3.34 | 41.94 | 30.52 | 13.91 | 11.16 | 1 | | | | | 1 |
| | Physical Collocation - 4-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F4 | 5.92 | 51.30 | 39.87 | 18.29 | 15.54 | | | | | | |
| | Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. | | | CLO | PE1BW | 189.45 | 31.30 | 39.07 | 10.25 | 13.54 | | | | | | — |
| | Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. | | | CLO | PE1CW | 18.58 | | | | | | | | | | |
| | Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft. | | | CLO | PE1AY | 0.0105 | | | | | | | | | | |
| | Physical Collocation - Security Access System - New Access Card Activation, per Card | | | CLO | PE1A1 | 0.0577 | 55.80 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.65 | | | | | | | | | |
| | Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.75 | | | | | | | | | |
| | Physical Collocation - Security Access - Initial Key, per Key | | | CLO | PE1AK | | 45.75 26.30 | | | - | | | | | | - |
| | Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 26.30 | | | | | | | | | |
| | Physical Collocation - Space Availability Report per premises | | | CLO | PE1SR | h | 2,159.00 | | | | | | | | | - |
| | POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect | 1 | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX | PE1PE | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect | I | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX | PE1PF | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect | 1 | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1 UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U | PE1PG | 0.00 | | | | | | | | | | |
| | POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect | 1 | | EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, | PE1PH | 0.00 | | | | | | | | | | |

| COLLOCA | ION - Florida | | | | | | | | | | | | | ment: 1 | Exhi | ibit: C |
|-------------|--|--|----------|--|----------|--------|-----------------|-----------------|---|---------------------|--|-----------|---|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES (\$) | | | | Submitted | Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Sv Order vs. |
| | | | | | - | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | 201150 | SOMAN | SOMAN | Rates (\$) | 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - | T |
| | POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect | I | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B2 | 0.00 | riisi | Addi | First | Addi | SOMEC | SUMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect | 1 | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1B4 | 0.00 | | | | | | | | | | |
| | Physical Collocation - Request Resend of CFA Information, per | | | | | | | | | | | | | | | |
| | CLLI Nonrecurring Collocation Cable Records - per request | ! | | CLO CLO | PE1C9 | | 77.54 | 000.00 | 007.00 | | | | | | | ļ |
| | Nonrecurring Collocation Cable Records - VG/DS0 Cable, per | | | | PE1CR | | 1,525.00 | 980.22 | 267.08 | | | | | | | |
| | cable record Nonrecurring Collocation Cable Records - VG/DS0 Cable, per | | - | CLO | PE1CD | | 656.50 | 656.50 | 379.78 | | | | | | | |
| | each 100 pair | | | CLO | PE1CO | | 9.66 | 9.66 | 11.84 | 11.84 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS1, per T1TIE | | | CLO CLO | PE1C1 | | 4.52 | 4.52 | 5.54 | 5.54 | | | | | | |
| | Nonrecurring Collocation Cable Records - DS3, per T3TIE Nonrecurring Collocation Cable Records - Fiber Cable, per 99 | | | CLO | PE1C3 | | 15.82 | 15.82 | 19.40 | 19.40 | | | | | | ļ |
| | fiber records | | | CLO | PE1CB | | 169.67 | 169.67 | 154.89 | 154.89 | | | | | | |
| | Physical Collocation - Security Escort - Basic, Per Quarter Hour | | | CLO | DE 4BO | | 40.00 | | | | | | | | | |
| | Physical Collocation - Security Escort - Basic, Per Quarter Hour Physical Collocation - Security Escort - Overtime, Per Quarter | | <u> </u> | CLO | PE1BQ | | 10.89 | | | | | | | | | |
| | Hour Physical Collocation - Security Escort - Premium, Per Quarter | | ļ | CLO | PE10Q | | 13.64 | | | | | | | | | |
| | Hour | | | CLO | PE1PQ | | 16.40 | | | | | | | | | |
| | Physical Collocation - Security Escort - Basic, per Half Hour | | | CLO,CLORS | PE1BT | | 33.99 | 21.54 | | | | | | | | |
| | Physical Collocation - Security Escort - Overtime, per Half Hour | | | CLO,CLORS | PE1OT | | 44.27 | 27.82 | | | | | | | | |
| | Physical Collocation - Security Escort - Premium, per Half Hour | | | CLO.CLORS | PE1PT | | | | | | | | | | | |
| | V to P Conversion, Per Customer Request-Voice Grade | | | CLO,CLORS CLO | PE1BV | | 54.55 33.00 | 34.10 | | | - | | | | | ļ |
| | V to P Conversion, Per Customer Request-DS0 | - | - | CLO | PE1BO | | 33.00 | | | | - | | | | | |
| | V to P Conversion, Per Customer Request-DS1 | i i | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | V to P Conversion, Per Customer request-DS3 | 1 | | CLO | PE1B3 | | 52.00 | | | | | | | | | f |
| | V to P Conversion, Per Customer Request per VG Circuit Reconfigured | | | 01.0 | DE 4 D D | | | | *************************************** | | | | | | | |
| | V to P Conversion, Per Customer Request per DS0 Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Reconfigured V to P Conversion, Per Customer Request per DS1 Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Reconfigured | 1 | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured | 1 | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | V to P Conversion, Cable Pairs Assigned to Collo Space per 700 | | - | | | | | | | | | | | | | |
| | prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable | | | CLO | PE1B7 | | 592.00 | | | | | | | | | - |
| | Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax | | | CLO,UDF | PE1ES | 0.001 | | | | | | | | | | |
| | Cable Support Structure, per cable, per lin. ft. | | | CLO, UE3, USL | PE1DS | 0.0014 | | | | | | | | | | |
| | Physical Collocation - Co-Carrier Cross Connects Only - | | | CLO | DEADT | | 50.1.1 | | | | | | | | | |
| AD IACENT C | Application Fee, per application OLLOCATION | | - | CLO | PE1DT | | 584.11 | | | | | | | | | |
| TOURCENT C | Adjacent Collocation - Space Charge per Sq. Ft. | | <u> </u> | CLOAC | PE1JA | 0.1635 | | | | | | | | | | |
| | Adjacent Collocation - Space Charge per Sq. 11. Adjacent Collocation - Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.11 | | | | | | | | | | |

| COLLOCAL | TION - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhi | bit: C |
|---------------|--|-------------|--|---|-----------------|------------------|-----------------|------------|--------------|-------|---|-------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | e BCS | usoc | | | RATES (\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - wc Manual Svc Order vs. c- Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates (\$) | | |
| | Adjacent Collocation - 2-Wire Cross-Connects | | - | CLOAC | PE1P2 | 0.0213 | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Adjacent Conocation - 2-Wife Cross-Conflects | | - | UEA,UHL,UDL,UCL, | PE IPZ | 0.0213 | 24.69 | 23.69 | 11.77 | 10.62 | | | | | | |
| 1 | Adjacent Collocation - 4-Wire Cross-Connects | | | CLOAC | PE1P4 | 0.0426 | 24.88 | 23.83 | 12.04 | 10.80 | | | | | 1 | |
| | Adjacent Collocation - DS1 Cross-Connects | | | USL,CLOAC | PE1P1 | 1.22 | 44.24 | 31.98 | 12.04 | 10.80 | - | | | | | |
| | Adjacent Collocation - DS3 Cross-Connects | | | CLOAC | PE1P3 | 16.56 | 41.94 | 30.52 | 13.91 | 11.15 | | | | | <u> </u> | |
| | Adjacent Collocation - 2-Fiber Cross-Connect | | | CLOAC | PE1F2 | 2.81 | 41.94 | 30.52 | 13.91 | 11.16 | † ·· | | | | | |
| | Adjacent Collocation - 4-Fiber Cross-Connect | | | CLOAC | PE1F4 | 5.36 | 51.30 | 39.87 | 18.29 | 15.54 | | | | | | |
| | Adjacent Collocation - Application Fee | | | CLOAC | PE1JB | | 2,785.00 | | | | | | | | | |
| | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FB | 5.38 | | | | | | | | | | |
| | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1FD | 10.77 | | | | | | | | | | |
| | Adjacent Collocation - 120V, Three Phase Standby Power Rate | | | | | | | | | | | | | | | |
| | per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate | | - | CLOAC | PE1FE | 16.15 | | | | | - | | | | | |
| | per AC Breaker Amp Adjacent Collocation - Cable Support Structure per Entrance | | | CLOAC | PE1FG | 37.30 | | | | | | | | | | |
| DHIVE CALL CA | Cable | | | CLOAC | PE1PM | 18.96 | | | | | | | | | | |
| PHISICAL CO | DLLOCATION IN THE REMOTE SITE | ļ | - | CLORS | PE1RA | ļl | 647.01 | | | | ļ | | | | | |
| | Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack | | _ | CLORS | PE1RA PE1RB | 240.40 | 617.91 | | 328.81 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | - | CLORS | PETRB | 219.49 | | | | | | | | | | |
| | Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability | | | CLORS | PE1RD | | 26.30 | | | | | | | | | |
| | Report per Premises Requested | | | CLORS | PE1SR | | 232.69 | | | | | | | | | |
| | Physical Collocation in the Remote Site - Remote Site CLLI | | | | | | | | | | | | | | | |
| | Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.41 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.51 | | | | | | | | | |
| PHYSICAL CO | DLLOCATION IN THE REMOTE SITE - ADJACENT | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation - Real Estate, per square foot | İ | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | 0.134 | 755.62 | 755.62 | | | - | | | | | |
| NOTE | : If Security Escort and/or Add'l Engineering Fees become nec | essary f | or rem | | | vill negotiate a | | | | | | | | | | |
| VIRTUAL COL | LOCATION | | U | ote site conocation, | line i arties (| in negotiate a | opropriate rate | 3. | | | | | | | | |
| | Virtual Collocation - Application Fee/Planning Fee Initial | | | | | | | | | | | | | | - | |
| | Request | l | | AMTFS | EAF | | 4,122.00 | | | | | 11.90 | | | | |
| | Virtual Collocation - Application Fee/Planning Fee Additional Entrance Cable Request | | | AMTFS | EAF | | 1,249.00 | | | | | 11.90 | | | | |
| | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | 12.45 | 965.00 | | | | | 11.90 | | | | |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 4.25 | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 6.95 | | | | | | | | | | |
| | Virtual Collocation - Cable Support Structure, per entrance cable | | | AMTFS | ESPSX | 13.35 | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX | | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, | | | | 1 | | | | | | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UNCVX, UNCDX | UEAC4 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, | | | | | | | | | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | ULD48, UDF | CNC2F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |

| COLLOCAL | ION - Florida | | | | , | | | | | | | | | ment: 1 | | ibit: C |
|-------------|--|-------------|------|--|-------|--------|----------|------------|--------------|---------------|-------|---|---|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | Zone BCS | USOC | | | RATES (\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svo Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | oss | Rates (\$) | | |
| | | | | ANTEO LIBITO | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, | | | | | | | | | | | | |
| | Notice College Co. A. Fill Co. Co. A. | | | ULDO3, ULD12, | | | | | | | 1 | | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects | | | ULD48, UDF | CNC4F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 7.50 | 155.00 | 14.00 | | | | 11.90 | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | 11.90 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | Support Structure, per linear foot | | | AMTFS,CLO | VE1CB | 0.0028 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft | | | AMTFS, CLO | VE1CD | 0.0041 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable | | | AMTFS | VE1CC | | 535.54 | | | | | 11.90 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | | | | | | | ••••• | | | | | | |
| | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.54 | | | | | 11.90 | | | | 1 |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,525.00 | 1,525.00 | 267.08 | 267.08 | | | | | | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | AMTFS | VE1BB | | 656.50 | 656.50 | 379.78 | 379.78 | | | | | | |
| 1 | 100 pair | | | AMTES | VE1BC | | 9.66 | 9.66 | 11.84 | 44 04 | | | | | | 1 |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTES | VE1BD | | 4.52 | 4.52 | 5.54 | 11.84 5.54 | | | | | | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.82 | 15.82 | 19.40 | 19.40 | | | | | | |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | | | | | | 10.02 | 10.02 | 10.40 | 10.40 | | | | | | |
| | records | | | AMTFS | VE1BF | | 169.67 | 169.67 | 154.89 | 154.89 | | | | | | 1 |
| | Virtual collocation - Security Escort - Basic, per quarter hour | | | AMTFS | SPTBQ | | 10.89 | | | | | 11.90 | | | | |
| | Virtual collocation - Security Escort - Overtime, per quarter hour | | | AMTFS | SPTOQ | | 13.64 | | | | | 11.90 | | | | |
| | Virtual collocation - Security Escort - Premium, per quarter hour | | | AMTFS | SPTPQ | | 16.40 | | | | | 11.90 | | | | |
| | Virtual Collocation - 2-wire Cross Connects (loop), per ckts | | | AMTFS | VE1R2 | 0.05 | 11.57 | | | | | 11.90 | ***** | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop), per ckts | | | AMTFS | VE1R4 | 0.05 | 11.57 | | | | | 11.90 | | | | |
| | Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS | | | | VE11S | 8.09 | 69.64 | | | | | 11.90 | | | | |
| | Virtual Collocation - DS-1.DSX Cross Connects, PER CKTS | | | | VE11X | 0.41 | 69.64 | | | | | 11.90 | | | | |
| | Virtual Collocation - DS-3/DCS Cross Connects, PER CKT | | | AMTFS | VE13S | 59.67 | 528.00 | | | | | 11.90 | | | | |
| | Virtual Collocation - DS-3/DSC Cross Connects, PER CKT | | | AMTFS | VE13X | 10.06 | 528.00 | | | | | 11.90 | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per quarter hour | | | AMTFS | SPTRE | | 10.89 | | | | | 11.90 | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per quarter hour | | | AMTFS | SPTOE | | 13.64 | | | | | 11.90 | | | | |
| | Virtual collocation - Maintenance in CO - Premium per quarter hour | | | AMTFS | SPTPE | | 16.40 | | | | | 11.90 | | | | |
| /IRTUAL COL | | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res | | | UEPSR | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus | | | UEPSP | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus | | | UEPSB | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |

| COLLOCATI | ON - Florida | | | | | | | | | - | | | Attach | ment: 1 | Exhi | bit: C |
|--------------|---|----------|----------|----------------------|--------------|-----------------|--------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | i | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | 1 1 | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | DATES (4) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| 0.1.1200.11. | NATE ELEMENTS | m | Zone | ьсэ | USUC | | | RATES (\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | 1 | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates (\$) | | |
| | | | | | | 1,00 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN | | l | LIEDOV | | | | | | | | | | | | |
| | | | | UEPSX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | 1 | 11.90 | | | | 1 |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN | | | UEPTX | VE1R2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | | | 71.01 | | | | 11.30 | | | | <u> </u> |
| | ISDN DS1 | | | UEPEX | VE1R4 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| Note: I | Rates displaying an "R" in Interim column are interim and subj | ect to r | rate tru | e-up as set forth in | General Tern | s and Condition | ns. | | | | | | | | | |

Optional Daily Usage File

- 1. Upon written request from Premiere, BellSouth will provide the Optional Daily Usage File (ODUF) service to Premiere pursuant to the terms and conditions set forth in this section.
- 2. Premiere shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Premiere customer.
- 4. Charges for ODUF will appear on Premiere's monthly bills. The charges are as set forth in Exhibit E to this Attachment. ODUF charges are billed once a month for the previous month's usage. Premiere will be billed at the ODUF rates that are in effect at the end of the previous month.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in Premiere's billing system will be the responsibility of Premiere. If, however, Premiere should encounter significant volumes of errored messages that prevent processing by Premiere within its systems, BellSouth will work with Premiere to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Premiere:
 - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
 - Measured billable Local
 - Directory Assistance messages
 - IntraLATA Toll
 - WATS and 800 Service
 - N11
 - Information Service Provider Messages
 - Operator Services Messages
 - Credit/Cancel Records
 - Usage for Voice Mail Message Service

- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Premiere.
- 6.1.4 In the event that Premiere detects a duplicate on ODUF they receive from BellSouth, Premiere will drop the duplicate message and will not return the duplicate to BellSouth).
- 6.2 ODUF Physical File Characteristics
- 6.2.1 The ODUF will be distributed to Premiere via CONNECT:Direct or Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Premiere for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, Premiere will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Premiere will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Premiere. Additionally, all message toll charges associated with the use of the dial circuit by Premiere will be the responsibility of Premiere. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Premiere end for the purpose of data transmission will be the responsibility of Premiere.
- 6.2.3 If Premiere utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Premiere.
- 6.3 ODUF Packing Specifications
- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Premiere which BellSouth RAO is sending the message. BellSouth and Premiere will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Premiere and resend the data as appropriate.

The data will be packed using ATIS EMI records.

6.4 ODUF Pack Rejection

Premiere will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Premiere will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Premiere by BellSouth.

6.5 ODUF Control Data

Premiere will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Premiere received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Premiere for reasons stated in the above section.

6.6 ODUF Testing

6.6.1 Upon request from Premiere, BellSouth shall send test files to Premiere for the ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Premiere set up a production (live) file. The live test may consist of Premiere's employees making test calls for the types of services Premiere requests on the ODUF. These test calls are logged by Premiere, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

- 1. Upon written request from Premiere, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Premiere pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Premiere shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the EODUF will appear on Premiere's monthly bills. EODUF charges are billed at the EODUF rates that are in effect at the end of the previous month. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Premiere will be the responsibility of Premiere. If, however, Premiere should encounter significant volumes of errored messages that prevent processing by Premiere within its systems, BellSouth will work with Premiere to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the EODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Premiere:

Customer usage data for flat rated local call originating from Premiere's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

Exhibit H

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to Premiere.
- 7.1.3 In the event that Premiere detects a duplicate on EODUF they receive from BellSouth, Premiere will drop the duplicate message (Premiere will not return the duplicate to BellSouth).

7.2 Physical File Characteristics

- 7.2.1 The EODUF feed will be distributed to Premiere via Connect: Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The EODUF messages will be intermingled among Premiere's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Premiere for the purpose of data transmission as set forth in Section 6.2.2 above.
- 7.2.3 If Premiere utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of Premiere.

7.3 Packing Specifications

- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Premiere which BellSouth RAO is sending the message. BellSouth and Premiere will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Premiere and resend the data as appropriate.

The data will be packed using ATIS EMI Records.

| ODUF/A | DUF/EODUF/CMDS - Florida | | | | | | | | | | | | Attach | ment: 1 | Exhibit: D | |
|----------|---|---|-----|-----|-------|--------------|-------|------------|--------------|--------------|-----------------------|----------|--|----------------------|-------------------------|-------------------------|
| CATEGOR | EGORY RATE ELEMENTS Interim | | | BCS | USOC | | | RATES (\$) | | Submitted | Submitted Manually | Charge - | Incremental Charge - Manual Svc Order vs. | Charge - | Charge - | |
| | | | | | | i i | | | | | | percent | Electronic- 1st | Electronic- Add'I | Electronic- Disc 1st | Electronic Disc Add' |
| | | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | | | oss | Rates (\$) | | |
| | | ļ | ļ | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ODUF/ADI | JF/OEDUF/CMDS | | | | | + + | | | | | | | | | | |
| | CCESS DAILY USAGE FILE (ADUF) | + | + | | | | | | | | | | | | | |
| | ADUF: Message Processing, per message | | | | N/A | 0.001656 | | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.0001245 | | | | | | | | | | |
| OF | PTIONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | İ | | | N/A | 0.0000071 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | N/A | 0.002146 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | N/A | 35.91 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.00010375 | | | | | | | | | | |
| CE | NTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | N/A | 0.004 | | | | | | | | | | |
| E | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | N/A | 0.001 | | | | | | | | | | |
| EN | EODUF: Message Processing, per message | | + | | N/A | 0.080698 | | | | | | | | | | |
| - 1 | | 1 | 1 1 | | IIN/A | 1 0.080698 [| | ŀ | 1 | P. | 1 | I | | ı | | I |