

D30818-TP

BellSouth Telecommunications, Inc. Suite 400 150 South Monroe Street Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III
Vice President
Regulatory & External Affairs

850 224 7798 Fax 850 224 5073

August 14, 2003

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399 RECEIVED FPSC

Re: Approval of Amendment to the Interconnection, Unbundling, Resale, and Collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and DSLnet Communications, LLC

Dear Mrs. Bayo:

Please find enclosed for filing and approval, an original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, Unbundling, Resale, and Collocation Agreement with DSLnet Communications, LLC.

If you have any questions, please do not hesitate to call Kathleen Arant at (850) 222-9380.

Very truly yours,

Regulatory Vice President

(KA)

shall M. Criser II

RECEIVED & FILED

FPSC-BUREAU OF RECORDS

DOCUMENT NUMBER - DATE

07488 AUG 148

FPSC-COMMISSION CLERK

AMENDMENT TO THE AGREEMENT BETWEEN DSLNET COMMUNICATIONS, LLC AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED JANUARY 10, 2003

Pursuant to this Amendment, (the "Amendment"), DSLnet Communications, LLC ("DSLnet"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement

WHEREAS, BellSouth and DSLnet entered into the Agreement on January 10, 2003, and;

between the Parties dated January 10, 2003 ("Agreement").

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Attachment 4 of the Interconnection Agreement entered into between DSLnet and BellSouth is hereby amended to add a new Section 3.6.3 as follows:
 - " 3.6.3 To order CCXCs, DSLnet must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Co-Carrier Cross Connect/Direct Connect, Application Fee, per application, as defined in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to DSLnet."
- Attachment 4 of the Interconnection Agreement entered into between DSLnet and BellSouth is hereby amended to add a new Section 3.7 and applicable subsections as follows:
 - "3.7 <u>Direct Connect (DC)</u>. The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit DSLnet directly to interconnect between DSLnet's virtual and/or physical collocation arrangements within the same central office by utilizing a Direct Connect (DC).
 - 3.7.1 DSLnet must use a BellSouth Certified Supplier to place the DC. The DC shall be provisioned through facilities owned by DSLnet. In those cases where DSLnet's virtual and/or physical collocation space is contiguous in the central office, DSLnet will have the option of using DSLnet's own technicians to deploy DC's using either electrical or optical facilities between the collocation spaces and constructing its own dedicated cable support structure. DSLnet will deploy such optical or electrical connections directly between its own facilities without being routed through BellSouth equipment. DSLnet may not self-provision DC's on any BellSouth distribution frame, POT, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect).
 - 3.7.2 DSLnet is responsible for ensuring the integrity of the signal. DSLnet-provisioned DC's shall utilize common cable support structure. There will be a

recurring charge per linear foot, and a nonrecurring charge per cable, of the actual common cable support structure used. In the case of two contiguous collocation arrangements, DSLnet will have the option of using DSLnet's own technicians to construct its own dedicated support structure.

3.7.3 To request DC's DSLnet must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of DC's, the Co-Carrier Cross Connect/Direct Connect, Application Fee, per application, as defined in Exhibit B, will apply. If modifications in addition to the placement of DC's are requested, the Initial Application or Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response."

- 3. Attachment 4, Exhibit D is hereby amended to include the rates for CCXCs/ DCs as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
- 4. This Amendment shall be deemed effective 30 calendar days following the date of the last signature of both Parties.
- All of the other provisions of the Agreement, dated January 10, 2003, shall remain in full force and effect.
- Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

DSLnet Communications, LLC	BellSouth Telecommunications, Inc.
Ву:	By: lea fleworter
Name: Schula Hobbs	Name: Elizabeth B. A .Shinoishi
Title: SR, Manager-Rog, Affairs	Title: <u>Director</u>
Date: 6/30/03	Date: 1/1/03 and

COLLOCAT	ION - Alabama												Attach	ment: 4	Exhi	bit: D
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
					1						Submitted	Submitted			Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7	BCS	usoc	1		RATES (\$)			Elec		Manual Svc		l .	1 :
CATEGORY	RATE ELEMENTS	m	Zone	BC3	USUC			KA) ES (\$)			per LSR	per LSR		Order vs	Order vs.	Order vs.
1		-										l	Electronic-	Electronic-	Electronic-	Electronic-
-													1st	Add'i	Disc 1st	Disc Add'i
						Rec	Nortrec	urnng	Nonrecurrin	g Disconnect			oss	Rates (\$)		'
						Ket	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DI LOCATION															
PHI SICAL CO	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															·
	Fiber Cable Support Structure, per linear ft			CLO	PE1ES	0 0011										
	Physical Collocation - Co-Carner Cross Connect/Direct Connect-		1			l i	1		1]				
	Fiber Cable Support Structure, per cable			CLO	PE1DU		535 37									1
	Physical Collocation - Co-Carner Cross Connect/Direct Connect -										T					
	Copper/Coax Cable Support Structure, per linear ft			CLO	PE1DS	0 0016					<u></u>					
1 1	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -								ļ	1		į				
	Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		535 37				1					
	Physical Collocation - Co-Carrier Cross Connect /Direct Connect															
	Only - Application Fee, per application			CLO	PE1DT		584 22		!	ŀ	1	1				

COLLOCAT	ION - Florida												Attach	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
						Rec	Nonrec	umng	Nonrecurrin	g Disconnect		·	oss	Rates (\$)		·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION			-												
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect- Fiber Cable Support Structure, per linear ft			CLO	PE1ES	0 001										
	Physical Collocation - Co-Carner Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable			CLO	PE1DU		535 54									
	Physical Collocation - Co-Carner Cross Connect/Direct Connect - Copper/Coex Cable Support Structure, per linear. ft			CLO	PE1DS	0 0014										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		535 54									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Only - Application Fee, per application			CLO	PE10T		584 11									

COLLOCAT	ON - Georgia				_								Attach	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc	1	Charge - Manual Svc Order vs.	Charge -
			l			Rec	Nonrec	urring	Nonrecurring	g Disconnect		·	oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION				+											
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per linear ft			CLO	PE1ES	0 001		_								
	Physical Collocation - Co-Camer Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable			CLO	PE1DŲ		553.43									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear, ft			CLO	PE1DS	0 0015								·		
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		553 43									
	Physical Collocation - Co-Carner Cross Connect/Direct Connect Only - Application Fee, per application			CLO	PE1DT		583 18									

COLLOCAT	ION - Kentucky												Attach	ment: 4	Exh	bit: D
					1	1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
-		l			-	ļ					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	ĺ		RATES (\$)			per LSR	per LSR	Order vs	Order vs.	Order vs.	Order vs.
					1						1		Electronic-	Electronic-	Electronic-	Electronic-
		ŀ									1		1st	Add'l	Disc 1st	Disc Add'l
7					-		Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates (\$)	·	
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
510/51541 35	NA COLTION										 					
PHYSICAL CO			├			 									 	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Fiber Cable Support Structure per linear ft.			CLO	PE1ES	0 0012										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	ļ					505.55					[
	Fiber Cable Support Structure, per cable		<u> </u>	CLO	PE1DU	ļ	535 55		_							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear ft	İ		CLO	PE1DS	0 0018										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect															
1 1	Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		535.55				L				l	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect			CLO	PE1DT		584 20	-								

COLLOCAT	ION - Louisiana												Attach	ment: 4	Exh	ıbit; D
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
						Rec	Nonrec	urning	Nonrecurring	g Disconnect			oss	Rates (\$)	·	L
<u> </u>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION				 				1	-	ļ	<u> </u>				
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure per linear ft			CLO	PE1ES	0 001										
	Physical Collocation - Co-Carner Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable			CLO	PE1DU		534.79									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear ft			CLO	PE1DS	0 0015						·				
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		534 79									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Only - Application Fee, per application			CLO	PE1DT		583 30									

COLLOCAT	ION - Mississippi												Attach	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge - Manual Svc Order vs	Charge -
						Б	Nonrec	urning	Nonrecurrin	q Disconnect		'	OSS	Rates (\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATION				-				-							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per linear ft			OLO	PE1ES	0 001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable			CLO	PE1DU		534 65									
	Physical Collocation - Co-Carner Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear ft			CLO	PE1DS	0 0015										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		534 65									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Only - Application Fee, per application			CLO	PE1DT		583 13									

COLLOCAT	ION - North Carolina												Attach	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zопе	всs	usoc			RATES (\$)				Submitted	Charge - Manual Svc	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
			-			 	Nonrec	urring	Nonrecurnn	Disconnect	 	<u> </u>	oss	Rates (\$)	L	L
						Rec	First	Add'	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					···											
PHYSICAL CO			\vdash			 					ļ		!			
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0 0028										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable			CLO	PE1DU		532 72									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Copper/Coax Cable Support Structure, per linear ft			CLO	PE1DS	0 0041										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		532 72									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Only - Application Fee, per application			CLO	PE1DT		583 66									

COLLOCAT	ION - South Carolina												Attach	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Manual Svc	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge -
						D	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per linear ft			CLO	PE1ES	0 001										
	Physical Collocation - Co-Carner Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable			CLO	PE1DU		536.56									
	Physical Collocation - Co-Carner Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear ft			CLO	PE1DS	0 0015		=								
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		536 56									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect Only - Application Fee, per application			CLO	PE1DT		584 42									-

COLLC	OCATION - Tennessee												Attach	ment: 4	Exh	ibit: D
CATEGO	ORY RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)		,	Submitted Elec	Submitted	Charge -	Charge -	Charge -	Charge - Manual Svc Order vs. Electronic- Disc Add'i
							Nonrecurnna		Nonrecurring	Disconnect	T		OSS	Rates (\$)	1	1
						Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
															44	100
PHYSIC/	AL COLLOCATION															
	Physical Collocation - Co-Carner Cross Connect/Direct Connect -									 	_					+
	Fiber Cable Support Structure, per linear ft		Ì	CLO	PE1ES	0 0013						•				1
	Physical Collocation - Co-Carmer Cross Connect/Direct Connect- Fiber Cable Support Structure, per cable Physical Collocation - Cageless - Co-Carmer Cross Connect/Direct Connect - Fiber Cable Support Structure, per linear ft Physical Collocation - Cageless - Co-Carmer Cross			CLO	PE1DU	0 0031	555 03									
	Connect/Direct Connect- Fiber Cable Support Structure, per cable			CLO	PE1ZK		555 03									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear ft.			CLO	PE1DS	0 0019										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		555 03									
	Physical Collocation - Cageless - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear ft.			CLO	PE1ZJ	0 0045										
	Physical Collocation - Cageless - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			CLO	PE1ZL		555 03									
	Physical Collocation - Co-Carner Cross Connect/Direct Connect Only - Application Fee, per application			CLO	PE1DT		585 09			·						