

BellSouth Telecommunications, Inc. Regulatory & External Affairs 150 South Monroe Street Suite 400 Tallahassee, FL 32301-1556 Marshall M. Criser III Vice President Regulatory & External Affairs

840 224 7798 Fax 850 224 5073

marshall.criser@bellsouth.com

February 18, 2004

040157-TP

Mrs. Blanca S. Bayo Director, Division of The Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Notice of the Adoption of CLEC Interconnection agreement with modifications between BellSouth Telecommunications, Inc. ("BellSouth") and AT&T Communications of the Southern States, Inc., d/b/a AT&T by Saluda Networks Incorporated.

Dear Mrs. Bayó:

BellSouth Telecommunications, Inc. hereby provides notice to the Florida Public Service Commission of the adoption by Saluda Networks Incorporated of the Interconnection, Unbundling, Resale, and Collocation Agreement with modifications for the State of Florida entered into between BellSouth Telecommunications Inc. and AT&T Communications of the Southern States, Inc., d/b/a AT&T, which was filed with this Commission on 10/26/01in Docket No. 000731-TP.

Saluda Networks Incorporated is adopting the agreement and all amendments (if applicable), with modifications as provided by Section 252(i) of the Telecommunications Act of 1996.

Enclosed is the original and two (2) copies of the contract between BellSouth Telecommunications, Inc. and Saluda Networks Incorporated, for your records.

If you have any questions please do not hesitate to contact Robyn Holland at (850) 222-9380.

Very truly yours,

Regulatory Vice President (RM)

0000MENT NUMBER-DATE 02383 FEB 18 3 -- FPSC-COMMISSION CLERK



Customer Name: Saluda Networks Incorporated

Saluda Networks Incorporated	2
Adoption Papers	3
Signature Page	9
Exhibit 1 Cover Page	10
Exhibit 2 - Att 3 - Local Interconnection Rates	11
Exhibit 3 - Att 4 - Collocation - Central Office	12
Exhibit 3 - Att 4 - Collocation - Remote Site	53
Exhibit 3 - Att 4 - Collocation Rates	88
Saluda Networks Incorporated - TRO Amendment	94

By and Between

.

.

..

BellSouth Telecommunications, Inc.

And

Saluda Networks Incorporated

AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties (Effective Date), is entered into by and between Saluda Networks Incorporated (Saluda), a Florida corporation on behalf of itself, and BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, Saluda has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and AT&T Communications of the Southern States, Inc., d/b/a AT&T dated October 26, 2001 for the state of Florida.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, Saluda and BellSouth hereby agree as follows:

1. Saluda and BellSouth shall adopt in its entirety, except for those items identified in Paragraphs 2 - 14 following, the AT&T Interconnection Agreement dated October 26, 2001 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The AT&T Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

ITEM	NO.
	PAGES
Adoption Papers	9
AT&T Agreement	469
Amendment dated 04/18/2002	56
Amendment dated 10/16/2002	70
Amendment dated 09/06/2002	5
Amendment dated 11/26/2002	3
Amendment dated 03/11/2003	11
Amendment dated 05/16/2003	2
Exhibit 1 (Cover Sheet)	1

Exhibit 2	1
Exhibit 3	82
TOTAL	709

- 2. The Parties agree to delete Section 3.23 of Attachment 1 and replace with new Section 3.23 as follows:
- 3.23 Notwithstanding the foregoing, BellSouth may provide Saluda Networks Incorporated notice via Internet posting of price changes, changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.
- 3. The Parties agree to delete Section 5.3.1.1 of Attachment 3, as amended on April 18, 2002, and replace with the following:
- 5.3.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements (i.e., traffic that is exchanged over switched access trunk groups). Additionally, Local Traffic includes any cross boundary, voice-tovoice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body. ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one LATA to an ISP server or modem in the same LATA. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 5.3.1.1.1 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and Saluda Networks Incorporated agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Saluda Networks Incorporated that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Saluda Networks Incorporated further agree to the rebuttable presumption that all combined circuit switched to BellSouth or Saluda Networks Incorporated further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Saluda Networks Incorporated further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Saluda Networks Incorporated that exceeds a Networks Incorporated to BellSouth or Saluda Networks Incorporated to BellSouth or Saluda Networks Incorporated to BellSouth or Saluda Networks Incorporated that does not exceed a

3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.

- 4. The Parties agree to delete 5.3.2, 5.3.3 5.3.3.4, 5.3.4, and 5.3.5 of Attachment 3, as amended on April 18, 2002, and replace with the following:
- 5.3.2 The Parties shall provide for the mutual and reciprocal recovery of the costs for the network facilities utilized in transporting and terminating Local Traffic on each other's network.
- 5.3.3 The Parties agree that charges for transport and termination of Local Traffic on their respective networks are as set forth in Exhibit A to this Attachment.

ł

- 5.3.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of ISP-bound Traffic.
- 5.3.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Section 5.3.20 below.
- 5. The Parties agree to delete 5.3.10 and 5.3.11 of Attachment 3, as amended on April 18, 2002, and replace with the following:
- 5.3.10 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, endto-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be cconsidered Local Traffic or ISP-bound Traffic. If the BellSouth end user chooses Saluda Networks Incorporated as their presubscribed interexchange carrier, or if the BellSouth end user uses Saluda Networks Incorporated as an interexchange carrier on a 101XXXX basis, BellSouth will charge Saluda Networks Incorporated the appropriate BellSouth tariff charges for originating switched access services. Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 5.3.11 If Saluda Networks Incorporated assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to

Saluda Networks Incorporated end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Saluda Networks Incorporated customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Saluda Networks Incorporated agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Saluda Networks Incorporated at BellSouth's switched access tariff rates.

- 5.3.11.1 If Saluda Networks Incorporated does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Saluda Networks Incorporated NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Saluda Networks Incorporated can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.
- 6. The Parties agree to delete Exhibit A of Attachment 3 in its entirety and replace with the new Exhibit A of Attachment 3, and replace with Exhibit 2 attached hereto and incorporated herein by this reference.
- 7. The Parties agree to delete Attachment 4, Collocation in its entirety and replace with a new Attachment 4, and replace with Exhibit 3 attached hereto and incorporated herein by this reference.
- 8. The Parties agree to delete Section 1.1.7 of Attachment 6, and replace with new Section 1.1.7 as follows:
- 1.1.7 Deposit Policy. Saluda Networks Incorporated shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release Saluda Networks Incorporated from its obligation to make complete and timely payments of its bill. Saluda Networks Incorporated shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Saluda Networks Incorporated's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Saluda Networks Incorporated fails to remit to BellSouth any deposit

requested pursuant to this Section, service to Saluda Networks Incorporated may be terminated in accordance with the terms of Section 1.1.7 of this Attachment, and any security deposits will be applied to Saluda Networks Incorporated's account(s).

9. The Parties agree to delete Attachment 8, Rights of Way ("Row"), Conduits and Pole Attachments, and with new Attachment 8 as follows:

"BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center."

- 10. The Parties agree to delete Attachment 13, BAPCO Agreement, and Saluda will negotiate its on Attachment 13 with the appropriate representative.
- 11. In the event that Saluda consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of Saluda under this Agreement.
- 12. The term of this Agreement shall be from the Effective Date as set forth above and shall expire as set forth in Section 2.1 of the AT&T Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to Section 2.1 of the AT&T Interconnection Agreement, the effective date shall be October 26, 2001.
- 13. Saluda shall accept and incorporate any amendments to the AT&T Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.
- 14. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th St., 8th floor Birmingham, AL 35203

and

ł

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375 Saluda Networks Incorporated

Mario Yerak 444 Brickell Avenue Suite 224 Miami, FL 33131

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail. Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails. **IN WITNESS WHEREOF**, the Parties have executed this Agreement through their authorized representatives.

ī

BellSouth Telecommunications, Inc. By: Pat 17. Pornice C. Fisce Name: Elizabeth R. A. Shiroishi	Saluda Networks incorporated By: Name: MARIO YERAK
Title: Director	Title: $7/14/03$
Date: $7/i7/o3$	Date: $7/14/03$

Sworn to and subscribed before me this of $\underline{)}_{UL} \underline{4}_{}$ A.D., 20 <u>03</u> .	157H	day
NOTARY PUBLYC		
CARMEN J FAJARDO-LOPEZ Notary Public - State of Florida My Commission Express May 18, 2008 Commission # DD 105568 Bonded By National Notary Assn.		

Stration Strategy and

EXHIBIT 1

Q.

AT&T Communications of the Southern States, Inc., d/b/a AT&T Florida Interconnection Agreement October 26, 2001

OCAL INT	ERCONNECTION - Florida	1 ·					N. 8.							ment: 3		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	USOC	RATES (\$)						Submitted Manually	d Charge - Manual Svc	Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
·							Молгео	curring	Nonrecurring	Disconnect		Ĺ	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OCAL INTER	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	OFFICE SWITCHING															
	End Office Switching Function, Per MOU			OHD		0 0009302										
TAND	EM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006019						<u> </u>				
	Multiple Tandem Switching, per MOU (applies to initial tandem															
	only)			OHD		0 0006019					ļ]
	Tandem Intermediary Charge, per MOU*			OHD		0 0015										
	charge is applicable only to transit traffic and is applied in ad	dition t	o appli	cable switching an	d/or intercon	nection charges	s									
TRUN	K CHARGE	<u> </u>		0117												· · · · · · · · · · · · · · · · · · ·
	Installation Trunk Side Service - per DS0	I	1	OHD	TPP++		21 73	8 19			+					······
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0 00										
	Dedicated End Office Trunk Port Service-per DS1**	<u> </u>		0H1 OH1MS	TDE1P TDW0P	0 00									<u> </u>	
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**	1 1 1 1 1	E do	OH1 OH1MS			l rete element								1	
	s rate element is recovered on a per MOU basis and is included	d in the	End O	fice Switching and	i Tandem Swi	tcning, per MO	U rate elements	s							· · · · · ·	1
COMN	NON TRANSPORT (Shared)	 		OHD		0 0000035										
	Common Transport - Per Mile, Per MOU	<u> </u>		OHD		0 0000035					ł					
	Common Transport - Facilities Termination Per MOU				_	0.0004372								-··		
	RCONNECTION (DEDICATED TRANSPORT)														·	
	ROFFICE CHANNEL - DEDICATED TRANSPORT				-											
1	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			OHL. OHM	1L5NF	0 0091										[
	Per Mile per month	<u> </u>			TLONF	0.0091								· ···		
1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OHL, OHM	1L5NF	25 32	47 35	31 78	18 31	7 03						
	Facility Termination per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile					20.02	47.55	5170		, , , , , , , , , , , , , , , , , , , ,		· · · ·				
	per month			OHL, OHM	1L5NK	0 0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	 		OTIL, OTIM	TESTAR	0.0031										
	Termination per month			OHL, OHM	1L5NK	18.44	47 35	31 78	18 31	7 03						1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			0112,0110		10,44	41.00	0.70								
1	per month			OHL, OHM	1L5NK	0 0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	+				0.0001										
	Termination per month			OHL, OHM	1L5NK	18 44	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		-		TEGNIN	19 11	11 00									
	merchice channel - Dedicated channel - Do I - I el wile per			OH1, OH1MS	1L5NL	0,1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	 	+													
	Termination per month			OH1, OH1MS	1L5NL	88 44	105 54	98 47	21 47	19 05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<u> </u>	1													
1	month		1	онз, онзмя	1L5NM	3 87										[
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1													
	Termination per month		1	онз, онзмя	1L5NM	1.071 00	335 46	219.28	72 03	70 56	i					ļ
	L CHANNEL - DEDICATED TRANSPORT	1														i
	Local Channel - Dedicated - 2-Wire Voice Grade per month	1		OHL, OHM	TEFV2	19 66	265 84	46 97	37 63	4 00						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20 45	266 54	47 67	44 22	5 33						
	Local Channel - Dedicated - DS1 per month	1		OH1	TEFHG	36 49	216 65	183 54	24 30	16 95						
	· · · · · · · · · · · · · · · · · · ·		1			1										
	Local Channel - Dedicated - DS3 Facility Termination per month	1	[онз	TEFHJ	531.91	556 37	343 01	139 13	96 84						
	L INTERCONNECTION MID-SPAN MEET			annel vete in annlie	able											
	: If Access service ride Mid-Span Meet, one-half the tariffed set	rvice Lo	ocal Ch	annel rate is applic												I
		rvice Lo	ocal Ch	OH1MS	TEFHG	0 00	0 00									
	: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	ocal Ch			0 00	0 00									
NOTE	: If Access service nde Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month IPLEXERS	rvice Lo	ocal Ch	OH1MS OH3MS	TEFHG TEFHJ	0 00	0.00									
NOTE	: If Access service nde Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month IPLEXERS Channelizatron - DS1 to DS0 Channel System	rvice Lo	cal Ch	OH1MS OH3MS OH1, OH1MS	TEFHG TEFHJ SATN1	0 00	0 00	71 62	11 09	10 49		· · · · · · · · · · · · · · · · · · ·	1			
NOTE	: If Access service nde Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month IPLEXERS	rvice Lo	cal Ch	OH1MS OH3MS	TEFHG TEFHJ	0 00	0.00	71 62 118.64 7 08	11 09 40 34	10 49 39 07			,			

ø

Attachment 4

Physical Collocation

BELLSOUTH

PHYSICAL COLLOCATION

1. <u>Scope of Attachment</u>

1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Saluda is physically collocated as a sole occupant or as a Host within a BellSouth Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.

- 1.2 <u>Right to Occupy</u>. BellSouth shall offer to Saluda collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow Saluda to occupy a certain area designated by BellSouth within a Premises, or on BellSouth property upon which the Premises is located, of a size which is specified by Saluda and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by Saluda may contemplate a request for space sufficient to accommodate Saluda's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by Saluda may contemplate a request for space sufficient to accommodate Saluda's growth within an eighteen (18) month period.
- 1.3 <u>Space Allocation</u>. BellSouth shall attempt to accommodate Saluda's requested preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase Saluda's cost or materially delay Saluda's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Saluda wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d)

used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the Premises. Saluda will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Saluda shall use the Collocation Space for the purposes of installing, maintaining and operating Saluda's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to Saluda may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Saluda agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. <u>Space Availability Report</u>

- 2.1 <u>Space Availability Report</u>. Upon request from Saluda and at the Saluda's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation at a particular Premises. This report will include the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report <u>does not</u> reserve space at the Premises for which the Space Availability Report was requested by Saluda.
- 2.1.1 The request from Saluda for a Space Availability Report must be in writing and include the Premises street address, as identified in the Local Exchange Routing Guide Version 1Q03: 02/28/03

Exhibit 3 Attachment 4-Central Office Page 4 (LERG) and Common Language Location Identification (CLLI) code of the Premises. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) Premises within the same state. The response time for Space Availability Report requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Saluda and inform Saluda of the timeframe under which it can respond.

3. <u>Collocation Options</u>

- 3.1 <u>Cageless</u>. BellSouth shall allow Saluda to collocate Saluda's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Saluda to have direct access to Saluda's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where Saluda's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Saluda must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Saluda's expense, Saluda will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, Saluda and Saluda's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Saluda's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Saluda and provide, at Saluda's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Saluda's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Saluda's BellSouth Certified Supplier shall bill Saluda directly for all work performed for Saluda pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Saluda's BellSouth Certified Supplier. Saluda must provide the local BellSouth Central Office building contact with two Access Keys that will allow entry into the locked enclosure.

Except in the case of an emergency, BellSouth will not access Saluda's locked enclosure prior to notifying Saluda at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for Saluda.

- 3.2.1 BellSouth may elect to review Saluda's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify Saluda of its desire to execute this review in BellSouth's response to the Initial Application, if Saluda has indicated its desire to construct its own enclosure. If Saluda's Initial Application does not indicate its desire to construct its own enclosure. but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of Saluda's plans and specifications. Regardless of whether or not BellSouth elects to review Saluda's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Saluda's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Saluda. BellSouth shall require Saluda to remove or correct within seven (7) calendar days, at Saluda's expense, any structure that does not meet Saluda's plans and specifications or BellSouth's Specifications, if applicable.
- 3.3 <u>Shared Caged Collocation</u>. Saluda may allow other telecommunications carriers to share Saluda's caged collocation arrangement, pursuant to the terms and conditions agreed to by Saluda (Host) and the other telecommunications carriers (Guests) pursuant to this Section, except where the Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to Saluda. BellSouth shall be notified in writing by Saluda upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Saluda that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Saluda.
- 3.3.1 Saluda, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Saluda with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each, with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the above, Saluda shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for

the Guest(s). In Florida, the Guest(s) may submit its own initial and additional equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).

- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Saluda shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Saluda's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 <u>Adjacent Collocation</u>. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on Premises' property only when space within the Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises' property. An Adjacent Arrangement shall be constructed or procured by Saluda and must be in conformance with BellSouth's design and construction Specifications. Further, Saluda shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1If Saluda requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, Saluda must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Saluda and Saluda's BellSouth Certified Supplier must comply with the more stringent local building code requirements. Saluda's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Saluda's BellSouth Certified Supplier shall bill Saluda directly for all work performed for Saluda pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by Saluda's BellSouth Certified Supplier. Saluda must provide the local BellSouth Central Office building contact with two cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access Saluda's locked enclosure prior to notifying Saluda at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.

- 3.4.2 Saluda must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review Saluda's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure Saluda's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from Saluda for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Saluda's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Saluda. BellSouth shall require Saluda to remove or correct within seven (7) calendar days at Saluda's expense, any structure that does not meet its submitted plans and specifications, if applicable.
- 3.4.3 Saluda shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At Saluda's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC subject to individual case basis pricing. Saluda's BellSouth Certified Supplier shall be responsible, at Saluda's sole expense, for filing and receiving any and all necessary zoning, permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in 3.3 above.
- 3.5 <u>Co-Carrier Cross Connect (CCXC)</u>. The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Saluda to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises. Both Saluda's agreement and the other collocated telecommunications for CCXC language. Saluda is prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Saluda must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Saluda. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Saluda's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Saluda may use its own technicians to install co-carrier cross connects using

either electrical or optical facilities between the equipment of both collocated telecommunications carriers and construct a dedicated cable support structure between the two contiguous cages. Saluda shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. Saluda shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Saluda is responsible for ensuring the integrity of the signal.

- 3.5.2 Saluda shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting Saluda-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Saluda may use its own technicians to construct the dedicated support structure between the two collocation arrangements.
- 3.5.3 To order CCXCs, Saluda must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to Saluda.

4. <u>Occupancy</u>

4.1Occupancy. BellSouth will notify Saluda in writing when the Collocation Space is ready for occupancy (Space Ready Date). Saluda will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in Saluda's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame. BellSouth will also establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If Saluda completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of Saluda's acceptance of the Collocation Space (Space Acceptance Date). In the event that Saluda fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Saluda on the Space Ready Date and billing will commence from that date. If Saluda decides to occupy the space prior to the Space Ready Date, the date Saluda occupies the space becomes the new Space Acceptance Date and billing will begin from that date. Saluda must notify BellSouth in writing that collocation equipment installation is complete and operational with BellSouth's

network. BellSouth may, at its discretion, refuse to accept orders for cross connects until it has received such notice. For the purposes of this paragraph, Saluda's telecommunications equipment will be deemed operational when it has been crossconnected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.

- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Saluda may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Saluda and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Saluda signs off on the Space Relinquishment Form and sends this form to BellSouth, if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth does reveal discrepancies, billing will cease on the date that BellSouth and Saluda jointly conduct an inspection, which confirms that Saluda has corrected all of the noted discrepancies. A Subsequent Application Fee will not apply for the termination of occupancy. BellSouth may terminate Saluda's right to occupy the Collocation Space in the event that Saluda fails to comply with any provision of this Agreement, including the payment of the applicable fees.
- 4.2.1Upon termination of occupancy, Saluda, at its sole expense, shall remove its equipment and any other property from the Collocation Space. Saluda shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) Subsequent Application date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Saluda's Guest(s), unless Saluda's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the Saluda removal date. Saluda shall continue the payment of all monthly fees to BellSouth until the date thatSaluda, and if applicable Saluda's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Should Saluda or Saluda's Guest(s) fail to vacate the Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Saluda or Saluda's Guest(s), in any manner that BellSouth deems fit, at Saluda's expense and with no liability whatsoever for Saluda's property or Saluda's Guest(s)'s property. Upon termination of Saluda's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and Saluda shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by Saluda, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Saluda's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, Central Office Record Drawings and ERMA Records. Saluda shall be responsible for the cost of removing any Saluda constructed enclosure, together with any supporting structures Version 1003: 02/28/03

(e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. <u>Use of Collocation Space</u>

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Saluda's failure to comply with this Section.
- 5.1.3 Saluda shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event Saluda submits an application for terminations that will exceed the total capacity of the collocated equipment, Saluda will be informed of the discrepancy by BellSouth and required to submit a revision to the application.
- 5.2 Saluda shall notify BellSouth whenever Saluda submits a Method of Procedure (MOP) adding equipment to Saluda's Collocation Space and shall provide to BellSouth a list

of all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Saluda's Collocation Space. Saluda shall submit a list of any lien holders or other entities that have a financial interest in the equipment that is collocated by Saluda to its RCM Representative.

- 5.3 Saluda shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- 5.4 Saluda shall place a plaque or affix other identification (e.g., stenciling) to Saluda's equipment, in order for BellSouth to identify Saluda's equipment, including a list of emergency contacts with telephone numbers.
- 5.5 Entrance Facilities. Saluda may elect to place Saluda-owned or Saluda-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. Saluda will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Saluda will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to Saluda's equipment in the Collocation Space. In the event Saluda utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Saluda must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. Saluda is responsible for maintenance of the entrance facilities. At Saluda's option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- 5.5.1 <u>Dual Entrance Facilities</u>. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by Saluda for dual entrance facilities to its physical Collocation Space, BellSouth shall provide Saluda with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Saluda's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to Saluda in the Application Response.
- 5.5.2 <u>Shared Use</u>. Saluda may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to Saluda's collocation

arrangement within the same Premises. BellSouth shall allow the splice, as long as the fiber is non-working fiber. Saluda must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to perform the splice of the Saluda provided riser cable to the spare capacity on the entrance facility. If Saluda desires to allow another telecommunications carrier to use its entrance facilities, that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Saluda for BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on Saluda's entrance facility.

Į

5.6

<u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Saluda's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Saluda shall be responsible for providing, and Saluda's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. For all other terminations, BellSouth shall designate a demarcation point on a per arrangement basis. Saluda or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.

- In Tennessee, BellSouth will designate the point(s) of demarcation between Saluda's 5.6.1 equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Saluda-provided Point of Termination Bay (POT Bay) in a common area within the Premises. Saluda shall be responsible for providing, and Saluda's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between Saluda's Collocation Space and the demarcation point. Saluda or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee, in the event that Saluda desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 Saluda's Equipment and Facilities. Saluda, or if required by this Attachment, Saluda's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Saluda which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may Version 1003: 02/28/03

CCCS 23 of 203

include, but are not limited to, cable(s), equipment, and point of termination connections. Saluda and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.

- 5.8 <u>BellSouth's Access to Collocation Space</u>. From time to time, BellSouth may require access to the Collocation Space. BellSouth retains the right to access Saluda's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to Saluda at least forty-eight (48) hours before access to the Collocation Space is required. Saluda may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Saluda will not bear any of the expense associated with this type of work.
- 5.9 Access. Pursuant to Section 12, Saluda shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Saluda agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of Saluda or Saluda's Guests that will be provided with access keys or cards (Access Keys) prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. Key acknowledgement forms, the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys must be signed by Saluda and returned to BellSouth Access Management within fifteen (15) calendar days of Saluda's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. Saluda agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of Saluda's employees, suppliers, Guests, or agents after termination of the employment relationship, the contractual obligation with Saluda ends, upon the termination of this Attachment, or upon the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to Saluda's designated collocation arrangement location, after receipt of the BFFO without charge to Saluda. Saluda must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the Premises within a minimum of thirty (30) calendar days prior to the date Saluda desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Saluda may submit a request for its one accompanied site visit to its designated collocation arrangement location at any time subsequent to BellSouth's receipt of the BFFO. In the event Saluda desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit Saluda to access the Collocation Space accompanied by a security escort, at Saluda's expense. Saluda must request escorted

access to its designated collocation arrangement location at least three (3) business days prior to the date such access is desired.

5.10 <u>Lost or Stolen Access Keys</u>. Saluda shall notify BellSouth in writing <u>immediately</u> in the case of lost or stolen Access Keys. If it becomes necessary for BellSouth to rekey buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Saluda shall pay for all reasonable costs associated with the re-keying or deactivating the card.

5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Saluda shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Saluda violates the provisions of this paragraph, BellSouth shall provide written notice to Saluda, which shall direct Saluda to cure the violation within fortyeight (48) hours of Saluda's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the arrangement.

- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Saluda fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation, including, without limitation, the interruption of electrical power to Saluda's equipment. BellSouth will endeavor, but is not required, to provide notice to Saluda prior to the taking of such action and BellSouth shall have no liability to Saluda for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Saluda fails to take curative action within forty-eight (48) hours, then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Saluda or, if subsequently necessary, the Version 1002: 02/28/02

Commission must be supported by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by Saluda is significantly degrading the performance of other advanced services or traditional voice band services, Saluda shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology

- 5.12 <u>Personalty and its Removal</u>. Facilities and equipment placed by Saluda in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Saluda at any time. Any damage caused to the Collocation Space by Saluda's employees, suppliers, agents or representatives during the removal of such property shall be promptly repaired by Saluda at its sole expense. If Saluda decides to remove equipment from its Collocation Space and the removal requires no physical change, BellSouth will bill Saluda a Supplemental Application Fee (Administrative Only Application Fee) as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- 5.13 <u>Alterations</u>. Under no condition shall Saluda or any person acting on behalf of Saluda make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the Premises, hereinafter referred to individually or collectively as "Augments", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Augment shall be paid by Saluda. Any such Augment shall require an application and will result in the assessment of an application fee, which will be billed by BellSouth on the date that BellSouth provides Saluda with an Application Response.
- 5.14 <u>Janitorial Service</u>. Saluda shall be responsible for the general upkeep of its Collocation Space. Saluda shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis, upon request.

6. Ordering and Preparation of Collocation Space

6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to Saluda and BellSouth that are different from the procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.

6.2 <u>Initial Application</u>. For Saluda or Saluda's Guest(s) initial equipment placement, Saluda shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by Saluda, which will be billed by BellSouth on the date that BellSouth provides Saluda with an Application Response.

<u>Subsequent Application.</u> In the event Saluda or Saluda's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Saluda shall complete an application that contains all of the detailed information associated with an Augment **to** the Collocation Space, as defined in Section 5.13 of this Attachment (Subsequent Application). The Subsequent Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the Augment. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Saluda in the application. Such modifications to the Premises may include, but are not limited to: floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.3.1 Subsequent Application Fee. The application fee paid by Saluda for its request for an Augment shall be dependent upon the level of assessment needed for the Augment requested. Where the Subsequent Application does not require assessment for provisioning or construction work but requires administrative costs by BellSouth, a Subsequent Application Fee (Administrative Only Application Fee) will be required as set forth in Exhibit B. This Administrative Only Application Fee will be applicable in instances such as Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, modification to an application prior to BFFO and V-to-P Conversion (In Place). The fee for a Subsequent Application where the Augment requested has limited effect (e.g., requires limited assessment but no capital expenditure by BellSouth as sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth provides Saluda with an Application Response.
- 6.4 <u>Space Preferences</u>. If Saluda has previously requested and received a Space Availability Report for the Premises, Saluda may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate the Saluda's preference(s), Saluda may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application

Version 1Q03: 02/28/03

6.3

will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides Saluda with an Application Response.

6.5 <u>Space Availability Notification</u>.

6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a requested Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Saluda of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Saluda or space that is configured differently, no application fee will apply. If Saluda decides to accept the available space, Saluda must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Saluda resubmits its application, BellSouth will Saluda the appropriate application fee.

- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill Saluda an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Saluda or space that is configured differently, if Saluda decides to accept the available space, Saluda must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days in regard to space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Saluda of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by Saluda or space that is configured differently, no application fee will apply. If Saluda decides to accept the available space, Saluda must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Saluda resubmits its application, BellSouth will bill Saluda the appropriate application fee. Denial of Application. If BellSouth notifies Saluda that no space is available (Denial

of Application), BellSouth will not assess an application fee to Saluda. After notifying Saluda that BellSouth has no available space in the requested Premises, BellSouth will allow Saluda, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, the request for the tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.6 <u>Filing of Petition for Waiver</u>. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Saluda to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- 6.7 <u>Waiting List.</u> On a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of each telecommunications carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Saluda must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of notification by BellSouth that space will be available in the Premises previously out of space. If Saluda has originally requested caged Collocation Space and cageless Collocation Space becomes available, Saluda may refuse such space and notify BellSouth in writing within the thirty (30) day timeframe that Saluda wants to maintain its place on the waiting list, without accepting the available cageless Collocation Space. Saluda may accept an amount of space less than its originally requested space by submitting an application as

set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Saluda does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunications carrier on the waiting list and remove Saluda from the waiting list. Upon request, BellSouth will advise Saluda as to its position on the waiting list.

6.8 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space has become available in a Premises previously on the space exhaust list.

- 6.9 Application Response.
- 6.9.1 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- 6.9.2 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Saluda to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Saluda submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10 <u>Application Modifications</u>. Version 1Q03: 02/28/03

If a modification or revision is made to any information in the Bona Fide Application 6.10.1 prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of Saluda, or necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge Saluda the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Saluda to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides Saluda with an Application Response.

6.11 Bona Fide Firm Order.

- 6.11.1 Saluda shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Saluda's Bona Fide Application or Saluda's application will expire.
- 6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of Saluda's BFFO. BellSouth will acknowledge the receipt of Saluda's BFFO within seven (7) calendar days of receipt, so that Saluda will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

7. <u>Construction and Provisioning</u>

7.1 <u>Construction and Provisioning Intervals.</u>

7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to the Collocation Space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe

Page 21

that construction will be completed within the relevant timeframe and BellSouth and Saluda cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.

7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible within a maximum of 1 ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required such as, but not limited to, HVAC, cabling and the power plant. Extraordinary conditions shall include, but not be limited to, major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; a major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 When Saluda adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or additional intervals will be imposed by BellSouth that would delay Saluda's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to Saluda, when Saluda requests an Augment after the Space Ready Date for existing physical collocation space. In such instances, Saluda must provide an accurate front equipment view (a.k.a. rack elevation drawing) specifying bay(s) for Saluda's point of termination.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:

Exhibit 3

Attachment 4-Central Office

Page 22

- 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
 - Install Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments Physical Collocation will be completed within ninety (90) calendar days after BFFO and includes all requests for additional physical collocation space (caged or cageless).
- 7.1.4.5 Major Augments Virtual Collocation will be completed within seventy-five (75) calendar days after BFFO and includes all requests for additional virtual collocation space.
- 7.1.4.6 If Saluda submits an augment application request that includes two augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the augment interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If Saluda submits an augment application request that includes three augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar days from the receipt of the BFFO would apply (item the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the

same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval;).

- 7.1.4.8 If Saluda submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories as outlined above will be placed into the appropriate category as negotiated by Saluda and BellSouth. If Saluda and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category identified in Sections 7.1.4.4 and 7.1.4.5 would apply based on whether the augment request is for Saluda's physical or virtual collocation arrangement.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to Saluda at the time BellSouth provides Saluda with the Application Response. Saluda will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- 7.2 Joint Planning. Joint planning between BellSouth and Saluda will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion interval will be provided to Saluda during the joint planning meeting.
- 7.3 <u>Permits</u>. Each Party or its agent(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agent(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- 7.4 <u>Acceptance Walkthrough</u>. Saluda will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notification to Saluda that the Collocation Space is ready for occupancy. In the event Saluda fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Saluda on the Space Ready Date. BellSouth will correct any deviations to Saluda's original or jointly amended design and/or specification requirements within seven (7)

calendar days after the walkthrough, unless the Parties jointly agree upon a different timeframe.

- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Saluda prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those Premises in which Saluda has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Saluda prior to the Provisioning Interval for those Premises in which Saluda has a physical collocation arrangement with a POT bay provided by BellSouth. BellSouth cannot provide CFAs to Saluda prior to the Provisioning Interval for those Premises in which Saluda has a physical collocation arrangement with a POT bay provided by Saluda or a virtual collocation arrangement, until Saluda provides BellSouth with the following information:
- 7.5.1 For a physical collocation arrangement with a Saluda-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.2 For a virtual collocation arrangement a complete layout of Saluda's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Saluda's BellSouth Certified Supplier.
- 7.5.3 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Saluda. If the EIU form is provided ten (10) calendar days prior to the ending date of the Provisioning Interval, then CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.4 BellSouth will bill Saluda a nonrecurring charge, as set forth in Exhibit B, each time Saluda requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to Saluda.
- 7.6 Use of BellSouth Certified Supplier. Saluda shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Saluda and Saluda's BellSouth Certified Supplier must follow and comply with all of BellSouth's requirements, outlined in BellSouth TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Saluda must select separate BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide Saluda with a list of BellSouth Certified Suppliers, upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Saluda's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Saluda upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Saluda directly for all work performed for Saluda pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such

charges imposed by Saluda's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Saluda or any supplier proposed by Saluda and will not unreasonably withhold certification. All work performed by or for Saluda shall conform to generally accepted industry standards.

7.7 <u>Alarm and Monitoring</u>. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Saluda shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Saluda's Collocation Space. Upon request, BellSouth will provide Saluda with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Saluda. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.

- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations and physical Collocation Space has subsequently become available. Saluda may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical collocation and the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth Tariffs. In the event BellSouth knows when additional space for physical collocation may become available at the location requested by Saluda, such information will be provided to Saluda in BellSouth's written denial of physical collocation space. To the extent that (i) physical Collocation Space becomes available to Saluda within one hundred eighty (180) calendar days of BellSouth's written denial of Saluda's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Saluda was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Saluda may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Saluda must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation

Exhibit 3 Attachment 4-Central Office Page 26 arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Saluda an Administrative Only Application Fee as set forth in Exhibit B on the date that BellSouth provides an Application Response to Saluda.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, Saluda cancels its order for the Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate(s) for any and all work processes for which work has begun or been completed. In Georgia, if Saluda cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Saluda for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> Saluda, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. <u>Rates and Charges</u>

- 8.1 <u>Application Fee</u>. BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Saluda.
- 8.1.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Saluda. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to Saluda.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of Saluda's BFFO.
- 8.3 <u>Recurring Charges.</u> If Saluda has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Saluda fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s),

billing for recurring charges will commence on the Space Ready Date. If Saluda occupies the space prior to the Space Ready Date, the date Saluda occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.

8.4 <u>Space Preparation</u>. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Saluda shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Saluda opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Saluda as prescribed in this Section.

8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Saluda shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed. Saluda shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle)depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Saluda's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups. Saluda shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

- 8.6 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for Saluda's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Saluda's option within the Premises. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Saluda's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Saluda certifying the completion of the power reduction, including the removal of the power cabling by Saluda's BellSouth Certified Supplier.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Saluda's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be

engineered (sized), and installed by Saluda's BellSouth Certified Supplier. Saluda is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or BellSouth power board to Saluda's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Saluda must provide BellSouth with a copy of the engineering power specifications prior to the day on which Saluda's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and Saluda's arrangement area. Saluda shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Saluda's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Saluda shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If Saluda elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed Saluda's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Saluda's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Saluda's BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Saluda's option, Saluda may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Saluda's equipment or space enclosure. Saluda shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Saluda's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for -48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Saluda's arrangement area.
- 8.6.4 In Alabama and Louisiana, Saluda has the option to purchase power directly from an electric utility company. Under such an option, Saluda is responsible for contracting with the electric utility company for its own power feed and meter, and is financially

responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Saluda. Saluda's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If Saluda previously had power supplied by BellSouth, Saluda may request to change its arrangement to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc. utilized by Saluda in provisioning said power will be billed on an ICB basis.

8.6.5 In South Carolina, Saluda has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested Premises. Under such an option, Saluda is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Saluda. Saluda's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Saluda must submit an application to BellSouth for the appropriate amount of Collocation Space that Saluda requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Saluda's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Saluda shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. Saluda would still have the option to order its power needs directly from BellSouth.

8.6.6 If Saluda requests a reduction in the amount of power that BellSouth is currently providing, Saluda must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power, the Subsequent

Version 1Q03: 02/28/03

ļ

Exhibit 3 Attachment 4-Central Office Page 30 Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response.

8.6.7 In Alabama and Louisiana, if Saluda is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Saluda must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.

- 8.7 <u>Security Escort</u>. A security escort will be required whenever Saluda or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Saluda shall pay for such half-hour charges in the event Saluda fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These nonrecurring fees will be billed upon receipt of Saluda's BFFO.
- 8.9 <u>Other</u>. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

- 9.1 Saluda shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Saluda shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Saluda's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Saluda may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Saluda to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Saluda shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to Premises and shall remain in effect for the term of this Attachment or until all Saluda's property has been removed from BellSouth's Premises, whichever period is longer. If Saluda fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Saluda.
- 9.5 Saluda shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Saluda shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Saluda's insurance company. Saluda shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Saluda must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Saluda's net worth exceeds five hundred million dollars (\$500,000,000), Saluda may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Saluda shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Saluda in the event that self-insurance status is not granted to Saluda. If BellSouth approves Saluda for self-insurance, Saluda shall annually furnish to BellSouth, and keep current, evidence of such net

worth that is attested to by one of Saluda's corporate officers. The ability to selfinsure shall continue so long as the Saluda meets all of the requirements of this Section. If Saluda subsequently no longer satisfies this Section, Saluda is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Saluda to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. <u>Mechanics Liens</u>

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Saluda), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

11.1 BellSouth may conduct an inspection of Saluda's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Saluda's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Saluda adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Saluda with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. <u>Security and Safety Requirements</u>

12.1 Unless otherwise specified, Saluda will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Saluda employee hired in the past five years being considered for work on the Premises, for the states/counties where the Saluda employee has worked and lived for the past five years. Where state

law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Saluda shall not be required to perform this investigation if an affiliated company of Saluda has performed an investigation of the Saluda employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Saluda has performed a pre-employment statewide investigation of criminal history records of the Saluda employee for the states/counties where the Saluda employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- 12.2 Saluda will be required to administer to its personnel assigned to the Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 12.3 Saluda shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Saluda's name. BellSouth reserves the right to remove from its Premises any employee of Saluda not possessing identification issued by Saluda or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Saluda shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Saluda shall be solely responsible for ensuring that any Guest(s) of Saluda is in compliance with all subsections of this Section.
- 12.4 Saluda shall not assign to the Premises any personnel with records of felony criminal convictions. Saluda shall not assign to the Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Saluda personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Saluda chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Saluda may, in the alternative, certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Saluda shall not knowingly assign to the Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Saluda shall not knowingly assign to the Premises any individual who was a former supplier of BellSouth and whose access to a Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.5 For each Saluda employee or agent hired by Saluda within five years of being considered for work on the Premises, who requires access to a Premises pursuant to this Attachment, Saluda shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Saluda will disclose the nature of the convictions to BellSouth at that time. In the alternative, Saluda may certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Saluda employees requiring access to a Premises pursuant to this Attachment, Saluda shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- 12.6 At BellSouth's request, Saluda shall promptly remove from Premises any employee of Saluda BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Saluda is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Saluda's employees. agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Saluda's Security representative of such interview. Saluda and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Saluda's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Saluda for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Saluda's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Saluda for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Saluda's employees, agents, or suppliers and where Saluda agrees, in good faith, with the results of such investigation. Saluda shall notify BellSouth in writing immediately in the event that Saluda discovers one of its employees already working on the Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. Saluda shall hold BellSouth harmless for any damages resulting from such removal of its personnel from Premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12:10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, 13.1 tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Saluda's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Saluda's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Saluda, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Saluda may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Saluda's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Saluda. Where allowed and where practical, Saluda may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Saluda shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Saluda's permitted use, until such Collocation Space is fully repaired and restored and Saluda's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Saluda has placed an Adjacent Arrangement pursuant to Section 3.4, Saluda shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein.

Exhibit 3 Attachment 4-Central Office Page 36 Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. <u>Eminent Domain</u>

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Saluda shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

15.1 Saluda understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 <u>Compliance with Applicable Law</u>. BellSouth and Saluda agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 <u>Notice</u>. BellSouth and Saluda shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Saluda should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 <u>Practices/Procedures</u>. BellSouth may make available additional environmental control procedures for Saluda to follow when working at a Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Saluda will require its suppliers, agents and others accessing the Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Saluda when operating in the Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Saluda space with proper notification. BellSouth reserves the right to stop any Saluda work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the Premises by Saluda are owned by Saluda. Saluda will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Saluda or different hazardous materials used by Saluda at Premises. Saluda must demonstrate adequate emergency response capabilities for its materials used or remaining at the Premises.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately Version 1Q03: 02/28/03

be reported by Saluda to BellSouth.

- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and Saluda will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Saluda will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Saluda must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 <u>Environmental and Safety Indemnification</u>. BellSouth and Saluda shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- 2.1 When performing functions that fall under the following Environmental categories on BellSouth's Premises, Saluda agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Saluda further agrees to cooperate with BellSouth to ensure that Saluda's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Saluda, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Saluda's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
(e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Pollution liability insurance	Std T&C 660-3

Exhibit 3 Exhibit A 39

materials)	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps Insurance	Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
		GU-BTEN-001BT, Chapter 3

Exhibit 3 Exhibit A 40

	Asbestos notification and protection of employees and equipment	BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of supplier	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. DEFINITIONS

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator) Version 1Q03: 02/28/03

- \underline{BST} BellSouth Telecommunications
- <u>CRES</u> Corporate Real Estate and Services (formerly PS&M)
- DEC/LDEC Department Environmental Coordinator/Local Department Environmental Coordinator
- $\underline{E/S}$ Environmental/Safety
- **EVET** Environmental Vendor Evaluation Team
- <u>GU-BTEN-001BT</u> BellSouth Environmental Methods and Procedures
- <u>NESC</u> National Electrical Safety Codes
- P&SM Property & Services Management
- <u>Std T&C</u> Standard Terms & Conditions

.

.

Attachment 4

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. <u>Scope of Attachment</u>

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Saluda is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment.
- 1.2 <u>Right to occupy</u>. BellSouth shall offer to Saluda Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow Saluda to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Saluda and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.
- 1.3 <u>Space Reservation.</u>
- 1.3.1 In all states other than Florida, the number of racks/bays specified by Saluda may contemplate a request for space sufficient to accommodate Saluda's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Saluda may contemplate a request for space sufficient to accommodate Saluda's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this

Attachment. Additionally, where BellSouth notifies Saluda that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Saluda's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Saluda. Saluda agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Saluda. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Saluda as above, Saluda shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Saluda in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Saluda will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Saluda shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Saluda's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Saluda agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. <u>Space Availability Report</u>

2.1 <u>Space Availability Report</u>. Upon request from Saluda, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last

Exhibit 3 Attachment 4 - Remote Site Page 4 ion requested and the measures BellSouth is taking to for collocation arrangements. A Space Availability

report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Saluda for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If Saluda is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Saluda may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Saluda should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Saluda should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Saluda and inform Saluda of the time frame under which it can respond.
- 2.2 <u>Remote Terminal information.</u> Upon request, BellSouth will provide Saluda with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Saluda request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Saluda, up to a maximum of thirty (30) wire centers per Saluda request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) Saluda agrees to pay the costs incurred by BellSouth in providing the information.

3. <u>Collocation Options</u>

- 3.1 <u>Cageless</u>. BellSouth shall allow Saluda to collocate Saluda's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Saluda to have direct access to Saluda's equipment and facilities in accordance with Section 5.8. BellSouth shall make cageless collocation available in single rack/bay increments. Except where Saluda's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Saluda must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.
- 3.2 Caged. At Saluda's expense, Saluda may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. Saluda's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Saluda and provide, at Saluda's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for Saluda's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. Saluda's BellSouth Certified Supplier shall bill Saluda directly for all work performed for Saluda pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Saluda's BellSouth Certified Supplier. Saluda must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Saluda's locked enclosure prior to notifying Saluda at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for Saluda.
- 3.2.1 BellSouth may elect to review Saluda's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to Saluda indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if Saluda has indicated their desire to construct their own enclosure. If Saluda's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Saluda's plans and

specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require Saluda to remove or correct within seven (7) calendar days at Saluda's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

3.3 <u>Shared Collocation</u>. Saluda may allow other telecommunications carriers to share Saluda's Remote Collocation Space pursuant to terms and conditions agreed to by Saluda ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Saluda shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Saluda that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Saluda.

- 3.3.1 Saluda, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Saluda with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Saluda shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 Saluda shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Saluda's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 <u>Adjacent Collocation</u>. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Saluda and in conformance with BellSouth's design and construction Specifications. Further, Saluda shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Saluda elect Adjacent Collocation, Saluda must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, Saluda and Saluda's BellSouth Certified Supplier must comply with local building code requirements. Saluda's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Saluda's BellSouth Certified Supplier shall bill Saluda directly for all work performed for Saluda pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Saluda's BellSouth Certified Supplier. Saluda must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Saluda's locked enclosure prior to notifying Saluda at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 Saluda must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Saluda's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require Saluda to remove or correct within seven (7) calendar days at Saluda's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.4.3 Saluda shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Saluda's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Saluda's BellSouth Certified Supplier shall be responsible, at Saluda's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 <u>Co-carrier cross-connect (CCXC)</u>. The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Saluda to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both Saluda's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Saluda use the Remote Collocated telecommunications carriers.
- 3.5.1 Saluda must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Saluda. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where Saluda's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, Saluda will have the option of using Saluda's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Saluda shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Saluda shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Saluda is responsible for ensuring the integrity of the signal.
- 3.5.2 Saluda shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Saluda-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Saluda

Exhibit 3 Attachment 4 - Remote Site Page 9 will have the option of using Saluda's own technicians to construct its own dedicated support structure.

3.5.3 To order CCXCs, Saluda must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

4. Occupancy

- 4.1 Occupancy. BellSouth will notify Saluda in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). Saluda will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Saluda that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to Saluda's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If Saluda has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Saluda's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Saluda fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Saluda on the Space Ready Date and billing will commence from that date. If Saluda decides to occupy the space prior to the Space Ready Date, the date Saluda occupies the space becomes the new Space Acceptance Date and billing begins from that date. Saluda must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Saluda's telecommunications equipment will be deemed operational when crossconnected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, Saluda may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date Saluda and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Saluda signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the

Exhibit 3 Attachment 4 - Remote Site Page 10 s, billing will cease on the date

subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and Saluda jointly conduct an inspection which confirms that Saluda has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate Saluda's right to occupy the Remote Collocation Space in the event Saluda fails to comply with any provision of this Agreement.

4.2.1Upon termination of occupancy, Saluda at its expense shall remove its equipment and other property from the Remote Collocation Space. Saluda shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Application Date 1 ("Termination Date") to complete such removal, including the removal of all equipment and facilities of Saluda's Guest(s), unless Saluda's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. Saluda shall continue payment of monthly fees to BellSouth until such date as Saluda, and if applicable Saluda's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Saluda or Saluda's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Saluda or Saluda's Guest(s), in any manner that BellSouth deems fit, at Saluda's expense and with no liability whatsoever for Saluda's or Saluda's Guest(s)'s property. Upon termination of Saluda's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Saluda shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Saluda except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts Saluda's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. Saluda shall be responsible for the cost of removing any Saluda constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

5. <u>Use of Remote Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information

Page 11

services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Saluda's failure to comply with this Section.
- 5.1.2.1 All Saluda equipment installation shall comply with BellSouth TR 73503-11h, "Grounding - Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 Saluda shall identify to BellSouth whenever Saluda submits a Method of Procedure ("MOP") adding equipment to Saluda's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Saluda's Remote Collocation Space. Saluda shall submit a copy of the list of any lien holders or other entities that have a financial interest to Saluda's ATCC Representative.
- 5.2 Saluda shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 Saluda shall place a plaque or other identification affixed to Saluda's equipment to identify Saluda's equipment, including a list of emergency contacts with telephone numbers.
- 5.4 <u>Entrance Facilities</u>. Saluda may elect to place Saluda-owned or Saluda-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Saluda will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder

Exhibit 3 Attachment 4 - Remote Site Page 12 Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Saluda must contact BellSouth for instructions prior to placing the entrance facility cable. Saluda is responsible for maintenance of the entrance facilities.

- 5.4.1 <u>Shared Use</u>. Saluda may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Saluda's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. Saluda must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the Saluda provided riser cable to the spare capacity on the entrance facility. If Saluda desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth to splice that telecommunication Procedures, RL93-11-030BT, and provide a LOA from Saluda for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on Saluda's entrance facility.
- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Saluda's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Saluda or its agent must perform all required maintenance to Saluda equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- 5.6 Saluda's Equipment and Facilities. Saluda, or if required by this Attachment, Saluda's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Saluda which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Saluda and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to Saluda at least forty-eight (48) hours before access to the Remote Collocation Space is required. Saluda may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Saluda will not bear any of the expense associated with this work.

- 5.8 Access. Pursuant to Section 12, Saluda shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Saluda agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Saluda or Saluda's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by Saluda and returned to BellSouth Access Management within fifteen (15) calendar days of Saluda's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Saluda agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Saluda's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Saluda or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to Saluda's designated collocation arrangement location after receipt of the BFFO without charge to Saluda. Saluda must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Saluda desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Saluda may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Saluda desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Saluda to access the Remote Collocation Space accompanied by a security escort at Saluda's expense. Saluda must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys</u>. Saluda shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Saluda shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 <u>Interference or Impairment</u>. Notwithstanding any other provisions of this Attachment, Saluda shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of

any communications; or 4)creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Saluda violates the provisions of this paragraph, BellSouth shall give written notice to Saluda, which notice shall direct Saluda to cure the violation within forty-eight (48) hours of Saluda's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

5.10.1

Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Saluda fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Saluda's equipment. BellSouth will endeavor, but is not required, to provide notice to Saluda prior to taking such action and shall have no liability to Saluda for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Saluda fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Saluda or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Saluda shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.11 <u>Personalty and its Removal</u>. Facilities and equipment placed by Saluda in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Saluda at any time. Any damage caused to the Remote Collocation Space by Saluda's employees, agents or representatives shall be promptly repaired by Saluda at its expense.

- 5.11.1 If Saluda decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Saluda an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- 5.12 <u>Alterations</u>. In no case shall Saluda or any person acting on behalf of Saluda make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Saluda. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Saluda shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Saluda shall be responsible for removing any Saluda debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6. Ordering and Preparation of Remote Collocation Space

- 6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Saluda and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- 6.2 <u>Remote Site Application</u>. When Saluda or Saluda's Guest(s) desires to install a bay/rack in a Remote Site Location, Saluda shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.
- 6.3 <u>Availability of Space.</u> Upon submission of an application, BellSouth will permit Saluda to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location

Exhibit 3 Attachment 4 - Remote Site Page 16 is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Saluda of the amount that is available.

6.4 <u>Space Availability Notification</u>.

- 6.4.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Saluda of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Saluda or differently configured no application fee shall apply. If Saluda decides to accept the available space, Saluda must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.
- 6.4.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Saluda or differently configured, if Saluda decides to accept the available space, Saluda must amend its application to reflect the actual space available prior to submitting a BFFO.
- 6.4.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Saluda of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Saluda or differently configured no application fee shall apply. If Saluda decides to accept the available space, Saluda must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application

Exhibit 3 Attachment 4 - Remote Site Page 17 is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.

6.5 <u>Denial of Application</u>. If BellSouth notifies Saluda that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Saluda that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Saluda, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Saluda to inspect any plans or diagrams that BellSouth provides to the Commission.
- 6.7 <u>Waiting List</u>. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7.2 When space becomes available, Saluda must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Saluda has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Saluda may refuse such space and notify

BellSouth in writing within that time that Saluda wants to maintain its place on the waiting list without accepting such space. Saluda may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Saluda does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Saluda from the waiting list. Upon request, BellSouth will advise Saluda as to its position on the list.

- 6.8 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.9 <u>Application Response</u>.
- 6.9.1 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Saluda to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Saluda submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum,

Exhibit 3 Attachment 4 - Remote Site Page 19 the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10 <u>Application Modifications</u>.

6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Saluda or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Saluda a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

6.10.2 Bona Fide Firm Order.

- 6.10.3 Saluda shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Saluda's Bona Fide application or the application will expire.
- 6.10.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Saluda's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Saluda cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar

days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Saluda with the estimated completion date in its Response.
- 7.3 Joint Planning. Joint planning between BellSouth and Saluda will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Saluda during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 7.5 <u>Acceptance Walkthrough</u>. Saluda will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Saluda that the Remote Collocation Space is ready for occupancy. In the event that Saluda fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Saluda on the Space Ready Date. BellSouth will correct any deviations to Saluda's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.

1

- 7.6 Use of BellSouth Certified Supplier. Saluda shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Saluda and Saluda's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Saluda must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Saluda with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Saluda's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Saluda upon successful completion of installation. The BellSouth Certified Supplier shall bill Saluda directly for all work performed for Saluda pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Saluda or any supplier proposed by Saluda and will not unreasonably withhold certification. All work performed by or for Saluda shall conform to generally accepted industry standards.
- 7.7 <u>Alarm and Monitoring</u>. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Saluda shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Saluda's Remote Collocation Space. Upon request, BellSouth will provide Saluda with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Saluda. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, Saluda may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by Saluda, such information will be provided to Saluda in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to Saluda within one hundred eighty (180) calendar days of BellSouth's written denial of Saluda's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Saluda was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then Saluda may relocate its virtual Remote Collocation Space

arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. Saluda must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- 7.9 Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Saluda an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Saluda cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if Saluda cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Saluda for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. Saluda, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8. <u>Rates and Charges</u>

- 8.1 <u>Recurring Charges</u>. If Saluda has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Saluda fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If Saluda occupies the space prior to the Space Ready Date, the date Saluda occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Saluda. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 <u>Rack/Bay Space</u>. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Saluda's equipment. Saluda shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for Saluda's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Saluda's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Saluda's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by Saluda's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from Saluda certifying the completion of the power reduction, including the removal of the power cabling by Saluda's BellSouth Certified Supplier.
- 8.4.1 <u>Adjacent Collocation Power.</u> Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Saluda's

BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Saluda's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Saluda's option, Saluda may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

Security Escort. A security escort will be required whenever Saluda or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Saluda shall pay for such half-hour charges in the event Saluda fails to show up.

8.6 <u>Other</u>. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

9. <u>Insurance</u>

8.5

- 9.1 Saluda shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 Saluda shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Saluda's real and personal property situated on or within BellSouth's Remote Site Location.

- 9.2.4 Saluda may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to Saluda to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Saluda shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Saluda's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Saluda fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Saluda.
- 9.5 Saluda shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Saluda shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Saluda's insurance company. Saluda shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Saluda must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Saluda's net worth exceeds five hundred million dollars (\$500,000,000), Saluda may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Saluda shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Saluda in the event that selfinsurance status is not granted to Saluda. If BellSouth approves Saluda for selfinsurance, Saluda shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Saluda's corporate officers. The ability to self-insure shall continue so long as Saluda meets all of the requirements of this

Section. If Saluda subsequently no longer satisfies this Section, Saluda is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Saluda to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. <u>Mechanics Liens</u>

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Saluda), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. <u>Inspections</u>

11.1 BellSouth may conduct an inspection of Saluda's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Saluda's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Saluda adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Saluda with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth,

12. <u>Security and Safety Requirements</u>

12.1 Unless otherwise specified, Saluda will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Saluda employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Saluda employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Saluda shall not be required to perform this investigation if an affiliated company of Saluda has performed an

investigation of the Saluda employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Saluda has performed a preemployment statewide investigation of criminal history records of the Saluda employee for the states/counties where the Saluda employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- 12.2 Saluda will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 12.3 Saluda shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and Saluda's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Saluda not possessing identification issued by Saluda or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Saluda shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. Saluda shall be solely responsible for ensuring that any Guest(s) of Saluda is in compliance with all subsections of this Section.
- 12.4 Saluda shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Saluda shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Saluda personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Saluda chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Saluda may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Saluda shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Saluda shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.5 For each Saluda employee or agent hired by Saluda within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Saluda shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Saluda will disclose the nature of the convictions to BellSouth at that time. In the alternative, Saluda may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Saluda employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Saluda shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- 12.6 At BellSouth's request, Saluda shall promptly remove from BellSouth's Remote Site Location any employee of Saluda BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Saluda is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview Saluda's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Saluda's Security representative of such interview. Saluda and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Saluda's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Saluda for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Saluda's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Saluda for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Saluda's employees, agents, or suppliers and where Saluda agrees, in good faith, with the results of such investigation. Saluda shall notify BellSouth in writing immediately in the event that the Saluda discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Saluda shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Remote Collocation Space

In the event a Remote Collocation Space is wholly or partially damaged by fire, 13.1 windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Saluda's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Saluda's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Saluda, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Saluda may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Saluda's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Saluda. Where allowed and where practical, Saluda may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Saluda shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Saluda's permitted use, until such Remote Collocation Space is fully repaired and restored and Saluda's equipment installed therein (but in no event later

than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Saluda has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, Saluda shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. <u>Eminent Domain</u>

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Saluda shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

15. <u>Nonexclusivity</u>

15.1 Saluda understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

- 1.1 <u>Compliance with Applicable Law</u>. BellSouth and Saluda agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 <u>Notice</u>. BellSouth and Saluda shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Saluda should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 <u>Practices/Procedures</u>. BellSouth may make available additional environmental control procedures for Saluda to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Saluda will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Saluda when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Saluda space with proper notification. BellSouth reserves the right to stop any Saluda work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Saluda are owned by Saluda. Saluda will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Saluda or different hazardous materials used by Saluda at the BellSouth Remote Site Location. Saluda must demonstrate adequate emergency response capabilities for its materials used

Exhibit 3 Exhibit A 32

or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Saluda to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and Saluda will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Saluda will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Saluda must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 <u>Environmental and Safety Indemnification</u>. BellSouth and Saluda shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- 2.1 When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Saluda agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Saluda further agrees to cooperate with BellSouth to ensure that Saluda's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Saluda, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Saluda's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3

Exhibit 3 Exhibit A 33

.

	EVET approval of supplier	• Approved Environmental Vendor List (Contact ATCC Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	 Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)
Contract labor/outsourcing for services with environmental implications to be performed	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps Insurance	 Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)
		• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450Fact Sheet Series 17000
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	• Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and equipment	 29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	-Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste Asbestos notification and	• Fact Sheet Series 17000
	protection of employees and equipment	 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS

Exhibit 3 Exhibit A 34

	equipment	(Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	 Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
,	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	• Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

ATCC – Account Team Collocation Coordinator

Version 1Q03: 02/28/03

- <u>BST</u> BellSouth Telecommunications
- <u>CRES</u> Corporate Real Estate and Services (formerly PS&M)
- DEC/LDEC Department Environmental Coordinator/Local Department Environmental Coordinator
- $\underline{E/S}$ Environmental/Safety
- EVET Environmental Vendor Evaluation Team
- **<u>GU-BTEN-001BT</u>** BellSouth Environmental Methods and Procedures
- NESC National Electrical Safety Codes
- P&SM Property & Services Management
- Std T&C Standard Terms & Conditions

COLLOCAT	ION - Florida	-												ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)						Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'I
			·			Rec	Nonrec First	urring Add'i	Nonrecurring	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		1					11130		1 11 34		COMEO	- OOMAN	0016744	Source	- COMPAN	JOINAN
PHYSICAL CO	LLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															1
	Wire Analog - Res			UEPSR	PE1R2	0 0276	8 22	7 22				11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0 0276	8 22	7 22				11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0276	8 22	7.22				11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEFOE	PEIR2	0.0278	0 22	1.22			<u> </u>	1190				
	Wire Analog - Bus			UEPSB	PE1R2	0 0276	8 22	7 22				11 90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	LIEBON .											1	
	Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSX	PE1R2	0 0276	8 22	7 22			1	11 90				
	Wire ISDN			UEPTX	PE1R2	0 0276	8 22	7 22				11.90			-	
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0 0552	8.42	7 36				11 90				
PHYSICAL CO	LLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		2,597 00									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,236 00									
	Physical Collocation Administrative Only - Application Fee	1		CLO	PÉ1BL		742 00				ļ					
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		288 93									
	Physical Collocation - Space Preparation - C O. Modification per square ft			CLO	PEISK	2 38										
	Physical Collocation - Space Preparation - Common Systems										1					
	Modification per Cage	<u> </u>		CLO CLO	PE1SM PE1BD	92 55	1,750 00		45.45							
	Physical Collocation - Cable Installation per Cable Physical Collocation - Floor Space per Sq. Ft			CLO	PE1BU	7 86	1,750.00		45 16							
	Physical Collocation - Cable Support Structure, Per Entrance				PEIPJ	/ 00										
	Cable			CLO	PE1PM	18 96										
	Physical Collocation - Power, per Fused Amp			CLO	PE1PL	7 80										
	Physical Collocation - Power Reduction, Application Fee			CLO	PEIPR	,	399 43									
	· · ·															
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5 38										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10 77										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16 15										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37 30										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0 0276	8 22	7 22	5 74	4 58						
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0 0552	8 42	7.36	5.90	4 66						
	Physical Collocation - DS1 Cross-Connects			CLO, UEANL, UEQ, W DS1L, WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.32	27 77	15 52	5 93	4 77			1			

COLLOCAT	ON - Florida													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manuat Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connects			CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL CLO, ULDO3, ULD3, UDL	PE1P3	16 81	25 48	14 05	7 77	5 01						
				ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	3 34	41 94	30 52	13 91	11 16			1			1
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5 92	51,30	39 87	18 29 *	15 54						
	Physical Collocation - Welded Wire Cage - First 100 Sg Ft			CLO	PE1BW	189 45										
	Physical Collocation - Welded Wire Cage - Add'I 50 Sq. Ft			CLO	PE1CW	18 58										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft			CLO	PE1AY	0 0105										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0 0577	55 80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15 65	<u> </u>								
	Stolen Card, per Card			CLO	PE1AR		45 75									1
	Physical Collocation - Security Access - Initial Key, per Key				PE1AK		26 30				<u> </u>					
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26 30									
	Physical Collocation - Space Availability Report per premises		1	CLO	PE1SR		2,159 00									
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect	- 1			PE1PE	0 00										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect	I			PE1PF	0 00										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect	1			PE1PG	0.00										
				UEANL.UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,			-							-		
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect	I		UNLD3, UDL, UDL\$X	PE1PH	0 00							'			1

COLLOCAT	ION - Florida													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		00000	SOMAN	OS\$ SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'i	SUMEC	SUMAN	SUMAN_	SUMAN	JUNAN	JONAN
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect	-		UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	0 00										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect	1		UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDL03, UDL12, UDF	PE1B4	0 00										
	Physical Collocation - Request Resend of CFA Information, per															
				CLO CLO	PE1C9 PE1CR		77 54	980 22	267 08		+					<u> </u>
	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per		+		PEICK		1,320 00	300 22	207 00			· · ·				
	cable record		1	CLO	PE1CD		656 50	656 50	379 78						L	<u> </u>
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per							0.00	11 84	11 84		1				
	each 100 pair			CLO	PE1CO PE1C1		9 66 4 52	9 66 4 52	5 54	5 54		· · · ·		- · ·		
	Nonrecurring Collocation Cable Records - DS1, per T1TIE Nonrecurring Collocation Cable Records - DS3, per T3TIE	<u> </u>		CLO	PE1C3		15 82	15.82	19 40	19 40						
	Nonrecurring Collocation Cable Records - Dos, per 19112			020												
	fiber records			CLO	PE1CB		169 67	169 67	154 89	154 89						
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		10 89				<u> </u>					
	Physical Collocation - Security Escort - Overtime, Per Quarter Hour			CLO	PE10Q		13 64									
	Physical Collocation - Security Escort - Premium, Per Quarter				1											
	Hour			CLO	PE1PQ		16 40						<u> </u>	-		
	Physical Collocation - Security Escort - Basic, per Half Hour		ļ	CLO,CLORS	PE1BT	·	33 99	21 54								+
	Physical Collocation - Security Escort - Overtime, per Half Hour		-	CLO,CLORS	PE10T	· · · · ·	44 27	27 82								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54 55	34 10								
	V to P Conversion, Per Customer Request-Voice Grade	1		CLO	PE1BV		33 00									
	V to P Conversion, Per Customer Request-DS0	. 1		CLO	PE1BO		33 00					+				
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1 PE1B3		52.00 52.00				-		· · · · · · · · · · · · · · · · · · ·			+
└── ↓ ──	V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit	l	-	CLO	IPE IDS		52.00									1
ļ	V to P Conversion, Per Customer Request per VS Circuit V to P Conversion, Per Customer Request per DS0 Circuit	1	-	CLO	PE1BR		23.00									+
	V to P Conversion, Per Customer Request per DS0 Siteur V to P Conversion, Per Customer Request per DS1 Circuit		-	CLO	PE1BP		23 00									
	Reconfigured V to P Conversion, Per Customer Request per DS3 Circuit	1		CLO	PE1BS		33.00							<u> </u>		
	Reconfigured V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1BE	l	37 00									<u> </u>
	prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable	1	<u> </u>	CLO	PE1B7		592 00			<u> </u>						-
	Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO.UDF	PE1ES	0.001	<u></u>					+				+
┝	Cable Support Structure, per cable, per lin ft Physical Collocation - Co-Carner Cross Connects Only -	<u> </u>		CLO, UE3, USL	PE1DS	0 0014				·						+
	Application Fee, per application OLLOCATION	<u> </u>		CLO	PE1DT		584 <u>11</u>		<u> </u>				<u> </u>			-
AUJACENIC	Adjacent Collocation - Space Charge per Sq. Ft	+	1	CLOAC	PE1JA	0 1635										
r	Adjacent Collocation - Electrical Facility Charge per Linear Ft	1	1	CLOAC	PE1JC	5 11				1			I	1	1	

COLLOCAT	ION - Florida												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add't	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA.UHL.UDL.UCL.	PE1P2	0 0213	24 69	23 69	11 77	10 62						l
	Adjacent Collocation - 4-Wire Cross-Connects		1	CLOAC	PE1P4	0 0426	24 88	23 83	12 04	10 80]	1)	1
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1 22	44 24	31 98	12 07	10 91						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	16 56	41 94	30 52	13 91	11 15						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2 81	41,94	30 52	13 91	11 16						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5 36	51 30 2,785 00	39 87	18 29	15 54						·
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp				PE1JB PE1FB	5 38	2,785.00									
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10 77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16 15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37 30				_						
	Adjacent Collocation - Cable Support Structure per Entrance Cable LLOCATION IN THE REMOTE SITE	1		CLOAC	PE1PM	18 96				_						ļ
PHISICAL CO	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617 91		328 81						<u> </u>	
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219 49										
															_	
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26 30			_						l
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232 69									i
	Physical Collocation in the Remote Site - Remote Site CLL1		<u> </u>	OLONG	1 2701		202 00				·					i
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75 41									l
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233 51									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															L
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6 27										
ļ	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0 134										1
	Remote Site-Adjacent Collocation-Application Fee				PE1RU		755 62	755 62								
	If Security Escort and/or Add'I Engineering Fees become nec	essary f	for remo	ote site collocation,	the Parties	will negotiate a	ppropriate rate	5								ļ
VIRTUAL COLI	OCATION Virtual Collocation - Application Fee/Planning Fee Initial Request			AMTES	EAF		4,122 00	<u> </u>				11 90				
	Virtual Collocation - Application Fee/Planning Fee Additional															
	Entrance Cable Request			AMTES	EAF		1,249 00					11 90				·
	Virtual Collocation - Cable installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft			AMTES AMTES	ESPCX ESPVX	12 45 4 25	965 00			_		11.90				
	Virtual Collocation - Proof Space, per sq 11 Virtual Collocation - Power, per fused amp	·		AMTES	ESPAX	6 95	<u> </u>			~						
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTES	ESPSX	13 35										
				UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX.												
	Virtual Collocation - 2-wire Cross Connects (loop)				UEAC2	0 0502	<u>11 57</u>	11 57				11 90				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX AMTFS,UDL12,	UEAC4	0 0502	11 57	11 57				11 90		-		
				UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	0.000		0.001.00						,			
	Virtual Collocation - 2-Fiber Cross Connects	L		ULD48, UDF	CNC2F	671	2,431 00		L			11 90		L	L	L

Page 4 of 6

COLLOCATI	ON - Florida													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Örder Submitted Manually per LSR	Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
	· · · · · -					Rec		urring	Nonrecurring		_		OSS	Rates (\$)		
	· · · · · · · · · · · · · · · · · · ·						First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF	CNC4F	671	2,431 00					11 90				(
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL.ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7 50	155 00	14 00				11 90				
	Virtual collocation - Special Access & UNE, cross-connect per			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,		/ 50	155 00	14 00				1190				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			UDLSX, UNLD3	CND3X	56.25	151 90	11 83				11 90				
	Support Structure, per linear foot			AMTFS,CLO	VE1CB	0 0028										Í
	Virtual Collocation - Co-Carner Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS, CLO	VE1CD	0 0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable			AMTES	VE1CC		535 54					11 90				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTES	VE1CE		535 54		ĺ			44.00				i
	Virtual Collocation Cable Records - per request			AMTES	VETCE VETBA		1,525 00	1,525 00	267 08	267 08		11.90				i
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTES	VE1BB		656.50	656 50	379 78	379 78						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTES	VE1BC		9.66	9 66	11 84	11 84						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD		4 52	4 52	5 54	5 54						
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTES	VE1BE		15 82	15 82	19.40	19 40						
	records Virtual collocation - Security Escort - Basic, per quarter hour			AMTES AMTES	VE1BF SPTBQ		169 67 10 89	169 67	154.89	154 89		11 90				i
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMITIS	SPTOQ		13 64					11 90			. <u> </u>	
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTES	SPTPQ		16 40					11 90				
	Virtual Collocation - 2-wire Cross Connects (loop), per ckts			AMTES	VE1R2	0.05	11 57					11 90				
	Virtual Collocation - 4-wire Cross Connects (loop), per ckts Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS			AMTES AMTES	VE1R4 VE11S	0 05	11 57 69 64					11 90 11 90				
	Virtual Collocation - DS-1 DSX Cross Connects, PER CKTS			AMTES	VE113	0 41	69 64					11 90				
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTES	VE13S	59 67	528 00					11 90		• • •		
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTES	VE13X	10 06	528 00			-		11 90				
	Virtual collocation - Maintenance in CO - Basic, per quarter hour			AMTES	SPTRE		10 89					11 90				
ļ	Virtual collocation - Maintenance in CO - Overtime, per quarter hour			AMTES	SPTOE		13 64					11 90				
	Virtual collocation - Maintenance in CO - Premium per quarter hour			AMTES	SPTPE		16 40					11 90				
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0 0502	11 57	11 57				11 90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 0502	11 57	11 57				11 90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 0502	11.57	11 57				11 90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 0502	11 57	11 57				11.90				

COLLOCATIO	ON - Florida												Attach	ment: 4	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Inten	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sve
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
					1								Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonreci	rring	Nonrecurring Disc	connect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
i i	ISDN			UEPSX	VE1R2	0 0502	11 57	11 57				11 90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN		1	UEPTX	VE1R2	0 0502	11 57	11 57			1	11 90				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire										1					
1 1	ISDN DS1		1 1	UEPEX	VE1R4	0 0502	11 57	11 57			1	11 90				

5

-

Amendment To The Adoption Agreement Between Saluda Networks Incorporated And BellSouth Telecommunications, Inc. Dated August 16, 2003

Pursuant to this Amendment, (the "Amendment"), Saluda Networks Incorporated ("Saluda"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated August 16, 2003, ("Agreement"). This Amendment will become effective thirty (30) days following the date of the last signature of both Parties.

WHEREAS, BellSouth and Saluda entered into the Agreement on August 16, 2003, and;

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) effective on October 2, 2003;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the Parties;

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, Saluda and BellSouth hereby agree as follows:

- 1. The Parties agree to delete Section 9.3 in the General Terms and Conditions and replace with the following:
 - 9.3 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Saluda or BellSouth to perform any material terms of this Agreement, Saluda or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days

after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

- 2. The Parties agree to delete Section 4.6.2.3 of Attachment 1 in its entirety and replace with the following:
 - 4.6.2.3 Customer branding and self branding require Saluda order dedicated trunking from each BellSouth end office identified by Saluda, to either the BellSouth Traffic Operator Position System (TOPS) or Saluda's operator service provider. Rates for trunks as set forth in applicable BellSouth tariffs.
- The Parties agree to delete Attachment 2, Network Elements and Other Services, and the associated rates in their entirety and replace with Attachment 2 and rates reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 4. The Parties agree that the adopted provision will be added to Attachment 2, Section 2 of AT&T's Interconnection Agreement as follows:
 - 1.9.9 Where a BellSouth voice customer who is subscribing to BellSouth FastAccess Internet Service converts its voice service to AT&T utilizing a UNE-P line, BellSouth will continue to provide FastAccess service to that end user.
- 5. The Parties agree to delete Attachment 7, Pre-Ordering, Ordering, Provisioning, Maintenance and Repair, in its entirety and replace with Attachment 7 reflected as Amendment Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 6. All of the other provisions of the Agreement, dated October 26, 2001, shall remain in full force and effect.
- 7. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Triennial Order Amendment Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc. m By: Rowe Ē Name: Title: 0 Date:

;

1

Saluda N	etworks Incorporated
	Mininal. 12
By:	MUMBLE
Name:	Mario Jerak
Title:	President
Date:	Jan/5/04

Version 1Q03: 05/09/03

[CCCS Amendment 3 of 110]

Exhibit 1 Attachment 2 Page 1

.

.

e.

.

Attachment 2

Network Elements and Other Services

Version 3Q03. 11/12/2003

Exhibit 1 Attachment 2 Page 2

TABLE OF CONTENTS

1	INTRODUCTION	3		
I.			Deleted: 6	
2	UNBUNDLED LOOPS	5.	· · · ·	
			Deleted: 28)
3	LINE SHARING	27 .	()
			Deleted: 35	
4	LOCAL SWITCHING	11 /	(
		iny.	Deleted: 43)
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	.11	Deleteur 45	
5		23/2	Deleted: 47)
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	.15	Deleteu. 47	
0	I KANSFUK F, CHANNELIZA HUN AND DAKK FIDEA	43	Deleted: 52	۲
	DATABASES		Deleted: 52	J
7	DATABASES	42		
		~		
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENIN		Deleted: 52	J
SEI	RVICE	<u>50</u>		
			Deleted: 53	
9	LINE INFORMATION DATABASE (LIDB)	<u>50</u> ,	,	
			Deleted: 56]
10	SIGNALING	53 .		
		,	Deleted: 62)
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	59		
1			Deleted: 62	Ì
12	CALLING NAME (CNAM) DATABASE SERVICE	60, -	(
I				
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS)		(·
AD	VANCED INTELLIGENT NETWORK (AIN) ACCESS	6L . · ·	Deleted: 64	J
			Deleted: 64)
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	.6L ((
1				
P	tes Exhibit	٨		
IX a	Exhibit	n.		

Version 3Q03: 11/12/2003

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to <u>Saluda</u> in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to <u>Saluda</u> (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require Saluda to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Saluda used in the provision of a qualifying service, as defined by the FCC. Saluda may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Saluda, and to the extent technically feasible, provide to <u>Saluda</u> access to its <u>Network Elements</u> for the provision of <u>Saluda</u>'s _____ qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 <u>Saluda</u> may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) ("TRO"), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to <u>Saluda under Section 251(c)(3) of the</u> Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or

Version 3Q03: 11/12/2003

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

	Exhibit 1 Attachment 2	
l	Page 4 grandfathered status between Saluda and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.	. Deleted: < <customer_short_name>></customer_short_name>
1.8 	Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), <u>Saluda</u> will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Agreement. If orders to rearrange or disconnect those arrangements or services by the 31 st day after the Effective Date of this Agreement, BellSouth may disconnect those arrangements or services are not received by the 31 st day after the Effective Date of this Agreement, BellSouth may disconnect those arrangements or services without a service are not received by the 31 st day after the Effective Date of this Agreement, BellSouth may disconnect those arrangements or services without a service are not received by the 31 st day after the Effective Date of this Agreement, BellSouth may disconnect those arrangements or services without a service are not received by the 31 st day after the Effective Date of this Agreement, BellSouth may disconnect those arrangements or services without for the service are not received by the 31 st day after the Effective Date of this Agreement.	(Deleted: < <customer_short_name>>)</customer_short_name>
! :	without further notice. Where no re-termination or physical rearrangement of circuits or service is required, <u>Saluda</u> will be charged a nonrecurring switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, nonrecurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.	Deleted: < <customer_short_name>></customer_short_name>
1.8.1	<u>Saluda</u> may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.	Deleted: < <customer_short_name>></customer_short_name>
1.8.2 	Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, <u>Saluda</u> may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Saluda, BellSouth shall perform the routine network modifications.	Deleted: < <customer_short_name>></customer_short_name>
1.8.3	Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.	
1.9	Commingling of Services	
1.9.1	Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that <u>Saluda</u> has obtained at wholesale from BellSouth, or the	- Deleted: < <customer_short_name>></customer_short_name>

Version 3Q03 · 11/12/2003

2.1		
2	Unbundled Loops	
1.11.4	A one-month minimum billing period shall apply to all Network Elements and Other Services.	
1.11.3	If Saluda modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by <u>Saluda</u> in accordance with FCC No. 1 Tariff, Section 5.	Deleted: < <customer_short_name>></customer_short_name>
1.11.2	Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.	
1.11.1	The prices that Saluda shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If <u>Saluda purchases a</u> service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.	<pre>{ Deleted: <<customer_short_name>> }</customer_short_name></pre>
1.11	Rates	· · · · · · · · · · · · · · · · · · ·
1.10	If <u>Saluda</u> reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge Saluda for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.	<pre>Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> </customer_short_name></customer_short_name></pre>
1.9.4	When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.	
1.9.3	BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.	
1.9.2	Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non- qualifying services.	
	Exhibit 1 Attachment 2 Page 5 combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.	

Version 3Q03 11/12/2003

- Exhibit 1
- Attachment 2
 - Page 6
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. Saluda shall purchase the entire bandwidth of the Deleted: <<customer_short_name>> Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop. The Loop does not include any packet switched features, functions or capabilities. 2.1.1.12.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops. In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth 2.1.1.3 will make those copper Loops available to Saluda on an unbundled basis, until Deleted: <<customer_short_name>> such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities. 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a Deleted: <<customer_short_name>> request for access to such Loops by Saluda. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval. Deleted: <<customer_short_namc>>> 2.1.1.5 For hybrid loops, where Saluda seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide Saluda with nondiscriminatory access Deleted: <<customer_short_name>> to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises. Deleted: <<customer_short_name>> 2.1.1.6 Saluda may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.

Version 3003: 11/12/2003

	Page 7
2.1.2	The provisioning of a Loop to Saluda's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
2.1.3	Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <u>http://www.interconnection.bellsouth.com</u> . For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
2.1.4	The Loop shall be provided to <u>Saluda in accordance with BellSouth's TR73600</u> Unbundled Local Loop Technical Specification and applicable industry standard technical references.
2.1.5	BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
2.1.5.1	When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If <u>Saluda</u>

2.1.6 Loop Testing/Trouble Reporting

rates from BellSouth's FCC or state tariffs.

Attachment.

2.1.6.1 <u>Saluda will be responsible for testing and isolating troubles on the Loops. Saluda</u> must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble

wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), <u>Saluda</u> may

order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this

In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by <u>Saluda</u> (e.g., incomplete

address, incorrect contact name/number, etc.), BellSouth will bill,Saluda for each

additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination

Version 3Q03: 11/12/2003

2.1.5.2

Deleted: <<customer_short_name>>

Exhibit 1 Attachment 2

Deleted: <<customer_short_name>>

(**Deleted:** <<customer_short_name>>)

Deleted: <<customer_short_name>

Deleted: <<customer_short_name>>
Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>
Deleted: <<customer_short_name>>

	Exhibit 1 Attachment 2	
	Page 8	
	report, Saluda will be required to provide the results of the Saluda test which indicate a problem on the BellSouth provided Loop.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
	indicate a problem on the Bensouth provided Loop.	
2.1.6.2	Once Saluda has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.	Deleted: < <customer_short_name>></customer_short_name>
2.1.6.3	If <u>Saluda</u> reports a trouble on a non-designed or designed Loop and no trouble	Deleted: < <customer_short_name>></customer_short_name>
2.1.0.5	actually exists, BellSouth will charge Saluda for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.	{ Deleted: < <customer_short_nanc>></customer_short_nanc>
2.1.6.4	In the event BellSouth must dispatch to the end-user's location more than once	
	due to incorrect or incomplete information provided by Saluda (e.g., incomplete	Deleted: < <customer_short_name>></customer_short_name>
	address, incorrect contact name/number, etc.), BellSouth will bill, <u>Saluda</u> for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.	Deleted: < <customer_short_name>></customer_short_name>
2.1.7	Order Coordination and Order Coordination-Time Specific	
2.1.7.1	"Order Coordination" (OC) allows BellSouth and Saluda to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Saluda's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.	(Deleted: < <customer_short_name>></customer_short_name>
2.1.7.2	"Order Coordination – Time Specific" (OC-TS) allows Saluda to order a specific	<pre>(Deleted: <<customer_short_name>></customer_short_name></pre>
	time for OC to take place. BellSouth will make every effort to accommodate ,Saluda's specific conversion time request. However, BellSouth reserves the right	Deleted: < <customer_short_name>></customer_short_name>
	to negotiate with <u>Saluda</u> a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except	Deleted: < <customer_short_name>></customer_short_name>
	Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Saluda may specify a time between 9:00 a.m. and 4:00 p.m. (location time)	Deleted: < <customer_short_name>></customer_short_name>
	Monday through Friday (excluding holidays). If <u>Saluda</u> specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for	Deleted: < <customer_short_name>></customer_short_name>

Version 3Q03: 11/12/2003

Exhibit 1 Attachment 2 Page 9 an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.8 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Saluda when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in <u>Saluda</u>'s Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to <u>Saluda</u> pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

Deleted: <<customer_short_name>>
Deleted: <<customer_short_name>>

{ Deleted: <<customer_short_name>>

Version 3Q03: 11/12/2003

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR _	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not avaılable	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ŃD (Non- Designed)	Chargeable Optron	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, <u>Saluda</u> must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.9 Bulk Migration

2.1.9.1 If Saluda requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, <u>Saluda</u> must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Version 3Q03: 11/12/2003

2.1.8.4

Attachment 2 Page 11

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, Saluda should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: <u>http://www.interconnection.bellsouth.com/</u>
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that <u>Saluda</u> will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by <u>Saluda</u>. <u>Saluda</u> may also order OC-TS when a specified

Version 3Q03 · 11/12/2003

Deleted: <<customer_short_name>>

-{ Deleted: <<customer_short_name>>

Deleted: <<customer_short_namc>>

Attachment 2 Page 12 conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users. For an additional charge BellSouth will make available Loop Testing so that Saluda may request further testing on new UVL-SL1 Loops. Bates for Loop

Exhibit 1

<u>Saluda</u> may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.

Unbundled Voice Loop – SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to <u>Saluda</u>. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow <u>Saluda</u> to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

2.2.4

2.2.5

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop

Version 3Q03: 11/12/2003

(Deleted: <<customer_short_name>>)

Deleted: <<customer_short_name>>

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Saluda will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by Saluda or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. Saluda may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>
 Deleted: <<customer_short_name>>

	Exhibit 1 Attachment 2 Page 14 for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.	
2.3.9	STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic- based electrical interface.	
2.3.10	Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.	
2.3.11	If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, <u>Saluda</u> may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by <u>Saluda</u> , BellSouth shall perform the routine network modifications.	<pre>- (Deleted: <<customer_short_name>>) . (Deleted: <<customer_short_name>>)</customer_short_name></customer_short_name></pre>
2.3.12	DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate [®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.	
2.3.13	Saluda may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.	Deleted: < <customer_short_name>></customer_short_name>
2.4	Unbundled Copper Loops (UCL)	
2.4.1	BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.	
2.4.2	<u>Unbundled Copper Loop – Designed (UCL-D)</u>	

	Exhibit 1 Attachment 2 Page 15	
2.4.2.1	The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).	
2.4.2.2	A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.	
2.4.2.3	The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by <u>Saluda</u> .	Deleted: < <customer_she< td=""></customer_she<>
2.4.2.4	These Loops are not intended to support any particular services and may be utilized by <u>Saluda</u> to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.	- (Deleted: < <customer_she< td=""></customer_she<>
2.4.2.5	Upon the Effective Date of this Agreement, Unbundled Copper Loop – Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by <u>Saluda</u> or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.	• (Deleted: < <customer_she< td=""></customer_she<>
2.4.3	<u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>	

2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

.

Version 3Q03: 11/12/2003

ort_name>>

ort_name>>

iort_name>>

	Exhibit 1 Attachment 2 Page 16	
2.4.3.2	The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Saluda can request LMU for which additional charges would apply.	Deleted: < <customer_short_name>></customer_short_name>
2.4.3.3	For an additional charge, BellSouth also will make available Loop Testing so that <u>Saluda may request further testing on the UCL-ND.</u> Rates for Loop Testing are as set forth in Exhibit A of this Attachment.	Deleted: < <customer_short_name>></customer_short_name>
2.4.3.4	UCL-ND Loops are not intended to support any particular service and may be utilized by Saluda to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.	Deleted: < <customer_short_name>></customer_short_name>
2.4.3.5	OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.	
2.4.3.6	<u>Saluda</u> may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.	Deleted: < <customer_short_name>></customer_short_name>
2.5	Unbundled Loop Modifications (Line Conditioning)	
2.5.1	Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.	
2.5.2	BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.	
2.5.3	For any copper loop being ordered by <u>Saluda</u> which has over 6,000 feet of combined bridged tap will be modified, upon request from Saluda, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to Saluda. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>

copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

Version 3Q03: 11/12/2003

1

eleted: <<customer_short_name>> eleted: <<customer_short_name>>

	Exhibit 1 Attachment 2 Page 17	
2.5.4	Saluda may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose); at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.	Deleted: < <customer_short_name>></customer_short_name>
2.5.5	Rates for ULM are as set forth in Exhibit A of this Attachment.	
2.5.6	BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.	
2.5.7	If Saluda requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. <u>Saluda will not be</u> charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.	Deleted: < <customer_short_name>>)</customer_short_name>
2.5.8	Saluda shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that <u>Saluda</u> desires BellSouth to condition.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
2.5.9	When requesting ULM for a Loop that BellSouth has previously provisioned for Saluda, Saluda will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by <u>Saluda</u> is available at the location for which the ULM was requested, Saluda will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, <u>Saluda</u> will not be charged for ULM but will only be charged the service order charges for submitting an order.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name>
2.6	Loop Provisioning Involving Integrated Digital Loop Carriers	
2.6.1	Where Sahuda has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available	Deleted: < <customer_short_name>>>)</customer_short_name>
	to Saluda. If a suitable alternative facility is not available, then to the extent it is	. (Deleted: < <customer_short_name>>)</customer_short_name>
	technically feasible, BellSouth will implement one of the following alternative arrangements for <u>Saluda</u> (e.g. hairpinning):	, Deleted: < <customer_short_name>></customer_short_name>
I	 Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated. 	

Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 If capacity exists, provide "side-door" porting through the switch.

Page 18 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)door" porting (if the IDLC routes through a DACS prior to integration into the switch).

Exhibit 1 Attachment 2

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, nondesigned Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from <u>Sahuda</u>, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. <u>Sahuda</u> will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Saluda to connect Saluda's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Saluda may access the End User's customer premises wiring by any of the following means and <u>Saluda</u> shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow <u>Saluda</u> to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

Version 3Q03: 11/12/2003

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>
Deleted: <<customer_short_name>>

Deleted: < <customer_short_name>></customer_short_name>

Deleted: <<customer_short_name>>

	Exhibit 1 Attachment 2 Page 19	
2.7.3.1.3	Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or	
2.7.3.1.4	Saluda may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.	Deleted: < <customer_short_name>></customer_short_name>
2.7.3.2	In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be <u>Saluda's responsibility to ensure there is no safety hazard, and Saluda will hold</u> BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
2.7.3.3	Saluda shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.	, Deleted: < <customor_short_name>></customor_short_name>
2.7.3.4	<u>Saluda</u> shall not remove or disconnect NID modules, protectors, or terminals from . BellSouth's NID enclosures.	, Deleted: < <customer_short_name>></customer_short_name>
2.7.3.5	Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Saluda to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.	Deleted: < <customer_short_name>></customer_short_name>
2.7.4	Technical Requirements	
2.7.4.1	The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.	
2.7.4.2	If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to Saluda's NID.	(Deleted: < <customer_short_name>>)</customer_short_name>
2.7.4.3	Existing BellSouth NIDs will be provided in "as is" condition. <u>Saluda</u> may request BellSouth to do additional work to the NID on a time and material basis. When	, Deleted: < <customer_short_name>>)</customer_short_name>

	Exhibit 1 Attachment 2 Page 20	
	Saluda deploys its own local Loops in a multiple-line termination device, Saluda	. (Deleted: < <customer_short_name>></customer_short_name>
	shall specify the quantity of NID connections that it requires within such device.	Deleted: < <customer_short_name>></customer_short_name>
2.8	Sub-loop Elements	
2.8.1	Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.	
2.8.2	Unbundled Sub-Loop Distribution	
2.8.2.1	The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:	
	Unbundled Sub-Loop Distribution – Voice Grade Unbundled Copper Sub-Loop Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)	
2.8.2.2	Unbundled Sub-Loop Distribution – Voice Grade (USLD-VG) is a copper sub- loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.	
2.8.2.3	Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.	
2.8.2.3.1	If Saluda requests a UCSL and it is not available, Saluda may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.	<pre>Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></pre>
2.8.2.4	Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.	
2.8.2.4.1	Upon request for USLD-INC from Saluda, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a	

	Exhibit 1 Attachment 2	
1	Page 21 single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Saluda's use on this cross-connect panel. Saluda will be	Deleted: < <customer_short_name>></customer_short_name>
1	responsible for connecting its facilities to the 25-pair cross-connect block(s).	Deleted: < <customer_short_name>></customer_short_name>
2.8.2.5	For access to Voice Grade USLD and UCSL, Saluda shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Saluda's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.	Deleted: < <customer_short_name>></customer_short_name>
2.8.2.6 	Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by <u>Saluda</u> is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet <u>Saluda's request</u> , then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.	Deleted: < <customer_short_name>> (Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
2.8.2.7	The site set-up must be completed before Saluda can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Saluda's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.	Deleted: < <customer_short_name>></customer_short_name>
2.8.2.8 	Once the site set-up is complete, Saluda will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Saluda requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by Saluda for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.	Deleted: < <customer_short_name>>)</customer_short_name>
2.8.2.9	Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.	
2.8.3	Unbundled Network Terminating Wire (UNTW)	
2.8.3.1	UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.	
2.8.3.2	This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi- Tenants Units (MTUs) where either Party owns wiring all the way to the End	

	Exhibit 1 Attachment 2 Page 22 User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.	
2.8.3.3	Requirements	
2.8.3.3.1	On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.	
2.8.3.3.2	The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.	
2.8.3.3.3	In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, <u>Saluda will install UNTW Access</u> Terminals for BellSouth at no additional charge.	Deleted: < <customer_short_name>></customer_short_name>
2.8.3.3.4	In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Saluda for each pair activated commensurate to the price specified in Saluda's Agreement.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>>)</customer_short_name></customer_short_name></customer_short_name>
2.8.3.3.5	Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.	
2.8.3.3.6	Access Terminal installation intervals will be established on an individual case basis.	
2.8.3.3.7	The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or	

subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Unbundled Sub-Loop Feeder

2.8.4.1 Upon the Effective Date of this Agreement, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Agreement, Saluda will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and Saluda has not issued the appropriate disconnect

Version 3Q03 11/12/2003

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

	Exhibit 1 Attachment 2	
	Page 24 orders, BellSouth may immediately disconnect any remaining USLF elements and will bill <u>Saluda</u> any applicable disconnect charges.	, • Deleted: < <customer_short_name>></customer_short_name>
2.8.5	Unbundled Loop Concentration	
2.8.5.1	Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by <u>Saluda</u> , or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.	(Deleted: < <customer_short_name>>)</customer_short_name>
2.8.6	Dark Fiber Loop	
2.8.6.1	Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for <u>Saluda to utilize Dark Fiber Loops</u> .	
2.8.6.2	If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, <u>Saluda may request</u> BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by <u>Saluda</u> , BellSouth shall perform the routine network modifications.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
2.8.6.3	Requirements	
2.8.6.3.1	BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.	
2.8.6.3.2	Saluda is solely responsible for testing the guality of the Dark Fiber to determine its usability and performance specifications.	Deleted: < <customer_short_name>></customer_short_name>

,

1	Exhibit 1 Attachment 2 Page 25	
2.8.6.3.3	BellSouth shall use its commercially reasonable efforts to provide to Saluda information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from Saluda.	Deleted: < <customer_short_name>></customer_short_name>
2.8.6.3.4	If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Saluda within twenty (20) business days after <u>Saluda</u> submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable <u>Saluda</u> to connect <u>Saluda</u> provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name></customer_short_name>
2.9	Loop Makeup	
2.9.1	Description of Service	
2.9.1.1	BellSouth shall make available to <u>Saluda LMU information so that Saluda can</u> make an independent judgment about whether the Loop is capable of supporting the advanced services equipment <u>Saluda intends to install and the services</u> <u>Saluda</u> wishes to provide. This section addresses LMU as a preordering transaction, distinct from <u>Saluda</u> ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name>
2.9.1.2	BellSouth will provide <u>Saluda LMU</u> information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair- gain devices; the Loop length; the wire gauge and electrical parameters.	Deleted: < <customer_short_name>></customer_short_name>
2.9.1.3	BellSouth's LMU information is provided to Saluda as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.	Deleted: < <customer_short_name>>)</customer_short_name>
2.9.1.4	BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.	
2.9.1.5	Saluda may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by <u>Saluda</u> and BellSouth shall not be liable in	<pre>Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> </customer_short_name></customer_short_name></pre>

Exhibit 1

any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee <u>Saluda</u>'s ability to provide advanced data services over the ordered Loop type. Further, if <u>Saluda</u> orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Saluda is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 Submitting Loop Makeup Service Inquiries

- 2.9.2.1 Saluda may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if Saluda needs further Loop information in order to determine Loop service capability, Saluda may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website: http://interconnection.bellsouth.com/guides/html/unes.html. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 Loop Reservations

- 2.9.3.1 For a Mechanized LMUSI, Saluda may reserve up to ten (10) Loop facilities. For a Manual LMUSI, <u>Saluda may reserve up to three (3) Loop facilities</u>.
- 2.9.3.2 Saluda may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to <u>Saluda</u>. During and prior to Saluda placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If <u>Saluda</u> does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

Version 3Q03 11/12/2003

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>
Deleted: <<customer_short_name>>

Deleted: < <customer_short_name>></customer_short_name>	J
Deleted: < <customer_short_name>></customer_short_name>)
Deleted: < <customer_short_name>></customer_short_name>)
Deleted: < <customer_short_name>></customer_short_name>	7)
Deleted: < <customer_short_name>></customer_short_name>	\mathbb{D}
Deleted: < <customer_short_name>></customer_short_name>)

		Attachment 2 Page 27		
2	2.9.3.4	All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. <u>Saluda</u> will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Saluda does not reserve	- · ·	Deleted: < <customer_short_name>></customer_short_name>
ļ		facilities upon an initial LMUSI, <u>Saluda</u> 's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.	 	- Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
	2.9.3.5	Where Saluda has reserved multiple Loop facilities on a single reservation, Saluda		(Deleted: < <customer_short_name>></customer_short_name>
1		may not specify which facility shall be provisioned when submitting the LSR. For		Deleted: < <customer_short_name>></customer_short_name>
		those occasions, BellSouth will assign to Saluda, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Saluda.		Deleted:
3	3	Line Sharing		
3	3.1	General		
3	3.1.1	Line Sharing is defined as the process by which <u>Saluda provides digital subscriber</u> line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and <u>Saluda</u>		Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
		using the high frequency spectrum (as defined below) of the loop.		
3	3.1.2	Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with <u>Saluda</u> . Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.		(Deleted: < <customer_short_name>>)</customer_short_name>
3	3.1.3	For the period from October 2, 2003, through October 1, 2004, <u>Saluda may</u> request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set	, • • *	Deleted: < <customer_short_name>></customer_short_name>
		forth in Exhibit A. After October 1, 2004, Saluda may not request new Line Sharing arrangements under the terms of this Agreement.	. • *	Deleted: < <customer_short_name>></customer_short_name>
2	3.1.4	The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.		
3	3.1.5	As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with <u>Saluda</u> , all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.	. • *	Deleted: < <customer_short_name>></customer_short_name>
3	3.1.6	The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Saluda the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum	*	Deleted: < <customer_short_name>></customer_short_name>

Exhibit 1

Exhibit	1
Attachment	2

Page	28
------	----

Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. <u>Saluda</u> shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.

BellSouth will provide Loop Modification to <u>Saluda</u> on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment.
BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If <u>Saluda</u> requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, <u>Saluda</u> shall pay for the Loop to be restored to its original state.

3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and Saluda desires to continue providing xDSL service on such Loop, Saluda shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give, Saluda notice in a reasonable time prior to disconnect, which notice shall give Saluda an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and Saluda purchases the full stand-alone Loop, Saluda may elect the type of Loop it will purchase. Saluda will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event Saluda purchases a voice grade Loop, Saluda acknowledges that such Loop may not remain xDSL compatible.

3.1.10 If <u>Saluda</u> reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge <u>Saluda</u> for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.

3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

Version 3Q03 11/12/2003

3.1.7

3.1.8

Deleted: <<customer_short_name>>
Deleted: <<customer_short_name>>
Deleted: <<customer_short_name>>

Deleted: <<customer_short

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

U	Deleted: < <customer_short_name>></customer_short_name>
[Deleted: < <customer_short_name>></customer_short_name>
Ū	Deleted: < <customer_short_name>></customer_short_name>
Ĩ	Deleted: < <customer_short_name>></customer_short_name>
ſ	Deleted: < <customer_short_name>></customer_short_name>
ſ	Deleted: < <customer_short_name>></customer_short_name>
r	

	Exhibit 1 Attachment 2	
	Page 29	
3.2	Provisioning of Line Sharing and Splitter Space	
3.2.1	BellSouth will provide <u>Saluda</u> with access to the High Frequency Spectrum as follows:	, Deleted: < <customer_short_name>></customer_short_name>
3.2.1.1	To order High Frequency Spectrum on a particular Loop, <u>Saluda must have a</u> Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.	Deleted: < <customer_short_namc>></customer_short_namc>
3.2.1.2	Saluda may provide its own splitters or may order splitters in a central office once	Deleted: < <customer_short_name>></customer_short_name>
	it has installed its DSLAM in that central office. BellSouth will install splitters	
	within thirty-six (36) calendar days of Saluda's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.	- Deleted: < <customer_short_name>></customer_short_name>
		Deleted: < <customer_short_name>></customer_short_name>
3.2.1.3	Once a splitter is installed on behalf of <u>Saluda</u> in a central office in which <u>Saluda</u> is	Deleted: < <customer_short_name>></customer_short_name>
	located, Saluda shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Saluda shall pay the	- (Deleted: < <customer_short_name>>)</customer_short_name>
	electronic or manual ordering charges as applicable when Saluda orders High	Deleted: < <customer_short_name>></customer_short_name>
1	Frequency Spectrum for End User service.	Deleted: < <customer_short_name>></customer_short_name>
3.2.1.4	BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for <u>Saluda</u> 's data.	<pre>>> Deleted: <<customer_short_name>></customer_short_name></pre>
3.3	BellSouth Provided Splitter – Line Sharing	
3.3.1	BellSouth will select, purchase, install, and maintain a central office POTS splitter	
	and provide Saluda access to data ports on the splitter. The splitter will route the	. Deleted: < <customer_short_name>></customer_short_name>
	High Frequency Spectrum on the circuit to <u>Saluda</u> 's xDSL equipment in <u>Saluda</u> 's	Deleted: < <customer_short_name>></customer_short_name>
1	collocation space. At least thirty (30) calendar days before making a change in	Deleted: < <customer_short_name>></customer_short_name>
	splitter suppliers, BellSouth will provide <u>Saluda</u> with a carrier notification letter,	Deleted: < <customer_short_namc>></customer_short_namc>
I	informing Saluda of change. Saluda shall purchase ports on the splitter in increments of each (8), twenty four (24), or ningty six (96) ports in Alabama	Deleted: < <customer_short_name>></customer_short_name>
	increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South	Deleted: < <customer_short_name>></customer_short_name>
	Carolina. <u>Saluda</u> shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.	Deleted: < <customer_short_name>></customer_short_name>
		Deleted: < <customer_short_name>></customer_short_name>
3.3.2	BellSouth will install the splitter in (i) a common area close to <u>Saluda</u> 's collocation area, if possible; or (ii) in a BellSouth relay rack as close to <u>Saluda</u> 's DS0	Deleted: < <customer_short_name>>></customer_short_name>
	termination point as possible. <u>Saluda</u> shall have access to the splitter for test	-{ Deleted: < <customer_short_name>></customer_short_name>
l	purposes, regardless of where the splitter is placed in the BellSouth premises. For	
	purposes of this section, a common area is defined as an area in the central office	
	in which both Parties have access to a common test access point. A Termination	
1	Point is defined as the point of termination for <u>Saluda</u> on the main distributing frame in the central office and is not the demarcation point set forth in Attachment	<pre>- (Deleted: <<customer_short_name>>)</customer_short_name></pre>

	Exhibit 1 Attachment 2	
	Page 30 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a	
I	specified <u>Saluda</u> DS0 at such time that a <u>Saluda</u> End User's service is established.	Deleted: < <customer_short_name>></customer_short_name>
1		Deleted: < <customer_short_name>></customer_short_name>
3.4	CLEC Provided Splitter - Line Sharing	
3.4.1	Saluda may at its option purchase, install and maintain central office POTS	Deleted: < <customer_short_name>></customer_short_name>
5.4.1	splitters in its collocation arrangements. Saluda may use such splitters for access	Deleted: < <customer_short_name>></customer_short_name>
	to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4- Central Office shall apply.	· ·
240	Any subitors installed by Caluda in its callegation amongsment shall so an he with	Deleted: < <customer_short_name>></customer_short_name>
3.4.2	Any splitters installed by <u>Saluda in its collocation arrangement shall comply with</u> ANSI T1.413, Annex E, or any future ANSI splitter Standards. Saluda may install	Deleted: < <customer_short_name>>></customer_short_name>
:	any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.	, · (Perecer - custome_and_name>>)
3.5	<u>Ordering – Line Sharing</u>	, <u>.</u> .
3.5.1	Saluda shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.	Deleted: < <customer_short_name>></customer_short_name>
3.5.2	BellSouth will provide Saluda the LSR format to be used when ordering the High Frequency Spectrum.	Deleted: < <customer_short_name>></customer_short_name>
3.5.3	BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com .	
3.5.4	BellSouth will provide Saluda access to Preordering LMU in accordance with the	Deleted: < <customer_short_name>></customer_short_name>
510,4	terms of this Agreement. BellSouth shall bill and <u>Saluda</u> shall pay the rates for such services, as described in Exhibit A.	Deleted: < <customer_short_name>></customer_short_name>
3.6	<u>Maintenance and Repair – Line Sharing</u>	
3.6.1	Saluda shall have access for repair and maintenance purposes to any Loop for	Deleted: < <customer_short_name>></customer_short_name>
	which it has access to the High Frequency Spectrum. If Saluda is using a	Deleted: < <customer_short_name>></customer_short_name>
	BellSouth owned splitter, Saluda may access the Loop at the point where the	Deleted: < <customer_short_name>></customer_short_name>
I	combined voice and data signal exits the central office splitter via a bantam test jack. If <u>Saluda</u> provides its own splitter, it may test from the collocation space or the Termination Point.	Deleted: < <customer_short_name>></customer_short_name>
3.6.2	BellSouth will be responsible for repairing voice services and the physical line	
	between the NID at the customer's premises and the Termination Point. Saluda	<pre>Deleted: <<customer_short_name>></customer_short_name></pre>

	Exhibit 1 Attachment 2	
	Page 31 will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.	
3.6.3	Saluda shall inform its End Users to direct data problems to Saluda, unless both voice and data services are impaired, in which event the End Users should call BellSouth.	<pre>/ Deleted: <<customer_short_name>> // - Deleted: <<customer_short_name>></customer_short_name></customer_short_name></pre>
3.6.4	Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.	
3.6.5 	Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Saluda, BellSouth will notify Saluda. Saluda will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, <u>Saluda</u> will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Saluda's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name>
3.7	Line Splitting	
3.7.1	Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.	
3.7.2	In the event Saluda provides its own switching or obtains switching from a third party, <u>Saluda</u> may engage in line splitting arrangements with another CLEC using a splitter, provided by Saluda, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>
3.7.3	Where <u>Saluda</u> is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.	(Deleted: < <customer_short_name>>)</customer_short_name>
3.7.4	<u>Saluda</u> shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if <u>Saluda</u> will not provide voice and data services.	(Deleted: < <customer_short_name>>)</customer_short_name>
3.7.5	End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by Saluda or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port,	Deleted: < <customer_short_name>></customer_short_name>

Attachment 2	
Page 32	
two collocation cross connects and the high frequency spectrum line activation. If	
BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-	
alone UNE Loop, port, and one collocation cross connection.	
When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Saluda	[[
for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC	<u>-</u>
for all associated splitter charges if the Data LEC continues to use a BellSouth	
splitter. It is the responsibility of <u>Saluda</u> or its authorized agent to determine if the	(r
Loop is compatible for Line Splitting Service. Saluda or its authorized agent may	. · 🖸
use the existing Loop unless it is not compatible with the Data LEC's data service	~
and Saluda or its authorized agent submits an LSR to BellSouth to change the	(L
Loop.	
Development in Suliting and Sulitian Sugar	
Provisioning Line Splitting and Splitter Space	~

Exhibit 1

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When <u>Saluda</u> or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering – Line Splitting

3.9.1 <u>Saluda shall use BellSouth's LSOD to order splitters from BellSouth and to</u> activate and deactivate DS0 Collocation CFA for use with Line Splitting.

Version 3Q03. 11/12/2003

3.7.6

3.8

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

 Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

	Exhibit 1 Attachment 2	
1	Page 33	/
3.9.2	BellSouth shall provide Saluda the LSR format to be used when ordering Line Splitting service.	<pre></pre>
3.9.3	BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com .	
3.9.4	BellSouth will provide <u>Saluda</u> access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and Saluda shall pay the rates for such services as described in Exhibit A.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
3.9.5	BellSouth will provide Loop modification to Saluda on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: <u>http://www.interconnection.bellsouth.com/html/unes.html</u> . Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.	Deleted: < <customer_short_name>>)</customer_short_name>
3.10	<u> Maintenance – Line Splitting</u>	
3.10.1	BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. Saluda will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.	• Deleted: < <customer_short_name>></customer_short_name>
3.10.2	<u>Saluda</u> shall inform its End Users to direct all problems to <u>Saluda</u> or its authorized agent.	Deleted:< <customer_short_name>> (Deleted:<<customer_short_name>></customer_short_name></customer_short_name>
3.10.3	If <u>Saluda</u> is not the data provider, <u>Saluda</u> shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
4	Local Switching	
4.1 	BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Saluda for the provision of a telecommunications service.	
4.2	Local Circuit Switching Capability, including Tandem Switching Capability	
4.2.1	Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions,	

	Exhibit 1 Attachment 2 Page 34 and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.	
4.2.2	Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Saluda when <u>Saluda</u> : (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia- Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop	Deleted: < <customer_short_name>></customer_short_name>
	in any service area covered by this Agreement. To the extent that <u>Saluda</u> is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by <u>Saluda</u> or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.	Deleted: < <customer_short_name>></customer_short_name>
4.2.3	Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Agreement shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.	
4.2.4	Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.	
4.2.5	Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.	
4.2.6 	Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to <u>Saluda's End User local calling and the ability to</u> presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.	. (Deleted: < <customer_short_name>></customer_short_name>
4.2.7	Provided that Saluda purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Saluda local End User, or originated by a BellSouth local End User and terminated to a Saluda local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>

)

Ì

	Exhibit 1 Attachment 2 Page 35	
	BellSouth). For such calls, BellSouth will charge Saluda the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for	. Deleted: < <customer_short_name>></customer_short_name>
	local calls between BellSouth and <u>Saluda</u> shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.	Deleted: < <customer_short_name>></customer_short_name>
4.2.8	Where <u>Saluda</u> purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local	Deleted: < <customer_short_name>></customer_short_name>
ł	those direct dialed telephone calls that originate from a <u>Saluda</u> End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For	Deleted: < <customer_short_name>></customer_short_name>
	such local calls, BellSouth will charge <u>Saluda</u> the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and	(Deleted: < <customer_short_name>>)</customer_short_name>
I	<u>Saluda</u> shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.	Deleted: < <customer_short_name>></customer_short_name>
4.2.9 	For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Saluda the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.	Deleted: < <customer_short_name>></customer_short_name>
4.2.10	Unbundled Port Features	
4.2.10.1	Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.	
4.2.10.2	Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.	
4.2.10.3	Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.	
4.2.10.4	BellSouth will provide to Saluda selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by	(Deleted: < <customer_short_name>>)</customer_short_name>
I	<u>Saluda</u> will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.	{ Deleted: < <customer_short_name>></customer_short_name>
4.2.11	Remote Call Forwarding	
4.2.11.1	As an option, BellSouth shall make available to Saluda an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF	

Exhibit 1 Attachment 2

Page 36

- service subscriber. When ordering URCF service, Saluda will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge <u>Saluda</u> the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 Provision for Local Switching

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to <u>Saluda</u> all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Saluda.

Version 3Q03, 11/12/2003

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Exhibit 1
Attachment 2
Page 37

4.2.13	Local Switching Interfaces.	
4.2.13.1	<u>Saluda</u> shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:	- Deleted: < <customer_short_name>></customer_short_name>
4.2.13.1.1	Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);	
4.2.13.1.2	Coin phone signaling;	
4.2.13.1.3	Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;	
4.2.13.1.4	Two-wire analog interface to PBX;	
4.2.13.1.5	Four-wire analog interface to PBX;	
4.2.13.1.6	Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);	
4.2.13.1.7	Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;	
4.2.13.1.8	Switched Fractional DS1 with capabilities to configure Nx64 channels (where $N = 1$ to 24); and	
4.2.13.1.9	Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.	
4.2.14	All End Users of Saluda who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.	{ Deleted: < <customer_short_name>></customer_short_name>
4.2.15	Saluda shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.	(Deleted: < <customcr_short_name>></customcr_short_name>
4.2.16	<u>Saluda</u> shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.	(Deleted: < <customer_short_name>></customer_short_name>
4.2.17	<u>Saluda</u> will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.	Deleted: < <customer_short_name>></customer_short_name>

4.3 Tandem Switching

Version 3Q03: 11/12/2003

.

Exhibit 1

Attachment 2 Page 38

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunkconnect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.1.1 Where <u>Saluda</u> utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by <u>Saluda and</u> BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and

Version 3Q03: 11/12/2003

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

	Exhibit 1 Attachment 2 Page 39	
4.3.2.1.6	Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.	
4.3.2.2	BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Saluda.	(Deleted: < <customer_short_name>>)</customer_short_name>
4.3.2.3	BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.	•
4.3.2.4	Tandem Switching shall process originating toll free traffic received from <u>Saluda</u> 's local switch.	. (Deleted: < <customer_short_name>></customer_short_name>
4.3.2.5	In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.	
4.3.3	Upon Saluda's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for <u>Saluda</u> 's traffic overflowing from direct end office high usage trunk groups.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
4.4	AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers	
4.4.1	Where BellSouth provides local switching to <u>Saluda</u> , BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of <u>Saluda</u> . AIN SCR will provide <u>Saluda</u> with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>
4.4.2	Saluda shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.	Deleted: < <customer_short_name>></customer_short_name>
4.4.3	AIN SCR is not available in DMS 10 switches.	
4.4.4	Where AIN SCR is utilized by Saluda, the routing of Saluda's End User calls shall be pursuant to information provided by Saluda and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>
4.4.5	Upon ordering AIN SCR Regional Service, <u>Saluda</u> shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized.	Deleted: < <customer_short_name>></customer_short_name>

	Exhibit 1 Attachment 2 Page 40 Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For		,
	each <u>Saluda</u> End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. Saluda shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.	- · · ·	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
4.4.6	This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth		- -
1	has thirty (30) calendar days to respond to Sahuda's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to <u>Sahuda</u> . BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.		- Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
4.4.7	The nonrecurring End Office Establishment Charge will be billed to "Saluda following BellSouth's normal monthly billing cycle for this type of order.	. *	(Deleted: < <customer_short_name>>)</customer_short_name>
4.4.8 	End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to "Saluda following BellSouth's normal monthly billing cycle for this type of order.		Deleted: < <customer_short_name>></customer_short_name>
4.4.9	Additionally, the AIN SCR Per Query Charge will be billed to Saluda following the normal billing cycle for per query charges.	. '	(Deleted: < <customer_short_name>>)</customer_short_name>
4.4.10	All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.		
4.5	Selective Call Routing Using Line Class Codes (SCR-LCC)		
4.5.1	Where <u>Saluda</u> purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route <u>Saluda</u> 's End User calls to that provider through Selective Call Routing.	ر مر	<pre>> Deleted: <<customer_short_name>> > • Deleted: <<customer_short_name>></customer_short_name></customer_short_name></pre>
4.5.2	Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for <u>Saluda</u> to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.		(Deleted: < <customer_short_name>>)</customer_short_name>

	Exhibit 1 Attachment 2	
4.5.3	Page 41 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.	
4.5.4	Where available, <u>Saluda</u> specific and unique LCCs are programmed in each BellSouth end office switch where <u>Saluda</u> intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify <u>Saluda</u> 's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and <u>Saluda</u> intends to provide <u>Saluda</u> - branded OCP/DA to its End Users in these multiple rate areas.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name>
4.5.5	SCR-LCC supporting Custom Branding and Self Branding require <u>Saluda</u> to order dedicated trunking from each BellSouth end office identified by Saluda, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Saluda Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>
4.5.6 	Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Saluda to the BellSouth TOPS.	Deleted: < <customer_short_name>></customer_short_name>
4.5.7	The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.	
5	Unbundled Network Element Combinations	
5.1	For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by <u>Saluda</u> are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network	(Deleted: < <customer_short_name>>)</customer_short_name>
	Elements requested by <u>Saluda</u> are not already combined by BellSouth in the location requested by <u>Saluda</u> but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by <u>Saluda</u> are not elements that BellSouth combines for its use in its network.	Celeted: < <customer_short_name>> Deleted: <<customer_short_name>> Celeted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>

		Exhibit 1 Attachment 2 Page 42		
	5.1.1	Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.		
	5.2	Enhanced Extended Links (EELs)		
	5.2.1	EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide <u>Saluda</u> with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.		(Deleted: < <customer_short_name>></customer_short_name>
	5.2.2	High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.		
	5.2.3	By placing an order for a high-capacity EEL, Saluda thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit <u>Saluda</u> 's high-capacity EELs as specified below.		(Deleted: < <customer_short_name>>)</customer_short_name>
	5.2.4	If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, <u>Saluda</u> may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Saluda, BellSouth shall perform the routine network modifications.	, - *	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
	5.2.5	Service Eligibility Criteria		
	5.2.5.1	Saluda must certify for each high-capacity EEL that all of the following service eligibility criteria are met:	مر م	<pre>Deleted: <<customer_short_name>></customer_short_name></pre>
	5.2.5.1.1	Saluda has received state certification to provide local voice service in the area being served;	. · ·	Deleted: < <customer_short_name>></customer_short_name>
	5.2.5.2	For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:		
	5.2.5.2.1	1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;		

Exhibit 1 Attachment 2 Page 43

Deleted: <<customer_short_name>>

Deleted: << customer short name>>

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it; 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit; 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c); 5) Each circuit to be provided to each End User will be served by an 5.2.5.2.5 interconnection trunk over which Saluda will transmit the calling party's number in connection with calls exchanged over the trunk; 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Saluda will have at least one (1) active DS1 local service interconnection trunk over which Saluda will transmit the calling party's number in connection with calls exchanged over the trunk; 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic. 5.2.6 BellSouth may, on an annual basis, audit, Saluda's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Saluda failed to comply with the service eligibility criteria, Saluda must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that , Saluda did not comply in any material respect with the service eligibility criteria, <u>Saluda</u> shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Saluda did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Saluda for its reasonable and demonstrable costs associated with the audit. Saluda will maintain appropriate documentation to support its certifications. 5.2.7 In the event Saluda converts special access services to UNEs, Saluda shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 <u>UNE Port/Loop Combinations</u>

		Exhibit 1 Attachment 2		
	5.3.1	Page 44 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.		
	5.3.2	BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.		
	5.3.3	BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to <u>Saluda</u> if <u>Saluda</u> 's customer has four (4) or more DS0 equivalent lines.		Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
	5.3.4	BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Saluda is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by Saluda or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.	{	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
	5.3.5	BellSouth shall make 911 updates in the BellSouth 911 database for Saluda's UNE port/Loop combinations. BellSouth will not bill <u>Saluda for 911 surcharges</u> . <u>Saluda</u> is responsible for paying all 911 surcharges to the applicable governmental agency.) 	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>
	5.4	Rates		
	5.4.1	The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.		
	5.4.2	The rates for the Ordinarily Combined Network Elements specifically set forth in		

Exhibit A of this Attachment shall be the non-recurring and recurring charges for

Version 3Q03 11/12/2003

ļ

		Exhibit 1 Attachment 2 Page 45 those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.	
	5.4.3	Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.	
	5.4.4	BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Saluda in addition to those specifically referenced in this Section 5 above, where available. To the extent Saluda requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.	Deleted: < <customer_short_namc>> Deleted: <<customer_short_namc>></customer_short_namc></customer_short_namc>
	6	Transport, Channelization and Dark Fiber	
	6.1	<u>Transport</u>	
1	6.1.1	BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to Saluda for the provision of a qualifying service, as set forth herein.	(Deleted: < <customer_short_name>>)</customer_short_name>
	6.1.1.1	Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that <u>Saluda uses for transmission</u> between wire centers or switches owned by BellSouth and within the same LATA.	(Deleted: < <customer_short_name>>)</customer_short_name>
	6.1.1.2	Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;	
	6.1.1.3	Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.	
	6.1.1.3.1	Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to Saluda.	(Deleted: < <customer_short_name>>></customer_short_name>

	Exhibit 1 Attachment 2 Page 46	
6.1.2	BellSouth shall:	
6.1.2.1	Provide <u>Saluda</u> exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;	. Deleted: < <customer_short_name>>></customer_short_name>
6.1.2.2	Provide all technically feasible features, functions, and capabilities of the transport facility;	
6.1.2.3	Permit, to the extent technically feasible, Saluda to connect such interoffice facilities to equipment designated by <u>Saluda</u> , including but not limited to, <u>Saluda</u> 's collocated facilities; and	Deleted:< <customer_short_name>> Deleted:<<customer_short_name>> Deleted:<<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>
6.1.2.4	Permit, to the extent technically feasible, <u>Saluda</u> to obtain the functionality provided by BellSouth's digital cross-connect systems.	Deleted: < <customer_short_name>></customer_short_name>
6.1.3	Technical Requirements of Common (Shared) Transport	
6.1.3.1	Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.	
6.1.3.2	BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.	
6.1.3.3	At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.	
6.2	Dedicated Transport	
6.2.1	BellSouth shall offer Dedicated Transport in each of the following ways:	
6.2.1.1	As capacity on a shared UNE facility.	
6.2.1.2	As a circuit (e.g., DS0, DS1, DS3) dedicated to <u>Saluda</u> .	Deleted: < <customer_short_name>></customer_short_name>
6.2.2	Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.	
6.2.3	<u>Saluda may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits</u> , or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of	- Deleted: < <customer_short_name>></customer_short_name>

	Exhibit 1 Attachment 2 Page 47 BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.	
6.2.4	Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.	
6.2.5	If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, Saluda may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by Saluda, BellSouth shall perform the routine network modifications.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
6.2.6	Technical Requirements	
6.2.6.1	The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to <u>Saluda</u> designated traffic.	, - Deleted: < <customer_short_name>></customer_short_name>
6.2.6.2	For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.	
6.2.6.3	BellSouth shall offer the following interface transmission rates for Dedicated Transport:	
6.2.6.3.1	DS0 Equivalent;	
6.2.6.3.2	DS1;	
6.2.6.3.3	DS3; and	
6.2.6.3.4	SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.	
6.2.6.4	BellSouth shall design Dedicated Transport according to its network infrastructure. <u>Saluda</u> shall specify the termination points for Dedicated Transport.	, (Deleted: < <customer_short_name>>)</customer_short_name>
6.2.6.5	At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.	

6.2.6.6 BellSouth Technical References:

- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 Unbundled Channelization (Multiplexing)

- 6.3.1 Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, Saluda may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twentyfour (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- 6.3.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twentyeight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COC1 is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 <u>Technical Requirements</u>

In order to assure proper operation with BellSouth provided central office multiplexing functionality, Saluda's channelization equipment must adhere strictly to form and protocol standards. <u>Saluda</u> must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

Version 3Q03: 11/12/2003

1

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Attachment 2 Page 49

6.3.3.2 TR 73501 LightGate[®]Service Interface and Performance Specifications, Issue D, June 1995

6.4 Dark Fiber Transport

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for <u>Saluda to utilize Dark Fiber Transport</u>.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, <u>Saluda may request</u> BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by <u>Saluda</u>, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

- 6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 <u>Saluda</u> is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to Saluda information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Saluda. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Saluda within twenty (20) business days after Saluda submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable Saluda to connect Saluda provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

Deleted: <<customer_short_name>>

7 **Databases**

	Exhibit 1 Attachment 2
7.1	Page 50 Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to <u>Saluda</u> .
7.2	To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.
8	<u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> Screening Service
8.1	The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Saluda's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Saluda.
8.2	The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.
9	Line Information Database
9.1	LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, <u>Saluda</u> must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the

Deleted: <<customer_short_name>>

-

Deleted: <<customer_short_name>> . - Deleted: <<customer_short_name>>

- - Deleted: <<customer_short_name>>

1

1

		Exhibit 1 Attachment 2 Page 51 ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS		
		networks. LIDB also interfaces to administrative systems.		
	9.2	Technical Requirements		
	9.2.1	BellSouth will offer to <u>Saluda</u> any additional capabilities that are developed for LIDB during the life of this Agreement.		Deleted: < <customer_short_name>></customer_short_name>
	9.2.2	BellSouth shall process <u>Saluda</u> 's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth		Deleted: < <customer_short_name>></customer_short_name>
		shall indicate to <u>Saluda</u> what additional functions (if any) are performed by LIDB in the BellSouth network.		Deleted: < <customer_short_name>>)</customer_short_name>
	9.2.3	Within two (2) weeks after a request by <u>Saluda</u> , BellSouth shall provide <u>Saluda</u>		Deleted: < <customer_short_name>></customer_short_name>
		with a list of the customer data items, which Saluda would have to provide in		Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
		order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certair services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.		
	9.2.4	BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.		
	9.2.5	BellSouth shall provide L1DB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.		
	9.2.6	BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.		,
	9.2.7	All additions, updates and deletions of <u>Saluda</u> data to the LIDB shall be solely at		Deleted: < <customer_short_name>></customer_short_name>
		the direction of Saluda. Such direction from Saluda will not be required where the		Deleted: < <customer_short_name>></customer_short_name>
		addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).		Deleted: < <customer_short_name>>></customer_short_name>
	9.2.8	BellSouth shall provide priority updates to LIDB for <u>Saluda</u> data upon <u>Saluda</u> 's	'	Deleted: < <customer_short_name>></customer_short_name>
'		request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.		Deleted:
	9.2.9	BeliSouth shall provide LIDB systems such that no more than 0.01% of Saluda		Deleted: <<< ustomer_short_name>>
		customer records will be missing from LIDB, as measured by <u>Saluda</u> audits.		Deleted: < <customer_short_name>></customer_short_name>
		BellSouth will audit, Saluda records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a	'	Deleted: << <customer_short_name>></customer_short_name>
		designated, Saluda contact person to resolve the status of the records and		Deleted: < <customer_short_name>></customer_short_name>

	Exhibit 1 Attachment 2 Page 52 BellSouth will update system appropriately. BellSouth will refer record of mismatches to <u>Saluda</u> within one (1) business day of audit. Once reconciled records are received back from Saluda, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact <u>Saluda</u> to negotiate a time frame for the updates, not to exceed three business days.		Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>
9.2.10	BellSouth shall perform backup and recovery of all of Saluda's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.		Deleted: < <customer_short_name>></customer_short_name>
9.2.11	BellSouth shall provide, Saluda with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between, Saluda and BellSouth.		(Deleted: < <customer_short_name>>) Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
9.2.12	BellSouth shall prevent any access to or use of <u>Saluda</u> data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by <u>Saluda</u> in writing.	 	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
9.2.13	BellSouth shall provide Saluda performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Saluda at least at parity with BellSouth Customer Data. BellSouth shall obtain from Saluda the screening information associated with LIDB Data Screening of Saluda data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Saluda under the BFR/NBR process as set forth in Attachment 11.	م میر ۱۹۰۰ م ۱۹۰۰ م ۱۹۰۰ م	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name></customer_short_name>
9.2.14	BellSouth shall accept queries to LIDB associated with <u>Saluda</u> customer records and shall return responses in accordance with industry standards.		Deleted: < <customer_short_name>></customer_short_name>
9.2.15	BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.		
9.2.16	BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.		
9.3	Interface Requirements		
9.3.1	BellSouth shall offer LIDB in accordance with the requirements of this subsection.		

- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. Saluda shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Saluda shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 <u>Signaling</u>

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 Signaling Link Transport

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Saluda designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 <u>Technical Requirements</u>
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

Deleted: <<customer_short_name>>

	Exhibit 1 Attachment 2 Page 54	
10.2.3.2	As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).	
10.2.4	Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:	
10.2.4.1	An A-link layer shall consist of two (2) links.	
10.2.4.2	A B-link layer shall consist of four (4) links.	-
10.2.4.3	A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities * and equipment, such that:	Formatted: Bullets and Numbering
.0,244	No single failure of facilities or equipment causes the failure of both links in an A- link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and	
10 2 1.5	No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).	
10.2.5	Interface Requirements	
10.2.5.2	There shall be a DS1 (1.544 Mbps) interface at <u>Saluda</u> 's designated SPOIs. Each [*] 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.	Formatted: Bullets and Numbering Deleted: < <customer_short_name>></customer_short_name>
10.3	Signaling Transfer Points	
10.3.1	A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.	
10.3.2	Technical Requirements	
10.3.2.1	STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.	
10.3.2.2	The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network	

	Exhibit 1 Attachment 2 Page 55 User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.		
10.3 2.3	If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on "		Formatted: Bullets and Numbering
1	SS7 trunks between a <u>Saluda</u> local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to	. ~ ~	Deleted: < <customer_short_name>></customer_short_name>
1	provide Call Management features (Automatic Callback, Automatic Recall, and		(Natarah
1	Screening List Editing) between Saluda local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.		Deleted: < <customer_short_name>>]</customer_short_name>
10.3.2.4	STPs shall provide all functions of the SCCP necessary for Class 0 (basic		
	connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as		
	specified in ANSI T1.112.4. Where the destination signaling point is a Saluda or third party local or tandem switching system directly connected to BellSouth SS7	. • ·	Deleted: < <customer_short_name>></customer_short_name>
	network, BellSouth shall perform final GTT of messages to the destination and		
	SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7		
	network connected with BellSouth SS7 network and shall not perform SCCP		
Į	Subsystem Management of the destination. If BellSouth performs final GTT to a <u>Saluda</u> database, then <u>Saluda</u> agrees to provide BellSouth with the Destination	, ·	(Deleted: < <customer_short_name>>)</customer_short_name>
	Point Code for Saluda database.		Deleted: < <customer_short_name>></customer_short_name>
10.3.2.5	STPs shall provide all functions of the Operations, Maintenance and		. Deleted: < <customer_short_name>></customer_short_name>
	Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP		
	Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).		
10.3.2.6	Where the destination signaling point is a BellSouth local or tandem switching		(Formatted: Bullets and Numbering
	system or database, or is a Saluda or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and		Deleted: < <customer_short_name>></customer_short_name>
	SRVT to the destination signaling point. In all other cases, STPs shall perform		
	MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the		
	specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.		
10.4	<u>SS7</u>		
10.4.1	When technically feasible and upon request by Saluda, SS7 AIN Access shall be		Deleted: < <customer_short_name>></customer_short_name>
	made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of		
	the BellSouth SS7 network with Saluda's SS7 network to exchange TCAP queries		(Deleted: < <customer_short_name>></customer_short_name>
	and responses with a <u>Saluda SCP</u> .		Deleted: < <customer_short_name>></customer_short_name>

.

1

		Exhibit 1		
		Attachment 2		
1	10.10	Page 56		
	10.4.2	SS7 AIN Access shall provide Saluda SCP access to an equipped BellSouth local		Deleted: < <customer_short_name>></customer_short_name>
ł		switch via interconnection of BellSouth's SS7 and <u>Saluda</u> SS7 Networks.		Deleted: < <customer_short_name>></customer_short_name>
		BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a		
		mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection		
T		arrangement shall result in the BellSouth local switch recognizing the <u>Saluda</u> SCP		
I		as at least at parity with BellSouth's SCPs in terms of interfaces, performance and		Deleted: < <customer_short_name>></customer_short_name>
		capabilities.		
				-
	10.4.3	Interface Requirements		
1				Formatted: Bullets and Numbering
	013.	BellSouth shall provide the following STP options to connect <u>Saluda</u> or <u>Saluda</u> .	-	Deleted: < <customer_short_name>></customer_short_name>
	!	designated local switching systems to the BellSouth SS7 network:	`• .	Deleted: < <customer_short_name>></customer_short_name>
	10.43.1.1	An A-link interface from <u>Saluda</u> local switching systems; and,		Deleted: < <customer_short_name>></customer_short_name>
		<u> </u>		Deleted: < <customer_short_name>></customer_short_name>
1	10.4.3.0.2	A B-link interface from Saluda local STPs.		· · · · · · · · · · · · · · · · · · ·
	10.1.10	The barrene first of the second data by one of more larger of signation links		
	10.4.32	Each type of interface shall be provided by one or more layers of signaling links.		
		The Signaling Point of Interconnection for each link shall be located at a cross-		
'	Warner and a second	connect element in the CO where the BellSouth STP is located. There shall be a		
		DS1 or higher rate transport interface at each of the SPOIs. Each signaling link		
		shall appear as a DS0 channel within the DS1 or higher rate interface.		
	10 4 2 4			
	10.4.3.4	BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs		
		so that no single failure of intraoffice facilities or equipment shall cause the failure		
		of both B-links in a layer connecting to a BellSouth STP.		
	10.4.3.5	STPs shall provide all functions of the MTP as defined in the applicable industry		
		standard technical references.		
	10.4.4	Message Screening		
	10.4.4.	BellSouth shall set message screening parameters so as to accept valid messages		Formatted: Bullets and Numbering
	nin Sala tambéh dinan mengemban sa	from <u>Saluda</u> local or tandem switching systems destined to any signaling point		Deleted: < <customer_short_name>></customer_short_name>
		within BellSouth's SS7 network where the Saluda switching system has a valid		Deleted: < <customer_short_name>></customer_short_name>
'		signaling relationship.		
I				
		BellSouth shall set message screening parameters so as to pass valid messages		(P-l-t-t-
		from Saluda local or tandem switching systems destined to any signaling point or		Deleted: < <customer_short_name>></customer_short_name>
I		network accessed through BellSouth's SS7 network where the Saluda switching system has a valid signaling relationship.	-	Deleted: < <customer_short_name>></customer_short_name>
1		system nas a vanu signamig relationsnip.		
	10.4.4.5	BellSouth shall set message screening parameters so as to accept and pass/send		
		valid messages destined to and from <u>Saluda</u> from any signaling point or network		(Deleted: < <customer_short_name>></customer_short_name>
		· · · · ·		

.

1	Exhibit 1 Attachment 2 Page 57 interconnected through BollSouth's SS7 network where the Solude SCP has a	- · Deleted: < <customer_short_name>></customer_short_name>
I	interconnected through BellSouth's SS7 network where the Saluda SCP has a valid signaling relationship.	
10.5	Service Control Points (SCP)/Databases	
10.5.1	Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.	
10.5.2	A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.	
10.5.3	Technical Requirements for SCPs/Databases	
10.5.3.	BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.	(Formatted: Bullets and Numbering)
10,5.3.2	BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).	
10,5.3.3	The reliability of interconnection options shall be consistent with requirements for diversity and survivability.	
10.6	Local Number Portability Database	
10.6.1	The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.	
10.7	SS7 Network Interconnection	
10.7.1	SS7 Network Interconnection is the interconnection of Saluda local signaling transfer point switches or <u>Saluda local or tandem switching systems with</u> BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth	<pre>Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></pre>

connectivity that enables the exchange of SS7 messages among BellSouth

switching systems and databases, Saluda local or tandem switching systems, and

-	Deleted: < <customer_shor< th=""><th>t_name>></th></customer_shor<>	t_name>>

Version 3Q03: 11/12/2003

	Exhibit 1 Attachment 2	
	Page 58 other third-party switching systems directly connected to the BellSouth SS7 network.	
10.7.2	The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and <u>Saluda</u> or other third- party switching systems with A-link access to the BellSouth SS7 network.	. Deleted: < <customor_short_name>></customor_short_name>
10.7.3	If traffic is routed based on dialed or translated digits between a <u>Saluda</u> local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the <u>Saluda</u> local signaling transfer point switches and BellSouth or other third-party local switch.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
10.7.4	SS7 Network Interconnection shall provide:	
10.7.4.1	Signaling Data Link functions, as specified in ANSI T1.111.2;	
10.7.4.2	Signaling Link functions, as specified in ANSI T1.111.3; and	
10.7.4.3	Signaling Network Management functions, as specified in ANSI T1.111.4.	
10.7.5	SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a saluda local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Saluda local STPs and shall not include SCCP Subsystem Management of the destination.	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
10.7.6	SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.	
10.7.7	SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.	
10.7.8	If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.	
	10.7.3 10.7.4 10.7.4.1 10.7.4.2 10.7.4.3 10.7.5 10.7.6 10.7.7	Attachment 2 Page 58 other third-party switching systems directly connected to the BellSouth SS7 network. 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and <u>Saluda</u> or other third- party switching systems with A-link access to the BellSouth SS7 network. 10.7.3 If traffic is routed based on dialed or translated digits between a <u>Saluda</u> local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, the it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the <u>Saluda</u> local signaling transfer point switches and BellSouth or other third-party local switch. 10.7.4 SS7 Network Interconnection shall provide: 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2; 10.7.4.2 Signaling Network Management functions, as specified in ANSI T1.111.4. 10.7.5 SS7 Network Interconnection shall provide as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112. Where the destination signaling point is a Saluda local or tandem switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination and SCCP Subsystem Management of the destination. Wher

		Exhibit 1 Attachment 2 Page 59		
	10.7.9	Interface Requirements		
	10.7.9.1	The following SS7 Network Interconnection interface options are available to connect Saluda or Saluda-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:	م -	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
	10.7.9.1.1	A-link interface from Saluda local or tandem switching systems; and	, . · ·	Deleted: < <customer_short_name>></customer_short_name>
	10.7.9.1.2	B-link interface from <u>Saluda</u> STPs.		(Deleted: < <customer_short_name>></customer_short_name>
1	10.7.9.2	The Signaling Point of Interconnection for each link shall be located at a cross- connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.		
	10.7.9.3	BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.		
	10.7.9.4	The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.		
	10.7.9.5	BellSouth shall set message screening parameters to accept messages from <u>Saluda</u> local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Saluda switching system has a valid signaling relationship.		Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
	11	Automatic Location Identification/Data Management System (ALI/DMS)		n*
1	11.1	The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. <u>Saluda will be required to provide BellSouth daily updates to E911 database</u> . <u>Saluda shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.</u>		Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
	11.2	Technical Requirements		
	11.2.1	BellSouth shall provide <u>Saluda</u> the capability of providing updates to the	, · ·	(Deleted: < <customer_short_name>>)</customer_short_name>

ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS

Version 3Q03. 11/12/2003

	Exhibit 1 Attachment 2		
	Page 60		
	database to Saluda after Saluda provides End User information for input into the		- Deleted: < <customer_short_name>></customer_short_name>
	ALI/DMS database.	•••	Deleted: < <customer_short_name>></customer_short_name>
1			Deleted: < <customer_short_name>></customer_short_name>
11.2.2	Saluda shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.		
12	Calling Name Database Service		
12.1	CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries		
	launched to the CNAM database. This service also provides, Saluda the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.		{ Deleted: < <customer_short_name>></customer_short_name>
122	Soludo shall submit to BallSouth a notice of its intent to access and utilize		(Deleted: < <customer_short_name>>)</customer_short_name>
12.2	Saluda shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than		
I	sixty (60) calendar days prior to Saluda's access to BellSouth's CNAM Database		Deleted: < <customer_short_name>></customer_short_name>
	Services and shall be addressed to Saluda's Local Contract Manager.		Deleted: < <customer_short_name>></customer_short_name>
	Selvices and shall be addressed to panda s Local Contract Manager.		(Deleted. < <customet_stort_name>>)</customet_stort_name>
12.3	BellSouth's provision of CNAM Database Services to Saluda requires		Deleted: < <customer_short_name>></customer_short_name>
	interconnection from Saluda to BellSouth CNAM SCPs. Such interconnections	-	Deleted: < <customer_short_name>></customer_short_name>
1	shall be established pursuant to Attachment 3 of this Agreement.	-	
12.4	In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Saluda shall provide its own CNAM SSP. Saluda's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".		Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
12.5	If <u>Saluda</u> elects to access the BellSouth CNAM SCP via a third party CCS7		Deleted: < <customer_short_name>></customer_short_name>
12.5	transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs)		Deleted: < <customer_short_name>> }</customer_short_name>
	serving the BellSouth CNAM SCPs that, <u>Saluda</u> desires to query.	. `	
12.6	If Saluda queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.		<pre>Deleted: < <customer_short_name>></customer_short_name></pre>

		Exhibit 1 Attachment 2		
12	2.7	Page 61 The mechanism to be used by Saluda for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be - provided by Saluda in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of <u>Saluda</u> to provide accurate information to BellSouth on a current basis.	م م - م	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>
12	2.8	Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.		
12	9	<u>Saluda</u> CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.		Deleted: < <customer_short_name>></customer_short_name>
13		Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network Access		
13	.1	BellSouth's SCE/SMS AIN Access shall provide <u>Saluda</u> the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.		Deleted: < <customer_short_name>></customer_short_name>
13	.2	BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Saluda. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.	** ^{** *}	Deleted: < <customer_short_name>></customer_short_name>
13	.3	BellSouth SCP shall partition and protect <u>Saluda</u> service logic and data from unauthorized access.		Deleted: < <customer_shorl_name>></customer_shorl_name>
13	.4	When Saluda selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Saluda to use BellSouth's SCE/SMS AIN Access to create and administer applications.	, , , , , , , , , , , , , , , , , , ,	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
13	.5	"Saluda access will be provided via remote data connection (e.g., dial-in, ISDN).	, ·	Deleted: < <customer_short_name>></customer_short_name>
13	.6	BellSouth shall allow Saluda to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.		Deleted: < <customer_short_name>></customer_short_name>
14		Operational Support Systems		
14	.1	BellSouth has developed and made available electronic interfaces by which <u>Saluda</u> may submit LSRs electronically.		(Deleted: < <customer_short_name>>>)</customer_short_name>

		Attachment 2
	14.2	Page 62 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
	14.3	Denial/Restoral OSS Charge
	14.3.1	In the event Saluda provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
	14.4	Cancellation OSS Charge
	14.4.ľ	Saluda will incur an OSS charge for an accepted LSR that is later canceled.
•	14.5	Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
	14.6	Network Elements and Other Services Manual Additive
	14.6.1	The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by

nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

	ED NETWORK ELEMENTS - Florida												Attach	ment: 2		bit: A
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
									Neuro	Discoursed				Rates (\$)		
						Rec	First	curring Add'l	Nonrecurring First	Add'i	SOMEC	SOMAN			SOMAN	SOMAN
														as to internet	Noberto	
The "	Zone" shown in the sections for stand-alone loops or loops as	part of	a comi	pination refers to Ge	ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE ZON	e Designatio	ons by Cent	rai Onice, rei	er to internet	Neballe.	
	/www.interconnection.bellsouth com/become_a_clec/html/inter AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"					1										
		e "state	specif	ic" OSS charges as	ordered by (he State Comm	ussions. The	OSS charges c	urrently conta	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges	. CLEC may
elect	either the state specific Commission ordered rates for the service	ce orde	ring ch	larges, or CLEC may	elect the re	gional service	ordering charg	je, however, Cl	EC can not of	stain a mixture	or the two	regardiess	I GLEG Has a	interconnect	on contracte	stabilished
each	of the 9 states. : (2) Any element that can be ordered electronically will be bille	ad acco	orduna (to the SOMEC rate li	sted in this	category. Plea	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	f a product	can be order	ed electronic:	ally. For thos	e elements
that o	E: (2) Any element that can be ordered electronically will be blin annot be ordered electronically at present per the LOH, the listed	ed SOM	EC rat	e in this category ref	lects the ch	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilitie	s come on-li	ne for that	element. Oth	erwise, the m	anual orderin	g charge,
SOM	AN, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h				-		1					r		1
	OSS - Electronic Service Order Charge, Per Local Service				SOMEC		3 50	0 00	3 50	0.00						
├├	Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request						3.50									
	(LSR) - UNE Only				SOMAN		11.90	0 00	1 83	0.00						
UNE SERVIC	E DATE ADVANCEMENT CHARGE				[]											
NOTE	The Expedite charge will be maintained commensurate with I	BellSou	th's FU	C No.1 Tanit, Sector	on pasappi	Cable.										
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			UEF, UDF, UEG, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UTTD2, UTTA8, UTTD1, UTTD3, UTTD1, UTTO3, UTTD1, UTTO3, UTTD2, UTTO3, UTTD2, UTT04, UCT6C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC162, UC16L, UC162, UC16L, UC163, ULD12, ULD33, ULD12, ULD48, ULD11, ULD48, ULD11, ULD48, ULD11, ULD43, ULD51, ULD43, ULD51, UNCXX, UNCXX, UNCXX, UNCX, UNCXX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCXX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCXX, UNCX												
	Day			U1TUB, U1TUA	SDASP		200 00	<u> </u>								
	D EXCHANGE ACCESS LOOP	-	+		+	+										
2-111	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.69										
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15 20									+	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ			UEAL2	26 97	49 57 49,57					+			-	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1 2	UEANL	UEASL	15 20										
<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	26 97	49 57									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	+			1					1					
	Premise	<u> </u>		UEANL	URETL		8 33									
	Loop Testing - Basic 1st Half Hour			UEANL	URET1	+	48 65 23 95				+	+			+	
	Loop Testing - Basic Additional Half Hour	1		UEANL	URETA		1 23.95	23 95				1		.1	4	

GIADONDLE	D NETWORK ELEMENTS - Florida		Т.		1						Sve Order	Suc Order	Incremental	ment: 2	Incremental	ibit: A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATEŠ (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Sv Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)	-	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch			115 4 11	UREWO		15 78	8 94								
	(UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15 / 8	8 94								+
J	providing make-up (Engineering Information - E i)	!		UEANL	UEANM		13 49							1		1
	Manual Order Coordination for UVL-SL1s (per loop)		1	UEANL	UEAMC		9 00	9 00							<u> </u>	1
	Order Coordination for Specified Conversion Time for UVL-SL1			GERTE	023110		0.00	0.00								1
ĺ	(per LSR)			UEANL	OCOSL		23.02									
2-W/R	E Unbundled COPPER LOOP															1
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	7 69	44,98	20.90	24 88	6 45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	10 92	44 98		24 88	6 45						-
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	ÜEQ	UEQ2X	19 38	44 98	20 90	24 88	6 45						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8 33	0 83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -			LIEO.	LICOMO		9.00									
	Non-Designed (per loop) Unbundled Copper Loop, Non-Design Cooper Loop, billing for			UEQ	USBMC		9.00									+
	BST providing make-up (Engineering Information - E I)			UEQ	UEQMU		13 49									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48,65	48 65								+
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 95	23 95								+
	CLEC to CLEC Conversion Charge Without Outside Dispatch		1		0.12.17		20.00	20.00								+
	(UCL-ND)		1	UEQ	UREWO		14 27	7,43								
JNBUNDLED I	EXCHANGE ACCESS LOOP															
2-WIRE	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10 69	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10 69	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15 20	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEP\$R UEP\$B	UEABS	15 20	49 57	22 83	25 62	6 57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	26 97	49 57	22 83	25 62	6 57						+
	Zone 3		3	UEPSR UEPSB	UEABS	26 97	49 57	22 83	25 62	6.57						
	EXCHANGE ACCESS LOOP															
2-WIRE	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	12 24	135 75	82 47	63 53	12 01						
	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	├───	1 1	UEA	UEAL2	12 24	135 /5	82 47	53 53	12 01						+
	Ground Start Signaling - Zone 2		2	UEA	ŲEAL2	17 40	135 75	82 47	63 53	12 01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30 87	135 75	82.47	63 53	12 01	l					
	Order Coordination for Specified Conversion Time (per LSR)		1	UEA	OCOSL		23 02									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				115450	10.04	405 75	00.47	00.50	40.04	1 1					
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	12 24	135 75	82 47	63 53	12 01			•			+
	Battery Signaling - Zone 2		2	UEA	UEAR2	17 40	135 75	82 47	63 53	12 01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30 87	135.75	82 47	63.53	12.01						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23 02	02.91	00.00	12.01				L		1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87 71	36 35								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11 21	1 10			1					
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18 89	167.86	115.15	67 08	15 56						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26 84	167 86	115 15	67 08	15 56						L
	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	47 62	167 86	115 15	67 08	15 56					l	<u> </u>
1	Order Coordination for Specified Conversion Time (per LSR)	1	1	UEA	OCOSL		23 02				1				1	1

UNBUNDLED NE	TWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		1
						Nec	First	Add"l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	N DIGITAL GRADE LOOP													-		<u> </u>
	re ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19 28	147 69	94 41		10 71						L
	re ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27 40	147 69	94 41		10 71						l
	re ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48 62	147 69	94 41	62 23	10 71						·
Orde	er Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02								1	l
CLEO	C to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91 61	44.15							-	
2-WIRE ASY	MMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													<u> </u>
	re Unbundled ADSL Loop including manual service inquiry															1
	cility reservation - Zone 1		1	UAL	UAL2X	8 30	149 53	103 85	75 05	15 63						<u> </u>
	re Unbundled ADSL Loop including manual service inquiry		1													1
	ality reservation - Zone 2		2	UAL	UAL2X	11 80	149 53	103 85	75 05	15 63						<u> </u>
	re Unbundled ADSL Loop including manual service inquiry			1												
	cility reservation - Zone 3		3	UAL	UAL2X	20 94	149 53	103 85	75 05	15 63						
	er Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23 02					<u> </u>				
2 Wi	re Unbundled ADSL Loop without manual service inquiry &															
	ty reservaton - Zone 1		1	UAL	UAL2W	8 30	124 83	71 12	60 64	9.12						<u> </u>
2 Wi	re Unbundled ADSL Loop without manual service inquiry &															1
facili	ty reservaton - Zone 2		2	UAL	UAL2W	11 80	124 83	71 12	60 64	9 12						
2 Wi	re Unbundled ADSL Loop without manual service inquiry &															
facilit	ty reservaton - Zone 3		3	UAL	UAL2W	20 94	124 83	71 12	60 64	9 12						
	er Coordination for Specified Conversion Time (per LSR)		· · · · ·	UAL	OCOSL		23 02									
	C to CLEC Conversion Charge without outside dispatch			ÜAL	UREWO		86 19	40 39								
2-WIRE HIG	H BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	re Unbundled HDSL Loop including manual service inquiry		I													
	clity reservation - Zone 1		1	UHL	UHL2X	7 22	159 09	113 41	75 05	15 63					1	
	ire Unbundled HDSL Loop including manual service inquiry	-												1		
	cility reservation - Zone 2		2	UHL	UHL2X	10 26	159 09	113 41	75 05	15 63						
	ire Unbundled HDSL Loop including manual service inquiry													1		
	city reservation - Zone 3		3	UHL	UHL2X	18 21	159 09	113 41	75 05	15 63						
	er Coordination for Specified Conversion Time (per LSR)		1	UHL	OCOSL		23 02									
	re Unbundled HDSL Loop without manual service inquiry				00002											
	facility reservation - Zone 1		1	UHL	UHL2W	7 22	134 40	80 69	60.64	9 12					1	
	re Unbundled HDSL Loop without manual service inquiry		<u> </u>	UTIL .	0112211		104 40	00.00			-					<u> </u>
			2	UHL	UHL2W	10 26	134 40	80 69	60 64	9 12				l		
	facility reservation - Zone 2		2	UnL		10 20	134 40	00.09	00.04	512				<u> </u>		<u> </u>
	re Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2W	18 21	134 40	80 69	60.64	9 12						
	facility reservation - Zone 3		3		OCOSL	18 21	23 02	00.09	00.04	912				1		<u>+</u>
	er Coordination for Specified Conversion Time (per LSR)		-	UHL				40 39						<u> </u>		<u> </u>
	C to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 12	40 39						l		
	H BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE														
	re Unbundled HDSL Loop including manual service inquiry					10.00	193 31	138 98	77.15	12 61					1	
	facility reservation - Zone 1		1	UHL	UHL4X	10 86	193 31	138 98	77,15	12 01						
	ire Unbundled HDSL Loop including manual service inquiry								77 15	10.01						
	facility reservation - Zone 2		2	UHL	UHL4X	15 44	193 31	138 98	// 15	12.61						<u> </u>
	re Unbundled HDSL Loop including manual service inquiry															
	facility reservation - Zone 3		3	UHL	UHL4X	27 39	193 31	138 98	77 15	12 61						ļ
	er Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02							<u> </u>		
	re Unbundled HDSL Loop without manual service inquiry															
	facility reservation - Zone 1		1	UHL	UHL4W	10 86	168 62	115 47	62 74	11 22						.
	re Unbundled HDSL Loop without manual service inquiry	1		1				_								
	facility reservation - Zone 2		2	UHL	UHL4W	15 44	168 62	115 47	62 74	11.22		L				<u> </u>
4-Wi	re Unbundled HDSL Loop without manual service inquiry					1						•		-	1	!
	facility reservation - Zone 3	L	3	UHL	UHL4W	27.39	168 62	115 47	62 74	11 22						<u> </u>
Orde	er Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23 02								L	_
CLEO	C to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86 12	40 39								
4-WIRE DS1	DIGITAL LOOP												1			
	ire DS1 Digital Loop - Zone 1		1	USL	USEXX	70 74	313 75	181 48		13.53						
	re DS1 Digital Loop - Zone 2			USL	USLXX	100 54	313 75	181 48		13 53						
	ire DS1 Digital Loop - Zone 3		3	USL	USLXX	178 39	313 75	181 48	61 22	13 53						
	er Coordination for Specified Conversion Time (per LSR)	1		USL	OCOSL		23 02									

UNBUNDLED	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs Electronic- Disc Add'l
		ļ				Rec	Nonrec		Nonrecurring		CONEC	COMAN		Rates (\$)	SOMAN	SOMAN
╞━━┤┅━┛┥	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		First 101 07	Add'l 43 04	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<u> </u>		0.52	UKLW0		101.07	43.04								
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	22 20	161 56	108 85	67 08	15 56		1				
	4 Wire Unbundled Digital 192 Kbps			UDL	UDL19	31 56	161 56	108 85	67.08	15 56				-		
	4 Wire Unbundled Digital 19 2 Kbps			UDL	UDL19	55 99	161 56	108 85		15 56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22 20	161 56	108 85	67 08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	<u> </u>		UDL	UDL56	31 56	161 56	108 85	67 08	15 56	<u> </u>	· · · · · · · · · · · · · · · · · · ·				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL.	UDL56	55 99	161 56	108 85	67 08	15 56	<u> </u>					
	Order Coordination for Specified Conversion Time (per LSR) 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1		UDL64	22 20	23.02	108 85	67 08	15 56		·				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	i —		UDL	UDL64	31 56	161 56	108 85		15 56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	55 99	161 56	108 85		15 56						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	Ť	UDL	OCOSL		23 02				<u> </u>					
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102 11	49 74								
	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual									. –						
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB		148 50	102 82	75 05	15 63						
	2-Wire Unbundled Copper Loop-Designed including manual			UCL		11.00	440.50	100.00	75 05	45.00		ł				-
	service inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual		2	UCL	UCLPB	11 80	148 50	102 82	75.05	15 63	<u> </u>					
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20 94	148 50	102 82	75 05	15 63						
	Order Coordination for Unbundled Copper Loops (per loop)		۱Ť	UCL	UCLMC	20.04	9 00	9 00								
	2-Wire Unbundled Copper Loop-Designed without manual	-														
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8 30	123 81	70 09	60 64	9 12						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2	L	2_	UCL	UCLPW	11 80	123 81	70 09	60 64	9 12						
	2-Wire Unbundled Copper Loop-Designed without manual						100.04	70.00								
	service inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	20 94	<u>123 81</u> 9.00	70 09	60 64	9 12	[<u> </u>		•		
	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		9.00	9.00								·
	(UCL -Des)			UCL	UREWO		97 21	42 47								
	COPPER LOOP		+	002	UNLER O		0121	42.17								
	4-Wire Copper Loop-Designed including manual service inquiry		1								1					
	and facility reservation - Zone 1		1 1	UCL	UCL4S	11.83	177 87	132 76	77 15	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	16 81	177 87	132 76	77 15	17 73						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S UCLMC	29 82	177 87	132 76	77 15	17 73						
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop-Designed without manual service inquiry			UCL	UCLINC		9 00	9.00								
	and facility reservation - Zone 1		1	UCL	UCL4W	11 83	153 18	100 03	62 74	11 22						
	4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>	1		002411	1100		100 00	0214				-			
1	and facility reservation - Zone 2		2	UCL	UCL4W	16 81	153 18	100 03	62 74	11 22						
	4-Wire Copper Loop-Designed without manual service inquiry		<u> </u>													
	and facility reservation - Zone 3		3	UCL.	UCL4W	29 82	153 18	100.03	62 74	11 22						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97 21	42.47								
LOOP MODIFIC		<u> </u>	<u>. </u>													
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEANL, UEPSR.												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		0 00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1			-		0.00								
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0 00	0.00								
				UAL, UHL, UCL,	1											
			1	UEQ, ULS, UEA,			ļ									1
' 																
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR. UEPSB	ULMBT		10 52	10 52								

INBUNDLE	D NETWORK ELEMENTS - Florida												Attach			ibit. A
ATEGORY	RATE ELEMENTS	intera m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonrec		Nonrecurring					Rates (\$)		0011
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	1	_	UEANL	USBSA		487 23			·						<u>+</u>
					USBOR		6.25									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		6 25									1
	Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	USBSC		169 25				1		1	1	1	
	Facility Set-Up				03630		103 20									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USB\$D		38 65									
	Set-Up				00000									•		T
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	6 46	60 19	21 78	47 50	5 26						
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<u> </u>													1
1	Zone 2		2	UEANL	USBN2	9 18	60 19	21 78	47.50	5 26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	16 29	60 19	21 78	47 50	5 26						
	2010 5		-								i					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00								+
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	7 37	68 83	30 42	49 71	6 60						+
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -								49 71	6 60						
	Zone 2		2	UEANL	USBN4	10 47	68.83	30 42	4971	0.00		<u> </u>				+
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -					40.50	68 83	30 42	49 71	6 60	1	1	1	í		
	Zone 3		3	UEANL	USBN4	18 58	08 83	30 42	4371							1
i		1			USBMC	1	9 00	9 00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		Į	UEANL	USBR2	3 96	51 84	13 44	47 50	5 26	1	<u> </u>			1	
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	· · -		UEANL	USBRZ	3 90		10-11								-
	and the second sec			UEANL	USBMC		9 00	9 00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9 37	55 91	17 51	49 71	6 60						
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	·	+		000111									1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9 00	9 00	i							
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48 65	48 65					1		<u> </u>	
	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		23 95	23 95								+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5 15	60 19	21 78		5.26						+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	7 31	60 19	21 78		5 26			<u>.</u>			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	12 98	60 19	21 78	47 50	5 26				+		
			T									1			1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	5.00	9 00 68.83	9 00		6 60						+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5 36		30.42		6 60			+-··	-		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>		UEF	UCS4X	7 61	68 83 68 83	30.42		6 60		<u> </u>		<u> </u>		1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	1351	00 03	30,42	40/1			1	1		1	1
		ļ	1	UEF	USBMC	1	9 00	9 00				1				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		+	UEF	URET1		48 65	48 65		<u> </u>	1	1				1
	Loop Testing - Basic 1st Half Hour	<u> </u>		UEF	URETA	······	23 95				1	<u> </u>				-
	Loop Testing - Basic Additional Half Hour		+						· · · · · · · · · · · · · · · · · · ·							
Unbu	ndled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair	-		UENTW	UENPP	0 4572	18 02									
Note	ork Interface Device (NID)	1		1												
NetW	Network Interface Device (NID) – 1-2 lines	<u> </u>	+	UENTW	UND12		71 49					L				
	Network Interface Device (ND) - 1-2 intes	t –	1	UENTW	UND16		113 89				ļ	L	- I		. 	
	Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC2		7 63							1	1	+
	Network Interface Device Cross Connect - 4W	1	1 -	UENTW	UNDC4		7 63	7 63		L	·	1				+
E OTHER	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0 00	0 00			·			+		+	+
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0 00	0.00		<u> </u>			+		+	-	+
		1		UEANL, UEF, UEQ, U			0 00		1							
	Unbundled Contract Name, Provisioning Only - No Rate	-		ENTW	UNECN	0 00	0.00		+	<u> </u>	+	+	+	1		
T OTHER	PROVISIONING ONLY - NO RATE	1	í	1	1				1	<u>ل</u> ــــــــــ	· · · · · · · · · · · · · · · · · · ·					

UNBUNDLE	D NETWORK ELEMENTS - Florida					· · · · ·								ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First	urring Add'l	Nonrecurring	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
								Auui			JOINEO	JoinAit		<u>QONIAN</u>	- COMPAR	- COMPAN
				UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	INCON	0 00	0 00									
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDN, UEA, UHL, ULC	UNECN		000									
	rate	ł		UEA,UDN,UCL,UDC	USBFQ	0 00	0 00			}					}	
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL		0 00	0,00		<u> </u>							<u> </u>
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0 00	0 00				<u> </u>					
	no rate	!		USL	CCOEF	0 00	0 00									
HIGH CAPACI	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per					40.00			1	1	1			1		1
	month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	10 92			+							+
	Termination per month			UE3	UE3PX	386 88	556 37	343.01	139.13	96 84						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	ł		UDLSX	1L5ND	10 92										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	426 60	556 37	343 01	139 13	96 84						ļ
LOOP MAKE-	Loop Makeup - Preordering Without Reservation, per working or									<u> </u>						<u> </u>
	spare facility gueried (Manual)			UMK	UMKLW		52 17	52 17								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual) Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		<u>55 0</u> 7	55. <u>07</u>								───
	spare facility queried (Mechanized)			UMK	UMKMQ		0 6784	0 6784								
LINE SHARIN	G AND LINE SPLITTING															
NOTE	1. The Line Sharing monthly recurring rates for all installation 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	ns comp	oleted	from October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	I be billed as	follows:							
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unburdled co 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND	pper lo		i occho	/ <u> </u>						 					
	1: 10/02/2005 - 10/01/2006; 75% of the rate for UCLND															-
	1: Above will apply to USOCS: ULSDT and ULSCT															
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	CC applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03	<u> </u>	——					<u> </u>
	SHARING TERS-CENTRAL OFFICE BASED								<u> </u>	— — —				·		·
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379 13	0 00		0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29 93	379 13	0 00		0 00						
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-		<u> </u>	ULS	ULSD8	8.33	379,13	0 00	347 90	0.00	ļ					
	deactivation (per LSOD)		1	ULS	ULSDG	1 1	173 66	0 00	97 42	0.00]			}
ENDU	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING		<u> </u>	<u></u>	01000			0.00								
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29 68	21 28	19 57	9 61					-	
	Line Share Service, TRO per line activation, BST owned splitter -				01000		23 00	2120	1301							
	Central Office Located (25% of UCLND) - please see NOTE 1				UN ORT	1.00		01.00	40.57							
	(E.10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -	ļ		ULS	ULSDT	1.99	29 68	21 28	19 57	9 61			<u> </u>			<u>↓</u>
	Central Office Located (50% of UCLND) - please see NOTE 1							a								
	(E 10/2/2004) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	3.98	29 68	21 28	19 57	9 61						
	Central Office Located (75% of UCLND) - please see NOTE 1 (E 10/2/2005)			ULS	ULSDT	5.97	29 68	21 28	19 57	9 61						
	Line Shanng - per Subsequent Activity per Line Rearrangement				ULODI	5.97	20 00	2 20	19.57	301						
	- (BST Owned Splitter)			ULS	ULSDS		21 68	16 44	L							<u> </u>
	Line Sharing - per Subsequent Activity per Line Rearrangement - (DLEC Owned Splitter)			ULS	ULSCS		21 68	16 44								
	Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS	ULSCC	0.61	47 44	19 31	20 67	12 74						

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	inten m	Zone	BCS	USOC			RATEŠ (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		ļ	-			Rec	Nonrec		Nonrecurring		-			Rates (\$)		
	Line Share Service, TRO per line activation, CLEC owned						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	splitter - Central Office Located (25% of UCLND) - please see					-	Í									i
	NOTE 1 (E 10/2/2003)			ULS	ULSCT	1 99	47 44	19 31	20 67	12 74						
	Line Share Service, TRO per line activation, CLEC owned															
1	splitter - Central Office Located (50% of UCLND) - please see		1													1
	NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCT	3 98	47 44	19 31	20 67	12 74						
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E 10/2/2005)			ULS	ULSCT	5 97	47 44	19 31	20 67	12 74						
	SPLITTING															
END U	SER ORDERING-CENTRAL OFFICE BASED					0.61										
	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical			UEPSR UEPSB UEPSR UEPSB	UREOS	061	29 68	21 28	19 57	9 61						ļ
	Line Splitting - per line activation BST owned - virtual		1	UEPSR UEPSB	UREBV	1 134	29 68	21 28	19 57	961						·
MAINT	TENANCE	<u> </u>	1						10 07							
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55 00								
	No Trouble Found - per 1/2 hour increments - Overtime		-				120 00	82 50								
	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT						160 00	110 00								
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -												_			· · · · ·
	Per Mile per month		1.	U1TVX	1L5XX	0 0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1													
	Facility Termination		<u> </u>	U1TVX	U1TV2	25 32	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat - Per Mile per month			UITVX	1L5XX	0 0091										1
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat -		<u>+</u>	01177	160/00	0.0091			<u> </u>							
	Facility Termination			UITVX	U1TR2	25 32	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	-														
	Per Mile per month			U1TVX	1L5XX	0 0091										
1 1	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			UITVX	U1TV4	22 58	47 35	31 78	18 31	7 03						ļ
<u>├</u>	Interoffice Channel - Dedicated Transport - 56 kbps - per mile	<u> </u>			01104	22 30	47.35	3176	10.51							
	per month			UITDX	1L5XX	0 0091			! !							
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	18 44	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1		UNTRY	1L5XX	0 0091										
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility				11.57	0.0091										
	Termination		1	UITDX	U1TD6	18 44	47 35	31 78	18 31	7 03						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		\square		1											
	month			U1TD1	1L5XX	0 1856										
}	Interoffice Channel - Dedicated Tranport - DS1 - Facility				U1TF1	88 44	105 51	98 47	21 47	10.05						
├ <u></u>	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		+	U1TD1		88 44	105 54	98 47	21.47	19 05						
	melonice Chamler - Dedicated Transport - 033 - Per Mile per			U1TD3	1L5XX	3 87										1
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1						···						· · ·	
L	Termination per month	L		U1TD3	U1TF3	1,071 00	335 46	219.28	72 03	70 56						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			114704	415301											
├	month Interoffice Channel - Dedicated Transport - STS-1 - Facility		<u> </u>	U1TS1	1L5XX	3 87	ł									
	Termination	1		UITSI	UITES	1,056 00	335 46	219 28	72 03	70.56						1
DARK FIBER			1			.,	000 40	210 20	12.05	10.00						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26 85										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		751.34	193 88	356 21	230.11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	1	UDF, UDFCX	1L5DL	55 04										
	Thereof per month - Local Loop	1														

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	TEN DIGIT SCREENING		<u> </u>		_											
	8XX Access Ten Digit Screening, Per Call		ļ	ОНД		0 0006252										<u> </u>
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			оно	N8R1X		4 15	0 70								
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations	L		оно			8 78	1 18	5 77	0.70						
	8XX Access Ten Digit Screening, Per 8XX No Established With			0.15	NOTTO		0.70	4 49	r 77	0 70					Í.	
	POTS Translations 8XX Access Ten Digit Screening, Customized Area of Service	— —		онр	N8FTX N8FCX		8 78 4 15	1.18	5 77	070						
	Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR		- ·		NOFUA		4 15	2 07								
	Routing Per CXR Requested Per 8XX No	<u> </u>		OHD	N8FMX		4 85	2 78						ļ		
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination	1		ОНД	N8FAX		4 85	070								
	Features		L	онр	N8FDX		4 15	4 15								
	8XX Access Ten Digit Screening, w/ 8FL No Delivery, per query			онр		0 0006252										
	8XX Access Ten Digit Screening, w/ POTS No Delivery, per query			онр		0 0006252										
	TION DATA BASE ACCESS (LIDB)	<u> </u>				0.0000000					· · · · · · · · · · · · · · · · · · ·					
	LIDB Common Transport Per Query			OQT OQU		0 0000203										
	LIDB Validation Per Query LIDB Orginating Point Code Establishment or Change				NRBPX	0 0136959	55 13	55 13	55 13	55 13			L		_	
SIGNALING (CO	CST						00 13			55 15						
	CCS7 Signaling Termination, Per STP Port	<u> </u>		UDB	PT8SX	135 05										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 0000607										
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	17 93	43 57	43 57	18 31	18 31						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17 93	43 57	43 57	18 31	18 31						
	CCS7 Signaling Usage, Per ISUP Message			UD8		0 0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694 32										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46 03	46 03	46 03	46 03						ļ
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21 94	265 84	46 97	37 63	4 00						
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	-				29 62 57 22	265 84 265 84	46 97 46 97	37 63	4 00						
	Interoffice Transport - Dedicated - 2-wr Voice Grade - 20ne 3	<u> </u>				0 0091	203 04	40.57		400		· ·				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0,0001					<u> </u>					
	Termination					25 32	47 35	31 78	18 31	7 03						
	Local Channel - Dedicated - DS1 - Zone 1					35 28	216 65	183 54	21 47	19 05						
	Local Channel - Dedicated - DS1 - Zone 2					47 63	216 65	183 54	21 47	19 05						
	Local Channel - Dedicated - DS1 - Zone 3					92 01	216 65	183 54	21 47	19 05						
	Interoffice Transport - Dedicated - DS1 Per Mile	<u> </u>				0 1856										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination E (CNAM) SERVICE		<u> </u>			88 44	105 54	98 47	21 47	19 05						
	CNAM For DB Owners - Service Establishment			oqv			25 35	25 35	19 01	19 01						
	CNAM For Non DB Owners - Service Establishment	— ——		OQV			25 35	25 35	19 01	19 01						
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			οαν			1,592 00	1,177 00	352 36	259 09						
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			oqv			546 51	393 82	358 06	259 09	-					
	CNAM for DB Owners, Per Query	├──				0 001024	J40 5	383.02	330.00	209 09	— ———				<u> </u>	· · · · · · · · · · · · · · · · · · ·
	CNAM for Non DB Owners, Per Query					0 001024							- .			
SELECTIVE RO		<u> </u>														
		r			1						-	-				
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93 55	93 55	12 71	12 71						1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach			ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATEŠ (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	umina	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		<u> </u>													
1	Splitting			UEPSR UEPSB	VE1LS	0 0502	11 57	11 57	0.00	0.00						<u> </u>
PHYSICAL CO	DLLOCATION									·						<u>├──</u>
	Physical Collocation-2 Wire Cross Connects (Loop) for Line						8 22	7 22	574	4 58					1	
	Splitting			UEPSR UEPSB	PE1LS	0 0276	8 22	1 22	574	4 00						
AIN SELECTIV	VE CARRIER ROUTING			SRC	SRCEC		193,444 00	~_	7,737 00							
	Regional Service Establishment			SRC	SRCEO		187 36	187 36	0 69	0 69		-				
	Query NRC, per query	<u> </u>	1.	SRC	0.1010	0 0031868										<u> </u>
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE	<u> </u>	1	· · · · ·							L					
AINTELLEOG	AIN SMS Access Service - Service Establishment, Per State,													1	1	
	Initial Setup			A1N	CAMSE		43 56	43.56	44 93	44 93	· · · · · · · · · · · · · · · · · · ·					+
								0.04	10 03	10 03					l I	
	AIN SMS Access Service - Port Connection - Dial/Shared Access	I		A1N	CAMDP CAM1P		8 64	8 64 8 64	10 03	10 03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAWIP		0.04	0.04	10 00	10.00	<u> </u>					
	AIN SMS Access Service - User Identification Codes - Per User		1	A1N	CAMAU		38 66	38 66	29 88	29 88						
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,		+										[
	Initial or Replacement			A1N	CAMRC		75 10	75.10	12.93	12 93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	1	1			0 0028					<u></u>		<u></u>			
	AIN SMS Access Service - Session, Per Minute	T				0 7809						·		ļ	·	
	AIN SMS Access Service - Company Performed Session, Per															
	Minute		-			0 4609										
AIN - BELLSC	DUTH AIN TOOLKIT SERVICE														1	1
	AIN Toolkit Service - Service Establishment Charge, Per State,			CAM	BAPSC		43 56	43 56	44 93	44 93						
	Initial Setup		+		BAPVX		8,439 00	8,439 00								
	AlN Toolkt Service - Training Session, Per Customer AlN Toolkt Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term Attempt				BAPTT		8 64	8 64	10 03	10 03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1-]						
	DN, Off-Hook Delay		1		BAPTD		8 64	8 64	10 03	10 03				ļ		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per					1		0.04	10.02	10 03	-				1	
	DN, Off-Hook immediate	i —			BAPTM		8 64	8 64	10 03	10 03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		38 06	38 06	15 86	15 86						
	DN, 10-Digit PODP		+		DAP 10		00 00		1000							1
1	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		38 06	38 06	15 86	15 86					_	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1													
	DN. Feature Code				BAPTF		38 06	38.06	15 86	15 86						<u> </u>
	AIN Toolkit Service - Query Charge, Per Query					0 0535927										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				1											
	Subscription, Per Node, Per Query					0 0063698										+
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0 06								1		
	Account, Per 100 Kilobytes		+			0.08						1	1			
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service			САМ	BAPMS	8 34	8 64	8 64	6 08	6 08		1				
	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service	-			D/ 4 100					1	1					
	Subscription			CAM	BAPLS	3 73	9 56	9 56					ļ			<u> </u>
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		-							1						
	Subscription			CAM	BAPDS	4 73	864	8 64	6 08	6 08						
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0 12	9.56	9 56	- · · ·							
ENHANCED E	EXTENDED LINK (EELS)	<u> </u>	1	<u> </u>	111			viewand as '	Ordinarily Com	hined' Networ	k Elements	+	1			+
NOTE	EXTENDED LINK (EELS) The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not	apply	and the	sowitch-AS-IS Charge	ye will anoly for	UNE combinet	ions provision	ed as ' Curren	tiv Combined'	Network Elem	ents	<u> </u>	1		1	1
NOTE	: The monthly recurring and the Switch-As-Is Charge and not NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1-recun	ROFFICE TRANSPO	TRT			a do cuiten	.,		1	1				
EXTE	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1		UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	+		UNCVX	UEAL2	17 40	127 59	60 54		2 81						
1 S	First 2-Wire VG Loop (SL2) in Combination - Zone 3	+		UNCVX	UEAL2	30.87	127.59	60 54	42 79	2 81	1			1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Florida										0 Ord	Curr Ores		ment: 2	Incremental	bit: A Incrementa
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	usoc			RATEŠ (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 1856										<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Facility						171.10		45.04	17 95						
	Termination per month		I	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17.95						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62	0.00			· · ·				
	Vorce Grade COCI - Per Month			UNCVX	1D1VG	1 38	10.07	7 08	0 00	0 00	ļ	· · ·				<u> · · · ·</u>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	12 24	127.59	60 54	42 79	2 81						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	281						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81	<u> </u>	ļ		I		1
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10 07	7 08	0 00	0.00	[
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	DRT											
															1	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127 59	60.54	42 79	2 81						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127 59	60 54	42 79	2 81						
1	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127 59	60 54	42 79	2 81			1			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per		1		120/01	0 1000										
	Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	1/0 Channel System in combination Per Month		-	UNC1X	MQ1	146 77	101 42	71 62								
	Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127 59	60 54	42.79	2 81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1					17.00	107 50	00 F I	40.70						1	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127 59	60 54	42 79	2 81						<u> </u>
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0.00				<u> </u>		L
	Nonrecurring Currently Combined Network Elements Switch -As-							0.00						1		
	Is Charge		DE4 IN	UNC1X	UNCCC		8 98	8 98	8 98	8 98	-					<u> </u>
EXTEN	IDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	SATED	UST IN T	I RAN							+	ł		+		<u> </u>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127 59	60 54	42.79	2 81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31 56	127.59	60 54	42 79	2 81						1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility		1													
	Termination Per Month			UNC1X	U1TF1	88.44	174 46	122 46	45.61	17,95						
	1/0 Channel System in combination Per Month		1	UNC1X	MQ1	146.77	101 42	71 62								
1	OCU-DP COCI (data) per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127 59	60 54	42 79	2 81						
-	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		-													
	Interoffice Transport Combination - Zone 2		2		UDL56	31 56	127 59	60 54	42 79	2 81	ļ					ļ
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3		UDL56	55 99	127 59	60 54	42 79	2 81						
	Additional OCU-DP COCI (data) - in combination per month (2 4- 64kbs)			UNCDX	1D1DD	2,10	10 07	7 08	0 00	0.00						

ATEGORY	RATE ELEMENTS												Incremental	Incremental	Incremental	- incrementa
		Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-				UNCCC											
	Is Charge DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	Det IN	UNC1X			8 98	8 98	8 98	8 98						<u> </u>
EATENL	DED 4-WIRE 04 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED		TEROFFICE TRAN					· · · · · ·							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
			-													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						ļ
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62	0.00	0.00						
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	1D1DD	2 10	10 07	7.08	0.00	0 00						
	Interoffice Transport Combination - Zone 1		1	UNĆĐX	UDL64	22 20	127 59	60 54	42 79	2 81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						L
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						1
	Additional OCU-DP COCI (data) - in combination - per month		3	UNCDX	00164	20.98	127 59	60 94	42 /9	201						<u> </u>
	(2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0 00	0 00						
1 1	Nonrecurring Currently Combined Network Elements Switch -As-						0.00									
	Is Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE			UNC1X	UNCCC		8 98	8 98	8 98	8 98	-					
	4-Wire DS1 Digital Loop in Combination - Zone 1	0 031		UNC1X		70 74	217 75	121 62	51 44	14 45						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45			··· · · · · ·			
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	178 39	217 75	121 62	51 44	14 45				· · · · · · · · · · · · · · · · · · ·		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
i i i	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8.98						<u> </u>
	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE First DS1Loop in Combination - Zone 1	-D DS3		UNC1X	USLXX	70 74	217 75	121 62	51 44	14 45						
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45	-					<u> </u>
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	178 39	217.75	121 62	51.44	14.45			· · · ·			
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	3 87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		1	UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18.23						
	3/1Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07			· · · · · · · · · · · · · · · · · · ·			
	DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination -												· · · ·			
	Zone 1		1	UNC1X	USLXX	70 74	217 75	121.62	51.44	14.45						ļ
1	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51.44	14,45						
	Additional DS1 COCI in combination per month		†	UNC1X	UC1D1	13 76	10 07	7 08	0.00	0.00	·			-		—
	Nonrecurring Currently Combined Network Elements Switch -As-												1		[
	Is Charge			UNC3X	UNCCC		8 98	8 98	8 98	8 98						
	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD											'			
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
	2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3			UNCVX UNCVX	UEAL2 UEAL2	17 40 30 87	127 59 127 59	60 54 60 54	42.79 42.79	2.81						<u> </u>

UNDUNDLE	D NETWORK ELEMENTS - Florida			ŕ								0.0	Attach			ıbit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
+	· · · · · · · · · · · · · · · · · · ·					Rec	Nonrec First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per						FIISt	Add I	First	Addi	SUMEG	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Month			UNCVX	1L5XX	0 0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25 32	94.70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVTEN	IS Charge IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CRAD		UNCVX			8 98	8 98	8 98	8 98						
	4-WireVG Loop in combination - Zone 1	GIVAD		UNCVX	UEAL4	18 89	127 59	60 54	42 79	2 81				<u> </u>		<u> </u>
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	26 84	127 59	60 54	42 79	2 81						+
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	47 62	127 59	60 54	42 79	2 81						<u> </u>
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		<u> </u>	011017			127 00	0004		2.01						+
	Month Interoffice Transport - 4-wire VG - Dedicated - Facility				1L5XX	0 0091										
	Termination per month			UNCVX	U1TV4	22 58	94 70	52 59	50 49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge				UNCCC		8 98	8 98								
EVTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NTED	FEICE		UNCCC		8.98	8.98	8 98	8 98	1					<u> </u>
	DS3 Local Loop in combination - per mile per month	IN TERC		UNC3X	1L5ND	10 92										<u> </u>
				UNCOX	ILSIND	10 52										<u> </u>
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386 88	249 97	162 05	67 10	26 82					1	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3 87										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	1,071 00	314 45	130 88	38 60	18 23						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCOV	UNCCC		0.00			0.00						
	Is Charge DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	9.1 INT	EPOES	UNC3X	UNCCC		8 98	8 98	8 98	8 98						
	STS-1 Local Lolp in combination - per mile per month	3-1 IN 1		UNCSX	1L5ND	10 92										<u> </u>
	STS-1 Local Loop in combination - Facility Termination per				1,20110	10.02										<u> </u>
	month			UNCSX	UDLS1	426 60	249 97	162 05	67 10	26 82				•		
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3 87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1.056 00	314 45	130 88	38 60	18 23						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		8.98	8 98	8 98	8 98						
	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	PORT		UNCOO		0.50	0.90	0.50	0.90						<u> </u>
	First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
	First 2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81						t
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81						
	Interoffice Transport - Dedicated - DS1 combination - per mile															
	per month			UNC1X	1L5XX	0 1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	00.44	174.46	400.40	45.04	47.05						
	1/0 Channel System in combination - per month			UNC1X UNC1X	MQ1	88 44 146 77	174 46 101 42	122 46 71 62	45 61	17 95						<u> </u>
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0 00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						<u> </u>
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127 59	60 60	42.79	2 81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per month			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0 00			-			
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98			'			
	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	D STS														
	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2	DSTS	1	UNC1X UNC1X	ORT USLXX USLXX	70.74 100 54	217 75	121 62 121 62	51 44 51 44	14 45 14.45						

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		001150			Rates (\$) SOMAN	SOMAN	SOMAN
			-				First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	3 87				<u></u>						
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1.056 00	314 45	130.88	38 60	18 23	1					
	3/1 Channel System in combination per month			UNCSX	MQ3	211 19	199.28	118 64	40 34	39 07						
	DS1 COCI in combination per month		1	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70 74	217.75	121 62	51,44	14 45						
	Additional DS1Loop in the same STS-1 Interoffice Transport								51 44	14 45						
	Combination - Zone 2 Additional DS1Loop in the same STS-1 Interoffice Transport		2	UNC1X	USLXX	100 54	217 75	121 62								
ł	Combination - Zone 3		3	UNC1X	USLXX	178 39	217 75	121 62	51.44	14 45		l				l
	DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0.00	0 00						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		8 98	8 98	8 98	8 98						
EXTER	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	SPS INT	EROFF		-									1		
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
-	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81					L	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0 0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	18 44	94 70	52 59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-	•		UNCDX	UNCCC		8 98	8 98	8 98	8 98						
EVTE	IS Charge NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE		FROFE		011000				000	000						
	4-wire 64 kbps Looal Loop in Combination - Zone 1	10.111		UNCDX	ÜDL64	22 20	127 59	60 54	42 79	2 81						
	4-wire 64 kbps Leoal Loop in Combination - Zone 2	<u>+</u>		UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
	4-wire 64 kbps Loop in Combination - Zone 3			UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1	1									Í			ļ	
	Per Mile per month			UNCDX	1L5XX	0 0091									· · · · · · · · · · · · · · · · · · ·	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1		UNCDX	U1TD6	18 44	94 70	52 59	50 49	21 53						ļ
	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-	•	-													
	Is Charge	1		UNCDX	UNCCC		8.98	8 98	8 98	8 98						<u> </u>
EXTE	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														<u></u>
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12 24	127 59	60 54	42 79	2 81						
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						<u> </u>
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30 87	127 59	60 54	42 79	2 81						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 1856										
	First Interoffice Transport - Dedicated - DS1 combination -	1				88 44	174 46	122 46	45 61	17 95	1	1				
	Facility Termination per month		-	UNC1X	U1TF1		1/4 46	71 62	45.61	17 95	1					+
· · ·	Per each DS1 Channelization System Per Month	<u> </u>		UNC1X	MQ1 1D1VG	146 77 1 38	101 42	7 08	0.00	0 00						
	Per each Voice Grade COCI - Per Month per month			UNCVX UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07	+	1		· · · ·		
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00						-
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1				00101		10 01	7.00_								1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12 24	127 59	60 54	42.79	2 81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17 40	127 59	60 54	42 79	2 81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		3		UEAL2	30 87	127 59	60 54	42 79	2 81						
	Interoffice Transport Combination - Zone 3 Each Additional Voice Grade COCI in combination - per month		1 3	UNCVX	1D1VG	1 38	10 07	7 08	42 79	0.00		t	<u> </u>			<u>+</u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1												· ·			
	Channel System per month Each Additional DS1 Interoffice Channel Facility Termination in		-		1L5XX	0 1856										1
ł	same 3/1 Channel System per month		1	UNC1X	U1TF1	88 44	174.46	122 46	45 61	17 95	1		1			1
	Each Additional DS1 COCI combination per month	1	Т	UNC1X	UC1D1	13.76	10 07	7 08	0 00	0 00				1	1	

	D NETWORK ELEMENTS - Florida													ment: 2		ibit: A
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring	Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
							First	Add'l	First	Auui	001120	- Oomen				1
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8 98	8 98	898	8 98						
	IS Charge NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICF TR	ANSPORT w/ 3/1 I	NUX											<u> </u>
EXTER	First 4-Wire Analog Voice Grade Loop with Debloat Loop in Combination -				T											
	Zone 1		1	UNCVX	UEAL4	18 89	127.59	60 54	42 79	2 81			1			
	First 4-Wire Analog Voice Grade Local Loop in Combination -				UEAL4	26 84	127 59	60 54	42 79	2 81						
	Zone 2		2			20.04										
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42 79	2,81						+
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0 1856							1			-
	First Interoffice Transport - Dedicated - DS1 - Facility		1	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
L	Termination Per Month Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								<u> </u>
<u> </u>	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0 00		ļ	<u> </u>		<u> </u>	<u>+</u>
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07 0 00			<u> </u>		<u> </u>	
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	13 76	10 07	7 08	0.00	000				1	1	1
	Additional 4-Wire Analog Voice Grade Loop in same DS1				UEAL4	18 89	127 59	60 54	42 79	2 81						
	Interoffice Transport Combination - Zone 1		1	UNCVX		10.05	127 00				1					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26 84	127 59	60 54	42.79	2 81						+
	Additional 4-Wire Analog Voice Grade Loop in same DS1		1						1 10 70							
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47 62	127 59	60 54	42.79	2 81	+					+
	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAY	1L5XX	0 1856										
	Channel System per month			UNC1X	112322	0 1000										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		1	UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
<u> </u>	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1 38	10 07	7 08	0 00	0.00	· · · · · · · · · · · · · · · · · · ·					
<u> </u>	Nonrecurring Currently Combined Network Elements Switch -As-	-					8 98	8 98	8 98	8.98						
	Is Charge			UNC1X			0.90	0 90	0.50							
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER		IRANSPORT W	5/1 100				······							
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	-						1 10 70				ļ			
	Zone 2		2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2.81	+					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UN OF Y	UDL56	55 99	127 59	60 54	42 79	2.8						
	Zone 3		3	UNCDX	00136		- 121 00									
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	1		UNC1X	1L5XX	0 1856										
	First Interoffice Transport - Dedicated - DS1 - combination									47.0				1	1	1
1	Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46 101.42	<u>122 46</u> 71 62		17 9	<u> </u>	+	_			
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1 1D1DD	146 77 2 10	101.42	7 08		0.00	<u></u>					
	Per each OCU-DP COCI (data) COCI per month (2 4-64kbs)		+	UNCDX UNC3X	MQ3	211 19	199.28	118 64		39 0						
	3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76		7 08		0.00)					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	-														
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22,20	127 59	60 54	42 79	2.8	1					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		LINGDY	UDL56	31 56	127 59	60 54	42 79	2.8	1		· ·	1		
	Interoffice Transport Combination - Zone 2		2	UNCDX	00100	3130	1		1							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2.8	1	<u> </u>				<u> </u>
┝	OCU-DP COCI (data) COCI in combination per month (2 4-		Ť									1				
	64kbs)	-		UNCDX	1D1DD	2 10	10 07	7 08	0.00	0.0	·	+	+	+		+
	Each Additional DS1 Interoffice Channel per mile in same 3/1			UNC1X	1L5XX	0 1856										
	Channel System per month	+				0.000										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month	1		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 9	5					
	Each Additional DS1 COCI in the same 3/1 channel system	1			-											
	combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0.00	00	J [

UNBUNDI F	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Submitted Elec		Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sy Order vs Electronic Disc Add
····							Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
		<u> </u>				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	In Charge			UNC1X	UNCCC		8 98	8 98	8 98	8 98						· · · · ·
EXTER	IDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3	/1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81						
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	UNCOX		22 20	127 00	0004			1					
	Transport Combination - Zone 2		2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2.81			·	·		
	First Interoffice Transport - Dedicated - DS1 combination - Per				41.535	0 1856					1	1	1			
	Mile Per Month	<u> </u>		UNC1X	1L5XX	0 1050					1					
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95			1			
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	146 77	101 42	71 62								
	Per each OCU-DP COCI (data) in combination - per month (2 4-															
1	64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0.00	0 00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19		118 64	40 34	39 07			L	ļ		
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13 76	10 07	7 08	0.00	0 00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						407 50	60 54	42 79	2 81]		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22 20	127 59	60.54	42.79	201				-		<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCOX	UDL64	31.56	127 59	60 54	42 79	2 81						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UUL04	31,00	127 33	00 04			1	-	-			
1	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	l	3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81						
-	Interoffice Transport Combination - Zone 3 Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	-	<u> </u>	UNOD/												
	combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 10	10 07	7 08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0 1856					<u> </u>			<u> </u>		
	Each Additional DS1 Interoffice Channel Facility Termination in	1								17 95						
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	1/ 95	·		·			
	Each Additional DS1 COCI in the same 3/1 channel system				110101	13 76	10 07	7 08	0.00	0 00						
	combination per month	<u> </u>		UNC1X	UC1D1	13/6	10.07	1 00	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-		UNC1X	UNCCC		898	8 98	8 98	8 98						
	IS Charge NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOL	DT w/ 3	1 MILLY													
EXIE	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		T		-											
	Transport - Zone 1		1	UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	-	1								1	1				
	Transport - Zone 2		2	UNCNX	U1L2X	27 40	127 59	60 60	42.79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination						407.50	co co	1 40.70	2 81						
	Transport - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	201			·		· ·	<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination - Per			UNCAY	1L5XX	0 1856				1	1					
	Mile per month			UNC1X	112577	0.1030					-		·			
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95	;					
· · · · ·	Per each Channel System 1/0 in combination - per month		+	UNC1X	MQ1	146 77	101 42	71 62								
	r er each onarmer oyaten word contoination - per month				1											
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3 66	10 07	7 08	0 00	0 00		ļ			ł	
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19		118 64		39 07						
	Per each DS1 COCI in combination per month		ſ	UNC1X	UC1D1	13 76	10 07	7 08	0.00	0.00	' 	+		+	+	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1.	L ALONNY		40.00	407.50	60 60	42 79	2 81]	1		.	1
	Combination - Zone 1		1	UNCNX	U1L2X	19 28	127 59	0.60	4279	201	+		1	1	1	1
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81		1		1	1	
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<u> </u>		- 0102	21.40	12,00				1	1	1			
	Additional 2-wire ISDN Loop in same DS Interonice Transport Combination - Zone 3		3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2.81			L			<u> </u>
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		+ -													1
	system combination- per month	1	1	UNCNX	UC1CA	3 66	10 07	7 08	0 00	0.00)	1		1	t	

UNBUNDLE	D NETWORK ELEMENTS - Florida		<u> </u>								Sun Orden	Sug Order	Incremental	ment: 2	Incremental	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
						Rec	Nonrec		Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
			<u> </u>				First	Add'l	First	Addi	SOMEC	SOMAN	SUMAN	SOUNAN	JOINAN	00000
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1856			[
	Each Additional DS1 Interoffice Channel Facility Termination in		1													
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	Each Additional DS1 COCI in the same 3/1 channel system						10.07	7 00		0.00						
	combination per month	l		UNC1X	UC1D1	13 76	10.07	7 08	0 00	0 00					<u> </u>	+
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8 98	8 98	898	8 98				1	l l	1
	IS Charge IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRAN	COOPT		UNCCC		0.00	0.30		0.00					† · · · · ·	+
EXIEN	IDED 4-WIRE DST LOOP WITH DEDICATED DST INTEROFFICE		J 1		USLXX	70 74	217 75	121 62	51 44	14 45						
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1			UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45	1					1
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2	ŀ		UNC1X	USLXX	178 39	217 75	121 62	51.44	14 45						1
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		+ 3				21175	12102								
	Hist Interoffice Transport - Dedicated - DST combination - Per	1		UNC1X	1L5XX	0 1856										
	First Interoffice Transport - Dedicated - DS1 combination -	-	-													
	Facility Termination Per Month	•		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
	3/1 Channel System in combination per month			UNC3X	MQ3	211 19	199 28	118 64	40 34	39 07					1	
	Per each DS1 COCI combination per month	ł		UNC1X	UC1D1	13 76	10 07	7 08	0.00	0 00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month			UNC1X	1L5XX	0 1856					-		ļ			
	Each Additional DS1 Interoffice Channel Facility Termination in										1					
	same 3/1 Channel System per month			UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95						
1	Each Additional DS1 COCI in the same 3/1 channel system					40.70	10 07	7 08	0 00	0.00				1		
	combination per month			UNC1X	UC1D1	13 76	10.07	7.08	0.00	0.00						+
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	70 74	217 75	121.62	51 44	14 45						
	1		1				21713	121.02		14 45	· · · · · · · · · · · · · · · · · · ·					+
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone	i i	2	UNC1X	USLXX	100 54	217 75	121 62	51 44	14 45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone				001/00	100 04	21110									
	Additional 4-Wile Da't Digital Local Loop in Combination - 2010		3	UNC1X	USLXX	178 39	217 75	121.62	51 44	14 45	1					
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		1	UNC1X	UNCCC		8 98	8 98	8 98	8 98						
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERC	FFICE	TRANSPORT												
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22 20	127 59	60 54		2 81				1		
	First 4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81						
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCOX	UDL56	55 99	127 59	60 54	42 79	2 81						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		1													
	per month			UNCDX	1L5XX	0 0091										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		1												1	
	Termination per month		1	UNCDX	U1TD5	18 44	94 70	52.59	50 49	21 53						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	L		UNCDX	UNCCC		8 98	8 98	8 98	8 98				<u> </u>	l	
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERC	FFICE	TRANSPORT												
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	22 20	127 59			2 81						+
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	31 56	127.59	60 54	42 79	2 81						+
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127 59	60 54	42 79	2 81						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile														1	
	per month			UNCDX	1L5XX	0 0091							·		· [···	
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility		1	INCOV	U1TD6	18 44	94 70	52 59	50 49	21 53						
	Termination per month			UNCDX	01106	18 44	94 70	52 59	,50 49	21.03	<u> </u>				1	1
1	Nonrecurring Currently Combined Network Elements Switch -As-	1	1	UNCDX	UNCCC		8 98	8 98	8 98	8 98						
	Is Charge	<u> </u>					0 90		0.90	0.90						1
DUITIONAL I	NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurr	ing cha	urges d	o not apply but a	Switch As le ch	arne does anr	าโพ		<u> </u>			1	1		1	+
wnen	used as a part of a currently combined facility, the non-recurr used as ordinarily combined network elements in All States, t	ha non	recurr	ing charges apply	and the Switch	As is Charne /	toes not		· · ·		<u> </u>					<u> </u>
Norm	curring Currently Combined Network elements in All States, t	Charge	- Cone	applies to each co	mbination)				1						1	1
Nonre	Nonrecurring Currently Combined Network Elements Switch As is	J	1								[1	1
1	Is Charge - 2 wire/4-Wire VG	1	1	UNCVX	UNCCC		8 98	8 98	8 98	8 98	1		1		1	

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-							0.00	8 98 .	8 98		4				1
	Is Charge - 56/64 kbps			UNCDX	UNCCC	· · · · · · · · · · · · · · · · · · ·	8 98	8 98	8 98	8 98						F
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS1			UNC1X	UNCCC		8 98	8 98	8 98	8 98						
	Nonrecurning Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		8 98	8 98	8 98	8 98						L
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		8 98	8 98	8 98	8 98						
0.1	nal Features & Functions:			01037			0.30	0.00	0.50	0.00						t
Optio	nal reatures & Functions:			U1TD1,							1					
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		01	01	01	01						
	Clear Channel Capability Super FrameOption - per DS1	I.		ULDD1,UNC1X	CCOSF		01	01	01	01						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	NDOCO		194.020	22 020	2.075	0.00						1
	Activity - per DS1			UNC1X, USL U1TD3, ULDD3,	NRCCC		184 92S	23 825	2 07S	0.85						
	C-bit Parity Option - Subsequent Activity - per DS3	1		UE3, UNC3X	NRCC3		219 09\$	7 67S	0 773S	0S						ļ
MULT	IPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146 77	101 42	71 62			·					ļ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop		}	UDL	1D1DD	2 10	10 07	7 08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	UDL .												
	month (2 4-64kbs) used for connection to a channelized DS1								1			1				
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2 10	10 07	7 08	0.00	0 00						<u> </u>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	3 66	10.07	7 08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		-													
	month used for connection to a channelized DS1 Local Channel						10.07	7 08	0 00	0.00						
	In the same SWC as collocation			U1TUB	UC1CA	3 66	10 07	7.08	0.00	0.00						
1	used for a Local Loop			UEA	1D1VG	1 38	10 07	7 08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month							-			1					
	used for connection to a channelized DS1 Local Channel in the										1					
	same SWC as collocation			U1TUC	1D1VG	1 38	10 07	7 08	0.00	0 00	1				l	
	DS3 to DS1 Channel System per month			UNC3X	MQ3 MQ3	211 19 211 19	199 28 199 28	118 64 118 64	40 34 40 34	39 07 39 07	1					
	STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month	<u> </u>		UNXCS USL	UC1D1	13 76	199 28	7 08	40.54		<u> </u>	1				
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local			USL		1370	10.07	100			1					<u> </u>
	Channel in the same SWC as collocation) per month	1		U1TUA	UC1D1	13 76	10 07	7 08	0.00	0 00						
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	13 76	10 07	7 08	0.00	0 00	· · · ·	1				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per														1	
	month		· · ·	ULDD1	UC1D1	13 76	10 07	7 08	0.00	0 00						<u> </u>
	LOCAL EXCHANGE SWITCHING(PORTS)	· · ·														──
EXCR	ange Ports : Although the Port Rate includes all available features in GA, I		9 TN 8	he desired features	will need to 3	be ordered usi	ng retail USOC	e								
	E VOICE GRADE LINE PORT RATES (RES)	1	<u>a in, i</u>	lie desired leatures	Will lieed to s	le ordered usi	I I I I I I I I I I I I I I I I I I I	3								<u> </u>
2-4410	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1.40	3 74	3 63	1.88	1.80						
	Funktion Date: 2 Wire Angles Line Destruith Collegi D. Bee			UEPSR	UEPRC	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			DEPSK	UEFRO	140	- 374	203	100	1.00			,		-	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res Exchange Ports - 2-Wire VG unbundled Flonda area calling with			UEPSR	UEPRO	1.40	3 74	3 63	1.88	1.80						───
	Caller ID - Res			UEPSR	UEPAF	1.40	3 74	3 63	1.88	1 80		ļ				ļ
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area			UEPSR	UEPA9	1 40	3 74	3.63	1.88	1 80	1		· ·			
	Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG unbundled Florida extended		1	UEPOR	UEFA9	140	3/4	3.03	1,00	180		···				
	dialing port for use with CREX7 and Caller ID		1	UEPSR	UEPA1	1 40	3 74	3 63	1.88	1 80		1			<u> </u>	<u> </u>
	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1 40	3 74	3 63	1.88	1.80						

INBUNDLE!	D NETWORK ELEMENTS - Florida													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						<u> </u>	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port		-													
	with Caller ID (LUM)		<u> </u>	UEPSR	UEPAP	1.40	3 74	3 63	1 88	1 80						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPRT	1 40	3 74	3 63	1 88	1 80						
	Capability			UEPSR	USASC	0 00	0.00	0.00								
FEATU																
	All Available Vertical Features		<u> </u>	UEPSR	UEPVF	2 26	0.00	0 00					1			-
2-WIRE	E VOICE GRADE LINE PORT RATES (BUS)	ļ										<u> </u>				_
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire VG unbundled Line Port with														1	1
	unbundled port with Caller+E484 ID - Bus.		L	UEPSB	UEPBC	1 40	3 74	3 63	1 88	1 80						
	Further an Darte 12 Mine Analog Line Port outgoing only a Bus			UEPSB	UEPBO	1 40	3 74	3 63	1 88	1 80						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG unbundled incoming only port with	-														
	Caller ID - Bus			UEPSB	UEPB1	1 40	3 74	3 63	1 88	1 80						+
	2-Wire voice unbundled incoming Only Port without Caller ID			UEPSB	UEPBE	140	3 74	3 63	1 88	1 80						
	Capability		-	UEPSB	USASC	0.00	0.00	0.00				1				
FEATU	Subsequent Activity		+	OLI OD	00,100										ļ	
	All Available Vertical Features			UEPSB	UEPVF	2 26	000	0 00				ļ			l	
	ANGE PORT RATES (DID & PBX)														-l	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39 06	18 18		07187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		<u> </u>	UEPSP	UEPPC	1 40	39 06	18.18		0 7187						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	-		UEPSP	UEPPO	1 40	39 06 39 06	18 18 18.18		0 7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	<u> </u>		UEPSP	UEPP1 UEPLD	1 40	39 06	18 18		0 7187					1	1
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 40	39 06	18 18		0 7187			-			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPXA	1 40	39.06	18 18		0 7187						
	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		+	UEPSP	UEPXB	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Voice Unbundled PBX ID DDD Terminals Port			UEPSP	UEPXC	1 40	39 06	18 18		0 7187						_
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 40	39 06	18 18	12 35	0 7187	ļ					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1								0.7407						
	Capable Port	1		UEPSP	UEPXE	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEBOD	UEPXL	1 40	39 06	18 18	12 35	0 7187				1		
	Administrative Calling Port			UEPSP	UEPAL	140	33 00	10 10	12 00					1		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Cailing Port			UEPSP	UEPXM	1 40	39 06	18 18	12 35	0 7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital													1		
	Discount Room Calling Port			UEPSP	UEPXO	1 40	39.06	18 18		0 7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 40	39.06	18 18		0 7187						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00						<u> </u>	•	
FEATU					-	2 26	0.00	0.00								
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.20	0.00	0.00			+					
	ANGE PORT RATES (COIN)					1 40	3 74	3 63	1 88	1.80						
	Exchange Ports - Coin Port : Transmission/usage charges associated with POTS circuit s	witche	dusadu	e will also apply to	circuit switche	d voice and/or	r aircuit ewitch	ed data transm	nission by B-C	hannels assoc	ated with 2	-wire ISDN	ports.			
NOTE	: Transmission/usage charges associated with POTS circuit s : Access to B Channel or D Channel Packet capabilities will b	e availa	able on	ly through BFR/Ne	w Business Re	quest Process	. Rates for the	packet capab	ilities will be d	etermined via	the Bona F	de Request	New Busines	s Request Pr	ocess	
INBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)		1													
							L			L		ff undar				
	The second state of the se	SDN Po	rt in thi	s rate exhibit apply	to the embed	ded base in pla	ace as of 10/2/0	13 until 4/1/04.	After 4/1/04 th	ese rates shal	revent to ta	ann rates of	a separate a	greement.		
Reque	ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	after th	e effec	tive date of this am	endment shall	be provided p 8 73	ursuant to a se	eparate agreen 15 82	ment of tann at	Denovum a t	laciedon.	1				
	Exchange Ports - 2-Wire DID Port	<u> </u>		UEPEX	UEPP2	8/3	1041	10.02	41 94	4.20	+				1	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	1	1			154.44	77 75	48 81	3,10			1 1	1		
		1			ILEPDD	1 54.95	10111									
	capability (E 4/1/2004)	<u> </u>		UEPDD UEPTX, UEPSX	UEPDD U1PMA	54 95 8 83	151 11 46 83	50 68								
				UEPDD UEPTX, UEPSX UEPTX, UEPSX				50 68 0 00	27 64							_

	D NETWORK ELEMENTS - Florida	1		1		<u> </u>								ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs, Electronic Disc Add
		I				Rec	Nonre	curring	Nonrecurring	y Disconnect			OSS	Rates (\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availat	ble only	y through BFR/New	Business Re	quest Process	. Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	le Request/I	New Business	s Request Pro	cess	
EXCHA	ANGE PORT RATES (continued)	ļ	I													
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 Locator Capability (E.4/1/2004)															
	Exchange Ports - 4-Wire ISDN DS1 Port (E 4/1/2004)		I		UEPEX	82 74	174 61	95 17	49 80	18 23						
	Physical Collocation - DS1 Cross-Connects	· ·	<u> </u>	UEPEX UEPDX	UEPDX PE1P1	82 74	174 61 27 77	95 17	49 80	18 23						
	Virtual collocation - Special Access & UNE, cross-connect per			UCPER UEPDA	PEIPI	1 32	2/ //	15.52	5 93	4 77						
1	DS1			UEPEX UEPDX	CNC1X	7 50	155 00	14 00								
Detaile	ed E911 with Locator Capability (required with UEPEX port)	· · ·				/ 30	100 00	14 00								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	1						-								
	Locator Capability - Initial Profile Establishment per CLEC per				1											
	State			UEPEX	UEP1A	0 00	1,809 00		151 12							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Subsequent Profile Changes, Additions,	1			1											
-	Deletions			UEPEX	UEP1B	0 00	175 66									
New or	r Additional PRI Telephone Numbers															
1 I	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in				1											
	E911 profile [New or Additional]			UEPEX	UEP1C	0 0699	0 5412									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0 0699	12 71	12 71								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or Additional]		1									Í				
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			UEPDX	UEP1E	0.00	0 5412									
	Inward Tel Numbers [Customer Testing Purposes]			UEPEX	00000											
	NUMBER PORTABILITY			UEPEX	PR7ZT	0.00	25 42	25 42								
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	FACE (Provsioning Only)			DEFEX DEFDA	LINPON	1.75	-									
	Vorce/Data			UEPEX	PR71V	0.00	0 00	0.00	-							
	Digital Data			UEPEX	PR71D	0 00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0 00	0 00	0.00								
New or	Additional Channel	-						0.00								
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0 00	15,48		· · · ·							
	New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0 00	15 48									
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0 00	15 48									
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0 00										·
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00										
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	15 48									
CALL T																
	Inward			UEPEX UEPDX	PR7C1	0 00	0.00	0.00								· · · · ·
	Outward			UEPEX	PR7CO	0 00	0 00	0 00								
	Two-way			UEPEX	PR7CC	0.00	0 00	0 00								
	IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res	I														
	ondunuted memore can norwarding Service, Area Calling, Res		Į	UEPVR	UERAC	1 40	3 74	3 63	1 88	1 80						
	Unbundled Remote Call Forwarding Service, Local Calling - Res.			UEPVR	UERLC	1.00			4.00						I	
	Unbundled Remote Call Forwarding Service, Local Calling - Rest			UEPVR	UERTE	1 40 1 40	3 74	3 63 3,63	1.88	1 80						
	Unbundled Remote Call Forwarding Service, Intel ATA - Res			UEPVR	UERTR	1 40	3.74	3.63	1,88	1 80 1 80						
Non-Re					JULKIN .	- 40		303	1 68	180						
1	Unbundled Remote Call Forwarding Service - Conversion -													····		
	Switch-as-is	-		UEPVR	USAC2		0 102	0 102								
1	Unbundled Remote Call Forwarding Service - Conversion with							0,02	— · _	<u> </u>			- , +	— +		
	allowed change (PIC and LPIC)			UEPVR	USACC		0 102	0.102					· I		1	
UNBUN	DLED REMOTE CALL FORWARDING - Bus															
		1										····				
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		- I.	UEPVB	UERAC	1.40	3 74	3 63	1 88	1 80						

UNBUNDLED NETWORK ELEMENTS	- Flonda										lon out	Section of the		ment: 2	Exhil	-
ATEGORY RATE E	LEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
															Diac lat	Dise Add
				<u>_</u>		Rec	Nonrec		Nonrecurring			001111		Rates (\$)		SOMAN
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
Unbundled Remete Call Forum	irding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3 63	1 88	1 80	1					
Unbundled Remote Call Forwa				UEPVB	UERTE	1 40	3 74	3 63	1 88	1 80			Ì			
Unbundled Remote Call Forwa				UEPVB	UERTR	1 40	3 74	3 63	1 88	1 80						
Unbundled Remote Call Forwa																
Exception Local Calling				UEPVB	UERVJ	1 40	3 74	3 63	1 88	1 80						
Non-Recurring											1		1			
Unbundled Remote Call Forwa	Irding Service - Conversion -													1		
Switch-as-is	-			UEPVB	USAC2		0 102	0 102								
	irding Service - Conversion with															
allowed change (PIC and LPIC				UEPVB	USACC	ļ]	0 102	0 102	l			· · · ·				
NBUNDLED LOCAL SWITCHING, PORT US	AGE												ļ			
End Office Switching (Port Usage)																
End Office Switching Function,						0 0007662							I		·····	
End Office Trunk Port - Shared						0 000164					· · ·		ļ			
Tandem Switching (Port Usage) (Loc						0.0004040			├ ─────┊					· · · · · · · · · · · · · · · · · · ·		
Tandem Switching Function Pe						0 0001319										
Tandem Trunk Port - Shared, F						0 000235										
Tandem Switching Function Pe						0 000027185										
Tandem Trunk Port - Shared, F						0.000046434										
Melded Factor 20 61% of the	Tandem Rate															
Common Transport	Des MOUL					0 0000035					<u> </u>		<u> </u>			
Common Transport - Per Mile, Common Transport - Facilities						0 0004372							<u> </u>			
NBUNDLED PORT/LOOP COMBINATIONS -						0.000+072			-		[
Cost Based Rates are applied where		d/or Stat	te Co	mmission rule to	provide Unbun	died Local Swi	ching or Swite	h Ports			1		+· · ·			
Features shall apply to the Unbundle									d Port section	of thus Rate E	xhibit.		· · · · · · · · · · · · · · · · · · ·			
End Office and Tandem Switching U	sage and Common Transport Usa	age rate	s in th	ne Port section o	f this rate exhib	it shall apply to	all combination	ons of loop/po	rt network elem	ents except	for UNE Cor	n Port/Loop	Combinatio	15.		
The first and additional Port nonrecu	urring charges apply to Not Curre	ntly Co	mbine	d Combos, For	Currently Comb	ined Combos th	e nonrecurrin	a charges sha	II be those iden	tified in the N	onrecurring	- Currently	Combined	ections		
2-WIRE VOICE GRADE LOOP WITH 2		1			1	1			1		N					
UNE Port/Loop Combination Rates						1 1			1				Combined s			
2-Wire VG Loop/Port Combo - 2													Combined s			
2-Wire VG Loop/Port Combo - 2	Zone 1		1			10 94										
			1 2			10 94 15 05										
	Zone 2															
2-Wire VG Loop/Port Combo - 2 UNE Loop Rates	Zone 2		2			15 05										
2-Wire VG Loop/Port Combo - 2	Zone 2 Zone 3		2 3	UEPRX	UEPLX	15 05										
2-Wire VG Loop/Port Combo - 2 UNE Loop Rates	Zone 2 Zone 3) - Zone 1		2 3 1 2	UEPRX	UEPLX	15 05 25 80 9.77 13 88										
2-Wire VG Loop/Port Combo - 2 UNE Loop Rates 2-Wire Voice Grade Loop (SL1)	Zone 2 Zone 3 - Zone 1 - Zone 2		2 3 1 2			15 05 25 80 9.77										
2-Wire VG Loop/Port Combo - 2 UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1)	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3		2 3 1 2	UEPRX UEPRX	UEPLX UEPLX	15 05 25 80 9.77 13 88 24 63										
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1)	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 2 - Zone 3 Res)		2 3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	15 05 25 80 9.77 13 88 24 63 	53 31	26 46	27 50	8 37						
2-Wire VG Loop/Port Combo - UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (Zone 2 Zone 3) - Zone 1) - Zone 2 - Zone 3 Res) residence		2 3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	15 05 25 80 9.77 13 88 24 63 1 17 1.17	53 31	<u>26 46</u> 26 46	27 50	8 37						
2-Wire VG Loop/Port Combo - UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port -	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3 Res) residence th Caller ID - res		2 3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	15 05 25 80 9.77 13 88 24 63 		26 46								
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port 2-Wire voice unbundled port oil 2-Wire voice unbundled port oil	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jgoing only - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	15 05 25 80 9.77 13 88 24 63 1 17 1.17 1.17	53 31 53 31	26 46 26 46 26 46 26 46	27 50 27 50	8 37 8 37						
2-Wire VG Loop/Port Combo 2-Wire Voice Grade Loop (SL1) 2-Wire voice unbundled port - 2-Wire voice unbundled port o 2-Wire voice unbundled port o 2-Wire voice unbundled port o	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jgoing only - res a Area Calling with Caller ID - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	15 05 25 80 9.77 13 88 24 63 1 17 1.17	53 31	<u>26 46</u> 26 46	27 50	8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port 2-Wire voice unbundled port on 2-Wire voice unbundled port on 2-Wire voice unbundled Florida 2-Wire voice unbundled Florida 2-Wire voice unbundled sets, loo	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jgoing only - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF	15 05 25 80 9.77 13 88 24 63 	53 31 53 31 53 31	26 45 26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port 2-Wire voice unbundled port ou 2-Wire voice unbundled Florida 2-Wire voice unbundled Florida 2-Wire voice unbundles res, low (LLM)	Zone 2 Zone 3) - Zone 1) - Zone 2) - Zone 3 Res) residence th Caller ID - res Jgoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAP	15 05 25 80 9.77 13 88 24 63 	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37						
2-Wire VG Loop/Port Combo 2-Wire Voice Grade Loop (SL1) 2-Wire voice unbundled port of 2-Wire voice unbundled port of 2-Wire voice unbundled port of 2-Wire voice unbundled Florida	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jigoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF	15 05 25 80 9.77 13 88 24 63 	53 31 53 31 53 31	26 45 26 46 26 46 26 46	27 50 27 50 27 50	8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port 2-Wire voice unbundled port on 2-Wire voice unbundled port on 2-Wire voice unbundled Florida 2-Wire voice unbundles res, Ion (LLM) 2-Wire voice unbundled Florida	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jigoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRC UEPAF UEPAF UEPAP	15 05 25 80 9.77 13 88 24 63 117 1.17 1 17 1 17 1 17 1 17 1 17 1.17	53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port 2-Wire voice unbundled port ou 2-Wire voice unbundled port ou 2-Wire voice unbundled port ou 2-Wire voice unbundled Florida Calier ID capability	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jgoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID a extended dialing port without		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAF UEPAP	15 05 25 80 9.77 13 88 24 63 	53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire voice unbundled port of 2-Wire voice unbundled Florida	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jigoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPAP UEPA8	15 05 25 80 9.77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 1	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port 2-Wire voice unbundled port on 2-Wire voice unbundled port on 2-Wire voice unbundled Flonda D Capability	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 2 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jgoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID a extended dialing port without a Area Calling Port without Caller		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRC UEPAF UEPAF UEPAP	15 05 25 80 9.77 13 88 24 63 117 1.17 1 17 1 17 1 17 1 17 1 17 1.17	53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port or 2-Wire voice unbundled port or 2-Wire voice unbundled port or 2-Wire voice unbundled Florida Calier ID capability 2-Wire voice unbundled Florida ID Capability ID Capability	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 2 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jgoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID a extended dialing port without a Area Calling Port without Caller		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPA1 UEPA8 UEPA9	15 05 25 80 9.77 13 88 24 63 1 17 1.17 1 17 1 17 1.17 1.17 1.17 1.17	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire voice unbundled port 2-Wire voice unbundled Florida 1D Capability	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 2 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jgoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID a extended dialing port without a Area Calling Port without Caller		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPAP UEPA8	15 05 25 80 9.77 13 88 24 63 1 17 1 17 1 17 1 17 1 17 1 17 1 17 1 1	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port 2-Wire voice unbundled Flonda 1D Capability 2-Wire voice unbundled Flonda 1D Capability 2-Wire voice unbundled Low Us Capability FEATURES	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 2 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jgoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID a extended dialing port without a Area Calling Port without Caller		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPAF UEPA9 UEPA9 UEPRT	15 05 25 80 9.77 13 88 24 63 177 1.17 1 17 1 17 1.17 1.17 1.17 1.17	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port 2-Wire voice unbundled port or 2-Wire voice unbundled port or 2-Wire voice unbundled port or 2-Wire voice unbundled Florida Caller ID capability 2-Wire voice unbundled Florida ID Capability FEATURES All Features Offered	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 2 - Zone 2 - Zone 3 Res) residence th Caller ID - res Jgoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID a extended dialing port without a Area Calling Port without Caller		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPA1 UEPA8 UEPA9	15 05 25 80 9.77 13 88 24 63 1 17 1.17 1 17 1 17 1.17 1.17 1.17 1.17	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37 8 37						
2-Wire VG Loop/Port Combo UNE Loop Rates 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Loop (SL1) 2-Wire Voice Grade Line Port Rates (2-Wire voice unbundled port 2-Wire voice unbundled Flonda 1D Capability 2-Wire voice unbundled Flonda 1D Capability 2-Wire voice unbundled Low Us Capability FEATURES	Zone 2 Zone 3 - Zone 1 - Zone 2 - Zone 3 Res) residence th Caller ID - res ulgoing only - res a Area Calling with Caller ID - res w usage line port with Caller ID a extended dialing with Caller ID a extended dialing port without a Area Calling Port without a Area Calling Port without a Area Calling Port without		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF UEPAF UEPAF UEPA9 UEPA9 UEPRT	15 05 25 80 9.77 13 88 24 63 177 1.17 1 17 1 17 1.17 1.17 1.17 1.17	53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31 53 31	26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46 26 46	27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50 27 50	8 37 8 37 8 37 8 37 8 37 8 37 8 37 8 37						

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	/						
	Switch-as-is			UEPRX	USAC2		0 102	0 102	L							<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USACC		0 102	0 102					1			
	Switch with change			UEPRA	USACC		0 102	0 102			<u>├──</u> ──					
AUDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1					1						1
	Activity			UEPRX	USAS2	0.00	0.00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						8 33	0.83								
05510				UEPRX	URETL		0.33	0.65		<u> </u>	·		<u> </u>			
0+F/0	N PREMISES EXTENSION CHANNELS	ŀ	1	UEPRX	UEAEN	10 69	49 57	22 83	25 62	6 57				···		<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	15 20	49 57	22 83		6 57	t					<u> </u>
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPRX	UEAEN	26 97	49 57	22 83		6 57			i		1	T
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAED	12 24	135 75	82,47		12 01	1			i		
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	17 40	135.75	82.47		12 01						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	30 87	135,75	82.47		12 01						<u> </u>
INTER	OFFICE TRANSPORT		<u> </u>										· · · · · · · · · · · · · · · · · · ·		·	
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility										t					
1	Termination			UEPRX	U1TV2	25 32	47 35	31 78			j					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0 00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															<u> </u>
UNE P	ort/Loop Combination Rates		1			10 94			· · · · · · · · · · · · · · · · · · ·				l		·	
	2-Wire VG Loop/Port Combo - Zone 1		2			15 05					t					
	2-Wire VG Loop/Port Combo - Zone 2				++	25 80			· · · · · · · · · · · · · · · · · · ·		{					┢───
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			23 80				· · · · · · · · · · · · · · · · · · ·	t			· · · · · · · · · · · · · · · · · · ·		·
	oop Rates			UEPBX	UEPLX	9.77					l					<u>+</u>
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPBX	UEPLX	13 68					i				· · · · · · · · · · · · · · · · · · ·	
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	24 63										<u> </u>
0.146-14					OLFLA	24 03				· · · · · · · · · · · · · · · · · · ·						
2-99178	Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus		(UEPBX	UEPBL	1 17	53 31	26 46	27 50	8 37			· · · ·			<u> </u>
	2-Wire voice unbundled port with Caller + E484 ID - bus		<u> </u>	UEPBX	UEPBC	1 17	53 31	26 46								
				UEPBX	UEPBO	1 17	53 31	26 46		8 37	<u> </u>					<u>+</u>
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus	 -		UEPBX	UEPB1	1 17	53 31	26 46		8 37						
	2-Wire voice unbuilded incoming only port with caller ID - Bus 2-Wire voice unbuilded incoming Only Port without Caller ID		<u> </u>		OLI DI			20 40	2,00							t
	Capability			UEPBX	UEPBE	1 17	53 31	26 46	27 50	8 37				1		
LOCAL	NUMBER PORTABILITY							20 40	21.00					<u> </u>	· · · ·	
LUCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										— ——
FEATU					Liniox	0.00										
- FEAR	All Features Offered		<u> </u>	UEPBX	UEPVF	2 26	0 00	0 00						-		
NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															<u> </u>
NONIG	2-Wire Voice Grade Loop / Line Port Combination - Conversion -													-		<u></u>
1	Switch-as-is	(1	UEPBX	USAC2		0 102	0 102	1	1				1	ł	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				00.102				·		-					<u> </u>
	Switch with change			UEPBX	USACC		0 102	0 102					1			1
	IONAL NRCs		<u> </u>		1					1		·				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent										1					T
	Activity			UEPBX	USAS2		0 00	0 00			1			ļ		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>							1	1					1
	Premise			UEPBX	URETL		8 33	0 83								
OFF/O	N PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPBX	UEAEN	10 69	49 57	22 83								
	2 Wire Analog Voice Grade Extension Loop - Non-Design			UEPBX	UEAEN	15.20	49 57	22 83								
	2 Wire Analog Voice Grade Extension Loop - Non-Design		3	UEPBX	UEAEN	26.97	49 57	22 83								
	2 Wire Analog Voice Grade Extension Loop - Design		1	UEPBX	UEAED	12 24	135 75	82 47								
	2 Wire Analog Voice Grade Extension Loop - Design	_	2	UEPBX	UEAED	17.40	135 75	82 47		12.01						
	2 Wire Analog Voice Grade Extension Loop - Design			UEPBX	UEAED	30 87	135 75	82 47	63 53	12 01						
	OFFICE TRANSPORT		t							1	1		1			Г

UNBUNDL	ED NETWORK ELEMENTS - Florida				_ 						0.0.1.			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Literation Transment, Deducated, 2004an Marco Crado, Ecolity							Addi	11130	Auui	COMEO		00.00			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	25 32	47 35	31 78								ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	UITVM	0.0091	0 00	0 00								
2.WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	Port/Loop Combination Rates		·		++											
DNE	2-Wire VG Loop/Port Combo - Zone 1		1		++	10 94									1	1
	2-Wire VG Loop/Port Combo - Zone 2		2			15 05										1
	2-Wire VG Loop/Port Combo - Zone 2		3			25 80										
UNE	Loop Rates														· · · · ·	1
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9 77		······								1
			2	UEPRG	UEPLX	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	24 63					I					
	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	<u> </u>			24 00								·—		1
2-Wi	re Voice Grade Line Port Rates (RES - PBX)														1	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1 17	174 81	100 65	75 88	12 73						ļ
LOC	AL NUMBER PORTABILITY										<u> </u>				l	<u></u>
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15	0.00	0 00							ļ	4
FEAT	TURES														<u> </u>	
	All Features Offered			UEPRG	UEPVF	2 26	0.00	0 00			L					
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										<u> </u>					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1)			ļ]	
	Conversion - Switch-As-Is			UEPRG	USAC2		8 45	1 91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		8 45	1 91								
ADD	ITIONAL NRCs	· · · · ·														
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAS2	0 00	0 00	0 00								
	Subsequent Activity	<u> </u>	···	UEFNO	03/32	0.00		0.00						<u> </u>		1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 86	7 86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8 33	0 83								
OFF	ON PREMISES EXTENSION CHANNELS				0,1212						<u> </u>					1
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12 24	135 75	82 47	63 53	12 01						1
	Local Channel Voice grade, per termination			UEPRG	P2JHX	17 40	135 75	82 47	63 53	12 01						
				UEPRG	P2JHX	30 87	135 75	82 47	63 53	12 01						
	Local Channel Voice grade, per termination Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	12 92	120 38	43 56	95 00	10 54						1
	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	18 36	120 38	43 56	95 00	10 54				· · · · ·		1
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	32 58	120 38	43 56	95 00	10 54						
	ROFFICE TRANSPORT				0002A		120 00									
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
	Termination			UEPRG	U1TV2	25 32	47.35	31 78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0 0091	0.00	0 00			1			İ		1
2.14/1	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		+		-1	,					1		1	<u> </u>	1	1
	Port/Loop Combination Rates	<u> </u>	1								1			_	1	1
	2-Wire VG Loop/Port Combo - Zone 1	·	1 1			10 94					1				1	1
	2-Wire VG Loop/Port Combo - Zone 2		2			15 05					1					1
	2-Wire VG Loop/Port Combo - Zone 2		3	· · · · · · · · · · · · · · · · · · ·		25 80					1					T
LINE	Loop Rates		+													1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9 77				· · · · · · · · · · · · · · · · · · ·	T					1
	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	2	UEPPX	UEPLX	13 88					T				1	T
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPPX	UEPLX	24.63				1	1			1	1	1
2.141.	re Voice Grade Line Port Rates (BUS - PBX)		Ť	1							-			1		T
2-941			1	<u> </u>			I				1		· ·	1		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1 17	174 81	100 65	75 88	12 73	1					
	Line Side Unbundled Combination 2-Way PBX Honk Port - Bus		1	UEPPX	UEPPO	1 17	174 81	100 65	75 88	12 73						
	Line Side Unbundled Incoming PBX Trunk Port - Bus		+	UEPPX	UEPP1	1 17	174 81	100 65	75 88	12 73		-	1	<u> </u>		1
ı	2-Wire Voice Unbundled PBX LD Terminal Ports	└──	+	UEPPX	UEPLD	1 17	174 81	100 65	75 88	12 73		ŀ	<u> </u>			1

UNBUNDLED	NETWORK ELEMENTS - Florida			····	- -						Run C-4	Sun Outre		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incrementai Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Incrementa Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					1100011		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2	-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA UEPXB	1.17	174 81 174 81	100 65	75 88 75 88	12 73 12 73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX UEPPX	UEPXB	- 1 17	174.81	100 65	75 88	12 73				<u> </u>		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXC	1.17	174.81	100.65	75 88	12 73					+ • •	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port				UEFAD		1/4 01	100.00	13.00	12 75				· · · · ·		
	Capable Port			UEPPX	UEPXE	1 17	174 81	100 65	75 88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLFFA				100.00	10 00	12.70					1	
	Administrative Calling Port			UEPPX	UEPXL	1 17	174.81	100 65	75.88	12 73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		i —								[· · · ·				
	Room Calling Port			UEPPX	UEPXM	1 17	174 81	100 65	75 88	12 73				l		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital												1			
	Discount Room Calling Port			UEPPX	UEPXO	1 17	174 81	100 65	75 88	12 73					<u> </u>	
	2-Wire Vorce Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 17	174 81	100 65	75 88	12 73						
	NUMBER PORTABILITY															
IL IL	ocal Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0.00								
FEATUR	ES															
A	All Features Offered			UEPPX	UEPVF	2 26	0 00	0 00								1
NONREC	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		8 45	1 91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		ļ													
	Conversion - Switch with Change		·	UEPPX	USACC		8 45	1 91					-			
	NAL NRCs								· · · · · · · · · · · · · · · · · · ·						-	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEDOV	USAS2	0 00	0 00	0 00	1							
	Subsequent Activity			UEPPX	USA52	0.00	0.00	0.00						· · · · · · · · · · · · · · · · · · ·		1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7 86	7 86								
	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>				7 00	/ 00			i .					
	Premise			UEPPX	URETL		8 33	0 83						· ·	1	
	PREMISES EXTENSION CHANNELS			ULFFA								1		1		
	ocal Channel Voice grade, per termination		1	UEPPX	P2JHX	12 24	135 75	82 47	63 53	12 01		1				
	local Channel Voice grade, per termination		2	UEPPX	P2JHX	17 40	135 75	82 47	63 53	12 01						
	ocal Channel Voice grade, per termination		3	UEPPX	P2JHX	30 87	135 75	82 47	63 53	12 01			1			
	Von-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12 92	120 38	43 56	95 00	10 54		1				
	Von-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18 36	120 38	43 56	95 00	10 54						
N	Von-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	32 58	120 38	43 56	95 00	10 54						
INTEROF	FFICE TRANSPORT													1		
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	25 32	47 35	31 78			1		1	L	-	ļ
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile												1			
c	pr Fraction Mile	L		UEPPX	U1TVM	0 0091	0 00	0 00				-	ļ		L	
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	<u>11</u>												ļ		
UNE Por	t/Loop Combination Rates		<u> </u>			40.01							<u> </u>	-		
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10 94 15 05			J		<u> </u>			· · ·	+	
	2-Wire VG Coin Port/Loop Combo – Zone 2		2	<u> </u>		15 05 25 80					+	+	· · ·			
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23 80			├─── ┼		+	· · · · ·	<u> </u>		1	
	pp Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9 77					·	1				+ · ·
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	13 88										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	24 63					<u> </u>		1			1
	oice Grade Line Ports (COIN)		<u> </u>			2.00			· · · · · · · · · · · · · · · · · · ·			1		1		1
10	2-Wire Coin 2-Way with Operator Screening and Blocking 011,		· · · ·	[· · · · ·			1	1	i	-	1
	200/976. 1+DDD (FL)			UEPCO	UEP2F	1 17	53 31	26 46	27 50	8 37						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															1
	FL)		1	UEPCO	UEPFA	1,17	53 31	26 46	27 50	8 37			<u>'</u>			
	2-Wire Coin 2-Way with Operator Screening and Blocking		1													
9	000/976, 1+DDD, 011+, and Local (FL)		1	UEPCO	UEPCG	1,17	53 31	26 46	27 50	8 37						L
2	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	AL, FL)		1	UEPCO	UEPRK	1 17	53 31	26 46	27 50	8 37	1	1	1		ł	1

UNBUNDLE	D NETWORK ELEMENTS - Florida				- 	···-								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking				UTRAC			00.40	07.50	0.07				1	1	1
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1 17	53 31	26 46	27 50	8 37						
	2-Wire Coin Outward with Operator Screening and Blocking. 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1 17	53 31	26 46	27 50	8 37						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 17	53 31	26 46	27 50	8 37						
	2-Wire Coin Outward Smartline with 900/976 (all states except			02.00												
	LA)			UEPCO	UEPCR	1 17	53 31	26 46	27 50	8 37						
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 86	0 00	0 00	0 00	0 00				-	l	
LOCA	NUMBER PORTABILITY											·				<u> </u>
	Local Number Portability (1 per port)		<u> </u>	UEPCO	LNPCX	0 35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED	-														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0 102	0 102				i i				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						0.02	0.02							· · · · · ·	<u> </u>
	Switch with change			UEPCO	USACC		0 102	0 102				ļ				
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent														_	
	Activity			UEPCO	USAS2		0.00	0 00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPCÓ	URETL		8 33	0.83								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINEF		RES)												
UNEP	ort/Loop Combination Rates 2-Wire VG Loop/IQ Tranport/Port Combo - Zone 1		1			13 64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32 27										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		· · ·	ÜEPFR	UECF2	12 24								· · ·		
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	17 40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (Res)			UEPFR	UEPRL	1 40	174 81	100 65	75 88	12 73				· · · · · · · · · · · · · · · · · · ·		
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1 40	174 81	100 65		12,73						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRO	1.40	174.81	100 65		12 73						
·	2-Wile Voice and analed port outgoing only - res				01.10											1
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1 40	174 81	100 65	75 88	12 73						
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	1 40	174 81	100.65	75 88	12 73						
INTER	OFFICE TRANSPORT		·													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility					05.00	47.05	24 70							1	
	Termination		<u> </u>	UEPFR	U1TV2	25 32	47 35	31 78			<u> </u>				···	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0 0091	J		J j			J				
FEAT					120/01	0 0001										
	All Features Offered			UEPFR	UEPVF	2 26	0 00	0 00							· · ·	
LOCA	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0 35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															L
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						10.07					1	· ·			
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16 97	3 73						·	I	
[2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		l	UEPFR	USACC		16 97	3 73			1			1	1	
	Combination - Conversion - Switch-With-Change Unbundled Miscellaneous Rate Element, Tag Designed Loop at		<u> </u>	UEPER	USAUC		10.9/	313								
	End User Premise			UEPER	URETN		11 21	1 10						ł	}	
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT										,	1	<u> </u>	
	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13 64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18 80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3	1		32 27					1		L	<u>l</u>		

UNBUNDLED NETWORK E	LEWIEN 13 - FIORIUA										e	Sun Onder-		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
LING Loss Dates							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Loop Rates	le Loop (SL2) - Zone 1		1	UÉPFB	UECF2	12 24										
	e Loop (SL2) - Zone 2			UEPF8	UECF2	17 40			· · · · · · · · · · · · · · · · · · ·							
	e Loop (SL2) - Zone 3			UEPFB	UECF2	30 87			····							
2-Wire Voice Grade Line																
	ndied port without Caller ID - bus	-		UEPFB	UEPBL	1 40	174 81	100 65	75 88	12 73						
2-Wire voice unbu	ndled port with Caller + E484 ID - bus	1		UEPF8	UEPBC	1 40	174 81	100 65	75 88	12 73						
2-Wire voice unbu	ndled port outgoing only - bus			UEPF8	UEPBO	1 40	174 81	100 65	75 88	12 73						
	ndled incoming only port with Caller ID - Bus			UEPF8	UEPB1	1 40	174 81	100 65	75 88	12 73						
LOCAL NUMBER PORT																
	tability (1 per port)	l	<u> </u>	UEPF8	LNPCX	0 35			┨────┤							
INTEROFFICE TRANSPO		<u> </u>	ļ												<u> </u>	
Interoffice Transp Termination	ort - Dedicated - 2 Wire Voice Grade - Facility			UEPFB	U1TV2	25 32	47 35	31 78							1	
	t Deducated 2 Mire Veine Crade Bor Mile		<u> </u>	UEPFB	01172	20.32	47 35	3176	<u> </u>						l	
or Fraction Mile	ort - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	1L5XX	0 0091										
FEATURES				UCITIE .	120701	0 0001										
All Features Offer	ed		ł	UEPF8	UEPVF	2 26	0.00	0 00	ł – – †							
	SES (NRCs) - CURRENTLY COMBINED		t –						1							
	icated IO Transport / 2 Wire Line Port															
	version - Switch-as-is			UEPFB	USAC2		16 97	3 73	[]							
	icated IO Transport / 2 Wire Line Port	1														
Combination - Co	version - Switch with change			UEPFB	USACC		16 97	3 73								
Unbundled Misce	laneous Rate Element, Tag Designed Loop at															
End User Premise		1		UEPFB	URETN		11 21	1,10								
	VIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (PBX)												
UNE Port/Loop Combina																
) Tranport/Port Combo - Zone 1		1			13 64										
	D Tranport/Port Combo - Zone 2		2			18 80 32 27									-	
UNE Loop Rates	D Tranport/Port Combo - Zone 3		3			32 21									 	
	e Loop (SL2) - Zone 1		1	UEPFP	UECF2	12 24					· · · · · · · · · · · · · · · · · · ·				<u> </u>	
	e Loop (SL2) - Zone 1 e Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
	e Loop (SL2) - Zone 3		3	UEPFP	UECF2	30 87										
2-Wire Voice Grade Line																
															1	i
Line Side Unbund	led Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1 40	174 81	100 65	75 88	12 73	1					
Line Side Unbund	led Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1 40	174 81	100 65	75 88	12,73						
	led Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1 40	174 81	100 65		12.73						
	undled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174 81	100 65	75 88	12 73						
	Indied 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1 40	174.81	100 65	75 88	12 73						
	Indled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1 40	174 81	100 65	75 88	12.73						
	Indied PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100 65	75 88	12 73						
	Indled PBX LD Terminal Switchboard Port	ļ		UEPFP	UEPXD	1 40	174 81	100 65	75 88	12 73						
	Indled PBX LD Terminal Switchboard IDD			UEPFP		1 40	174 81	100 65	75 88	12 73						
Capable Port	Indied 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXE	140	1/4 01	100 65	/5 00	1273						
Administrative Cal				UEPFP	UEPXL	1 40	174.81	100 65	75.88	12.73						
	Indied 2-Way PBX Hotel/Hospital Economy			UEFFF		140	174.01	100.00	13.00	12.73	ł				i	
Room Calling Por				UEPFP	UEPXM	1.40	174.81	100 65	75 88	12 73						
	indied 1-Way Outgoing PBX Hotel/Hospital	· · · · ·								.2.0					1	1
Discount Room G				UEPFP	UEPXO	1 40	174 81	100 65	75.88	12.73				.	1	
	Indied 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1 40	174 81	100 65	75 88	12 73						
LOCAL NUMBER PORTA		1														
Local Number Por	tability (1 per port)			UEPFP	LNPCP	3 15	0 00	0 00					1			
INTEROFFICE TRANSPO																
	ort - Dedicated - 2 Wire Voice Grade - Facility	1													-	
Termination		1	<u> </u>	UEPFP	U1TV2	25.32	47.35	31 78								

	D NETWORK ELEMENTS - Florida								·		lou out	Sun Col		ment: 2		bit: A
ATEGÓRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN_	SOMAN
1	or Fraction Mile			UEPFP	1L5XX	0 0091										
FEATU																
	All Features Offered			UEPFP	UEPVF	2 26	0.00	0 00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		ļ.,													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USAC2		16 97	3 73								
	Combination - Conversion - Switch with change			UEPFP	USACC		16 97	3 73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at						10 97	313					<u> </u>			
	End User Premise			UEPFP	URETN		11 21	1 10								
BUNDLED P	ORT/LOOP COMBINATIONS - COST BASED RATES										†					
2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1													
UNE Po	nt/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			20 95										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26 11										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			39 58										
	op Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	12 24					I					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		2	UEPPX	UECD1	17 40										
	2-wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30 87										
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	871	214 16	98 29								
	CURRING CHARGES - CURRENTLY COMBINED			UEFFA	UEFUI	0/1	214 10	96 29								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		7 85	1 87					j			
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		<u> </u>		DOADT			101								
	with BellSouth Allowable Changes			UEPPX	USA1C		7 85	1 87							-	
ADDIT	ONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32 26	32 26		·······						
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPPX	URETN		11 21	1 10								
	one Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0 00	0 00								
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers Additional DID Numbers for each Group of 20 DID Numbers				NDZ ND4	0 00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers , Per Number		ļ	UEPPX		0 00	0 00	0 00								
	Reserve Non-Consecutive DID numbers			UEPPX UEPPX	ND5 ND6	0 00	0.00	0 00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0 00	0.00								
	NUMBER PORTABILITY			ULITA		- 000		000								
- 200/12	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15	0 00	0 00								
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT			0,0		0.00								
	rt/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 1	1	1	UEPPB UEPPR	2	22 63					i l				1	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -				1											
	UNE Zone 2		2	UEPPB UEPPR	1	29 05										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 3	_	3	UEPPB UEPPR		45 84			-							
	op Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15 25					L					
	2 Wire ISDN Divitel Grade Loop LINE Zone 3		2		URIAN	24.67										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3			UEPPB UEPPR UEPPB UEPPR		21 67										
UNE Po			3	UEPPB UEPPR	USLZX	38 46							<u>`</u>			
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	7 38	194 52	145 09								
	CURRING CHARGES - CURRENTLY COMBINED		_	ULFFB ULFFR		1 30	194 52	145 09			<u> </u>					

UNBUNDL	ED NETWORK ELEMENTS - Florida											·———			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	SCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)	00141	SOMAN
·		···-						First	Add'l	First	Adďi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion				UEPPR	USACB	0.00	25 22	17 00								
	TIONAL NRCs	· · ·			<u>OLITIK</u>		- 000								-		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at											<u> </u>			ļ		
	End User Premisé			UEPPB	UEPPR	URETN		11 21	1 10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	F													Ì		1
	Premise			UEPPB	UEPPR	URETL		8.33	0 83								i
LOCA	Local Number Portability (1 per port)			UEPPB	UEPPR	I NPCX	0.35	0 00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:	<u> </u>	+			Lin ox	0.00										
<u> </u>	CVS/CSD (DMS/5ESS)		-	UEPPB	UEPPR	U1UCA	0.00	0.00	0 00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0 00	0.00	0 00			ļ					L
	CSD			UEPPB	UEPPR	U1UCC	0.00	0 00	0 00			<u> </u>					ļ
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, 8	<u>⊾ TN)</u>				├ ────┤					<u> </u>					<u> </u>
USER	TERMINAL PROFILE	<u> </u>		UEPPB	UEPPR	U1ÚMA	0 00	0.00	0.00			<u> </u>					
VEDT	User Terminal Profile (EWSD only)	<u> </u>	+	UEPPB	UEPPR	UTUWA		0.00	0.00			t					
VERI	All Vertical Features - One per Channel B User Profile		-	UEPPB	UEPPR	UEPVE	2 26	0.00	0.00			<u> </u>	-				
INTE	ROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and											1					
	facilities termination				UEPPR	M1GNC	25 3291	47 35	31 78	18.31	7 03						ļ
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0 0091	0 00	0 00								ļ
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	<u> </u>	l <u>.</u>	. <u> </u>						l	L					l
The	NE-P DS1 combination rates below for in this rate exhibit apply ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	y to the	embed	ded base	in place a	s of 10/2/03 L	mant shall be r	er 4/1/04 these	rates shall rev	vent to tarm rat	es or a separa	te commerci	ral agreeme	nt,			<u> </u>
Kequ LINE	ests for 4-wire DST Digital Loop with 4-wire ISDN DST Digital T Port/Loop Combination Rates			i the effect	suve uate c	triis ameriu	inent stat ber	biovided puise	ant to a separ	ate agreement			Screatin.				
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		+														
	Zone 1		1	UEPPP			153 48										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE												:				
	Zone 2		2	UEPPP		ļ	183 28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	1.									1					1
	Zone 3		3	UEPPP			261 12										
UNE	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70 74					<u> </u>				<u>.</u>	
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	100 54									·	
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	178 38										
UNE	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port (E.4/1/2004)			UEPPP		UEPPP	82 74	488 36	276 65								ļ
NONE	RECURRING CHARGES - CURRENTLY COMBINED	——														ļ	<u> </u>
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1	UEPPP		USACP	0.00	84 17	61 38	ļ	1	1] [ļ]	1
400	Combination - Conversion -Switch-as-is (E 4/1/2004)	<u> </u>		UEPPP		03407		04 17	01.30								
ADDI	4-Wire DS1 Loop/4-W ISDN Digti Trk Port - Subsqt Actvy-	<u> </u>		<u> </u>								<u> </u>					
	Inward/two way Tel Nos (except NC)			UEPPP		PR7TF		0 5412									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)	I		UEPPP		PR7TO		12 71	12 71	L	L	L	I			ļ	Ļ
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -								05.15						1		
	Subsequent Inward Tel Numbers	<u> </u>		UEPPP		PR7ZT		25 42	25.42					<u> </u>		l	
LOCA	Local Number Portability (1 per port)		<u> </u>	UEPPP		LNPCN	1 75	<u> </u>									
INTER	RFACE (Provsioning Only)	<u> </u>	+							· · · · · · · · · · · · · · · · · · ·		<u> </u>				<u>├</u>	<u> </u>
	Voice/Data		1	UEPPP		PR71V	0.00	0 00	0 00			<u> </u>			-	i	
	Digital Data	<u> </u>		UEPPP		PR71D	0.00	0 00	0 00								
	Inward Data			UEPPP		PR71E	0 00	0 00	0.00								L
New	or Additional "B" Channel											ļ		· · · · · · · · · · · · · · · · · · ·	ļ		L
	New or Additional - Voice/Data B Channel	<u> </u>	-	UEPPP		PR7BV	0 00	15 48				┫─────	l				<u> </u>
<u> </u>	New or Additional - Digital Data B Channel	<u> </u>		UEPPP		PR7BF PR7BD	0 00	15 48 15 48			· · · · · · · · · · · · · · · · · · ·	<u> </u>					
	New or Additional Inward Data B Channel TYPES		1	UEPPP		FRIBU	0.00	15 48				+	<u> </u>			}	
		l	L	1							l	<u> </u>	۱ <u>ــــــــــــــــــــــــــــــــــــ</u>	<u> </u>		L	

UNBUNDLED	D NETWORK ELEMENTS - Florida	r	r								T <u>a</u>	<u> </u>		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs Electronic Disc Add'
						Rec	Nonree			g Disconnect	1			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0 00		0 00			L					
	Outward			UEPPP	PR7CO	0.00		0 00			ļ					
	Two-way			UEPPP	PR7CC	0 00	0.00	0 00			ļ					
	ice Channel Mileage										ļ					L
	Fixed Each Including First Mile			UEPPP	1LN1A	88 6256	105 54	98 47	21 47	19 05						<u> </u>
	Each Airline-Fractional Additional Mile	I	ļ	UEPPP	1LN1B	0 1856			·		<u> </u>				·	<u> </u>
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<u> </u>		6 4 9 19 19 2					1			~			
The UN	E-P DS1 combination rates below for in this rate exhibit appl	y to the	embec	ided base in place a	S OF 10/2/03 L	indi 4/1/04. At	ter 4/1/04 these	rates snall re	for Ball South'	es or a separa	te commerc	lai agreeme	i			
	its for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff		late of	inis amendment sna	ili de provide	d pursuant to	a separate agri	ement or tarn	at Densouth s					<u> </u>	(·	<u> </u>
	art/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		125 69	1			+	+		·			<u> </u>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<u> </u>		UEPDC		125 09	<u> </u>				†					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		233.33				<u> </u>	1					
	pop Rates	<u>}</u> − −	<u> </u>		<u> </u>	200.00	1			1	1	· · · · · · · · · · · · · · · · · · ·		<u> </u>		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70 74		_	·		1		· · · · · · · · · · · · · · · · · · ·			
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100 54										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178 38			-							
UNE Po											1					
	4-Wire DDITS Digital Trunk Port (E 4/1/2004)			UEPDC	UDD1T	54 95	464 86	259 23								
	CURRING CHARGES - CURRENTLY COMBINED		1													
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E.4/1/2004)			UEPDC	USAC4		95 31	46 71								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E 4/1/2004)		I	UEPDC	USAWA		95 31	46 71								
_	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	(([1		1	ł		1
	- Conversion with Change - Trunk (E.4/1/2004)	L		UEPDC	USAWB		95 31	46 71			<u> </u>					
	ONAL NRCs				L											l
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -						10.00									
	Subsequent Channel Activation/Chan - 2-Way Trunk			VEPDC	UDTTA		15 69	15 69								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	1			UDTTO		15 69	15 69	ł		1					
	Channel Activation/Chan - 1-Way Outward Trunk	<u> </u>		UEPDC	UDITB		13 69	15 69				<u> </u>				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDITC		15 69	15 69			1					1
	Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan		<u> </u>		UDITO		13 08	15 65								
	Activation Per Chan - Inward Trunk with DID	1		UEPDC	υρττο		15 69	15 69							1	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			06-00			10.00	10 00								
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15 69	15 69								
	AR 8 ZERO SUBSTITUTION			00,00						·	1					
	B8ZS -Superframe Format		<u>.</u>	UEPDC	CCOSF		0 001	655 00s								
	B8ZS - Extended Superframe Format		-	UEPDC	CCOEF		0 001	655.00s								
	te Mark Inversion						1			I						
	AMI -Superframe Format		<u> </u>	UEPDC	MCOSF		0.00	0 00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			ÜEPDC	UDTGX	0 00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00			L	ļ	ļ		·'			
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	<u> </u>			l	ļ					ļ
	DID Numbers, Establish Trunk Group and Provide First Group				l											ł
	of 20 DID Numbers	<u> </u>	<u> </u>	UEPDC	NDZ	0.00	0.00	0.00			ļ					
	DID Numbers for each Group of 20 DID Numbers	I	ļ	UEPDC	ND4	0.00								<u> </u>	<u> </u>	┣━━━
	DID Numbers, Non- consecutive DID Numbers , Per Number	L		UEPDC	ND5	0.00			<u> </u>		 		<u> </u>	J	ļ	<u> </u>
	Reserve Non-Consecutive DID Nos		ļ	UEPDC	ND6 NDV	0.00	0 00	0 00								<u> </u>
	Reserve DID Numbers ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Dimite		UEPDC		000	000	0.00			 					
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			with 4-wire DDI 5			<u> </u>			t			ļ,			
	Interoffice Channel Milleage - Fixed rate 0-8 milles (Facilities		ļ	UEPDC	1LNO1	88 44	105 54	98 47	21 47	19 05	<u> </u>					<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 1856	0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0 00	0 00	0 00	1							
	Interoffice Channel Mileage - Additional rate per mile - 9-25			ULF DO		000	0.00	0.00								
	miles			UEPDC	1LNOB	0 1856	0 00	0 00						l l		
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0 00	0 00	0.00	0 0 0							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 1856	0 00	0 00								
├ ── ├ ──	Local Number Portability, per DS0 Activated		<u> </u>	UEPDC	LNPCP	3 15	0.00	0.00	Ö 00		·			·		<u> </u>
	Central Office Termininating Point			UEPDC	CTG	0 00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	system can have up to 24 combinations of rates depending on IE-P DS1 combination rates below for 4-Wire DS1 Loop with C					ly to the or h-	dded been 'm		202	Affer 4/4/04	these sets -	aball must	to have the nation			<u> </u>
	te-P DS1 combination rates below for 4-wire DS1 Loop with C sts for 4-Wire DS1 Loop with Channelization with Port after the											snall revert	to tariff rates	or a separate	agreement	
	St Loop	e enect	I VE LIAU	e or ans amendmen	anan be pro	Finden pursuan	t to a separate	agreement or	ann at beilio	un s uiscretit						
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70 74	0.00	0.00			<u> </u>					<u>+</u>
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100 54	0 00	0 00						1		
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178 38	0 00	0.00								1
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118 06	0 00	0 00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236 12	0 00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s		ļ	UEPMG	VUM96	472 24	0 00	0.00	<u> </u>							
	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s		-	UEPMG UEPMG	VUM14 VUM19	708 36	0.00	0.00	· · · · · · · · · · · · · · · · · · ·							
	240 DS0 Channel Capacity - 1 per 10 DS1s		-	UEPMG	VUM20	1,180 60	0.00	0.00			ł			·		
	288 DS0 Channel Capacity - 1 per 12 DS1s		-	UEPMG	VUM28	1,416 72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888 96	0 00									
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4Q	2,361 20	0.00	0 00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833 44	0 00	0 00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305 68	0 00	0 00								
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									i
	mum System configuration is One (1) DS1, One (1) D4 Channel															<u> </u>
Multipl	es of this configuration functioning as one are considered Ad NRC - Conversion (Currently Combined) with or without	id i arte	r the m	mmum system con	Tiguration is	counted.										<u> </u>
	BellSouth Allowed Changes			UEPMG	USAC4	0 00	96 77	4 24								
System	Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nelizat													
	ot Currently Combined) in all states, except in Density Zone 1															
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation (E.4/1/2004)			UEPMG	VUMD4	0 00	726 11	468 21	145 32	17 24						ł
Bipola	r 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent		<u> </u>		<u> </u>											
	Activity Only			UEPMG	CCOSF	0.00	0.00	655 00s								1
	Clear Channel Capability Format - Extended Superframe -				00000	0.00	0.001	000 005								
	Subsequent Activity Only			UEPMG	CCOEF	0 00	0 00	655 00s]	
Alterna	te Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0 00	0 00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													ļ
Exchar	Ige Ports Line Side Combination Channelized PBX Trunk Port - Business		<u> </u>													<u> </u>
	(E:4/1/2004)		1	UEPPX	UEPCX	1 40	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business		-			140	0.00	0.00		0.00						
	(E 4/1/2004)			UEPPX	UEPOX	1 40	0.00	0 00	0.00	0 00				1	1	
	Line Side Inward Only Channelized PBX Trunk Port without DID		1										,			
	(E.4/1/2004)			UEPPX	UEP1X	1 40	0 00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			10000	UEBELL											
	(E 4/1/2004)			UEPPX	UEPDM	8 71	0 00	0.00	0.00	0 00	-					<u> </u>
Feature	e Activations - Unbundled Loop Concentration		[L	L		(i							<u> </u>

MOUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	Exhil	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementat Charge - Manual Svc Order vs Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0 6402	25 40	13 41	3 96	3.93					1	
	Bank Feature (Service) Activation for each Trunk Port Terminated in			UEPPA		0 6402	25 40	13 4 1	390	3.85						
	D4 Bank			UEPPX	1PQWU	0 6402	78 16	18 42	56.03	10 95				[
Teleph	one Number/ Group Establishment Charges for DID Service				1.7 2.1.9											
1010011	DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00	0 00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)		<u> </u>	UEPPX	NDZ	0 00	0 00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0 00	0 00								
Local	Number Portability													l		
	Local Number Portability - 1 per port	Į	1	UEPPX	LNPCP	3 15	0 00	0 00								
	RES - Vertical and Optional														-	
Local	Switching Features Offered with Line Side Ports Only		L													••••••
	All Features Available		L	UEPPX	UEPVF	2 26	0 00	0.00								
	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE			L												
	Based Rates are applied where BellSouth is required by FCC															
2 Feat	ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport	ost Bas	ed Rat	e section in the sa	ame manner as	they are applie	d to the Stand	Alone Unbun	alea Port section	on of this Rate	EXHIDIC.	ala Dastil a	an Cambinat			
appiya	Iso and are categonzed accordingly ket Rates for Unbundled Centrex Port/Loop Combination will												r	1		
			otiated	on an Individual I	Case Basis, un	al further notice	ə									
UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		otiated	on an Individual	Case Basis, un	al further notice	ə									
UNE-P 2-Wire	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo		otiated	on an Individual	Case Basis, un	al further notice	a									
UNE-P 2-Wire	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only			on an Individual	Case Basis, un	al further notice	3.									
UNE-P 2-Wire	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo pr/Loop Combination Rates (Non-Design)			on an Individual	Case Basis, un	11 further notice	3.									
UNE-P 2-Wire	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo prt/Loop Combination Rates (Non-Design)]-2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	UEP91	Case Basis, un	10 94	3.									
UNE-P 2-Wire	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		1		Case Basis, un		3.									
UNE-P 2-Wire	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo prt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design		1	UEP91 UEP91	Case Basis, un	10 94 15 05	B.									
UNE-P 2-Wire UNE P	CENTREX 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)]2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		1	UEP91	Case Basis, uni	10 94	B.									
UNE-P 2-Wire UNE P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo pr/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 7/Loop Combination Rates (Design)		1	UEP91 UEP91	Case Basis, uni	10 94 15 05	B.									
UNE-P 2-Wire UNE P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo prt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1 2 3	UEP91 UEP91 UEP91	Case Basis, uni	10 94 15 05 25 80	2.									
UNE-P 2-Wire UNE P	CENTREX 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP91 UEP91	Case Basis, uni	10 94 15 05	2.									
UNE-P 2-Wire UNE P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 7/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1 2 3	UEP91 UEP91 UEP91 UEP91	Case Basis, un	10 94 15 05 25 80 13 41	2. 									
UNE-P 2-Wire UNE P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo or/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 2 3	UEP91 UEP91 UEP91	Case Basis, un	10 94 15 05 25 80	2. 									
UNE-P 2-Wire UNE P	CENTREX 14ES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91	Case Basis, un	10 94 15 05 25 80 13 41 18 57	2									
UNE-P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 7://Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design		1 2 3 1 2	UEP91 UEP91 UEP91 UEP91	Case Basis, un	10 94 15 05 25 80 13 41	2. 									· · · · · · · · · · · · · · · · · · ·
UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91		10 94 15 05 25 80 13 41 18 57 32.04	2.									
UNE-P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Bate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1 2 3 1 2 3 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	10 94 15 05 25 80 13 41 18 57 32.04 9 77										
UNE-P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 7-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	10 94 15 05 25 80 13 41 18 57 32.04 9 77 13 88										
UNE-P	CENTREX 1AES - (Valid in AL, FL, GA, KY, LA, MS, & TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo pr/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3		1 2 3 1 2 3 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1	10 94 15 05 25 80 13 41 18 57 32.04 9 77 13 88 24 63										
UNE-P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 1 2 3 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 977 13 88 24 63 12.24										
UNE-P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo prt/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 7t/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Besign 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS1 UECS2 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 9 77 13 88 24 63 12.24 17 40	2. 									
UNE-P	CENTREX 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 2 3 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 977 13 88 24 63 12.24										
UNE P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 -Wire Voice Grade Loop (SL 2) - Zone 3 -W		1 2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS1 UECS2 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 9 77 13 88 24 63 12.24 17 40										
UNE P	CENTREX 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		1 2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS1 UECS2 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 9 77 13 88 24 63 12.24 17 40	53 31	26 46	27 50	8 37						
UNE P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo prfLoop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 7t/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo 2-Besign 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grad		1 2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 9 77 13 88 24 63 12.24 17 40 30.87		<u>26 46</u> 26 46	27 50	<u> </u>						
UNE P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 - 2-Wire Voice Grade Loop (SL 2) - Zone 3 - 2-Wire Voice Grade Loop (SL 2) - Zone 3 - 7ts - Stis - Stis - Stase Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area		1 2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 9 77 13 88 24 63 12.24 17 40 30.87 	53 31									
UNE P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Pesign 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 0-100000000000000000000000000000000000		1 2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 9 77 13 88 24 63 12.24 17 40 30.87 1 17 1 17 1 17 1 17	53 31 53 31 53 31	26 46 26 46	27 50 27 50	8 37						
UNE P	CENTREX - 1AES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo orf/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 - Tris es (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex Nith Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex rom diff Serving Wire Center) Note 2, 3 Basic Local Area		1 2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS1 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 977 13 88 24 63 12.24 17 40 30.87 1 17 1 17 1 17 1 17 1 17 1 17	53 31 53 31 53 31 53 31 139 49	26 46 26 46 86 10	27 50 27 50 65 41	8 37 8 37 13 81						
UNE P	CENTREX - 14ES - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo rifLoop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 3-Its es (Except North Carolina Sout Carolina) 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex Inter ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex Inter ID)Note1 Basic Local Area 2-Wire Voice Grade Port (Centrex Inter ID)Note1 Basic Local Area		1 2 3 1 2 3 1 2 3 1 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2	10 94 15 05 25 80 13 41 18 57 32.04 9 77 13 88 24 63 12.24 17 40 30.87 1 17 1 17 1 17 1 17	53 31 53 31 53 31	26 46 26 46	27 50 27 50	8 37						

UNBUNDLE	D NETWORK ELEMENTS - Florida										I = ··· =			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
				ļ		Rec	Nonrec		Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		_					First	Add'l	First	Add I	SUMEC	SUMAN	SUMAN	JOMAN	SUMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1 17	53 31	26 46	27 50	8 37	[
Georg	ia and Florida Only		1								1					
0:019	2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	1 17	53 31	26.46	27 50	8 37					l	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1 17	53 31	26 46	27 50	8 37					ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1 17	53.31	26 46	27 50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPHM	1 17	139 49	86 10	65 41	13 81						ļ
1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1		100017	1 17	139 49	86 10	65 41	13 81				1		
	Service Term			UEP91	UEPHZ	117	139 49	01.00	0541	13 61						+
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1 17	53 31	26 46	27 50	8 37				1		
	2-Wire Voice Grade Port terminated in on Megalink of equivalent		+	UEP91	UEPH2	1 17	53 31	26.46	27 50	8 37	1	l				
Local	Switching		1	02.01	02.								[
Local	Centrex Intercom Funtionality, per port			UEP91	URECS	0 7384						1				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0 35									<u> </u>	
Featur	res														ļ	
	All Standard Features Offered, per port			UEP91	UEPVF	2 26							ļ		l	·
	All Select Features Offered, per port		1	UEP91	UEPVS	0 00	370 70				· · · · · · · · · · · · · · · · · · ·					-
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2 26					<u> </u>					+
NARS				UEP91	UARCX	0.00	0 00	0 00	0 00	0 00						
	Unbundled Network Access Register - Combination			UEP91	UAR1X	0 00	0 00	0.00	0.00	0.00		1				
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0 00	0 00	0 00	0 00	0,00						1
Miece	Illaneous Terminations		+		0,											
	e Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8 73										
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25 32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0 0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	e														
D4 Ch	annel Bank Feature Activations		-			0 66										+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP91	1PQWS	0.00					+					+
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0 66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0 66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0 66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1POWO	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP91	1PQWA	0 66										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed										1					
	changes, per port			UEP91	USAC2		21 50	8 42				L				
	Conversion of Existing Centrex Common Block	ļ		UEP91	USACN		5 17	8 32			+		L	+		+
	New Centrex Standard Common Block		+	UEP91	MIACS	0.00	618 82 618 82		· · ·	· ·					+	+
	New Centrex Customized Common Block			UEP91 UEP91	M1ACC M2CC1	0.00	618 82				+					
	Secondary Block, per Block		+	UEP91	URECA	0.00	66.48				+	<u> </u>	·	1		+
I INE F	NAR Establishment Charge, Per Occasion CENTREX - 5ESS (Valid in All States)		+		UNCOR							1	1		1	+
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		+								1		· · ·			1
	Port/Loop Combination Rates (Non-Design)		+	1	1											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	UEP95												

Non-Design 2-Wire VG Loop/2-W Non-Design UNE Port/Loop Combination 2-Wire VG Loop/2-W Design UNE Loop Rate 2-Wire Voice Grade 2-Wire	RATE ELEMENTS /2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- - 	2 2	BCS	usoc	Rec		RATES (\$)				Submitted Manuality	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs.
2-Wire VG Loop/2-W Non-Design 2-Wire VG Loop/2-W Non-Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade 3-Einer Voice Grade 2-Wire	/2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- -	2 2		USOC	Bec		RATES (\$)			Elec	Manuality	Manual Svc Order vs. Electronic-	Manual Svc Order vs.	Manual Svc Order vs.	Manual Sv
2-Wire VG Loop/2-W Non-Design 2-Wire VG Loop/2-W Non-Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade 2-Wire	/2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- -	2 2		USOC	Bec		RATES (\$)					Order vs. Electronic-	Order vs.	Order vs.	
2-Wire VG Loop/2-W Non-Design 2-Wire VG Loop/2-W Non-Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade 2-Wire	/2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- -	2 2			Bec		RATES (\$)			per LSR	per LSR	Electronic-			Order vs.
2-Wire VG Loop/2-W Non-Design 2-Wire VG Loop/2-W Non-Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade 3-Since Context 2-Wire Voice Grade 2-Wire Voice Gra	/2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex)Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	-	2			Rec					per Loix		Electronic-			0.001.001
Non-Design 2-Wire VG Loop/2-W Non-Design UNE Port/Loop Combination 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TM FL & GA Only 2-Wire Voice Grade	/2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- - 				Bec								Electronic-		Electronic-
Non-Design 2-Wire VG Loop/2-W Non-Design UNE Port/Loop Combination 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TM FL & GA Only 2-Wire Voice Grade	/2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- - 				Bec										
Non-Design 2-Wire VG Loop/2-W Non-Design UNE Port/Loop Combination 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TM FL & GA Only 2-Wire Voice Grade	/2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- - 				Rec				,			1st	Add'l	Disc 1st	Disc Add'l
Non-Design 2-Wire VG Loop/2-W Non-Design UNE Port/Loop Combination 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TM FL & GA Only 2-Wire Voice Grade	/2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- - 				Rec -	Nonrec	urnng	Nonrecurring	Disconnect			OSS	Rates (\$)		
Non-Design 2-Wire VG Loop/2-W Non-Design UNE Port/Loop Combination 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TM FL & GA Only 2-Wire Voice Grade	/2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- - 					First	Add'l	First	Add'[SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-Design 2-Wire VG Loop/2-W Non-Design UNE Port/Loop Combination 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TM FL & GA Only 2-Wire Voice Grade	/2-Wire Voice Grade Port (Centrex)Port Combo nation Rates (Design) /2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo	- - 		LISDOS	1 1		11151	Addi	1.00							
2-Wire VG Loop/2-W Non-Design UNE Port/Loop Combination 2-Wire VG Loop/2-W Design 2-Wire Voce Grade Basic Local Area 2-Wire Voce Grade	nation Rates (Design) /2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo)-				15 05	i [. 1		1			1 1	(
Non-Design UNE PortLoop Combination 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade	nation Rates (Design) /2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo)-	3	000000												
UNE Port/Loop Combination 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design UNE Loop Rate 2-Wire Voice Grade 3-2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 3-2-Wire Voice Grade 2-Wire Voice Grade 2-Wir	/2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo		1 3		1 1	05.00	i 1	1		,		. 1	1 1	1 /		
2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design UNE Loop Rate 2-Wire Voice Grade 2-Wire Voice Grade 3-2-Wire Voice Grade 2-Wire Voice Grade 3-2-Wire Voice Grade 3-2-Wire Voice Grade 3-2-Wire Voice Grade 3-2-Wire Voice Grade 3-2-Wire Voice Grade 2-Wire Voice Grade 2-Wi	/2-Wire Voice Grade Port (Centrex) Port Combo /2-Wire Voice Grade Port (Centrex)Port Combo		+	UEP95		25 80	i							'		
Design 2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade	/2-Wire Voice Grade Port (Centrex)Port Combo						<u> </u>	l			i		L	└──── ′		
2-Wire VG Loop/2-W Design 2-Wire VG Loop/2-W Design 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TN d FL & GA Only 2-Wire Voice Grade 2-Wir							i I	i l		,		.	1 1	1		
Design 2-Wire VGL Loop/2-W Design UNE Loop Rate 2-Wire Voice Grade 2-W		-	1	UEP95		13 41	<u> </u>						L	'		
2-Wire VG Loop/2-W Design UNE Loop Rate 2-Wire Voice Grade 2-Wire Voice G	2-Wire Voice Grade Port (Centrex)Port Combo						i l	(P		1		. 1	i '	1 /		
2-Wire VG Loop/2-W Design UNE Loop Rate 2-Wire Voice Grade 2-Wire Voice G	/2-Wire Voice Grade Port (Centrex)Port Combo		2	UEP95		18 57	i i						<u> </u>	<u> </u>		
Design UNE Loop Rate 12-Wire Voice Grade 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TN G FL & GA Only 2-Wire Voice Grade 2-Wi	- v 2	-	1				i – I	,				. 1	i '	1 /		
UNE Loop Rate 2-Wire Voice Grade			3	UEP95		32 04	(I	, I				!	<u> </u>	L '		
2-Wire Voice Grade 2-Wire Voice Grad		1	1	T				,,,					1			
2-Wire Voice Grade 2-Wire Voice Grad	ade Loop (SL 1) - Zone 1	+	1	UEP95	UECS1	9.77	(f	····· /	l				·	· · · · · ·		
2-Wire Voice Grade 2-Wire Voice Grad		+		UEP95	UECS1	13 88			i				[
2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade UNE Port Rate All States 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade 3-Wire Voice Grade 3-Wire Voice Grade 2-Wire Voice Grade 2-Wir		+		UEP95	UECS1	24 63	 	I	+		-		J	t		
2-Wire Voice Grade 2-Wire Voice Grad						12 24	i	!				ł	jł	[
2-Wire Voice Grade UNE Port Rate All States 2-Wire Voice Grade 3-Basic Local Area 2-Wire Voice Grade 3-Basic Local Area 2-Wire Voice Grade 3-Basic Local Area 2-Wire Voice Grade 2-Wire				UEP95	UECS2		i	l	····				i	<u> </u>		
UNE Port Rate All States 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2.3 Basic Loci 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TM (FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2.3 2-Wire Voice Grade Term 2.3 2-Wire Voice Grade 2-Wire Voice Grade Term 2.3				UEP95	UECS2	17 40	i	/					└─── ┘	['		
All States 2-Wire Voice Grade 5-Wire Voice Grade 2-Wire Voice Grade 1-Erm 2,3 2-Wire Voice Grade 2-Wire Voic	ade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30 87	i						↓'	<u> </u> '		
2-Wire Voice Grade 3-Basic Local Area 2-Wire Voice Grade 3-Basic Local Area 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grad							(ļ					↓	<u> </u> '		
2-Wire Voice Grade 2-Wire Voice Grade Area 2-Wire Voice Grade Area 2-Wire Voice Grade Center)2.3 Basic Loc 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area 2-Wire Voice Grade Basic Local Area 2-Wire Voice Grade							i .						└─── '	 '		
2-Wre Voice Grade 2-Wire Voice Grade Area 2-Wire Voice Grade Area 2-Wire Voice Grade Center)2.3 Basic Loc 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area 2-Wire Voice Grade Basic Local Area 2-Wire Voice Grade	ade Port (Centrex) Basic Local Area			UEP95	UEPYA	1 17	53 31		27 50	8 37			L!			
2-Wire Voice Grade Area 2-Wire Voice Grade Center)2,3 Basic Loc 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade - Basic Local Area 2-Wire Voice Grade Basic Local Area 2-Wire Voice Grade 2-Wire Voice Grade 1	ade Port (Centrex 800 termination)			UEP95	UEPYB	1 17	53 31	26 46	27 50	8 37			<u>i </u>			
Area 2-Wire Voice Grade Center/2,3 Basic Loc 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade - Basic Local Area 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade Center/2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-W	ade Port (Centrex with Caller ID)1Basic Local											, I		1		
2-Wire Voice Grade Center/2,3 Basic Lot 2-Wire Voice Grade - Basic Local Area 2-Wire Voice Grade - Basic Local Area AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center/2,3 2-Wire Voice Grade 2-Wire Voice Grade				UEP95	UEPYH	1 17	53 31	26 46	27 50	8 37		. 1	í '	1 /		
Center)2.3 Basic Loc 2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade - Basic Local Area 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade Term 2,3	ade Port (Centrex from diff Serving Wire	-		1				· · · · · · · · · · · · · · · · · · ·								
2-Wire Voice Grade Service Term - Basic 2-Wire Voice Grade Basic Local Area 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade				UEP95	UEPYM	1 17	139 49	86 10	65 4 1	13 81		. 1	1 1	{		
Service Term - Basic 2-Wire Voice Grade - Basic Local Area 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade	ade Port, Diff Serving Wire Center 2,3 - 800	+	+	102,00									· · · · · ·			
2-Wire Voice Grade - Basic Local Area 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TM (FL & GA Only 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade				UEP95	UEPYZ	1 17	139 49	86 10	65 41	13 81			i '	1 /		
Basic Local Area 2-Wire Voice Grade Basic Local Area AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade		. 		05430		<u></u>	139 49	00 10 1	0541	13.01			i	<u> </u>		
2-Wire Voice Grade Basis Local Area AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2.3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade	ade Port terminated in on Megalink or equivalen	.1						00.40	07.50	8 37		. 1	(1 /		
Basic Local Area AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center/2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade				UEP95	UEPY9	1 17	53.31	26 46	27 50	0.3/		ļ	↓	├──── ′		
AL, KY, LA, MS, SC, & TN (FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade	ade Port Terminated on 800 Service Term -						1	1					1 '	1		
FL & GA Only 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade				UEP95	UEPY2	1 17	53 31	26 46	27 50	8 37			<u>ا</u> ـــــــــــا	<u> </u>		
2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade	TN Only						i						L'			
2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade							í						<u> </u>			
2-Wire Voice Grade 2-Wire Voice Grade 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade	ade Port (Centrex)	-		UEP95	UEPHA	1 17	53 31	26 46	27 50	8 37			I			
2-Wire Voice Grade 2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade	ade Port (Centrex 800 termination)	-		UEP95	UEPHB	1 17	53 31	26 46	27 50	8 37		· · · · · · · · · · · · · · · · · · ·				
2-Wire Voice Grade Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade	ade Port (Centrex with Caller ID)1			UEP95	UEPHH	1 17	53 31	26 46	27 50	8 37			· · · · · · · · · · · · · · · · · · ·			
Center)2,3 2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade	ade Port (Centrex from diff Serving Wire	+	+													
2-Wire Voice Grade Term 2,3 2-Wire Voice Grade 2-Wire Voice Grade	such on (Dennex non-din Denning wire	1	1	UEP95	UEPHM	1 17	139,49	86 10	65.41	13 81	1	, ł	1 1	1		
2-Wire Voice Grade 2-Wire Voice Grade	ade Port, Diff Serving Wire Center - 800 Service	.+											· · · · ·	[]		
2-Wire Voice Grade 2-Wire Voice Grade	ade Fort, but berving whe center - 600 Service			UEP95	UEPHZ	1 17	139 49	86 10	65 41	13 81		. !	1 1	1		
2-Wire Voice Grade				105232			138 49	0010		1001	<u> </u>		·	t'		
2-Wire Voice Grade		.		L IF DOG		احد	1	1	07.50	0.07	•	, !	1 '	1 '		
	ade Port terminated in on Megalink or equivalen	<u>it</u>		UEP95	UEPH9	1.17	53 31	26 46	27.50	8 37		ł	⊢′	<u> </u>		
Local Switching	ade Port Terminated on 800 Service Term		\perp	UEP95	UEPH2	1 17	53 31	26 46	27 50	8 37	L		└──── ′	 		
							·	<u>ا'</u>	L l		L	لـــــــــــــــــــــــــــــــــــــ	ļ'			
Centrex Intercom Fu				UEP95	URECS	0 7384		<u>ا'</u>			ļ		<u> </u>	Į		
Local Number Portability	n Funtionality, per port						L					i		L		
Local Number Porta	n Funtionality, per port			UEP95	LNPCC	0 35							L			
Features	n Funtionality, per port ity		T		- 1								L			
	n Funtionality, per port ity		1	UEP95	UEPVF	2 26	1	[,	1							
	n Funtionality, per port ity iortability (1 per port)		1	UEP95	UEPVS	0 00	370.70	()			1					
	n Funtionality, per port ity ortability (1 per port) atures Offered, per port		+	UEP95	UEPVC	2 26		(r t			·				
NARS	n Funtionality, per port ity ortability (1 per port) atures Offered, per port res Offered, per port		+					·!	-···		1			· · · ·		
	n Funtionality, per port ity ortability (1 per port) atures Offered, per port			UEP95	UARCX	0.00	0 00	0 00	0 00	0.00	t	·		1		
	m Funtionality, per port ity iortability (1 per port) atures Offered, per port res Offered, per port trol Features Offered, per port		+				, 0001	, 000,				ł	<u>├──</u> ,──	<u> </u>		· · · ·
	n Funtionality, per port ity ortability (1 per port) atures Offered, per port res Offered, per port trol Features Offered, per port work Access Register - Combination		1				0.00	0.001	1 0.001							L
	m Funtionality, per port ity fortability (1 per port) atures Offered, per port res Offered, per port trol Features Offered, per port work Access Register - Combination work Access Register - Indial		1	UEP95	UAR1X	0 00	0.00	0 00	0.00	0.00		·	<u>↓</u> ,			
Miscellaneous Termination	m Funtionality, per port ity iortability (1 per port) atures Offered, per port trol Features Offered, per port trol Features Offered, per port work Access Register - Combination work Access Register - Outdial						0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 00 0 00	0.00	0.00						<u> </u>
2-Wire Trunk Side Trunk Side Terminat	m Funtionality, per port ity iortability (1 per port) atures Offered, per port trol Features Offered, per port trol Features Offered, per port work Access Register - Combination work Access Register - Outdial			UEP95	UAR1X	0 00										

	IETWORK ELEMENTS - Florida		T		1						Sun Outre	Sun Code		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Inten m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge
						Rec	Nonred			g Disconnect			OSS	Rates (\$)		L
		l				Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ital (1.544 Megabits)						_									
	1 Circuit Terminations, each 0 Channels Activated, each		<u> </u>	UEP95	M1HD1	54 95										ſ
	Channel Mileage - 2-Wire			UEP95	M1HDQ	0 00	15 69									
	eroffice Channel Facilities Termination		+	UEP95	M1GBC											L
	eroffice Channel mileage, per mile or fraction of mile			UEP95	MIGBO	25 32 0 0091				ļ						
	tivations (DS0) Centrex Loops on Channelized DS1 Servic	e		02: 30		0 0091										<u> </u>
	Bank Feature Activations	·														├ ───·
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot		I	UEP95	1PQWS	0 66										
Fea	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										1
	ature Activation on D-4 Channel Bank FX Trunk Side Loop										· · · ·					
Slot			<u> </u>	UEP95	1PQW7	0 66										1
	ature Activation on D-4 Channel Bank Centrex Loop Slot -															
Dime	erent Wire Center		L	UEP95	1PQWP	0 66										1
East	ture Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.00							ł			i
	ature Activation on D-4 Channel Bank Tile Line/Trunk Loop			UEP95		0.66										l
Siot				UEP95	1PQWQ	0 66										1
	ture Activation on D-4 Channel Bank WATS Loop Stot			UEP95	1PQWA	0.66										ļ
	ring Charges (NRC) Associated with UNE-P Centrex				1											
	C Conversion Currently Combined Switch-As-Is with allowed	_														
	inges, per port			UEP95	USAC2	0 0 0	21 50	8 42								1
	version of Existing Centrex Common Block, each			UEP95	USACN		5 17	8 32								·
	v Centrex Standard Common Block			UEP95	M1ACS	0 00	618 82									
	v Centrex Customized Common Block			UEP95	MIACC	0 00	618.82									
	R Establishment Charge, Per Occasion		·	UEP95	URECA	0 00	66 48									
	Non-Recurring Charges (NRC) aundled Miscellaneous Rate Element, Tag Loop at End Use	-														
Pren	mise			UEP95	URETL		8 33	0 83								
	bundled Miscellaneous Rate Element, Tag Design Loop at											1				
	ITREX - DMS100 (Valid in All States)			UEP95	URETN		11 21	1 10								
	Loop/2-Wire Voice Grade Port (Centrex) Combo							· · · ·								
	oop Combination Rates (Non-Design)					ŀ·										
	fire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								· · ·							
	-Design		1	UEP9D		10 94						1				
2-Wi	/ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	-Design		2	UEP9D		15 05									-	
	fire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												-			
	I-Design		3	UEP9D		25 80										
	oop Combination Rates (Design)															
Z-VVI Desi	/ire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													1		
	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		13 41										
Desi			2	UEP9D		18 57										
	Ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9D		10.57										
Desi			3	UEP9D		32.04										
UNE Loop R			-		+ +							+				
2-Wi	re Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9 77										
2-Wi	re Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	13.88										
2-Wi	ire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	24.63										
	ire Voice Grade Loop (SL 2) - Zone 1			UEP9D	UECS2	12 24										
	ire Voice Grade Loop (SL 2) - Zone 2			ÜEP9D	UECS2	17.40										
	rre Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30 87										
UNE Port Ra																
	re Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	1 17										

NBUNDLE	D NETWORK ELEMENTS - Florida		r					·	<u></u>		1			ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge
						Rec	Nonrec			g Disconnect				Rates (\$)		
	O Mar Marin Conta Bat (Contant 200 Internation) Room Local			·			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		ļ	UEP9D	UEPYC	1 17	53 31	26 46	27 50	8.37						
	Area			UEP9D	UEPYD	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local		_	UEP9D	UEPYE	1 17	53.31	26 46	27 50	8 37						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPTE		03.31	20 40	2750				·			i
	Area		<u> </u>	UEP9D	UEPYF	1 17	53 31	26 46	27 50	8 37	·		.		ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		-													1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1 17	53 31	26 46	27 50	8 37						
	Area			UEP9D	UEPYU	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1 17	53 31	26 46	27 50	8 37						
	Area			UEP9D	UEPY3	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local				UEPYH		50.04	00.40	27 50	8 37						
_	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D		1 17	53 31	26 46	2/ 50	0.3/	·	·				
	Indication))4 Basic Local Area			UEP9D	UEPYW	1 17	53 31	26 46	27 50	8 37	-					
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				02110			20 40								
	2,3-Basic Local Area			UEP9D	UEPYM	1 17	53 31	26 46	27 50	8 37				········	ļ	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area		1	UEP9D	UEPYO	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		1													1
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	<u>1.17</u>	53 31	26 46	27 50	8.37						
	Basic Local Area			UEP9D	UEPYQ	1 17	139 49	86.10	65.41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3.4															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPYR	<u> </u>	139 49	86 10	65 41	13.81	<u> </u>					
	Basic Local Area			UEP9D	UEPYS	1 17	139 49	86 10	65.41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPY4	1 17	139 49	86 10	65 41	13 81						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			DEPSD	UEP14		139 49	0010	0541							
	Basic Local Area		<u> </u>	UEP9D	UEPY5	<u>1</u> 17	139 49	86 10	65 41	13 81					L	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		+									-				
	Basic Local Area		ļ	UEP9D	UEPY7	1,17	139 49	86 10	65 41	13 81			·			Ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	1 17	139 49	86 10	65 41	13 81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		+												<u> </u>	
	Basic Local Area		<u> </u>	UEP9D	UEPY9	1.17	53 31	26 46	27 50	8 37						···
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1 17	53.31	26 46	27 50	8 37						
	iA Only		ļ													
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPHA UEPHB	1 17	53 31 53 31	26 46 26 46	27 50 27 50	8 37 8 37	l		<u> </u>			<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	1 17	53 31	26 46	27.50	8.37	<u> </u>			······	<u>├</u>	1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		1	UEP9D	UEPHD	1 17	53 31	26 46	27 50							
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		1	UEP9D	UEPHE	1 17	53 31	26 46	27 50	8 37				[T	1

JNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
					1 1						I		1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1 17	53 31	26 46	27.50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1 17	53 31	26 46	27.50	8 37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		L	UEP9D	UEPH3	1 17	53 31	26 46	27 50	8 37		-				l
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1 17	53 31	26 46	27 50	8 37				<u> </u>		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEDOD	UCDUNA		62.24	00.40	27 50	8 37					1	1
	Indication)4		ļ	UEP9D	UEPHW UEPHJ	1 17	53 31 53.31	26 46 26 46		8 37				· · · · · · · · · · · · · · · · · · ·		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	DEPHJ			20 40	27 50	0.3/	<u> </u>					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEP9D	UEPHM	1 17	139 49	86 10	65 41	13 81	1					
	2,3			DEF90	UZPAIN		103 49	00.10	0541	1301	+		· · · · · · · · · · · · · · · · · · ·			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2.3.4		ļ	UEP9D	UEPHO	1 17	139 49	86 10	65 41	13 81				1		
	2-Wire Voice Grade Port (Centrex/direr SWC7EB3-P3ET)2,3,4				ULFIIO		100 40	0010		10 01						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1 17	139 49	86 10	65 41	13 81				1	1	
	2-Wire Voice Grade (or (Centrewdine) GWG / EDG-WiseGg/20,4			001 00											-	1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1 17	139 49	86 10	65 41	13 81						
			1	02.03												
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4		1	UEP9D	UEPHR	1 17	139 49	86 10	65 41	13 81	1			1		ļ
			· · · ·													
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1 17	139.49	86.10	65 41	13 81	1					
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1 17	139 49	86 10	65 41	13 81				1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1 17	139 49	86 10	65 41	13 81						
											1	1		1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1 17	139 49	86 10	65 41	13 81				l	L	
															1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	_		UEP9D	UEPH7	1 17	139 49	86 10	65 41	13 81				i		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1											
	Term 2,3			UEP9D	UEPHZ	1 17	139 49	86 10	65.41	13,81						
			1					00.40	27 50	8 37						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9D	UEPH9	1 17	53 31	26 46	27 50	8 37	[·				l	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1 17	53 31	26.46	27 50	8.3/						
Local	Switching			UEP9D	URECS	0 7384										1
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0 7 304										
Local	Number Portability		<u> </u>	UEP9D	LNPCC	0 35								<u> </u>		. –
Featur						0.00								1	1	1
	All Standard Features Offered, per port		1	UEP9D	UEPVF	2 26					· · · ·			1	1	
	All Select Features Offered, per port		<u> </u>	UEP9D	UEPVS	0 00	370 70	-			<u> </u>					
	All Centrex Control Features Offered, per port		· ·	UEP9D	UEPVC	2 26										
NARS																
	Unbundled Network Access Register - Combination	-	1	UEP9D	UARCX	0.00	0.00	0 00	0.00	0 00						
	Unbundled Network Access Register - Inward		-	UEP9D	UAR1X	0.00	0.00	0 00	0 00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0 00	0.00	0.00						
Miscel	laneous Terminations													I		
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.73					L					
4-Wire	Digital (1.544 Megabits)										ļ				ļ	
	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95					<u> </u>	L		 		
	DS0 Channels Activiated per Channel		<u> </u>	UEP9D	MIHDO	0.00	15.69				<u> </u>					
Interof	fice Channel Mileage - 2-Wire	ļ	ļ								<u> </u>			 	·	 _
	Interoffice Channel Facilities Termination		I	UEP9D	M1GBC	25.32			[<u> </u>				<u> </u>	
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP9D	M1GBM	0 0091										
		-												1		
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic annel Bank Feature Activations	e														

JNBUNDLE	D NETWORK ELEMENTS - Florida			1	· · · ·									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<u> </u>			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	ROMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
							First	Addi	FIRSE	Addi	SOMEC	SUMAN	SUMAN	JUMAN	SOMAN	JOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0 66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	1PQW7	0 66										
	Different Wire Center			UEP9D	1PQWP	0 66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			UEF9D	IPQVV	0.00										
ļ	Slot			UEP9D	1PQWQ	0 66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0 66										
Non-R	ecurning Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9D	USAC2		21 50	8 42								
	changes, per port Conversion of existing Centrex Common Block, each			UEP9D	USACZ		5 17	8 32								
	New Centrex Standard Common Block			UEP9D	MIACS	0 00	618 82	0.52		· · · · · · · · · · · · · · · · · · ·				ł		<u> </u>
	New Centrex Standard Common Block			UEP9D	MIACO	0.00	618 82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66 48		· ·							
Addutio	onal Non-Recurring Charges (NRC)		· · · ·		UNEON	000	00 40						· · · · ·	1		
Addition	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1								-					
	Premisė			UEP9D	URETL		8 33	0 83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEP9D	URETN		11 21	1 10						ł		
	End Use Premise CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEP9D	UREIN		1121	1 10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		+		1											
	ort/Loop Combination Rates (Non-Design)	· · ·												1		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	<u> </u>	<u> </u>													
	Non-Design		1	UEP9E		10 94										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					-										
ł	Non-Design		2	UEP9E		15 05						1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
ļ	Non-Design		3	UEP9E		25 80			I							
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -											ļ				
	Design		1	UEP9E		13 41								-		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -														1	1
	Design	1	2	UEP9E		18 57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9E		32 04										
	Design		3	UEP9E		32 04										
UNEL	oop Rate		1	IUEP9E	UECS1	9.77					·					
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13 88										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP9E	UECS1	24 63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		1	UEP9E	UECS2	12 24								1		
	2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP9E	UECS2	17 40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30 87										
UNE P	ort Rate	[···														
	., KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex) Basic Local Area		1	UEP9E	UEPYA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOE	UEPYB	1 17	53 31	26 46	27 50	8 37						
	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		-	UEP9E	UEPTB	11/	53 37	20 46	21 50							
	Area			UEP9E	UEPYH	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP9E	UEPYM	1 17	139 49	86 10	65 41	13 81			,			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	<u> </u>	-								1					
	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPYZ	1 17	139 49	86 10	65 41	13 81						
	- Basic Local Area			UEP9E	UEPY9	1 17	53 31	26 46	27 50	8 37	1					

	D NETWORK ELEMENTS - Florida													ment: 2		bit: A Increment
NDONDEE											Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge Manual S
TEGORY	RATE ELEMENTS	Interi m	Zone	ne BCS	USOC	RATES (\$) per					per LSR	per LSR	Order vs Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
					'	r	Nonrecurring Nonrecurring Disconnect			Disconnect			oss	OSS Rates (\$)		L
					4	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
							FIISL									
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY2	1 17	53 31	26 46	27 50	8 37	1					
	Basic Local Area			UEP9E	UEPT2			20 40			-	-				
Florida				UEP9E	UEPHA	1 17	53 31	26 46	27 50	8 37						
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHB	1 17	53 31	26.46	27 50	8 37					I	<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1 17	53 31	26 46	27 50	8 37					L	
	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex from diff Serving Wire													1		
ļ	Center)2,3	1		UEP9E	UEPHM	1 17	139 49	86 10	65 41	13 81					L	<u> </u>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											1				
1	Term 2.3			UEP9E	UEPHZ	1 17	139 49	86 1 <u>0</u>	65 41	13 81				ļ		
			1						_			[
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		Ι.	UEP9E	UEPH9	1.17	53 31	26 46	27 50	8 37	ļ	 		·	+ ·	+
_	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1,17	53 31	26 46	27 50	8 37			+·		+	1
Local	Switching									·		<u> </u>		1		
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0 7384			L		<u> </u>	<u>+</u>		+		+
Local	Number Portability											<u> </u>	 		1	1
	Local Number Portability (1 per port)			UEP9E	LNPCC	0 35						I		· · · · · ·		+
Featur	es													+	1	
	All Standard Features Offered, per port			UEP9E	UEPVF	2 26	370 70									
	All Select Features Offered, per port			UEP9E	UEPVS	0 00	3/0/0				·					
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2 26								f		1
NARS			+		UARCX	0.00	0 00	0 00	0 00	0 00	1					
	Unbundled Network Access Register - Combination			UEP9E	UARCX UAR1X	0.00	0.00	0.00	0 00	0 00	1 ·		<u> </u>			
	Unbundled Network Access Register - Indial			UEP9E	UAROX	0.00	0 00	0.00	0 00	0.00						
	Unbundled Network Access Register - Outdial	ļ		UEP9E	UARUA	0.00										
	Ilaneous Terminations	<u> </u>									1					<u> </u>
2-Wire	Trunk Side	┣──	+	UEP9E	CEND6	8 73										1
	Trunk Side Terminations, each	+	+													
4-Wire	Digital (1.544 Megabits)			UEP9E	M1HD1	54 95										
	DSI Circuit Terminatoris, each DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15 69									
1	ffice Channel Mileage - 2-Wire	1														<u>+</u>
Intero	Interoffice Channel Facilities Termination		1	UEP9E	M1GBC	25 32						ļ				
	Interoffice Channel mileage, per mile or fraction of mile		+	UEP9E	M1GBM	0 0091										
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	ce	1									+				+
D4 Ch	annel Bank Feature Activations	T										<u> </u>				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0 66										+
									1		1	1				1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0 66						+		1		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				10000	0.00										1
	Siot			UEP9E	1PQW7	0 66					-					+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1			1PQWP	0.66							1			
	Different Wire Center			UEP9E	TPQVP											
				LIEBOE	1PQWV	0.66									_	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	IFQVV	0.00										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			UEP9E	1PQWQ	0 66										
	Slot	+		UEP9E	1PQWA	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot															
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed	+		+			- · · · · ·									
		1		UEP9E	USAC2		21 50	8 42								<u> </u>
	changes, per port Conversion of Existing Centrex Common Block, each	1		UEP9E	USACN	<u> </u>	5 17	8 32								
	New Centrex Standard Common Block			UEP9E	MIACS	0 00	618 82						1			
	New Centrex Standard Common Block	1		UEP9E	MIACC	0 00	618 82									
	NAR Establishment Charge, Per Occasion	1-	-	UEP9E	URECA	0 00	66 48					1				
Add.4	ional Non-Recurring Charges (NRC)	1							ļ					+	+	
Audit	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	1							1				1			
1	Premise	1		UEP9E	URETL	I	8 33	0 83		1	1					

LINBUND	LED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A	
ONDOND	Svc (Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental		
			Zone										Charge -		Charge -	Charge -	
		Interi			USOC							Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interi		BCS		RATES (\$)					per LSR	per LSR	Order vs	Order vs.	Order vs.	Order vs	
		m											Electronic-	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l	
						Nonrecurring Nonrecurring Disconnect						L		1			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	_									1	1	1		1		
	End Use Premise		1	UEP9E	URETN		11 21	1 10								<u> </u>	
Not	e 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD											ļ				┝───── /	
	e 2 - Requres Interoffice Channel Mileage															<u> </u>	
Not	e 3 - Installation is combination of Installation charge for SL2 Lo	op and	Port											J	ļ	┟┈────┤	
Not	e 4 - Requires Specific Customer Premises Equipment					L											
Not	e: Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Terr	ns and Conditio	ns.			Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.							

1

Exhibit 2 Attachment 7 Page 1

Attachment 7

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version 3Q03 11/12/2003

Exhibit 2 Attachment 7 Page 2

TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR 3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS
3.	MISCELLANEOUS

Version 3Q03: 11/12/2003

; .

i.

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to Saluda nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that <u>Saluda</u> can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide <u>Saluda</u> with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of <u>Saluda</u> and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent Saluda requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Saluda, BellSouth will not assess Saluda additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide Saluda nondiscriminatory access to its OSS and the necessary information contained therein in order that Saluda can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of Saluda to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for <u>Saluda</u>'s access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that <u>Saluda</u> can perform the following preordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces

Version 3Q03 11/12/2003

5	Deleted: < <customer_short_name>></customer_short_name>
order	• •
g,	Deleted: < <customer_short_name>></customer_short_name>
	Deleted: < <customer_short_name>></customer_short_name>
5	
edures	
ill be	
ed	
uda	Deleted: < <customer_short_name>></customer_short_name>
extent	
	Deleted: < <customer_short_name>></customer_short_name>
icians	
ges	
de of	
his o r	
	Deleted: < <customer_short_name>></customer_short_name>
	Deleted: < <customer_short_name>></customer_short_name>
	Deleted: < <customer_short_name>></customer_short_name>
	Deleted: < <customer_short_name>></customer_short_name>
nd .	
h	
sole	
e	Deleted: < <customer_short_name>></customer_short_name>
	Deleted: < <customer_short_name>></customer_short_name>
L	

Deleted: <<customer_short_name>>

	Exhibit 2 Attachment 7		
 	Page 4 whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and Saluda will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Saluda shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. <u>Saluda</u> shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available,	 	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name></customer_short_name>
1	Saluda shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.		{ Deleted: < <customer_short_name>>)</customer_short_name>
2	2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. <u>Sahuda</u> will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided.	. "	Deleted: < <customer_short_name>></customer_short_name>
ł	BellSouth reserves the right to audit Saluda's access to customer record		Deleted: < <customer_short_name>></customer_short_name>
	information. If a BellSouth audit of Sahuda's access to customer record		Deleted: < <customer_short_name>></customer_short_name>
	information reveals that Saluda is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable		Deleted: < <customer_short_name>></customer_short_name>
	notice to Saluda may take corrective action, including but not limited to	-	Deleted: < <customer_short_name>></customer_short_name>
ļ	suspending or terminating <u>Saluda's electronic access to BellSouth's OSS</u> functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.		Deleted: < <customer_short_name>></customer_short_name>
	2.1.3 Ordering. BellSouth will make available to <u>Saluda</u> electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated	, ·	Deleted: < <customer_short_name>></customer_short_name>
	herein by reference. The process by which BellSouth and Saluda will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.	,- *	Deleted: < <customer_short_name>></customer_short_name>
	2.1.4 <u>Maintenance and Repair</u> . BellSouth will make available to <u>Saluda</u> electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated	*	Deleted: < <customer_short_name>></customer_short_name>
1	herein by reference. The process by which BellSouth and <u>Saluda</u> will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this		<pre>Deleted: <<customer_short_name>>) { Deleted: <<customer_short_name>>)</customer_short_name></customer_short_name></pre>
١,	Agreement. BellSouth and <u>Saluda</u> agree to adhere to BellSouth's Operational Version 3Q03: 11/12/2003		(version ~ customer_siton_name>>)

	Exhibit 2		
	Attachment 7		
	Page 5 Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.		
2.1.5	Billing. BellSouth will provide Saluda nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.		Deleted: < <customer_short_name>></customer_short_name>
2.2	<u>Change Management</u> . BellSouth and Saluda agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and		Deleted: < <customer_short_name>></customer_short_name>
1	retirement of interfaces. BellSouth and Saluda agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to <u>Saluda at</u> BellSouth's interconnection website.		(Deleted: < <customer_short_name>>) (Deleted: <<customer_short_name>>)</customer_short_name></customer_short_name>
2.3	Rates. Charges for use of OSS shall be as set forth in this Agreement.		
3.	MISCELLANEOUS		
3.1	<u>Pending Orders</u> . Orders placed in the hold or pending status by Saluda will be held for a maximum of thirty (30) calendar days from the date the order is placed on	. 1	Deleted: < <customer_short_name>></customer_short_name>
	hold. After such time, <u>Saluda</u> shall be required to submit a new service request.	'	Deleted: < <customer_short_name>></customer_short_name>
	Incorrect or invalid requests returned to <u>Saluda</u> for correction or clarification will be held for thirty (20) color day days. If <u>Color</u> be descent of the second of the		Deleted: < <customer_short_name>></customer_short_name>
1	be held for thirty (30) calendar days. If Saluda does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.	_· · · ·	<pre>Deleted: <<customer_short_name>> </customer_short_name></pre>
3.2	Single Point of Contact. Saluda will be the single point of contact with BellSouth		Deleted: < <customer_short_name>></customer_short_name>
	for ordering activity for network elements and other services used by Saluda to provide services to its End Users, except that BellSouth may accept a request	• . • • *	Deleted: < <customer_short_name>></customer_short_name>
	directly from another CLEC, or BellSouth, acting with authorization of the affected End User. <u>Saluda</u> and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier,		Deleted: < <customer_short_name>></customer_short_name>
	BellSouth may disconnect any network element being used by Saluda to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify		Deleted: < <customer_short_name>></customer_short_name>
	Saluda that such a request has been processed but will not be required to notify	. • *	Deleted: < <customer_short_name>></customer_short_name>
	Saluda in advance of such processing.		Deleted: < <customer_short_name>></customer_short_name>
Version 3Q03:	11/12/2003		

I		Exhibit 2 Attachment 7 Page 6		
3.		er BellSouth nor <u>Saluda</u> shall prevent or delay an End User from migrating to er carrier because of unpaid bills, denied service, or contract terms.	- *	(Deleted: < <customer_short_name>>)</customer_short_name>
3.	Reque	outh shall return a Firm Order Confirmation (FOC) and Local Service est (LSR) rejection/clarification within the intervals in accordance with the ce Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.		
3.		a shall return a FOC to BellSouth within thirty-six (36) hours after Saluda'st from BellSouth of a valid LSR.		Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
3.		a shall provide a Reject Response to BellSouth within twenty-four (24) hours BellSouth's submission of an LSR which is incomplete or incorrectly tted.	*	Deleted: < <customer_short_name>></customer_short_name>
3.		<u>f Facilities</u> . When a customer of <u>Saluda</u> elects to discontinue service and to ervice to another local exchange carrier, including BellSouth, BellSouth		Deleted: < <customer_short_name>></customer_short_name>
	shall h additi reuse	have the right to reuse the facilities provided to Saluda by BellSouth. In on, where BellSouth provides local switching, BellSouth may disconnect and facilities when the facility is in a denied state and BellSouth has received a st to establish new service or transfer of service from a customer or a	-	Deleted: < <customer_short_name>></customer_short_name>
I	custor notify	mer's CLEC at the same address served by the denied facility. BellSouth will Saluda that such a request has been processed after the disconnect order has completed.		Deleted: < <customer_short_name>></customer_short_name>
3.	wide	<u>act Numbers</u> . The Parties agree to provide one another with toll-free nation- (50 states) contact numbers for the purpose of ordering, provisioning and enance of services.		
3.	for an Accou provid local	ription Functions. In cases where BellSouth performs subscription functions interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer unt Record Exchange (CARE)), BellSouth will in all possible instances de the affected IXCs with the Operating Company Number (OCN) of the provider for the purpose of obtaining End User billing account and other End information required under subscription requirements.		
3.	its PIC	Saluda's End User, served by resale or loop and port combinations, changes C or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier to charge the End User the PIC or LPIC change charge, BellSouth will bill		(Deleted: < <customer_short_name>></customer_short_name>
		C or LPIC change charge to <u>Saluda</u> , which has the billing relationship with and User, and <u>Saluda</u> may pass such charge to the End User.	 	Deleted: < <customer_short_name>> Deleted: <<customer_short_name>></customer_short_name></customer_short_name>
3.	servic that re	ellation Charges. If <u>Saluda</u> cancels a request for network elements or resold es, any costs incurred by BellSouth in conjunction with the provisioning of equest will be recovered in accordance with BellSouth's Private Line Tariff	· `	(Deleted: < <customer_short_name>></customer_short_name>
	forego	IlSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the bing, if <u>Saluda</u> places an LSR based upon BellSouth's loop makeup nation, and such information is inaccurate resulting in the inability of		Deleted: < <customer_short_name>></customer_short_name>
Ve	rsion 3Q03: 11/12/2003			

	Exhibit 2 Attachment 7 Page 7
1	BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where Saluda places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the
	inaccurate loop makeup information, Saluda may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should <u>Saluda</u> elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
3.7	Service Date Advancement Charges (a.k.a. Expedites). For Service Date Advancement requests by <u>Saluda</u> , Service Date Advancement charges will apply Deleted : «customer_short_name») for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

ø

Version 3Q03: 11/12/2003