BELLSOUTH

BellSouth Telecommunications, Inc.

Regulatory & External Affairs

150 South Monroe Street

400

Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III

Vice President Regulatory & External Affairs

850•224 7798

Fax 850 224 5073

October 5, 2004

041197-TP

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and USA Telecom, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to interconnection, unbundling, resale and collocation Agreement with USA Telecom, Inc.

If you have any questions, please do not hesitate to call Robyn Holland at (850) 222-9380.

Very truly yours,

MULLS III RESIDENT

DOCUMENT NUMBER-DATE

Amendment to the Interconnection Agreement Between BellSouth Telecommunications, Inc. and USA Telecom, Inc.

This agreement (the "Amendment") is made and entered into between BellSouth Telecommunications, Inc. (BellSouth), a Georgia corporation, and USA Telecom, Inc. (USA Telecom, Inc.), a Delaware corporation and may refer to either BellSouth or USA Telecom, Inc. or both as a "Party" or "Parties". This Amendment will be effective thirty (30) days from the date of last signature executing the Amendment.

WHEREAS, BellSouth and USA Telecom, Inc. entered into the Agreement on September 25, 2002, and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the United States Court of Appeals for the District of Columbia Circuit's mandate, effective June 16, 2004, in the appeal of the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) that was effective on October 2, 2003;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- Delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. All of the other provisions of the Agreement, dated September 25, 2002, shall remain in full force and effect.
- 3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	USA Telecom, Inc.			
By: White Elm	By: AlM			
Name: Kristen Rowe	Name: Paris Raymon			
Title: Director	Title: President			
Date: 4/31/14	Date: 9/2//04			

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	<u>INTRODUCTION</u>	3
2	UNBUNDLED LOOPS	5
3	LINE SHARING	24
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS	29
5.	TRANSPORT	30
6.	SS7 NETWORK INTERCONNECTION	32
7.	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM	M (ALI/DMS) 33
8.	OPERATIONAL SUPPORT SYSTEMS	34
Ra	tes	Exhibit A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements that BellSouth agrees to offer to USA Telecom, Inc. in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to USA Telecom, Inc. (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require USA Telecom, Inc. to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 USA Telecom, Inc. may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- BellSouth shall, upon request of USA Telecom, Inc., and to the extent technically feasible, provide to USA Telecom, Inc. access to its Network Elements for the provision of USA Telecom, Inc.'s qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 USA Telecom, Inc. may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to USA Telecom, Inc. under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between USA Telecom, Inc. and BellSouth.
- 1.6.1 Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

٠,

- 1.7 USA Telecom, Inc. may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(8) and (e)(5). If BellSouth has anticipated such RNMs and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A of this Attachment, then BellSouth shall perform such RNMs at no additional charge. RNMs shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNMs were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A of this Attachment, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from USA Telecom, Inc., BellSouth shall perform the RNM.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.10 Commingling of Services

- 1.10.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that USA Telecom, Inc. has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.10.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.10.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.

- 1.10.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same jurisdictional authorization (agreement or tariff) as the higher bandwidth circuit and the Central Office Channel Interfaces (COCI) will be billed from the same jurisdictional authorization (agreement or tariff) as the lower bandwidth circuit.
- 1.11 If USA Telecom, Inc. reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge USA Telecom, Inc. for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.12 Rates
- 1.12.1 The prices that USA Telecom, Inc. shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If USA Telecom, Inc. purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.12.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.12.3 If USA Telecom, Inc. modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by USA Telecom, Inc. in accordance with FCC No. 1 Tariff, Section 5.
- 1.12.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

2.1 General

2.1.1 The local loop Network Element (Loop) is defined as a narrowband transmission facility (i.e., below the DS1 level) between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path

to the End User's premises. USA Telecom, Inc. shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to USA Telecom, Inc. on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by USA Telecom, Inc.. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 A hybrid loop is a local Loop, below the DS1 level, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide USA Telecom, Inc. with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid loop on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.1.6 USA Telecom, Inc. may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to USA Telecom, Inc.'s collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior

to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.4 The Loop shall be provided to USA Telecom, Inc. in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If USA Telecom, Inc. wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), USA Telecom, Inc. may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by USA Telecom, Inc. (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill USA Telecom, Inc. for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 Loop Testing/Trouble Reporting

- USA Telecom, Inc. will be responsible for testing and isolating troubles on the Loops. USA Telecom, Inc. must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, USA Telecom, Inc. will be required to provide the results of the USA Telecom, Inc. test which indicate a problem on the BellSouth provided Loop.
- Once USA Telecom, Inc. has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If USA Telecom, Inc. reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge USA Telecom, Inc. for any

dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by USA Telecom, Inc. (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill USA Telecom, Inc. for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and USA Telecom, Inc. to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to USA Telecom, Inc.'s facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination – Time Specific" (OC-TS) allows USA Telecom, Inc. to order a specific time for OC to take place. BellSouth will make every effort to accommodate USA Telecom, Inc.'s specific conversion time request. However, BellSouth reserves the right to negotiate with USA Telecom, Inc. a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. USA Telecom, Inc. may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If USA Telecom, Inc. specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable Option	Chargeable Option	Not available	Chargeable Option –	Charged for Dispatch inside and outside
(Non-	•			ordered as	Central Office
Designed)				Engineering	
				Information	

				Document	rage 9
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option — ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, USA Telecom, Inc. must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.8 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by USA Telecom, Inc. when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in USA Telecom, Inc.'s Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to USA Telecom, Inc. pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

2.1.9 **Bulk Migration**

2.1.9.1 If USA Telecom, Inc. requests to migrate twenty-five (25) or more port/loop combination customers to Loops (UNE-L) in the same Central Office on the same due date, USA Telecom, Inc. must use the Bulk Migration process, which is

Attachment 2 Page 10

described in the BellSouth CLEC Information Package. This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, USA Telecom, Inc. should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that USA Telecom, Inc. will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by USA Telecom, Inc. USA Telecom, Inc. may also order OC-TS

when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that USA Telecom, Inc. may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to USA Telecom, Inc.. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow USA Telecom, Inc. to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. USA Telecom, Inc. will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular

ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.

- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by USA Telecom, Inc. or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. USA Telecom, Inc. may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 Unbundled Copper Loop – Designed (UCL-D)

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).

- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by USA Telecom, Inc..
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by USA Telecom, Inc. to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by USA Telecom, Inc. or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, USA Telecom, Inc. can request LMU for which additional charges would apply.

- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that USA Telecom, Inc. may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by USA Telecom, Inc. to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 USA Telecom, Inc. may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by USA Telecom, Inc. which has over 6,000 feet of combined bridged tap will be modified, upon request from USA Telecom, Inc., so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to USA Telecom, Inc.. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 USA Telecom, Inc. may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design

purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.

- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If USA Telecom, Inc. requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. USA Telecom, Inc. will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 USA Telecom, Inc. shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that USA Telecom, Inc. desires BellSouth to condition.
- When requesting ULM for a Loop that BellSouth has previously provisioned for USA Telecom, Inc., USA Telecom, Inc. will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by USA Telecom, Inc. is available at the location for which the ULM was requested, USA Telecom, Inc. will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, USA Telecom, Inc. will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where USA Telecom, Inc. has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to USA Telecom, Inc.. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for USA Telecom, Inc. (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from USA Telecom, Inc., and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. USA Telecom, Inc. will then have the option of paying the one-time SC rates to place the Loop.

2.7 <u>Network Interface Device</u>

- 2.7.1 The NID is defined as any means of interconnection of the End User's premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit USA Telecom, Inc. to connect USA Telecom, Inc.'s Loop facilities to the End User's premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 USA Telecom, Inc. may access the End User's premises wiring by any of the following means and USA Telecom, Inc. shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow USA Telecom, Inc. to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper

wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 USA Telecom, Inc. may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- In no case shall either Party remove or disconnect the other Party's Loop facilities 2.7.3.2 from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be USA Telecom, Inc.'s responsibility to ensure there is no safety hazard, and USA Telecom. Inc. will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 USA Telecom, Inc. shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 USA Telecom, Inc. shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with USA Telecom, Inc. to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to USA Telecom, Inc.'s NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. USA Telecom, Inc. may request BellSouth to do additional work to the NID on a time and material basis. When USA Telecom, Inc. deploys its own local Loops in a multiple-line

Attachment 2 Page 18

termination device, USA Telecom, Inc. shall specify the quantity of NID connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If USA Telecom, Inc. requests a UCSL and it is not available, USA Telecom, Inc. may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from USA Telecom, Inc., BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will

function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for USA Telecom, Inc.'s use on this cross-connect panel. USA Telecom, Inc. will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, USA Telecom, Inc. shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. USA Telecom, Inc.'s cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by USA Telecom, Inc. is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet USA Telecom, Inc.'s request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before USA Telecom, Inc. can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice USA Telecom, Inc.'s cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, USA Telecom, Inc. will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when USA Telecom, Inc. requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by USA Telecom, Inc. for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, USA Telecom, Inc. will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate USA Telecom, Inc. for each pair activated commensurate to the price specified in USA Telecom, Inc.'s Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Unbundled Loop Concentration

2.8.4.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties'

interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by USA Telecom, Inc., or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.9 Loop Makeup

2.9.1 <u>Description of Service</u>

- 2.9.1.1 BellSouth shall make available to USA Telecom, Inc. LMU information so that USA Telecom, Inc. can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment USA Telecom, Inc. intends to install and the services USA Telecom, Inc. wishes to provide. This section addresses LMU as a preordering transaction, distinct from USA Telecom, Inc. ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide USA Telecom, Inc. LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to USA Telecom, Inc. as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 USA Telecom, Inc. may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by USA Telecom, Inc. and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee USA Telecom, Inc.'s ability to provide advanced data

services over the ordered Loop type. Further, if USA Telecom, Inc. orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. USA Telecom, Inc. is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 Submitting Loop Makeup Service Inquiries

- 2.9.2.1 USA Telecom, Inc. may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if USA Telecom, Inc. needs further Loop information in order to determine Loop service capability, USA Telecom, Inc. may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

 http://interconnection.bellsouth.com/guides/html/unes.html
 . The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 Loop Reservations

- 2.9.3.1 For a Mechanized LMUSI, USA Telecom, Inc. may reserve up to ten (10) Loop facilities. For a Manual LMUSI, USA Telecom, Inc. may reserve up to three (3) Loop facilities.
- 2.9.3.2 USA Telecom, Inc. may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to USA Telecom, Inc.. During and prior to USA Telecom, Inc. placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If USA Telecom, Inc. does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. USA Telecom, Inc. will not be billed any

additional LMU charges for the Loop ordered on such LSR. If, however, USA Telecom, Inc. does not reserve facilities upon an initial LMUSI, USA Telecom, Inc.'s placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.

2.9.3.5 Where USA Telecom, Inc. has reserved multiple Loop facilities on a single reservation, USA Telecom, Inc. may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to USA Telecom, Inc., subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by USA Telecom, Inc..

3 <u>Line Sharing</u>

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which USA Telecom, Inc. provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and USA Telecom, Inc. using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with USA Telecom, Inc.. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, USA Telecom, Inc. may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003 and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, USA Telecom, Inc. may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with USA Telecom, Inc., all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow USA Telecom, Inc. the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum

Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. USA Telecom, Inc. shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to USA Telecom, Inc. on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If USA Telecom, Inc. requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, USA Telecom, Inc. shall pay for the Loop to be restored to its original state.
- Line Sharing shall only be available on Loops on which BellSouth is also 3.1.9 providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and USA Telecom, Inc. desires to continue providing xDSL service on such Loop, USA Telecom, Inc. shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give USA Telecom, Inc. notice in a reasonable time prior to disconnect, which notice shall give USA Telecom, Inc. an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and USA Telecom, Inc. purchases the full stand-alone Loop, USA Telecom, Inc. may elect the type of Loop it will purchase. USA Telecom, Inc. will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event USA Telecom, Inc. purchases a voice grade Loop, USA Telecom, Inc. acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If USA Telecom, Inc. reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge USA Telecom, Inc. for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.

3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 Provisioning of Line Sharing and Splitter Space

- 3.2.1 BellSouth will provide USA Telecom, Inc. with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, USA Telecom, Inc. must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 USA Telecom, Inc. may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of USA Telecom, Inc.'s submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of USA Telecom, Inc. in a central office in which USA Telecom, Inc. is located, USA Telecom, Inc. shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and USA Telecom, Inc. shall pay the electronic or manual ordering charges as applicable when USA Telecom, Inc. orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for USA Telecom, Inc.'s data.

3.3 BellSouth Provided Splitter – Line Sharing

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide USA Telecom, Inc. access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to USA Telecom, Inc.'s xDSL equipment in USA Telecom, Inc.'s collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide USA Telecom, Inc. with a carrier notification letter, informing USA Telecom, Inc. of change. USA Telecom, Inc. shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. USA Telecom, Inc. shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to USA Telecom, Inc.'s collocation area, if possible; or (ii) in a BellSouth relay rack as close to USA Telecom, Inc.'s DS0 termination point as possible. USA Telecom, Inc. shall have access to the splitter for test purposes, regardless of where the splitter is placed in

the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for USA Telecom, Inc. on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified USA Telecom, Inc. DS0 at such time that a USA Telecom, Inc. End User's service is established.

3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 USA Telecom, Inc. may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. USA Telecom, Inc. may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by USA Telecom, Inc. in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. USA Telecom, Inc. may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 <u>Ordering – Line Sharing</u>

- 3.5.1 USA Telecom, Inc. shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide USA Telecom, Inc. the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide USA Telecom, Inc. access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and USA Telecom, Inc. shall pay the rates for such services, as described in Exhibit A.

3.6 Maintenance and Repair – Line Sharing

3.6.1 USA Telecom, Inc. shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If USA Telecom, Inc. is using a BellSouth owned splitter, USA Telecom, Inc. may access the Loop at the point where the combined voice and data signal exits the central office

splitter via a bantam test jack. If USA Telecom, Inc. provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. USA Telecom, Inc. will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 USA Telecom, Inc. shall inform its End Users to direct data problems to USA Telecom, Inc., unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to USA Telecom, Inc., BellSouth will notify USA Telecom, Inc. USA Telecom, Inc. will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, USA Telecom, Inc. will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue USA Telecom, Inc.'s access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and the Data LEC may be the same or different carriers.
- 3.7.2 In the event USA Telecom, Inc. provides its own switching or obtains switching from a third party, USA Telecom, Inc. may engage in line splitting arrangements with another CLEC using a splitter, provided by USA Telecom, Inc., in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 USA Telecom, Inc. shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if USA Telecom, Inc. will not provide voice and data services.

- 1

3.7.4 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing USA Telecom, Inc. for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of USA Telecom, Inc. or its authorized agent to determine if the Loop is compatible for Line Splitting Service. USA Telecom, Inc. or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and USA Telecom, Inc. or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 <u>Provisioning Line Splitting and Splitter Space</u>

3.8.1 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.9 <u>Maintenance – Line Splitting</u>

- 3.9.1 USA Telecom, Inc. shall inform its End Users to direct all problems to USA Telecom, Inc. or its authorized agent.
- 3.9.2 If USA Telecom, Inc. is not the data provider, USA Telecom, Inc. shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by USA Telecom, Inc. are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by USA Telecom, Inc. are not already combined by BellSouth in the location requested by USA Telecom, Inc. but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by USA Telecom, Inc. are not elements that BellSouth combines for its use in its network.
- 4.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

Post Vacatur Version: 06/30/2004

٠ ,

4.2 <u>Enhanced Extended Links (EELs)</u>

- 4.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide USA Telecom, Inc. with EELs where the underlying UNEs are available.
- 4.2.2 In the event USA Telecom, Inc. converts special access services to UNEs, USA Telecom, Inc. shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

4.3 Rates

- 4.3.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.3.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the nonrecurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.3.3 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to USA Telecom, Inc. in addition to those specifically referenced in this Section 4above, where available. To the extent USA Telecom, Inc. requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

5. Transport

- 5.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to DS0 and voice grade interoffice transmission facilities described in this Section 5 on an unbundled basis to USA Telecom, Inc. for the provision of a qualifying service, as set forth herein.
- 5.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that USA Telecom, Inc. uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.

5.2	BellSouth shall:
5.2.1	Provide USA Telecom, Inc. exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
5.2.2	Provide all technically feasible features, functions, and capabilities of the transport facility;
5.2.3	Permit, to the extent technically feasible, USA Telecom, Inc. to connect such interoffice facilities to equipment designated by USA Telecom, Inc., including but not limited to, USA Telecom, Inc.'s collocated facilities; and
5.2.4	Permit, to the extent technically feasible, USA Telecom, Inc. to obtain the functionality provided by BellSouth's digital cross-connect systems.
5.3	Dedicated Transport
5.3.1	BellSouth shall offer Dedicated Transport in each of the following ways:
5.3.1.1	As capacity on a shared UNE facility.
5.3.1.2	As a circuit (e.g., DS0 and voice grade) dedicated to USA Telecom, Inc
5.3.2	Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
5.3.3	Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
5.3.4	Technical Requirements
5.3.4.1	The entire designated transmission service (e.g., DS0 or voice grade) shall be dedicated to USA Telecom, Inc. designated traffic.
5.3.4.2	BellSouth shall offer the following interface transmission rates for DS0 or voice grade Dedicated Transport: DS0 Equivalent
5.3.4.3	BellSouth shall design Dedicated Transport according to its network infrastructure. USA Telecom, Inc. shall specify the termination points for Dedicated Transport.
5.3.4.4	At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.

5.3.4.5 <u>BellSouth Technical Reference</u>: TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6. SS7 Network Interconnection

- SS7 Network Interconnection is the interconnection of USA Telecom, Inc. local signaling transfer point switches or USA Telecom, Inc. local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, USA Telecom, Inc. local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 6.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and USA Telecom, Inc. or other third-party switching systems with A-link access to the BellSouth SS7 network.
- If traffic is routed based on dialed or translated digits between a USA Telecom, Inc. local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the USA Telecom, Inc. local signaling transfer point switches and BellSouth or other third-party local switch.
- 6.4 SS7 Network Interconnection shall provide:
- 6.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2:
- 6.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 6.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 6.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a USA Telecom, Inc. local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of USA Telecom, Inc. local STPs and shall not include SCCP Subsystem Management of the destination.

- 6.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 6.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 6.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 6.9 Interface Requirements
- 6.9.1 The following SS7 Network Interconnection interface options are available to connect USA Telecom, Inc. or USA Telecom, Inc.-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 6.9.1.1 A-link interface from USA Telecom, Inc. local or tandem switching systems; and B-link interface from USA Telecom, Inc. STPs.
- 6.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 6.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 6.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 6.9.5 BellSouth shall set message screening parameters to accept messages from USA Telecom, Inc. local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the USA Telecom, Inc. switching system has a valid signaling relationship.
- 7. Automatic Location Identification/Data Management System (ALI/DMS)
- 7.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. USA Telecom, Inc. will be required to provide BellSouth daily updates to E911

database. USA Telecom, Inc. shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

7.2 <u>Technical Requirements</u>

- 7.2.1 BellSouth shall provide USA Telecom, Inc. the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to USA Telecom, Inc. after USA Telecom, Inc. provides End User information for input into the ALI/DMS database.
- 7.2.2 USA Telecom, Inc. shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

8. <u>Operational Support Systems</u>

- 8.1 BellSouth has developed and made available electronic interfaces by which USA Telecom, Inc. may submit LSRs electronically.
- 8.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

8.3 Denial/Restoral OSS Charge

8.3.1 In the event USA Telecom, Inc. provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

8.4 <u>Cancellation OSS Charge</u>

- 8.4.1 USA Telecom, Inc. will incur an OSS charge for an accepted LSR that is later cancelled.
- 8.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 8.6 Network Elements and Other Services Manual Additive
- 8.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

Post Vacatur Version: 06/30/2004

NBUNDLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementat Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			Disconnect			oss	Rates(\$)		
						1,60	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																1
PER.										-						
<u>i====</u>			<u> </u>	<u>-</u>		 ,										
e ord	ed electronically at present per the LOH, the listed SOMEC rail	in this	atego	ry reflects the charg	that would	il e billed to a (i	EC once elec	nic ordering	apabilities co	<u>e on-line for</u>	at elemen	Otherwis	the manual	dering chan	e, SOMAN, wi	be applied
	OSS - Electronic Service Order Charge, Per Local Service Request															
	(LSR) - UNE Only	ł —	-		OMEC		3.50	0.00	3.50	0.00	 			<u> </u>	_	
	SS - Manual Service Order Charge, Per Local Service Request LSR) - UNE Only	ł			SOMAN		15.66	0.00	1.97	0.00						
	ATE ADVANCEMENT CHARGE	1			-		70100									
NOTE:	he Expedite charge will be maintained commensurate with B	South	'c FCC	No.1 Tariff, Section	s applicat	1										
RDER	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TB1, U1TVX, UC1BC, UC1BL, UC1BC, UC1	SDASP		200.00									
							35.13	0.00	0.00	0.00						
MPUND == =	MALIANDE LAGEGO (BAD		-			-	150.00	0.00	0.00	0.00						
2																
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3			UEANL UEANL	UEAL2	34.34	37.81 37.81	17.56 17.56	23.49	5.30 5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL UEASL	12.58 21.05	37.81	17.56	23.49 23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEASL	34.34	37.81	17.56	23.49	5.30						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise Loop Testing - Basic 1st Half Hour			UEANL UEANL	URETL URET1		8.33 34.16	0.83								7.0
	Loop Testing - Basic 1st Half Hour			UEANL	URETA	 	19.85	19.85							-	
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-															
	SL1 ⊌nbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.78	8.94								
	providing make-up (Engineering Information - E.I.)	<u> </u>		UEANL	UEANM		13.44									

INDIINDI	ED NETWORK ELEMENTS - Alabama												Attach			ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)	Name of the second	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			<u> </u>			Rec	Nonrec First	Add'i	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		<u> </u>	<u> </u>	<u> </u>						Addi	SOME	JOHIAN	001117311	00110111		
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15					-			
	Order Coordination for Specified Conversion Time for UVL-SL1 (per	1			0000		18.09								1	1
	LSR)		├	UEANL	OCOSL		10.09				_		-			_
2-WIF	RE UNBUNDLED COPPER LOOP - NON-DESIGNED	 	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15			·			
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	+ +		UEQ	UEQ2X	13.27	34.14	15.10		4.15		-				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	++			UEQ2X	15.07	34.14	15.10		4.15						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u> </u>	+-~	O = 94	- Julian											
	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		\vdash	T												
	Designed (per loop)	1	i	UEQ	USBMC		8.15				ļ		ļ	ļ		
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST								i					i	1	4
	providing make-up (Engineering Information - E.I.)	1		UEQ	UEQMU		13.44		L							
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	0.00			l					+
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85			ļ				-	+
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL	-			LIDELLO		14.27	7.43								
	(NO)		-	UEQ	UREWO		14.27	7.43							i	
UNBUNDLE	EXCHANGE ACCESS LOOP		+						 				-		1	
2-WI	RE ANALOG VOICE GRADE LOOP	+	-	<u> </u>					<u> </u>			-				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Ground Start Signaling - Zone 1		1-1-	UEA	UEALZ	14.50	00.00	35.00	77.2						- "	
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						/I
	Ground Start Signaling - Zone 2		+ -	OLA .	OLALE	22.50							i i			
i	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		+ -	0.07	35.22									1	1	
j	Battery Signaling - Zone 1		1 1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44	ļ					
-+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1													
	Battery Signaling - Zone 2	1	2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44					<u> </u>	4
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse											İ	1			
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00		7.44				ļ	 	+
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36						 	 	1
	Loop Tagging - Service Level 2 (SL2)		1	UEA	URETL		11.21	1,10	-		-		-	-	 	+
4-WI	RE ANALOG VOICE GRADE LOOP	1	1	 		05.04	424.07	04.51	59,14	14.50	 		1	 		1
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	25.34 38.58	131.97 131.97	94,51 94,51		14.50						1
	4-Wire Analog Voice Grade Loop - Zone 2	-		UEA	UEAL4 UEAL4	60.02	131.97	94.51		14.50	 	 			1	
	4-Wire Analog Voice Grade Loop - Zone 3	-	3	UEA	UREWO	60.02	87.72	36.36		14.50		1		1		
	CLEC to CLEC Conversion Charge without outside dispatch	+		UEA	UNEVVO		01.72	00.00								
2-WI	RE ISDN DIGITAL GRADE LOOP	+	+ -	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 1	+		UDN	U1L2X	32.85	117,24	79.77		10.54						
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	+-			U1L2X	48.55	117.24	79.77		10.54						
	CLEC to CLEC Conversion Charge without outside dispatch	+	 	UDN	UREWO		91.63	44.16							ļ	
2 140	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	FIBLE LO	OOP										l			
2-401	2 Wire Unbundled ADSL Loop including manual service inquiry &	1	Ti-									1	1		i	
	facility reservation - Zone 1	ŀ	1	UAL	UAL2X	11.01	110,00	68.00	47.24	7.44					ļ	4
	2 Wire Unbundled ADSL Loop including manual service inquiry &	1									•	1	'			1
- 1	facility reservation - Zone 2	1	2	UAL	UAL2X	12.73	110.00	68.00	. 47.24	7,44	ļ					+
	2 Wire Unbundled ADSL Loop including manual service inquiry &															-
	facility reservation - Zone 3	1	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44	ļ		 	ļ		
	2 Wire Unbundled ADSL Loop without manual service inquiry &		l						47.04	7.44						
	facility reservaton - Zone 1	-	1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44	+	 	-		 	1
	2 Wire Unbundled ADSL Loop without manual service inquiry &				11A1 21A/	12.73	90.00	57.00	47.24	7.44						
	facility reservaton - Zone 2	+-	2	UAL	UAL2W	12./3	90.00	37.00	77.24	7,44		1				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44	1	i				
	facility reservator - Zone 3	-	3	UAL	UREWO	14.30	86.20	40.40								
	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BIFIC	OP.	100	I CITAL TO		55.20	,,,,,,								
2-W	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	-	 											1	
	facility reservation - Zone 1	1	1	UHL	ŲHL2X	8.74	110.00	68.00	47.24_	7.44						1
——	2 Wire Unbundled HDSL Loop including manual service inquiry &	\top		7												
	LE TENS OFFUNIOLES FIDOU COOP MODULING MEMBERS SELFICE INQUITY OF	1	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44			1			

NRONDLE	D NETWORK ELEMENTS - Alabama		,								l com c	C C1	Attach Incremental		Incremental	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs, Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		SOMAN
			ļ				First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
1	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3	JOHL	UNLZA	11.44	110.00	46.00	47,24	1.33				-		<u> </u>
	facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2	1	2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						1
-	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44			,		J	
	CLEC to CLEC Conversion Charge without outside dispatch		-	UHL	UREWO	11.44	86.14	40.40	71.27							
4-WIR	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 1	ļ	1 -	UHL	UHL4X	13.95	148.36	68.00	_51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry and		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73					1	
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry and	-	1	UITL	UIIL4A	15.56	140.36	96.00	51.70	3.13						
	facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73					i	<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry and													_		
	facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73	 					1
	4-Wire Unbundled HDSL Loop without manual service inquiry and			UHL		15.56	94.00	57.00	51.70	9.73						
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73					 	+
ļ	Ifacility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
	CLEC to CLEC Conversion Charge without outside dispatch	 	Ť	UHL	UREWO		86.14	40.40								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	26.09	126.27	88.80	59.14	14.50	ļ					
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL UDL	UDL19 UDL19	35.95 37.88	126.27 126.27	08.88 08.88	59.14 59.14	14.50 14.50						
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-		UDL	UDL56	26.09	126.27	. 88.80	59.14	14.50					 	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		3	UDL	UDL64 UDL64	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50			<u> </u>	<u> </u>	· -	-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UDL	UREWO	37.00	102.13	49.75	39.14	14.50					 	
2-WIR	E Unbundled COPPER LOOP	 	\vdash		UNLIVO		102.10	45.10								
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual service		_			40.70	440.40	65.30	47.04	7.44						
	inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service		2	UCL	UCLPB	12.73	112.46	55.30	47.24	7,44				-		
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7,44						
	Order Coordination for Unbundled Copper Loops (per loop)	T	-	UCL	UCLMC		8.15	8.15								
	2-Wire Unbundled Copper Loop-Designed without manual service		1													1
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service	Ι,		UCL	UCLPW	12.73	91,46	54.30	47.24	7.44	i		i			
_	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPV	12,73	91,46	34,30	47.24	7,44					 	
	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44				1		
	Order Coordination for Unbundled Copper Loops (per loop)		1.	UCL	UCLMC		8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-							-								
	Des)	<u> </u>		UCL	UREWO		97.23	42.48								-
4-WIR	E COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and		ļ													
	facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry and														1	
	facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	4 Wire Copper Loop-Designed including manual service inquiry and		_	UCL	110145	20.24	135.21	88.05	51.70	9,73						
	facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and	 	3	UCL	UCL4S	28.21	135.21	_88.05	51.70	9,73						+
	facility reservation - Zone 1	1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and	1	<u> </u>													
	facility reservation - Zone 2	1 1	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						1

MODIANSER	NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
			l —			Rec	Nonrec		Nonrecurring		201150	001111		Rates(\$)	SOMAN	SOMAN
			<u> </u>				First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73					<u> </u>	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC conversion Charge without outside dispatch		-	UCL	UREWO		97.23	42.48					·	 	 	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15							 	-
				UEA, UDN, UAL,	10000		10.00									
	Order Coordination for Specified Conversion Time (per LSR)		-	UHL, UDL	OCOSL		18.09								 -	+
OOP MODIFIC	ATION			UAL, UHL, UCL,	-									 		
		ļ	1	UEQ, ULS, UEA,		1										
	Note that the Marketine Developed and Calle 2 Mine and	}	1	JOEG, OLS, OEA,			1				1	\	\	}	}	1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair	,	ĺ	UEPSB	ULM2L	ĺ	0.00	0.00	[ĺ	ĺ	ĺ	ĺ	ſ	(
	less than or equal to 18k ft. per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less		-	UEPSB	ULIVIZL		0.00	0.00			 		 	 	 	_
		١,		UHL, UCL, UEA	ULM4L		0.00	0.00								
	than or equal to 18K ft, per Unbundled Loop	 -	 	UAL, UHL, UCL,	GEWINE		0.00	0.00								_
		Į.	i	UEQ,ULS,UEA,		i							1 .	i		1
	Unbundled Loop Modification Removal of Bridged Tap Removal, per	ĺ		UEANL, UEPSR,												
1	unbundled loop	,	1	UEPSB	ULMBT	1	32.41	32.41]							
UB-LOOPS	unbundied loop		 	10E-30	O E MID!		02.41	02.41						1		1
	op Distribution		 													_
Sub-Lo	oop distribution		 													1
1 /	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	l ı	1	UEANL	USBSA	!	244.42						1			
-	Sub-Eddp - Fel Class Box Eddsholl - CEEG Feeder Facility Cet - Cp	-	1	00.112	00201						<u>-</u>					
1 1	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		1	UÉANL	USBSB	1	22.64		[1	ĺ	ĺ	1		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility		1	OD-III.	00000											
	Set-Up	,		UEANL	USBSC		177.45					Į				1
	06.00		 		1.7											
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		55.15							1		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1													
	1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone														1	
	12]	2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70	ļ	ļ]	ļ		
ì	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
	3	[3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70	Ĺ		i		L	
1	<u> </u>										1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15							L	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone													,		
	1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07	ــــــــــــــــــــــــــــــــــــــ	<u> </u>				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1						ł		1	l	l	l	}	1
	2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07	<u> </u>			<u> </u>		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		Т											1		
	3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
														1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	l	UEANL	USBMC		8.15	8.15		<u></u>	i					
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	_1	1	UEANL	USBR2	2.27	53.01	18.17	45.25	6.70	<u> </u>	<u> </u>	<u> </u>	L		
												1				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15							ļ.——	-
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
		1									})		1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC		8.15	8.15						ļ		-
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00			-					
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85							-	-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						-
												٠.				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		_	UEF	USBMC		8.15	8.15				· ·				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6,11	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07				-		-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zorie 3		-													

UNBUNDI ED I	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		<u> </u>			Rates(\$)		
			<u> </u>			Kec	First	Add'l	First	Add1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	.oop Tagging Service Level 1, Unbundled Copper Loop, Non-		ŀ							1						
	Designed and Distribution Subloops		·	UEF, UEANL	URETL		8.94	0.88								
	oop Testing - Basic 1st Half Hour		<u> </u>		URET1		34.16	0.00							1	+
	555 Testing - Basic Additional Half Hour		-	ŲEF	URETA		19.85	19.85								1
	ed Sub-Loop Modification		<u> </u>												<u> </u>	<u> </u>
	Inbundled Sub-Loop Modification - 2-W Copper Dist Load		1											i	i i	
	Col/Equip Removal per 2-W PR		└	UEF	ULM2X		175.78	5.10							 	1
	Inbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip		1					=							ì	
	Removal per 4-W PR		<u> </u>	UEF	ULM4X		175.78	5.10								
	Inbundled Loop Modification, Removal of Bridge Tap, per unbundled		}						i					•		
	оор			UEF	ULMBT		278.20	6.11								
	ed Network Terminating Wire (UNTW)										-					
Į.	Inbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.40	30.01								1	
Network	Interface Device (NID)										-				-	
	letwork Interface Device (NID) - 1-2 lines		-	UENTW	UND12		43.23	28.38			-			!	-	-
	letwork Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11			-					1
IN	letwork Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87			-				 .	.
I N	letwork Interface Device Cross Connect - 4W			UENTW	UNDC4		5.87	5.87			<u> </u>					1
NE OTHER, PRO	OVISIONING ONLY - NO RATE															
	IID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	20.0		1					1		!
	JNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	VENCE	0.00	0.00				!			<u> </u>	<u>. </u>	
1 1				UEANL, UEF, UEQ, UE						1			1	ı	1	ı
	Inbundled Contract Name, Provisioning Only - No Rate		Į .	NTW	UNECN	0.00	0.00				1	1		1		
				UAL, UCL, UDC,												
1 1			1	UDL, UDN, UEA,								1	l			1
₁	Inbundled Contact Name, Provisioning Only - no rate			UHL,	UNECN	0.00	0.00						·			
OOP MAKE-UP											-					
	oop Makeup - Preordering Without Reservation, per working or															T
	pare facility queried (Manual).			UMK	UMKLW		20.00	20.00	[i	1		1		
	oop Makeup - Preordering With Reservation, per spare facility		$\overline{}$													
	ueried (Manual).			UMK	UMKLP		21.00	21.00				1			1	
	.oop MakeupWith or Without Reservation, per working or spare		\vdash													
	acility queried (Mechanized)		1	UMK	UMKMQ		0.59	0.59							1	l
NE SHARING	Bonky queries (Medianizod)		1													
NOTE 1	The Line Sharing monthly recurring rates for all installations	complet	ted fro	m October 02, 2003 th	rough midni	aht October 01.	2004 shall be b	illed as follow	s:		i -					
NOTE 1	10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	ner loon	noned	esigned ("UCLND")	i				1		1					
	10/02/2004 - 10/01/2005: 50% of the rate for UCLND	Del 100p	1	Congress												
	10/02/2005 – 10/01/2006: 75% of the rate for UCLND				1						1		_			<u> </u>
	Above will apply to USOCS: ULSDT and ULSCT		_								i					
HUNTE 1	The Line Sharing monthly recurring rates with USOCs ULSD	C and I	II SCC	annline only to circui	ite inetalled a	ind inservice or	or before Oct	her 1 2003								
LINE SHA	come cine anamy monthly recurring rates with 0000s 0235	l and o	1	applies only to circui	T INStance o	III III SEI VICE OI	Of Belofe Oct	, DC1 7, 2000								
	RS-CENTRAL OFFICE BASED	-	 					-						<u> </u>		i —
				ULS	ULSDA	155.97	188.79	0.00	177.98	0.00		-			-	
	ine Sharing Splitter, per System 96 Line Capacity	-		ULS	ULSDB	38.99	188.79	0.00	177.98	0.00				-		1
	ine Sharing Splitter, per System 24 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00				-		
	ine Sharing Splitter, Per System, 8 Line Capacity	-		ULS	GLODO	12.13	311.38	0.00	333.96	0.00					-	
	ine Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation			une	ULSDG		86.47	0.00	49.84	0.00						
	per LSOD)	-	—	ULS	ULSUG		00.47	0.00	49.04	0.00	-					
	R ORDERING-CENTRAL OFFICE BASED LINE SHARING	-														
	ine Sharing - per Line Activation (BST Owned splitter) -			1110	111 000	0.61	18.51	10.60	10.01	4.92	1					
C	DBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92	1				-	
L	ine Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1			111.0	LILORT	2.00	40.54	40.00	10.01	400						1
	E:10/2/2003)		_	ULS	ULSDT	2.80	18.51	10.60	10.01	4.92					 	
L	ine Share Service, TRO per line activation, 8ST owned splitter -															
	Central Office Located (50% of UCLND) - please see NOTE 1						40.71	40.00	40.01							
(1	E:10/2/2004)			ULS	ULSDT	5.60	18.51	_10.60	10.01	4.92	-					
	ine Share Service, TRO per line activation, BST owned splitter -								1							
	Central Office Located (75% of UCLND) - please see NOTE 1															1
(1	E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
L	ine Sharing - per Subsequent Activity per Line Rearrangement(BST															
	Owned Splitter			luls	ULSDS		16.39	8.19								

NBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		1	-			Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		 					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SOMAN	SUMAN
	Line Sharing - per Subsequent Activity per Line		ł			1	40.00	8.19			1					
-	Rearrangement(DLEC Owned Splitter		-	ULS	ULSCS		16.39	0.19			 -					+
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2	1		uls	ULSCC	0.61	47,44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter -	 	-	i Grand		0.01	41144	10.01	20.02		-					
	Central Office Located (25% of UCLND) - please see NOTE 1	1	l	i	1		ļ		Į.							
	(E:10/2/2003)	1		ULS	ULSCT	2.80	47.44	19.31	20.02	9.83				<u> </u>		
	Line Share Service, TRO per line activation, CLEC owned splitter -											1				1
	Central Office Located (50% of UCLND) - please see NOTE 1	[i						'							1
	(E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83				<u> </u>		
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1			1		0.40	47.44	40.24	20.00	0.00	:					1
	(E:10/2/2005)	-		ULS	ULSCT	8,40	47.44	19.31	20.02	9.83		-			 	
MAIN	No Trouble Found - per 1/2 hour increments - Basic	{	 		-		80.00	55.00						l —	1	
-	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime	-	·	· · · · · · · · · · · · · · · · · · ·	+	-		92.50		-						t
-	No Trouble Found - per 1/2 hour increments - Premium	 	-		_	-	120.00 160.00	82,50 110,00								
BUMDI ED	DEDICATED TRANSPORT	-	1				100.00									
	OFFICE CHANNEL - DEDICATED TRANSPORT	1	1	-	-									"		
14123	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -					-								[
-1	Per Mile per month	1		U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -				1											
	Facility Termination	1		U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90				l		
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	1	1						L			1		1		
1	Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
I	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1	i	l							ì	1			1	1
	Facility Termination	-		U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	ì			41.577	0.008838										
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -	-		U1TVX	1L5XX	0,000030										
- }	Facility Termination	J		U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90		Ì		Į.		
-	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	1	1	OTTO	9.1177	70.70	70.01	21.71	10.14	0.59						
	month			U1TDX	1L5XX	0.008838			<u> </u>						1	
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															Γ"
	Termination	1	1	U1TDX	U1TD5	15,12	40.54	27.41	16.74	6.90						⊥
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per															
- 1	month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility								1					Ì		
	Termination			U1TDX	U1TD6	15,12	40.54	27.41	16.74	6.90						
NALING (C		_	_		-	100.00					}			}	1	┾─
\rightarrow	CCS7 Signaling Termination, Per STP Port	_		UDB	PT8SX	130.83 15.48	35.53	35.53	16,44	16.44	-	-			1	-
	CCS7 Signaling Connection, Per DS1 level link (A link)	-		UDB	TPP6A TPP9A	15.46	35.53	35.53	16.44	16.44	-		1		}	
	CCS7 Signaling Connection, Per DS3 level link (A link)	-	\vdash	UDB	[IFF8A	13.40	35.55	33.53	10.44	10.44					†	
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)	1]	UDB	TPP6B	15.46	35.53	35.53	16.44	16.44	1	1	į			}
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known	 	<u> </u>	000	111702	.5.40	- 55.55	35.55	10.44	10,44		(—			t	t
	as D fink)			UDB	TPP9B	15.46	35.53	35.53	16.44	16.44		l	1			1
_	CCS7 Signaling Point Code, per Originating Point Code	1	1	000	1	- 10.110		00.00		10.4	. "		į			į –
	Establishment or Change, per STP affected			UDB	CCAPO]	29.01	29.01	35.57	35.57	J	J				
11 SERVICE														,	ļ	
	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33,17	36.64	3.20						1
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.008838								<u> </u>		—
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination				-	21.13	40.54	27.41	16.74	6.90					+	_
	Local Channel - Dedicated - DS1 - Zone 1					35.76 49.98	177.47 177.47	153.72 153.72	22.19 22.19	15.26 15.26			1			+
	Local Channel - Dedicated - DS1 - Zone 2	-	-		[107.83	177,47	153,72	22.19	15.26 15.26						†
\rightarrow	Lecal Channel - Dedicated - DS1 - Zone 3	_		[-	0.18	177.47	153.72	22.19	15.26	f		t —	·	1	
	Interoffice Transport - Dedicated - DS1 Per Mile	_	\leftarrow		-		1		1			(t		(t
_	Interoffice Transport - Dedicated - DS1 Per Facility Termination		ļ l	ļ.		60,16	89.27	81.81	16.35	14.44	1					
HANCED	XTENDED LINK (EELs)						55.27		10.00			([[
			L	vitch-As-Is Charge												

1MRONDF)	ED NETWORK ELEMENTS - Alabama													ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
			-										1st	Add'I	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u></u>		l		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOT	E: The monthly recurring and the Switch-As-Is Charge and not the	non-re	currin	g charges below will	apply for UN	E combinations	provisioned as	'Currently Co	mbined' Netwo	k Elements.						
EXTE	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	RADEIN	TERO	FICE TRANSPORT										<u> </u>		
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22.85		55.00	47.24	7.44			<u></u>		ļ	-
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44				<u> </u>		
	•	l		1												1
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.008838									ļ	
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination	1		1	1								ŀ			
	per month		l	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is				1				1							
	Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98					L	
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TERO													
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50					1	
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.008838		,								1
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination															
	per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90			1	1	1	
	Nonrecurring Currently Combined Network Elements Switch -As-Is													 		
	Charge			UNCVX	UNCCC	1	5.59	5.59	6.98	6.98		1		1	1	
EVT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTER	PEFICE		1011000	-	0.00	0.00	0.00	0.00		-				
	4-wire 56 kbps Local Loop in combination - Zone 1	T T LIKE	1 1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50				 	_	
	4-wire 56 kbps Local Loop in combination - Zone 2		1 2	UNCDX	UDL56	35.95	126.27	88.88	59.14	14.50					 	
		-	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50					· · · · · ·	
-	4-wire 56 kbps Local Loop in combination - Zone 3	-	1 3	UNCDA	UDESO	37.00	120.21	00.00	33.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per	!	1	LINIODY	1L5XX	0.008838	1									4
	Mile per month	-	}	UNCDX	ILSAA	0.008838							ļ			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			Lucany		4540	40.54		40.74					1		1
	Facility Termination per month		ļ	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			l	1									i		1
	Charge	l	L	UNCDX	UNCCC		5.59	5.59	6.98	6.98				<u> </u>		
EXTE	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	PFFICE											· · · · ·	<u>'</u>	
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1_	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50					1	1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per			ļ		1										1
	Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		1	,												
	Facility Termination per month		1	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is								1							
	Charge		1	UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA	NSPORT	1											
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14,50						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per				1	2.100		22.00							1	
	month			UNCDX	1L5XX	0.008838								1		
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			1	1									1		
	Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is		-		1550	10,12	40.04	27,-71	19.74	\$.30						
	Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EVT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	BOEEN	FTPA		1511000		0.03	0.55	0.50	0.30						
EATE	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
				UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 2	-			UDL64	37.88	126.27	88.80	59.14	14.50					-	
	First 4-wire 64 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL04	37.68	120.27	00.00	59.14	14.50			-		·	
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			LINCOV	11 EVV	0.000000										
	month Section 1		-	UNCDX	1L5XX	0.008838										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility					l			1							
				LINIORY												
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is		_	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90				-		+

I CD NETWORK ELEMENTS - Alahama												Attachi	ment: 2	Exhi	bit: A
LED NETWORK ELEMENTS - Alabama	1 1	I		ľ						Svc Order	Svc Order	Incremental	Incremental		
		Į											Charge -		Charge -
	1			İ						Elec	Manually	Manual Svc	Manual Svc		
Y RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.			Order vs.
•	1 1			1								Electronic-	Electronic.		Electronic-
												1st	Addi	Disc 1st	Disc Add'i
					, ,	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
				1	Rec	First	Add'l .	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonrecurring Currently Combined Network Elements Switch As Is	1]					Ì					
			UNÇDX	UNCCC		5.59	5.59	6.98	6.98	ļ			1	Į	
AL NETWORK ELEMENTS										ļ	ļ		ļ		<u>; </u>
en used as a part of a currently combined facility, the non-recurre	g charges	s do no	ot apply, but a Switc	h As Is charg	e does apply.					ļ			ļ		ļ
en used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and t	he Switch As	Is Charge does	not.					ļ		ļ	1	
nrecurring Currently Combined Network Elements "Switch As Is" C	harge (O	ne app	lies to each combin	ation)									,		
Nonrecurring Currently Combined Network Elements Switch -As-Is	1			[5.50	0.00	0.00						
Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59		0.90	,	}		}	,	1 1
Nonrecurring Currently Combined Network Elements Switch -As-Is							5.50	0.00	6.00						
Charge - 56/64 kbps			UNCDX	UNCCC	ļ	5.59	5.59	6.98	5.98		,		,		
				<u> </u>			40.00	ļ			,	,	,		· •
NRC - Order Coordination Specific Time - Dedicated Transport	1						18.93	,					ļ		+
-	Nonrecurring Currently Combined Network Elements Switch As Is Charge AL NETWORK ELEMENTS nen used as a part of a currently combined facility, the non-recurring currently Combined Network Elements in All States, the nerecurring Currently Combined Network Elements "Switch As Is" C Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wirel4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps Scellaneous NRC - Order Coordination Specific Time - Dedicated Transport	Nonrecurring Currently Combined Network Elements Switch As Is Charge AL NETWORK ELEMENTS nen used as a part of a currently combined facility, the non-recurring charges nen used as ordinarily combined network elements in All States, the non-recurrenceurring Currently Combined Network Elements "Switch As Is" Charge (O Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 58/64 kbps scellaneous NRC - Order Coordination Specific Time - Dedicated Transport	Nonrecurring Currently Combined Network Elements Switch As Is Charge AL NETWORK ELEMENTS Then used as a part of a currently combined facility, the non-recurring charges do note used as ordinarily combined network elements in All States, the non-recurring recourring Currently Combined Network Elements "Switch As Is" Charge (One approximately Combined Network Elements Switch -As-Is Charge - 2 wirel4-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 58/64 kbps scellaneous NRC - Order Coordination Specific Time - Dedicated Transport	Nonrecurring Currently Combined Network Elements Switch As Is Charge Nonrecurring Currently Combined Network Elements Switch As Is UNCDX AL NETWORK ELEMENTS Then used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Then used as ordinarily combined network elements in All States, the non-recurring charges apply and to The precurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combin Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/A-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 58/64 kbps Scellaneous NRC - Order Coordination Specific Time - Dedicated Transport I UNICX	Nonrecurring Currently Combined Network Elements Switch As Is Charge Nonrecurring Currently Combined Network Elements Switch As Is UNCDX UNCDX UNCCC AL NETWORK ELEMENTS Then used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge Then used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is The non-recurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wirelf-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 58/64 kbps Socilianeous NRC - Order Coordination Specific Time - Dedicated Transport UNICX OCOSR	Rec Nonrecurring Currently Combined Network Elements Switch As Is Charge UNCDX UNCCC	Nonrecurring Currently Combined Network Elements Switch As Is Charge do not apply, but a Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4 *Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4 *Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 58/64 kbps UNCOX UNCCC 5.59 Scellaneous	RATE ELEMENTS Interim Zone BCS USOC Rec Nonrecurring First Add'I Nonrecurring Currently Combined Network Elements Switch As Is Charge AL NETWORK ELEMENTS Then used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. Then used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not interesting Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wirelf-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wirelf-Wire VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 58/64 kbps LINCOX UNCCC 5.59 5.59 Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 58/64 kbps LINCOX UNCCC 5.59 5.59 18.93 18.93	RATE ELEMENTS Interim Zone BCS USOC REC Nonrecurring Nonrecurring First Add'1 First Nonrecurring Currently Combined Network Elements Switch As Is Charge LINCOX UNCCC S.59 S.59 S.59 S.59 S.698 AL NETWORK ELEMENTS Then used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. Then used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. The neurouring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination) Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/A-Wira VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 58/64 kbps LINCOX UNCCC S.59 S.59 S.59 S.59 S.698 LINCOX UNCCC S.59 S.59 S.59 S.59 S.698 LINCOX UNCCC S.59 RATE ELEMENTS Interim Zone BCS USOC RATES(\$) Rec Nonrecurring Nonrecurring Disconnect First Add'l First Add'l Nonrecurring Currently Combined Network Elements Switch As Is Charge UNCDX UNCCC 5.59 5.59 6.98 6.98 AL NETWORK ELEMENTS Then used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply. Then used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not. The necurring Currently Combined Network Elements Switch As-Is Charge - 2 wiref-M/Vira VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wiref-M/Vira VG Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 58/64 kbps LINCOX UNCCC 5.59 5.59 6.98 6.98 ELEMENTS UNCVX UNCCC 5.59 5.59 6.98 6.98 ELEMENTS UNCVX UNCCC 5.59 5.59 6.98 6.98 ELEMENTS UNCDX UNCCC 5.59 5.59 6.98 6.98	RATE ELEMENTS Interim Zone BCS USOC RATES(\$) RATES(\$ RATES(\$) RATES(\$) RATES(\$ RATES(\$) RATES(\$) RATES(\$) RATES(\$) RATES(\$) RA	RATE ELEMENTS Interim Zone BCS USOC RATES(\$) RATES(\$ RATES(\$) RATES(\$) RATES(\$ RATES(\$) RATUEL RATES	RATE ELEMENTS Interim Zone BCS USOC RATES(\$) Svc Order Submitted	RATE ELEMENTS Interim Zone BCS USOC RATES(\$) RATES(\$) REC Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Disconnect First Add'I First Add'I SOMEC SOMAN RATE ELEMENTS Interim Zone BCS USOC RATES(\$) RATE Submitted Electronic Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Sound Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec Nonrecurring Disconnect Rec Nonrecurring Nonrecurring Disconnect Rec		

JNBU	NDLED	NETWORK ELEMENTS - Florida		,										Attach			bit: A
ATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
	-			-			Rec	Nonrec	curring	Nonrecurring	Disconnect		l	OSS	Rates(\$)	l	
								First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		ne" shown in the sections for stand-alone loops or loops as p				aphically De	averaged UNE	Zones. To view	Geographicall	y Deaveraged l	JNE Zone Desi	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
	http://	w.interconnection.bellsouth.com/become_a_clec/html/interco	nnecti	on.htm				_					1	1			
PER/	NOTE	PPORT SYSTEMS (OSS) - "REGIONAL RATES") CLEC should contact its contract negotiator if it prefers the	'etato e	nacific	"OSS charges as ord	lared by the S	State Commissi	ons The OSS	charges curren	fly contained in	this rate exhi	hit are the B	ellSouth "re	gional" servic	e ordering ch	arges CLEC	may elect
	either	state specific Commission ordered rates for the service orde	ring ch	arnes	or CI FC may elect the	regional se	rvice ordering	charge howeve	r. CLEC can no	t obtain a mixt	ure of the two	egardless if	CLEC has	interconnect	ion contract e	stablished in	each of th
	NOTE:	Any element that can be ordered electronically will be hilled	accord	ing to t	he SOMEC rate listed	in this cated	gory. Please re	fer to BellSouth	's Local Orderi	ng Handbook (LOH) to detern	rine if a proc	duct can be	ordered electr	onically, For I	those element	ts that can
	be order	red electronically at present per the LOH, the listed SOMEC rate	in this	atego	ry reflects the charg	that would	e billed to a (LEC once elect	ronic ordering	capabilities co	me on-line for	at elemen	<u>Otherwis</u>	, the manual o	rdering charg	e, SOMAN, v	ill be appli
		OSS - Electronic Service Order Charge, Per Local Service Request	ĺ			201150	1	3	0.00	2.50				1		}	
		(LSR) - UNE Only		├ ─		SOMEC		3,50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only	1	1		SOMAN		11.90	0.00	1.83	0.00	1					
INF S		ATE ADVANCEMENT CHARGE	<u> </u>	 		90000		11.50	0.00	7,99							
	NOTE	The Expedite charge will be maintained commensurate with Be	lSouth	's FCC	No.1 Tariff, Section 5	as applicabl	le.		L								
PRDE		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day CATION CHARGE			UDL, UENTW, UDN, UEA, UHL, ULC, USL, UHT12, U1T48, U1TD1, U1T03, U1T51, U1T03, U1T51, U1T03, U1T51, U1T03, U1T51, U1T03, U1T51, U1T03, U1T51, U1T04, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UDL148, UDL03, UDLS3, ULD12, ULD48 ULDD1, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, ULD03, UNC18, UNC18, UNC18, UNC18, UNC18, UNC19, UNT09, UNT09, UNT09, UNT09, UT109, U1TUB, U1TUB, U1TUB, U1TUB, U1T04, U1T05, U1T07,	SDASP		200.00									
	ļ		l —	<u></u>	ļ . <u> </u>		ļ	26,21	0.00	0.00	0.00						
NIC:	<u> </u>		 	<u> </u>				150.00	0.00	0.00	0.00						
NBU	-		-	-			-	. —		1.0		1					
	- т		 	1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57		i				
					UEANL	UEAL2	15.20	49.57	22.83	25,62	6.57						
					UEANL	UEAL2	26.97		22.83	25.62	6.57	<u> </u>					
	+		 		UEANL	UEASL	10.69	49.57 49.57		25.62	6.57						
		· · · · · · · · · · · · · · · · · · ·	 		UEANL	UEASL UEASL	15.20 26.97	49.57	22.83 22.83	25.62 25.62	6.57 6.57		-		_		
				3_	DEAINE	JULAUL	20.97	49.37	22.03	25.02	0.37			t -		-	
					UEANL	URETL		8.33	0.83				L				
		Loop Testing - Basic 1st Half Hour	i ——		UEANL	URET1		48.65	0.00								
		Loop Testing - Basic Additional Half Hour	!=		UEANL	URETA		23.95	23.95								
_																	
_	1	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL	UREWO		15.78	8.94							•	

INBUNDI F	D NETWORK ELEMENTS - Florida												Attachi			bit: A
CATEGORY		Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge = Manual Svc Order vs. Electronic- Add'l Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			1			Rec	Nonrec		Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					1154140		First 9.00	Add'I 9.00		Addi	SOMEC	SOMAN	JOINAIN	John	DOMESTIC	
	Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEAMC		9.00	9.00			···-					
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL		23.02				i				1	
	LSR)		1	OBANL	OCOSL		20.02									
2-WIR	E UNBUNDLED COPPER LOOP - NON-DESIGNED 2-Wire Unbundled Copper Loop - Non-Designed Zone 1	 	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						T
	2 Wire Unbundled Copper Loop - Non-Designed 2 one 2	1		UEQ	UEQ2X	10.92	44.98	20.90		6.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i i		UEQ	UEQ2X	19.38	44.98	20.90		6.45			· .			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		T-										1			
i	Premise			UEQ	URETL		8.33	0.83							<u> </u>	+
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	T	T						!			1			1	
	Designed (per loop)			UEQ	USBMC		9.00					 		 		
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST	l	1				40.40							1		
	providing make-up (Engineering Information - E.I.)	-	ऻ—	UEQ	UEQMU		13.49 48.65	0.00				 				+
	Loop Testing - Basic 1st Half Hour	-	 —	UEQ	URETA		23.95	23.95			+	 			-	
	Loop Testing - Basic Additional Half Hour	-		UEQ	URETA		23.33	23.53	-		-					
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			UEQ	UREWO		14.27	7.43					1			
INDIANDI ED	ND) EXCHANGE ACCESS LOOP	+	+	OLG.	JUILLAND						-					
NBONDLED 2 WID	E ANALOG VOICE GRADE LOOP		+													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	_	+-						1							1
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					<u> </u>	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
- 1	Ground Start Signaling - Zone 2		2	ŲEA	UEAL2	17.40	135.75	82.47	63.53	12.01	ļ					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1							1001					1	
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01	-				+	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.		LIEADO	4004	135.75	82.47	63.53	12.01	1					1
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	62.47	63.53	12.01	 		<u> </u>	-	 	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
	Battery Signaling - Zone 2	-		UEA_	UEARZ	17.40	100.70	02.41	00.00	12.01	-					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
	CLEC to CLEC Conversion Charge without outside dispatch	+	+	UEA	UREWO		87.71	36.35					· · · · · · · · · · · · · · · · · · ·		L	
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								-
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	18.89	167.86	115.15		15.56			<u> </u>			<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	26.84	167.86	115.15		15.56 15.56						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15		15.56		 			-	+
	CLEC to CLEC Conversion Charge without outside dispatch	-	+	ŲEA	UREWO		87.71	36.35	1						 	1
2-WIR	E ISDN DIGITAL GRADE LOOP	-	+ -	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71	 -	 				
	2-Wire ISDN Digital Grade Loop - Zone 1	-		UDN	U1L2X	27.40	147.69	94.41				-		1		
+-	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	 -		UDN	U1L2X	48.62	147.69	94.41					-			
	CLEC to CLEC Conversion Charge without outside dispatch	-	+ -	UDN	UREWO	70.02	91.61	44.15								
2 14/10	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELC	OP.	GD.IT												
	2 Wire Unbundled ADSL Loop including manual service inquiry &	T	T											1		
ŀ	facility reservation - Zone 1	1	11	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63		ļ	<u> </u>	ļ	<u> </u>	+
	2 Wire Unbundled ADSL Loop including manual service inquiry &	Τ-											1	1		
	facility reservation - Zone 2		2	UAL	UAL2X	11.80_	149.53	103.85	75.05	15,63			· · · · ·	 		-
	2 Wire Unbundled ADSL Loop including manual service inquiry &	ŀ						400.05	75.05	45.63	.				1	
	facility reservation - Zone 3	-	3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						-
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12	.					
	facility reservator - Zone 1	-	1	UAL	UALZVV	0.30	124.03	71.12	00.04	J.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71,12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &	+	1-		U. 142.11		1255					T				
	facility reservation - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12		9.12						
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UAL	UREWO		86.19	40.39				1				
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LO	OP													
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63	-					+
	2 Wire Unbundled HDSL Loop including manual service inquiry &		1 .			40.00	450.00	113.41	75.05	15.63						
	facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	79.05	15.03		1		·		

NBUNDLE	D NETWORK ELEMENTS - Florida												Attach			bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		 	-				Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
		 			1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &															1
	facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63	ļ					
	2 Wire Unbundled HDSL Loop without manual service inquiry and											1	1	!		
	facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		l .			40.00	134.40	80.69	60.64	9.12	1					ı
	facility reservation - Zone 2	ļ. <u> </u>	2	UHL	UHL2W	10.26	134.40	00.09	00.04	5.12			· ·			
	2 Wire Unbundled HDSL Loop without manual service inquiry and	-	3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						1
	facility reservation - Zone 3	+	1 3	UHL	UREWO	10.21	86.12	40.39		-	 					
4 1807	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	RIFIOC)P	1	UNLIVO											
4-VVII	4 Wire Unbundled HDSL Loop including manual service inquiry and	1	"													
	facility reservation - Zone 1		1	UHL	UHL4X	10.86	193,31	138.98	77 <u>.15</u>	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61			1		-	
	4-Wire Unbundled HDSL Loop including manual service inquiry and						400.51	422.55	77.15	12.61						
	facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	//.15	12.61	+		 		 	-
	4-Wire Unbundled HDSL Loop without manual service inquiry and		1.	l		10.86	168.62	115.47	62.74	11.22						
	facility reservation - Zone 1	-	1	UHL	UHL4W	10.86	100.02	113.47	02.74	11.22	 					
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1	2	UHL	UHL4W	15.44	168,62	115.47	62.74	11.22						
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and	+		Unit.	TOTIC TV	10.44	100.01				1					
1	facility reservation - Zone 3		3	UHL .	. UHL4W	27.39	168.62	115.47	62.74	11,22						
	CLEC to CLEC Conversion Charge without outside dispatch	+	+ -	UHL	UREWO		86.12	40.39					<u> </u>			
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1	+-									<u> </u>			ļ	
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85		15.56		<u> </u>	ļ	!		
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85		15.56					 	
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85		15.56				 -		-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56 161.56	108.85 108.85		15.56 15.56			-	 -	 	1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1-		UDL	UDL56	31.56 55.99	161.56	108.85		15.56		-	 			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL64	22.20	161.56	108.85		15.56		1	1			T
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	+	1 2	UDL	UDL64	31.56	161.56	108.85		15.56		i				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1		UDL	UDL64	55.99	161.56	108.85	67.08	15.56			1		1	1
	CLEC to CLEC Conversion Charge without outside dispatch		+	UDL	UREWO		102,11	49.74		1			4.5			-
2-Wil	RE Unbundled COPPER LOOP	1												ļ <u> </u>		
	2-Wire Unbundled Copper Loop-Designed including manual service										1	1				
	inquiry & facility reservation - Zone 1		1_	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63	-		1		 	
	2-Wire Unbundled Copper Loop-Designed including manual service					44.55	440.50	100.00	75.05	15.63		1				
	inquiry & facility reservation - Zone 2	-	2	UCL	UCLPB	11.80	148.50	102.82	/5.05	15.63	-	-	-	-	-	_
	2 Wire Unbundled Copper Loop-Designed including manual service		1	uo.	UCLPB	20.94	148.50	102.82	75.05	15.63					1	
	inquiry & facility reservation - Zone 3	-	3	UCL	UCLPB	20.94	146.50	102.02	13.05	15.00						1
	2-Wire Unbundled Copper Loop-Designed without manual service		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service	 -	 '	001	1	.0.00	120.07	1 0.00	 							
i	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12	: }		L			
_	2-Wire Unbundled Copper Loop-Designed without manual service	 	1-									1		i .		
1	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12	2	1				-
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-							1	1	1	1	1		1		
-	Des)	l		UCL	UREWO		97.21	42.47				+	<u> </u>	ļ		+
4-WI	RE COPPER LOOP											+	 	+	 	
	4-Wire Copper Loop-Designed including manual service inquiry and				1101.40	44.55	477.07	120.70	77.15	17.73						
	facility reservation - Zone 1	-	1	UCL	UCL4S	11.83	177.87	132.76	17.15	17.73	·	· · · · · · · · · · · · · · · · · · ·		 	1	
	4-Wire Copper Loop-Designed including manual service inquiry and		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73	3					
	facility reservation - Zone 2	-	1 2	UCL	UCL45	10.81	177.87	132.70	1,7.15	17.10	1					
	4-Wire Copper Loop-Designed including manual service inquiry and		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73	3					
	facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and	+	1 3	300	00240	1			1	1						
	facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22	2					
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22	2	ļ		-		+
	4-Wire Copper Loop-Designed without manual service inquiry and			1												
	facility reservation - Zone 3	1	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22	4	<u> </u>	.1		J	

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	_ Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svi Order vs. Electronic Disc Add'i
Γ.						Rec		urring		Disconnect				Rates(\$)		
					1	Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch	-		UCL	UCLMC		97.21	42.47 9.00								
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UEA, UDN, UAL,	DCLMC		9.00	9.00				_				
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL	1	23.02									
LOOP MODIF		_	1	OTIL, OOL	COOL		20.02									
			1	UAL, UHL, UCL,										}		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less					<u> </u>								1		1
	than or equal to 18K ft, per Unbundled Loop	<u></u>	L	UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per			UAL, ÜHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52								
SUB-LOOPS	unbundled loop	}	}	0EF98	O LINE !		10.02	10.52								t
	Loop Distribution		 		1	1										
						1									1	
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		487.23				1					
			1		1	1		i								1
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1_		UEANL	USBSB		6.25				-			<u> </u>		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	<u> </u>	<u> </u>	UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	J ,)	UEANL	USBSD	i	38,65]					1	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone				1	-										[
	1		1 1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						<u> </u>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.18	60.19	21,78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	<u> </u>	3	UEANL	USBN2	16.29	60.19	21,78	47.50	5.26						
J	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	J	j	UEANL	USBMC		9.00	9.00			ł					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	ODAIL .	TO DE MIC		3.00	0.00								
	1]	1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60	1				i	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	ì	T								1		\		1	1
	3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60					-	1
]	1		LIGHT		9.00	9.00		ì	ì		ì			1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	((UEANL UEANL	USBMC USBR2	3.96	51.84	13.44	47.50	5.26			 -		-	
	ISUB-LOOP 2-VIRE IIII abuliuliig (Velwork Cable (INC)	(IOEAINL	USBNZ	3.50	31.04	13.44	47.50	5.20						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1)	UEANL	USBMC		9.00	9.00	J]			L			
, ,	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	}	UEANL	USBR4	9.37	55,91	17.51	49.71	6.60]					<u>, </u>
		1)										.	1	!	1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		_	UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour	<u> </u>	-	UEANL	URET1		48.65	0.00 23.95	-	}					}	
<u> </u>	Loop Testing - Basic Additional Half Hour		[]	UEANL	URETA	5 15	23.95	21.78	47.50	5.26	1				}	}
+-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	1 2	UEF	UCS2X UCS2X UCS2X	5.15 7.31 12.98	60.19 60.19	21.78	47.50	5.26 5.26			(
	2 Wire Copper Unbuilded Sub-Loop Distribution - Zone 3	 	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26	,					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC)	9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	L		UEF	UCS4X	5.36	68.83	30.42	49.71	6.60					-	1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS4X UCS4X UCS4X	7.81	68.83	30.42	49.71	.6.60					}	-
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60	-				 	1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	ļ	UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops	j		UEF, UEANL	URETL	-	8.93	0.88								
																1

JNBUNDLED N	ETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Order v Electror Disc Ad
						Rec	Nonrec		Nonrecurring		DOMES	COMAN	OSS	Rates(\$) SOMAN	SOMAN	SOMAN
	pop Testing - Basic Additional Half Hour	-	<u> </u>	UEF	URETA		First 23.95	Add'l 23.95	First	Add'i	SOMEC	SOMAN	SOMAN	SUMAN	SOMAN	SUMAN
	d Sub-Loop Modification		\vdash	1	ONLIA		20.50	20.50								-
	nbundled Sub-Loop Modification - 2-W Copper Dist Load															
	pil/Equip Removal per 2-W PR			UEF	ULM2X	-	10,11	10.11								
Ün	nbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip		1													
Re	emoval per 4-W PR		L.	UEF	ULM4X		10.11	10.11								
	nbundled Loop Modification, Removal of Bridge Tap, per unbundled	1			ļ I			4= ==		1						
loo			-	UEF	ULMBT		15.58	15.58			-		ļ			
Unbundled	d Network Terminating Wire (UNTW) noundled Network Terminating Wire (UNTW) per Pair		_	UENTW	IUENPP	0.4572	18.02				1					
Notwork In	nterface Device (NID)	_	 	DEIVIV	DENFF	0.4372	10.02		 							
Networkin	etwork Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87								
	etwork Interface Device (NID) - 1-2 lines			UENTW	UND16		113.89	89.07								
	etwork Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63								
Ne	etwork Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63								
	VISIONING ONLY - NO RATE															
	D - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
UN	NTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
			1	UEANL, UEF, UEQ, UE	UNECN	0.00	0.00		İ						ł	
Un	nbundled Contract Name, Provisioning Only - No Rate		-	UAL,UCL,UDC,UDL,	UNECN	0.00	0.00					-				
	nbundled Contact Name, Provisioning Only - no rate	1	1	UDN,UEA,UHL	UNECN	0.00	0.00		į		1	1		İ		
LOOP MAKE-UP	nounded Contact Name, Provisioning Only - no rate	 	 	ODN,OEA,OFIL	UNECH	0.00	0.00		 							
	op Makeup - Preordering Without Reservation, per working or		_		1											
	are facility queried (Manual).		ł	UMK	UMKLW		52.17	52.17	1							
	op Makeup - Preordering With Reservation, per spare facility								l							
	eried (Manual).		<u> </u>	UMK	UMKLP		55.07	55.07								
	op MakeupWith or Without Reservation, per working or spare	ŀ	1													
	cility queried (Mechanized)		<u> </u>	UMK	UMKMQ		0.6784	0.6784								
LINE SHARING	The Line Sharing monthly recurring rates for all installations		tool fro	m Ootobor 02 2002 th	rough midnic	abt Octobor 01	2004 chall bo h	illad as follow	J							
	0/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop					giit October 01,	2004 Silali De L	inea as ionow	3.						,	
	0/02/2004 - 10/01/2005: 50% of the rate for UCLND		1	T Total							···					
	0/02/2005 - 10/01/2006: 75% of the rate for UCLND				-								7.5			
NOTE 1: AI	bove will apply to USOCS: ULSDT and ULSCT															
	The Line Sharing monthly recurring rates with USOCs ULSD	C and l	JLSCC	applies only to circui	its installed a	nd inservice or	or before Octo	ber 1, 2003								
LINE SHAR	RING		L													
SPLITTERS	S-CENTRAL OFFICE BASED								017.00							
	ne Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72 29.93	379.13 379.13	0.00	347.90 347.90	0.00						-
	ne Sharing Splitter, per System 24 Line Capacity ne Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						<u> </u>
	ne Sharing Splitter, Per System, a Line Capacity ne Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation			ULS	ULSDO	0,33	379.13	0.00	347.50	0.00					1	
	er LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00						
	R ORDERING-CENTRAL OFFICE BASED LINE SHARING		1	1020	02000				0,7,2							
	ne Sharing - per Line Activation (BST Owned splitter) -		\vdash													
	BSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
	ne Share Service, TRO per line activation, BST owned splitter -	i						·								
	entral Office Located (25% of UCLND) - please see NOTE 1					l										
	:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
	ne Share Service, TRO per line activation, BST owned splitter -															
	entral Office Located (50% of UCLND) - please see NOTE 1		1	ULS	ULSDT	3.98	29.68	21.28	19.57	9,61						
	:10/2/2004) ne Share Service, TRO per line activation, BST owned splitter -		-	ULO	ULSUI	3.90	29.00	21.20	19.57	9.01				-		-
	entral Office Located (75% of UCLND) - please see NOTE 1															
	:10/2/2005)			ULS	ULSDT	5.97	29.68	21.28	19.57	9.61	1					1
	ne Sharing - per Subsequent Activity per Line Rearrangement -					0.01										
(BS	ST Owned Splitter)			ULS	ULSDS		21.68	16.44								
Ľin	ne Sharing - per Subsequent Activity per Line Rearrangement -	1									1			1	Î	1
	DLEC Owned Splitter)	-	-	ULS	ULSCS		21.68	16.44			1		+	-	1	+
	ne Sharing - per Line Activation (DLEC owned Splitter) -		1	1.00	III SCC	0.61	47.44	19.31	20.67	10.74						
OF	BSOLETE see **NOTE 2	1	1	ULS	ULSCC	0.61	41.44	19.31	20.07	12.74		J	J	1	J	J

IRIINDI FI	NETWORK ELEMENTS - Florida	Ī												ment: 2	l.	bit: A
ATEGORY	RATE ELEMENTS	loterim	Zone	BCS	usoc		· · ·	RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge- Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sy Order vs Electronic Disc Add
		l		į	1 1				_		<u> </u>					
i		1	1		1	Rec	Nonreç		Nonrecurring					Rates(\$)	3	
İ		1	1	į]	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter -	1	1				ŀ									1
	Central Office Located (25% of UCLND) - please see NOTE 1			L	i l			40.04	20.67	12.74						
	(E:10/2/2003)	<u> </u>	ļ	ULS	,ULSCT	1.99	47.44	19.31	20.61	12.14		}			}	}
	Line Share Service, TRO per line activation, CLEC owned splitter -		j											ĺ	Į	l
	Central Office (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						<u> </u>
	Line Share Service, TRO per line activation, CLEC owned splitter -	-	1	-							i	į				
	Central Office Located (75% of UCLND) - please see NOTE 1		1											l		
	(E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74					+	
MAINT	ENANCE		—				80.00	55.00	· · · · · · · · · · · · · · · · · · ·							
	No Trouble Found - per 1/2 hour increments - Basic	-	+				120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Overtime	+-	-	-			160.00	110.00								
DIMPLED	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT	1													_	<u> </u>
INTER	DEFICE CHANNEL - DEDICATED TRANSPORT		1													-
HAT EK	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0091					-	-	-			
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			11477.00	114T) (2	25.20	47.35	31.78	18.31	7.03						
	Facility Termination		-	U1TVX	U1TV2	25.32	41.30	31.70	10.01	7.00	 					T
1	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	ļ		U1TVX	1L5XX	0,0091				1						1
_	Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	-	+	01177	TESTON	0.930				<u> </u>			}			
	Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -													1	1	
	Per Mile per month		1	U1TVX	1L5XX	0.0091							 		 	+
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -		i	1			47.35	31.78	18.31	7.03						
	Facility Termination			U1TVX	U1TV4	22.58	47.35	31,76	10,31	7.03	<u> </u>			l .		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	1		U1TDX	1L5XX	0.0091										
	month Interoffice Channel - Dedicated Transport - 56 kbps - Facility		+	OTIDA	TESTOR	0.0001		-							1	
	Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03				ļ		4
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per									1					•	
	month			U1TDX	1L5XX	0.0091					 	 	 	 	-	+
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility					40.44	47.35	31.78	18.31	7.03					1	1
	Termination			U1TDX	U1TD6	18.44	47.35	31.76	10.31	7.00		 		1		
GNALING (C	CS7)	+	+	UDB	PT8SX	135.05				T						
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Connection, Per DS1 level link (A link)	 -	1	UDB	TPP6A	17.93	43.57	43.57	18.31	18.31						
_ _	CCS7 Signaling Connection, Per DS3 level link (A link)		┪	UDB	TPP9A	17.93	43.57	43.57	18.31	18.31			<u> </u>	ļ	-	ļ
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known									40.04				1		
	as D link)			UDB	TPP6B	17.93	43.57	43.57	18.31	18.31	-	 	-		+	+
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known				терев	17.93	43.57	43.57	18.31	18.31						
	as D link)	+		UDB	TPP9B	17.93	43.51	45.51	10,51	10.01	†		<u> </u>			
	CCS7 Signaling Point Code, per Originating Point Code	l	i	UDB	CCAPO		46.03	46.03	46.03	46.03						
11 SERVICE	Establishment or Change, per STP affected	-	_	000	00/11/0									l		
11 SERVICE	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	-	1			21.94	265.84	46.97		4.00			-			4
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.62	265.84	46.97					 	<u> </u>		+
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3			ļ		57.22	265.84	46.97	37.63	4.00	-	+	 	-	+	+
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		-	-		0.0091				-	+		 	1		1
_	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					25.32	47,35	. 31.78	18.31	7.03						
	Termination	+	+	-		35.28	216.65	183.54								
	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2		+			47.63	216.65	183.54	21.47	19.05						
	Local Channel - Dedicated - DS1 - Zone 3		-			92.01	216.65	183.54	21.47	19.05						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856			ļ			 		+		+
							1055	00.47	21.47	19.05						
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		-			88.44	105.54	98.47	21.4/	19.05	'	-	+ -		1	_
NHANCED E	XTENDED LINK (EELs) The monthly recurring and non-recurring charges below will.		d 46 a 5	witch As is Chart	will not apply	for LINE combin	ations provisio	ned as ' Ordin	arily Combined	' Network Elem	ents.		-	1	1 .	
NOTE	: The monthly recurring and non-recurring charges below will : The monthly recurring and the Switch-As-Is Charge and not t	арріу ап	u the 5	a charge holow w	vill anniv for IIN	F combinations	provisioned as	'Currently C	ombined' Netwo	ork Elements.	1					
INOTE	: The monthly recurring and the Switch-As-is Charge and not to NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE (Counti	2 21101 200 OCIOW W			1		T		T			1		

	NETWORK ELEMENTS Florida													ment: 2		bit: A
EGORY	NETWORK ELEMENTS - Florida RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add
					+ +		Nonrec	urring	Nonrecurring I					Rates(\$)		COMAN
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 1	t -	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		-				
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	-					
			T				l									1
-	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091	_				 					
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination		l		U1TV2	25.32	94.70	52.59	50.49	21.53	1	İ				
	per month	-	├	UNCVX	01172	25.02	34.70	02.00							T .	
	Nonrecurring Currently Combined Network Elements Switch -As-Is		1	UNCVX	UNCCC	+	8.98	8.98	8.98	8.98						
	Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	DADEIN	TEDAL	EICE TRANSPORT	diveced											
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	KADE IN	T 1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81				ļ		
_	4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						-
	4-14 II 8 4 G LOOP II COMONIBIION - ZONE 3		1													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		1	UNCVX	1L5XX	0.0091						_			-	
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination									04.50					1	
	ner month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53				-		
	Nonrecurring Currently Combined Network Elements Switch -As-Is							8.98	8.98	8.98	1					
	Channe			UNCVX	UNCCC		8.98	6.90	0.90	0.20			 			
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTER	OFFICE	TRANSPORT	1,51,50	22.20	127.59	60.54	42.79	2.81	1					
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20 31.56	127.59	60.54	42.79	2.81						T
	4-wire 56 kbps Local Loop in combination - Zone 2	—-	2	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						1
	4-wire 56 kbps Local Loop in combination - Zone 3	+	3	UNCDX	UDL56	33.99	127.55		1							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per		1	UNCDX	1L5XX	0.0091								<u> </u>		
	Mile per month	+	-	UNCDA	123/00	0.0007										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1		UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
_ _	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is	+		ones.							İ	i	1			
	Charac			UNCDX	UNCCC		8.98	8.98	8.98	8.98						-
EVTER	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	SINTER	OFFICE	TRANSPORT								-		1	-	+
- EVIEN	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	T	1 1	JUNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						+
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54		2.81		+		 	<u> </u>	_
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.01		+	-		1	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per	1				0.0004					1	1		1		
	Mile per month		+	UNCDX	1L5XX	0.0091			_			1		 		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINODY	U1TD6	18.44	94.70	52.59	50.49	21.53	:	1				
	Facility Termination per month	+	-	UNCDX	UTIDO	10.44	54.70					1				
1	Nonrecurring Currently Combined Network Elements Switch -As-Is		1	UNCDX	UNCCC		8.98	8.98	8.98	8.98	1					
	Charge IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFI	CE TRA									<u> </u>				
EXTEN	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL56	22.20	127.59	60.54		2.81				_		-
_	First 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		_		+		+
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		+	+			+
_	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile pe	r														
	month			UNCDX	1L5XX	0.0091			-			+	+			
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility						04.70	52.59	50.49	21.53					1	
	Termination per month		_	UNCDX	U1TD5	18,44	94.70	52.59	50.49	21.53	-					
	Nonrecurring Currently Combined Network Elements Switch -As-Is				INICCO		8.98	8,98	8.98	8.98	3		1 1			
	Charge			UNCDX	UNCCC		0.50	0.50	0.50		1	1				
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	CKOFF	ICE TR	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1 2	UNCDX	UDL64	31.56	127.59	60.54		2.81				1		
	First 4-wire 64 kbps Local Loop in combination - Zone 2	-			UDL64	55.99	127.59	60.54	42.79	2.81						
	First 4-wire 64 kbps Local Loop in combination - Zone 3	r		JIIODA		22.30										
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			UNCDX	1L5XX	0.0091										+
	month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53	3	-		+		-
	Nonrecurring Currently Combined Network Elements Switch -As-Is										,	1				
	Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98	1			+		
		-					1	1								
DITIONAL	NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurre															

UNBUNDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
			Γ]	1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1	i .	į	1						Élec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
					1						1	'	Electronic-	Electronic-	Electronic-	Electronic-
			1										1st	Add'i	Disc 1st	Disc Add'l
			-		-		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	L	
			_			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonrec	curring Currently Combined Network Elements "Switch As Is" C	harge (C	пе арг	olies to each combina	ation)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is		\Box								1					
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98		<u> </u>			<u> </u>	
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
Miscel	laneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	1		UN1CX	OCOSR		18.90	18.90					<u> </u>			

Page 16 of 70 [CCCS Amendment 52 of 106]

	- 1	147												Attach	ment: 2	Exhi	ibit: A
ATEGORY		RATE ELEMENTS	Interim	Zone	BS	soc			ATE (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
	i						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The '	"Zon	re" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Geogr	aphically De	averaged UNE Z	ones. To view	Geographically	y Deaveraged l	JNE Zone Desig	nations by	Central Offi	ce, reter to int	ernet website	:	
		ww.interconnection.bellsouth.com/become_a_clec/html/interco			·		т т	Т			Γ					F	T
		JPPORT SYSTEMS (OSS) - "REGIONAL RATES" CLEC should contact its contract negotiator if it prefers the	"state s	pecific	" OSS charges as org	ered by the	State Commission	ns. The OSS c	harges current	ly contained in	this rate exhil	it are the B	ellSouth "re	egional" servi	ce ordering cl	arges. CLEC	may elect
be or	rdere	ed electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ry reflects the charge	that would	be billed to a CL	EC once electr	onic ordering	capabilities co	me on-line for t	hat element	t. Otnerwisi	e, the manual	ordering char	ge, SUMAN, W	ill be applie
	- 10	OSS - Electronic Service Order Charge, Per Local Service Request LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						-
	- 10	OSS - Manual Service Order Charge, Per Local Service Request LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						-
NE SERVIC	E DA	ATE ADVANCEMENT CHARGE	1	I- F00	No 4 Tould Continue	an applicat	Ja						-	 			
NOT	E: T	he Expedite charge will be maintained commensurate with Be	iiiSouth	SFCC	No.1 Taritt, Section 5	as applicab	ne.	-									
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDC, UDF, UEC, UDC, UDF, UEC, UUL, UENTW, UDN, UEA, UHL, ULC, USL, U1712, U1748, U17D1, U17D3, U17D1, U17D3, U17D1, U17D3, U17D1, U17D2, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UDL02, UC1BL, ULD48, ULDD3, ULD51, ULD03, ULD51, ULD03, ULD03, ULD03, ULD03, ULD03, UNCDX, UNCD	SDASP		200.00									
RDER MOD		CATION CHARGE	1	1-		 	 	26.21	0.00	0.00	0.00			1			1
		Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	1		1	l -	-	150.00	0.00	0.00							Ĭ
INBLINDI F	DEX	CHANGE ACCESS LOOP	1	+-													
		ANALOG VOICE GRADE LOOP															-
- "		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61			ļ			1	
	_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.85	40.02	9.99	5.61				-	1		+
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.97	40.02	9,99	5.61 5.61			+		-	+	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	_	1	UEANL	UEASL	10.51 15.85	40.02 40.02	9.99	5.61			 	1			-
	:	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	-	3	UEANL UEANL	UEASL	31.97	40.02	9.99	5.61			1	1			
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	3	OBANL	UEASE	31.97	40.02	3.33	3.01	1.12	f			1	1	
					UEANL	URETL		8.33	0.83								
		Premise Loop Testing - Basic 1st Half Hour	1	\top	UEANL	URET1		25.12									
	;	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62					ļ			
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-															

BUNDLED	NETWORK ELEMENTS - Georgia											0		ment: 2		bit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		 	1				Nonreci	ırring	Nonrecurring	Disconnect			oss	Rates(\$)		
_		<u> </u>	+		<u> </u>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	1	 								1					
1	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
	Manual Order Coordination for UVL-SL1s (per loop)	1	T	UEANL	UEAMC		18.92	18.92								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per															1
	LSR)			UEANL	OCOSL		57.79									
2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED	i.														
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	1		UEQ	UEQ2X	11.02	44.69	22.40	0.00							
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	1		UEQ	UEQ2X	12.72	44.69	22.40	0.00							+
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3	1	3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						+
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				LIDET		8.33	0.83					!			1
	Premise	1	ļ	UEQ	URETL		8.33	0.83		+				<u> </u>		+
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			UEQ	USBMC		18.92	18.92								
	Designed (per loop)		+	UEU	USBIVIC		10.32	10.92					1			
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			UEQ	UEQMU		7.30	7.30								
	providing make-up (Engineering Information - E.I.)	1	 	UEQ	URET1		25,12	0.00								1
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	 -	1	UEQ	URETA	-	13.62	13.62								T
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-		1	OLG.	J. L. L. L.											T
	ND)		1	UEQ	UREWO	-	14.25	7.42								
DI MOLED E	XCHANGE ACCESS LOOP			-												
	ANALOG VOICE GRADE LOOP	 -	1			***										
Z-VVIIVE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1									I				
	Ground Start Signaling - Zone 1	-	1	UEA	U£AL2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	<u> </u>	2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					22.00	79.85	24.65	18.92	7.87		1]		
	Ground Start Signaling - Zone 3	 -	3	UEA	UEAL2	33.08	/9.05	24.03	10.32	7.07	-					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.,	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	Battery Signaling - Zone 1	-	+-1-	UEA	UEARZ	11.07	79.03	24.03	10.52	7.57						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1 2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87	1					
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	+-		0.0	1,5,14.2										
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	CLEC to CLEC Conversion Charge without outside dispatch	+	1	UEA	UREWO		87.72	36.36			·			L	1	
-	Loop Tagging - Service Level 2 (SL2)		1	UEA	URETL		11.19	1.10				L	·			1
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	17.80	93.01	28.17	19.52							
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	21.68	93.01	28.17	19.52						 	4
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						+
	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87.72	36.36							ļ	+
2-WIRE	ISDN DIGITAL GRADE LOOP						400.00	35.25	18.23	6.97			ļ			+
	2-Wire ISDN Digital Grade Loop - Zone 1	ļ	1 1	UDN	U1L2X	21.89	180.06								-	+
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27 40.17	180.06 180.06	35.25 35.25					 			+
	2-Wire ISDN Digital Grade Loop - Zone 3		3_	UDN	U1L2X	40.17	120.98	35.25		6.97		-			 	+
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.96	33.04		+	+		<u> </u>		i	+
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLETC	ЮР						-		 		· · · · · ·	 		+
	2 Wire Unbundled ADSL Loop including manual service inquiry &			UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry &	+-'-	1	UAL	UALZX	11.23	44.05	31.33	0.00	0.00	+	· · · -				+ -
	facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry &	T														
1	facility reservation - Zone 3	1 1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00	-		-	 -		+
	2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	12.97	44.69	31,55	0.00	0.00						
	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &	+	12	UAL	UALZW	12.57	44.05	51.55	5.00	0.00		1				1
	Z vvire Unbundled ADSL Loop without manual service inquiry &	1 ,	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
_	facility reservaton - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	1	+ *	UAL	UREWO	20.02	44.69	29.29	3.00	1			1			
2 1880-	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATI		ÖP		0112110		100									
Z-WIRE	2 Wire Unbundled HDSL Loop including manual service inquiry &		Ť	 												1
				UHL	UHL2X	7.88	44.69	31.55	0.00	0.00		1		1		-

NRONDLE	D NETWORK ELEMENTS - Georgia										Sun Budan	Sun Brdon		ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		N		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual So Order vs Electronic Disc Add
		-			-1	Rec		urring	Nonrecurring					Rates(\$)		
			-				First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &	Ι.				9.09	44.69	31.55	0.00	0.00				1		i
	facility reservation - Zone 2	+-	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00				 		ł
J	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	١.	3	UHL	UHL2X	14,48	44.69	31.55	0.00	0.00]		1	l .		1
	2 Wire Unbundled HDSL Loop without manual service inquiry and	- -	-	UNL	United	14,45	44.03	31.30	0.00	0.00		-				
	facility reservation - Zone 1		1	UHL	UHL2W	7.88	44,69	31.55	0.00	0.00			İ	i	!	
	2 Wire Unbundled HDSL Loop without manual service inquiry and		 	0.00												
	facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						1
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3	1	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44,69	31.55								
4-WIF	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LE LOC	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and	1	I		1				i i				!	i	1	ł
	facility reservation - Zone 1	i	1	UHL	UHL4X	10.39	44.69	31,55	0.00	0.00						⊢
	4-Wire Unbundled HDSL Loop including manual service inquiry and		ı												i	ì
	facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and												ļ	l		1
	facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	i	l .										l			
	facility reservation - Zone 1	1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
1	4-Wire Unbundled HDSL Loop without manual service inquiry and		١.	1			44.00	04.55		0.00			1	1	ŀ	
	facility reservation - Zone 2	1	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
1	4-Wire Unbundled HDSL Loop without manual service inquiry and	١.	١.		1	40.07	44.00	24.55	0.00	0.00				1	ļ	
	facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69 44.69	31.55 31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch	1	-	UHL	ÜREWO		44.69	\$1.55						-		
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital 19.2 Kbps	-		IUDL	UDL19	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital 19.2 Kbps	-		UDL	UDL19	38.22	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20				l		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20				-		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20			3.72			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	—		UDL	UDL64	38.22	196.66	37.00	18.82	7.20			· · ·			
	CLEC to CLEC Conversion Charge without outside dispatc h	1	1	UDL	UREWO		101.95	49.66								
2-WIR	E Unbundled COPPER LOOP	1														
	2-Wire Unbundled Copper Loop-Designed including manual service		1		-						[
	inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						l
	2-Wire Unbundled Copper Loop-Designed including manual service															1
	inquiry & facility reservation - Zone 2	!	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled Copper Loop-Designed including manual service		1												1	1
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service										1					1
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW.	12.02	44.69	31.55	0.00	0.00	_					
- 1	2-Wire Unbundled Copper Loop-Designed without manual service	١.	_			40.00	44.00	04.55	200					l	ļ	
	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00	_					
1	2-Wire Unbundled Copper Loop-Designed without manual service		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00		İ		i		
	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22.07	44.09	31.55	0.00	0.00			· · · · · · · · · · · · · · · · · · ·			
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)	1	1	UCL .	UREWO		44.69	31.55								1 .
4 3400	E COPPER LOOP		!	DCL	OKEWO		44.03	31.55			-			 		
14-99IN	4-Wire Copper Loop-Designed including manual service inquiry and	_	_		_						-					
- 1	facility reservation - Zone 1	١.	١.	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00	!					
	4-Wire Copper Loop-Designed including manual service inquiry and	-:-	·	001	-	10.00	44.05	01.00	0.00	0.00						
	facility reservation - Zone 2	l 1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry and		_		1			,								
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	1	3	UGL	UCL4S	30.55	44.69	31.55	0.00	0.00				1		
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 1	1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry and															
- 1	facility reservation - Zone 2	1	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						

INBUNDLE	D NETWORK ELEMENTS - Georgia				-									ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		1 =======
					-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed without manual service inquiry and		3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	facility reservation - Zone 3 CLEC to CLEC conversion Charge without outside dispatch	-	3	UCL	UREWO	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	Order Coordination for Orlotholed Copper Coops (per 100p)			UEA, UDN, UAL.	OCEMIC		10.52	10.02			-				· · · · · · · · · · · · · · · · · · ·	
1	Order Coordination for Specified Conversion Time (per LSR)		[UHL, UDL	locost	- 1	57.79				l	-	}			1
OOP MODIFIC																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less		_	52. 55							1	-				
	than or equal to 18K ft, per Unbundled Loop	- 1		UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91									
UB-LOOPS					-											
Sub-L	pop Distribution				-											
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB	i	7.29								1	1
_	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility		-	- CENTE	00000		7.23				-					
	Set-Up			UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and				USBRC	2.04	20.46	3.85	2.20	0.01						1
	Spare Loop Activation Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01					-	
	Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01		1				4
_	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone			OLDWIL	COBINE		01.01	1.10	2.27						1.	
	1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone										1		1			
	2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						-
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		١.		1						1					
	3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01	 -					
- 1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01	İ				1	1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		 ' -	CEANL	036144	3.93	31.07	4.73	2.21	0.01		 			 	-
	2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01		İ				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01					<u>L</u>	
					İ	i										1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	2.24	18.92	18.92	0.00	2.04					1	
_ -	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								1
_	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01	-					
	The state of the s															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-!-		UEF	UCS2X	7.51	28.46 28.46	3.85	2.20 2.20	0.01					-	
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01	-				-	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01		-			 	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
_	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge -
			<u> </u>			Rec		curring	Nonrecurring		001150	COMAN		Rates(\$)	COMAN	SOMAN
			-				First	Php	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	Loop tagging Service Level 1, Unbundled Copper Loop, Non-	-	-	021	COBINE		10.52	10.52								1
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88	,							
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour		<u> </u>	UEF	URETA		13.62	13.62								
Unbur	ndled Sub-Loop Modification							·					· -	 		
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								1
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip		_		CLINEX		0.00	0.00								
ı	Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
	Unbundled Loop Modification, Removal of bridge Tap, per unbundled															
	bop		-	UEF	ULMBT		17.91	17.91								-
Unbur	Indied Network Terminating Wire (UNTW)		-	UENTW	UÉNPP	0.533	25.12	12.28			_					
Notwo	Unbundled Network Terminating Wire (UNTW) per Pair irk Interface Device (NID)	-		DENTW	UENPP	0.555	25.12	12.20	-		 			1		1
NetWo	Network Interface Device (NID) - 1-2 lines	1	_	UENTW	UND12		32.86	20.69			1					
	Network Interface Device (NID) - 1-6 lines	1		UENTW	UND16		56.03	43.86								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		2.45	2.45								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
JNE OTHER, F	PROVISIONING ONLY - NO RATE		-	LUCAUTA	LINIDAY	0.00	0.00				<u> </u>					
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate		 	UENTW	UNDBX	0.00	0.00				 			 		1
	ONTW Circuit id Establishment, Provisioning Only - No Kate	-		UEANL, UEF, UEQ, UE	DENGE	0.00	0.00		-							
- 1	Unbundled Contract Name, Provisioning Only - No Rate		1	NTW	UNECN	0.00	0.00									
				UAL,UCL,UDC,UDL,					-							
L	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP MAKE-U			 													
1	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.19	15.19							Į.	
	Loop Makeup - Preordering With Reservation, per spare facility		1	OWIC	CHILETT		10.13	10.15	 -		1				i -	
	queried (Manual).	ļ	1	UMK	UMKLP		19.85	19.85						1		1
	Loop MakeupWith or Without Reservation, per working or spare															
	facility queried (Mechanized)	<u> </u>		UMK	UMKMQ		0.82	0.82			ļ					
LINE SHARING		L	ļ <u>. </u>		L		0004-1-111-1				ļ					-
NOTE	1: The Line Sharing monthly recurring rates for all installations 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop	comple	ted fro	m October 02, 2003 tr	rough midn	ight October 01,	2004 shall be t	billed as follow	s:		 					
	1: 10/02/2003 - 10/01/2004: 25% of the rate for all unbundled cop 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND	Dei 100	1	lesigned (OCLIAD)		-										
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND		1													
NOTE	1: Above will apply to USOCS: ULSDT and ULSCT															
**NOT	E 2: The Line Sharing monthly recurring rates with USOCs ULSE	C and	ULSCC	applies only to circuit	ts installed	and inservice or	or before Oct	ober 1, 2003								
	HARING									-	-			-		-
SPLIT	TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, per System 95 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	 	 	ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, Per System & Line Capacity		-	ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation		ĺ					- · · · · ·								
	(per LSOD)	<u> </u>		ULS	ULSDG		66.34	0.00	51.20	0.00						
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING														ļ	
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20						
	(E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter -		_	ULO	OLOUI	5.51	10.51	7.70	7.00	4.20			-	 		
	Central Office Located (75% of UCLND) - please see NOTE 1										1					
	(E:10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST										T					
	Öwned Splitter			ULS	ULSDS		36.23	13.23	16.94	1.69						

BUNDLE	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
DONDLLL	THE PROPERTY OF STREET	1			7						Syc Order	Svc Order			Incremental	
			1		1						Submitted		Charge -	Charge -	Charge -	Charge
		1			1 1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TECODY	RATE ELEMENTS	Interim	7000	BCS	usoc			RATES(\$)				per LSR			Order vs.	Order vs
TEGORY	KATE ELEMENTS	Interim	Zone	BCS	l osoc l			KAI LO(3)			per LSR	perLSR	Order vs.	Order vs.		Electronic
			!								î l		Electronic-	Electronic-	Electronic-	
		l											1st	Add'l	Disc 1st	Disc Add
		-					81		Nonrecurring	Discourse	ļ'		066	Rates(\$)		
			_		_	Rec	Nonred First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-			+	_	First	Addi	FILSI	AQQ I	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Line Sharing - per Subsequent Activity per Line	1			ULSCS		36.23	13.23	16.94	1.69	i l			ĺ	I	I
	Rearrangement(DLEC Owned Splitter	-	-	ULS	OLSCS		36.23	13.23	16.94	1.69					-	
1	Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1													1
	OBSOLETE see "NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						-
	Line Share Service, TRO per line activation, CLEC owned splitter -	1												1	1	1
	Gentral Office Located (25% of UCLND) - please see NOTE 1	i	i						0.50	4.30	1				1	1
	(E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned splitter -										1					
	Central Office Located (50% of UCLND) - please see NOTE 1		[1											1	
	(E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30				-	_	
	Line Share Service, TRO per line activation, CLEC owned splitter -	1										1			1	
	Central Office Located (75% of UCLND) - please see NOTE 1	l l			1 .		i l						1			1
	(E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30					. 	
MAINT	ENANCE	<u> </u>	1													<u> </u>
	No Trouble Found - per 1/2 hour increments - Basic		}				80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime		}		1		80.00 120.00 150.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium		}		1		160.00	110.00							<u> </u>	1
BUNDLED D	DEDICATED TRANSPORT	T	}		T											
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT		7]					<u> </u>
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -													1	(
_	Per Mile per month			U1TVX	1L5XX	0.0057] .				1	
_	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
- 1	Facility Termination	J		U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00					1	
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	_	1	VIIIVA	10	12.01	70,70	15.40	10.00	0.00				1		1
,	Rev Bat Per Mile per month	j l	1	U1TVX	1L5XX	0.0057				i					1	I
-	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		1	OTITAL	120701	0.0007					(1					t
l l	Facility Termination		J	U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00	!					
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		_	UIIIA	OTINE	12.07	70.70	13.40	10.50	0.00	1					
	Per Mile per month	1		U1TVX	1L5XX	0.0057								1	[1
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -	_	-	UTIVA	TLOAN .	0.0007										
				U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00	!		i			l
-	Facility Termination			UTIVX	01174	10.76	40.40	19.40	10.36	5.00						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			U1TDX	1L5XX	0.0057										
	month	-	⊢	UTIDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility				U1TD5	7.83	48.46	19.48	16.58	5.00				1	1	
	Termination	1		U1TDX	01105	7.83	48.46	19.48	16.58	5.00				-		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per										1		ļ			
	month			U1TDX	1L5XX	0.0057										
1	Interoffice Channel - Dedicated Transport - 64 khos - Facility				1											
	Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00	_				-	
NALING (CO																
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP6A	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3			UDB	TPP9A	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80										
	CCS7 Signaling Point Code, Establishment or Change, per STP															
	affected			UDB	CCAPO		28.15	28.15	33.32	33.32			1			
1 SERVICE		i														
- Jan 1719L	Local Channel - Dedicated - 2-wr Voice Grade				-	7.74	121.07	53.30	46.40	13.37						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0057		22,000								
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															I
	Termination					12,87	48.46	19.48	16.58	5.00			I	l	1	ı
	Local Channel - Dedicated - DS1 - Zone 1					18.47	149.46	111.20		26.12	1					1
_	Local Channel - Dedicated - DS1 - Zone 1	1				56.30	149.46	111.20	40.36	26.12				T		
	Local Channel - Dedicated - DS1 - Zone 2					164.70	149.46	111.20	40.36	26.12	,					
	Interoffice Transport - Dedicated - DS1 Per Mile	1				0.1154	149,40	111.20	40.36	20.12	1					
_	intervince transport - Dedicated - DOT Fel Mile	_			 	9.1194					1					
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		!			24.40	111.03	90.00	31.36	21.73						
IAMOED EX	TENDED LINE (EEL a)	— —	 		-	34,19	111.03	80.28	31.36	21.73				<u> </u>		
IANCED EX	TENDED LINK (EELs)	<u>. </u>	ا با		 		41	d ! O.d!	-:II. Cambin adi	tahuask Elem	-10		_	t		
	THE HIGHLING SECURISM SHO HORSE CORRESPONDED TO THE CORRESPONDED	Jpry and	1110 0.1													
NOTE.	THE HIGHLINY ISCUINING AND THE OWNERS AND OTHER STATES OF THE TOTAL OF															

2-WireVG Loop in combination - Z 2-WireVG Loop in combination - Z 2-WireVG Loop in combination - Z 2-WireVG Loop in combination - Z 2-WireVG Loop in combination - Z Interoffice Transport - 2-wire VG - Interoffice Transport - 2-wire VG - per morth Nonrecurring Currently Combined Charge EXTENDED 4-Wire VG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 1-WireVG Loop in combination - 2 1-WireVG Loop in combination - 2 1-WireVG Loop in combination - 2 1-WireVG Loop in combination - 2 1-WireVG Loop in combination - 2 1-WireVG Loop in combination - 2 1-WireVG Loop in combination - 2 1-WireVG Loop in combination - 2 1-WireVG Loop in combination - 2 1-Wire S6 kbps Local Loop in combination - 2 1-Wire S6 kbps Local Loop in combination - 2 1-Wire S6 kbps Local Loop in combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in Combination - 2 1-Wire S6 kbps Local Loop in First 4-wire S6 kbps Local Loo	tition - Zone 1 tition - Zone 2 tition - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mibined Network Elements Switch - As-Is DE EXTENDED LOOP / 4 WIRE VOICE GR tition - Zone 1 tition - Zone 2 tition - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mibined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 56 KBPS in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - per ficated - 4-wire 56 kbps combination - nth mibined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per ficated - 4-wire 64 kbps combination - Per ficated - 4-wire 64 kbps combination - Per ficated - 4-wire 64 kbps combination - Inth mibined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH DSO INTE		1 U U U U U U U U U U U U U U U U U U U	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	USOC UEAL2 UEAL2 UEAL2 1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL6 UDL56 UDL56 UDL56 UDL56	Rec 11.57 16.95 33.08 0.0057 12.87 17.80 21.88 30.25 0.0057 10.78	Nonrect First 195.94 195.94 195.94 195.94 66.53 5.70 195.94 195.94	36.38 36.38 36.38 36.38 33.61 5.70 36.38 36.38 36.38	Nonrecurring I First 18.42 18.42 18.42 43.42 6.61 18.42 18.42 18.42 43.42 6.61	Disconnect Add'1 6.86 6.86 6.86 27.60 6.61 6.86 6.86 27.60 6.61 6.86 6.86	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge- Manual Svc Order vs. Electronic- Add'l Rates(\$) SOMAN	Incremental Charge- Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
2-WireVG Loop in combination - Z 2-WireVG Loop in combination - Z 2-WireVG Loop in combination - Z Interoffice Transport - 2-wire VG- per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE VOICE GRADE EXTI 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 5-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 6-WireVG Loop in combination - Z 6-WireVG Loop in combination - Z 6-WireVG Loop In combination - Z 6-Wire S6 kbps Local Loop in combination - Z 6-WireVG Loop In combination - Z 6-WireVG Loop In combination - Z 6-WireVG Loop In combination - Z 6-WireVG Loop In combination - Z 6-WireVG Loop In combination - Z 6-WireVG Loop In combination - Z 6-WireVG Loop In combination - Z 6-WireVG Loop In combination - Z 6-WireVG Loop In Combination - Z 6-	ation - Zone 2 ation - Zone 3 re VG - Dedicated- Per Mile Per Month re VG - Dedicated- Facility Termination mbined Network Elements Switch - As-Is E EXTENDED LOOP/ 4 WIRE VOICE GR ation - Zone 1 ation - Zone 2 ation - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 56 KBPS In combination - Zone 2 in combination - Zone 3 acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 64 kbps co		2 U U U U U U U U U U U U U U U U U U U	UNGVX UNGVX UNGVX UNGVX UNGVX EXE TRANSPORT UNGVX UNGDX UNGDX UNGDX	UEAL2 1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEACE UTV4 UNCCC UDL56 UDL56 UDL56	11.57 16.95 33.08 0.0057 12.87 17.80 21.86 30.25 0.0057 10.78	First 195.94 195.94 195.94 195.94 66.53 5.70 195.94 195.94 195.94 195.94 195.94	36.38 36.38 36.38 36.38 33.61 5.70 36.38 36.38 36.38	First 18.42 18.42 18.42 18.42 43.42 6.61 18.42 18.42 43.42	Add'I 6.86 6.86 6.86 27.60 6.61 6.86 6.86 27.60	SOMEC	SOMAN			SOMAN	SOMAI
2-WireVG Loop in combination - Z 2-WireVG Loop in combination - Z 2-WireVG Loop in combination - Z Interoffice Transport - 2-wire VG- per month Nonrecurring Currently Combined Charge EXTENDED 4-WiRE VOICE GRADE EXTI 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 4-WireVG Loop in combination - Z 5-B-B-B-B-B-B-B-B-B-B-B-B-B-B-B-B-B-B-B	ation - Zone 2 ation - Zone 3 re VG - Dedicated- Per Mile Per Month re VG - Dedicated- Facility Termination mbined Network Elements Switch - As-Is E EXTENDED LOOP/ 4 WIRE VOICE GR ation - Zone 1 ation - Zone 2 ation - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 56 KBPS In combination - Zone 2 in combination - Zone 3 acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 64 kbps co		2 U U U U U U U U U U U U U U U U U U U	UNGVX UNGVX UNGVX UNGVX UNGVX EXE TRANSPORT UNGVX UNGDX UNGDX UNGDX	UEAL2 1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEACE UTV4 UNCCC UDL56 UDL56 UDL56	16.95 33.08 0.0057 12.87 17.80 21.68 30.25 0.0057 10.78	195.94 195.94 195.94 195.94 66.53 5.70 195.94 195.94 66.53 5.70	36.38 36.38 36.38 33.61 5.70 36.38 36.38 36.38 35.38	18.42 18.42 18.42 43.42 6.61 18.42 18.42 18.42 43.42	6.86 6.86 27.60 6.61 6.86 6.86 6.86	SOMEC	SUIRAN	SUMPH	SUMAN	SUMAN	SUMAI
2-WireVG Loop in combination - Z 2-WireVG Loop in combination - Z Interoffice Transport - 2-wire VG- Interoffice Transport - 2-wire VG- per month Nonrecurring Currently Combined Charge EXTENDED 4-WiRE VOICE GRADE EXTI 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 Interoffice Transport - 4-wire VG- per month Nonrecurring Currently Combined Charge EXTENDED 4-WiRE 56 KBPS DIGITAL E 4-wire 56 kbps Local Loop in comb Interoffice Transport - Dedicated- Mile per month Interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WiRE 64 KBPS DIGITAL E 4-wire 56 kbps Local Loop in comb Interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WiRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comb Interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WiRE 56 KBPS DIGITAL E First 4-wire 56 kbps Local Loop in First 4-wire 5	ation - Zone 2 ation - Zone 3 re VG - Dedicated- Per Mile Per Month re VG - Dedicated- Facility Termination mbined Network Elements Switch - As-Is E EXTENDED LOOP/ 4 WIRE VOICE GR ation - Zone 1 ation - Zone 2 ation - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 56 KBPS In combination - Zone 2 in combination - Zone 3 acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 56 kbps combination - Per acated - 4-wire 64 kbps co		2 U U U U U U U U U U U U U U U U U U U	UNGVX UNGVX UNGVX UNGVX UNGVX EXE TRANSPORT UNGVX UNGDX UNGDX UNGDX	UEAL2 1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEACE UTV4 UNCCC UDL56 UDL56 UDL56	16.95 33.08 0.0057 12.87 17.80 21.68 30.25 0.0057 10.78	195.94 195.94 66.53 5.70 195.94 195.94 195.94 66.53 5.70	36.38 36.38 33.61 5.70 36.38 36.38 36.38 36.38	18.42 18.42 43.42 6.61 18.42 18.42 18.42 43.42	6.86 6.86 27.60 6.61 6.86 6.86 6.86						
2-WireVG Loop in combination - Z Interoffice Transport - 2-wire VG- Interoffice Transport - 2-wire VG- per month Nonrecurring Currently Combined Charge EXTENDED 4-WiRE VOICE GRADE EXTI 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 Interoffice Transport - 4-wire VG- interoffice Transport - 4-wire VG- per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DIGITALE 4-wire 56 kbps Local Loop in combination - 2 Interoffice Transport - 4-wire VG- per month Interoffice Transport - Dedicated Mile per month Interoffice Transport - Dedicated Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 64 KBPS DIGITALE 4-wire 84 kbps Local Loop in Combination Interoffice Transport - Dedicated Hile per month Interoffice Transport - Dedicated Mile per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 64 KBPS DIGITALE First 4-wire 96 kbps Local Loop in Combination Interoffice Transport - Dedicated Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in	re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch - As-Is DE EXTENDED LOOP/4 WIRE VOICE GR tition - Zone 1 tition - Zone 2 tition - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 56 KBPS in combination - Zone 2 in combination - Zone 3 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - Nth mbined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Nth mbined Network Elements Switch - As-Is intal EXTENDED LOOP WITH DSO INTE		3 U U U U U U U U U U U U U U U U U U U	UNCVX UNCDX UNCDX UNCDX	UEAL2 1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL5 UDAL5 UDUSS UDUSS UDUSS	33.08 0.0057 12.87 17.80 21.88 30.25 0.0057 10.78	195.94 66.53 5.70 195.94 195.94 195.94 66.53 5.70	36.38 33.61 5.70 36.38 36.38 36.38 36.38	18.42 43.42 6.61 18.42 18.42 18.42 43.42	6.86 27.60 6.61 6.86 6.86 6.86						
Interoffice Transport - 2-wire VG - per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE VOICE GRADE EXTI 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 Interoffice Transport - 4-wire VG - per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 64 kbps Local Loop in Combination - 2 4-wire 64 kbps Local Loop in Combination - 2 4-wire 64 kbps Local Loop in Combination - 2 4-wire 64 kbps Local Loop in Combination - 2 4-wire 64 kbps Local Loop in Combination - 2 5-wire - 5-wire - 5-wire - 2 5-wir	re VG - Dedicated- Per Mile Per Month re VG - Dedicated - Facility Termination mibined Network Elements Switch -As-Is DE EXTENDED LOOP/ 4 WIRE VOICE GR tition - Zone 1 Ition - Zone 2 Ition - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mibined Network Elements Switch -As-Is ITIAL EXTENDED LOOP WITH 56 KBPS in combination - Zone 1 in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - In That EXTENDED LOOP WITH 64 KBPS in Combination - Zone 3 icated - 4-wire 56 kbps combination - In That EXTENDED LOOP WITH 64 KBPS in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - In This interval is the service of the combination - Per icated - 4-wire 64 kbps combination - In This interval is the combin		U U U U U U U U U U U U U U U U U U U	UNCVX UNCVX	1L5XX U1TV2 UNCCC UEAL4 UEAL4 UEAL4 1L5XX U1TV4 UNCCC UDL56 UDL56	0.0057 12.87 17.80 21.68 30.25 0.0057 10.78	66.53 5.70 195.94 195.94 195.94 66.53 5.70	33.61 5.70 36.38 36.38 36.38 33.61 5.70	43.42 6.61 18.42 18.42 18.42 43.42	27.60 6.61 6.86 6.86 6.86 27.60						
Interoffice Transport - 2-wire VG- per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE VOICE GRADE EXTI 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 Interoffice Transport - 4-wire VG - per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt Mile per month Interoffice Transport - Dedicated - Mile per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comd 4-wire 64 kbps Looal Loop in Comd 1-wire 64 kbps Looal Loop in First 4-wire 64 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 64 kbps Looal Loop in First 4-wire 64 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 64 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps Looal Loop in First 4-wire 65 kbps	re VG - Dedicated - Facility Termination in bined Network Elements Switch -As-Is DE EXTENDED LOOP/4 WIRE VOICE GRation - Zone 1 tition - Zone 2 tition - Zone 2 tition - Zone 3 tre VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mibined Network Elements Switch -As-Is in combination - Zone 2 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 1 in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Zone 4 - Wire 64 kbps combination - Per Coated - 4-wire 64 kbps combination - In the Zone 3 in Zon		U U U U U U U U U U U U U U U U U U U	UNCVX UNCDX UNCDX	U1TV2 UNCCC UEAL4 UEAL4 UEAL4 IL5XX U1TV4 UNCCC UDL56 UDL56	17.80 21.88 30.25 0.0057 10.78	5.70 195.94 195.94 195.94 195.94 66.53 5.70	5.70 36.38 36.38 36.38 33.61 5.70	18.42 18.42 18.42 18.42	6.61 6.86 6.86 6.86						
Interoffice Transport - 2-wire VG- per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE VOICE GRADE EXTI 14-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 Interoffice Transport - 4-wire VG - per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E 4-wire 56 kbps Local Loop in combined of the combination of the combination of the combined of the co	re VG - Dedicated - Facility Termination in bined Network Elements Switch -As-Is DE EXTENDED LOOP/4 WIRE VOICE GRation - Zone 1 tition - Zone 2 tition - Zone 2 tition - Zone 3 tre VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mibined Network Elements Switch -As-Is in combination - Zone 2 in combination - Zone 3 tition - Zone 3 tition - Zone 3 tition - Zone 3 tition - Zone 3 tition - Zone 3 tition - Zone 3 tition - Zone 3 tition - Zone 3 tition - Zone 1 in Combination - Zone 1 in Combination - Zone 3 tition - Zone 3		U U U U U U U U U U U U U U U U U U U	UNCVX UNCDX UNCDX	U1TV2 UNCCC UEAL4 UEAL4 UEAL4 IL5XX U1TV4 UNCCC UDL56 UDL56	17.80 21.88 30.25 0.0057 10.78	5.70 195.94 195.94 195.94 195.94 66.53 5.70	5.70 36.38 36.38 36.38 33.61 5.70	18.42 18.42 18.42 18.42	6.61 6.86 6.86 6.86						
per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE VOICE GRADE EXTI 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 Interoffice Transport - 4-wire VG - per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DKGITAL E 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 64 KBPS DKGITAL E 4-wire 56 kbps Local Loop in Comt 4-wire 64 kbps Local Loop in Comt 4-wire 64 kbps Local Loop in Comt 4-wire 64 kbps Local Loop in Comt 4-wire 64 kbps Local Loop in Comt Mile per month Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Mile per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in	mbined Network Elements Switch -As-Is DE EXTENDED LOOP/ 4 WIRE VOICE GR Ition - Zone 1 Ition - Zone 2 Ition - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 56 KBPS In combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is itTAL EXTENDED LOOP WITH DSO INTE		U U U U U U U U U U U U U U U U U U U	UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX	UNCCC UEAL4 UEAL4 UEAL4 IL5XX U1TV4 UNCCC UDL56 UDL56	17.80 21.88 30.25 0.0057 10.78	5.70 195.94 195.94 195.94 195.94 66.53 5.70	5.70 36.38 36.38 36.38 33.61 5.70	18.42 18.42 18.42 18.42	6.61 6.86 6.86 6.86						
Charge EXTENDED 4-WIRE VOICE GRADE EXTI 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 Interoffice Transport - 4-wire VG - 2 per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DGITAL E 4-wire 56 kbps Local Loop in combined Charge EXTENDED 4-WIRE 56 KBPS Local Loop in combined Charge EXTENDED 4-WIRE 56 KBPS DGITAL E 4-wire 56 kbps Local Loop in Combined Charge EXTENDED 4-WIRE 64 KBPS DGITAL E 4-wire 64 kbps Local Loop in Combined Charge EXTENDED 4-WIRE 64 KBPS DGITAL E 4-wire 64 kbps Local Loop in Combined Charge EXTENDED 4-WIRE 64 KBPS DGITAL E 5-wire 64 kbps Local Loop in Combined Charge EXTENDED 4-WIRE 56 KBPS DGITAL E First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop	EXTENDED LOOP/4 WIRE VOICE GR tition - Zone 1 tition - Zone 2 tition - Zone 2 tition - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch -As-Is in combination - Zone 1 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in cated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - Noth mbined Network Elements Switch -As-Is in Combination - Zone 1 in Combination - Zone 1 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Noth mbined Network Elements Switch -As-Is intal EXTENDED LOOP WITH DSO INTE		EROFFI 1 U 2 U 3 U U U FFICE TI 1 U 2 U 3 U U U U U U U U U U U U U	TEE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNGVX UNGVX UNGVX UNGVX UNGDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1L5XX U1TV4 UNCCC UDL56 UDL56	21.68 30.25 0.0057 10.78 21.86 28.36	195.94 195.94 195.94 66.53 5.70	38.38 36.38 36.38 33.61 5.70	18.42 18.42 18.42 18.42	6.86 6.86 6.86						
EXTENDED 4-WIRE VOICE GRADE EXT 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 Interoffice Transport - 4-wire VG- Interoffice Transport - 4-wire VG- per month Nonrecurring Currently Combined in Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 4-wire 56 kbps Local Loop in combination - 2 Interoffice Transport - Dedicated - 2 Facility Termination per month Nonrecurring Currently Combined in Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Combination - 2 4-wire 64 kbps Local Loop in Combination - 2 4-wire 64 kbps Local Loop in Combination - 2 4-wire 64 kbps Local Loop in Combination - 2 4-wire 64 kbps Local Loop in Combination - 2 5-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop	ition - Zone 1 tion - Zone 2 tion - Zone 2 tion - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch -As-Is in Combination - Zone 1 in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is in Combination - Zone 1 in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is intal EXTENDED LOOP WITH DSO INTE		EROFFI 1 U 2 U 3 U U U FFICE TI 1 U 2 U 3 U U U U U U U U U U U U U	TEE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNGVX UNGVX UNGVX UNGVX UNGDX UNCDX UNCDX	UEAL4 UEAL4 UEAL4 1L5XX U1TV4 UNCCC UDL56 UDL56	21.68 30.25 0.0057 10.78 21.86 28.36	195.94 195.94 195.94 66.53 5.70	38.38 36.38 36.38 33.61 5.70	18.42 18.42 18.42 18.42	6.86 6.86 6.86						
4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 interoffice Transport - 4-wire VG - Interoffice Transport - 4-wire VG - Interoffice Transport - 4-wire VG - per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DKGITAL E 4-wire 56 kbps Local Loop in comb Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined I Charge EXTENDED 4-WIRE 64 KBPS DKGITAL E 4-wire 64 kbps Local Loop in Comb Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined I Charge EXTENDED 4-WIRE 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in	ition - Zone 1 tion - Zone 2 tion - Zone 2 tion - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch -As-Is in Combination - Zone 1 in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is in Combination - Zone 1 in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is intal EXTENDED LOOP WITH DSO INTE		1 U U U U U U U U U U U U U U U U U U U	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCDX UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1L5XX U1TV4 UNCCC UDL56 UDL56	21.68 30.25 0.0057 10.78 21.86 28.36	195.94 195.94 66.53 5.70	36,38 36,38 33,61 5,70	18.42 18.42 43.42	6.86 6.86						
4-WireVG Loop in combination - 2 4-WireVG Loop in combination - 2 interoffice Transport - 4-wire VG - Interoffice Transport - 4-wire VG - Interoffice Transport - 4-wire VG - per month Nonrecurring Currently Combined in Charge EXTENDED 4-WIRE 56 KBPS DKGITALE 4-wire 56 kbps Local Loop in combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Combined in Charge in Combined in Combined in Combined in Charge in Combined in Combined in Charge in Combined in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Charge in Combined in Combined in Charge in Combined in Co	tition - Zone 2 tition - Zone 3 re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch -As-Is iTAL EXTENDED LOOP WITH 56 KBPS in combination - Zone 1 in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is iTAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 3 in Combination - Zone 2 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Zone 4 - Wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - New Elements Switch - As-Is itTAL EXTENDED LOOP WITH DSO INTE	S INTEROS	2 U U U U TFFICE TI 1 U U U U U U U U U U U U U U U U U U	UNCVX UNCVX UNCVX UNCVX IRANSPORT UNCDX UNCDX UNCDX UNCDX	UEAL4 UEAL4 1L5XX U1TV4 UNCCC UDL56 UDL56	21.68 30.25 0.0057 10.78 21.86 28.36	195.94 195.94 66.53 5.70	36,38 36,38 33,61 5,70	18.42 18.42 43.42	6.86 6.86						!
4-WireVG Loop in combination - 2 Interoffice Transport - 4-wire VG- Interoffice Transport - 4-wire VG- per month Nonrecurring Currently Combined in Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E 4-wire 56 kbps Local Loop in combined in Charge 4-wire 56 kbps Local Loop in combined in Combined in Combined in Combined in Combined in Combined in Combined in Combined in Combined in Combined in Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Combined in C	re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 56 KBPS In combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Inth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH DSO INTE	B INTEROF	3 U U U U U TFFICE TI U U U U U U U U U U U U U U U U U U	UNCVX UNCVX UNCVX UNCVX IRANSPORT UNCDX UNCDX UNCDX	UEAL4 1L5XX U1TV4 UNCCC UDL56 UDL56	30.25 0.0057 10.78 21.86 28.36	195.94 66.53 5.70	36.38 33.61 5.70	18.42	6.86 27.60						1
Interoffice Transport - 4-wire VG - Interoffice Transport - 4-wire VG - per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E 4-wire 56 kbps Local Loop in come developed in the composition of	re VG - Dedicated - Per Mile Per Month re VG - Dedicated - Facility Termination mbined Network Elements Switch -As-Is in combination - Zone 1 in combination - Zone 2 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in combination - Zone 3 in Combination - Zone 3 in Combination - Zone 1 in Combination - Zone 1 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in	SINTEROF	U U U U U U U U U U U U U U U U U U U	UNCVX UNCVX IRANSPORT UNCDX UNCDX UNCDX	1L5XX U1TV4 UNCCC UDL56 UDL56	0.0057 10.78 21.86 28.36	66.53 5.70 195.94	33.61 5.70	43.42	27.60						
Interoffice Transport - 4-wire VG- per month Nonrecurring Currently Combined i Charge EXTENDED 4-WIRE 56 KBPS DKGITAL E 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt 14-wire 56 kbps Local Loop in comt Interoffice Transport - Dedicated- Mile per month Interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined i Charge EXTENDED 4-WIRE 64 KBPS DKGITAL E 4-wire 64 kbps Local Loop in Comt 4-wire 64 kbps Local Loop in Comt interoffice Transport - Dedicated- Mile per month interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined i Charge EXTENDED 4-WIRE 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in	re VG - Dedicated - Facility Termination mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 56 KBPS in combination - Zone 1 in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Inth mbined Network Elements Switch -As-Is itTAL EXTENDED LOOP WITH DSO INTE	SINTEROF	FFICE TI 1 U 2 U 3 U	UNCVX UNCVX FRANSPORT UNCDX UNCDX UNCDX UNCDX	U1TV4 UNCCC UDL56 UDL56	10.78 21.86 28.36	5.70 195.94	5.70								
Interoffice Transport - 4-wire VG- per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt 14-wire 56 kbps Local Loop in comt 14-wire 56 kbps Local Loop in comt Interoffice Transport - Dedicated Mile per month Interoffice Transport - Dedicated Facility Termination per month Nonrecurring Currently Combined I Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comt 4-wire 64 kbps Local Loop in Comt Interoffice Transport - Dedicated Mile per month Interoffice Transport - Dedicated Mile per month Interoffice Transport - Dedicated Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in	re VG - Dedicated - Facility Termination mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 56 KBPS in combination - Zone 1 in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Inth mbined Network Elements Switch -As-Is itTAL EXTENDED LOOP WITH DSO INTE	SINTEROF	FFICE TI 1 U 2 U 3 U	UNCVX UNCVX FRANSPORT UNCDX UNCDX UNCDX UNCDX	U1TV4 UNCCC UDL56 UDL56	10.78 21.86 28.36	5.70 195.94	5.70					_			
per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined I Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comt Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined I Charge EXTENDED 4-WIRE 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in	mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 56 KBPS In combination - Zone 1 In combination - Zone 2 In combination - Zone 3 In combination - Zone 3 In cated - 4-wire 56 kbps combination - Per Ideated - 4-wire 56 kbps combination - Per Ideated - 4-wire 56 kbps combination - Per Ideated - 4-wire 56 kbps combination - Per Ideated - 4-wire 56 kbps combination - As-Is ITAL EXTENDED LOOP WITH 64 KBPS In Combination - Zone 1 In Combination - Zone 3 Ideated - 4-wire 64 kbps combination - Per Ideated - 4-wire 64 kbps combination - Inth Inthibition Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH DSO INTE	SINTEROF	1 U 2 U 3 U	UNCVX FRANSPORT UNCDX UNCDX UNCDX	UNCCC UDL56 UDL56	21.86 28.36	5.70 195.94	5.70								
Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DKGITAL E 4-wire 56 kbps Local Loop in comb 4-wire 56 kbps Local Loop in comb 4-wire 56 kbps Local Loop in comb interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 64 KBPS DKGITAL E 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 65 kbps Local Loop in Comb 5 kbps Local Loop in Comb 6 kbps Local Loop in Comb 7 kbps Local Loop in Comb 6 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local Loop in Comb 7 kbps Local L	ITAL EXTENDED LOOP WITH 56 KBPS in combination - Zone 1 in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch - As-Is irral Extended - Italian - Network Elements Switch - As-Is irral Extended - Loop WITH DSO INTE	SINTEROF	1 U 2 U 3 U	UNCVX FRANSPORT UNCDX UNCDX UNCDX	UNCCC UDL56 UDL56	21.86 28.36	5.70 195.94	5.70								
Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E 4-wire 55 kbps Local Loop in comb 4-wire 55 kbps Local Loop in comb 4-wire 55 kbps Local Loop in comb Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined i Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 4-wire 64 kbps Local Loop in Comb 5 kbps Local Loop in Comb First 4-wire 56 kbps Local Loop in Comb First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Lo	ITAL EXTENDED LOOP WITH 56 KBPS in combination - Zone 1 in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch - As-Is irral Extended - Italian - Network Elements Switch - As-Is irral Extended - Loop WITH DSO INTE	SINTEROF	1 U 2 U 3 U	TRANSPORT UNCDX UNCDX UNCDX	UDL56 UDL56	28.36	195.94		6.61	6.61	1					
4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt 4-wire 56 kbps Local Loop in comt Interoffice Transport - Dedicated Mile per month Interoffice Transport - Dedicated Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comt 4-wire 64 kbps Looal Loop in Comt 4-wire 64 kbps Looal Loop in Comt 4-wire 64 kbps Looal Loop in Comt interoffice Transport - Dedicated Mile per month Interoffice Transport - Dedicated Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 Kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in Company Company Company Monrecurring Currently Combined Lonarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 64 kbps Local Loop in First 4-wire 64 kbps Local Loop in	in combination - Zone 1 in combination - Zone 2 in combination - Zone 2 in combination - Zone 3 icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 In Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - Inth mbined Network Elements Switch -As-Is itTAL EXTENDED LOOP WITH DS0 INTE	SINTEROF	1 U 2 U 3 U	UNCDX UNCDX UNCDX	UDL56	28.36				0.01						
4-wire 56 kbps Local Loop in combinate of the combination of the combi	in combination - Zone 2 in combination - Zone 3 ccated - 4-wire 56 kbps combination - Per iccated - 4-wire 56 kbps combination - Per iccated - 4-wire 56 kbps combination - nth mbined Network Elements Switch - As-is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 iccated - 4-wire 64 kbps combination - Per iccated - 4-wire 64 kbps combination - nth mbined Network Elements Switch - As-is itTAL EXTENDED LOOP WITH DS0 INTE		2 U	UNCDX	UDL56	28.36										
4-wire 56 kbps Local Loop in combinate of the combination of the combi	in combination - Zone 3 cated - 4-wire 56 kbps combination - Per licated - 4-wire 56 kbps combination - Per licated - 4-wire 56 kbps combination - nth motined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per licated - 4-wire 64 kbps combination - nth motined Network Elements Switch - As-Is ITAL EXTENDED LOOP WITH DS0 INTE		3 U	UNCDX				36.38	18.42	6.86						
Interoffice Transport - Dedicated-Mile per month Interoffice Transport - Dedicated-Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comd 4-wire 64 kbps Local Loop in Comd 4-wire 64 kbps Local Loop in Comd Interoffice Transport - Dedicated-Mile per month Interoffice Transport - Dedicated-Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E First 4-wire 56 kbps Local Loop in	icated - 4-wire 56 kbps combination - Per icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is itTAL EXTENDED LOOP WITH DS0 INTE		U		UDL56	38.22	195.94	36.38	18.42	6.86					i	
Mile per month Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined I Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comd 4-wire 64 kbps Local Loop in Comd Interoffice Transport - Dedicated - Mile per month Interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined I Charge EXTENDED 4-WIRE 56 Kbps Local Loop in First 4-wire 56 kbps Local Loop in	icated - 4-wire 56 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH DS0 INTE						195.94	36.38	18.42	6.86						
Interoffice Transport - Dedicated-Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-Wire 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Com 4-wire 64 kbps Local Loop in Com 1-wire 64 kbps Local Loop in Com 1-wire 64 kbps Local Loop in Com 1-wire 64 kbps Local Loop in Com 1-wire 64 kbps Local Loop in Com 1-wire 64 kbps Local Loop in Com 1-wire 1-wir	nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is itTAL EXTENDED LOOP WITH DS0 INTE										!		,			i
Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comi 4-wire 64 kbps Local Loop in Comi 1-wire 64 kbps Local Loop in Comi Interoffice Transport - Dedicated Mile per month Interoffice Transport - Dedicated Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 Kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 64 kbps Local Loop in Phonogeneric Currently Combined I Lonerge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 2 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is itTAL EXTENDED LOOP WITH DS0 INTE		1	UNCDX	1L5XX	0.0057										
Nonrecurring Currently Combined I Charge EXTENDED 4-WIRE 64 KBPS DKGITAL E 4-wire 64 kbps Local Loop in Com 4-wire 64 kbps Local Loop in Com Interoffice Transport - Dedicated- Mile per month Interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined I Charge EXTENDED 4-WIRE 56 KBPS DKGITAL E First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 64 kbps Local Loop in Lonarge EXTENDED 4-WIRE 64 KBPS DKITAL E First 4-wire 64 kbps Local Loop in	mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH DS0 INTE	 		UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Comi 4-wire 64 kbps Local Loop in Comi 4-wire 84 kbps Local Loop in Comi interoffice Transport - Dedicated- Mile per month interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Interoffice Transport I remination per monus Monrecurring Currently Combined I Lonarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 KBPS DIGITAL E First 4-wire 64 KBPS DIGITAL E First 4-wire 64 KBPS DIGITAL E First 4-wire 64 KBPS DIGITAL E	ITAL EXTENDED LOOP WITH 64 KBPS in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 in Combination - Zone 3 in Combination - Zone 3 in Combination - Per icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is it AL EXTENDED LOOP WITH DS0 INTE			UNCDX	UTTUS	1.03	00.33	33.01	45.42	27.00	_					
EXTENDED 4-WIRE 64 KBPS DIGITAL E 4-wire 64 kbps Local Loop in Com 4-wire 64 kbps Local Loop in Com 4-wire 64 kbps Local Loop in Com Interoffice Transport - Dedicated- Mile per month interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 Kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in Combined Combined Combined Internition Transport Co	in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is iTAL EXTENDED LOOP WITH DS0 INTE		- 1	UNCDX	UNCCC		5.70	5.70	6.61	6.61				!		į.
4-wire 64 kbps Local Loop in Com 4-wire 64 kbps Local Loop in Com 4-wire 64 kbps Local Loop in Com Interoffice Transport - Dedicated- Mile per month Interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined (Charge EXTENDED 4-WIRE 56 KBPS DOGITAL E First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Interoffice Transport Internation per monital Nonrecurring Currently Combined I Lonarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	in Combination - Zone 1 in Combination - Zone 2 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is iTAL EXTENDED LOOP WITH DS0 INTE	INTERO			- 0.1000		0.70		-							
4-wire 84 kbps Local Loop in Com 4-wire 84 kbps Local Loop in Com interoffice Transport - Dedicated- Mile per month interoffice Transport - Dedicated- Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DKGITAL E First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Interoffice Transport I termination per monus Monrecurring Currently Combined Lonarge EXTENDED 4-WIRE 64 KBPS DKGITAL E First 4-wire 64 KBPS DKGITAL E First 4-wire 64 KBPS DKGITAL E	in Combination - Zone 2 in Combination - Zone 3 in Combination - Zone 3 icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is itt AL EXTENDED LOOP WITH DS0 INTE	1		UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
Interoffice Transport - Dedicated - Mile per month interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined (Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Interoffice Transport	icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH DS0 INTE		2 U	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
Interoffice Transport - Dedicated - Mile per month interoffice Transport - Dedicated - Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DKITAL E First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Interoffice Transport	icated - 4-wire 64 kbps combination - Per icated - 4-wire 64 kbps combination - nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH DS0 INTE		3 U	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
Interoffice Transport - Dedicated-Facility Termination per month Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 Kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Interoffice Tranonth First 4-wire 56 kbps Interoffice Tranonth Lonarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH DS0 INTE												1.1			
Facility Termination per month Nonrecurring Currently Combined (Charge EXTENDED 4-WIRE 56 KBPS DIGITAL E First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Local Loop in First 4-Wire 56 kbps Interoffice Tr month First 4-Wire 56 kbps Interoffice Tr 1ermination per montal Nonrecurring Currently Combined I (Unarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	nth mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH DS0 INTE		U	UNCDX	1L5XX	0.0057										
Nonrecurring Currently Combined Charge EXTENDED 4-WIRE 56 KBPS DKGITAL E First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Interoffice Transition First 4-wire 56 kbps Interoffice Transition Nonrecurring Currently Combined I Lonarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	mbined Network Elements Switch -As-Is ITAL EXTENDED LOOP WITH DS0 INTE													i l		ı
Charge EXTENDED 4-WIRE 56 KBPS DKSITAL E First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Interoffice Tr month First 4-wire 56 kbps Interoffice Tr 1 ermination per month Noncourring Currently Combined I Lonarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	ITAL EXTENDED LOOP WITH DS0 INTE		lu	UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
EXTENDED 4-WIRE 56 KBPS DIGITAL E First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Intendifica Tra month First 4-wire 56 kbns Intendifica Tra Termination per monitul Nonceruring Currently Combined I Lonarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in		1 1		INORY		1	5.70	5.70	6.61	6.61						i
First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Interoffice Transmit First 4-wire 56 kbps Interoffice Transmit Internity 1 termination per more Moncrouring Currently Combined I Unarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in		EDOFFICE		UNCDX	UNCCC		5.70	5.70	6.61	6.61						
First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Local Loop in First 4-wire 56 kbps Interoffice Tr month First 4-wire 56 kbps Interoffice Tra I ermination per monal Nonrecurring Currently Combined I Lonarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	Joop in combination - Zone i	TOFFICE	1 I	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
First 4-wire 56 kbps Local Loop in Flist 4-wire 50 kbps Interoffice Trimonth First 4-wire 56 kbps Interoffice Transcript First 4-wire 56 kbps Interoffice Transcript First 4-wire 64 kbps DogITAL E First 4-wire 64 kbps Local Loop in	non in combination - Zone 2			UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
First 4-wiree 50 ktips finteroffice Trimonth First 4-wire 56 khos Interoffice Tra Lermination per monitur Noncreturring Currently Combined I Charge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in				UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
month First 4-wire 56 khas Interoffice Tra I ermination per moniu Noorceurring Currently Combined I Lonarge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	office Transport - Dedicated - Per Mile per		-					55.56	15.12	Ţ.50						
Nonce-urine Currently Combined I Learge EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in				UNCBX	1L5XX	0.0057										
Moorecurring Currently Combined Longree EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	ice Transport - Dedicated - Facility		-													
EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in			U	UNGUA	U1105	7.03	90.00	. 33.01	93,92	21.00			100			
EXTENDED 4-WIRE 64 KBPS DIGITAL E First 4-wire 64 kbps Local Loop in	nhined Network Flements Switch -As-Is	1 1			1						i					
First 4-wire 64 kbps Local Loop in				UNCUX	UNICCC		5.70	5.10	9,01	0.01			-			
		EKOFFICE			1101.04	21.86	105.04	20.20	18.42	6.86						
Eight during 64 black to an all and the			1 U		UDL64 UDL64	28.36	195.94 195.94	36.38 36.38	18.42	6.86	-		-			
First 4-wire 64 kbps Local Loop in First 4-wire 64 kbps Local Loop in				UNGDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	ffice Transport - Dedicated - Per Mile per	!	* 10	UITO DA	30204	30.44	100.04	50.36	10.42	0.00						
month	not transport begindated to this per			UNGDX	1L5XX	0.0057										
	fice Transport - Dedicated - Facility		lu lu		120,01	5.5531		-					-			
Termination per month	,		<u> </u>		U1TD6	7.83	66.53	33.61	43.42	27.60						
	mbined Network Elements Switch -As-Is			UNCDX	CIIDO											
Charge																
ITIONAL NETWORK ELEMENTS			U		UNCCC		5.70	5.70	6.61	6.61						

UNBUNDLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		ŀ				1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1			l i								Elec	Manually	Manual Svc			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1 1		1								Electronic-	Electronic-	Electronic-	Electronic-
		1											1st	Add'I	Disc 1st	Disc Add'l
		-				-	Nopre	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
-		+				Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Nonrec	curring Currently Combined Network Elements "Switch As Is" C	harge (C	пе арр	lies to each combi	nation)											
	Nonrecurring Currently Combined Network Elements Switch -As-!s										1					1
	Charge - 2 wire/4-Wire VG		li	UNCVX	UNCCC		5.70	5.70	6.61	6.61						
	Nonrecurring Currently Combined Network Elements Switch -As-Is										1		i	}		
1 1	Charge - 56/64 kbps	l		UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	latonic				T	1				1		1 -	1		1	
Miscel	alleods				OCOSR		18.89	18.89								

NBUNDLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)	-		Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	-						Nonrec	urring	Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Т								•		inic a Beet		Cantani Offi	en refer to int	arnot Moheita		
<u></u>	W.Interconnection.pensouth.contpecone_a_clechtinninter-	Jimeous	7	-	_	· · · · · · · · · · · · · · · · · · ·					· -	1	r			
PERATI	PPURT STOTEMS (USS) - REGIONAL NATES	L					TI. 000		41	this note orbi	it are the B	oll South "ro	nional" comin	e orderina ch	arnes CLFC	may elect
either th	e state specific Commission ordered rates for the service orde	ring ch	arges,	or CLEC may elect the	regional sc.	ce ordering	charge, howeve	r, CLEC can no	ot obtain a mixtu	re of the two i	egardless if	CLEC has a	interconnect	tion contract e	stablished in	each of the S
NOTE: (Any element that can be ordered electronically will be billed	l accord	ing to t	he SOMEC rate listed	in this cate:	ıry. Please re	fer to BellSouth	's Local Orderi	ing Handbook (LOH) to detern	rine if a prot	duct can be	ordered electr	onically. For	those element	s that canno
	red electronically at present per the LOH, the listed SOMEC rat	' <u>n this</u>	atego	ry reflects the charg	that would	billed to a (1 :C once elect	nic ordering	capabilities cor	e on-line for	<u>h it elemen</u>	Otherwis	the manual	fering charg	e, SOMAN, W	be applied
	OSS - Electronic Service Order Charge, Per Local Service Request				OMEC		3.50	0.00	3.50	0.00	1	l .	į	l		
	(LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request		ł		OWEC		3.30	0.00	3.30	0.00	 	-		-		
	(LSR) - UNE Only				OMAN		7.86	0.00	0.99	0.00						
NE SERVICE D	ATE ADVANCEMENT CHARGE	1 —														
NOTE:	The Expedite charge will be maintained commensurate with B	South	FCC	No.1 Tariff, Section	s applicabl											
RDER MODIFK	UNE Expedite Charge per Circuit or Line Assignable USOC, per Da JATION CHARGE			UAL, UEANL, UCL, UEF, UDF, LEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UTIT2, UTT48, UTTD1, UTT03, UTT03, UTT07, UTT03, UTT07, UTT03, UTT07, UTT08, USP, USP, USP, USP, USP, USP, USP, USP	SDASP		200.00									
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	∤					33.37	0.00	0.00	0.00	_	-	1			
	CHANGE ACCESS LOOP	 					130.00	0.00	0.00	0.00				-		
2-WIRE	ANALOG VOICE GRADE LOOP								-							
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				UEAL2	10.56		22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-			UEAL2 UEAL2	15.34	46.66 46.66	22.57	26.65 26.65	7.65 7.65		 	ļ			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	 	3		UEASL	10.56		22.57	26.65	7.65			 			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	2	UEANL	UEASL	15.34		22.57	26.65	7.65	1	1				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1		UEANL	UEASL	31.11		22.57	26.65	7.65			1			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1				-										
	Premise			UEANL	URETL		8.33	0.83								
_ _ 7	pop Testing - Basic 1st Half Hour	l—	-	UEANL	URET1		46.88	0.00				 	ļ <u>.</u>	<u> </u>		
	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL. SL1)			UEANL	UREWO		24.16 15.78	24.16 8.94								
	Inbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)				UEANM		13.49	13.49								

IBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
TEGORY	DATE EL CACALTO	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
		-				. 1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
		_	<u> </u>			Rec -	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Manual Order Goordination for UVL-SL1s (per loop)	1	1	UEANL	UEAMC		9.00	9.00								1
	Order Coordination for Specified Conversion Time for UVL-SL1 (per	1					-									
- 1	LSR)	ł	1	UEANL	OCOSL	i	23.01	23.01			ĺ		i			
2-WIF	RE UNBUNDLED COPPER LOOP - NON-DESIGNED				1				-				-			
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65			· · ·			
	2*Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65		- "				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL	_	8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	T														
	Designed (per loop)	<u> </u>		UEQ	USBMC		9.00	9.00								<u> </u>
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			1												
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	0.00								<u> </u>
	Loop Testing - Basic Additional Half Hour		_	UEQ	URETA		24.16	24.16								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			1150	uperus											
	ND)		_	UEQ	UREWO		14.27	7.43								
	EXCHANGE ACCESS LOOP		_	ļ												
2-WIF	RE ANALOG VOICE GRADE LOOP				-		-									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1	40.07								ŀ		
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2				404.00	0.4.07	70.05	44.00						
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l	3	UEA		20.00	404.00	24.07	70.05	14.88				1	1	1
	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88	_					
	Battery Signaling - Zone 1	1	١,	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88	1			l	l	
+-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	'	UEA	UEARZ	12.07	134.09	01.07	73.03	14.00						
- 1	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88					İ	1
+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 		-	DEFAILE	11.40	104.00		70.00	14.00						
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88				1		1
	CLEC to CLEC Conversion Charge without outside dispatch	-	<u> </u>	UEA	UREWO	00.22	87.72	36.36	70.03	14.00					· ·-	_
\neg	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10							-	
4-WIF	RE ANALOG VOICE GRADE LOOP													-		$\overline{}$
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164,11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						"-
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
2-WIF	RE ISDN DIGITAL GRADE LOOP		l													
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						1
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42,87	146.77	95.02	71.38	13.83				L		1
	ICLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.1€						1		1
2-Wif	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELO	ФP													
	2 Wire Unbundled ADSL Loop including manual service inquiry &										1 .	t				
	facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47	1					ļ
	2 Wire Unbundled ADSL Loop including manual service inquiry &		1											i .		
	facility reservation - Zone 2	_	2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry &		٠.	L							i i			1		i
-	facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		١.			40.00	404.40	00.00								i
_	facility reservator - Zone 1		⊢-	UAL	UAL2W	10.82	121,18	69.00	69.09	11,54					+	+
	2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	11.79	121.18	69,00	69.09	11.54					i	
	facility reservator - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZW	11.79	121.18	69.00	69.09	11.54						——
		1	3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54					i	
-	facility reservaton - Zone 3	-	3-	UAL	UREWO	12.67	86.20	40.40	09.09	11.54						-
2 1800	QLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LELOS	<u> </u>	UNL	UNEWO .		66.20	40,40			1			-		1
2-1/1	2 Wire Unbundled HDSL Loop Including manual service inquiry &	LE LUC	Ť		<u> </u>				<u> </u>		 					
	facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry &	-	-		J.ILEA	5.75	101.04	05,23	05.03	11.54						_
	facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						

BUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		."	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
							Name		Nonrecurring	Diseases				Rates(\$)	Disc 1st	DISC Add
		 -	_			Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &	+	_	· 			- 11131	Addi	151	7,00		-				7
	facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		Ī								İ		i			
	facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						-
	2 Wire Unbundled HDSL Loop without manual service inquiry and	1	3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	 	3	ÜHL	UREWO	10.61	86.14	40.40		11.54						
4-WIDE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	RELOC	P	UNL	OKEWO		00.14	40.40			-			-		
4-11111	4 Wire Unbundled HDSL Loop including manual service inquiry and		<u> </u>													
	facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
-	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 2	1.1	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry and													1		
	facility reservation - Zone 3	1	3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69	1					
	4-Wire Unbundled HDSL Loop without manual service inquiry and		1.						77.32	45.00						
	facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	17.32	15.80						
1	4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80	i			l		
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and		-	OnL	- Unitavi	15.00	104.93	114.04	11.32	15.00						
	facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
	CLEC to CLEC Conversion Charge without outside dispatch	_	<u> </u>	UHL	UREWO	70.00	86.14	40.40	77.02						i	
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	 	1	1	1											
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps	<u> </u>		UDL	UDL19	32.48	157.81	106.06	78.91	18.66				·		
	4 Wire Unbundled Digital 19.2 Kbps	<u> </u>		UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<u> </u>		UDL	UDL56	27.59	157.81	106.06 106.06	78.91 78.91	18.66 18.66				 		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56 UDL56	32.48 36.37	157.81 157.81	106.06	78.91	18.66						-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-	1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66	-					
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	-	2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66					,	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75						,		
2-WIRE	Unbundled COPPER LOOP		1										1			
	2-Wire Unbundled Copper Loop-Designed including manual service	1					-								1	
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54					1	
	2-Wire Unbundled Copper Loop-Designed including manual service		١.			44.70	440.05	78.70	00.00	44.54	1			ł		
	inquiry & facility reservation - Zone 2	-	2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54	·					
1	2 Wire Unbundled Copper Loop-Designed including manual service	1	3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54				1		1
	inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service			OCL	UCEFB	12.01	140.55	70.70	03.03	1.1.04						
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
_	2-Wire Unbundled Copper Loop-Designed without manual service	 	<u> </u>	1002	0.00				7777							
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual service										T					
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54	·					
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-				I 1			40.40								
_	Des)			UCL	UREWO		97.23	42.48		-				 		
4-WIRE	E COPPER LOOP	├										-				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	١,	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		1		1		1
_	4-Wire Copper Loop-Designed including manual service inquiry and	 -	 ' -	TOOL .	100E43	10.32	170.51	100.00	74.55	14.03					1	
	facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69	1					1
	4-Wire Copper Loop-Designed including manual service inquiry and	1	-	1	122.0			-								
	facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	4 Wire Copper Loop-Designed without manual service inquiry and			1												
	facility reservation - Zone 1	L	1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry and		_													
	facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	14-Wire Conner Loop-Designed without manual service induity and		1					97.33	74,95	14,69						1

NBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
			L			Nec	First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	1		l				40.40			1		1			1
	Des) Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UREWO		97.23 9.00	42,48 9.00								
	Order Coordination for Unburided Copper Loops (per 100p)	+		UEA, UDN, UAL,	UCLIVIC		9.00	9.00								
l l	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		23.01		İ			i				
OOP MODIFI		1	-		9999											
	Unbundled Loop Modification, Removal of Load ** tess than or equal to 10k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L_		9.24	9.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	1	1		1	, ,					ļ		j		<u> </u>	ł
	than or equal to 18K ft, per Unbundled Loop	-	-	UHL, UCL, UEA UAL, UHL, UCL,	ULM4L		9.24	9.24								
				UEQ, ULS, UEA, UEANL, UEPSR,												
	unbundled loop		<u> </u>	UEPSB	ULMBT		10.47	10.47					<u> </u>			
UB-LOOPS_																
Sub-L	oop Distribution		-													
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1	-	UEANL	USBSA		207.91	207,91		<u> </u>						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		12.50	12.50				1				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			7							Ţ		, ——			
	Set-Up		L	UĘANL	USBSC		80.87	80.87								
		١.	١				45.04	45.04	ĺ							1
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	l	_	UEANL	USBSD		45.04	45.04								
	1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	2-vviie Alaby Voice Grade Loop - Zone		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90	1	ĺ	1	Ì	1	1
	Sub-Loop C	† ·			000,12											
	3	1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
											-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00						<u> </u>	 	
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	8.14	102,31	56.32	65.24	10.88	ĺ			1		l
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			UEANL	030144	0.14	102.31	30.32	00.24	10.88	 					
- 1	2		2	UEANL	USBN4	8.63	102.31	56.32	65,24	10.88						1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
									1 1					ł		ł
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	<u> </u>	UEANL	USBMC	5.53	9.00	9.00	F0.04	7.90			ļ <u> </u>			
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	 -	UEANL	USBR2	2.57	68.35	22,36	59.81	7.90	 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		l	UEANL	USBMC		9.60	9.00								ı
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	\vdash	UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
			_													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour	<u> </u>	<u> </u>	UEANL	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour	ļ	<u> </u>	UEANL	URETA	5.45	24.16	24.16	50.04	7.00		<u> </u>				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	+		UEF	UCS2X UCS2X	5.45 7.06	85.03 85.03	39.05 39.05	59.81 59.81	7.90 7.90		 				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+		UEF	UCS2X	9,67	85.03	39.05	59.81	7.90		-				
	72 YYIFE CORPET OTROUTURED SUD-LOOP DISKINDUIOH - ZONE 3	1 '	– Š	251	55527	8.4.1	00,03	09,00	30.01	7,30						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC	1	9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1 -		UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	Ţ,	3	ŲEF	UCS4X	19.40	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00			ļ					
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.94	0.88								

UNBUN	DLED	NETWORK ELEMENTS - Kentucky										Submitted		Charge -	Incremental Charge -		bit: A Incremental Charge - Manual Svc
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svo Order vs. Electronic- Add'i	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
T							Rec	Nonrect First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour	ĺ		UEF	URET1		46.88	0.00								
- 1	Ţ:	Loop Testing - Basic Additional Half Hour		!	UEF	URETA	}	24.16	24.16	1	ļ						•
]u	ก่อนกลุ่	lled Sub-Loop Modification				-			-			, ,					1
		Unbundled Sub-Loop Modification - 2-W Copper Dist Loed Col/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23		L						ļ
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip		Ī				5.23	5.23							<u> </u>	
		Removal per 4-W PR		-	UEF	ULM4X		5.23	5.23		 						
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		7.97	7.97								
t	Inbund	fled Network Terminating Wire (UNTW)										 					
		Unbundled Network Terminating Wire (UNTW) per Pair		-	UENTW	UENPP	0.53	23.51	23.51		-					-	
	letwork	k Interface Device (NID)	ļ	<u> </u>	UENTW	UND12		73.53	49.47								
		Network Interface Device (NID) - 1-2 lines	-		UENTW	UND16		115.96	91.91								
		Network Interface Device (NID) - 1-6 lines		-	UENTW	UNDC2	-	8.56	8.56								
_		Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	_	 -	UENTW	UNDC4		8.56	8.56								-
LINE OT	IER PE	ROVISIONING ONLY - NO RATE															
JINE OIF	FF	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
-		UNTW Circuit Id Establishment, Provisioning Only - No Rate		T	UENTW	UENCE	0.00	0.00							 	<u> </u>	
	$\neg \neg$		T	1	UEANL, UEF, UEQ, UE		11				1						
	أ	Unbundled Contract Name, Provisioning Only - No Rate	<u> </u>		NTW	UNECN	0.00	0.00			<u> </u>				 -	1	
					UAL,UCL,UDC,UDL, UDN UEA,UHL	UNECN	0.00	0.00				1					1
		Unbundled Contact Name, Provisioning Only - no rate	 	+	UDIN,UEA,URL	DIVECTO	0.00	0.00			<u> </u>	<u> </u>					
LOOP M	AKE-UF	Loop Makeup - Preordering Without Reservation, per working or	 	-													
		spare facility queried (Manual).			UMK	UMKLW		23.40	23.40	İ.,	L	<u>. </u>			ļ	<u> </u>	<u> </u>
		Loop Makeup - Preordering With Reservation, per spare facility								1	l .						
		queried (Manual).		<u> </u>	UMK	UMKLP		24.85	24.85			ļ					<u> </u>
		Loop MakeupWith or Without Reservation, per working or spare						0.67	0.67			1					
		facility queried (Mechanized)	ļ. —		UMK	UMKMQ		0.67	0.67	 			ļ		<u> </u>		
LINE SHA	ARING	: The Line Sharing monthly recurring rates for all installations	nomple	stad fro	m October 02 2003 ft	rough midn	ight October 01.	2004 shall be b	illed as follow	/s:	 			1		1	
<u> </u>	OTE 1	: The Line Sharing monthly recurring rates for all installations : 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop	per loo	n non-d	sesigned ("UCLND")	l l	19.10.20.0.0.										
	OTE 1	: 10/02/2003 = 10/01/2004: 23 % of the rate for UCLND	100	1	lesigned (esemply							<u> </u>		6.50	L		
	OTF 1	- 10/02/2005 - 10/01/2006: 75% of the rate for UCLND		1 .								<u> </u>		ļ	-		ļ
		TOO DE LICORDE UN COT LIU COT					l									 	+
	NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSE	OC and	ULSCC	applies only to circu	its installed	and inservice or	or before Octo	ober 1, 2003	-	ļ		-	 -	 	<u> </u>	
Ti.	INE SH	IARING	1	1			 				-	-				-	
	PLITTI	ERS-CENTRAL OFFICE BASED	 	ļ	11110	ULSDA	198.83	379.05	0.00	358.55	0.00	-		1	T		
		Line Sharing Splitter, per System 96 Line Capacity	-	-	ULS	ULSDB	49.71	379.05	0.00								
\vdash		Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		+	ULS	ULSD8	16.94	377.71	0.00								
1		Line Sharing Spitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation	1	+-													
		(per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00						-
	SU GN	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING									 	ļ			 		+
		Line Sharing - per Line Activation (BST Owned splitter) -						07.40	21.28	20.17	9.90						
		OBSOLETE see **NOTE 2	-	_	ULS	ULSDC	0.61	37.16	21.28	20.17	9.90	·		1	 	1	
		Line Share Service, TRO per line activation, BST owned splitter -												1 . 1			
		Central Office Located (25% of UCLND) - please see NOTE 1			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -		+	3.0	1000	2.00	2.77									
		Central Office Located (50% of UCLND) - please see NOTE 1]														
		(E:10/2/2004)	-		ULS	ULSDT	5.29	37.1 <u>6</u>	21.28	20.17	9.90	1	ļ	-			-
-		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1				05-		27.42	24.00	20.17	9.90						
		(E:10/2/2005)		1	ULS	ULSDT	7.94	37.16	21.28	20.17	9.90		-	-	1		
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST	[]		ULS	ULSDS		32.90	16.43					1.			
		The Stating Per Subsequent About per Line Hours angent and							10.40	A		-					1
		Owned Splitter)	+	-	ULS	02000	-							1			
		Owned Splitter) Line Sharing - per Subsequent Activity per Line	_		-	ULSCS		32.90	16.43								
		Owned Splitter)			ULS		0.61	32.90 47.44	16.43 19.31		12.74						

UNBUN	DLEC	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Increment Charge
-+			-	-			Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter -	_	1				rust	Addi	FIISI	Addi	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
		Central Office Located (25% of UCLND) - please see NOTE 1			!									l	[[
		(E:10/2/2003)			ULS	ULSCT	2.65	47,44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -) -	1	T
- 1		Central Office Located (50% of UCLND) - please see NOTE 1	1		Í	1						ł					ì
		(E:10/2/2004)	-	ऻ	ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1		1											İ		
		(E:10/2/2005)	1		ULS	ULSCT	7.94	47.44	19.31	20.67	12,74						
- N	MAINT	ENANCE			1	102001	7.5	. 47,44	10.01	20.07	12.14				 	 	
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime	<u> </u>					120.00	82.50						I		
		No Trouble Found - per 1/2 hour increments - Premium	-	-				160.00	110.00								
		DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT		-		<u> </u>											-
- 11	TERC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	-	 	·										 		
		Per Mile per month		1	U1TVX	1L5XX	0.01						1		1		
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -				1											
		Facility Termination	<u> </u>		U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
1		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		1							-	-					-
		Rev Bat Per Mile per month	-	—	U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	0.75						1
-		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		_	UTIVA	UTIKZ	29.11	41.34	31.76	22.11	8.75	!					
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						1
ŀ		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per											_				
		month Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-		U1TDX	1L5XX	0.0115										
- 1		Termination	1	ļ	U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per				077.00	20.01	- 11.00			5.75			-		,	
		month	l		U1TDX	1L5XX	0.0115									i	ĺ
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility		T								_		1.1			
		Termination		<u> </u>	U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75			1			
SIGNALIN		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	-		UDB	TPP6A	20.71	43.56	43.56	20.45	00.45						
		CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	1		UDB	TPP9A	20.71	43.56	43.56	22.45	22.45 22.45		_				
		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1		 	UDB	TPP6B	20.71	43.56	43.56	22.45	22.45				-		
		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	20.71	43.56	43.56	22.45	22.45						
		CCS7 Signaling Point Code, per Originating Point Code				1											
		Establishment or Change, per STP affected	-		UDB	CCAPO		46.02	46.02	56.43	56.43						
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	50.43	50.40						
E911 SER	VICE	Loradistilleric of Change, Fer Stp Affected	 	-	ODB	CCAPU		40.02	46.02	56.43	56.43						
		Local Channel - Dedicated - 2-wr Voice Grade				-	18.57	265.78	46.96	46.79	4.98						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility										i					
		Termination Post 7					29.11	47.34	31.78	22.77	8.75						
		Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07						
		Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3					43.39 164.50	209.60	176.51 176.51	30.21	21.07						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.23	209.00	170.51	30.21	21.07				-		
			1			1	-			1							
		Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			96. <u>04</u>	105.52	96.46	23.69	20.49			L			
		I ENDED LINK (EELS)	l	1													
		inge monthly recurring and non-recurring charges below will a The monthly recurring and the Switch-As-is Charge and not the										nte					
F	XTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GI	RADE IN	TEROF	FIGE TRANSPORT	Apply for UNE	Comminations	provisionea as	Currently Co.	mulmed Networ	k clements.				j		
		2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.87	125.22	60.48	59.69	7.84	,					
		2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48		7.84						
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60,48	59.69	7.94						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky										Svc Order	Svc Order	Attach Incremental	ment: 2	Exhi Incremental	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svc Order vs. Electronic-
		 	\vdash]	24			200	~ · · · · · · · · · · · ·		
								Hariff (
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADEIN	TEROF													
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48		7.84						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 3	1	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	<u> </u>	<u> </u>	UNCVX	1L5XX	0.01										
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		_	UNCVX	U1TV4_	21,28	98.09	53.67	56.31	22.42						
FVT	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	INTER	SECICE	UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS 4-wire 56 kbps Local Loop in combination - Zone 1	MIERO)FFICE	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84					i	
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTER														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	ļ		UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84	<u> </u>					
	4-wire 64 kbps Local Loop in Combination - Zone 2	 		UNCDX	UDL64 UDL64	32.48 36.37	125.22 125.22	60.48 60.48	59.69 59.69	7.84 7.84		-			-	
-	4-wire 64 kbps Local Loop in Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		3	UNCDX	1L5XX	0.01	125.22	00.48	33.03	7.04						
- -	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC	ETRA		0.11000											
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 3 First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.01	20.00	F0.07	50.04	00.40						
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is		-	UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Charge	FROFF	DE TO	UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EKUFFIC		UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		-	· · · · ·			
	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						-
	First 4-wire 64 kbps Local Loop in combination - Zone 3 First 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.01		1								-
	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is		-	UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
ADDITIONAL	Charge NETWORK ELEMENTS			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	used as a part of a currently combined facility, the non-recurring	charge	s do no	ot apply, but a Switc	h As Is charge	e does apply.										-
	used as ordinarily combined network elements in All States, the						not.									
Nonr	curring Currently Combined Network Elements "Switch As Is" C	harge (C	Эпе ар	plies to each combina	ation)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17						

UNBUNDLE	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
														incremental	Incremental	Incremental
	· · · · · · · · · · · · · · · · · · ·		1		l i						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
i											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELÉMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			i										Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
1 1						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
					T T	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-Is											- "				
	Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
Miscel	laneous	T														! .
					OCOSR											

.

		NETWORK ELEVENTO La distance				<u> </u>								Attach	nent: 2	Exhi	bit: A
CATEGO	ł	NETWORK ELEMENTS - Louisiana RATE ELEMENTS	Interim	Zone	B S	soc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
											Discourant		<u> </u>	088	Rates(\$)		
							Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		ne" shown in the sections for stand-alone loops or loops as pa			ation refers to Googs	anhinally Do	averaged LINE 7	Zones To view	Gengraphical	v Deaveraged L	INE Zone Desi	gnations by	Central Offi	ce, refer to Int	ernet Website		
T T	he "Zo	ne" shown in the sections for stand-alone loops or loops as p: ww.interconnection.bellsouth.com/become_a_clec/html/interco	art of a	combin on htm	ation refers to Geogr	арпісану ве	averaged ONL 2	Diles. 10 View	Geograpinean	, Deuterages		J					
																	l
			state s	pecific	"OSS charges as ord	ered by the	State Commissi	ons. The OSS c	harges curren	tly contained in	this rate exhi	bit are the B	ellSouth "re	gional" servic	e ordering ch	arges. CLEC	may elect
N	IOTE: (ne state specific Commission ordered rates for the service orde 2)* Any element that can be ordered electronically will be billed red electronically at present per the LOH, the listed SOMEC rate	accord	ing to t	he SOMEC rate listed	in this cate	gory. Please ret	er to Bell South	's Local Order	ng Handbook (me on-line for	nine ii a prot that element	t. Otherwise	the manual	ordering char	ze, SOMAN, w	ill be applied
b	e orde	red electronically at present per the LOH, the listed SOMEC rate	in this	catego	ory reflects the charge	that would	be billed to a C	LEC once electi	onic ordering	Capabilities co	the off-time for	LITAL CICINOTTI	L. Othermet	1	J		'
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			, i	SOMEC		3.50	0.00	3.50	0.00		l				i
-		OSS - Manual Service Order Charge, Per Local Service Request			-		_								ŀ		
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00	<u> </u>			l		
UNE SER	VICE	ATE ADVANCEMENT CHARGE		1						-			1				
N	OTE:	The Expedite charge will be maintained commensurate with Be	IISouth	's FCC	No.1 Tariff, Section 5	as applicab	le.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day CATION CHARGE			UAL, UEANL, UCL, UEF, UDF, UEA, UDF, UEATW, UDN, UEA, UHL, ULC, USL, U1712, U1748, U1703, U1701, U1703, U1701, U1703, U1701, U1703, U1701, U1702, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BC, UC1BL, UDL03, UDL03, UDL03, UDL03, ULD03, ULD03, ULD03, ULD03, ULD03, UNC1X, UNC3X, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNC1X, U1702, U1702, U1704, U170	SDASP		200.00									
UNDER		Order Modification Charge (OMC)	i					26.21	0.00					ļ .	.		
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00	1	-	-			-
	DLED E	XCHANGE ACCESS LOOP	_						ļ								
	2-WIRE	ANALOG VOICE GRADE LOOP		1	UEANL	UEAL2	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	1 2	UEANL	UEAL2	23.33	36.54	16.87							1	
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43		16.87					ļ		<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1_	UEANL	UEASL	12.90	36.54	16.87					-	1	-	-
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	23.33		16.87						 		+
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	$ldsymbol{oxed}$	3	UEANL	UEASL	48.43	36.54	16.87	-			+	-		+	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User				LIDET		8.33	0.83						1	1	
		Premise		-	UEANL UEANL	URETL URET1		33.17				+	T				
\vdash		Leop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		+-	UEANL	URETA	1	19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- St. 1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								

IND	INDI ET	NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
	GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
	T						Rec	Nonrec		Nonrecurring			COMAN		SOMAN	SOMAN	SOMAN
	1						1100	First	Add'!	First	Add'i	SOMEC	SOMAN	SUMAN	SUMAN	JOHIAN	SOMAN
	_	Manual Order Coordination for UVL-SL1s (per loop)		1	UEANL	UEAMC		7.92	7.92								
	+	Order Coordination for Specified Conversion Time for UVL-SL1 (per				1										1	l
	1	LSR)			UEANL	OCOSL		17.56	17.56								ļ <u>-</u>
	O MODE	UNBUNDLED COPPER LOOP - NON-DESIGNED	_	 										1			
	2-WIKE	ONBUNULED COPPER LOOP - NON-DESIGNED	1 1	1 1	UEQ	UEQ2X	12.40	35.27	15.60								
	-	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	 		UEQ	UEQ2X	14.32	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+		UEQ	UEQ2X	16.87	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		+ 3	UEQ	UEQ2A	10.07	00.27	10.00				· · · · · ·				
	ì	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1		URETL		8.33	0.83							1	
	_	Premise	-	+	UEQ	OKEIL	-	0.00	0.00			1	·				
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		ł		LICOLIC		7.92	. 7.92	1			1		ļ	1	
		Designed (per loop)		-	UEQ	USBMC		1.92	1.92							1	1
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST						40.01	12.01								
		providing make-up (Engineering Information - E.I.)	-	_	UEQ	UEQMU		13.04	13.04				1			1	
		Loop Testing - Basic 1st Half Hour	l	1	UEQ	URET1		33.17	0.00				 				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								_
	_	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	-	T										1			
		ND)			UEQ	UREWO		14.25	7.42								
IIMBII	NDI ED E	EXCHANGE ACCESS LOOP												<u> </u>			
UNBU		ANALOG VOICE GRADE LOOP		1								1	<u> </u>	<u> </u>			
	Z-VVIECE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	+						1		T	1		1		1
				1 1	UEA	UEAL2	14.93	102.10	65.72	1		1				1	
		Ground Start Signaling - Zone 1	 -	 '	O.C.A	00.00						1			1		1
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	i	2	UEA	UEAL2	25.35	102.10	65.72			1					
		Ground Start Signaling - Zone 2	+-	1 2	UEA	UEALZ	23.33	102.10	00.72				†				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	_		UEAL2	50.46	102.10	65.72			}	1				1
		Ground Start Signaling - Zone 3		3	UEA	UEALZ	30.40	102.10	00.72	 		+	1				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			l		44.00	400.40	65.72				!				
		Battery Signaling - Zone 1		1 1	UEA	UEAR2	14.93	102.10	65.72				-	+		 	
_		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		T			1			1			1		1	1	
		Battery Signaling - Zone 2	i	2	UEA	UEAR2	25.35	102.10	65.72					 	-	 	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	T	\top								ļ					1
		Battery Signaling - Zone 3	1	3	UEA	UEAR2	50.46	102.10	65.72								<u> </u>
_		CLEC to CLEC Conversion Charge without outside dispatch			ŲEA	UREWO		87.59	36.30								
		Loop Tagging - Service Level 2 (SL2)	-	1	UEA	URETL		11.20	1.10				<u> </u>				
	4 MARDE	E ANALOG VOICE GRADE LOOP	+-	+-						1		T		1.0	<u> </u>		
	4-WIKE		+	1 1	UEA	UEAL4	30.81	127.40	91.02					1			
		4-Wire Analog Voice Grade Loop - Zone 1	+-		UEA	UEAL4	38.32	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 2	+	3	UEA	UEAL4	60.39	127.40	91.02		-						
		4-Wire Analog Voice Grade Loop - Zone 3	+	+ -			00.00	87.59	36.30					1			
	1	CLEC to CLEC Conversion Charge without outside dispatch		+-	UÉA	UREWO		61.58	. 30.30	 		+					
	2-WIRE	ISDN DIGITAL GRADE LOOP	-	-				440.04	76.96		-		_	1	1	-	
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34			-	+		 	 		+
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34							-		
	+-	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96							 	+
		CLEC to CLEC Conversion Charge without outside dispatch	T		UDN	UREWO		91.49	44.09				ļ	ļ <u> </u>		+	
_	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELC	OOP			T			<u> </u>							
_	2-11111	2 Wire Unbundled ADSL Loop including manual service inquiry &	T	T							1.		1		1		
	1	facility reservation - Zone 1	1	1	UAL	UAL2X	12.29	117.08	68.36	1		1					
		2 Wire Unbundled ADSL Loop including manual service inquiry &	+	 `	07.2	-	-						1			1	1
	1			2	UAL	UAL2X	14.09	117.08	68.36		1					İ	
		facility reservation - Zone 2	+	+-	TOAL	- OALLA	1						1	1			1
	1	2 Wire Unbundled ADSL Loop including manual service inquiry &	1	3	UAL	UAL2X	15.75	117.08	68.36						1	1	1
		facility reservation - Zone 3	-	- 3	UAL	UNLEN	15.75	117.00	00.00				1	1			
١.	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1	1	UAL2W	12.29	92.83	. 56.02			1		1	1	1	
		facility reservator - Zone 1	1	1	UAL.	UALZW	12.29	92.63	. 30.02			1	1				1
	-	2 Wire Unbundled ADSL Loop without manual service inquiry &	}	1			1		50.00			i	1	1			
	1	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02	+		+			-	_	+
		2 Wire Unbundled ADSL Loop without manual service inquiry &											1				
		facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02							-	+
_	_	GLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO	1	86.07	40.34	1		1					
	2-WIDI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLELO	OP													
	2-00110	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	1													
		facility reservation - Zone 1		1 1	UHL	UHL2X	9.79	125.50	76.77								
	-	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	<u> </u>													
1				2	UHL	UHL2X	11.52	125.50	76.77			1	1				
	1	facility reservation - Zone 2		1 4	_ OIIL_	DITLEA	17.02										

NBUNDLED	NETWORK ELEMENTS - Louisiana										12			ment: 2		bit: A
			'								Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Increment Charge
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual S Order vs
	19.12												Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electroni Disc Add
		-				Rec	Nonrec		Nonrecurring			L		Rates(\$)	·	<u> </u>
						1100	First	Add'l_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire Unbundled HDSL Loop including manual service inquiry &					10.71	125.50	76.77					}			
	acility reservation - Zone 3 Wire Unbundled HDSL Loop without manual service inquiry and	 	3	UHL	UHL2X	12.74	125.50	16.77		<u> </u>	 		<u> </u>		} _	
	acility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43		ŀ						_
	Wire Unbundled HDSL Loop without manual service inquiry and															
f.	acility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43					ļ			
	Wire Unbundled HDSL Loop without manual service inquiry and	i		İ		40.74	101,24	64.43					· ·			1
- f	acility reservation - Zone 3	-		UHL .	UHL2W UREWO	12.74	86.00	40.34			+				 	
A VARDE L	CLEC to CLEC Conversion Charge without outside dispatch	RIFLOO	P	UNL _	UREWO		86.00	40.34							 	
4-11/1/2	Wire Unbundled HDSL Loop including manual service inquiry and	T	i –						l		1					
	acility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54								
4	-Wire Unbundled HDSL Loop including manual service inquiry and												Į.			
	acility reservation - Zone 2		2	UHĻ	UHL4X	16.65	153.26	104.54				-	ļ	<u> </u>	<u> </u>	
	-Wire Unbundled HDSL Loop including manual service inquiry and		١,	UHL	UHL4X	17.34	153.26	104.54		Ĭ	1		ì	1	ĺ	1
1	acility reservation - Zone 3 -Wire Unbundled HDSL Loop without manual service inquiry and		3	UNL	URL4A	17.54	133.20	104.54			+			 	 	
	acility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20								1
	I-Wire Unbundled HDSL Loop without manual service inquiry and		 	0.15	0.12.11											
fi	acility reservation - Zone 2		_2	UHL	UHL4W	16.65	129.00	92.20								<u> </u>
	I-Wire Unbundled HDSL Loop without manual service inquiry and															
	acility reservation - Zone 3			UHL	UHL4W	17.34	129.00 86.00	92.20 40.34		<u> </u>	+	ļ	-		ļ	├
1	PLEC to CLEC Conversion Charge without outside dispatch 9.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	├	UHL	UREWO		86.00	40,34			 		 	 	 	
	Wire Unbundled Digital 19.2 Kbps	 	1	UDL	UDL19	30.99	121.86	85,48			1					
	Wire Unbundled Digital 19.2 Kbps	+	2	UDL	UDL19	36.78	121.86	85,48								
1 4	Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	38.92	121.86	85.48								<u> </u>
4	Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85,48		ļ				ļ.——		├
	Wire Unbundled Digital Loop 56 Kbps - Zone 2	<u> </u>		UDL	UDL56	36.78 38.92	121.86 121.86	85,48 85,48		 -	 		 			
	Wire Unbundled Digital Loop 56 Kbps - Zone 3 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 		UDL	UDL64	30.99	121.86	85.48		 	 		 			
- 4	Wire Unbundled Digital Loop 64 Kbps - Zone 2	_		UDL	UDL64	36.78	121.86	85.48		 					1 .	
- 4	Wire Unbundled Digital Loop 64 Kbps - Zone 3	†		UDL	UDL64	38.92	121.86	85,48								
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49,67								
2-WIRE U	Inbundled COPPER LOOP	ļ	<u> </u>							ļ.———				ļ		+
	-Wire Unbundled Copper Loop-Designed including manual service	1	١.	UCL	UCLPB	12.29	116.18	67,46	1	1	1		ł	1	1 .	
	nquiry & facility reservation - Zone 1 -Wire Unbundled Copper Loop-Designed including manual service	╁	1-1	UCL	UCLPB	12.29	110.10	07,46					-	 	 	-
	revire Cribundied Copper Loop-Designed including mandal service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46								
- 2	Wire Unbundled Copper Loop-Designed including manual service	 	-	-												
i	nguiry & facility reservation - Zone 3	1	3	UCL	UCLPB	15.75	116.18	67.46								ļ
2	2-Wire Unbundled Copper Loop-Designed without manual service	ľ			l								i		Į.	
	nguiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12		ļ	 	<u> </u>		 	 	
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	į	2	UCL	UCLPW	14.09	91.92	55.12	j			j		1		1
	2-Wire Unbundled Copper Loop-Designed without manual service	-		000	1002111	14.00	J1.52	50,12					1	† 		
	nquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12					J			
6	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
	Des)		└	UCL	UREWO		91.92	42.47		 	 			<u> </u>		-
	COPPER LOOP		├									 	 	ļ	ļ	
4	I-Wire Copper Loop-Designed including manual service inquiry and actility reservation - Zone 1	1	1	UCL	UCL4S	22.27	139.69	90.96		1 .	1	1		l		ŀ
	actity reservation - Zone 1 I-Wire Copper Loop-Designed including manual service inquiry and	+	 '-	1002	00040	-2.21	100.00	55.50			+					
	acility reservation - Zone 2		2	luct	UCL4S	18.95	139.69	90.96		<u> </u>		i	L		l	1
4	I-Wire Copper Loop-Designed including manual service inquiry and															
f	acility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96				↓	ļ	ļ		
4	Wire Copper Loop-Designed without manual service inquiry and		1	1101	UCL4W	22.27	115.43	78.63								
- If	acility reservation - Zone 1 -Wire Copper Loop-Designed without manual service inquiry and		1	UCL	UCL4VV	22.27	115,43	70.53			+					+
	acility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
	-Wire Copper Loop-Designed without manual service inquiry and		T-									T ·				
	acility reservation - Zone 3	1	3	UCL	UCL4W	10.99	115.43	78.63	1			1]	J	1_

UNBUNDL	ED NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY		Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
		_			1	Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	-	 				Litar	Addi	Linex		JOINEC	SOME	SOMAN	JOHIAN	JOWAN	JOHIAN
ĺ	Des)			UCL	UREWO		91.92	42.47								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
1 [Color Constitution (co. Constitution Constit	ĺ		UEA, UDN, UAL, UHL, UDL	OCOSL		17.56		1							
LOOP MODIF	Order Coordination for Specified Conversion Time (per LSR)	-		UNL, UDL	OCOSL		17.56		-		 					
2001 111001				UAL, UHL, UCL,	-											
		İ	1	UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Colls - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop	ĺ		UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00		1						
- -	Unbundled Loop Modification Removal of Load Coils - 4 Wire less		1	UEFSB	ULIVIZE	-	0.00	0.00	-	_				-		
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00			<u> </u>				:	
				UAL, UHL, UCL,												
	Make and the Market Name of the Delegation of Tan Description			UEQ, ULS, UEA, UEANL, UEPSR,												
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEPSB	ULMBT		12.15	12.15					1			
SUB-LOOPS				02.702	OLIVID.		12.70	12.10								
Sub-l	Loop Distribution															
			i	1	Liona	l i	144.09	177.00		1	1					
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set Up	 	-	UEANL	USBSA		144.09	177.00	1	+	1		_			
ļ <u> </u>	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	,		UEANL	USBSB		10.99	10.99	1		•				1	
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility										-					
	Set-Up	- 1		UEANL	USBSC		86.16	86.16								
i i	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	١.		UEANL	USBSD		27.13	27.13	1							
- 	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone			UEAINL	OSBSD	-	27.10	21.13	 				1		Ì	
	1		1	UEANL	USBN2	7.57	63.89	30.06		1	!					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
	2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	12.75	63.89	30.06		+	1					
	3	- 1	3	UEANL	USBN2	21.45	63,89	30.06								
	1															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		_	UEANL	USBMC		7.92	7.92								
l i	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1	١.	UEANL	USBN4	11.76	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		 	UEANL	USBN4	11.76	70.73	42.52		_	 					
	2		2	UEANL	USBN4	16.84	76.75	42.92			<u>i</u>					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone				1											
	3	<u> </u>	3	UEANL	USBN4	19.27	76.75	42,92							T	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.91	51.48	17.65								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	-	UEANL UEANL	USBMC USBR4	6.58	7.92 57.54	7.92 23.71								-
	Sub-Loop 4-Wire intrabuliding Network Cable (INC)	<u> </u>	\vdash	DEANL	USBR4	0.58	57.54	23.11		+				 		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00								
	Loop Testing - Basic Additional Half Hour		 	UEANL	URETA	0.00	19.28	19.28			-					
<u> </u>	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X UCS2X	6.26 10.07	63.89 63.89	30.06 30.06			+					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	12.70	63.89	30.06		1						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	8.03	76.75	42.92	-	1				<u> </u>		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X UCS4X	10.71	76.75 76.75	42.92 42.92		-	1			l	 	
	4 Wife Copper Unburidled Sub-Loop Distribution - Zone 3		1 3	OLI.	00347	5.08	70.75	42.92		-						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		7.92	7.92								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-										1					
	Designed and Distribution Subloops			UEF, UEANL	URETL		0.89	0.88	l	L	1			L		

UNBU	NDLED	NETWORK ELEMENTS - Louisiana												ment: 2		bit: A
												Svc Order	Incremental		Incremental	Incremental
			1	1								Submitted	Charge -	Charge -	Charge -	Charge -
			l	l	l				DATEC(E)		Elec	Manually	Manual Sve	Manual Svc	Manual Svc	Manual Svo
ATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			1		i						1	1	Electronic-	Electronic-	Electronic-	Electronic-
			1										1st	Add'i	Disc 1st	Dişç Add'l
	-		-	<u> </u>				A1		Name of the State			066	Rates(\$)		
			-	-	-		Rec	Nonrec First	Add'i	Nonrecurring Disconnect First Add'l	CONEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Toring Burn Astillarities	1	-	-	URET1		33.17	A001	First Add I	SOMEC	SOMAN	SOWAN	SUMAN	SUMAN	SUMAN
		Loop Testing - Basic 1st Half Hour	-	 	UEF	URETA		19.28	19.28							· ·
_	l la bu a d	Loop Testing - Basic Additional Half Hour died Sub-Loop Modification		(UEF	UKETA		19.20	19.20		-				· · · · ·	
	Onbune	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	1			<u> </u>	-									
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00							
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip		1	-	OLINEX		0.00	0.50							
	ļ	Removal per 4-W PR		1	UEF	ULM4X	i	0.00	0.00	l i						1
_		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled		 	1	- Carrett	_	0.00								i
ļ		loop)		UEF	ULMBT		224.55	4.29							1
	Unbunt	dled Network Terminating Wire (UNTW)		1	-				1,20		1					
_		Unbundled Network Terminating Wire (UNTW) per Pair	1	1	UENTW	UENPP	0,3454	14,72	14.72							
		k interface Device (NID)	1	1	-)										
		Network Interface Device (NID) - 1-2 lines	•	1	UENTW	UND12		42.26	27.83							
		Network Interface Device (NID) - 1-6 lines	-	,	UENTW	UND16		62.86	48.43						(
	}·	Network Interface Device Cross Connect - 2 W	·	 	UENTW	UNDC2		5.73	5.73			1				
		Network Interface Device Cross Connect - 4W		T	IUENTW	UNDC4		5.73	5.73 5.73			,			,	
UNE OT	HER. P	ROVISIONING ONLY - NO RATE	}	, 												
7		NID - Dispatch and Service Order for NID installation		$\overline{}$	UENTW	UNDBX	0.00	0.00							}	
- 1		UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0.00	0.00			,					
				T	UEANL, UEF, UEQ, UE											
- 1		Unbundled Contract Name, Provisioning Only - No Rate	,	!	NTW	UNECH	0.00	0.00							ŀ	
			1	ì	UAL,UCL,UDC,UDL,											
	1	Unbundled Contact Name, Provisioning Only - no rate		ł	UDN,UEA,UHL	UNECN	0,00	0.00								
LOOP N	AKE-UI	P		}												
		Loop Makeup - Preordering Without Reservation, per working or		1		1						1		i	\	
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29							L
-		Loop Makeup - Preordering With Reservation, per spare facility		1							1	1		1	1	}
		queried (Manual).			UMK	UMKLP		24.70	24.70							
		Loop MakeupWith or Without Reservation, per working or spare	1	1							1	ì '				1
		facility queried (Mechanized)		_	UMK	UMKMQ		0.19	0.19							 -
LINE SH	ARING			<u> </u>				0004 - 5 - 11 5 - 1		-						-
(NOTE 1	: The Line Sharing monthly recurring rates for all installations	comple	ted tro	m October 02, 2003 th	rough midni	gnt October 01,	2004 Shall be t	niled as tollow	6:		-				·
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-a	esigned ("UCLNU")							1				
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND : 10/02/2005 - 10/01/2006: 75% of the rate for UCLND								 		 	<u> </u>		-	
	NOTE	: Above will apply to USOCS: ULSDT and ULSCT	-									(
	WOLE	2: The Line Sharing monthly recurring rates with USOCs ULSD	VC and I	II SCC	anniise onivto circui	te inetalled s	nd inservice o	n or before Oct	her 1 2003		_(1
		ARING	l and t	1	applies only to circuit	to motaned a	III III SEI VICE O	O Deible Och	DEI 1, 2003							
		ERS-CENTRAL OFFICE BASED			l						((
		Line Sharing Splitter, per System 96 Line Capacity	-	 	ULS	ULSDA	187,17	183.33	0.00		((
-		Line Sharing Splitter, per System 3d Line Capacity	-	-	ULS	ULSDB	46.79	183.33	0.00		(
-		Line Sharing Splitter, Per System, 8 Line Capacity		_	ULS	ULSD8	15.59	183.33	0.00		((
		Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation			-		70.00				(t		(
		(per LSOD)	1	į.	บเร	ULSDG		83.98	0.00						l	l
-		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		1		-			5.55		-				(
		Line Sharing - per Line Activation (BST Owned splitter) -		_										1		
		OBSOLETE see "NOTE 2	ļ		ULS	ULSDC	0.61	17.97	10.29]		ŀ			l	
_		Line Share Service, TRO per line activation, BST owned splitter -	1	1 -			- 13.									(
			1	1						1 1	1	i		1		i
		Central Office Located (25% of UCLND) - please see NOTE 1				1	3.10	17.97	10.29	J I						
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)		ļ	ULS	ULSDT	3.10									
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	3.10			h	1	` '		1		
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	3.10									
		(E:10/2/2003)			ULS	ULSDT	6.20	17.97	10.29							
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)							10.29		1					
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter -							10.29						<u> </u>	1
	'	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)							10.29							
		(E:10/2/2003) Line Shere Service, TRO per line activation, BST owned splitter— Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter— Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharton - per Subsequent Activity per Line Rearrangement (BST)			uls	ULSDT ULSDT	6.20	17.97 17.97	10.29							
		(E:10/2/2003) Line Shere Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDT	6.20	17.97								
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			urs nrs	ULSDT ULSDT ULSDS	6.20	17.97 17.97 15.91	10.29 7.95							
		(E:10/2/2003) Line Shere Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			uls	ULSDT ULSDT	6.20	17.97 17.97	10.29							
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			urs nrs	ULSDT ULSDT ULSDS	6.20	17.97 17.97 15.91	10.29 7.95							

UNBIT	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exh	ibit: A
ATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge -	incremental Charge -	Incrementa Charge - Manual Sv Order vs.
							Rec	Nonrec			g Disconnect				Rates(\$)		
				ļ			IX.CO	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1	1				Ì				1				1		İ
	Ī	(E:10/2/2003)	1		ULS	ULSCT	3.10	47,44	19.31		ł		l		1	1	
		Line Share Service, TRO per line activation, CLEC owned splitter -		1											i	··	
		Central Office Located (50% of UCLND) - please see NOTE 1	į.							1		i I					
	ļ	(E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31	L							
	ŀ	Line Share Service, TRO per line activation, CLEC owned splitter -	1	1												1	
		Central Office Located (75% of UCLND) - please see NOTE 1	ļ	1		LII COT	0.00	47.44	40.04			1				Í	
	BAABIT	(E:10/2/2005)	 		ULS	ULSCT	9.30	47.44	19.31			ļ					
	WAIN	No Trouble Found - per 1/2 hour increments - Basic	+	!				80.00	55.00	 							
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50		<u> </u>	1					
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		DEDICATED TRANSPORT		<u> </u>													
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT									<u> </u>				<u> </u>	ļ	
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			UITVX	1L5XX	0.013										
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	-	 	DIIVA	ILOAA	0.013							-	 	1	
	l	Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62	-		ĺ			1	1	1
	1	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	1		<u> </u>					· ·						1	1
		Rev Bat Per Mile per month	l		U1TVX	1L5XX	0.013					<u>i</u>					
	1	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination		1—	U1TVX	U1TR2	22.60	39.36	26.62	ļ. —					.		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	1L5XX	0.013	-		ì							
	-	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -	 	ļ	UTIVA	ILSAA	0.013					 				 	
		Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per									-						
		month		<u> </u>	U1TDX	1L5XX	0.013				<u> </u>						
	1	interoffice Channel - Dedicated Transport - 56 kbps - Facility	1	1		1				1					-		
		Termination		-	U1TDX	U1TD5	15.61	39.37	26.62		ļ				-		ļ.——
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		i	UITDX	1L5XX	0.013			1						'	
	_	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	 	1	UTIDA	ILDAA	0.013			 	 	 		-	ļ	 	+
		Termination	İ		U1TDX	U1TD6	15.61	39.37	26.62								
SIGNAL	ING (C																
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
		CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	15.77	34.50	34.50		. <u> </u>	ļ					
		CCS7 Signaling Connection, Per DS3 level link (A link)		<u> </u>	UDB	TPP9A	15.77	34.50	34.50		ļ					 	
		CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	трр6В	15.77	34.50	34.50								
		CCS7 Signaling Connection, Per DS3 level link (8 link) (also known	-	1	225	113.00	15.77	54.50	Q4.30							l	+
	-	as D link)			UDB	TPP9B	15.77	34.50	34.50	i							
		CCS7 Signaling Point Code, per Originating Point Code	T														
		Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17								
		CCS7 Signaling Point Code, per Destination Point Code				00.00			20.47						1		
E911 SE	EDIACE	Establishment or Change, Per Stp Affected			NDB	CCAPD		28.17	28.17				-	-	 		
ESILO	I	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		-			18.32	187.51	32.21	 	 				 		
	_	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		 			18,32	187.51	32.21							 	
-		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21								
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.013										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					00.55										
		Termination					22.60 39.18	39.36 172.34	26.62 149,27								
		Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	+	-			121.58	172.34	149.27			+			 	-	
	-	Local Channel - Dedicated - DS1 - Zone 3	\vdash	-			70.02	172.34	149.27						 		
		Interoffice Transport - Dedicated - DS1 Per Mile					0.2652				-				· ·		T
							_										
	L	Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44							ļ	
FNHAN	ICED E)	XTENDED LINK (EELs) The monthly recurring and non-recurring charges below will a	<u> </u>	1							1						

INIDIAL DE	ED NETWORK ELEMENTS Lavisiana				_								Attachi	nent: 2	Exhi	bit: A
INBUNDL	ED NETWORK ELEMENTS - Louisiana								-		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
		1									Submitted		Charge -	Charge -	Charge -	Charge -
					1						Elec	Manually	Manual Svc	Manual Svc		
			_					RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			KATES(4)			per Lak	per Lor	Electronic-	Electronic-	Electronic-	
			İ											Add'i	Disc 1st	Disc Add'l
		1	1										1st	Addi	DISC 1St	Disc Add I
										D:	 		000	Rates(\$)	1	·
					ļ	Rec	Nonrecu		Nonrecurring		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1				First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SOWAIN	JOHNIK
NO	TE: The monthly recurring and the Switch-As-Is Charge and not the	e non-re	curring	charges below will	apply for UNE	combinations	provisioned as	Currently Co	mbined Netwo	rk Elements.						
EXT	TENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GI	RADE IN	ITEROF	FICE TRANSPORT											+	
	2-WireVG Loop in combination - Zone 1	Τ"	1	UNCVX	UEAL2	14.93	94.21	45.09			 				 	-
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09			ļ				ļ	
	•	1										1				
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	1	1	UNCVX	1L5XX	0.013										-
-	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination														1	1
i	per month	1	1	UNCVX	U1TV2	22.60	72.60	41.75			1				<u> </u>	
	Nonrecurring Currently Combined Network Elements Switch -As-Is		 						1		1				1	1
1	Charge	1	1	UNCVX	UNCCC	1	5.43	5.43		1		<u> </u>	1			
	TENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G	RADEIN	ITEROF	FICE TRANSPORT						1						
EA		1	1	UNCVX	ÜEAL4	30.81	94.21	45.09							<u> </u>	1
-	4-WireVG Loop in combination - Zone 1	+		UNCVX	UEAL4	38.32	94.21	45.09								
	4-WireVG Loop in combination - Zone 2	_		UNCVX	UEAL4	60.39	94.21	45.09								
	4-WireVG Loop in combination - Zone 3		1	011047	30,00							1				
	to the Manager Andrews Control of Banker Banker			UNCVX	1L5XX	0.013						1		1		
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	-	-	UNCVA	1.13//	0.013						Τ				
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			LINGUA	U1TV4	19.81	72.60	41.75								
	per month	-		UNCVX	U11V4	19.01	12.00	41.75		 	+				 	
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1					5.43	5.43								ı
	Charge			UNCVX	UNCCC		5.43	5.43		 	-					
EX	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	SINTER	OFFICE	TRANSPORT	 		01.04	45.09					 			
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	30.99	94.21						 		+	
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09			+	-	 		<u> </u>	
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09					 			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per								1	l		1	1	!	i	
	Mile per month	1		UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1								1					1	1
1	Facility Termination per month	1.		UNCDX	U1TD5	15.61	72.60	41.75						ļ <u> </u>		
-	Nonrecurring Currently Combined Network Elements Switch -As-Is	-										ŀ			1	1
	Charge			UNCDX	UNCCC	1	5.43	5.43								
	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	SINTER	OFFICE	TRANSPORT								<u></u>			1	<u> </u>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1	1 1	UNCDX	UDL64	30.99	94.21	45.09	Γ				1			
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	 	2	UNCDX	UDL64	36.78	94,21	45.09			1 1		1.19		1	
		+		UNCDX	UDL64	38.92	94.21	45.09		1.		T				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per	+	+	OHOON	10000							T				
				UNCDX	1L5XX	0.013					i	1				
-	Mile per month	+	+	ONOUX	1120701	0.010										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	U1TD6	15.61	72.60	41.75			1			1	1	
	Facility Termination per month	- -	-	UNCDA	1011100	15.01	72.00	- 41.70					<u> </u>			
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1			Lungaga		5.43	5.43			1					1
	Charge			UNCDX	UNCCC		5.43	3.43		 	 		 	-		
EX	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFF	CE TRA	NSPORT				45.00			-	-		 -	 	
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1_	UNCDX	UDL56	30.99	94.21	45.09			+	 				
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09			+	 		 	+	+
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09		ļ. —					 	
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile pe	r			!	1				1)	1	1 :	1	1	1
	month			UNCDX	1L5XX	0.013				-			·		-	
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility												1			
	Termination per month			UNCDX	U1TD5	15.61	72.60	41.75						-	-	
	Nonrecurring Currently Combined Network Elements Switch -As-Is													1		1
	Charge			UNCDX	UNCCC		5.43	5.43					-	-		
EY	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFF	ICE TRA	NSPORT					1							
	First 4-wire 64 kbps Local Loop in combination - Zone 1	T	1 1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3		UDL64	38.92	94.21	45.09								
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	-	-							[
				UNCDX	1L5XX	0.013							1			
	month First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	+	+			2,3,0										
				UNCDX	U1TD6	15.61	72.60	41.75	1		1	1			1	.1
	Termination per month	-	-	UNODA	01100	10.01	72.00			1-						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC		5.43	5.43				1			1	1
1 1	Charge															

Exhibit 1

UNBUNDLE	NETWORK ELEMENTS - Louisiana													ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1						i					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			i i										Electronic-	Electronic-	Electronic-	Electronic-
i													1st	Add'l	Disc 1st	Disc Add'i
														7.00		
						Bas	Nonre	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add3	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
When	used as a part of a currently combined facility, the non-recurring	charge	s do no	t apply, but a Switch	As is charge	e does apply.										
When	used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and th	e Switch As	Is Charge does	not.									
Nonrec	curring Currently Combined Network Elements "Switch As Is" Cl	narge (O	пе арг	lies to each combina	tion)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is				_											
1	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As-Is													1		
	Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
Miscel	leneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	_		UN1CX	OCOSR		18.85	18.85								

	Name of the state											!	. Attach	ment: 2	Exhi	bit: A
NBUNDLED	NETWORK ELEMENTS - Mississippi	ı——									Svc Order	Svc Order	incremental		Incremental	Incremental
					1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	ł		RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ATEGORI	KATE ELEMENTO											1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1								İ] .]	<u> </u>	
. —		Ì	1 1						_							
· —-	· 				1	1										
· —-		-			· · · ·											
ttp://w	ww.interconnection.bellsouth.com/become_a_clec/html/interco	onnectio	on.htm													
										L						
		"state s	pecific'	' OSS charges as ord	lered by the	State Commission	ons. The OSS of	harges current	tly contained in	this rate exhi	bit are the B	ellSouth "re	gional" servi	ce ordering cl	narges. CLEC	may elect
e orde	(2) Any element that can be ordered electronically will be billed ared electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ry reflects the charge	e that would	d be billed to a Cl	LEC once efect	ranic ordering	capabilities co	me on-line for	<u>ti it elemen</u>	<u> Otherwis</u>	the manual	د. Jering char	ge, SOMAN, w	ill be applied
1 — 1	OSS - Electronic Service Order Charge, Per Local Service Request		T		I											
	(LSR) - UNE Only	ł	1		SOMEC		3.50	0.00	3.50	0.00			<u> </u>	<u> </u>	ļ	
I I	OSS - Manual Service Order Charge, Per Local Service Request										ſ	(1	1	i	1
	(LSR) - UNE Only	1			SOMAN		15.75	0.00	1.97	0.00				1		4
NE SE VICE	DATE ADVANCEMENT CHARGE				1											
NOTE:	The Expedite charge will be maintained commensurate with Be	ISouth	's FCC	No.1 Tariff, Section 5	as applical	ble.										 i
- NOTE:	THE Expedite charge will be maintained commendates with ex		1	,	1									1	1	
				UAL, UEANL, UCL,								ì]	:		1
1				UEF, UDF, UEQ,			The state of the s			ļ					İ	
		[UDL, UENTW, UDN,						t				i		
		1		UEA, UHL, ULC,		1										
		1		USL, U1T12, U1T48,												
				U1TD1, U1TD3.												
				U1TDX, U1TO3,												
1				U1TS1, U1TVX,	i .						-	İ				
					i i						į.		į.			
				UC1BC, UC1BL,							Į.					
ļ				UC1CC, UC1CL,										l .		
				UC1DC, UC1DL,		i i										
				UC1EC, UC1EL,		1										
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
1		i		UC1HC, UC1HL,	1											
				UDL12, UDL48,									i			
1		1		UDLO3, UDLSX,	1						1		i			
				UE3, ULD12, ULD48							1	1				
				ULDD1, ULDD3,											ļ	
				ULDDX, ULDO3,									i		!	
1				ULDS1, ULDVX,								1	1		}	
				UNC1X, UNC3X,											1	i
				UNCDX, UNCNX,			:							1	1	
!				UNCSX, UNCVX,			•			!	1					
				UNLD1, UNLD3,	ļ					1						/:
				UXTD1, UXTD3.	:											
				UXTS1, U1TUC,	•								1		l l	
				U1TUD, U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	ISDASP		200.00									
10000		4 —	+	01100	95.10.				· ·							
JADEK MODIF	ICATION CHARGE	+					26.21	0.00	0.00	0.00	1					
		+	+				150.00	0.00	0.00	0.00						
		-	+-		 				7.00							
INBUNE	ANN OF VOICE	+	1		+	1						A. C. C.				
2-WIRE	ANALOG VOICE	+-	1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25	1					
1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2	UEANL	UEAL2	16.87	37.92	17.55				•				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-			UEAL2	25.68	37.92	17.55								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 	3	UEANL		43.85	37.92	17.55		5.25				***		T
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2		37.92	17.55	23.48				•			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	11	UEANL	UEASL	12.03		17.55	23.48			*	· ·			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	ļ	2	UEANL	UEASL	16.87	37.92	17.55	23.48			*				1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<u> </u>	3	UEANL	UEASL	25.68	37.92								+	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	<u> </u>	4	UEANL	UEASL	43.85	37.92	17.55	23.48	5.25					-	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		1	1))						1
	Premise			UEANL	URETL		8.33	0.83)	}	+					+
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00	}	}	+					+
1-1-	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97)		+					
	CLEC to CLEC Conversion Charge Without Outside Dispatch	L	1	UEANL	UREWO		15.75	8.92		<u> </u>						
1				_												

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		•	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Manual Son Order vs Electronic Disc Add
		-				Rec	Nonrec		Nonrecurring					Rates(\$)		001111
			_				First	Add'l	First	Add1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- 1	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	1	1				40.54	13.51				1		1	1	
	providing make-up (Engineering Information - E.I.)		┼—	UEANL	UEANM		13.51 8.20	8.20			 					
	Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL	UEAMC		8.20	6.20	-		-			-		
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		1	UEANL	OCOSL		18.19	18.19						l .		l
2 187	IRE UNBUNDLED COPPER LOOP - NON-DESIGNED	1	1	DEAINL	OCOSE		10.13	10.19	-		_					
2-99	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	+	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42	-					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+ ;	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 i -	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	1	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4,42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		1 -	024	- 0-4-1											
	Premise		1	UEQ	URETL		8.33	0.83				1				
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1														
	Designed (per loop)		1	UEQ	USBMC		8.20	8.20								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
	Loop Testing - Basic 1st Half Hour	T		UEQ	URET1		34.36	0.00								l
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								<u></u>
	CLEC to CLEC Conversion Charge Without Outside Dispatch		T	UEQ	UREWO		14.24	7.42								
	D EXCHANGE ACCESS LOOP	1									1.					
2-W	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1												į.	1
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1											!		
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.													1
	Ground Start Signaling - Zone 3	-	3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37	ļ					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	Ι.		l				50.00			ŀ		i .	ŀ	
	Ground Start Signaling - Zone 4	-	4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37			-			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1					40.00			1			
	Battery Signaling - Zone 1	-	1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	١.	luca	LIEARO	40.75	105.06	68.28	52.82	10.37					1 '	1
	Battery Signaling - Zone 2	+	2	UEA	UEAR2	18.75	105.96	58.28	52.82	10.37	-					· ·-
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37		l	1	1	1	
	Battery Signaling - Zone 3	+	1 3	UEA	UEARZ	27.55	100,90	00.20	32.02	10.51			<u> </u>			
i	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
	CLEC to CLEC Conversion Charge without outside dispatch	+	 -4 -	UEA	UREWO	45.72	87.56	36.29	32.02	10.57	 		 		-	
	Loop Tagging - Service Level 2 (SL2)	+	 	UEA	URETL		11,19	1.10								
4 100	RE ANALOG VOICE GRADE LOOP		1	UEA	OKETE		11.10	1.10			 					
4-44	4-Wire Analog Voice Grade Loop - Zone 1	+	1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64			-			
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	IUEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2	1		UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4	+		UEA	UEAL4	50.03	132.27	94.59	60.68	14.64	1					
—	CLEC to CLEC Conversion Charge without outside dispatch	+	1	UEA	UREWO		87.56	36.29								
2-W	RE ISDN DIGITAL GRADE LOOP	_	1 .	Ü										 		
2-10	2-Wire ISDN Digital Grade Loop - Zone 1	+	1 1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37					···	
	2-Wire ISDN Digital Grade Loop - Zone 2	_		UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						-
_	2-Wire ISDN Digital Grade Loop - Zone 3	 		UDN	U1L2X	37.34	117.61	79.92	52.82	10.37	1					1
	2-Wire ISDN Digital Grade Loop - Zone 4	1		UDN	U1L2X	59.18	117.61	79.92	52.82	10,37						
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UDN	UREWO		91.46	44.07								
2-W	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELC	OP													
	2 Wire Unbundled ADSL Loop including manual service inquiry &	I														
	facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &							-								
	facility reservation - Zone 2	1	2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2.Wire Unbundled ADSL Loop including manual service inquiry &		1													
	facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &														1	
	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93					L	

JNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(S)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge • Manual Svc Order vs. Electronic- Disc 1st	Manual Sy Order vs. Electronic Disc Add
		-	-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-	2 Wire Unbundled ADSL Loop without manual service inquiry &	_	+				FIIŞL	Auu	11150	Auui	JOHLU	JOHIAN	JOMAN	SUMAN	JOWAN	SOMAN
	facility reservator - Zone 2	1	2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						ļ
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1													1
<u>.</u>	facility reservaton - Zone 3	 	3	UAL	UAL2W	11.74	96,15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservator - Zone 4	1	1	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						ľ
, –	CLEC to CLEC Conversion Charge without outside dispatch	_	 	UAL	UREWO	72.00	86.04	40.33								1
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	LE LOC	P													ì
1	2 Wire Unbundled HDSL Loop including manual service inquiry &		Τ.							7.00						
	facility reservation - Zone 1	₩-	ــــ	UHL	UHL2X	8.75	129,98	79.52	50.38	7.93				-		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
1	2 Wire Unbundled HDSL Loop including manual service inquiry &	-	1	0.1.2	UTILE X		.20.00	10,02			,			s I		
	facility reservation - Zone 3	<u> </u>	3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
1	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 4	—	4	UHL	UHL2X_	10.46	129.98	79.52	50.38	7.93						1
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	 UHL	UHL2W	8.75	104.86	66.74	50.38	7.93	ì					}
	2 Wire Unbundled HDSL Loop without manual service inquiry and	 	+-	OTIL	OFFICER	0.70	194.50		00.02							
	facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3	<u> </u>	3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
İ	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4		Ι 4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93				ł	l	ł
	CLEC to CLEC Conversion Charge without outside dispatch		+ -	UHL	UREWO		85.98	40.33	00.00	1.55						
4-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	SLE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68					 	
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and		-	OTIC	- OHE-FA	10.70	100.74	100.20	55.72							
	facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68					<u> </u>	
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 4	ļ	4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and		+-	OTIC	OTIL TIT	10.10	100.02	55.55								
	facility reservation - Zone 2		2	UHL	UHL4W	13,43	133,62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and											ľ		ł	1	1
	facility reservation - Zone 3	ļ	3	UHL	UHL4W	15,59	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
	CLEC to CLEC Conversion Charge without outside dispatch	 	1	UHL	UREWO		85.98	40.33								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27,44	126.53	88.85	60.68 60.68	14.64 14.64						
	4 Wire Unbundled Digital 19.2 Kbps	-		UDL	UDL19 UDL19	34.55 40.76	126.53 126.53	88.85 88.85	60.68	14.64			-		-	·
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	-		UDL	UDL19	32.25	126.53	88.85	60.68	14.64			<u> </u>			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 -	1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64		-				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL56 UDL64	32.25 27.44	126.53 126.53	88.85 88.85		14.64 14.64					 -	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1 -		UDL	UDL64	34.55	126.53	88.85	60.68	14.64					1	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4			UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	GLEC to CLEC Conversion Charge without outside dispatch		-	UDL	UREWO		101.94	49.66								-
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	. 50.38	7.93						
-	2-Wire Unbundled Copper Loop-Designed including manual service		<u> </u>													
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93	L		L	l		L

														ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		Disease		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			Т		-	Rec	Nonred First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	2 Wire Unbundled Copper Loop-Designed including manual service				_						30	30,,,,,,,,	55,,,,,,,	55		,,
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	. 50.38	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service	<u> </u>	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95,21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service		Ť			_										
	inquiry and facility reservation - Zone 4 CLEC to CLEC Conversion Charge without outside dispatch (UCL-		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
	Des)			UCL	UREWO		95.21	42.40								
4-WIR	COPPER LOOP															
	Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and		l .					21.00		40.00						
	facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	facility reservation - Zone 3	<u> </u>	3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and	_	<u> </u>													
	facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		_				
	facility reservation - Zone 3	L	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
	Order Coordination for Unbundled Copper Loops (per loop)		\vdash	UCL	UREWO	1	95.21 8.20	42.40 8.20								
	Order Coordination for Orionfoled Copper Loops (per 100p)			UEA, UDN, UAL.	UCLIVIC	-	0.20	0.20								
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL, UDL	OCOSL		18.19									
LOOP MODIFIC	ATION		\vdash	UAL, UHL, UCL.	 											-
1 1				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	<u> </u>	i –							-						
	than or equal to 18K ft, per Unbundled Loop		₩	UHL, UCL, UEA UAL, UHL, UCL,	ULM4L	-	32.57	32.57				_				
1	:			UEQ, ULS, UEA,	į											
1 1	Unbundled Loop Modification Removal of Bridged Tap Removal, per		1	UEANL, UEPSR, UEPSB	ULMBT	1	32.59	32.59								
SUB-LOOPS	unbundled loop	-	-	UEPSB	JULMB I	 -	32.59	32.59	-					1		
	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		259.69									
								'un								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility		-	UEANL	USBSB		22.77					-				
	Set-Up	_		UEANL	USBSC		178.47									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		56.39									
· · · · · · · · · · · · · · · · · · ·	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	Ī.		UEANL	USBN2	7.15	66.18	31.14	45.36	6,71						
	1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		+	_										-		
	2	-	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						

	· · · · · · · · · · · · · · · · · · ·												Attack	ment: 2	Evhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	Add'I	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	-	1				FIEST	Addi	ritst	Addi	SOMEC	JOMAN	JOHAN	SOMAN	JOMAN	SOME
	3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEANL	USBMC		8.20	8.20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35					1	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	 	├	UEANL	USBMC	2.20	8.20	8.20	45.36	6,71			·	<u> </u>		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	 '-		UEANL	USBR2	2,29	53.32	18.28	43.36	0.71	-					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		UEANL	USBMC		8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
		1	1				0.00	8.20						1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	-	 	UEANL UEANL	USBMC URET1		8.20 34.36	8.20 0.00			 					
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	6.06	66.18	31.14		6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	7.09	66.18	31.14	45.36	6.71			ļ			<u> </u>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS2X UCS2X	8.16 9.90	66.18 66.18	31.14 31.14	45.36 45.36	6.71		ļ		-		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	├─	4	UEF	UCSZX	9.90	55.15	31.14	45.36	0.71	 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l .		UEF	USBMC	i	8.20	8.20							[
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	9.11	79.49	44.45	51.27	9.35					·	1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X UCS4X	14.00	79.49 79.49	44.45	51.27 51.27	9.35 9.35		-	1 7.			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		1 4	UEF	UC54X	14.00	79.49	44,43	31.27	9.00			-			1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20	,					l		
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-															
	Designed and Distribution Subloops		_	UEF, UEANL	URETL		8.92	88.0								
-	Loop Testing - Basic 1st Half Hour	-	<u> </u>	UEF	URET1		34.36 19.97	19.97								-
Maha	Loop Testing - Basic Additional Half Hour ndled Sub-Loop Modification	-	 	UEF	URETA		19.97	19.97			-		-			
Olibui	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	-	\vdash		1											
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load Coll/Equip	-	_	UEF	ULM2X		176.80	5.13			-					i
	Removal per 4-W PR			UEF	ULM4X		176.80	5.13								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		279.81	6.15								
Unbur	ndled Network Terminating Wire (UNTW)	<u> </u>	-	U.S. C.	115155	0.3366	30.55		-		·		-	-		-
- I	Unbundled Network Terminating Wire (UNTW) per Pair	\leftarrow	-	UENTW	UENPP	0.3366	30.55					}	1			l -
Netwo	ork Interface Device (NID) Network Interface Device (NID) - 1-2 lines	+-		UENTW .	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36					J			
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94							<u> </u>	
	Network Interface Device Cross Connect - 4W		_	UENTW	UNDC4		5.94	5.94	-				-		-	-
UNE OTHER,	PROVISIONING ONLY - NO RATE	-		CENTW	UNDBX	0.00	0.00				}	-		l		
\vdash	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00						t -		1	t
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL, UEF, UEQ, UE	UNECN	0.00	0.00									
				UAL, UCL, UDC, UDL, UDN, UEA,												
	Unbundled Contact Name, Provisioning Only - no rate	10		UHL	UNECN	0.00	0.00				1					

UNBLI	NDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv. Order vs. Electronic Disc Add'l
				ļ		<u></u>	Rec	Nonrec		Nonrecurring		201150			Rates(\$)		5001401
			<u> </u>	-				First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOOP N	AKE-U		 	├- ─					 							 	
		Loop Makeup - Preordering Without Reservation, per working or			UMK	UMKLW		24.12	24.12						!		1
		spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility		+	OWIN	DIVINEVY		24.12	24.12					_			
		queried (Manual).		1	UMK	UMKLP	ļ	25.58	25.58			ļ				1 .	
	_	Loop MakeupWith or Without Reservation, per working or spare	\vdash	†							-						
		facility queried (Mechanized)	L	l	UMK	UMKMQ		0.6652	0.6652				<u> </u>	·	<u> </u>		<u> </u>
LINE SH	ARING																
		: The Line Sharing monthly recurring rates for all installations					ght October 01,	2004 shall be l	billed as follow	s:						ļ —	
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")_			<u> </u>									
		: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND : 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															1
		: 40/02/2005 - 10/01/2006: 75% of the rate for UCEND		-		<u> </u>										1	—
	**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSD	C and	JLSCC	applies only to circuit	its installed a	and inservice or	n or before Oct	ober 1, 2003					T	-	1	
		HARING	1	T													
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity		-	ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						-
ľ		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation	1	l		ULSDG		86.98	0.00	49.96	0.00	}			1	1	1
	END 11	(per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		-	ULS	ULSDG	-	86.96	0.00	49.96	0.00						
	END U	Line Sharing - per Line Activation (BST Owned splitter) -					 					1					
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -		 	020	02000	0.01	10.02				1					
		Central Office Located (25% of UCLND) - please see NOTE 1		l													
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93				<u> </u>		
		Line Share Service, TRO per line activation, BST owned splitter -											l				4
		Central Office Located (50% of UCLND) - please see NOTE 1		l				40.00	40.00		4.00						
		(E:10/2/2004)		-	ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1		1			1										4
		(E:10/2/2005)	ł	1	ULS	ULSDT	8.26	18.62	10.66	10.04	4.93	ł :		}	ł	} .	ł
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST	_	 	010	02001	0.20	10.02	10.50	10.04	4.00		h				1
		Owned Splitter)	l	1	ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24				_				
		Line Sharing - per Line Activation (DLEC owned Splitter) -											ĺ			[
		OBSOLETE see "NOTE 2		-	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74				-		
		Line Share Service, TRO per line activation, CLEC owned splitter-		l						l							
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)		l	ULS	ULSCT	2.75	47.44	19.31	20.67	12.74						
j		Line Share Service, TRO per line activation, CLEC owned splitter -	├	 	ULS	OLSC!	2.73	47,44	19.51	20.07	12.74	-					
		Central Office Located (50% of UCLND) - please see NOTE 1		1		1											4
ı		(E:10/2/2004)]	ULS	ULSCT	5.51	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -														[
		Central Office Located (75% of UCLND) - please see NOTE 1	1	1		ļ											
		(E:10/2/2005)			ULS	ULSCT	8.26	47.44	19.31	20.67	12.74						├
_ ,	MAINT	NANCE		_			_	- 20.00	55.00				_	_			
_		No Trouble Found - per 1/2 hour increments - Basic		-			-	80.00 120.00					-				
_		No Trouble Found - per 1/2 hour increments - Qvertime No Trouble Found - per 1/2 hour increments - Premium		_			-	160.00	110.00				-				+
								180,00	110.00					-			—
		FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0098										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination		_	UITVX	U1TV2	22.52	40.77	27.57	17.26	7.11						1
1		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			11475.07	1L5XX	0.0000										
1		Rev Bat Per Mile per month		-	U1TVX	TLSXX	0.0098						-		-		+
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						

MRONDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interin	Zone	BCS	usoc			RATES(\$)		-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
			1			Rec	Nonrec		Nonrecurring					Rates(\$)		
		<u> </u>	 -			1100	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		i	LISTRAN	41.500	0.0000			1		Į					
	Per Mile per month	+-	! —	U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27,57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			UITDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	1	1													
-	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per		<u> </u>	U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.1 1		_			-	
	month	1_	<u> </u>	U1TDX	1L5XX	0,0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		i	114700	LIATER	45.00	40.70	07.57	47.00	- 44			·	[ĺ	1
CNALING "	Termination	-	-	UITDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
GNALING (C	CCS7 Signaling Termination, Per STP Port	-	-	UDB	PT8SX	132.21										
_	CCS7 Signaling Connection, Per S1 Port CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS3 level link (A link)	_	1	UDB	TPP9A	16.55	35.74	35.74	16.53	16.53				<u> </u>		_
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known			UDB	трр6В											
	as D link) CCS7 Signaling Connection, Per DS3 level link (B link) (also known					16.55	35.74	35.74	16.53	16.53						
-	as D Ink) CCS7 Signaling Point Code, per Originating Point Code	-		UDB	TPP9B	16.55	35.74	35.74	16.53	16.53						
	Establishment or Change, per STP affected		_	UDB	CCAPO		29.18	29.18	35,78	35.78						ļ
11 SERVICE	Local Channel - Dedicated - 2-wr Voice Grade	-	_			14.91	194.22	33.36	37.79	3.30						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		-		-	0.0098	194.22		31.19	3.30					-	
-	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	_	-		-	0.0096										
	Termination		ſ		1	22.52	40.77	27.57	17,26	7.11	1 1			ľ		ł
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74					_	
	Local Channel - Dedicated - DS1 - Zone 2	1	1			35.99	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 3	1	i			221.63	178.50	154.61	22.89	15.74						-
	Local Channel - Dedicated - DS1 - Zone 4		1			221.63	178.50	154.61	22.89	15.74						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
HANCED E	XTENDED LINK (EELs)	 	1			0,100	00.70	02.20	10.00	14,00			_			
	The monthly recurring and non-recurring charges below will a	pply and	the Sw	itch-As-Is Charge w	ill not apply for	or UNE combina	tions provision	ed as 'Ordina	rily Combined' I	Network Eleme	nts.					
NOTE	The monthly recurring and the Switch-As-Is Charge and not the	e non-re	curring	charges below will	apply for UNE	combinations	provisioned as	*Currently Co	mbined Networ	k Elements.						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G	RADEIN	TEROF	FICE TRANSPORT												
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-WireVG Loop in combination - Zone 2	1	2	UNCVX	UEAL2	18.75	105.96	68,28	52.82	10.37						
		+					105.96		52.82	10.37	í					
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	OL.OL							
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		3	UNCVX	1L5XX	0.00088	105.96	60.20								
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination		3	UNCVX	1L5XX	0.00088										
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		3	UNCVX	1L5XX U1TV2		40.77	27.57	17.26	7.11						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX UNCVX	1L5XX	0.00088				7.11						
EXTE	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE G	RADE IN	TEROF	UNCVX UNCVX UNCVX FICE TRANSPORT	1L5XX U1TV2 UNCCC	0.00088	40.77 5.63	27.57 5.63	17.2 <u>6</u> 7.20	7.20						
EXTER	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GI 4-WireVG Loop in combination - Zone 1	RADE IN	TEROF	UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX	1L5XX U1TV2 UNCCC	0.00088 20.32 27.47	40.77 5.63 132.27	27.57 5.63 94.59	17.26 7.20 60.68	7.20						
EXTE	Interoffice Transport - 2-wire VG - Dedicated-Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NOED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GI 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2	RADE IN	TEROF	UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX	U1TV2 UNCCC UEAL4 UEAL4	0.00088 20.32 27.47 38.26	40.77 5.63 132.27 132.27	27.57 5.63 94.59 94.59	17.26 7.20 60.68 60.68	7.20 14.64 14.64						
EXTE	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GI 4-WireVG Loop in combination - Zone 1	RADE IN	TEROF	UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX	1L5XX U1TV2 UNCCC	0.00088 20.32 27.47	40.77 5.63 132.27	27.57 5.63 94.59	17.26 7.20 60.68	7.20						
EXTE	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NOED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4-WIRE VOICE GI 14-WireVG Loop in combination - Zone 1 14-WireVG Loop in combination - Zone 2 14-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	RADE IN	TEROF	UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX	U1TV2 UNCCC UEAL4 UEAL4	0.00088 20.32 27.47 38.26	40.77 5.63 132.27 132.27	27.57 5.63 94.59 94.59	17.26 7.20 60.68 60.68	7.20 14.64 14.64						
EXTE	Interoffice Transport - 2-wire VG - Dedicated-Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4-WIRE VOICE GI 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination	RADE IN	TEROF	UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX	U1TV2 UNCCC UEAL4 UEAL4 UEAL4	20.32 27.47 38.26 50.03	40.77 5.63 132.27 132.27 132.27	27.57 5.63 94.59 94.59	17.26 7.20 60.68 60.68 60.68	7.20 14.64 14.64 14.64						
EXTE	Interoffice Transport - 2-wire VG - Dedicated-Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NOED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GI 14-WireVG Loop in combination - Zone 1 14-WireVG Loop in combination - Zone 2 14-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Norrecurring Currently Combined Network Elements Switch -As-Is	RADE IN	TEROF	UNCVX UNCVX UNCVX FICE TRANSPORT UNGVX UNCVX UNCVX UNCVX UNCVX	U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	20.32 27.47 38.26 50.03	40.77 5.63 132.27 132.27 132.27	27.57 5.63 94.59 94.59 94.59	17.26 7.20 60.68 60.68 60.68	7,20 14,64 14,64 14,64						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GI 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Gharge		TEROF 1 2 3	UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4	20.32 27.47 38.26 50.03	40.77 5.63 132.27 132.27 132.27	27.57 5.63 94.59 94.59	17.26 7.20 60.68 60.68 60.68	7.20 14.64 14.64 14.64						
	Interoffice Transport - 2-wire VG - Dedicated-Per Mile Per Morth Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NOED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GI 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Qharge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS		TEROF 1 2 3	UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX TRANSPORT	U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UFAL4 UFAL4 UFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 ULAUFAL4 UNCCC	20.32 20.32 27.47 38.26 50.03 0.00088	40.77 5.63 132.27 132.27 132.27 40.77 5.63	27.57 5.63 94.59 94.59 94.59 27.57 5.63	17.26 7.20 60.68 60.68 60.68 17.26	7.20 14.64 14.64 14.64 7.11 7.20						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Charge NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GI 4-WireVG Loop in combination - Zone 1 4-WireVG Loop in combination - Zone 2 4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is Gharge		TEROF 1 2 3	UNCVX UNCVX UNCVX FICE TRANSPORT UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	U1TV2 UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	20.32 27.47 38.26 50.03	40.77 5.63 132.27 132.27 132.27	27.57 5.63 94.59 94.59 94.59	17.26 7.20 60.68 60.68 60.68	7,20 14,64 14,64 14,64						

NBUNDLED NETWORK ELEMENTS - Mississippi												Attach			bit: A
TEGORY RATE ELEMENTS	Interin	Zone	BCS	USOC			RATES(S)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
					Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Interoffice Transport - Dedicated - 4-wire 56 kbps combina	tion - Per										l			!	ļ
Mile per month		<u> </u>	UNCDX	1L5XX	0.0098										-
Interoffice Transport - Dedicated - 4-wire 56 kbps combina	tion -							47.00					ŀ		
Facility Termination per month		-	UNCDX	U1TD5	22.52	40.78	27,57	17.26	7.11						-
Nonrecurring Currently Combined Network Elements Switch	h-As-Is						# co	7.20	7.20						
Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						-
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH	164 KBPS INTER		UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64	-					
4-wire 64 kbps Local Loop in Combination - Zone 1 4-wire 64 kbps Local Loop in Combination - Zone 2			UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						_
4-wire 64 kbps Local Loop in Combination - Zone 2			UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64					-	1
Interoffice Transport - Dedicated - 4-wire 64 kbps combina	tion - Per	+ -	ONCOX	- CDL04	40.70	120.55	00.00	. 00.00	17.07	 		-			
Mile per month	WOII-FEI		UNCDX	1L5XX	0.0098			1				l ·	1		
Interoffice Transport - Dedicated - 4-wire 64 kbps combina	tion -	+	BRODA	120701	0.0050										
Facility Termination per month	0011-		UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11		Į.				
Nonrecurring Currently Combined Network Elements Switch	h - As-Is	_	GALODA	000											
Charge	,		UNCDX	UNCCC		5.63	5.63	7.20	7.20		l				
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH	DS0 INTEROFFI	CE TRA													
First 4-wire 56 kbps Local Loop in combination - Zone 1		1 1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14,64						
First 4-wiree 56 kbps Interoffice Transport - Dedicated - Pe	er Mile per	1													
month	. 1	1	UNCDX	1L5XX	0.0098									1	
First 4-wire 56 kbps Interoffice Transport - Dedicated - Fac	cility	1													
Termination per month	·		UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11	1					
Nonrecurring Currently Combined Network Elements Switch	h -As-Is									i	i				İ
Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH	DS0 INTEROFFI	CE TRA													<u> </u>
First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						-
First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64			-	-		-
First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						1
First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64			-			ļ
First I4-wire 65 kbps Interoffice Transport - Dedicated - Pe	r Mile per		LINIORY	41.5302	0.0000										
month	·P1	-	UNCDX	1L5XX	0.0098										
First 4-wire 64 kbps Interoffice Transport - Dedicated - Fac	clity		IIIICDY	U1TD6	22.52	40.78	27.57	17.26	7.11		1		1		1
Termination per month	h An In	+-	UNCDX	UTIDE	22.52	40.78		17.26	7.11						+
Nonrecurring Currently Combined Network Elements Switch	n-AS-IS		UNCDX	UNCCC		5.63	5.63	7.20	7.20						
Charge		+	UNCDX	UNCCC		5.03	3.03	1.20	7.20						_
ITIONAL NETWORK ELEMENTS When used as a part of a currently combined facility, the non	- roourroo ob ara	ac do a	ot apply but a Su	itch Ac le chara	does apply					-			t		_
When used as a part of a currently combined facility, the fion When used as ordinarily combined network elements in All S						not									†
Nonrecurring Currently Combined Network Elements in All S	Ac le" Charas	One se	nlies to each com	hination)	is charge does									1	i —
Nonrecurring Currently Combined Network Elements Switch		The ap	Pired to each com	Jinution)	-					-					
Charge - 2 wire/4-Wire VG	11-73-13		UNCVX	UNCCC		5.63	5.63	7.20	7.20						
Nonrecurring Currently Combined Network Elements Switch	h_Aeale	1	OI1OVA	011000		0.00	0.00	20	1.20						
Charge - 56/64 kbps	11-7-15		UNCDX	UNCCC		5.63	5.63	7.20	7.20						
Miscellaneous		1 -		0.,000		2.00					-				
NRC - Order Coordination Specific Time - Dedicated Trans	smrt	1	UN1CX	ocosr		18.87	18.87							1	
Note: Rates displaying an "R" in the interim column are inter		- mato to			o and Condition										

Version 06/29/04

[U													• • • •			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'i	First	Add'l	SOMEC	SOMAN	SUMAN	SOMAN	SOMAN	SOMAN
PERATI	TEOU STOLENG (COO) TEOURINETOTIES														1	1
N															CI EC	
e				·		ice ordering c	harge, however	r, CLEC can no	ot obtain a mixtu	OH) to determ	egardless if	CLEC has a	interconnect	tion contract of	stablished in	each of the 9
be orde	red electronically at present per the LOH, the listed SOMEC rat	n this	iteac	ry reflects the charg	:hat would	t e billed to a (l	EC once elec	nic ordering	pabilities con	e on-line for	at elemen	Otherwis	the manual	dering char	e SOMAN, w	be applied
	OSS - Electronic Service Order Charge Per Local Service Request (LSR) - UNE Only				OMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge. Per Local Service Request				OMAN		15.20	0, <u>00</u>	15.20	0.00	ļ					i
NE SERVICE I	(LSR) - UNE Only DATE ADVANCEMENT CHARGE	 	ł —		OWAN		15.20	0,00	15.20	0.00						
NOTE:	The Expedite charge will be maintained commensurate with B	South	FCC	No.1 Tariff, Section !	s applicab											
JRDER MODIFI	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day C ATION CHARGE		12.00	UEF, UDF, UEQ, UUDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T148, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD4, U1TD4, U1TD4, U1TD4, U1TD7, U1TD	SDASP		200.00									
l — — -	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	 —	-				26.21	0.00	0.00	0.00						
INBUNDLED E	XCHANGE ACCESS LOOP	1					0.00	0.00	Ų.00	0.00]		
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	ļ —		UEANL	UEAL2 UEAL2	12.11	57.99 57.99	42.37 42.37							-	
_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	_	3	UEANL UEANL	UEAL2	33.65	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21,24	57.99	42.37			ļ					
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	_	3	UEANL	UEASL	33.65	57.99	42.37						i		
	Premise		1	UEANL	URETL		8.33	Ė8.0								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		76.24	0.00								
	Loop Testing - Basic Additional Half Hour	! —	\vdash	UEANL	URETA		39.51	39.51	-							
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.76	8.93						-		<u> </u>
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM	L	28.74	28.74	!							

UNBU	NDLED	NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATE		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	$\overline{}$						Rec	Nonrec			Disconnect	 			Rates(\$)	2011411	SOMAN
			T				1100	First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	—	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per	-	T											1	ļ	4
	1	LSR)			UEANL	OCOSL		45.34	45.34		1						
	2 14/05	UNBUNDLED COPPER LOOP - NON-DESIGNED	_									1					
	2-WIRE		+	1 1	UEQ	UEQ2X	10.16	35.27	15.60								
	 	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	2	UEQ	UEQ2X	17.55	35.27	15.60								
	1	2*Wire Unbundled Copper Loop - Non-Designed - Zone 2				UEQ2X	27.58	35.27	15.60		1			 	-		1
	-	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEUZX	27.30	33.27	15.00		 	+				 	
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User						9.22	0.83		1				1		1
		Premise		-	UEQ	URETL		8.33	0.03					<u> </u>	 	 	
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-						04.00	64.00								
		Designed (per loop)			UEQ	USBMC		61.38	61.38				-	-			
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST											l				1
	i	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74			-		-			+
	Τ' -	Loop Testing - Basic 1st Half Hour			UEQ	URET1	1	76.24	0.00		<u> </u>						
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	-		1					1							
		ND)			UEQ	UREWO	1	14.26	7.42								
IINBII	IN ED E	XCHANGE ACCESS LOOP															
0.1100		ANALOG VOICE GRADE LOOP	1		1		,										
	12-77-11-02	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	T														
ĺ	1	Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	14.97	142.97	106.56								
_	+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	<u> </u>	1								T				
	1	Ground Start Signaling - Zone 2	1	2	UEA	UEAL2	25.93	142.97	106.56		1		1				
	+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	+	1001												
1				3	UEA	UEAL2	40.81	142.97	106.56			1	1	1			
<u> </u>	-	Ground Start Signaling - Zone 3	+	1 3	UEA	OLALE	40.01	142.01	100.00						T .		
i	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	14.97	142.97	106.56			1	1	1	1		
		Battery Signaling - Zone 1	+	+ +	UEA	UEARZ	14.57	142.07	100.00						l	†	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	25.93	142.97	106.56	1			1				1
		Battery Signaling - Zone 2	-	1 2	UEA	UEAR2	25.93	142.57	100.00	-		+	 	1			
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١.		UEAR2	40.81	142.97	106.56	1			1	1	i		1
		Battery Signaling - Zone 3	-	3	UEA		40.01	87.64	36.33				1	 		 	
		CLEC to CLEC Conversion Charge without outside dispatch	1		UEA	UREWO		11.20	1.10		+	+	+	+	 	1	
		Loop Tagging - Service Level 2 (SL2)	-	-	UEA	URETL		11.20	1.10			+				 	
	4-WIRE	ANALOG VOICE GRADE LOOP		-					005.45		 	-	 				+
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21.32	288.47	237.45					 			-
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	36.27	288.47	237.45				 				
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	56.57	288.47	237.45							<u> </u>	
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33				<u> </u>		<u></u>		-
	2-WIRE	ISDN DIGITAL GRADE LOOP	-							L					-		
	-	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31	<u> </u>							
	_	2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN	U1L2X	32.88	325.91	251.31		1				1		
-	+	2-Wire ISDN Digital Grade Loop - Zone 3	1	3	UDN	U1L2X	51.14	325.91	251.31	[l
-	 	CLEC to CLEC Conversion Charge without outside dispatch	 	 -	UDN	UREWO		91.55	44.12								
	2-W/IDE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELO	OP													
<u> </u>	Z-WIRE	2 Wire Unbundled ADSL Loop including manual service inquiry &	T	Ť												1	T
1		facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60				!	1	1	1	
ऻ		2 Wire Unbundled ADSL Loop including manual service inquiry &	+	+ '	102	UNLEN	11.00	204.71	140.00					1	1		
				2	UAL	UAL2X	18.39	264.71	145.60	1	1		1		1		
	-	facility reservation - Zone 2	-	+-	IOAL	IOALZA	10.00	204.71	140.00			+	1	 		1	1
		2 Wire Unbundled ADSL Loop including manual service inquiry &	1	3	UAL	UAL2X	28.42	264.71	145.60	i	i			1			
	-	facility reservation - Zone 3		1 3	UAL	UALZA	20.42	204.71	143.00			+	-		 		
1		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	١.		LIALOW	11.00	190.25	114.82		1						
		facility reservaton - Zone 1		1_	UAL	UAL2W	11.00	190.25	114.02		1	-					
		2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	18.39	190.25	114.82	1		1					
	1	facility reservator - Zone 2		1 2	UAL	UALZW	16.39	190.25	114.02		1						
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &		1 .			20.40	100.25	114.82			1				1	
		facility reservator - Zone 3	-	3	UAL	UAL2W_	28.42	190.25	114.82								1
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.12	40.36		-		-	1	-		+
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOC	DP P									+		-		
		2 Wire Unbundled HDSL Loop including manual service inquiry &			1			204.74	402.54							1	
		facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54								1
		2 Wire Unbundled HDSt. Loop including manual service inquiry & facility reservation - Zone 2															
	1	facility reservation - Zone 2		2	UHL	UHL2X	14.87	284.74	163.54			1			1		1

UNBUN	DLE	NETWORK ELEMENTS - North Carolina													ment: 2	Exhil	
CATEGO	PRY	RATÉ ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
-			₩-		<u> </u>		Rec	Nonrec First	Add'i	Nonrecurring Dis	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop		_				First	Addi	Filst	Auu	SOMEC	JONAN	SOMAN	JOHAN	SOMAN	SOMAN
i		facility reservation - Zone 3	l	3	UHL	UHL2X	22.82	284.74	163.54	1				1	1		
		2 Wire Unbundled HDSL Loop without manual service inquiry and						-									
		facility reservation - Zone 1	l	1_1_	UHL	UHL2W	9.01	207.48	132.05								
		2 Wire Unbundled HDSL Loop without manual service inquiry and		1													
		facility reservation - Zone 2		2	UHL	UHL2W_	14.87	207.48	132.05						ļ		
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05								1
-		CLEC to CLEC Conversion Charge without outside dispatch	_	┝╸	UHL	UREWO	22.02	86.06	40.36			-					
4	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LELOC	P	1												
$\neg \neg$		4 Wire Unbundled HDSL Loop including manual service inquiry and		Γ_													
		facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45								
		4-Wire Unbundled HDSL Loop including manual service inquiry and	1							1							
		facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry and		2	UHL	UHL4X	17.67	341.65	220.45								
ı		facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220,45	ļ							1
		4-Wire Unbundled HDSL Loop without manual service inquiry and		-	One	UNLAX	21.24	341.00	220,43								
		facility reservation - Zone 1	İ	1	UHL	UHL4W	10.62	264.39	188.96	1							1
		4-Wire Unbundled HDSL Loop without manual service inquiry and		- -	1977.2		10.02			 							
		facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96				_				1
		4-Wire Unbundled HDSL Loop without manual service inquiry and	T										-				
		facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96								
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40,36								
	-WIKE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51	 							
		4 Wire Unbundled Digital 19.2 Kbps	-		UDL	UDL19	43.11	489.04	337,51	 		-		·			
_		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	67.26	489.04	337.51								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25.32	489.04	337.51								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43.11	489.04	337,51								
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	67.26	489.04	337.51								
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL.	UDL64	25.32	489.04	337.51								1
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64 UDL64	43.11 67.26	489.04 489.04	337.51 337.51							/	
		CLEC to CLEC Conversion Charge without outside dispatch		13	UDL	UREWO	67.26	102.03	49.70								
- 2	-WIRE	Unbundled COPPER LOOP		\vdash	ODL	JORGENO		102.00	40.70								
		2-Wire Unbundled Copper Loop-Designed including manual service							-								
		inquiry & facility reservation - Zone 1		_ 1	UCL	UCLPB	13.26	262.86	143.75						i		1
Ţ.,		2-Wire Unbundled Copper Loop-Designed including manual service												,			
		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75								
		2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	ĺ	3	UCL	UCLPB	34.80	262.86	143.75	1 1							l
+		2-Wire Unbundled Copper Loop-Designed without manual service	<u> </u>	اڻ	OCL_	UCLES	34.60	202.00	143.75	 					_		ı —
		inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	13.26	188.39	112.96					·			1
		2-Wire Unbundled Copper Loop-Designed without manual service	1			1											
		inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCLPW	22.39	188.39	112.96								i
ļ		2-Wire Unbundled Copper Loop-Designed without manual service	1														
		inquiry and facility reservation - Zone 3	_	3	UCL	UCLPW	34.80	188.39	112.96								
1		CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)	Į.		UCL	UREWO		97.14	42.44					i			
- 1	MIDE	COPPER LOOP	_	 	OCL	UKEWO		97.14	42.44						<u> </u>		
		4-Wire Copper Loop including manual service inquiry and facility															i -
		reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93								ı
		4-Wire Copper Loop including manual service inquiry and facility		I													-
		reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93								·
		4-Wire Copper Loop including manual service inquiry and facility		_													
		reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93								
		44Wire Copper Loop without manual service inquiry and facility reservation - Zone 1		1 4	UCL	UCL4W	17.36	236,57	161.14								
+		4-Wire Copper Loop without manual service inquiry and facility		 	332	JOCK4VV	.11.30	230,57	101,14								_
		reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14								
		4-Wire Copper Loop without manual service inquiry and facility		1						1							
		reservation - Zone 3	1	3	UCL	UCL4W	46.26	236.57	161.14					1			1

JNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment; 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
			 				Nonrec	urring	Nonrecurrin	Disconnect	1		OSS	Rates(\$)		
_			_			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-		I =									1				1
-	Des)			UCL	UREWO		97.14	42.44		1	1 .					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38		1	1					
		1		UEA, UDN, UAL,					I					1		1
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL, UDL	OCOSL		45.34						L			
OOP MODIFIC	CATION	<u> </u>	└							<u> </u>	4	Ĺ		(1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21,24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less												T	·		1
	than or equal to 18K ft, per Unbundled Loop		<u>L</u> .	UHL, UCL, UEA	ULM4L		21.24	21.24		1						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Junbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24,84	24.84								
UB-LOOPS		 	1							1	1			٠		}
	oop Distribution					i				1			<u> </u>			}
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		373.57									<u> </u>
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	Ι.	1	UEANL	USBSB	i l	33.78									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Op	! '-	+	UEANL	USBSB		33.70			 -			·			
1	Set-Up	1 .	ſ	UEANL	USBSC	1	234.76		ľ					1		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	<u> </u>	Г	UEANL	USBSD		81.05			1						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1								1	1		}			}
	1		1	UEANL	USBN2	7.31	126.03	54,54					I .			1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	T .														1
	2		2	UEANL	USBN2	11.93	126,03	54.54	<u> </u>		<u> </u>		ļ ·			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN2	18.20	126.03	54.54		ļ	<u> </u>		ļ	<u> </u>		ļ
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	l .	UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		! 	100	1000	-		01.00				-				
	11	1	1	UEANL	USBN4	8.44	156.52	79.66								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	$\overline{}$											1			}
	2	ļ	2	UEANL	USBN4	13.81	156,52	79.66								
İ	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1	١.	l						1			ĺ			
	3	<u> </u>	3	UEANL	USB <u>N4</u>	21.10	156.52	79.66			,					<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ì	ŀ	UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1	1-	UEANL	USBR2	2.79	114.05	37.20		 	1					}
	The state of the s		1	100	0007.12	25	114.00	07.20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC		61.38	61.38					1			
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	3.74	127.67	50.82								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		_	UEANL	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour	-		UEANL	URET1		76.24	0.00 39.51		-	+					
	Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	 - 	1-	UEANL UEF	URETA UCS2X	6.10	39.51 137.10	39.51 60.24								
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+ +-		UEF	UCS2X	9.70	137.10	60.24			-		-			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS2X	14.59	137.10	60.24			-					
			Ť							-						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L_	UEF	USBMC		61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.58	162.24	85.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	10.51	162.24	85.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.84	162.24	85.38								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops		L.	UEF, UEANL	URETL		8.92	0.88								

UNBLINDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)	, <u>, , , , , , , , , , , , , , , , , , </u>		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
			<u> </u>						-						1	[
		<u> </u>	-	<u> </u>		Rec	Nonred First	Add'l	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
i i —	Loop Testing - Basic 1st Half Hour		1	UEF	URET1		76.24	0.00	- 1100			00	- COMM VII			1
	Loop Testing - Basic Additional Half Hour			ŲEĖ	URETA		39.51	39.5			1				I	I
Unbut	ndled Sub-Loop Modification		1													
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1							1					1	1
1	Coil/Equip Removal per 2-W PR		₩-	UEF	ULM2X		124.51	1.82							 	
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR		<u> </u>	UEF	ULM4X		124.51	1.82			<u></u>					ļ
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop	ĺ	1	UEF	ULMBT		249.25	47.30			[[í	
Unbu	ndled Network Terminating Wire (UNTW)		_	UEF	OFINIP I		249.25	47.30			 					
10.1.20	Unbundled Network Terminating Wire (UNTW) per Pair		 	UENTW	UENPP	0.4351	64.98	_								† —
Netwo	ork Interface Device (NID)															I —
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69							4	I
	Network Interface Device (NID) - 1-6 lines	. 1		UENTW	UND16		127.93	98.21					L	_	1	
\vdash \vdash	Network Interface Device Cross Connect - 2 W	1	-	UENTW	UNDC2		11.68	11.68		 						1
LINE OF THE S	Network Interface Device Cross Connect - 4W		<u> </u>	UENTW	UNDC4		11.68	11.68							+	
UNE UTHER,	PROVISIONING ONLY - NO RATE NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0.00	0.00			 	-					t
1 1 .	UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0.00	0.00			 				 		1
- ·	OTT TO COULT BE ESCONDISTIFICATION OF THE TOTAL		1	UEANL, UEF, UEQ, UE			0.00			 -	1					-
	Unbundled Contract Name, Provisioning Only - No Rate		├	NTW UAL, UCL, UDC,	UNECN	0.00	0.00									
				UDL, UDN, UEA,						ľ						
	Unbundled Contact Name, Provisioning Only - no rate			UHL	UNECN	0.00	0.00									ļ
LOOP MAKE-			!								4	L				4
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).		l	UMK	UMKLW		55.44	55.44		i .				1		l
<u> </u>	Loop Makeup - Preordering With Reservation, per spare facility		+	OWK	DIVINLY		35,44	33.44			1					
	queried (Manual).			UMK	UMKLP		55.73	55.73								1
	Loop MakeupWith or Without Reservation, per working or spare									1						1
	facility queried (Mechanized)		_	UMK	UMKMQ		0.6960821	0.6960821								ļ
LINE SHARING			Γ.						<u></u>						ļ	
	1: The Line Sharing monthly recurring rates for all installations					ght October 01,	2004 shall be	illed as follow	s:	 						-
	1: 10/02/2003 – 10/01/2004; 25% of the rate for an unbundled cop 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	ber loop	non-a	esigned ("UCLND")					-		 					1
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND		 						-							1
	1: Above will apply to USOCS: ULSDT and ULSCT										1 -					1
NOT	E 2: The Line Sharing monthly recurring rates with USOCs ULSD	C and l	JLSCC	applies only to circu	ts installed a	ind inservice of	n or before Oct	ber 1, 2003							}	1
LINES	SHARING									Į					Ĺ	
SPLIT	TERS-CENTRAL OFFICE BASED					L					\Box					ļ
	Line Sharing Splitter, per System 96 Line Capacity		-	ULS	ULSDA	181.18	631.54	0.00			<u>Ļ</u>					ļ
- · - 	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		-	ULS	ULSDB ULSD8	38.99 12.73	631.54 424.61	0.00		 	 					! —
<u> </u>	Line Sharing Splitter, Fer System, a Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation		-	ULS	ULSDa	12.73	424.61	0.00			· · · · ·	-				.
	(per LSOD)		1	ULS	ULSDG		146.32	31,27								1
END L	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING						1.0.0			 _	1					
	Line Sharing - per Line Activation (BST Owned splitter) -							1.								
L	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77								ļ
	Line Share Service, TRO per line activation, BST owned splitter -									!	[ſ	1
	Central Office Located (25% of UCLND) - please see NOTE 1	ļ		100		2.40	5474	00.77		ł						
\vdash \vdash \vdash	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -	-	\vdash	ULS	ULSDT	3.49	54.71	28.77	 	 						
	Central Office Located (50% of UCLND) - please see NOTE 1	1	1	l					l						!	1
	(E:10/2/2004)			ULS	ULSDT	6.99	54.71	28.77	l	1						
	Line Share Service, TRO per line activation, BST owned splitter -		T								<u> </u>	1				}
	Central Office Located (75% of UCLND) - please see NOTE 1		1	l		1				!						
	(E:10/2/2005)		_	ULS	ULSDT	10.48	54,71	28.77		<u> </u>	<u> </u>					
1	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		35.42	16.57								
- · 	Line Sharing - per Subsequent Activity per Line		+	VI.S	OLODO		35.42	10.5/								<u> </u>
	Rearrangement(DLEC Owned Splitter	1	Ī	ULS .	ULSCS	i	35.14	16.29	I	1						I

<u></u>	.)													ment. 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	fncremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ				Rec	Nonrec			g Disconnect				Rates(\$)		
			1	<u> </u>	1	1100	First	Addʻi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	Line Sharing - per Line Activation (DLEC owned Splitter) -	İ	1	ULS	ULSCC	0,61	47.44	19.31			ĺ		1	ĺ	(ĺ
- ∤	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, CLEC owned splitter -		 	ULS	ULSCC	0.51	47,44	19.51	 					1	_	
	Central Office Located (25% of UCLND) - please see NOTE 1										1		l .			
	(E:10/2/2003)		1	ULS	ULSCT	3.49	47.44	19.31			1					1
1	Line Share Service, TRÖ per line activation, CLEC owned splitter -									T						1
	Central Office Located (50% of UCLND) - please see NOTE 1	1								1		1				
	(E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31				_	-			-
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1		1													1
	(E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31			1					
MAIN	TENANCE		-	QLU .	0200	10.40										
	No Trouble Found - per 1/2 hour increments - Basic		1				80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120,00	82.50		<u> </u>	-		-			-
1	No Trouble Found - per 1/2 hour increments - Premium	-	-				160.00	110.00	-	ļ <u></u>	+				-	+
	DEDICATED TRANSPORT	_	-			-										
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	-	+			 			1	 	1					 -
	Per Mile per month]	}	U1TVX	1L5XX	0.0125			1							
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1	J. T. T.	1,20,01	5.0.00										
	Facility Termination		İ	U1TVX	U1TV2	18.00	137.48	52.58							<u> </u>	
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		1											1		1
	Rev Bat Per Mile per month	<u> </u>	-	UITVX	1L5XX	0,0125			 			ļ	_	 		
1	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1	1	U1TVX	U1TR2	18.00	137.48	52.58								1
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	1		OTIVA	UTIKZ	10.00	137.40	52.50		 	_		1		1	
	Per Mile per month]	1	U1TVX	1L5XX	0.0125							<u> </u>			
_	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -															
1	Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95								1.
1-	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	1	1										1			
	month	(-	U1TDX	1L5XX	0.0282				1	+			-		
ţ	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination	J		U1TDX	U1TD5	17.40	137.48	52.58								
-	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	 	1 -	OTIEK	101100	17.40	157.40	02.00	-					†		
1	month	1		UITDX	1L5XX	0.0282			1							
_	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1						1							1
	Termination		1_	U1TDX	U1TD6	17.40	137.48	52.58	<u> </u>	-	+				-	
SIGNALING (C	CC\$7)	-		lupa -	TPP6A	18.22	278.02	278.02	}	-	+	 			1	1
	CCS7 Signaling Connection, Per DS1 level link (A link)	├		UDB UDB	TPP9A	18.22	278.02	278.02		 	1	 	1	 	-	+
+	CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also known	\vdash		-	111.00	10.22	210.02	210.02								
1	as D link)			UDB	TPP6B	18.22	278.02	278.02								
-	CCS7 Signaling Connection, Per DS3 level link (B link) (also known									-			1		1	
	as D link)		ļ	UDB	TPP9B	18.22	278.02	278.02		-	-	-	_	<u> </u>	<u> </u>	1
	CCS7 Signaling Termination, Per STP Port		-	UDB	PT8\$X	132.83			<u> </u>	1	 	-) 		 	-
	CCS7 Signaling Point Code, per Originating Point Code	Į	•	UDB	CCAPO	1	40.00	40.00		1	1		1	1	ì	
	Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code	{-	-	(UUB	CCAPO		40.00	40.00	l —	(1	(1	t	(
- 1	Establishment or Change, Per Stp Affected)	,	UDB	CCAPD]]	8.00	8.00	J	J	1			;		
E911 SERVICE		1		-					}	}						<u> </u>
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1			11,24 19,91	553.80 553.80	89.69 89.69		1			}	<u> </u>)	-
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19.91	553.80	89,69	-	-	-	-	1		 	1
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3_			31.70	553.80	89.69	1	1	1	 	1	+	1	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	((<u> </u>	0.0282			((t	ì	t ·	1
J	Termination		1	1		18.00	137.48	52.58								
	Local Channel - Dedicated - DS1 - Zone 1		1			27.05	534.48	462.69	3	<u>, </u>						
	Local Channel - Dedicated - DS1 - Zone 2		2			47.94	534.48	462.69							}	
	Local Channel - Dedicated - DS1 - Zone 3		3			78.32	534.48	452.69	1	-	1		1		}	
	Interoffice Transport - Dedicated - DS1 Per Mile		-			0,5753				1		-			-	1
		,		1	1					1				1	4	1

BUNDI ED	NETWORK ELEMENTS - North Carolina												Attach			bit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
					ļ <u> </u>	Rec	Nonrec First	urring Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		ļ	<u> </u>									COMPAN	00			
	FENDED LINK (EELs) The monthly recurring and non-recurring charges below will ap	nniv and	the Su	vitch-As-Is Charge w	ill not apply fo	or UNE combina	tions provision	ned as ' Ordina	rily Combined' N	letwork Eleme	ents.					
NOTE: I	he monthly recurring and non-recurring charges below with all the monthly recurring and the Switch-As-Is Charge and not the	e non-re	curring	charges below will	apply for UNE	combinations	provisioned as	'Currently Cor	nbined' Network	k Elements.						
EVTENO	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	RADE IN	TEROF	FICE TRANSPORT												
EVIENT	2-WireVG Loop in combination - Zone 1	T	1	UNCVX	UEAL2	14.97	142.97	106.56				·				
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56								
- - 	2-WireVG Loop in combination - Zone 3	T-	3	UNCVX	UEAL2	40.81	142.97	106.56								
						"									1	
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	1		UNCVX	1L5XX	0.0282										1
	Nonrecurring Currently Combined Network Elements Switch -As-Is		Ţ													
i l	Charne			UNCVX	UNCCC		21.75	21.75	32.28	10.96					-	
EXTEND	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF	FICE TRANSPORT											-	
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45			-					
	4-WireVG Loop in combination - Zone 2	1		UNCVX	UEAL4	36.27	288.47	237.45			 				-	
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
				11110101	1L5XX	0.0282										
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	ļ		UNCVX	1L5XX	0.0282						 	 			+
	Nonrecurring Currently Combined Network Elements Switch -As-Is						21.75	21.75	32.28	10.96						
	Charge			UNCVX	UNCCC		21.73	21.75	32.20	10.50	-	-			· · · · · · · · · · · · · · · · · · ·	
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTER	FFICE	IKANSPORT	UDL56	25.32	489.04	337.51					· · · · ·	-	1	
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	67.26	489.04	337.51							· · · · · · · · · · · · · · · · · · ·	
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	ODE30	07.20	405.04	337.51			1					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per	1		UNCDX	1L5XX	0.0282					}					
	Mile per month	-		UNCDX	ILSAA	0,0202		· · · · · · · · · · · · · · · · · · ·				T				
	Nonrecurring Currently Combined Network Elements Switch -As-Is	ł		UNCDX	UNCCC		21.75	21.75	32.28	10.96	i		1			
	Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTED	CEICE		0,1000		2						i			
	4-wire 64 kbps Lcoat Loop in Combination - Zone 1	T.	1 1	UNCDX	UDL64	25.32	489.04	337.51					1		L	
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								L
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	 	3	UNCDX	UDL64	67.26	489.04	337.51					Ī			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per	1	1													
	Mile per month			UNCDX	1L5XX	0.0282		·								
	Nonrecurring Currently Combined Network Elements Switch -As-Is		1												1	
	Charge	1		UNCDX	UNCCC		21.75	21,75	32.28	10.96	<u> </u>					
EXTENI	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFK	E TRA	NSPORT											<u> </u>	
LATER	First 4-wire 56 kbps Local Loop in combination - Zone 1	1 "	1	UNCDX	UDL56	25.32	489.04	337.51				1		ļ		
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51				<u> </u>		ļ		
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51				<u> </u>				
\neg	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	r											1.0			1
	month			UNCDX	1L5XX	0.0282		1	i		-	ļ			l —	+
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility							1	l		1			1		
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58						ļ		+
	Nonrecurring Currently Combined Network Elements Switch -As-Is		1									1				1
	Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96		<u> </u>	-		+	+
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFI	CE TRA	ANSPORT							<u> </u>		 			+
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.32	489.04				1		 			
	First 4-wire 64 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL64	43.11	489.04				 		+		+	+
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					-	1		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per					2 2000										
	month		_	UNCDX	1L5XX	0.0282					 	+				1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			LILLORY	U1TD6	17.40	137.48	52.58					1			
	Termination per month	+	-	UNCDX	UTIDE	17.40	137,48	32.30			1	T				1
	Nonrecurring Currently Combined Network Elements Switch -As-Is			LINIODY	UNCCC		21.75	21.75	32.28	10.96	. [
	Charge		+	UNCDX	UNCCC	-	21./5	21./5	32.20	10.90		 				T: -
DITIONAL N	ETWORK ELEMENTS	b	000	at analy but a Court	h As le chare	e does sooly							1			
When u	sed as a part of a currently combined facility, the non-recurre	g charg	es do n	ot apply, but a Switt	the Ewitch Ac	le Charge door	not									1
When u	sed as ordinarily combined network elements in All States, the	haras '	One or	unline to each combin	ure Switch AS	is charge does	1104				1		1			
Nonrec	urring Currently Combined Network Elements "Switch As Is" C	anarge (оне ар	Pries to each combin									1			
	Nonrecurring Currently Combined Network Elements Switch -As-Is															

UNBUN	NDLED	NETWORK ELEMENTS - North Carolina												Attach		Exhi	
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Charge -	Charge - Manual Svc Order vs.
-				-				Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96						
		aneous															
		NRC - Order Coordination Specific Time - Dedicated Transport			UN1CX	OCOSR	1	18.89	18.89					1			

w

													***	Attach	ment: 2	Exhi	bit: A
UNBU	NDLĒ	NETWORK ELEMENTS - South Carolina	_						·-·			Svc Order	Svc Order			Incremental	Incrementa
					[Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
				_					RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BS	SOC			KATES(4)			percan	per Lon	1	Electronic-	Electronic-	Electronic
														Electronic-			Disc Add'i
														1st	Add'l	Disc 1st	DISC Add I
											D'			220	Rates(\$)	L	
							Rec	Nonreci		Nonrecurring		COMEO	SOMAN		SOMAN	SOMAN	SOMAN
								First	Add'l	First	Add1	SOMEC	SOMAN	SUMAN	SUMAN		SUMMIN
	The "7	one" shown in the sections for stand-alone loops or loops as pa	irt of a	combin	ation refers to Geogra	phically Dea	everaged UNE Z	ones. To view	Geographicall	y Deaveraged L	INE Zone Desig	nations by	Central Offi	ce, refer to int	ernet website	:	
	hetenille	www.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm	-												
	TIONS!	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"												l	L		L
OPERA			etate e	necific'	OSS charges as orde	ered by the S	tate Commissio	ns. The OSS c	harges curren	tly contained in	this rate exhil	oit are the B	ellSouth "re	gional" servic	e ordering ch	arges. CLEC	may elect
ı	NOTE:	: (2) Any element that can be ordered electronically will be billed lered electronically at present per the LOH, the listed SOMEC rate	in this	nig to t	ne comes the charge	that would	he hilled to a CI	FC once electr	onic ordering	capabilities co	me on-line for t	hat element	. Otherwise	e, the manual	ordering char	ge, SOMAN, w	rill be applied
	be ord	ered electronically at present per the LUH, the listed SUMEC rate	in this	catego	y renects the charge	citat wooda	De Billed to a de										
	i	OSS - Electronic Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00				1	Ĭ	
	<u> </u>	(LSR) - UNE Only				SOMEO		3.30	0.00	5.00		-					
		OSS - Manual Service Order Charge, Per Local Service Request		İ				45.00	0.00	1.97	0.00		ì				
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
UNE SE	RVICE	DATE ADVANCEMENT CHARGE												+- 		 	
	NOTE:	The Expedite charge will be maintained commensurate with Bel	lSouth	's FCC	No.1 Tariff, Section 5	as applicabl	е.							 		 	
		, , , , , , , , , , , , , , , , , , , ,															
				1	UAL, UEANL, UCL,					1							
				1	UEF, UDF, UEQ,		i			l			1				
				1	UDL, UENTW, UDN												
					UEA, UHL, ULC,		1								4	ļ	
					USL, U1T12, U1T48												1
	i															i	
					U1TD1, U1TD3,												1
					U1TDX, U1TO3,							į		1			
	ł			1	U1TS1, U1TVX							I		1			
					UC1BC, UC1BL,								ł	1			1
				1	UC1CC, UC1CL,								1	1			
i	1			1	UC1DC, UC1DL,			1									1
			ĺ		UC1EC, UC1EL,						}						
					UC1FC, UC1FL,						1						
					UC1GC UC1GL												
	1									l		1		1	1		
	l			1	UC1HC, UC1HL,			İ		1		i i		1			
				i	UDL12, UDL48,							i	ļ	1			l l
					UDLO3, UDLSX,						i					i .	ļ
					UE3, ULD12, ULD48,		l								4	1	1
					ULDD1, ULDD3,							ļ		1		1	1
	i				ULDDX, ULDO3,						1	1				1	
					ULDS1, ULDVX.												
	1				UNC1X, UNC3X,		ŀ			į			į.		1		
				1	UNCDX, UNCNX,		!					i	ì				- [
			l	1	UNCSX, UNCVX,						l		1				1
1	1				UNLD1, UNLD3.						1						1
											1			4			1
į .					UXTD1, UXTD3,							1	i i				1 .
	1			ļ	UXTS1, U1TUC,			l l		1							
				1	U1TUD, U1TUB,								1	1			
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00		<u> </u>	-				+	+	+
ORDE	R MODIE	FICATION CHARGE														ļ .	+
OILDE	Inobii	Order Modification Charge (OMC)						26.21	0.00		0.00					ļ	
-	-	Order Modification Additional Dispatch Charge (OMCAD)	-	1				150.00	0.00	0.00	0.00				ļ.,	ļ	
		EXCHANGE ACCESS LOOP	 	+-									1		4	<u> </u>	
UNBU			-	+						· ·					1		
	2-WIR	E ANALOG VOICE GRADE LOOP		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32	1					
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1			UEANL	UEAL2	21.39	37.92	17.62		5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2				UEAL2	26.72	37.92	17.62		5.32						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ		UEANL		14.94	37.92	17.62		5.32					1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<u> </u>		UEANL	UEASL			17.62		5.32			 			1
	1	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	l		UEANL	UEASL	21.39	37.92						+	+	+	1
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32	+		+	+		+
	1 -	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEANL	URETL.		8.33	0.83		1	1	-	4	4		+
<u> </u>		Moop Testing - Basic 1st Half Hour	T	1	UEANL	URET1		34.23	0.00						1	-	
	+		1	— —	UEANL	URETA		19.90	19.90								
		Loop Testing - Basic Additional Half Hour		1	U- 41L						T						
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-			UEANL	UREWO	}	15.81	8.96			1					
					LUCANL	POINTERFO		10.01	3.30								
		SL1)	+	-	-						1					1	
	 	SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)	1		UEANL	UEANM		13.47	13.47								

INBUN	IDLED	NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
ATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs Electronic Disc Add
				_	-			Nonrec	urring	Nonrecurring	Disconnect			055	Rates(\$)		
\rightarrow	-			1			Rec	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8,17	8.17								1
		Order Coordination for Specified Conversion Time for UVL-SL1 (per		$\overline{}$													
		LSR)		1	UEANL	OCOSL		18.13	18.13	1 1							1
12	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED		_	05112	10000						 				 	
- +		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4,42						
-		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<u> </u>		UEQ	UEQ2X	14.51	36.40	16.10	22.66	4,42						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-		UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		<u> </u>		102027	10.02		10.10	22.00							
- 1		Premise			UEQ	URETL		8.33	0.83	1 1					1		
-+		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	_	 	Joe Co	IOILEIL		0.00	0.00							 -	
- 1		Designed (per loop)		1	UEQ	USBMC	}	8.17	8.17	} J		1					i
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			0.00	OODING		0.17	. 0.17	 							
		providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13.47								
-+		Loop Testing - Basic 1st Half Hour	_		UEQ	URET1		34.23	0.00								
-+	-	Loop Testing - Basic 1st Half Hour		 	UEQ	URETA		19.90	19.90								
-		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			DEQ	OKEIA		19.90	15.50			-					
		ND)		1	UEQ	UREWO	į	14.30	7.45	1 [[]			1	ĺ	
· · · · · · · · · · · · · · · · · · ·		(CHANGE ACCESS LOOP		_	UEQ	OREWO		14.30	7.45	l							
																	
- 12		ANALOG VOICE GRADE LOOP		—													
- 1	- 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		Ι.	l	J.,											ł
		Ground Start Signaling - Zone 1		1_	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
- 1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1											i
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	23,13	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1			i					!					
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-								_					
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse									-						
1		Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61	i l				l	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1						i				· · · · · ·	
1		Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61	1 1]	ļ	j
	$\overline{}$	CLEC to CLEC Conversion Charge without outside dispatch		_	UEA	UREWO		87.90	36.44					-		· · ·	
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
4	-WIRE	ANALOG VOICE GRADE LOOP			<u> </u>												
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43.89	132.38	94.83		14.61					<u> </u>	
- i		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
-		CLEC to CLEC Conversion Charge without outside dispatch		-	UEA	UREWO	40.00	87.90	36.44		14.61	-					
-		ISDN DIGITAL GRADE LOOP			UEA .	DIVENO		87.90	30.44								
- 2				1	UDN	U1L2X	25.21	447.50	80.03	52.05	10.61						
		2-Wire ISDN Digital Grade Loop - Zone 1				U1L2X	32.76	117.58						-			
_		2-Wire ISDN Digital Grade Loop - Zone 2			UDN			117.58	80.03	53.05	10,61						-
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
-		CLEC to CLEC Conversion Charge without outside dispatch			ŲDN	UREWO		91.82	44.25								
2		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLELO	OP													
i		2 Wire Unbundled ADSL Loop including manual service inquiry &															
		facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry &															
		facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop including manual service inquiry &												1			
		facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		. 1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
		2 Wire Unbundled ADSL Loop without manual service inquiry &													i		1
		facility reservaton - Zone 2	l	2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93				1	l	1
-		2 Wire Unbundled ADSL Loop without manual service inquiry &		i													
J		facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93	j l			1	1	ĺ
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48			1				_	
- 12	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOC)P						1					i –	1	i -
		2 Wire Unbundled HDSL Loop including manual service inquiry &				1		T T								i —	t
J		facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93				1	1	1
-		2 Wire Unbundled HDSL Loop including manual service inquiry &		1		-						1			1	t	t
		facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93			İ	I	I	i

													Attachr			ibit: A
BUNDLE	NETWORK ELEMENTS - South Carolina RATE ELEMENTS	Interim	Zone	B S	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
			\vdash			Rec	Nonrec		Nonrecurring L		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
						Rec	First	Add'i_	First	Add'l	SUMEC	SUMAN	JOHN	00,,,,,,,,		
-	2 Wire Unbundled HDSL Loop including manual service inquiry &					i			50.07	7.93						
	facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50,37	7.93	-				1	
	2 Wire Unbundled HDSL Loop without manual service inquiry and							00.50	50.37	7.93	1				1	
	facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	_66.50	50.37	7.55						
-	2 Wire Unbundled HDSL Loop without manual service inquiry and	T			I I	40.00	104.49	66.50	50.37	7.93						
	facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	00.30	30.57							
$\overline{}$	2 Wire Unbundled HDSL Loop without manual service inquiry and					11.40	104.49	66.50	50.37	7.93						
	facility reservation - Zone 3		3	UHL	UHL2W	11,40	86.32	40.48								
	OLEC to CLEC Conversion Charge without outside dispatch	1	<u>Ļ</u> _	UHL	UREWO		00.02	40.40								_
4-WIRI	FUICH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIL	BLE LOC)P		_										1	
$\neg \neg$	4 Wire Unbundled HDSL Loop including manual service inquiry and	1	1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						+
	facility recentation - Zone 1		1	UHL	UHL4X	10.02	100.10								1	
	4-Wire Unbundled HDSL Loop including manual service inquiry and		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	facility reservation - Zone 2	+-	+	UNL	UTILAX	14.00						1	1		1	
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1	3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		1				
	facility reservation - Zone 3		+-	OFIL	UILTA			-						1	1	
	4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38					_	
	facility reservation - Zone 1	+	+	OIL	QTIZ-TT						1					
1	4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						_
	facility reservation - Zone 2	_	+	OTTE								1			1	
	4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38	-					+
	facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	_	+	UHL	UREWO		86.32	40.48					1	 	-	_
	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		+-							14.61		1		 	· · · ·	_
4-WIR	4 Wire Unbundled Digital 19.2 Kbps	_	1	UDL	UDL19	29.93	126.66	89.12		14.61					-	_
-	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	33.99	126.66	89.12		14.61						
	4 Wire Unbundled Digital 19.2 Kbps	1		UDL	UDL19	34.74	126.66	89.12		14.61		+				
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12		14.61						
+	i4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66			14.61						
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	34.74	126.66 126.66	89.12		14.61						
+	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	29.93	126.66	89.12		14.61						
+-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33.99 34.74	126.66	89.12		14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	102.34							T	:	
-	CLEC to CLEC Conversion Charge without outside dispatch		+	UDL	UREWO		102.54	45.00								
2-WIR	Ellabundled COPPER LOOP		+-									T	1			
	2-Wire Unbundled Copper Loop-Designed including manual service	:		UCL	UCLPB	12.19	119.91	69.62	50.37	7.93					<u> </u>	
	inquiry & facility reservation - Zone 1		+-1-	UCL	UCLPB	12.13	110.01	-					1			
	2-Wire Unbundled Copper Loop-Designed including manual service	:	1 .	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93	3	l				
	inquiry & facility reservation - Zone 2		2_	UGL	OCLEB	10.71								1	1	
Π'	2 Wire Unbundled Copper Loop-Designed including manual service	'	3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93	3]			-		
	inquiry & facility reservation - Zone 3		+-3-	UCL .	GOL! D				1			1		i		
	2-Wire Unbundled Copper Loop-Designed without manual service	- 1	١.,	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93	3			-		
	inquiry and facility reservation - Zone 1		+- -	1001	1002.11							1		1		
l l	2-Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93	3					
	inquiry and facility reservation - Zone 2	_	+-	OOL .						1			1 .		1	
1	2-Wire Unbundled Copper Loop-Designed without manual service	-	3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.9:	3			+		
	inquiry and facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch (UCL-	. _	Ť						,					1		
	Des)	- 1		UCL	UREWO		94.87	42.57	<u>' </u>			-	1	+		-
4 3457	RE COPPER LOOP	_	_									+-		+		-
4-WI	4-Wire Copper Loop-Designed including manual service inquiry and	ď								10.3						
	facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.3						
-	4-Wire Copper Loop-Designed including manual service inquiry and	d	\top						55.12	10.3	R		1			
	facility reservation - Zone 2	- 1	2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.3	-					
-	4-Wire Copper Loop-Designed including manual service inquiry an	d					144.17	93.88	55.12	10.3	8					:
	facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.80	33.12	10.0			-			
	4-Wire Copper Loop-Designed without manual service inquiry and					10.04	119.13	81.1	5 55.12	10.3	8			1		
	facility reservation - Zone 1			UCL	UCL4W	19.64	119.13	61.13	55.12	1		T				
	4-Wire Copper Loop-Designed without manual service inquiry and				1101 414	20.90	119.13	81.1	55.12	10.3	8					
1	facility reservation - Zone 2	- 1	2	UCL	UCL4W	20.90	(18.10	01.11								
	4-Wire Copper Loop-Designed without manual service inquiry and								55.12	10.3						

LINELINDI E	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Fyhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Sva Order Submitted Elee per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Charge - Manual Svo Order vs.
1		-	-		1		Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates(\$)		
					-	Rec	First	Add'l	First	Add'	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	51 F0 1 F0 0	— —	-				Filst	Audi	F // 54	Add	SOMEC	SOMAN	SOMAN	JOHAN	SOMAN	SOME
!	CLEC to CLEC Conversion Charge without outside dispatch (UCL-			UCL	UDEWO !	ļ	94.87	42.57							l	1
	Des)		1	UCL	UREWO		8.17	8.17			1		_			
	Order Coordination for Unbundled Copper Loops (per loop)	 		UEA, UDN, UAL,	OCLMC		. 0.17	0.17								
	Order Coordination for Specified Conversion Time (per LSR)	1	1	UHL UDL	OCOSL		18,13								ł	
LOOP MODIF				Ont, ODE	OCCOR		10,13							 		1
LOOP MODIF	ICATION	 	+ -	UAL, UHL, UCL.							 		-			
				UEQ. ULS. UEA.												
1 1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair	1	1	UEANL, UEPSR.	1		-							i		
í í	less than or equal to 18k ft, per Unbundled Loop	1	1	UEPSB	ULM2L		32.46	32.46	1		ł.	Į.		1	ł	1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	1	1													1
	than or equal to 18K ft, per Unbundled Loop	1	1	UHL, UCL, UEA	ULM4L	1	32,46	32.46		_						
		$\overline{}$	1	UAL, UHL, UCL,							1				1	
		1		UEQ, ULS, UEA,								!		ļ		
	Unbundled Loop Modification Removal of Bridged Tap Removal, per	1	1	UEANL, UEPSR,										1	j	
	unbundled loop		1	UEPSB	ULMBT		32,48	32.48			<u> </u>			<u> </u>	1	
SUB-LOOPS			T													1
Sub-l	Loop Distribution															
															1	1
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		241.42	241,42								
									Į.						1	1
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	. 1		UEANL	USBSB		22.89	22.69								1
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility		Ţ		!				ţ					Į.	1	1
	Set-Up	1		<u>UEANL</u>	USBSC		177,84	177.84								
			1						i		l			1		1
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		↓	UEANL	USBSD		55. <u>58</u>	55.58	<u> </u>					 		1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	1	1	1							l	l		J	i	1
	1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71				}		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		١											J		1
	2		2	UEANL	USBN2	12.58	65.94	31.03	45,35	6.71	 				ļ	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	١	١.						45,35	6.71	1			}		1
	3		3	UEANL	U\$BN2	14.79	65.94	31.03	45.35	6.71					<u> </u>	
		1	1				0.45	0.43					*	1)	1.
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17			 				 	-
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1		UEANL	USBN4	14,11	79.21	44,29	49.82	9.09) .)		ļ	ľ	
	1	 	1	UEANL	USBINA	14.11	79.21	44,29	49.02	9.09	1			-	-	
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone	1	2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09	1)			1	
	2		Z	UEANL	USBN4	19.40	79.21	44.29	49.02	9.09	 				<u> </u>	1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09					1	1
	13	1	1 3	DEANL	U3BN4	10.80	/3.21	44.25	49.02	9.03	 			} 	 	1
	Out a Constitution for Unburgled Sub-Loops, por sub-loop pair		1	UEANL	USBMC		8.17	8.17			1	ł		l		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71	+	·				
	Sub-Loop 2-Wire intrabuliding Network Cable (INC)	- '-		DEAINE	USBRZ	2.41	33.13	10.21	40.00	0.71	-			 		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL	USBMC		8.17	8,17	į.		i				1	1
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	 	 	UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	Sub-Loop 4-vvire intrabuliding ive(work Cable (live)	 		DEANL	03514	J.30	33.30	24,47	45.02	- 0.00						_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	i		UEANL	USBMC		8.17	8.17	1				1			1
	Loop Testing - Basic 1st Half Hour	 	 	UEANL	URET1		34.23	0.00					-			
	Loop Testing - Basic Additional Half Hour		+-	UEANL	URETA		19.90	19.90			1				_	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1 1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71	_					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	T i	<u> </u>	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						1
	E TITLE COPPET CITE AND COOP ENGLISHMENT - ZOTTE O	l	+ -~	T			00.04	550	1	5.7.						1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	i		UEF	USBMC		8.17	8,17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		ÜEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		8.17	8.17	<u> </u>		L					
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	1	\Box													
	Designed and Distribution Subloops	1	1	UEF, UEANL	URETL		8.95	0.88							ľ	1

UNBU	NDLED	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEG			Interim	Zone	BCS	usoc			RATES(\$)		D'anni		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic Disc Add'i
				-			Rec	Nonrec First	Add'l	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	,	Loop Testing - Basic 1st Half Hour		\vdash	UEF	URET1		34.23	0.00	riist	Auu	JOINE	JOHNA	JOHNAN	OO MAN	COMM	COMPAN
		Loop Testing - Basic Ist Hall Hour	-	 	UEF	URETA		19.90	19.90				`				İ
		Hed Sub-Loop Modification		_	02.	OI LETT		75.50	10.00			-				T	
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1		 											
		Coil/Equip Removal per 2-W PR			UEF	ULM2X	i	176.17	5.11								
_		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip			1										1		
		Removal per 4-W PR			UEF	ULM4X		176.17	5.11						•		
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			luer	ULMBT		278.82	6.13								
	Unbun	bled Network Terminating Wire (UNTW)		-	OL:	CLIVID		270.02	0.10						-		
	Jiibuni	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20			· · 					
	Networ	k Interface Device (NID)				, ,	0.0000	55.20									
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79								
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92								
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92								
UNEO	THER, PI	ROVISIONING ONLY - NO RATE															
	T	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	1	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL, UEF, UEQ, UE											i	1
		Unbundled Contract Name, Provisioning Only - No Rate		<u> </u>	NTW	UNECN	0.00	0.00									
				1	UAL,UCL,UDC,UDL,								1			i	
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNEÇN	0.00	0.00									
LOOP	MAKE-U			<u> </u>	<u> </u>												
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
		Loop Makeup - Preordering With Reservation, per spare facility						25.42	05.40								
	-	queried (Manual).		-	UMK	UMKLP		25.49	25.49								-
	1	Loop MakeupWith or Without Reservation, per working or spare			UMK	UMKMQ		0.34	0.34				ļ				1
I BIE C	HARING	facility queried (Mechanized)			UWIN	OWINGVIQ		0.54	0.54			-					
LINE 3	NOTE 1	: The Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02, 2003 th	rough midni	aht October 01.	2004 shall be	illed as follow	s:							
	NOTE 1	: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")					[
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		T													
		: 10/02/2005 10/01/2006; 75% of the rate for UCLND															
	NOTE 1	: Above will apply to USOCS; ULSDT and ULSCT		\vdash													
	**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSD	C and L	JLSCC	applies only to circui	its installed a	nd inservice of	n or before Octo	ber 1, 2003								
		IARING															
	SPLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00		0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00					-	
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation						00	0.55	40.00	0.55						
		(per LSOD)		-	ULS	ULSDG		86.67	0.00	49.95	0.00						
	END US	ER ORDERING-CENTRAL OFFICE BASED LINE SHARING								-							
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)		L	ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -	l	1		i							1				1
		Central Office Located (50% of UCLND) - please see NOTE 1						40	40.55	40.01	4.55						
		(E:10/2/2004)	<u> </u>		ULS	ULSDT	6.47	18.55	10.62	10.04	4,93						
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						
		(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST	_	-	ULS	OLSDI	9.71	10.55	10.02	10.04	4.93					1	
		Owned Splitter)			ULS	ULSDS		16.42	8.21								
		Line Sharing - per Subsequent Activity per Line	_	_		52000		10.42	J.21						1	1	1
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8.21								
_		Line Sharing - per Line Activation (DLEC owned Splitter) -				1			27								
		OBSOLETE see **NOTE 2	1		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

NRUNDI E	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
ATEGORY	ALL WORK ELEMENTS SOUTH SERVICE	Interim	Zone	BCS	USOC						Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Incremen Charge
													1st	Addil	Disc 1st	Disc Ad
		+					Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
		— —				Rec	First	AddT	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
_	Line Share Service, TRO per line activation, CLEC owned splitter -	\top														
	Central Office Located (25% of UCLND) - please see NOTE 1	1												i		
	(E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74					ļ.	
	Line Share Service, TRO per line activation, CLEC owned splitter -	+-	_	020	10200.			10.51				-			-	
	Central Office Located (50% of UCLND) - please see NOTE 1		1								l					
i i	(E:10/2/2004)	ł	1	lucs	ULSCT	6.47	47.44	19.31	20.67	12.74	ł			ł	l	
	Line Share Service, TRO per line activation, CLEC owned splitter -	1-												i		
	Central Office Located (75% of UCLND) - please see NOTE 1	-	1			1	i									
	(E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74					1	
MAIN	TENANCE	-	-		1.2.7											—
	No Trouble Found - per 1/2 hour increments - Basic		1		1		80,00	55.00			T					1
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160,00	110.00								
BUNDLED	DEDICATED TRANSPORT	1	1													
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
*	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
Į.	Per Mile per month]	J	U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
1	Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91	1					
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade										1.					
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167	[1					
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination	1	1	U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
_	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month		1	U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -		1													
	Facility Termination	1	1	U1TVX	U1TV4	21.29	40.63	27,47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per		-													
	month	1		U1TDX	1L5XX	0.0167	}									
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91					i	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per		1 "											· · · · · · · · · · · · · · · · · · ·		
	month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1				***										
ł	Termination	1	1	U1TDX	U1TD6	16.76	40.63	27.47	16.77	6,91						1
NALING (C																
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP6A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3			UDB	TPP9A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	16.93	35.61	35.61	16,48	16,48				<u></u>		
	CCS7 Signaling Termination, Per STP Port		<u> </u>	UDB	PT8SX	163.49									<u> </u>	
İ	CCS7 Signaling Point Code, per Originating Point Code	1				i										ı
	Establishment or Change, per STP affected	1	<u> </u>	UDB	CCAPO		29.08	29,08	35.65	35.65	<u> </u>					ļ
	CCS7 Signaling Point Code, per Destination Point Code	1			1											
	Establishment or Change, Per Stp Affected		<u> </u>	UDB	CCAPD		29.08	29.08	35,65	35 <u>.65</u>						
1 SERVIC	E	<u>. </u>	! _				100 50									
	Local Channel - Dedicated - 2-wr Voice Grade	<u> </u>	ļ			15.33	193,53	33.24	36.72	3.21						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1				0.0167									<u> </u>	↓
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination	+	—			24.30	40.63	27.47	16.77	6.91	 			<u> </u>	 	+
	Local Channel - Dedicated - DS1 - Zone 1	+	⊢ —			42.62	177.87	154,06	22.24	15.30				-	-	+
	Local Channel - Dedicated - DS1 - Zone 2	+	 			70.32 190.68	177.87 177.87	154.06	22.24 22.24	15.30 15.30	1			<u> </u>	 	+
	Local Channel - Dedicated - DS1 - Zone 3	+	 	 			1/7.87	154.06	22.24	15.30					 	+
	Interoffice Transport - Dedicated - DS1 Per Mile	+	+			0.3415					-	-		 	 	+
	Interesting Transport Designated DO4 Des Freith, Transit of	1		1		77.14	89,47	81.99	16.39	14.48				l		1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination	+	┿			//.14	89,47	81,99	10.39	14.48	 					
+-	<u> </u>	1		 	 !											+
				<u>' </u>	-;						}		ļ .	 	 	
FUTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G	PACE	TEPO	EICE TO A NEDOD	, i - i					_	 	-			l —	+
EXIE	2-WireVG Loop in combination - Zone 1	AUE IN		UNCVX	UÉÁL2	16.68	105.98	68.43	53.05	10.61					 	+
	12-14 II C A C COOD III COMDINATION - ZONE 1	1	1 1	I O I TO V A	10LALE !	10.00 [100,50	00.43	99.00	10.01				1	<u> </u>	

													Attach	ment: 2		ibit: A
INBUNDL	ED NETWORK ELEMENTS - South Carolina	_	_								Svc Order	Svc Order	Incremental	Incremental	Incremental	
					1 1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge •
											Elec	Manually	, Manual Svc	Manual Svc	Manual Svc	Manual Svo
			1		1											Order vs.
ATECORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
CATEGORY	RATE CELINERIUS	[1		1 1								Electronic-	Electronic-	Electronic-	Electronic
		i	i		1 1								7St	Addi	Disc ist	Disc Addi
		l	1										<u></u>			
		-					Nonrect	ırrina	Nonrecurring	Disconnect	l			Rates(\$)		
		-	₩		 	Rec -	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			 _		UEAL2	28.46	105.98	68.43	53.05	10.61						
	2-WireVG Loop in combination - Zone 3	-	3	UNCVX	UEALZ	20.40	100.00	00.10								1
		1	1			20404										
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			1	i			27.47	16.77	6.91			1	1		
1	per month			UNCVX	U1TV2	19.44	40.63	27.47	10.77	0.51			-			
	Nonrecurring Currently Combined Network Elements Switch -As-Is		T				1			7.00	1	ļ		l	İ	1
	lat	1	1	UNCVX	UNCCC		5.61	5.61	7.00	7.00						
EVT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADEIN	TEROF	FICE TRANSPORT											-	
EXI	ENDED 4-WIRE VOICE GRADE EXTENDED COST, 4 WALL TOILE C.	1	1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
_	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 3		+ "	OITOVA	0000	12.50										1
				UNCVX	1L5XX	0.0134						i				
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		-	UNCVX	ILDAA	0.0134					T	-				
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination					47.00	40.63	27.47	16.77	6.91		1		1		
	per month	<u> </u>		UNCVX	U1TV4	17.03	40.63	27.47	10,77				+			
FXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	SINTER	OFFICE	TRANSPORT				00.40	59.35	14.61	-					
	4-wire 56 kbps Local Loop in combination - Zone 1	T	1 1	UNCDX	UDL56	29.93	126.66	89.12				-		-		
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12		14.61					 	
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	4-wire 56 kops Local Loop In combination - 20ne 5	+	1-						Γ'			1	1	1	1	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per	1	1	UNCDX	1L5XX	0.0134										
	Mile per month	—	_	CNODA	120701	0.0101									İ	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			LINDDY	U1TD5	13.41	40.63	27.47	16.77	6.91					1	
	Facility Termination per month			UNCDX	UTIDS	10.41	40.00									
EX1	FENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	SINTER	OFFICE	TRANSPORT		29.93	126.66	89.12	59.35	14.61						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64		126.66	89.12	59.35	14.61						1
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		. 2	UNCDX	UDL64	33.99		89.12	59.35	14.61		 				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	Τ'	2_	UNCDX	UDL64	33.99	126.66	89.12	59.55	14.01						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per		1			i i								1	i	
	Mile per month			UNCDX	1L5XX	0.0134									 	
-	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															1
	Interoffice Transport - Dedicated - 4-wire of Rops combination	1		UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		-				+
	Facility Termination per month FENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EPOEE	ICE TRA	NSPORT									<u> </u>			-
EXT	FENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DOUBLING	LKOIT	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61			_			-
	First 4-wire 56 kbps Local Loop in combination - Zone 1	+	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		i	1			
	First 4-wire 56 kbps Local Loop in combination - Zone 2	-	3		UDL56	34.74	126.66	89.12	59.35	14.61				l		
	First 4-wire 56 kbps Local Loop in combination - Zone 3		1 3	UNCUX	ODESO	34.14	120.00								1	
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile pe	r		İ	41.530	00424						1	1			
1	month			UNCDX	1L5XX	0.0134							-	1	1	
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			1	1			07.47	16.77	6.91	1					
	Termination per month	1		UNCDX	U1TD5	13.41	40.63	27.47	16,77	0.91		-		+		
	Nonrecurring Currently Combined Network Elements Switch -As-Is										1		1			
i				UNCDX	UNCCC		5.61	5.61	7.00	7.00	<u> </u>					
-	Charge TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	FROFF	CETR	ANSPORT								-				
EX	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DOG AV	1	1	UNCDX	UDL64	29.93	126.66	89.12		14.61						+
	First 4-wire 64 kbps Local Loop in combination - Zone 1	+		UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61					1	
	First 4-wire 64 kbps Local Loop in combination - Zone 2	-		UNCDX	UDL64	34.74	126,66	89.12		14.61		T				
	First 4-wire 64 kbps Local Loop in combination - Zone 3	+	3	UNCDA	UDL04	04.74	120.00					1			ì	
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per			LINORY.	41.5	0.0134										
	month			UNCDX	1L5XX	0.0134					1					
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility						40.00	07.43	16.77	6.91						
	Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	10.//	6.91	1	_	-	1		
H-	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00	<u>'</u>					
ADDITION	A ALEXANDER EL CHENTE	1									-	-	+	-		_
		ng char	res do	not apply, but a Swit	ch As Is chare	ge does apply.						-				
W	nen used as a part of a currently combined facility, the hon-recurrence used as ordinarily combined network elements in All States, the	e nor-r	ecurrin	g charges apply and	the Switch A	s is Charge does	not.								-	
W	nen used as ordinarily combined network elements in All States, in precurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	onlies to each combi	nation)											
No	nrecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a)	posta to each combi							1	1				
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCVX	UNCCC		5.61	5.61	7.00	7.00)					
	Charge - 2 wire/4-Wire VG			UNCVA	DIVOCC	+	0.01	3.01	1.00			1				
	Nonrecurring Currently Combined Network Elements Switch -As-Is				111000		5.61	5.61	7.00	7.00				1.		
	Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00	-	1		-		
	scellaneous						10.77					+				
Mi				UN1CX	OCOSR	1	18.90	18.90	, , , , , , , , , , , , , , , , , , , ,			1				
Mi	NRC - Order Coordination Specific Time - Dedicated Transport			UNION .	UEPVF	3.04	0.00	0.00								

NBUNDL F	D NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
ATEGORY		Interim	Zone	ВS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'i	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge
			-			Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
The "	Zone" shown in the sections for stand-alone loops or loops as pa	art of a	combin	ation refers to Geogr	aphically De	averaged UNE	Zones. To view	Geographicall	y Deaveraged I	JNE Zone Desi	gnations by	Central Offi	ce, refer to ini	rnet Website	5	
http://	www.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	on.htm						,	,	1					
						l			41	45-14	hit am tha B	laliCouth "re	oional" cand	on ordering ch	arges CLEC	mayelect
NOTE	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES" 1: (1) CLEC should contact its contract negotiator if it prefers the 1- the state specific Commission ordered rates for the service order	'state s	pecific	OSS charges as ord	ered by the	State Commissi	ons. The OSS	harges curren	tiy contained ii	tnis rate extis	ost are the b	f CI EC bas a	interconnec	tion contract	etablished in	each of t
NOTE	 (2) Any element that can be ordered electronically will be billed dered electronically at present per the LOH, the listed SOMEC rate 	accord	ing to t	ne SOMEC rate listed	that would	be billed to a C	I FC once elect	ronic orderina	capabilities co	me on-line for	that elemen	t. Otherwise	, the manual	ordering char	ge, SOMAN, w	ill be app
be or	derec electronically at present per the LOH, the listed SOMEC falls: (3) OSS - Manual Service Order Charge, Per Element - UNE Only	**Pleas	se see a	onlicable rate eleme	nt for SOMA	N charge**										
NOTE	OSS - Electronic Service Order Charge, Per Local Service Request	ı ıcu.	1		1											
	(LSR) - UNE Only		ŀ		SOMEC		3.50	0.00	3.50	0.00						
E SERVICE	DATE ADVANCEMENT CHARGE															
NOTE	The Expedite charge will be maintained commensurate with Be	llSouth	's FCC	No.1 Tariff, Section 5	as applicab	le.					-					+
				IJAL, UEANIL, UCL, UEF, UDF, UEQ, UDF, UEM, UDF, UEQ, UHL, ULC, USL, UHTL, UTTB, UTTD1, UNCTX, UNCOX, UNCNX, UNCOX, UNCNX, UNCOX, UNCNX, UNCOX, UNCNX, UNCOX, UNCNX, UNCOX, UNCNX, UNCOX, UNCNX, UNCOX, UNCOX, UNCOX, UNTD1, UNTD3, UXTD1, UTTD1, UTTUB	SDASP		200.00									A. A. A
DDED MOD	_NE Expedite Charge pe_C _ut or Line Assignable USOC, per Dis	_	 	U1TUA	OD/10	1										
.55, 1100	Order Modification Charge (OMC)						26.21	0.00						-		
	Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00	-		 			-
BUNDLED	EXCHANGE ACCESS LOOP				ļ							+			-	-
2-Wif	RE ANALOG VOICE GRADE LOOP	<u> </u>	-	LIEANI	UEAL2	11,74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	: -
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-		UEANL UEANL	UEAL2	17.59		20.02					20.35			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL	UEAL2	29.37		20.02					20.35			:
_	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3			UEANL	UEASL	11.74		20.02					20.35	10.54	13.32	2
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 		UEANL	UEASL	17.59		20.02				1	20.35	10.54		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	—		UEANL	UEASL	29.37		20.02					20.35			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť		T											
	Premise			UEANL	URETL		8.33	0.83	L			<u> </u>	20.35			
	Loop Testing - Basic 1st Half Hour	-		UEANL	URET1		57.67	0.00					20.35			
	Leop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44					20.35	10.54	13.32	<u> </u>
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	2
	SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	-	+	CEAINE	UNEWO		15.80	0.93			1		· -			
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		25.33	25.33					0.00			
	providing make-up (Engineering information - C.)			UEANL	UEAMC		36.52	36.52	1	1	4		0.00	0.00	0.00)

INBLINDI FO	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submittec Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- DISC Add'l
			<u> </u>			Rec	Nonrecurring First	Addʻl	Nonrecurring First	Add'i	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	ocosi.		34.29						0.00	0.00	0.00	0.00
2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED				<u> </u>						_					<u> </u>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	11.74	31.99	20.02	10.65 10.65	1,41			20.35	10.54 10.54	13.32 13.32	13.32 13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	++	2	UEQ	UEQ2X UEQ2X	17,59 29.37	31,99 31.99	20.02	10.65	1.41	i	_	20.35	10.54	13.32	13.32
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEQ	UEQZA	25.31	31.99	20.02	10.03	1.41			20.55	10.54	13.52	10.52
	Premise		ļ	UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		36.52	36.52					0.00	0.00	0.00	0.00
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST	Г	1		1											
	providing make-up (Engineering Information - E.I.)	<u> </u>	-	UEQ	UEQMU		25.33	25.33			ļ		20.35	10.54	13.32	13.32
	Loop Testing - Basic 1st Haff Hour		-	UEQ	URET1		57.67	0.00					20.35	10.54 10.54	13.32	
	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-		+	UEQ	URETA		37.44	37.44					20.35	10.54	13.32	13.32
	IND)	l		UEQ	UREWO		14.29	7.44	i i				20.35	10.54	13.32	13.32
INBUNDLED :	IND) EXCHANGE ACCESS LOOP	 	+-		DREWO		17.23				1	_	20.00	10.04	15.52	13.02
	ANALOG VOICE GRADE LOOP			 				-			-					!
2-771112	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1													ī
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1													
	Ground Start Signaling - Zone 2	Ĺ <u>.</u>	2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		_ 1	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64			. 20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	[2	UEA	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64		_	20.35	. 10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	Loop Tagging - Service Level 2 (SL2)		1	UEA	URETL		11.23	1,10					20.35	10.54	13.32	13.32
4-WIRE	ANALOG VOICE GRADE LOOP		-								-			10.54	10.00	10.00
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21.98	122.76	85.57	76.35	39.16			20.35 20.35	10.54 10.54	13.32 13.32	
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.93	122.76	85.57	76.35	39.16				10.54	13.32	
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4 UREWO	54.99	122.76 75.06	85.57 36.41	76.35	39.16			20.35 20.35	10.54	13.32	
2 MIDE	CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP		\leftarrow	UEA	UKEWO		75.06	36.41			ļi		20.35	10.54	13.32	13.34
Z-WIRE	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.77	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29.63	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3	 		UDN	U1L2X	49.47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.33
	CLEC to CLEC Conversion Charge without outside dispatch	1		UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLELO	OP													
	2 Wire Unbundled ADSL Loop including manual service inquiry &		1			40.00	450.05	04.54	00.64	16.93			20.35	10.54	13.32	13.32
	facility reservation - Zone 1		1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93	-		20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1												13.32	
	facility reservator - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10,54		13.32
	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &	1	2	UAL	UAL2W	18,43	89.40	35.91	72.02	11,48			20.35	10.54	13.32	13.32
	facility reservator - Zone 3		3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch	1 1	Ī	UAL	UREWO		31.99	20.02	-				20.35	10.54	13.32	13.32
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOC	T		-											
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32

E		

RONDLE	NETWORK ELEMENTS - Tennessee	, —									0 - 0 -	0	Attach			bit: A
regory		Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electro Disc A
		I				Rec	Nonrecurring	4 - 111	Nonrecurring		SOMEC	SOMAN		Rates(\$)	SOMAN	SOM
	2 Wire Unbundled HOSL Loop including manual service inquiry &	 	-				First	Add'l	First	Add'l	SUMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUM
	facility reservation - Zone 3	1	3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93			20.35	10.54	13.32	١.
_	2 Wire Unbundled HDSL Loop without manual service inquiry and												_			
	facility reservation - Zone 1		1	UHL	UHL2W	9,64	89.40	35.91	72.02	11.48			20.35	10.54	13.32	-
1	2 Wire Unbundled HDSL Loop without manual service inquiry and	1	2	UHL	UHL2W	14,44	89.40	35.91	72.02	11.48			20.35	10.54	13.32	j
- 	fability reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and	+-'-	-	UnL	UNLZW	14,44	65.40	33.91	72.02	11.40			20.00	10.54	10.02	-
	facility reservation - Zone 3	1	3_	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48			20.35	10.54	13.32	
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	_
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOC	P_													1
1	4 Wire Unbundled HDSL Loop including manual service inquiry and		1	UHL	UHL4X	12,40	169.62	75.89	39.73	19.53	ļ		20.35	10.54	13.32	
	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry and	+	+-	UHL	UHL4X	12,40	109.02	13.69	39./3	19.55	-		20.33	10.54	13.32	
	facility reservation - Zone 2		2	UHL	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	
	4-Wire Unbundled HDSL Loop including manual service inquiry and	\vdash														
	facility reservation - Zone 3		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	├
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1 .	١.	l				40.00	70.70	40.07		,	20.25	40.54	42.22	
	facility reservation - Zone 1		1_	UHL	UHL4W	12.40	100.09	46,60	75.75	13.97	-	_	20.35	10.54	13.32	
	4-Wire Unbundled HDSt. Loop without manual service inquiry and facility reservation - Zone 2	١,	2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	
-	4-Wire Unbundled HDSL Loop without manual service inquiry and	+	1-	OTIL .	- OTILETIA	10,50	100.03	40.00	700					10.0		—
1	facility reservation - Zone 3	1	3	UHL	UHL4W	31.03	100.09	46,60	75.75	13.97			20.35	10.54	13.32	L.
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															ـــــ
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.68	207.01	141,38	90.70	44.18			20.35	10.54	13.32	\vdash
ļ	4 Wire Unbundled Digital 19.2 Kbps	ļ	3	UDL	UDL19 UDL19	41.47 69.24	207.01	141.38 141,38	90.70 90.70	44.18 44.18			20.35	10.54	13.32 13.32	- -
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	+	1	UDL	UDL56	27.68	207.01	141,38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	+	1 2	UDL	UDL56	41.47	207.01	141,38		44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	41.47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	<u> </u>	3	UDL	UDL64	69.24	207.01	141.38	90.70	44.18			20.35	10.54 10.54	13.32	
	CLEC to CLEC Conversion Charge without outside dispatch	ļ	-	UDL	UREWO		102.28	49.82			-	ļ	20.35	10.54	13.32	\vdash
2-WIRE	Unbundled COPPER LOOP 2-Wire Unbundled Copper Loop-Designed including manual service		┼				 									+-
	inquiry & facility reservation - Zone 1		1 1	lucL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.35	10,54	13.32	
1	2-Wire Unbundled Copper Loop-Designed including manual service		T													
1	inquiry & facility reservation - Zone 2	1 <u>L</u>	2	UCL	UCLPB	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2 Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	┼
	2-Wire Unbundled Copper Loop-Designed without manual service	١,	1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41	ļ	l	20.35	10.54	13.32	
-	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service	 -'-	+-	UCL	OCEI W	10.74	31.33	20.02	10.00					10.0+	15.52	┢
1	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	17.59	31.99	20.02	10.65	1,41		<u> </u>	20.35	10.54	13.32	
1	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	29.37	31.99	20.02	10.65	1,41	ļ	L	20.35	10.54	13.32	₩.
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	Ι.	1	UCL	UDEWO		31,99	20,02	ŀ				20.35	10.54	13.32	
4 3400	Des) COPPER LOOP	+ -		UCL	UREWO		31,99	20,02					20.33	10.54	13.32	+-
4-WIRE	4-Wire Copper Loop-Designed including manual service inquiry and	+	+-				1		 		l	1				t
	facility reservation - Zone 1	1	1 1	UCL	UCL4S	21.98	122,76	85,57	76.35	39.16	İ	i i	20.35	10,54	13.32	
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCI.	UCL4S	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	
-	4.Wire Copper Loop-Designed without manual service inquiry and	T .	Ť		122270	U 1.88	122.70		, 5.55		†	 				
1	facility reservation - Zone 1		1	UCL	UCL4W	21.98	122.76	85.57	76.35	39,16	<u> </u>		20.35	10.54	13.32	
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	1	2	UCL_	UCL4W	32.93	122.76	85,57	76,35	39.16			20.35	10.54	13.32	
1	4_Wire Copper Loop-Designed without manual service inquiry and	1	3	UCL	UCL4W	54.99	122,76	85.57	76.35	39,16	1	l	20.35	10.54	13.32	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sy Order vs. Electronic Disc Add
			-		 	Rec	Nonrecurring		Nonrecurring					Rates(\$)		201111
1							First	Add'l	First	Add1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-	Ι.		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
	Des) Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		36.52	36.52]		0.00	0.00	0.00	0.0
	Order Cobramation for Orbanded Copper 200ps (per 100p)		1	UEA, UDN, UAL.	DOLING		50.52						0.00	0.00	0.00	
	Order Coordination for Specified Conversion Time (per LSR)		1	UHL, UDL	OCOSL		34.29				1	l	0.00	0.00	0.00	0.0
OOP MODIFIC					-											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equel to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less		_	UEPSB	ULIVIZL		85.40	.03.40	-				20.33	10.54	10.02	10.0
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.3
	man or occurre for the per officer and			UAL, UHL, UCL,						-	 				1	
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	L		UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.3
SUB-LOOPS																
Sub-L	oop Distribution		-		-										-	·
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1_		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.3
1	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	١,		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	<u> </u>	 	OLD VIL	CODOD		72.00	42.00					20.00	10.04	10.02	10.
	Set-Up	1		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.3
ŀ	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1	ŀ	UEANL	USBSD		108.06	108.06	1				20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.3
			1													l
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		!	UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	0.0
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55		1	20.35	10.54	13.32	13.
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			DEAINL	USBIN4	0.54	100.05	31.20	74.06	11.55			20.33	10.54	13.32	13.
ŀ	2		2	UEANL	USBN4	9.80	106.85	51,20	74.08	11,55			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.3
		_	+-	02-1-12	1000111	10.00	, 100.00	01.20	7 1100					10.01		10.0
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	0.0
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	U\$BR2	1.35	94.56	29.35					20.35	10.54	13.32	13.3
											i					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		—	UEANL	USBMC		34.29	34.29		·			0.00	0.00	0.00	0.0
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	2.26	116.14	37.10	-				20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	0.0
	Loop Testing - Basic 1st Half Hour		 	UEANL	URET1		57.67	0.00			-		0.00		0.00	0.0
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44	i				0.00	0.00	0.00	0.0
_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	$\overline{}$	1	UEF	UCS2X	4.67	81,40	25.75	70.82	9.55			20.35		13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	6.99	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	ÜEF	UCS2X	11.67	81.40	25.75	70.82	9.55			20.35		13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29					0.00	0.00	0.00	0.0
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	5.85	81.74	26.08	74.08	11,55			20.35	10.54	13.32	13.3
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	8.76	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.3
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	14.63	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29					0.00	0.00	0.00	0.
ı	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			ries lisas:	upc:						i				l	
	Designed and Distribution Subloops Loop Testing - Basic 1st Half Hour			UEF, UEANL	URETL URET1		8.95 57.67	0.88			-	-	0.00	0.00	0.00	0.1
	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Half Hour			UEF	URETA	-	37.44	37.44			— —		0.00		0.00	0.0
The boson	ndled Sub-Loop Modification		1		1								2,30	5.50	0.50	!

	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exh	bit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increm Charg Manua Order Electro Disc A
-						Rec	Nonrecurring First	Add'I	Nonrecurring First	Dîsconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOM
_	Unbundled Sub-Loop Modification - 2-W Copper Dist Load						71100	ruui	7,1100	, ridar	0020	90,00,00	- Company	- COMMINI	- COMPAN	
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.35	10.54	13.32	L
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	
_	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		528.48	9.74					20.35	10.54	13.32	
Linbur	roop Indied Network Terminating Wire (UNTW)		—	UEF	OEINID!		320.40	3.74			-		20.33	10.54	13.32	
- Julia	Unbundled Network Terminating Wire (UNTW) per Pair	- 1		UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54	13.32	
Netwo	k Interface Device (NID)														11111	
	Network interface Device (NID) - 1-2 lines			UENTW	UND12		53.45	31.06		0.8391			20.35		13.32	
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.46	31.06		0.8522			20.35		13.32	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.75	8.75					20.35		13.32	<u> </u>
	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		8.75	8.75					20.35	10.54	13.32	_
OTHER, P	ROVISIONING ONLY - NO RATE		-	<u> </u>							-					1-
	NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00									-
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		\vdash	UENTW	UENCE	0.00	0.00									1
	Unbundled Contract Name, Provisioning Only - No Rate	_		UEANL,UEF,UEQ,UE NTW	UNECN	0.00	0.00							L		<u>L</u> .
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL	UNECN	0.00	0.00									
Note /1	1): Rates provided in TN for both electronic and manual Loop Ma	keun a	re inter					rmanent rate r	uling on these	rate elements	rom the Ten	nessee Rea	ulatory Autho	rity.	_	1
MAKE-L			1	1	1											
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	R		umk	UMKLW		0.76	0.76					0.00	0.00	0.00	
	Loop Makeup - Preordering With Reservation, per spare facility											-				
	queried (Manual). Loop Makeup-With or Without Reservation, per working or spare	R	-	UMK	UMKLP		0.76	0.76			-		0.00	0.00	0.00	ł
1	facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76					0.00	0.00	0.00	
SHARING	1: The Line Sharing monthly recurring rates for all installations	aamala	and from	Dotobor 02 2002 H	rough midai	abt Octobor 01	2004 chall be b	Illad as follow	٥-							+
NOTE	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copp	er loor	non-de	esigned ("UCLND")	i dagii miani	ant october or,	2004 Shan be I	illed as follow								
	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND		1						-							
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND								1							
	1: Above will apply to USOCS: ULSDT and ULSCT												4.5			
			II SCC	applies only to circu	its installed a	1:		bor 1 2003								$\overline{}$
	2: The Line Sharing monthly recurring rates with USOCs ULSD	Cand				and inservice of	n or before Octo	DEI 1, 2003								
**NOTI	HARING	Candl		i i i i i i i i i i i i i i i i i i i	- Instance (and inservice of	n or before Octo	DEI 1, 2003								
**NOTI	HARING ERS-CENTRAL OFFICE BASED	Candi					-									
**NOTI	HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity	Cand		ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35		13.32	
**NOTI	HARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	Candi					-		0.00	0.00			20.35 20.35		13.32 13.32	-
**NOTI	HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation	Cand		ULS	ULSDA	100.00	150.00	0.00								
**NOTI	HARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	Cand		ULS ULS	ULSDA ULSDB	100.00	150.00 150.00	0.00	0.00	0.00			20.35	10.54	13.32	
**NOTI	HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter -	Cand		ULS ULS	ULSDA ULSDB	100.00	150.00 150.00	0.00	0.00	0.00			20.35	10.54	13.32	
**NOTI	HARNG ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOU) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1	Cand		ULS ULS ULS	ULSDA ULSDB ULSDG	100.00	150.00 150.00 163.06	0.00	92.71	0.00			20.35	10.54	13.32 13.32	
**NOTI	HARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)	Cand		ULS ULS	ULSDA ULSDB	100.00	150.00 150.00	0.00	0.00	0.00			20.35	10.54	13.32	
**NOTI	HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA sclivaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter-	Candi		ULS ULS ULS	ULSDA ULSDB ULSDG	100.00	150.00 150.00 163.06	0.00	92.71	0.00			20.35	10.54	13.32 13.32	
**NOTI	HARNG ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOU) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1	Cand		ULS ULS ULS	ULSDA ULSDB ULSDG	100.00 25.00	150.00 150.00 163.06	0.00 0.00 0.00	0.00 92.71 0.00	0.00			20.35	10.54 10.54 10.54	13.32	
**NOTI	HARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)	Cand		ULS ULS ULS	ULSDA ULSDB ULSDG	100.00	150.00 150.00 163.06	0.00	92.71	0.00			20.35	10.54	13.32 13.32	
**NOTI	HARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Line Share Service, TRO per line activation, BST owned splitter-	Cand		ULS ULS ULS	ULSDA ULSDB ULSDG	100.00 25.00	150.00 150.00 163.06	0.00 0.00 0.00	0.00 92.71 0.00	0.00			20.35	10.54 10.54 10.54	13.32	
**NOTI	HARNG ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOU) SER ORDERING-CENTRAL OFFICE BASED LINE SHARNG Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1	Cand		ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT	100.00 25.00 25.00	150.00 150.00 163.06 40.00	0.00 0.00 0.00 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35	10.54 10.54 10.54	13.32 13.32 13.32	
**NOTI	HARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)	Cand		ULS ULS ULS	ULSDA ULSDB ULSDG	100.00 25.00	150.00 150.00 163.06	0.00 0.00 0.00	0.00 92.71 0.00	0.00			20.35	10.54 10.54 10.54	13.32	
**NOTI	HARNG ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOU) SER ORDERING-CENTRAL OFFICE BASED LINE SHARNG Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1	Cand		ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT	100.00 25.00 25.00	150.00 150.00 163.06 40.00	0.00 0.00 0.00 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35	10.54 10.54 10.54	13.32 13.32 13.32	
**NOTI	HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line	Cand		ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT ULSDT ULSDT	100.00 25.00 25.00	150.00 150.00 163.06 40.00 40.00	0.00 0.00 0.00 31.39 31.39 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32	
**NOTI	HARING ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)	Candi		ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT	100.00 25.00 25.00	150.00 150.00 163.06 40.00 40.00	0.00 0.00 0.00 31.39 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32	
**NOTI	HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1	Cand		ULS ULS ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT ULSDT ULSDT ULSDT	100.00 25.00 25.00 2.94 5.87	150.00 150.00 163.06 40.00 40.00 30.00	31.39 31.39 31.39 15.00	0.00 92.71 0.00 0.00	0.00 0.00 0.00			20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32 13.32	
**NOTI	HARNG ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOU) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Sharie Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DEC Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DEC Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DEC Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DEC Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DEC Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DEC Owned Splitter)	Candi		ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT ULSDT ULSDT	100.00 25.00 25.00	150.00 150.00 163.06 40.00 40.00	0.00 0.00 0.00 31.39 31.39 31.39	0.00 92.71 0.00	0.00			20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32	
**NOTI	HARING TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004) Line Share Service, TRO per line activation, BST owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter- Central Office Located (75% of UCLND) - please see NOTE 1	Candi		ULS ULS ULS ULS ULS ULS ULS ULS ULS	ULSDA ULSDB ULSDG ULSDT ULSDT ULSDT ULSDT ULSDT	100.00 25.00 25.00 2.94 5.87	150.00 150.00 163.06 40.00 40.00 30.00	31.39 31.39 31.39 15.00	0.00 92.71 0.00 0.00	0.00 0.00 0.00			20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54	13.32 13.32 13.32 13.32 13.32 13.32	

NOONDEEL	NETWORK ELEMENTS - Tennessee										12.2			ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
r			-				Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		-
			 	T		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1	1	1	ļ .					1	I	ĺ		ĺ	1	1	ľ
	(E:10/2/2005)		1	ULS	ULSCT	8.81	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.3
MAINT	ENANCE		1													
	No Trouble Found - per 1/2 hour increments - Basic		_				80.00	55.00			1		0.00	0.00	0.00	
	No Trouble Found - per 1/2 hour increments - Overtime		-			<u> </u>	120.00	82.50			<u> </u>	<u> </u>	0.00	0.00		
INDIAN ED E	, No Trouble Found - per 1/2 hour increments - Premium					<u> </u>	160.00	110.00					0.00	0.00	0.00	0.
	DEDICATED TRANSPORT		-								——			!		£
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		-										ļ		<u> </u>	-
1	Per Mile per month			U1TVX	1L5XX	0.0174										Į.
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVX	123701	0.01.74								1	·	+
ı	Facility Termination	I		U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade		1			10.00			2.100	- 0.01	1			1		1
1	Rev Bat Per Mile per month		l	U1TVX	1L5XX	0.0174					1	1				
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			-												1
	Facility Termination		ļ	U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0174	L						<u> </u>	i	j	
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13,07			15.08	15.08	9.80	10.5
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per															
	month		ļ	U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	l	ļ .		====											
	Termination		-	U1TDX	U1TD5	17.98	_55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
- 1	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	i	1				1		1	į.	ļ	l		1	1	1
	month	<u> </u>	—	U1TDX	1L5XX	0.0174	-						ļ <u> </u>		<u> </u>	4
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		1	U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51	1		20.35			
SIGNALING (C			 	UTIDA	UTIDO	17.98	55.39	17.37	27.96	3.51	1		20.35	21.09	9.80	10.5
SIGITALING (CI	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41							-	 	-	
	CCS7 Signaling Connection, Per DS1 level link (A link)		 	UDB	TPP6A	17.84	130.84	130.84			1		20.35	0.00	0.00	0.0
	CCS7 Signaling Connection, Per DS3 level link (A link)		1	UDB	TPP9A	17.84	130.84	130.84					20.35	0.00	0.00	
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known				111111								20.00	0.00	- 0.00	- 0.0
	as D link)			UDB	TPP6B	17.84	130.84	130.84		İ			20.35	0.00	0.00	. 0.0
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known		— —												0.00	0.0
	as D link)			UDB	TPP9B	17.84	130.84	130.84			}		20.35	0.00	0.00	0.0
	Signaling Point Code, per Originating Point Code Establishment or															
1	Change, per STP			UDB	CCAPO		121.77	121.77					20.35	0.00	0.00	0.0
	(TENDED LINK (EELs)		<u> </u>													
NOTE:	The monthly recurring and non-recurring charges below will ap	ply and	the Sv	vitch-As-Is Charge w	ill not apply fo	or UNE combin	ations provision	ned as ' Ordina	rily Combined	Network Eleme	nts					
	The monthly recurring and the Switch-As-Is Charge and not the				apply for UNE	combinations	provisioned as	'Currently Co	mbined' Netwo	rk Elements.						
EXTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	ADE IN	TEROF	UNCVX	UEAL2	14.74	108.76	35.47			 				<u> </u>	
	2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	22.08	108.76	35.47	72.94 72.94	10.86 10.86			31.26	10.42		
	2-WireVG Loop in combination - Zone 3	 	3	UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86			31.26 31.26	10.42 10.42	0.00	
	2-WileVG Edop in Cothbination - Zone 3	_	3	DINGVX	IUEALZ	30.07	100.76	33.41	12.94	10.00			31.20	10.42	0.00	0.0
1	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month		1	UNCVX	1L5XX	0.0174	1								1	
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			CHOTA	1,000	0.0114							-			
	per month			UNCVX	U1TV2	18.58	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	Nonrecurring Currently Combined Network Elements Switch -As-Is															1
	Charge			UNCVX	UNCCC	!	52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.0
EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	ADE IN														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	21.98		35.47	72.94	10.86			31.26	10.42		
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	32.93	108.76	35.47	72.94				31.26	10.42		
	4-WireVG Loop in combination - Zone 3		3_	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.0
1	10			LILLON OF	in mar		1]	!	1]	1	1		1
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0174										
1	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNCVX	U1TV4	24.09	79.83	44.08	20.22	04.55			45			
				TONICVA	IUTIV4	24.09	79.83	44.08	69.32	31.00	I	1	15.08	15.08	8.66	8.6
	per month Nonrecurring Currently Combined Network Elements Switch -As-Is		-													

NBUNDLED NET	WORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)	-	-	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
						Rec	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add't	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
EXTENDED 4	-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE	TRANSPORT												
4-wire	56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.66	108.76	35,47	72.94	10.86			20.35	10.54	13.32	
4-wire	56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
4-wire	56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	69,24	108,76	35.47	72.94	10.86			20.35	10.54	13.32	
Interof	ffice Transport - Dedicated - 4-wire 56 kbps combination - Per	1														
	per month	1	(UNCDX	1L5XX	0.0174	- 1	- 1	1		l		}	1	i	1
	ffice Transport - Dedicated - 4-wire 56 kbps combination -		_	U. 14211	1.00761	- 0.9.111										-
	v Termination per month		1	UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	1
	ecurring Currently Combined Network Elements Switch -As-Is		_	0.100/1		**.55		77.00	30.02				20.00	21.03	3.00	<u> </u>
) (************************************	Conting Containly Combined Network Elements Children) ']	UNCDX	911000	. 1		E+10E]		0.180			1
EXTENDED 4	-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE		1011000		02,10	27.02	0.12	0112			OTIMO	18111	****	
	64 kbps Logal Loop in Combination - Zone 1	1	1	UNCDX	UDL64	27,66	108.76	35.47	72.94	10.86	· ·		20.35	10.54	13.32	i -
	e 64 kbps Logal Loop in Combination - Zone 2	-	2	UNCDX	UDL64	41,47	108.76	35,47	72.94	10.86			20.35	10.54	13.32	-
	e 64 kbps Logal Loop in Combination - Zone 3		3	UNCDX	UDL64	69.24	108.76	35,47	72.94	10.86			20.35	10.54	13.32	
	ffice Transport - Dedicated - 4-wire 64 kbps combination - Per	 	3	IOINÇDX	00004	03,24	100,76	35.47	12.84	10.00	_		20.35	10.54	13.32	-
	er month			UNCDX	1L5XX	0.0174		1						l .		
		-	<u> </u>	UNCDX	1L5XX	0.01/4						. —				<u> </u>
	ffice Transport - Dedicated - 4-wire 64 kbps combination -	1			I									l		i .
	y Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	
	curring Currently Combined Network Elements Switch -As-Is													ĺ	1	1
Charg				UNCDX	UNCCC		52.73	24.62	9.12	9,12			31.26	10.42	0.00	
	-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC														
	1-wire 56 kbps Local Loop in combination - Zone 1	1	1	UNCDX	UDL56	31.10	108.76	35,47	72.94	10,86			20.35	10.54	13.32	Γ
	1-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-wire 56 kbps Local Loop in combination - Zone 3		3_	UNCDX	UDL56	53,11	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
First 4	1-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	1												l	- 7	
month				UNCDX	1L5XX	0.0174									l	1
First 4	1-wire 56 kbps Interoffice Transport - Dedicated - Facility															
Termin	nation per month]		UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	
Nonre	curring Currently Combined Network Elements Switch -As-Is															
Charg	ne .	1		UNCDX	UNCCC	1	52.73	24.62	9.12	9.12	1		31.26	10.42	0.00	ĺ
EXTENDED 4-	WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC	ETRA	NSPORT									07.20	10.42	0.00	_
	I-wire 64 kbps Local Loop In combination - Zone 1	1		UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	I-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35,47	72.94	10.86			20.35	10,54	13.32	
	I-wire 64 kbps Local Loop in combination - Zone 3	_	-	UNCDX	UDL64	53.11	108.76	35.47	72.94	10,86			20.35	10.54	13.32	
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	-	Ť		1		100.10	33.41	1 2.04	10.00			- 20.33	10.54	13.32	
month				UNCDX	1L5XX	0.0174		1					1 1	Ì		ĺ
	I-wire 64 kbps Interoffice Transport - Dedicated - Facility	_		5.1057	LUAN	0.0174										
	nation per month	1		UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35		9,80	
	ecurring Currently Combined Network Elements Switch -As-Is		<u> </u>	UNCDA	UTIDE	17.96	19.63	44.06	69.32	31.00			20.35	21.09	9,00	
				LINODY	UNCCC		50.70	24.00	0.0							
Charg		-		UNCDX	UNCCC		52,73	24.62	9.12	9.12			. 31.26	10.42	0.00	<u> </u>
ITIONAL NETWO		ــــــــــــــــــــــــــــــــــــــ			الصحباب											
	s a part of a currently combined facility, the non-recurring															
	s ordinarily combined network elements in All States, the					Charge does	not.									
	Currently Combined Network Elements "Switch As Is" C	harge (O	ne app	lies to each combi	nation)											
	curring Currently Combined Network Elements Switch -As-Is															
	ge - 2 wire/4-Wire VG			UNÇVX	UNCCC		_52.73	24.62	9.12	9.12			53.73	24.62	0.00	<u></u>
	curring Currently Combined Network Elements Switch -As-Is															
Charge	e - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54	0.00	
Miscellaneou																
INDC	Order Coordination Specific Time - Dedicated Transport			UNICX	OCOSR		18.93	18.93					0.00	0.00	0.00	