

**BellSouth Telecommunications, Inc.** 150 South Monroe Street Suite 400 Tallahassee. Florida 32301

Jerry.Hendrix@bellsouth.com

Jerry D. Hendrix Vice President Regulatory Relations

Phone: Fax

(850) 577-5550 (850) 224-5073

June 8, 2006

060443-TP

Mrs. Blanca S. Bayo Director, Division of Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Amendment to the Interconnection, unbundling, resale and collocation Agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Trinsic Communications, Inc.

Dear Mrs. Bayo:

Please find enclosed for filing and approval, the original and two copies of BellSouth Telecommunications, Inc.'s Amendment to Interconnection, unbundling, resale and collocation Agreement with Trinsic Communications, Inc.

The underlying agreement was filed on April 21, 2003 in docket 030355-TP.

This agreement should be filed in accordance with the decision rendered on February 7, 2006 in docket 041269-TP, Petition to Establish Generic docket (FLCOL). The parties have amended the agreement to incorporate the FLCOL second order (06-0299-fof-tp).

If you have any questions, please do not hesitate to call Robyn Holland at (850) 577-5551.

Very truly yours,

Regulatory Vice President

## Amendment to the Agreement Between Trinsic Communications, Inc. and BellSouth Telecommunications, Inc. Dated April 18, 2003

Pursuant to this Amendment, (the "Amendment"), Trinsic Communications, Inc. (Trinsic), and BellSouth Telecommunications, Inc. (BellSouth), hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement between the Parties dated April 18, 2003 (Agreement).

WHEREAS, on February 7, 2006, the Florida Public Service Commission (FPSC) rendered its decision in Docket No. 041269-TP, Petition to Establish Generic Docket to Consider Amendments to Interconnection Agreements Resulting from Change of Law (Decision); and

WHEREAS, on February 28, 2006, the FPSC voted to approve Staff's February 17, 2006 Recommendation to vacate its prior Decision only as to issues 5, 13, 16, 17, 18, and 22b; and

WHEREAS, on April 17, 2006, the FPSC issued its Second Order On Generic Proceeding in Docket No. 041269-TP ORDER NO. PSC-06-0299-FOF-TP, Petition to Establish Generic Docket to Consider Amendments to Interconnection Agreements Resulting from Change of Law (Second Order), rendering decisions on the issues previously vacated; and

WHEREAS, the Parties have previously amended the Agreement to incorporate the Decision, other than the vacated issues, and the Parties now desire to amend the Agreement to incorporate the Second Order;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties hereby agree to incorporate into the Agreement the contract provisions set forth in Exhibit A hereto, and such contract provisions shall apply to services provided in the State of Florida only.
- 2. The Parties hereby agree to incorporate into the Agreement the rates set forth in Exhibit B hereto, and such rates shall apply to services provided in the State of Florida only.
- 3. To the extent that such contract provisions or rates as set forth in Exhibits A and B hereto conflict with any other rates, terms and conditions in the Agreement, the contract provisions and rates in Exhibits A and B shall prevail in the State of Florida.
- 4. Further, to the extent that defined terms in this Amendment differ from defined terms in the Agreement, such defined terms in the Agreement shall be deemed to have the same meaning as the alternative defined terms in this Amendment to the extent necessary to give full effect to this Amendment consistent with the Florida Commission's Decision and Second Order.

Version: FL COL Amendment with Vacated Language 04/27/06

Page 1 of 2

- 5. This Amendment shall be approved on the date the Florida Public Service Commission issues an order approving the Amendment (Approved Date) and shall be deemed effective on March 11, 2006 (Effective Date).
- 6. All of the other provisions of the Agreement shall remain in full force and effect.
- 7. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.	Trinsic Communications, Inc.							
By: Kista & Shry	By: Del C. De							
Name: Kristen E. Shore	Name: DOVALD C. JAVIS							
Title: Director	Title: SR. VICE PROSERENT							
Date: - /2//2/	Date: Alfalas							

- 1. <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2. 4-wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Amendment, including the transition of DS1 and DS3 Loops, DS1 Loops include provisioned HDSL loops and the associated electronics whether configured as HDSL-2-wire or HDSL-4-wire loops.

## 3. Commingling of Services

- Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Trinsic has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Trinsic must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 3.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 3.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit B and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in that separate agreement between the Parties.
- When multiplexing equipment is attached to a commingled arrangement, the multiplexing equipment will be billed from the same agreement or the tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 3.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

## 4. <u>Line Splitting</u>

- 4.1 Line splitting is defined to mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 4.2 <u>Line Splitting UNE-L.</u> If Trinsic provides its own switching or obtains switching from a third party, Trinsic may engage in line splitting arrangements with another CLEC using a splitter, provided by Trinsic, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 4.2.1 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>
- 4.2.1.1 The requesting carrier provides the splitter when providing Line Splitting with UNE-L. When Trinsic owns the splitter, Line Splitting requires the following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 4.2.1.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 4.3 CLEC Provided Splitter Line Splitting UNE-L
- 4.3.1 To order High Frequency Spectrum on a particular Loop, Trinsic must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 4.3.2 Trinsic may purchase, install and maintain central office POTS splitters in its collocation arrangements. Trinsic may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4 Central Office shall apply.
- 4.3.3 Any splitters installed by Trinsic in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Trinsic may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 4.4 <u>Maintenance Line Splitting UNE-L</u>
- 4.4.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 4.5 Indemnification
- 4.5.1 Trinsic shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other

service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

## 4.6 Network Modifications

- 4.6.1 BellSouth must make all necessary network modifications, including providing nondiscriminatory access to operations support systems necessary for pre-ordering, ordering, provisioning, maintenance and repair, and billing for loops used in line splitting arrangements.
- 5. Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises. FTTH/FTTC loops do not include local loops to predominately business MDUs.
- In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide such FTTH and FTTC Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominately residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

[8 to 7 frambnamA 2000]

nemenoni la	นักรศาคาวกไ	1 Table: 1	Attachment: Incremental	Sve Order	Svc Order						<u></u> ,	**************************************	L	Ll	NETWORK ELEMENTS - Florida	ONDLED
Charge S launah 3 Order v	- Sharge - Manual Sv Order va.	Charge - Manual Svc Order va. Electronic- Add'I	Manual Svc Order vs.	Charge - Manual Svc Order vs.		bethimdu2 sel3 R2J 19q	RATE ELEMENTS Intervira Zone BCS USOC RATES (\$)								STAR ELEMENTS	EGORY
	Electronic pisc 1st		-slectronic- tel		SOMEC	and										
IAMOS	NAMOS	(8) sets R NAMOS	NAMOS	NAMOS		Yqq,i	Nonrecurring [	l'bbA	Nonrecus Jeri7	Эөн						
							1	<del> </del>			1				ОМЖИВЕТИВ	JJ 4007
							Ţ	<del></del>							E ANALOG VOICE GRADE LOOP - COMMINGLING	
				<u> </u>		10.61	69.69	TACR	34.251	30.01	NEAL2	NTCVG	L .		Shirke Analog Voice Grade Loop - Service Level 2 w'Loop or Ground Start Signaling - Zone 1	
				<u> </u>	ļ	12.01	63.63	74.28	27.2£1	12.24					2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground	
					<u> </u>	12.01	63.63	74.58	27.2E1	04.71	NEAL2	NTCVG	3		S and Signaling - Zone S arrive Level see Service Level S W agon V oues Grade i and Service Level see Service	
						12.01	63.53	74.58	27.2E1	78,0£	S.JA∃U	NTCVG	ε		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	
															S-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery	
					<b>_</b>	10.51	89.89	/‡ Z8	37.261	12.24	UEAR2	NICAG	-	<b> </b>	S-Wire Analog Voice Grade Loop - Service Level 2 wiffeverse Battery	
						12.01	£8.E9	74,58	27.261	0t/Z1	SAABU	NTCVG	2		S ano X - prideopi2	
						12.01	£8,£ <b>9</b>	7.4.28	SY.SE1	78,0€	SHABU	NICVG	3		S-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signating - Zone 3	
							<u> </u>	86.8	86.8		ารอนก	MTCVG			Switch-As-Is Conversion rate per UME Loop, Single LSR, (per DS0)	
				<del> </del>	<del> </del>		<del> </del>	86.85	17.78		NESP	MLCAG MLCAG		<b> </b>	Switch-As-la Conversion rate per UME Loop, Spreadsheer, (per DS0) CLEC to CLEC Conversion Charge without outside dispatch	T
								1.10	13.11		URETL	MICVG			Loop Tagging - Service Level 2 (SL2)	CALLE E
					ļ	99'91	80.78	81.811	88.591	68.81	nEAL⊄	NTCVG	L		E ANALOG VOICE GRADE LOOP - COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1	LUIAN-F
						12.56	80.73	21,211	98.791	26.84	UEAL4	NTCVG	2		S SnoZ - good Basid Bolov galant et Wire Analog Voice Grade Loop 2	
					<del> </del>	96.81	80'29	86.8	88.781 86.8	29.74	UEAL4	NTCVG NTCVG		<del> </del>	4-Wire Analog Voice Grade Loop - Zong 3 Switch-As-Is Conversion rate per UNE Loop. Single LSR, (per DS0)	<b></b>
								86.8	86.8		URESP	NTCVG			Switch-As-Is Conversion rate per UNE Loop, Spreadsheel, (per DS0)	
			<b></b>	<del>                                     </del>				36.3E	17.78		OWERWO	NTCVG			E D21 DIGITAL LOOP - COMMINGLING	4-WIRE
					<b></b>	13.63	61.22	84,181	313.75	70.74	DSFXX	NTCD1			4-Wire DS1 Digital Leop - Zone 1	
			<del> </del>	<del> </del>	<del> </del>	62.61 62,61	52,16	84,181	313.75	42.001 95.871	narxx narxx	NICDI NICDI		<del> </del>	A wire D1 Digital Lop - Zone 3  Sono - dool Light Lop - Zone 3	
				ļ <u>.</u>		ec'eı	22'10	86.8	86.8	86,011	NESC	NTCD1			Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)	
				<b></b>			·	86.8	86.8	<del></del>	URESP	NTCD1			Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)	
				<del> </del>	ļ		ļ	43.04	10,101		ОИЕМО	NTCD1			E 19.2, 56 OF EC Conversion Charge without outside dispatch  E 19.2, 56 OF 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	4-WIRE
					1	96.21	80.78	28.801	161.56	22,20	NDL2X	MICUD			4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	
			<del> </del>	<del> </del>	ļ <u>.</u>	98.81 98.81	80,78	28.801 28.801	99'191	99°16	חטרגא חטרגא	NTCUD NTCUD			4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	
						95.81	80.78	38.801	95,191	55.20	UDL4X	M.CO.D			4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	
			<del></del>	<del>                                     </del>	<u> </u>	92.21	80.78	28.801	95,131	98.1E	UDLAX	NTCUD			4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	
						98.81	80,78	28.801 28.801	95,191	55.20	NDF4X	NTCUD OTCUD			4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	
					ļ	98.81	80'29	28.801	95,131	99'1E	X61an	UTCUD	3		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	<u> </u>
			ļ	<del> </del>	<del> </del>	95.21	80.78	28.801	95,191	65,99	617dn X67dn	NTCUD		<del> </del>	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1	
						99'91	80.78	38.801	99 191	31.56	61JQU	UTCUD	5		4 Wire Unbundled Digital 19.2 Kbps - Zone 2	
				<del> </del>	-	88.21 88.21	80.78	28.801 28.801	99'191	02.52	0DF10	NTCUD			4 Wire Urbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital Loop 36 Kbps - Zone 1	
						95.21	80.78	28.801	98.18f	95.rE	99700	NTCUD	3		S enoX - add A 60 good latigital bound en Wire Unbundled Digital Loop 56 Kbps - Zone 2	
			<del> </del>	<del> </del>	<u> </u>	95.21	80.73	28.801	95,131	66.88	UDL64	MTCUD MTCUD			4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	
						98.81 88.81	80,78	28.801 28.801	95,191 92,191	31.56	497G0	GUOTN			S enoZ · zqd>i Nə qcoJ letigid bəlbrudriJ eniW +	
						19.56	80.78	108.85	99 191	66'99	#97dn	NTCUD		<b>†</b>	4 Wire Unburdled Digital Loop 64 Kbps - Zore 3	
		·		<del> </del>		ļ		86.8	86.8	<del></del>	URESE	NTCUD		ļ	Switch-As-ls Conversion rate per UNE Loop, Single LSR. (per DS0) Switch-As-ls Conversion rate per UNE Loop, Spreadsheel. (per DS0)	
							1	Þ1.6Þ	102.11		UREWO	NTCUD			CLEC to CLEC Cerversion Charge without outside dispatch	
							1		23.02		OCOSE	NTCVG, NTCUD, NTCD1			Order Coordination for Specified Conversion Time (per LSR)	

HAIRI MOLE	D NETWORK ELEMENTS - Florida					***************************************							Attachment:	1 Tables 1		
ONDONOCE	D NET WORK CLEMENTS - Portua	7	T	1		<del>,</del>					Cun Order	Svc Order		Incremental	incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
		1	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1		1		•••						1	Electronic-	Electronic-	Electronic-	Electronic-
		1	i									ĺ	1st	Add'l	Disc 1st	Disc Add'f
				l												
						Rec Nonrecurring			Nonrecurring	Disconnect				Rates (\$)		
			I			nec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1	UNCVX, UNCDX,	l l					ļ						į
			ĺ	UNC1X, UNC3X,	1											(
		1	ļ	UNCSX, U1TD1,	1	]	j		j				1	ļ		É
1		į		U1TD3, U1TS1,								1				ĺ
1		İ	•	UE3. UDLSX,			i									1
- 1		ĺ	İ	U1TVX, U1TDX,					İ							i
ļ		İ	ĺ	U1TUB, ULDVX,												1
		į		ULDD1, ULDD3,												l
	Commingling Authorization	1	ļ	ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						<b> </b>
Corr	mingled (UNE part of single bandwidth circuit)	L	L		1						L					
	Commingled VG COCI	1	ļ	XDV2X, NTCVG	101VG	1.38	6.71	4.84	0.00	0.00						
	Commingled Digital COCI	<u> </u>		XDV6X, NTCUD	1D1DD	2.10	6.71	4.84	0.00	0.00						ļ
	Commingled (SDN COC)	ļ	L	XDD4X	UC1CA	3.66	6.71	4,84		0.00						
	Commingled 2-wire VG Interoffice Channel	ļ	ļ	XDV2X	U1TV2	25.32	94.70	52.59		18.03						ļ
	Commingled 4-wire VG Interoffice Channel	ļ	ļ	XDV6X	U1TV4	22.58	94.70	52.59		18.03						<del></del>
	Commingled 56kbps Interoffice Channel	<u> </u>	ļ	XDD4X	U1TD5	18.44	94.70	52.59		18.03						<b> </b>
	Commingled 64kbps interoffice Channel	ļ	ļ	XDD4X	U1TD6	18,44	94.70	52.59	45.28	18.03						<b></b>
	0 110000011 60 01 110		1	XDV2X, XDV6X.					}							l
	Commingled VG/DS0 Interoffice Channel Mileage	<del> </del>	<del> </del> -	XDD4X	1L5XX	0.0091			42.03							<del> </del>
	Commingled 2-wire Local Loop Zone 1	<del> </del>	1_1_	XDV5X	UEAL2	12.24	127.59	60,54		6.31		ļ	ļ			<del> </del>
	Commingled 2-wire Local Loop Zone 2	ļ	2	XDV2X XDV2X	UEAL2	17.40	127.59	60.54 60.54	48.00 48.00	6.31 6.31						<del> </del>
	Commingled 2-wire Local Loop Zone 3 Commingled 4-wire Local Loop Zone 1	<del>                                     </del>		XDV6X	UEAL2 UEAL4	30.87 18.89	127,59 127,59	60.54		6.31						
	Commingled 4-wire Local Loop Zone 1  Commingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	26.84	127.59	60.54	48.00	6.31						
	Commingled 4-wire Local Loop Zone 2  Commingled 4-wire Local Loop Zone 3	<del> </del>		XDV6X	UEAL4	47.62	127.59	60.54	48.00	6.31						<del></del>
	Comminged 4-wire Escal Loop Zone 3	<del> </del>		XDD4X	UDL56	22.20	127.59	60.54	48.00	6.31						<del> </del>
	Commingled 56kbps Local Loop Zone 2	<del> </del>	2	XDD4X	UDL56	31.56	127.59	60.54	48,00	6.31			ļ			<del> </del>
	Commingled 56kbps Lecal Loop Zone 3	<del> </del>	3	XDD4X	UDL56	55.99	127.59	60.54	48.00	6.31						-
	Comminged Solops Legal Loop Zone 3	<del> </del>	1	XDD4X	UDL64	22,20	127.59	60.54		6.31			<del></del>			<del></del>
	Commingled 64kbps Local Loop Zone 2	<del> </del>	2	XDD4X	UDL64	31.56	127.59	60,54	48.00	6.31						
	Comminged 64kbps Local Loop Zone 3	·		XDD4X	UDL64	55.99	127.59	60.54	48.00	6.31						ĺ
	Commingled ISDN Local Loop Zone 1	<del> </del>		XDD4X	U1L2X	19.28	127.59	60,54	48.00	6.31						i
	Commingled ISDN Local Loop Zone 2	<del> </del>		XDD4X	U1L2X	27.40	127.59	60,54	48.00	6,31						
	Commingled ISDN Local Loop Zone 3	<del> </del>		XDD4X	U1L2X	48.62	127.59	60.54	48.00	6.31						
	Commingled DS1 COCI	T	1	XDH1X. NTCD1	UC1D1	13.76	6.71	4.84		0.00						
	Commingled DS1 Interoffice Channel	1	1	XDH1X	U1TF1	88.44	174.46	122.46		17.95						
	Commingled DS1 Interoffice Channel Mileage	1	Ī	XDH1X	1L5XX	0.1856							T			
	Commingled DS1/DS0 Channel System	<u> </u>		XDH1X	MQ1	146.77	57.28	14 74								
	Commingled DS1 Local Loop Zone 1			XDH1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Commingled DS1 Local Loop Zone 2	]	2	XDH1X	USLXX	100.54	217,75	121.62	51.44	14.45						ļ
	Commingled DS1 Local Loop Zone 3	1	3	XDH1X	USLXX	178.39	217.75	121.62		14.45						
	Commingled DS3 Local Loop	1		HFQC6	UE3PX	386,88	244.42	154.73	67.10	26.27						
	Commingled DS3/STS-1 Local Loop Mileage			HFQC6. HFRST	1L5ND	10.92			1							
	Commingled STS-1 Local Loop			HFRST	UDLS1	426.50	244.42	154,73		26.27						
	Commingled DS3/DS1 Channel System	<b></b>	L	HFQC6	MO3	211.19	115.60	56.54		4.28		L				<b></b>
	Commingled DS3 Interoffice Channel	1		HFQC6	U1TF3	1,071.00	320.00	138.20	38.60	18.81						
	Commingled DS3 Interoffice Channel Mileage	1	<u> </u>	HFOC6	1L5XX	3.87			ļ			ļ				
	Commingled STS-1Interoffice Channel	ļ	ļ	HFRST	U1TFS	1,056.00	350.00	138.20	38.60	18.81						
	Commingled STS-1Interoffice Channel Mileage	<b></b>		HFRST	11.5XX	3.87										<del> </del>
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands,			LIFOR			j		1							i
	Per Route Mile Or Fraction Thereof	<b>_</b>	ļ	HEODL	1L5DF	26.85			-							<del> </del>
.	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands,		1	ucon	1004		754.0.	*00.00								1
	Per Route Mile Or Fraction Thereof		L	HEODI.	UDF14	<u></u>	751.34	193.88	L		L	L	<u></u>	L		<u> </u>