Manuel A. Gurdian Attorney

BellSouth Telecommunications, Inc. 150 South Monroe Street Room 400 Tallahassee, Florida 32301 (305) 347-5561

June19, 2006

Mrs. Blanca S. Bayó Director, Division of the Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850

> Docket No.: 060473-72 Re:

Petition for the Expedited Review of Growth Code Denials by the Number Pooling Administrator for the Jacksonville exchange (San Marco-2)

Dear Ms. Bayó:

Enclosed is an original and fifteen copies of BellSouth Telecommunications, Inc.'s Petition for Expedited Review of NXX-X Code Denial, which we ask that you file in the captioned new docket.

A copy of this letter is enclosed. Please mark it to indicate that the original was filed and return the copy to me. Copies have been served to the parties shown on the attached Certificate of Service.

Manuel H. Gurdian 12N

cc: All Parties of Record Jerry D. Hendrix E. Earl Edenfield, Jr. James Meza III

CERTIFICATE OF SERVICE

Petition for the Expedited Review of Growth Code Denials by the Number Pooling Administrator for the Jacksonville exchange (San Marco-2)

I HEREBY CERTIFY that a true and correct copy of the foregoing was served via

First Class U.S. Mail this 19th day of June, 2006 to the following:

Staff Counsel
Florida Public Service
Commission
Division of Legal Services
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850

NANPA
Thomas Foley
NPA Relief Planner
820 Riverbend Blvd.
Longwood, Florida 32779-2327

Tel. No.: (407) 389-8929 Fax. No.: (407) 682-1108 thomas.foley@neustar.com

Manuel A Gurdian

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Petition for Expedited Review of Growth)	Docket No.
Code Denials by the Number Pooling Administrator)	
for the Jacksonville exchange (San Marco-2))	Filed: June 19, 2006
)	

PETITION FOR EXPEDITED REVIEW OF NXX-X CODE DENIAL

BellSouth Telecommunications, Inc. ("BellSouth"), pursuant to 47 C.F.R. § 52.15(g)(iv), Federal Communications Commission ("FCC") Order FCC 00-104, and Florida Public Service Commission ("Commission") Order No. PSC-01-1873-PCO-TL, petitions the Commission to review the Pooling Administrator's ("NeuStar") denial of BellSouth's requests for additional numbering resources in the Jacksonville exchange. In support of this petition, BellSouth states:

PARTIES

- 1. BellSouth is a corporation organized and formed under the laws of the State of Georgia and an incumbent local exchange company ("ILEC") regulated by the Commission and authorized to provide local exchange telecommunications and intraLATA toll telecommunications in the State of Florida.
- 2. NeuStar is an independent non-governmental entity, which is responsible for administering and managing the numbering resources in pooling areas. See 47 C.F.R. § 52.20(d).

JURISDICTION

3. The Commission has jurisdiction of this matter pursuant to Industry Numbering Committees (INC) Number Pooling Guidelines Sections 3.7 and 12(c). This

provision provides that a carrier may challenge NeuStar's decision to deny numbering resources to the appropriate regulatory authority.

BACKGROUND AND REQUEST FOR RELIEF

- 4. On March 31, 2000, the FCC issued Order No. 00-104 ("FCC 00-104" or the "Order") in the Numbering Resource Optimization docket (Docket No. 99-200). The goal of FCC 00-104 was to implement uniform standards governing requests for telephone numbering resources in order to increase efficiency in the use of telephone numbers and to avoid further exhaustion of telephone numbers under the NANP.
- 5. Among other things, FCC 00-104 adopted a revised standard for assessing a carrier's need for numbering resources by requiring rate center based utilization rates to be reported to North American Numbering Plan Administrator ("NANPA"). FCC Order The FCC further required that, to qualify for access to new numbering resources, applicants must establish that existing numbering inventory within the applicant's rate center will be exhausted within six months of the application. Prior to the ruling, the Central Office Code Assignment Guidelines, used by the industry and NANPA to make code assignments, required the applicant's existing number inventory within the applicant's serving switch to exhaust within a specific months-to-exhaust ("MTE") of the code application in order for a code to be assigned or for the carrier to prove that it was unable to meet a specific customer's request with its current inventory of numbers. The FCC stated that the shift to a "rate center" basis for determining the need for new numbering resources was intended to "more accurately reflect how numbering resources are assigned" and to allow "carriers to obtain numbering resources in response to specific customer demands." FCC Order at ¶ 105.

- 6. On December 29, 2000, the FCC also released FCC 00-429, which reaffirmed FCC 00-104 and also required carriers to also meet a 60 percent initial utilization threshold. FCC 00-429 at ¶ 26. Based on these two FCC orders, carriers are required to meet a six MTE criteria as well as a utilization threshold on a rate center/exchange basis in order to be granted additional numbering resources. <u>Id.</u> at ¶ 29.
- 7. In FCC 00-104, the FCC directed the industry and the Pooling Administrator to comply with the INC Pooling Guidelines. FCC 11-104 ¶183. Pursuant to the INC Guidelines, in order to obtain thousand-block allocations, the carrier must demonstrate that its existing numbering resources for the rate center will exhaust within six (6) months and also have a utilization of 75 percent for the specific rate center. See INC Guidelines Section 4.3(d) and Appendix 3. These requirements are known as the six (6) months-to-exhaust ("MTE") and utilization threshold.
- 8. BellSouth has submitted several requests for additional numbering resources to North American Numbering Plan Administrator ("NANPA") and NeuStar for assignment of additional numbering resources to meet the demands of its customers in several Florida exchanges, including Cocoa Beach, Coral Springs, Daytona Beach, DeLand, Ft. Lauderdale, Gainesville, Hollywood, Jacksonville, Jensen Beach, Keys, Miami, North Dade, Orlando, Palm Coast, Port St. Lucie, Sanford, Sebastian, St. Johns, Weekiwachee Springs, and West Palm Beach.
- 9. BellSouth has completed these applications in accordance with INC guidelines and filled out the necessary Months-to-Exhaust and Utilization Certification Worksheets as required.

- 10. BellSouth has utilized mechanisms such as number pooling to manage its numbering resources in the most efficient manner. However, as the Commission is well aware, in some circumstances, BellSouth has been required to petition the Commission for relief.
- 11. On May 25, 2001, BellSouth petitioned the Commission to develop an expedited process to review NANPA's denial of a request for additional numbering resources to minimize the delay carrier's experience in attempting to challenge a denial by NANPA. As a result of the BellSouth's Petition and the Commission's efforts to make numbering resources available to carriers, the Commission issued Order No. PSC-01-1873-PCO-TL setting forth an expedited code denial process for non-pooling areas. On March 15, 2002, the Commission issued Order No. PSC-02-0352-PAA-TL adopting the same expedited code denial process for pooling areas.
- 12. The Jacksonville exchange consists of eighteen (18) central offices and eighteen (18) switching entities that utilize numbering resources: Arlington (JCBHFLABRS0), Avenues (JCVLFLARDS0), Atlantic (MNDRFLAVDS0), Beachwood (JCVLFLBWDS0), Clay Street (JCVLFLCLDS0), Ft. Caroline (JCVLFLFCDS0), Ft. George (FTGRFLMARS0), International Airport (JCVLFLIARS0), Lake Forest (JCVLFLLF76E), Loretto (MNDRFLLODS0), Normandy (JCVLFLNODS0), Oceanway (JCVLFLOWDS0), Riverside (JCVLFLRV38E), San Jose (JCVLFLSJ73E), San Marco (JCVLFLSMDS0), San Pablo (JCBHFLSPRS0), Southpoint (JCVLFLJTRS0), and Wesconnett (JCVLFLWCDS0).
- 13. On June 7, 2006, BellSouth requested additional numbering resources from NeuStar for the San Marco (JCVLFLSMDS0) switch. See Attachment 1.

Specifically, BellSouth requested four (4) blocks to meet the request of a specific customer. The format of the blocks should be NXX-XX2, 3, 4, 5, 6, or 7.

- 14. At the time of the code request, the Jacksonville exchange had a MTE of 33.60 and a utilization of 75.35%, while the MTE for the San Marco (JCVLFLSMDS0) switch was 6.58.
- 15. On June 7, 2006, NeuStar's automated number request system denied BellSouth's request for additional numbering resources because BellSouth had not met the months-to-exhaust based criteria, notwithstanding the fact that BellSouth is unable to provide the numbering resources requested by the specific customer. See Attachment 1. Pursuant to Commission Order No. PSC-01-1973-PCO-TL, attached to this Petition is the MTE and utilization rate for each switch in the Jacksonville exchange and the customer's contact information. See Attachment 2.
- 16. As discussed above, both the FCC Order and the INC guidelines provide that state regulatory authorities have the power and authority to review NeuStar's decision to deny a request for numbering resources. See INC Number Pooling Guidelines Sections 3.7 and 12(c).
- 17. Under earlier MTE procedures used by NANPA, waivers or exceptions were granted when customer hardships could be demonstrated or when the service provider's inventory did not have a block of sequential numbers large enough to meet the customer's specific request. Under existing procedures, NeuStar nor NANPA looks at the number of MTE and utilization for the entire rate center without exception. The current process is arbitrary and results in (1) decisions contrary to the public interest and

welfare of consumers in the State of Florida; and (2) decisions that do not necessarily promote the efficient use of telephone numbers.

- 18. BellSouth requests that the Commission reverse NeuStar's decision to withhold numbering resources from BellSouth on the following grounds:
- (a) NeuStar's denial of numbering resources to BellSouth interferes with BellSouth's ability to serve its customers within the State of Florida.
- (b) The MTE at the rate center level requirement is discriminatory against the incumbent LEC, since the ILEC is typically the only local service provider with multiple switches in a rate center. The ILEC deploys multiple switches in a rate center in order to meet customer demand for telephone service. The new FCC rules for obtaining numbering resources both penalizes and discriminates against the ILECs for deploying multiple switches. BellSouth believes that it is patently unfair to require that the ILEC only get six (6) MTE in all the switches it has deployed in a rate center, when the CLECs, which have recently entered the local service market, have to meet the MTE requirement in only the single switch that they have deployed to serve their customers in a single rate center or even multiple rate centers.
- (c) As a result of NeuStar's denial of BellSouth's request for additional numbering resources, BellSouth will be unable to provide telecommunications services to its customers as required under Florida law.

WHEREFORE, BellSouth requests:

1. The Commission review the decision of NeuStar to deny BellSouth's request for additional numbering resources for the Jacksonville exchange; and

2. The Commission direct NeuStar to provide the requested numbering resources for the Jacksonville exchange as discussed above.

Respectfully submitted this 19th day of June, 2006.

BELLSOUTH TELECOMMUNICATIONS, INC.

James Meza III

Manuel A. Gurdian

c/o Nancy H. Sims

150 South Monroe Street

Suite 400

Tallahassee, Florida 32301

(305) 347-5558

E. Earl Edenfield, Jr.

675 West Peachtree Street, Suite 4300


Atlanta, Georgia (404) 335-0763

638376

Pooling Administration S	System
Phridge.bellsouth.com (SP)	Sign Out
Part 1A	
Type of Application - No.	
Type of Application : New	
1.1 Contact Information :	
	is incorrect, edit your user profile.
Block Applicant : Company Name BELLSOUTH SO BELL	
Headquarters Address	
City:	
State	
Zip:	
Contact Name	
Contact Address	
City	State
Zip	
Telephone	Fax
E-mail Dellsouth.com Pooling Administrator 1:	-
Contact Name Mr Gary Zahn	
Contact Address 1800 Sutter St. Ste. 780	
City Concord	State CA
Zip 94520	
Telephone (925) 363-8753	_{Fax} (925) 363- 7688
E-mail gary.zahn@neustar.biz	
1.2 General Information	
LRN Needed ¹ No	
NPA 904	LATA * 452
OCN # 9417-BELLSOUTH SO BELL	,
Parent Company OCN * 9417	
Number of Thousands-	
Blocks Requested	_
Switch Identification JCVLFLSMDS0 (Switching Identity/POI)	City or Wire enter Name

Rate Center V JACKSONVII	LE	Rate Center Sub Zone	
1,3 Dates			
Date of Application * Wednesday,	June 7, 2006		
Requested Block 8 J	ul y 2006 y		
Request Expedited (6 Treatment Yes N	•	,	
1.4 Type of Service Provider Reques	ting the Thousands	s-Block	
Provider * I	Exchange Carrier (ILEC)	_	
b) Primary type of service Wireline Blocks to be used for *	$\overline{\mathbf{J}}$		
c) Thousands-Block(s) (NPA-NXX-X) assignment preference			
Click here to see the available blocks in the pool.			
NOTE: The blocks available list			
shows blocks that are available at the time a request is submitted.			
These same blocks may not be			
available at the time the request is processed. Therefore, it is			
recommended that you provide		, ,	
additional block preferences in the event those blocks are not available.	-		
Anny data dan Mandalah da Aggi ya masay ga masan asalah bar aggi ya ga masa da ka			
d) Thousands-Block(s) (NPA-NXX-X)			
that are undesirable for this assignment,			
			•
e) If requesting a code for LRN purposes, in keeping (the remainder of the blocks will be		you will be N/A	
1.5 Type of Request			
Initial block for rate center Yes			
Growth block for rate center F			
Change block N/A			


Disconnect block N/A	-
nereby certify that the above information requesting an NXX-X block is true and accurate to the best of y knowledge and that this application has been prepared in accordance with the Thousands-Block IXX-X) Pooling Administration Guidelines (ATIS-0300066)	
Continue	-



Pooling Administration S	ystem
pbridge.bellsouth.com (SP)	Sign Out
	entre en entre e con en
Part 1A	
Type of Application : New	
. Abo and belong the state of t	
1.1 Contact Information :	
	is incorrect, edit your user profile.
Block Applicant : Company Name BELLSOUTH SO BELL	
Headquarters Address	
City:	
State:	•
Zip:	
Contact Name	
Contact Address	
City	State
Zip	
Telephone	Fax
E-mail Book Bellsouth.com Pooling Administrator :	
Contact Name Mr Gary Zahn	
Contact Address 1800 Sutter St. Ste. 780	
City Concord	State CA
Zip 94520	
Telephone (925) 363-8753	Fax (925) 363- 7688
E-mail gary.zahn@neustar.biz	
1.2 General Information	
LRN Needed No	
NPA 904	LATA * 452
OCN #4 9417-BELLSOUTH SO BELL	'
Parent Company OCN • 9417	
Number of Thousands- Blocks Requested	
	ity or Wire Inter Name

Rate Center JACKSONVIL	LE	Rate C Sub	enter Zone	
1.3 Dates				
Date of Application " Wednesday,	June 7, 2006			
Requested Block 8 - J. J. Effective Date	2006	<u> </u>		
Request Expedited C Treatment Yes No	•		•	
1.4 Type of Service Provider Request	ling the Thousa	inds-Block		
Provider *1	Exchange Carrier (LEC)	•	
b) Primary type of service Blocks to be used for *	·			
c) Thousands-Block(s) (NPA-NXX-X) assignment preference Click here to see the available blocks in the pool.				
NOTE: The blocks available list shows blocks that are available at the time a request is submitted. These same blocks may not be available at the time the request is processed. Therefore, it is recommended that you provide additional block preferences in the event those blocks are not available.		·		
d) Thousands-Block(s) (NPA-NXX-X) that are undesirable for this assignment, if any				
e) If requesting a code for LRN purposes, ir keeping (the remainder of the blocks will be	dicate which block given to the pool)	k(s) you will be	N/A	
Initial block for rate center Yes				
Growth block for rate center Yes Change block N/A				

Disconnect block N/A	
I hereby certify that the above information requesting an NXX-X block is true and accurate to the my knowledge and that this application has been prepared in accordance with the Thousands-BI (NXX-X) Pooling Administration Guidelines (ATIS-0300066)	
Continue	



	List excluded Co	de(s) of Block(s)		
				4 .
				~
				لئے.
Grov	vth History - Previou	e 6 months ² •		
T		S O MORBIS		
Ļ	Month 1		Month 2	
	Month 3		Month 4	
	Month 5		Month 6	
Fore	cast - Next 12 mont	hs³•	man a communication of the second second contraction of the second secon	and the state of t
Γ	Month 1		Month 2	+==
	Month 3		Month 4	
	Month 5		Month 6	
	Month 7		Month 8	
	Month 9		Month 10	
	Month 11		Month 12	
6) Mont			6 (Part F above) divided) / Average Monthly Forecast
))				
	G.CGR.R.	A.	Available Numbers	H. Months to Exhaust
		1		33.602
		2 3		33.746 33.890
		4		34.034
Jtiliza	ntion ⁵ (Assigned Num ld Numbers (D)) * 10	nbers (B)) / (Total Numb	pering Resources (C) -	75.347

REDUCTED

Explanation	adinidade minimum recognit indimunificiana del commité de Paració a definir a minimical de la como de Mondella de America	
	Need 4 blocks for specific custo	omer request
		<u>-</u> 1
	•	்
requesting additi applicant must re ² Net change in T with the most dis ³ Forecast of TNs as Month #1. ⁴ To be assigned must be less tha	ional numbering resources in etain a copy of this document FNs no longer available for as stant month as Month #1, and s needed in each following man i an additional thousands-bloom or equal to 6 months. (FCC I numbers may be excluded fir	ssignment in each previous month, starting d Month #6 as the current month. nonth, starting with the most recent month ck (NXX-X) for growth, "Months to Exhaust"
Market	Continue	
	ooling Administra	•
	e.bellsouth.com (SP)	Sign Out
Months to Exhaus	t and Utilization Certification	on Worksheet - TN Level (Continued)
You have I	requested more blocks than y	you will exhaust in six months.
	Select One Option a	and Submit
e :	Return to the Months To Exhaus	st Form
۱ ۲	Discard all the information provid	ded for the request and start with a fresh Part 1A
C (State Waiver Option	
	<u>S</u> ubmit	

Jacksonville Utilization Summary Report

REDACTED

Exchange	Central Office	Wire Center CLLI	Blocks	Average Growth	Available TNs	MTE	Util
Jacksonville	Arlington	JCVLFLARDS0					
Jacksonville	Atlantic	JCBHFLABRS0					
Jacksonville	Avenues	MNDRFLAVDS0					
Jacksonville	Beachwood	JCVLFLBWDS0					
Jacksonville	Clay Street	JCVLFLCLDS0					
Jacksonville	Ft. Caroline	JCVLFLFCDS0					
Jacksonville	Ft. George	FTGRFLMARS0					
Jacksonville	Int. Airport	JCVLFLIARS0		· -			
Jacksonville	Lake Forest	JCVLFLLF76E					
Jacksonville	Loretto	MNDRFLLODS0					
Jacksonville	Normandy	JCVLFLNODS0					
Jacksonville	Oceanway	JCVLFLOWDS0					
Jacksonville	Riverside	JCVLFLRV38E					
Jacksonville	San Jose	JCVLFLSJ73E					
Jacksonville	San Marco	JCVLFLSMDS0					
Jacksonville	San Pablo	JCBHFLSPRS0					
Jacksonville	Southpoint	JCVLFLJTRS0					
Jacksonville	Wesconnett	JCVLFLWCDS0					

Customer Contact Information

