

REDACTED

ATTACHMENT B

**BellSouth Telecommunications, Inc.
FPSC Dkt No. 060598-TL
Request for Confidential Classification
Page 1 of 1
12/1/06**

**REQUEST FOR CONFIDENTIAL CLASSIFICATION OF LATE FILED DEPOSITION
EXHIBITS OF KATHY K. BLAKE, NOS. 3, 4, 6 AND 8, FILED DECEMBER 1, 2006**

TWO REDACTED COPIES FOR PUBLIC DISCLOSURE

**CMP _____
COM _____
CTR _____
ECR _____
GCL _____
OPC _____
RCA _____
SCR _____
SGA _____
SEC 1
OTH _____**

DOCUMENT NUMBER-DATE

11073 DEC-1 8

FPSC-COMMISSION CLERK

**Retail Private Line USOC Descriptions
(Non-basic Telecommunication Services)**

BellSouth Telecommunications, Inc.
 FPSC Docket No. 060598-TL
 Deposition of Kathy K. Blake
 November 28, 2006
 Late Filed Exhibit Nos. 3 and 4
 Attachment

USOCs	Jun-06	USOC Description
1LDPZ		Digital services mileage, MegaLink, first 1/2 mile
1RSD2		SynchroNet Service wholly within the same intranodal area digital, 2.4 KBPS
1RSD3		SynchroNet Service wholly within the same intranodal area digital, 19.2 KBPS
1RSD4		SynchroNet Service wholly within the same intranodal area digital, 4.8 KBPS
1RSD5		SynchroNet Service wholly within the same intranodal area digital, 56 KBPS
1RSD6		SynchroNet Service wholly within the same intranodal area digital, 64 KBPS
1RSD9		SynchroNet Service wholly within the same intranodal area digital, 9.6 KBPS
ATA1F		Asynchronous Transfer Mode Service, Customer Connection 1.536 Mbps, per customer connection, flat rate
ATA4F		Asynchronous Transfer Mode Service, Customer Connection 44.210 Mbps, per customer connection
ATA7F		Asynchronous Transfer Mode Service, Customer Connection 149.760 Mbps, per customer connection
ATA7M		Asynchronous Transfer Mode Service, Customer Connection 149.760 Mbps, per mile or fraction thereof
ATAA1		Asynchronous Transfer Mode Service, Customer Connection PVC with Unspecified Bit Rate (UBR) Service Category Activation Charge, per 1.544 Mbps Customer Connection
ATAA3		Asynchronous Transfer Mode Service, Customer Connection PVC with Unspecified Bit Rate (UBR) Service Category Activation Charge, per 3.072 Mbps Customer Connection
ATAA4		Asynchronous Transfer Mode Service, Customer Connection PVC with Unspecified Bit Rate (UBR) Service Category Activation Charge, per 44.210 Mbps Customer Connection
ATAA6		Asynchronous Transfer Mode Service, Customer Connection PVC with Unspecified Bit Rate (UBR) Service Category Activation Charge, per 6.144 Mbps Customer Connection
ATAA7		Asynchronous Transfer Mode Service, Customer Connection PVC with Unspecified Bit Rate (UBR) Service Category Activation Charge, per 149.760 Mbps Customer Connection
ATAAA		Asynchronous Transfer Mode Service, Customer Connection PVC with Unspecified Bit Rate (UBR) Service Category Activation Charge, per 4.608 Mbps Customer Connection
ATACM		Asynchronous Transfer Mode Service, Customer Connection PVC with Constant Bit Rate (CBR) Service Category, Per Megabit Bandwidth Charge, per Segment
ATACS		Asynchronous Transfer Mode Service, Customer Connection PVC with Constant Bit Rate (CBR) Service Category, PVC Segment Charge, per Segment
ATAG3		Asynchronous Transfer Mode Service, Customer Connection, Inverse Multiplexing, per 3.072 Mbps Customer connection
ATAG4		Asynchronous Transfer Mode Service, Customer Connection, Inverse Multiplexing, per 4.608 Mbps Customer Connection
ATAG6		Asynchronous Transfer Mode Service, Customer Connection, Inverse Multiplexing, per 6.144 Mbps customer connection
ATANK		Asynchronous Transfer Mode Service, Customer Connection PVC with Variable Bit Rate Non-Real Time (VBRNRT) Service Category, Per Increment of 64 Kbps Bandwidth Charge, per Segment
ATANM		Asynchronous Transfer Mode Service, Customer Connection PVC with Variable Bit Rate Non-Real Time (VBRNRT) Service Category, Per Megabit Bandwidth Charge per Segment
ATANS		Asynchronous Transfer Mode Service, Customer Connection PVC with Variable Bit Rate Non-Real Time (VBRNRT) Service Category, PVC Segment Charge, per Segment
ATAT8		Asynchronous Transfer Mode Service, Customer Connection, ATM Subrate T3 Service per 18 Mbps Customer Connection
ATAUS		Asynchronous Transfer Mode Service, Customer Connection PVC with Unspecified Bit Rate (UBR) Service Category, per PVC segment
ATAVK		Asynchronous Transfer Mode Service, Customer Connection PVC with Variable Bit Rate Real Time (VBRRT) Service Category, Per Increment of 64 Kbps Bandwidth Charge, per Segment
ATAVM		Asynchronous Transfer Mode Service, Customer Connection PVC with Variable Bit Rate Real Time (VBRRT) Service Category, Per Megabit Bandwidth Charge, per Segment
ATAVS		Asynchronous Transfer Mode Service, Customer Connection PVC with Variable Bit Rate Real Time (VBRRT) Service Category, PVC Segment Charge, per Segment
ATAEA		Asynchronous Transfer Mode Service, InterNetwork Serving Area Link UBR Service Activation Charge, per PVC, per End of Link
FDKXE		AccuPulse Digital Switched Service remote access line two-wire
FRH11		Customer connection to Frame Relay Service, at Fractional T1, 112 Kbps
FRH12		Customer connection to Frame Relay Service, at Fractional T1, 128 Kbps
FRH15		Customer connection to Frame Relay Service, 1.536 MBPS
FRH18		Customer connection to Frame Relay Service, at Subrate T3, 18 Mbps
FRH19		Customer connection to Frame Relay Service, 192 KBPS
FRH10		Customer connection to Frame Relay Service, 44.210 MBPS
FRH21		Customer connection to Frame Relay Service, at Subrate T3, 21 Mbps
FRH24		Customer connection to Frame Relay Service, at Fractional T1, 1024 Kbps
FRH25		Customer connection to Frame Relay Service, at Fractional T1, 256 Kbps

DOCUMENT NUMBER-DATE

11073 DEC-1 06

**Retail Private Line USOC Descriptions
(Non-basic Telecommunication Services)**

BellSouth Telecommunications, Inc.
 FPSC Docket No. 060598-TL
 Deposition of Kathy K. Blake
 November 28, 2006
 Late Filed Exhibit Nos. 3 and 4
 Attachment

USOCs	Jun-06	USOC Description
FRH27		Customer connection to Frame Relay Service, at Subrate T3, 27 Mbps
FRH2M		Customer connection to Frame Relay Service, at Subrate T3, 12 Mbps
FRH32		Customer connection to Frame Relay Service, at Fractional T1, 320 Kbps
FRH38		Customer connection to Frame Relay Service, at Fractional T1, 384 Kbps
FRH30		Customer connection to Frame Relay Service, at Subrate T3, 30 Mbps
FRH40		Customer connection to Frame Relay Service, at Fractional T1, 640 Kbps
FRH51		Customer connection to Frame Relay Service, at Fractional T1, 512 Kbps
FRH56		Customer connection to Frame Relay Service, 56 KBPS
FRH57		Customer connection to Frame Relay Service, at Fractional T1, 576 Kbps
FRH5M		Customer connection to Frame Relay Service, at Subrate T3, 15 Mbps
FRH64		Customer connection to Frame Relay Service, 64 KBPS
FRH76		Customer connection to Frame Relay Service, at Fractional T1, 768 Kbps
FRHM3		Customer connection to Frame Relay Service, At MultiLink, 3 Mbps
FRHM6		Customer connection to Frame Relay Service, At MultiLink, 6 Mbps
FRHM9		Customer connection to Frame Relay Service, At MultiLink, 9 Mbps
FRHO3		Customer connection to Frame Relay Service, at Subrate T3, 3 Mbps
FRHO6		Customer connection to Frame Relay Service, at Subrate T3, 6 Mbps
FRHO9		Customer connection to Frame Relay Service, at Subrate T3, 9 Mbps
FRHS1		Customer connection to Frame Relay Service, at Subrate T1, 128 Kbps
FRHS2		Customer connection to Frame Relay Service, at Subrate T1, 256 Kbps
FRHS3		Customer connection to Frame Relay Service, at Subrate T1, 384 Kbps
FRHS5		Customer connection to Frame Relay Service, at Subrate T1, 512 Kbps
FRHS7		Customer connection to Frame Relay Service, at Subrate T1, 768 Kbps
FRHSE		Customer connection to Frame Relay Service, at Subrate T1, 1152 Kbps
HFQ4N		LightGate Basic System, LightGate 1 basic system, one DS3 capacity, includes Photonic Common Equipment and first 1/2 air mile of local channel fiber optic facilities, intrastate intraLATA
HFQ5N		LightGate Basic System, three DS3 capacity, includes Photonic Common equipment and first 1/2 air mile of local channel fiber optic facilities, intrastate interLATA
HFS12		LightGate Service, basic system, OC-12 local channel, per electrical system, includes first 1/2 air air mile
HFS1C		LightGate Service, basic system, OC-12 local channel, per system with optical customer termination, includes first 1/2 mile
HFS1W		LightGate Service, basic system, OC-12 local channel, per system with optical serving wire center termination, includes first 1/2 mile
HFS48		LightGate Service, basic system, OC-48 local channel, per electrical system, includes first 1/2 air mile
HFS4C		LightGate Service, basic system, OC-48 local channel, per system with optical customer termination, includes first 1/2 mile
HFSC7		LightGate Service, basic system, LightGate 1 local channel, per system, includes first 1/2 air mile, stabilized plan
HFSO3		LightGate Service, basic system, OC-3 local channel, per electrical system, includes first 1/2 air mile
HFSOC		LightGate Service, basic system, OC-3 local channel, per system with optical customer termination, includes first 1/2 mile
HFSOW		LightGate Service, basic system, OC-3 local channel, per system with optical serving wire center termination, includes first 1/2 mile
HFST1		LightGate Service, basic system, STS1 Local Channel, per Electrical System, includes First 1/2 Mile
MTEBZ		BellSouth Metro Ethernet Service, Basic Shared Ethernet, Basic Class of Service
MTEDZ		BellSouth Metro Ethernet Service, Dedicated Ethernet, Basic Class of Service
MTEPZ		BellSouth Metro Ethernet Service, Premium Shared Ethernet, Basic Class of Service
NMLBL		Native Mode LAN Interconnection 10 MBPS ethernet, customer circuit, intraexchange
NMLEN		Native Mode LAN Interconnection Fast Ethernet at 100 Mbps, intralata
NMLG7		Native Mode LAN Interconnection Switched and Point-to-Point 1 Gigabit Ethernet Service
P2JGX		Local channel voice grade, per point of termination, type 2434
P2JHX		Local channel voice grade, per point of termination, type 2231
P2JKX		Local channel data, type 2260
P2JLX		Local channel voice grade, per point of termination, type 2261
P2JMX		Local channel data, type 2463
P2JNX		Local channel data, type 2464
P2JQX		Local channel voice grade, per point of termination, type 2432
P2JRX		Local channel voice grade, per point of termination, type 2462
P2JUX		Local channel voice grade, per point of termination, type 2230
P2JWX		Local channel voice grade, per point of termination, type 2435
SHNC1		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Customer Node, OC-12 capacity

**Retail Private Line USOC Descriptions
(Non-basic Telecommunication Services)**

BellSouth Telecommunications, Inc.
 FPSC Docket No. 060598-TL
 Deposition of Kathy K. Blake
 November 28, 2006
 Late Filed Exhibit Nos. 3 and 4
 Attachment

USOCs	Jun-06	USOC Description
SHNC3		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Customer Node, OC-3 capacity
SHNH1		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Central Office Node, OC-12 capacity
SHNH3		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Central Office Node, OC-3 capacity
SHNH5		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Central Office Node, OC-3+ capacity
SHNH6		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Central Office Node, OC-192+ Capacity
SHNH7		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Central Office Node, per central office node, OC-192 Capacity
SHNH8		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Central Office Node, OC-48 capacity
SHNH9		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Central Office Node, OC-48+ capacity
SHNN2		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Customer Node, OC-192+ Capacity
SHNN5		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Customer Node, OC-3+ capacity
SHNN6		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Customer Node, per customer node OC-192 Capacity
SHNN8		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Customer Node, OC-48 capacity
SHNN9		SMARTRing Service (a.k.a. BellSouth SPA Dedicated Ring), Customer Node, OC-48+ capacity
CAR2T		Control Access Register package, per channel 2 way, MSP trunk
CAROT		Control Access Register package, per channel outward
MTEBZ		BellSouth Metro Ethernet Service, Basic Shared Ethernet, Basic Class of Service
MTEDZ		BellSouth Metro Ethernet Service, Dedicated Ethernet, Basic Class of Service
MTEPZ		BellSouth Metro Ethernet Service, Premium Shared Ethernet, Basic Class of Service
NMLBL		Native Mode LAN Interconnection 10 MBPS ethernet, customer circuit, intraexchange
NMLEN		Native Mode LAN Interconnection Fast Ethernet at 100 Mbps, intralata
NMLG7		Native Mode LAN Interconnection Switched and Point-to-Point 1 Gigabit Ethernet Service
Total		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
	10	RES 1-PARTY FLAT				
BASIC			1FR	Flat rate line, residence		
BASIC			1FRCL	Flat rate line, residence with Caller ID		
BASIC			1FW	Flat rate foreign exchange line, residence		
BASIC			OFR	Flat rate line, residence, outgoing only		
BASIC			1OE	EOEAS, residence premium option, Bunnell to Daytona Beach, FL, Flagler Beach to Daytona Beach, FL, Palm Coast to Daytona Beach, FL		
BASIC			1OECL	EOEAS, residence premium option, Bunnell to Daytona Beach, FL, Flagler Beach to Daytona Beach, FL, Palm Coast to Daytona Beach, FL with Caller ID		
BASIC			1TC	EOEAS, residence premium option, Palm Coast to Daytona Beach, FL		
	10	RES 1-PARTY FLAT Line Count Total				
	20	RES MULTI-PARTY				
		No USOCs				
	20	RES MULTI-PARTY Line Count Total				
	30	RES ISDN (LINES)				
NON-BASIC			LQGF	ISDN Threshold Pricing Plan B-Channel Activated, circuit switched voice/data, residence or business		
NON-BASIC			WWWAR	Special Assembly, ISDN, individual residence service, interface, channels activated, up to two B channels circuit switched voice/data and one D channel low speed packet, flat rate, per DS1		
NON-BASIC			LQGF	ISDN Threshold Pricing Plan B-Channel Activated, circuit switched voice/data, residence or business		
NON-BASIC			LPRFX	ISDN - Individual Line Service, interface channels activated B channel circuit switched voice/data, each, flat rate		
	30	RES ISDN (LINES) Line Count Total				
	40	RES MESSAGE				
NON-BASIC			1MR	Message rate, residence		
NON-BASIC			1MRCL	Message rate, residence with Caller ID		
	40	RES MESSAGE Line Count Total				
	50	RES STD MEAS				
NON-BASIC			1MS	Measured rate line, residence, two-way, non-hunting		
NON-BASIC			1MSCL	Measured rate line, residence, two-way, non-hunting with caller ID		
	50	RES STD MEAS Line Count Total				
	60	RES LOW USE MEAS				
NON-BASIC			LUM	Low use measured line, residence, two-way, non-hunting		
NON-BASIC			LUMCL	Low use measured line, residence, two-way, non-hunting with caller ID		
	60	RES LOW USE MEAS Line Count Total				
	70	RES MEAS PLAN				
		No USOCs				
	70	RES MEAS PLAN Line Count Total				
	80	RES AREA PLUS				
NON-BASIC			ACPCL	Area Calling Service, residence premium option, without local usage detail with Caller ID		
NON-BASIC			VR5	Area Plus Service, residence, 40 mile radius (FL)		
NON-BASIC			VR5CL	Area Plus Service, residence, 40 mile radius (FL) with Caller ID		
	80	RES AREA PLUS Line Count Total				
	85	RES FEATURE PACK PLANS				
NON-BASIC			PAMA5	New Feature Package, BellSouth Advantage PreferredPack Plan, package USOC		
NON-BASIC			PAMA6	New Feature Package, BellSouth 2 Pack Plan		
	85	RES FEATURE PACK PLANS Line Count Total				
	90	RES COMPLETE CHOICE				
NON-BASIC			VR3	Complete Choice Service, residence		
NON-BASIC			VR3CL	Complete Choice Service, residence with Caller ID		

<u>BASIC/ NON- BASIC</u>	<u>Line Code</u>	<u>Service Category</u>	<u>USOC</u>	<u>USOC Description</u>	<u>June 2006 In Service Qty</u>	
					<u>Service Category Qty</u>	<u>Class of Service Qty</u>
NON-BASIC			BSSCC	BellSouth Solutions, Complete Choice w/Cellular Service		
NON-BASIC			CCML2	Complete Choice Multiline Service, Two-Line Plan		
NON-BASIC			CRD2C	Subscriber credit, Discount for two Complete Choice lines		
NON-BASIC			CCML3	Complete Choice Multiline Service, Three-Line Plan		
NON-BASIC			VSB	Complete Choice Service, vertical services billing		
	90	RES COMPLETE CHOICE		Line Count Total		
	100	RES AREA PLUS W/COMP. CHOICE				
NON-BASIC			VR6	Area Plus with Complete Choice Service, residence, 40 mile radius (FL)		
NON-BASIC			VR6CL	Area Plus with Complete Choice Service, residence, 40 mile radius (FL) with Caller ID		
NON-BASIC			ACML2	Area Plus with Complete Choice Multiline Service, Two-Line Plan		
NON-BASIC			CRD2A			
NON-BASIC				Subscriber credit, Discount for two Area Plus with Complete Choice lines		
NON-BASIC			ACML3	Area Plus with Complete Choice Multiline Service, Three-Line Plan		
NON-BASIC			VSB	Complete Choice Service, vertical services billing		
NON-BASIC			VSB	Complete Choice Service, vertical services billing		
	100	RES AREA PLUS W/COMP. CHOICE		Line Count Total		
	110	SUB-TOTAL RES LINES				
	150	RES TRUNKS				
BASIC			TFR	Residence, flat rate trunk		
	150	RES TRUNKS		Line Count Total		
	210	BUS 1-PARTY FLAT				
BASIC			1FB	Flat rate line, business, two-way		
BASIC			1FBCL	Flat rate line, business, two-way with caller ID		
BASIC			1FL	Flat rate line, business, two-way (for FX only)		
BASIC			10A	Individual lines, flat rate, outward		
BASIC			10D	Flat rate line, business, outward, (BSCN)		
BASIC			10F	Flat rate line, business, two-way, (BSCN)		
BASIC			10FCL	Flat rate line, business, two-way, (BSCN) with caller ID		
BASIC			5TD	Flat rate, sharing and resale trunks or lines hunting or key system not to exceed six local lines (FL only)		
BASIC			7FB	Flat rate line, business, inward		
BASIC			7FBCL	Flat rate line, business, inward with caller ID		
BASIC			FT8	Flat rate line, business, inward, (BSCN)		
BASIC			LWVSQ	Business, flat rate, Radio Common Carrier individual line connecting circuit standard, terminated in CPE		
BASIC			OFB	Flat rate line, business, outgoing only		
BASIC			S3L	Central office trunks associated with switchboard not serving administrative stations two way		
BASIC			S3LAL	Central office trunks associated with switchboard not serving administrative stations one-way		
NON-BASIC			7MB	Flat Rate Multi-Line Business, Inward Only		
NON-BASIC			7MBCL	Flat Rate Multi-Line Business, Inward Only with Caller ID		
NON-BASIC			MFB	Flat Rate Multi-Line Business, Two-Way		
NON-BASIC			MFBCL	Flat Rate Multi-Line Business, Two-Way with Caller ID		
NON-BASIC			YMB	Flat Rate Multi-Line Business, Outgoing Only		
NON-BASIC			FX51B	Measured rate exchange access service, FX inward line, business		
NON-BASIC			FX51M	Measured rate exchange access service, FX inward line, MegaLink		
NON-BASIC			FX51R	Measured rate exchange access service, FX residence		
NON-BASIC			FX51X	Measured rate exchange access service, FX inward trunk		
NON-BASIC			FX52B	Measured rate exchange access service, FX two-way line, business		
NON-BASIC			FX5CL	Measured rate exchange access service, FX combination line, LightGate		
NON-BASIC			FX5CM	Measured rate exchange access service, FX combination line, MegaLink		
NON-BASIC			FX5CX	Measured rate exchange access service, FX combination trunk		
NON-BASIC			FX5FL	Measured rate exchange access service, FX		
NON-BASIC			FX5NM	Measured rate exchange access service, FX DID line, MegaLink		
NON-BASIC			FX5NT	Measured rate exchange access service, FX DID trunks		
NON-BASIC			FX5OM	Measured rate exchange access service, FX outward line, MegaLink		
NON-BASIC			FX5OX	Measured rate exchange access service, FX outward trunk		
NON-BASIC			FX5XE	Measured rate exchange access service, FX terminates in ESSX		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			FXGSS	Foreign Exchange Service, business, measured intrastate, intraLATA, interexchange - invalid USOC (obsolete)		
NON-BASIC			FXSBN	Foreign Exchange Service, flat rate, business, intrastate interLATA BSCN line		
NON-BASIC			BOA	Flat-measured business line, outgoing only		
NON-BASIC			BUA	Flat-measured business line, two-way,		
NON-BASIC			BUACL	Flat-measured business line, two-way, with Caller ID		
NON-BASIC			BUE	Flat-measured business line, two-way, with hunting		
NON-BASIC			BUECL	Flat-measured business line, two-way, with hunting with Caller ID		
	210			BUS 1-PARTY FLAT Line Count Total		
	215			BUS FLAT STATE-WIDE No USOCs		
	215			BUS FLAT STATE-WIDE Line Count Total		
	220			BUS MULTI-PARTY No USOCs		
	220			BUS MULTI-PARTY Line Count Total		
	230			BUS ISDN (B-CHANNELS)		
NON-BASIC			LPRFX	ISDN - Individual Line Service, interface channels activated B channel circuit switched voice/data, each, flat rate		
NON-BASIC			LQGFx	ISDN Threshold Pricing Plan B-Channel Activated, circuit switched voice/data, residence or business		
NON-BASIC			MNCCF	MultiServ Plus ISDN, B channel activated circuit switched voice/data, flat rate		
NON-BASIC			WWWAR	Special Assembly, ISDN, individual residence service, interface, channels activated, up to two B channels circuit switched voice/data and one D channel low speed packet, flat rate, per DS1		
NON-BASIC			LQLAX	Basic Rate ISDN Optional Usage Plan B-Channel Activated, Plan A,(60 Hours) up to 2 B-Channels Circuit Switched Voice/Data per Digital Subscriber Line, Residence and Business		
NON-BASIC			LQLBX	Basic Rate ISDN Optional Usage Plan B-Channel Activated, Plan B,(120 Hours) up to 2 B-Channels Circuit Switched Voice/Data per Digital Subscriber Line, Residence and Business		
NON-BASIC			NAL2B	Network Access Service, network access line 2 way, business line		
	230			BUS ISDN (B-CHANNELS) Line Count Total		
	240			BUS MESSAGE		
NON-BASIC			1MB	Message rate line, business,		
NON-BASIC			1MBCL	Message rate line, business, two-way, with caller ID		
NON-BASIC			LCM	Business TAS message rate line, inward only		
NON-BASIC			OMB	Message rate line, business, outgoing only		
	240			BUS MESSAGE Line Count Total		
	250			BUS STD MEAS		
NON-BASIC			SBLFX	Back-Up Line, associated with all other business individual line service		
NON-BASIC			SBLO1	Back-Up Line, associated with Business Plus or Business Choice, option 1		
NON-BASIC			SBLO2	Back-Up Line, associated with Business Plus or Business Choice, option 2		
NON-BASIC			1MG	Measured rate line, business, two-way, non-hunting		
NON-BASIC			1MGCL	Measured rate line, business, two-way, non-hunting with Caller ID		
NON-BASIC			1MH	Measured rate line, business, two-way hunting		
NON-BASIC			1MHCL	Measured rate line, business, two-way hunting with caller ID		
	250			BUS STD MEAS Line Count Total		
	260			BUS MEAS PLAN No USOCs		
	260			BUS MEAS PLAN Line Count Total		
	270			BUS PLUS OPT 1		
NON-BASIC			BD1	Business Plus Service, option 1, flat rated plan		
NON-BASIC			BD1CL	Business Plus Service, option 1, flat rated plan with Caller ID		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
	270			BUS PLUS OPT 1 Line Count Total		
	275			BUS PLUS OPT 2		
NON-BASIC		BD2		Business Plus Service, option 2, combination rated plan		
NON-BASIC		BD2CL		Business Plus Service, option 2, combination rated plan with Caller ID		
	275			BUS PLUS OPT 2 Line Count Total		
	280			BUS CHOICE OPT 1		
NON-BASIC		BC1		Business Choice Package option 1 which includes Business Plus Calling Plan 1		
	280			BUS CHOICE OPT 1 Line Count Total		
	285			BUS CHOICE OPT 2		
NON-BASIC		BC2		Business Choice Package option 2, which includes Business Plus Calling Plan 2		
	285			BUS CHOICE OPT 2 Line Count Total		
	290			BUS COMPLETE CHOICE FR		
NON-BASIC		COMP1		Complete Choice for Business, Business Plus Service Option 2, 1 Line Package, All States except Florida		
NON-BASIC		COMP2		Complete Choice for Business, Business Plus Service Option 2, 2 Line Package, All States except Florida		
NON-BASIC		COMP3		Complete Choice for Business, Business Plus Service Option 2, 3 Line Package, All states except Florida (OBSOLETE)		
NON-BASIC		COMPH		Complete Choice for Business, 3 Line Package, Maximum of 2 Huntings per Package		
NON-BASIC		COMPF		Complete Choice for Business, 4 Line Package, Utilizing 1FB Line		
NON-BASIC		COMF5		Complete Choice for Business, 5 Line Package Utilizing 1FB Line		
NON-BASIC		COMF6		Complete Choice for Business, 6 Line Package Utilizing 1FB Line		
NON-BASIC		COMF7		Complete Choice for Business, 7 Line Package Utilizing 1FB Line		
NON-BASIC		COMF8		Complete Choice for Business, 8 Line Package Utilizing 1FB Line		
NON-BASIC		COMF9		Complete Choice for Business, 9 Line Package Utilizing 1FB Line		
	290			BUS COMPLETE CHOICE FR Line Count Total		
	293			BUS COMPLETE CHOICE BP OPT 1		
NON-BASIC		COM11		Complete Choice for Business, Business Plus Service Option 1, 1 Line Package		
NON-BASIC		COM12		Complete Choice for Business, Business Plus Service Option 1, 2 Line Package		
NON-BASIC		COM1H		Complete Choice for Business, Business Plus Service Option 1, 3 Line Package, Maximum of 2 Huntings per Package		
NON-BASIC		COM14		Complete Choice for Business, Business Plus Service Option 1, 4 Line Package, Maximum of 3 Hunting per Package		
NON-BASIC		COM15		Complete Choice for Business, Business Plus Service Option 1, 5 Line Package		
NON-BASIC		COM16		Complete Choice for Business, Business Plus Service Option 1, 6 Line Package		
NON-BASIC		COM17		Complete Choice for Business, Business Plus Service Option 1, 7 Line Package		
NON-BASIC		COM18		Complete Choice for Business, Business Plus Service Option 1, 8 Line Package		
NON-BASIC		COM19		Complete Choice for Business, Business Plus Service Option 1, 9 Line Package		
	293			BUS COMPLETE CHOICE BP OPT 1 Line Count Total		
	296			BUS COMPLETE CHOICE BP OPT 2		
NON-BASIC		COM21		Complete Choice for Business, Business Plus Service Option 2, 1 Line Package, Florida Only		
NON-BASIC		COM22		Complete Choice for Business, Business Plus Service Option 2, 2 Line Package, Florida Only		
NON-BASIC		COM23		Complete Choice for Business, Business Plus Service Option 2, 3 Line Package, Florida Only		
NON-BASIC		COM2H		Complete Choice for Business, Business Plus Service Option 2, 3 Line Package, Maximum of 2 Huntings per Package, Florida Only		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty		
					Service Category Qty	Class of Service Qty	
NON-BASIC			COM24	Complete Choice for Business, Business Plus Service Option 2, 4 Line Package, Maximum of 3 Hunting per Package			
NON-BASIC			COM25	Complete Choice for Business, Business Plus Service Option 2, 5 Line Package			
NON-BASIC			COM26	Complete Choice for Business, Business Plus Service Option 2, 6 Line Package			
NON-BASIC			COM27	Complete Choice for Business, Business Plus Service Option 2, 7 Line Package			
NON-BASIC			COM28	Complete Choice for Business, Business Plus Service Option 2, 8 Line Package			
NON-BASIC			COM29	Complete Choice for Business, Business Plus Service Option 2, 9 Line Package			
	296	BUS COMPLETE CHOICE BP OPT 2	Line Count Total				
	300	SUB-TOTAL BUS LINES					
	310	BUS TRK FLAT					
NON-BASIC			TDD1X	Direct-Inward-Dialing inward trunk			
NON-BASIC			TFN	Business, flat rate inward only trunk			
NON-BASIC			CNTOX	Business, Flat Rate, PBX Trunk (BSCN) Outdial Trunk			
NON-BASIC			TF50X	Business, flat rate trunk with measured usage charge, (leaky PBX) outward (FL only)			
NON-BASIC			TFU	Business, flat rate outdial trunk			
NON-BASIC			CNTCX	Business, Flat Rate, PBX Trunk (BSCN) Combination Trunk			
NON-BASIC			TF5CX	Business, flat rate trunk with measured usage charge, (leaky PBX) combination (FL only)			
NON-BASIC			TFBCX	Business, flat/message/measured rate trunk fictitious outdial (no rate)			
NON-BASIC			TFC	Business, flat rate combination trunk			
NON-BASIC			TYHCX	Business, flat rate trunk with Message Usage Charge, (leaky PBX) combination (FL only)			
NON-BASIC			S15	Premium flat rate business trunk			
NON-BASIC			TDDCX	Direct-Inward-Dialing combination trunk			
NON-BASIC			BCT1C	BellSouth Channelized Trunks Service, channel activation, Direct Inward Dialing trunks(includes existing function of trunk term., NAR, Hunting)			
NON-BASIC			BCT2C	BellSouth Channelized Trunks Service, channel activation, Combination Trunks (includes existing function of trunk term., NAR, Hunting)			
NON-BASIC			BCTOC	BellSouth Channelized Trunks Service, channel activation, Outward Only Trunks (includes existing function of trunk term., NAR, Hunting)			
NON-BASIC			PCK	Centrex main station line, terminated in PBX as central office trunk			
NON-BASIC			TUUCG	Business, unlimited-unmeasured PBX trunks combination, without hunting, Green Cove Springs, Fla			
NON-BASIC			TXL	Business, unmeasured and measured trunk rotary or hunting, inward			
NON-BASIC			TXH	Business, unmeasured and measured trunk non-hunting, outward			
NON-BASIC			TZF	Business, unmeasured and measured trunk non-hunting, combination non-rotary			
	310	BUS TRK FLAT Line Count Total					
	320	BUS TRK MESS 1ST					
NON-BASIC			TMU	Message rate, PBX trunk, outdial, first			
NON-BASIC			TMC	Message rate, PBX trunk, combination, first trunk			
	320	BUS TRK MESS 1ST Line Count Total					
	330	BUS TRK MESS ADDL					
NON-BASIC			TM3	Message rate, PBX trunk, outdial, additional			
NON-BASIC			TM5	Message rate, PBX trunk, combination, additional			
	330	BUS TRK MESS ADDL Line Count Total					
	340	BUS TRK MEAS					
NON-BASIC			CNAOX	Network Access Service, PBX Trunk (BSCN) Outdial Trunk			
NON-BASIC			CNACX	Network Access Service, PBX Trunk (BSCN) Combination Trunk			
NON-BASIC			TQBCX	Network Access Service PBX trunk, combination			
NON-BASIC			S161X	Measured rate trunk, sharing/resale inward			
NON-BASIC			S160X	Measured rate trunk, sharing/resale outdial			
NON-BASIC			SMP	Business, usage rate sharing/resale trunk, combination			

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			TZR	Business, measured trunk, with rotary or line hunting service, combination rotary		
	340			BUS TRK MEAS Line Count Total		
	350			BUS TRK MEAS PLAN		
			No USOCs			
	350			BUS TRK MEAS PLAN Line Count Total		
	400			SUB-TOTAL BUS TRUNKS		
	410			NAR ESSX-1		
NON-BASIC			EQB	Flat rate NAR, ESSX service, per NAR, inward only		
NON-BASIC			EQA	Flat rate NAR, ESSX service, per NAR, combination		
	410			NAR ESSX-1 Line Count Total		
	420			NAR ESSX/MSP/CTX FLAT		
NON-BASIC			EQB	Flat rate NAR, ESSX service, per NAR, inward only		
NON-BASIC			EQC	Flat rate NAR, ESSX service, per NAR, outgoing		
NON-BASIC			EQA	Flat rate NAR, ESSX service, per NAR, combination		
			M9QCX	Network Access Register Usage Package both way, flat rate and Local Optional Service Service		
NON-BASIC			M9QOX	Network Access Register Usage Package one-way outward, flat rate and Local Optional Service		
NON-BASIC			M9Q1X	Network Access Register Usage Package one-way inward, flat rate and Local Optional Service		
	420			NAR ESSX/MSP/CTX FLAT Line Count Total		
	430			NAR ESSX/MSP/CTX MESS		
NON-BASIC			EQF	Message rate, NAR ESSX service, outward		
NON-BASIC			EQK	Message rate NAR, ESSX service, per NAR, outgoing, additional		
NON-BASIC			EQE	Message rate, NAR ESSX service, combination		
NON-BASIC			EQG	Message rate NAR, ESSX service, per NAR, combination, additional		
NON-BASIC			M9QCS	Network Access Register Usage Package both way, message rate		
NON-BASIC			M9QOS	Network Access Register Usage Package MultiServ PLUS, one-way outward, message rate		
	430			NAR ESSX/MSP/CTX MESS Line Count Total		
	440			NAR ESSX/MSP/CTX MEAS		
			No USOCs			
	440			NAR ESSX/MSP/CTX MEAS Line Count Total		
	450			NAR ESSX/MSP/CTX MEAS PLAN		
			No USOCs			
	450			NAR ESSX/MSP/CTX MEAS PLAN Line Count Total		
	500			SUB-TOTAL ESSX/MSP NARS		
	510			NAR ML/LG FLAT		
			NQJ	Flat rate NAR, Lightgate service, per NAR line or trunk, one-way, incoming		
NON-BASIC			NQP	MegaLink Channel Service, per NAR line or trunk, inward flat rate		
NON-BASIC			NQK	Flat rate NAR, Lightgate service, per NAR line or trunk, one-way, outgoing		
NON-BASIC			NQT	MegaLink Channel Service, per NAR line or trunk, outward flat rate		
NON-BASIC			ND3	Flat Rate Network Access Register (NAR) Package, DID Combination		
NON-BASIC			NQG	Flat rate NAR, Lightgate service, per NAR line or trunk, combination		
NON-BASIC			NQM	MegaLink Channel service, per NAR line or trunk, combination flat rate		
	510			NAR ML/LG FLAT Line Count Total		
	520			NAR ML/LG MESS		
NON-BASIC			NNT	Message rate, MegaLink NAR, outward		
NON-BASIC			NNM	Message rate, MegaLink NAR, combination		
	520			NAR ML/LG MESS Line Count Total		
	530			NAR ML/LG MEAS VU		
			No USOCs			

<u>BASIC/ NON- BASIC</u>	<u>Line Code</u>	<u>Service Category</u>	<u>USOC</u>	<u>USOC Description</u>	<u>June 2006 In Service Qty</u>	
					<u>Service Category Qty</u>	<u>Class of Service Qty</u>
	530	NAR ML/LG MEAS VU Line Count Total				
	550	NAR ML/LG MEAS PLAN VU				
NON-BASIC		NQP1K		MegaLink Channel Service, per NAR line or trunk, inward measured rate, capped		
NON-BASIC		NQMCK		MegaLink Channel service, per NAR line or trunk, combination measured rate, capped		
	550	NAR ML/LG MEAS PLAN VU Line Count Total				
	570	SUB-TOTAL ML/LG NARS				
	600	ML/LG NAS LINE & TRK				
				No USOCs		
	600	ML/LG NAS LINE & TRK Line Count Total				
	610	COCOTS FLAT				
NON-BASIC		F7E		Flat rate service, two-way, with screening and blocking of 7 digit local, 1+DDD, 1+900 and 011+ calls		
NON-BASIC		F7F		Flat rate service, outward only, with screening and blocking of 7 digit local, 1+DDD, 1+900 and 011+ calls		
NON-BASIC		F7G		Flat rate service, two-way, with screening and blocking of 1+DDD, 1+900 and 011+ calls		
NON-BASIC		F7H		Flat rate service, outward only, with screening and blocking of 1+DDD, 1+900 and 011+ calls		
NON-BASIC		FSN		Flat rate service, two-way, with screening and blocking of 011+ calls		
NON-BASIC		FZP		Flat rate service, outward only, with screening and blocking of 011+ calls		
	610	COCOTS FLAT Line Count Total				
	620	COCOTS MESS				
				No USOCs		
	620	COCOTS MESS Line Count Total				
	630	COCOTS MEAS				
NON-BASIC		12H		Usage rate service, two-way, with screening and blocking of third number and collect calls		
NON-BASIC		17E		Usage rate service, two-way, with screening and blocking of 7 digit local, 1+DDD, 1+900, and 011+ calls		
NON-BASIC		17F		Usage rate service, outward only, with screening and blocking of 7 digit local, 1+DDD, 1+900 and 011+ calls		
NON-BASIC		17G		Usage rate service, two-way, with screening and blocking of 1+DDD, 1+900, and 011+ calls		
NON-BASIC		17H		Usage rate service, outward only, with screening and blocking of 1+DDD, 1+900 and 011+ calls		
NON-BASIC		12P		Usage rate service, outward only, with screening and blocking of 011+ calls		
NON-BASIC		2SM		COCOT, coin or coinless, usage rate service, two-way service, international blocking		
	630	COCOTS MEAS Line Count Total				
	640	COCOTS MEAS PLAN				
				No USOCs		
	640	COCOTS MEAS PLAN Line Count Total				
	650	SMARTLINE FLAT				
NON-BASIC		SLA		Fixed usage equivalent rate, SmartLine, one-way		
NON-BASIC		SLF		Fixed usage equivalent rate, SmartLine, two-way		
	650	SMARTLINE FLAT Line Count Total				
	660	SMARTLINE USAGE				
NON-BASIC		SLN		Usage rate service, SmartLine, outward		
NON-BASIC		SLU		Usage rate service, SmartLine, two-way		
	660	SMARTLINE USAGE Line Count Total				
	700	SUB-TOTAL COCOTS LINES				
	750	PRI RATE ISDN (B-CHANNELS)				

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			PR7BD	Primary Rate ISDN, primary rate B-Channels, Inward Data Option		
NON-BASIC			PR7BE	Primary Rate ISDN, B-Channel for inward data option with extended reach optional calling plan		
NON-BASIC			PR7BF	Primary Rate ISDN, B channels, data only, flat rate		
NON-BASIC			PR7BL	Primary Rate ISDN, Flat Rate B-Channels, Inward Data Option with Extended Reach Service, Final Route		
NON-BASIC			PR7BV	Primary Rate ISDN, B channels, voice/data (standard)		
NON-BASIC			PRFC1	ISDN Primary rate channels per channel, measured		
			750	PRI RATE ISDN (B-CHANNELS) Line Count Total		
			760	TOLL TERMINALS		
			EQD	ESSX flat rate service, one-way outgoing toll access for hotel guest dialing operation, each (FL only) (toll terminals)		
NON-BASIC			LD2NF	Long distance terminal for hotel, motel, and hospital terminated in CPE		
NON-BASIC			LDT	Long distance terminals		
NON-BASIC			TTT	Long distance trunks arranged for connection to the company's toll switchboard positions		
NON-BASIC			TTTXA	Long distance trunks arranged for connection to the company's toll switchboard positions for connection to either CO toll switchboard and/or company's DDD network, each		
NON-BASIC			TTTXB	Long distance trunks arranged for connection to the company's toll switchboard positions for connection to either CO toll switchboard, the DDD network or the IDDD network, each		
NON-BASIC			TTTXC	Long distance trunks arranged for connection to the company's toll switchboard positions toll terminal for hotel use, connection to DDD network, operator restrict toll calls from station users which are charged to the called number, third number, or calling card		
NON-BASIC			TTTXE	Long distance trunks arranged for connection to the company's toll switchboard positions toll terminal for hospital use, connection to DDD network, operator restrict toll calls from station users which are charged to the called number, third number, or calling card		
			760	TOLL TERMINALS Line Count Total		
			770	CTX/ESSX ISDN (B-CHANNELS)		
NON-BASIC			AAQ8X	Bearer Alternative Service Channel, additional appearance of directory number on different channel, same user Circuit switched voice or data, B channel		
NON-BASIC			LTQ8X	Bearer Alternate Service Channel, B channel, circuit switched voice or data		
NON-BASIC			LTQVB	Bearer Alternate Service Channel, access to B channel CSV/CSD, EWSD, voice, business, flat rate		
NON-BASIC			LQGMB	ISDN Threshold Pricing Plan B-Channel Activated, circuit switched voice/data for MultiServ PLUS only, business		
NON-BASIC			LTQ8M	Bearer Alternate Service Channel, voice and data, for use with measured system, circuit switched voice or data (access one B channel) ISDN		
			770	CTX/ESSX ISDN (B-CHANNELS) Line Count Total		
			780	CENTREX LINES		
NON-BASIC			M4LF3	Station links, flat rate, terminated on electronic telephone set/M5316 (DMS-100 only)		
NON-BASIC			M4LF4	Station links, flat rate, for provisioning in a different wire center, for electronic telephone set/M5008 (DMS-100 only)		
NON-BASIC			M4LF5	Station links, flat rate, for provisioning in a different wire center, for electronic telephone set/M5208 (DMS-100 only)		
NON-BASIC			M4LF6	Station links, flat rate, for provisioning in a different wire center, for electronic telephone set/M5216 (DMS-100 only)		
NON-BASIC			M4LF7	Station links, flat rate, for provisioning in a different wire center, for electronic telephone set/M5316 (DMS-100 only)		
NON-BASIC			M4LF9	Station links, terminated on MegaLink(r) service, MegaLink(r) Plus service, MegaLink(r) Light service, LightGate(r) service, or Equivalent Service, Flat rate		
NON-BASIC			M4LFA	Station links, flat rate, each		
NON-BASIC			M4LFB	Station links, for 800 Service Termination, flat rate, each		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			M4LFC	Station links, terminated on electronic business sets/PSET, DMS-100 only, flat rate, each		
NON-BASIC			M4LFD	Station links, terminated on electronic business sets/M5009, DMS-100 only, flat rate, each		
NON-BASIC			M4LFE	Station links, terminated on electronic business sets/M5209, DMS-100 only, flat rate, each		
NON-BASIC			M4LFF	Station links, terminated on electronic business sets/M5112, DMS-100 only, flat rate, each		
NON-BASIC			M4LFG	Station links, terminated on electronic business sets/M5312, DMS-100 only, flat rate, each		
NON-BASIC			M4LFH	Station links, equipped with Caller ID, each, flat rate		
NON-BASIC			M4LFJ	Station links, equipped for Message Waiting Lamp Indication, DMS-100 only, flat rate, each		
NON-BASIC			M4LFM	Station links, for provisioning in a different wire center, flat rate, each		
NON-BASIC			M4LFP	Station links, for provisioning in a different wire center, for Electronic Business Sets/M5009, DMS-100, only, flat rate, each		
NON-BASIC			M4LFQ	Station links, for provisioning in a different wire center, for Electronic Business Sets/M5209, DMS-100 only, flat rate, each		
NON-BASIC			M4LFS	Station links, for provisioning in a different wire center, for Electronic Business Sets/M5312, DMS-100 only, flat rate, each		
NON-BASIC			M4LFT	Station links, flat rate, terminated on electronic telephone set/M5008 (DMS-100 only)		
NON-BASIC			M4LFU	Station links, flat rate, terminated on electronic telephone set/M5208 (DMS-100 only)		
NON-BASIC			M4LFV	Station links, flat rate, terminated on electronic telephone set/M5216 (DMS-100 only)		
NON-BASIC			M4LFW	Station links, equipped with Caller ID and Message Waiting Lamp Indication, DMS-100 only, flat rate, each		
NON-BASIC			M4LS9	Station links, terminated on MegaLink(r) service, MegaLink(r) Plus service, MegaLink(r) Light service, LightGate(r) service, or Equivalent Service, Message Rate		
NON-BASIC			M4LSA	Station links, message rate, each		
NON-BASIC			M4LSH	Station links, equipped with Caller ID, each, message rate		
NON-BASIC			M4LSW	Station links, equipped with Caller ID and Message Waiting Lamp Indication DMS-100 only, message rate, each		
			780	CENTREX LINES Line Count Total		
			800	ESSX LINES		
NON-BASIC			DE3NX	Flat rate, Digital Electronic Business Service (DEBS) main station lines, (wire center lines in Southern, exchange circuit in SCB) up to 2 1/2 miles		
NON-BASIC			E4LNX	Extension stations located on different premise from main station line, same continuous property, with Caller ID each extension line, up to 2-1/2 miles		
NON-BASIC			E4UAX	Main station lines, flat, message or measured in SBT, flat only in SCB, for use with Caller ID 1/4 mile, obsolete		
NON-BASIC			E4UBX	Main station lines, flat, message or measured in SBT, flat only in SCB, for use with Caller ID 1/2 mile, obsolete		
NON-BASIC			E4UNX	Main station lines, flat, message or measured in SBT, flat only in SCB, for use with Caller ID Vintage 2 up to 2 1/2 miles		
NON-BASIC			E4UOX	Main station lines, flat, message or measured in SBT, flat only in SCB, for use with Caller ID Vintage 2 greater than 2 1/2 miles		
NON-BASIC			EARCB	Attendant access line, used for non-data link consoles, non-key telephone sets, or key telephone system operation, each main station, per line greater than 1/2 up to 3/4 mile, wire center density B		
NON-BASIC			EARNX	Attendant access line, used for non-data link consoles, non-key telephone sets, or key telephone system operation, each main station, per line Vintage 2 - up to 2 1/2 miles, wire center density not specified		
NON-BASIC			EBBNX	Flat rate wire center lines, Digital ESSX, terminated in electronic telephone set for ACD, agent set (used for flat, message, and measured service in SBT) Vintage 2 - up to 2 1/2 miles, wire center density not specified		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
			EBBOX	Flat rate wire center lines, Digital ESSX, terminated in electronic telephone set for ACD, agent set (used for flat, message, and measured service in SBT) Vintage 2 - greater than 2 1/2 miles, wire center density not specified		
NON-BASIC			EBTNX	Flat rate wire center lines, terminates in electronic telephone set for ACD, supervisor set, (used for flat, message, and measured service in SBT) Vintage 2 - up to 2 1/2 miles, density not specified		
NON-BASIC			EBTOX	Flat rate wire center lines, terminates in electronic telephone set for ACD, supervisor set, (used for flat, message, and measured service in SBT) Vintage 2 - greater than 2 1/2 miles, density not specified		
NON-BASIC			EFGNX	ESSX Switched Data Service I, exchange circuit main station line, flat rate Vintage 2, up to 2 1/2 miles, wire center density not specified		
NON-BASIC			EFWAA	Flat rate ESSX main station line extended as FX station (provision for OE only) 1/4 mile, wire center density A		
NON-BASIC			EFWBB	Flat rate ESSX main station line extended as FX station (provision for OE only) greater than 1/4 up to 1/2 mile, wire center density B		
NON-BASIC			EFWNX	Flat rate ESSX main station line extended as FX station (provision for OE only) up to 2 1/2 miles, wire center density not specified, Vintage 2		
			EFWOX	Flat rate ESSX main station line extended as FX station (provision for OE only) greater than 2 1/2 miles, wire center density not specified, Vintage 2		
NON-BASIC			EXA	Intercommunication charge, group a main station line, associated with a company provided instrument		
NON-BASIC			EXM	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate		
NON-BASIC			EXMAA	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 1/4 mile, wire center density A		
NON-BASIC			EXMAB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 1/4 mile, wire center density B		
NON-BASIC			EXMBA	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 1/2 mile, wire center density A		
NON-BASIC			EXMBB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 1/2 mile, wire center density B		
NON-BASIC			EXMCA	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 3/4 mile, wire center density A		
NON-BASIC			EXMCB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 3/4 mile, wire center density B		
NON-BASIC			EXMDA	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 1 mile, wire center density A		
NON-BASIC			EXMDB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 1 mile, wire center density B		
NON-BASIC			EXMEA	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 1 1/2 miles, wire center density A		
NON-BASIC			EXMEB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 1 1-2 miles, wire center density B		
NON-BASIC			EXMFA	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 2 miles, wire center density A		
NON-BASIC			EXMFB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 2 miles, wire center density B		
NON-BASIC			EXMGA	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 2-1/2 miles, wire center density A		
NON-BASIC			EXMGB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 2 1/2 miles, wire center density B		
NON-BASIC			EXMHA	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 3 miles, wire center density A		
NON-BASIC			EXMHB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 3 miles, wire center density B		
NON-BASIC			EXMJB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 3 1/2 miles, wire center density B		
NON-BASIC			EXMKB	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate 4 miles, wire center density B		
NON-BASIC			EXMNX	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate up to 2 1/2 miles, Vintage 2, density not specified		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
			EXMOX	ESSX exchange circuit, main station line, SCB-flat rate, SBT-flat, message or measured rate greater than 2 1/2 miles, Vintage 2, density not specified		
NON-BASIC			EXQNX	ESSX exchange circuit, main station line, SCB - flat rate, SBT - flat, message, or measured rate, with Caller ID, up to 2 1/2 miles		
NON-BASIC			EXQOX	ESSX exchange circuit, main station line, SCB - flat rate, SBT - flat, message, or measured rate, with Caller ID, over 2 1/2 miles		
NON-BASIC			EXSNX	ESSX Service, wire center line, station message waiting lamp indication, flat rate, with flat rate Caller ID up to 2 1/2 miles		
NON-BASIC			LOQ1X	ISDN DSL access capability, two-wire interface low volume (official use only)		
NON-BASIC			NV75E	Main station line associated with automatic call distribution (ACD) service, ESSX service, 5ESS central office		
NON-BASIC			R63AA	ESSX flat rate wire center line, terminates in electronic telephone set up to 1/4 mile, wire center density A		
NON-BASIC			R63AB	ESSX flat rate wire center line, terminates in electronic telephone set up to 1/4 mile, wire center density B		
NON-BASIC			R63BA	ESSX flat rate wire center line, terminates in electronic telephone set greater than 1/4 up to 1/2, wire center density A		
NON-BASIC			R63BB	ESSX flat rate wire center line, terminates in electronic telephone set greater than 1/4 up to 1/2 mile, wire center density B		
NON-BASIC			R63DB	ESSX flat rate wire center line, terminates in electronic telephone set greater than 3/4 up to 1 mile, wire center density B		
NON-BASIC			R63NX	ESSX flat rate wire center line, terminates in electronic telephone set Vintage 2, up to 2 1/2 miles, wire center density not specified		
NON-BASIC			R63OX	ESSX flat rate wire center line, terminates in electronic telephone set Vintage 2, greater than 2 1/2 miles, wire center density not specified		
NON-BASIC			R65NX	Station message waiting lamp indication, distance sensitive, per line, Digital ESSX up to 2 1/2 miles, density not specified		
NON-BASIC			R65PS	Station message waiting lamp indication, distance sensitive, per line, Digital ESSX per system		
NON-BASIC			RNB	Digital ESSX attendant features arranged to work with data link consoles		
NON-BASIC			RNBX	Digital ESSX attendant features arranged to work with data link consoles per line, up to 2 1/2 miles, density not specified		
NON-BASIC			RNLNX	Digital ESSX attendant features arranged to work with data link consoles, loopless per line, up to 2 1/2 miles		
NON-BASIC			RXR	Centrex/ESSX main station line, flat rate, OE only		
NON-BASIC			RXRO1	Centrex/ESSX main station line, flat rate, OE only Vintage 2, greater than 2 1/2 miles, type 1		
NON-BASIC			WBBMV	Special Assembly, Feature Establishment For Originating Station Identification		
NON-BASIC			WBBP1	Special Assembly, Each Main Station Wire Center, Per Line, .25 Mile		
NON-BASIC			WBBP3	Special Assembly, Each Main Station Wire Center Line Per Line, 75 Mile		
NON-BASIC			WBBP4	Special Assembly, Each Main Station Wire Center Line Per Line, 1 Mile		
NON-BASIC			WBBP5	Special Assembly, Each Main Station Wire Center Line Per Line, 1.5 Miles		
NON-BASIC			WBBP6	Special Assembly, Each Main Station Wire Center Line Per Line, 2 Miles		
NON-BASIC			WBBP7	Special Assembly, Each Main Station Wire Center Line Per Line, 2.5 Miles		
NON-BASIC			WBBP8	Special Assembly, Each Main Station Wire Center Line Per Line, 3 Miles		
NON-BASIC			WBBP9	Special Assembly, Each Main Station Wire Center Line Per Line, 3.5 Miles		
NON-BASIC			WBBPA	Special Assembly, Each Main Station Wire Center Line Per Line, 4 Miles		
NON-BASIC			WBBPB	Special Assembly, Each Main Station Wire Center Line Per Line, 5 Miles		
NON-BASIC			WCC4M	Special Assembly, ESSX Service/Digital ESSX Service Intercom Per Main Station Line (Replaces USOC ZZ6XD)		
NON-BASIC			WEEGH	Special Assembly, ESSX-S and ESSX-M Service Wire Center Lines, Rates For Years 1 And 2 (Valid For 24 Months), Up To 2.5 Miles, Includes Loop, Intercom And Features, Per Line		
NON-BASIC			WEEHE	Special Assembly, Digital ESSX-S and ESSX-M Service Wire Center, Rates For Years 1 And 2 (valid for 24 months) Lines, Greater Than 2.5 Miles, Includes Loop, Intercom And Features, Per Line		
NON-BASIC			WFFU6	Special Assembly, Distance Charges For Airline Mileage From The Network Interface Location To The Serving Central Office, Each 7 Miles		
NON-BASIC						

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			WOONS	Special Assembly, see chart for description, loaded from CSS/PPS		
NON-BASIC			WPPVK	Special Assembly, ISDN Basic Service Options, ISDN 2B+D, B Channels, Voice And D Channel, Signaling U Interface Card, Each (Low Volume)		
NON-BASIC			WTTMG	Special Assembly, Automatic Call Distribution (ACD), Agent Position Each (WTTMG)		
NON-BASIC			WUUH3	Special Assembly, ACD On 2500 Sets, Message Waiting Per Line (WUUH3)		
NON-BASIC			WUUNO	Special Assembly, Intercom And Wire Center Lines		
NON-BASIC			WUUOR	Special Assembly, Distance Charges For Airline Mileage From The Network Interface Location To The Serving Central Office, Each ESSX Main Station Line In Digital System, 8 Miles		
NON-BASIC			WUURZ	Special Assembly, Wire Center Lines, 7 Miles, Each		
NON-BASIC			WWWAC	Special Assembly, Distance charges for airline mileage from the network interface location to the serving central office, each digital ESSX@ main stationline, large, 5.5 airline miles		
NON-BASIC			WWWAD	Special Assembly, Distance charges for airline mileage from the network interface location to the serving central office, each digital ESSX@ main stationline, large, 6 airline miles		
NON-BASIC			WWWAE	Special Assembly, Distance charges for airline mileage from the network interface location to the serving central office, each digital ESSX@ main stationline, large, 6.5 airline miles		
NON-BASIC			WWWAF	Special Assembly, Distance charges for airline mileage from the network interface location to the serving central office, each digital ESSX@ main stationline, large, 7 airline miles		
NON-BASIC			WWWAG	Special Assembly, Distance charges for airline mileage from the network interface location to the serving central office, each digital ESSX@ main stationline, large, 7.5 airline miles		
NON-BASIC			WXXA5	Special Assembly, Each Main Station Wire Center Line, 1/4 Mile		
NON-BASIC			WXXA6	Special Assembly, Each Main Station Wire Center Line, 1/2 Mile		
NON-BASIC			WXXAA	Special Assembly, Each Main Station Wire Center Line, 2 Miles		
NON-BASIC			WXXAB	Special Assembly, Each Main Station Wire Center Line, 2.5 Miles		
NON-BASIC			WXXAC	Special Assembly, Each Main Station Wire Center Line, 3 Miles		
NON-BASIC			WXXAD	Special Assembly, Each Main Station Wire Center Line, 3.5 Miles		
NON-BASIC			WXXAH	Special Assembly, Each Main Station Wire Center Line, 5.5 Miles		
NON-BASIC			WXXAK	Special Assembly, Each Main Station Wire Center Line, Terminates In Electronic Telephone Set, 1/4 Mile		
NON-BASIC			ZZ3VO	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YC	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YD	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YE	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YS	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YT	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YU	Special Assembly, has in-svc		
NON-BASIC			ZZ3YV	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YW	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YX	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YY	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ3YZ	Special Assembly, Has in-svc 3/94, description being researched		
NON-BASIC			ZZ4Y1	Special Assembly, Has in-svc 3/95, description being researched		
NON-BASIC			ZZ6U1	Special Assembly, ESSX Station Lines (Includes 1/2 mile loop, intercom and Features), Each		
NON-BASIC			ZZ6U2	Special Assembly, ESSX Station Lines Equipped With Customer Provided Electronic Telephone Sets (Includes 5 Mi Loop, Intercom And Features)		
	800	ESSX LINES Line Count Total				
	810	MULTISERV PLUS LINES				
NON-BASIC			M4LF3	Station links, flat rate, terminated on electronic telephone set/M5316 (DMS-100 only)		
NON-BASIC			M4LF6	Station links, flat rate, for provisioning in a different wire center, for electronic telephone set/M5216 (DMS-100 only)		
NON-BASIC			M4LF7	Station links, flat rate, for provisioning in a different wire center, for electronic telephone set/M5316 (DMS-100 only)		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			M4LF9	Station links, terminated on MegaLink(r) service, MegaLink(r) Plus service, MegaLink(r) Light service, LightGate(r) service, or Equivalent Service, Flat rate		
NON-BASIC			M4LFA	Station links, flat rate, each		
NON-BASIC			M4LFB	Station links, for 800 Service Termination, flat rate, each		
NON-BASIC			M4LFC	Station links, terminated on electronic business sets/PSET, DMS-100 only, flat rate, each		
NON-BASIC			M4LFD	Station links, terminated on electronic business sets/M5009, DMS-100 only, flat rate, each		
NON-BASIC			M4LFE	Station links, terminated on electronic business sets/M5209, DMS-100 only, flat rate, each		
NON-BASIC			M4LFF	Station links, terminated on electronic business sets/M5112, DMS-100 only, flat rate, each		
NON-BASIC			M4LFG	Station links, terminated on electronic business sets/M5312, DMS-100 only, flat rate, each		
NON-BASIC			M4LFH	Station links, equipped with Caller ID, each, flat rate		
NON-BASIC			M4LFJ	Station links, equipped for Message Waiting Lamp Indication, DMS-100 only, flat rate, each		
NON-BASIC			M4LFM	Station links, for provisioning in a different wire center, flat rate, each		
NON-BASIC			M4LFQ	Station links, for provisioning in a different wire center, for Electronic Business Sets/M5209, DMS-100 only, flat rate, each		
NON-BASIC			M4LFT	Station links, flat rate, terminated on electronic telephone set/M5008 (DMS-100 only)		
NON-BASIC			M4LFU	Station links, flat rate, terminated on electronic telephone set/M5208 (DMS-100 only)		
NON-BASIC			M4LFV	Station links, flat rate, terminated on electronic telephone set/M5216 (DMS-100 only)		
NON-BASIC			M4LFW	Station links, equipped with Caller ID and Message Waiting Lamp Indication, DMS-100 only, flat rate, each		
NON-BASIC			M4LSA	Station links, message rate, each		
NON-BASIC			M4LSH	Station links, equipped with Caller ID, each, message rate		
	810	MULTISERV PLUS LINES	Line Count Total			
	820	MULTISERV LINES				
NON-BASIC			M1LF3	MultiServ, station link, flat rate, terminated on electronic telephone set/M5316 (DMS-100 only)		
NON-BASIC			M1LF9	MultiServ, station link, flat rate, terminated on MegaLink(r) service, MegaLink(r) Plus service, MegaLink(r) Light service, LightGate(r) service, or Equivalent Services		
NON-BASIC			M1LFA	MultiServ, station link, flat rate, each		
NON-BASIC			M1LFB	MultiServ, station link, flat rate, 800 Service termination, each		
NON-BASIC			M1LFH	MultiServ, station link, flat rate, equipped with Caller ID		
NON-BASIC			M1LFJ	MultiServ, station link, flat rate, equipped for message waiting lamp indication (DMS-100 only)		
NON-BASIC			M1LFM			
NON-BASIC			M1LFR	MultiServ, station link, flat rate, for provisioning in a different wire center, for electronic business set/M5112 (DMS-100 only)		
NON-BASIC			M1LFT	MultiServ, station link, flat rate, terminated on electronic telephone set/M5008 (DMS-100 only)		
NON-BASIC			M1LSA	MultiServ, station link, message rate		
NON-BASIC			M1LSH	MultiServ, station link, message rate, equipped with Caller ID		
NON-BASIC			MULXA	Back-to-back trunks to work in connection with IAESS System Communication toll guide establishment (no rate)		
NON-BASIC			MULXB	Back-to-back trunks to work in connection with IAESS System Communication trunk termination (no rate)		
	820	MULTISERV LINES	Line Count Total			
	830	MISC. OTHER				
NON-BASIC			91L	911 emergency reporting service, basic service code for 911 service, non PBX		
NON-BASIC			91M	911 emergency reporting service 911 line, without instrument, non-PBX, obsolete		
NON-BASIC			TGZ	911 emergency reporting service, 911 trunk		
NON-BASIC			1DCVX	Local access channel, dial access, voice		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			ASL	Public Announcement Service, network usage, measured rate, modification of 557-B switchboard to accommodate interconnection of CO lines with radio channels of MCC		
NON-BASIC			DHK1M	AccuPulse Digital Switched Service access line, two-wire		
NON-BASIC			DHK4M	AccuPulse Digital Switched Service access line, four-wire		
NON-BASIC			E8K	E911 service features, per 1000 access lines served, additional (optional) E911 exchange line terminating at PSAP, each		
NON-BASIC			FDKXE	AccuPulse Digital Switched Service remote access line two-wire		
NON-BASIC			FFLT6	Restructured, official, measured foreign exchange service intrastate intraLATA interexchnage via BSCN transport		
NON-BASIC			FFLT6	Restructured, official, measured foreign exchange service intrastate interLATA interexchange		
NON-BASIC			FFLT6	Restructured, official, measured foreign exchange service intrastate intraLATA interexchange		
NON-BASIC			NQPCA	MegaLink Channel Service, per NAR line or trunk, inward Trunk Termination, Call Content Channel for CALEA		
NON-BASIC			TF81X	Mobile measured inward trunk (Radio Common Carriers) inward only		
NON-BASIC			W1MSX	IntraLATA only 800 Service (Option 800 Service)		
NON-BASIC			WBB4Q	Special Assembly,		
NON-BASIC			WBBLC	Special Assembly, AccuPulse Service, Loop Extension Capability Per Access Line		
NON-BASIC			WBBNC	Special Assembly, Network Access Limiter (LNG), Per Network Access Register		
NON-BASIC			WCCQJ	Special Assembly, Distance Charges For Airline Mileage From The Network Interface Location To The Serving Central Office, Each Digital ESSX Main Station Line, 7.5 Miles		
NON-BASIC			WCCQL	Special Assembly, Distance Charges For Airline Mileage From The Network Interface Location To The Serving Central Office, Each Digital ESSX Main Station Line, 12 Miles		
NON-BASIC			WCCWA	Special Assembly, Distance Charges For Airline Mileage From The Network Interface Location To The Serving Central Office, Each Digital ESSX Main Station Line, 7.5 Miles		
NON-BASIC			WCCWB	Special Assembly, Distance Charges For Airline Mileage From The Network Interface Location To The Serving Central Office, Each Digital ESSX Main Station Line, 9.5 Miles		
NON-BASIC			WEE1Z	Special Assembly, AccuPulse Service Arrangement, Per Line Within AccuPulse Normal Serving Area		
NON-BASIC			WEE2S	Special Assembly, Four-Wire AccuPulse Service Arrangement, Per Access Line		
NON-BASIC			WEEJK	Special Assembly, Four-wire AccuPulse@ Service arrangement, per access line		
NON-BASIC			WEEJL	Special Assembly, Four-wire AccuPulse@ Service access lines, per access line		
NON-BASIC			WEEU7	Special Assembly, Four-Wire AccuPulse Service Arrangement, Per Access Line		
NON-BASIC			WGGLT	Special Assembly, Digital ESSX@ Service, medium wire center lines, greater than 5 miles, up to 7.5 miles each		
NON-BASIC			WGGMX	Special Assembly, Wire center lines, (loop and intercom), each		
NON-BASIC			WMM6A	Special Assembly Four-Wire AccuPulse□ Service Arrangement, Per Access Line 6)		
NON-BASIC			WMM6B	Special Assembly Four-Wire AccuPulse□ Service Access Lines, Per Access Line		
NON-BASIC			WMMB9	Special Assembly Four-Wire AccuPulse□ Service Access Lines, Per Access Line		
NON-BASIC			WMMCK	Special Assembly Distance Charges for Airline Mileage from The Network Interface Location to The Serving Central Office, Each Digital ESSX Main Station Line 8.5 - 9.0 Miles		
NON-BASIC			WMMN7	Special Assembly Four-Wire AccuPulse□ Service Access Lines Located At 10623 NW 12 Street, Miami, Fl, Per Access Line		
NON-BASIC			WMMTE	Special Assembly Distance Charges for Airline Mileage from The Network Interface Location to The Serving Central Office, Each Digital ESSX-VS Main Station lines 8.0, 8.5 Miles		
NON-BASIC			WMMTS	Special Assembly Four-Wire AccuPulse□ Service Access Lines, Located 9200 NW 13th St, Per Access Line		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			WNNDU	Special Assembly, MegaLink@ channel service, central office feature activation for ESSX@ ISDN Service, per first feature activated		
NON-BASIC			WNNDV	Special Assembly, MegaLink@ channel service, central office feature activation for ESSX@ ISDN Service, per each additional feature activated		
NON-BASIC			WPPJG	Special Assembly, each EDS line (includes wire center lines up to 1 mile and Touch-Tone)		
NON-BASIC			WPPKL	Special Assembly, AccuPulse Service Arrangement, Per Line Within AccuPulse Normal Serving Area		
NON-BASIC			WPPPR	Special Assembly, Each Additional Group Of 20 Non-Consecutive DID Numbers, Each DID Number		
NON-BASIC			WUUK2	Special Assembly, Each EDS Line (Includes 3.25 Mile Loop And Touch-Tone)		
NON-BASIC			WVBE	Special Assembly, Four-Wire AccuPulse Service Access Lines, Per Access Line, Located 3000 Old Chemstrand Road		
NON-BASIC			WVVD4	Special Assembly, Customer connection to frame relay, minimum of 1 required, per fast packet exchange line 64 Kbps DS0), each (USOC FRF64 & 2UN64)		
NON-BASIC			WVWH	Special Assembly, Distance Charges for Airline Mileage from The Serving Central Office to The Network Interface At 9001 SW Busch Street 8.5 Miles Each		
NON-BASIC			WWWA8	Special Assembly, Four-wire AccuPulse@ Service access lines, per access line		
NON-BASIC			WWWB3	Special Assembly, Distance charges for airline mileage from the network interface location to the serving central office, each Digital ESSX@ main station line/very small, 9.5 miles		
NON-BASIC			WWWEG	Special Assembly, Two-way DID trunk for MSP, per termination		
NON-BASIC			WWWHP	Special Assembly, Distance charges for airline mileage from the network interface location to the serving central office, each Digital ESSX@ main station line, 8 miles		
NON-BASIC			ZZ4Y2	Special Assembly, Has in-svc 3/95, description being researched		
			830	MISC. OTHER Line Count Total		
			835	UNE LINES		
NON-BASIC			U1L2X	Unbundled ISDN BRI Loop, 2 wire		
NON-BASIC			UAL2W	Unbundled ADSL loop 2 wire without manual service inquiry and facility reservation		
NON-BASIC			UAL2X	Unbundled ADSL loop 2 wire including manual service inquiry and facility reservation		
NON-BASIC			UCL2L	Unbundled Copper Loop - Non Loaded, 2-Wire Unbundled Copper Loop/Long (greater than 18K FT), including manual service inquiry and facility reservation		
NON-BASIC			UCL2W	Unbundled Copper Loop - Non Loaded, 2-Wire Loop/Long (greater than 18K FT), without manual service inquiry and facility reservation		
NON-BASIC			UCL4L	Unbundled Copper Loop - Non Loaded, 4-Wire Unbundled Copper Loop/Long (greater than 18K FT), including manual service inquiry and facility reservation		
NON-BASIC			UCL4O	Unbundled Copper Loop - Non Loaded, 4 wire Loop/Long (greater than 18K FT), without manual service inquiry and facility reservation		
NON-BASIC			UCL4S	Unbundled Copper Loop - Non Loaded, 4-Wire Unbundled Copper Loop/Short(equal to or less than 18K FT), including manual service inquiry and facility reservation		
NON-BASIC			UCL4W	Unbundled Copper Loop - Non Loaded, 4-Wire Loop/Short(equal to or less than 18K FT), without manual service inquiry and facility reservation		
NON-BASIC			UCLPB	Unbundled Copper Loop - Non Loaded, 2-Wire Unbundled Copper Loop/Short(equal to or less than 18K FT), including manual service inquiry and facility reservation		
NON-BASIC			UCLPW	Unbundled Copper Loop - Non Loaded, 2-Wire Loop/Short(equal to or less than 18K FT), without manual service inquiry and facility reservation		
NON-BASIC			UDC2X	Unbundled Universal Digital Channel Loop, 2-Wire		
NON-BASIC			UDL56	Unbundled Digital Loop, 56 Kbps		
NON-BASIC			UDL64	Unbundled Digital Loop, 64 Kbps		
NON-BASIC			UEAL2	Unbundled Voice Loop, 2 wire, loop start and ground start		
NON-BASIC			UEAL4	Unbundled Voice Loop, 4 wire, Loop Start and Ground Start		
NON-BASIC			UEAR2	Unbundled Voice Loop, 2 wire, Reverse Battery		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			UECD1	Unbundled Combination Voice Loop, 2-Wire Direct Inward Dialing (DID) Loop		
NON-BASIC			UECF2	Unbundled Combination Voice Loop, SL2, FX/FCO 2-Wire Voice Grade Design Loop		
NON-BASIC			UECS1	Unbundled Combination Voice Loop, SL 1 Centrex (non-design)		
NON-BASIC			UEPA1	Unbundled Exchange Ports, 2-Wire Voice Florida Residence Extended Dialing Plan with Caller ID Capability		
NON-BASIC			UEPA8	Unbundled Exchange Ports, 2-Wire Voice Florida Residence Extended Dialing Plan without Caller ID Capability		
NON-BASIC			UEPA9	Unbundled Exchange Ports, 2-Wire Voice Florida Residence Area Calling Plan and non-Caller ID Capable		
NON-BASIC			UEPAF	Unbundled Exchange Ports, 2-Wire Voice Florida Residence Area Calling with Caller ID		
NON-BASIC			UEPAP	Unbundled Exchange Ports, 2-Wire Voice Residence Area Calling with caller ID		
NON-BASIC			UEPB1	Unbundled Exchange Ports, 2-Wire Business Incoming Only with Caller ID		
NON-BASIC			UEPBC	Unbundled Exchange Ports, business ports equipped with Caller ID		
NON-BASIC			UEPBE	Unbundled Exchange Ports, Business Incoming only without Caller ID capability		
NON-BASIC			UEPBL	Unbundled Exchange Ports, measured, line assignable, business		
NON-BASIC			UEPBM	Unbundled Exchange Ports, 2-Wire Voice Business Area Dialing Plus Port with Caller ID		
NON-BASIC			UEPBO	Unbundled Exchange Ports, 2-Wire Business Outgoing Only		
NON-BASIC			UEPLD	Unbundled Exchange Ports, Unbundled PBX 2-Way LD Terminals Port		
NON-BASIC			UEPLX	Unbundled Exchange Ports, Unbundled Port/Loop Combination Element		
NON-BASIC			UEPP1	Unbundled Exchange Ports, 2-Wire Business Trunk Incoming Only		
NON-BASIC			UEPPC	Unbundled Exchange Ports, measured, line assignable, PBX combination		
NON-BASIC			UEPPO	Unbundled Exchange Ports, measured, line assignable, PBX outdial		
NON-BASIC			UEPRC	Unbundled Exchange Ports, residence ports equipped with Caller ID		
NON-BASIC			UEPRL	Unbundled Exchange Ports, measured, line assignable, residence		
NON-BASIC			UEPRM	Unbundled Exchange Ports, 2-Wire Voice Residence Area Dialing Plus Port with Caller ID		
NON-BASIC			UEPRO	Unbundled Exchange Ports, 2-Wire Residence Outgoing Only		
NON-BASIC			UEPXA	Unbundled Exchange Ports, Unbundled PBX 2-Way Usage Port		
NON-BASIC			UEPXD	Unbundled Exchange Ports, Unbundled PBX LD Toll Terminal Switchboard Port		
NON-BASIC			UEPXE	Unbundled Exchange Ports, Unbundled PBX LD Toll Terminal Switchboard IDDD Capable Port		
NON-BASIC			UEQ2X	Unbundled Copper Loop, Non-Designed Non-Loaded, 2-Wire		
NON-BASIC			UHL2W	Unbundled HDSL loop 2 wire without manual service inquiry and facility reservation		
NON-BASIC			UHL2X	Unbundled HDSL loop 2 wire including manual service inquiry and facility reservation		
NON-BASIC			UHL4W	Unbundled HDSL loop 4 wire without manual service inquiry and facility reservation		
NON-BASIC			UHL4X	Unbundled HDSL loop 4 wire including manual service inquiry and facility reservation		
NON-BASIC			USL2X	Unbundled DS1 Loop, Basic Rate ISDN 2-Wire DS1 Unbundled Loop		
NON-BASIC			USLDC	Unbundled DS1 Loop, 4-Wire DS1 Digital Combination Loop		
	835	UNE LINES Line Count Total				
	840	TOTAL (INC. ESSX LINES, NO TOLL TERM)				
	860	TOTAL (INC. ESSX NARS, W/ TOLL TERM)				
	920	RES HUNTING				
NON-BASIC			HTG	Hunting/Rotary/Grouping Feature		
NON-BASIC			HTG	Hunting/Rotary/Grouping Feature		
	920	RES HUNTING Line Count Total				
	930	BUS FLAT HTG				
NON-BASIC			HTG	Hunting/Rotary/Grouping Feature		
NON-BASIC			HTGSD	Hunting/Rotary/Grouping Feature Circuit Switched Data Call Hunting, each		

BASIC/ NON- BASIC	Line Code	Service Category	USOC	USOC Description	June 2006 In Service Qty	
					Service Category Qty	Class of Service Qty
NON-BASIC			HTG	Hunting/Rotary/Grouping Feature		
NON-BASIC			HTGSD	Hunting/Rotary/Grouping Feature Circuit Switched Data Call Hunting, each		
	930	BUS FLAT		HTG Line Count Total		
	940	BUS MESS		HTG		
NON-BASIC			HTG	Hunting/Rotary/Grouping Feature		
NON-BASIC			HTGMS	Hunting/Rotary/Grouping Feature used with business message service		
	940	BUS MESS		HTG Line Count Total		
	950	BUS MEAS		HTG		
NON-BASIC			HTGNS	Hunting/Rotary/Grouping Feature used when access line is provided via MegaLink ISDN Service NAR, business		
NON-BASIC			HTG	Hunting/Rotary/Grouping Feature		
NON-BASIC			HTG	Hunting/Rotary/Grouping Feature		
	950	BUS MEAS		HTG Line Count Total		
	960	BUS MEAS PLAN		HTG		
NON-BASIC			HTGTR	Hunting/Rotary/Grouping Feature RegionServ Service		
	960	BUS MEAS PLAN		HTG Line Count Total		
	970	SUB-TOTAL		BUS HTG		

Estimated Florida Storm Recovery Amount					
Retail Basic and Nonbasic Services					
(Access Line data as of June 2006)					
			Revised*	Revised*	Revised*
		Access	Access	Monthly	Annual
State		Lines	Lines	Revenue	Revenue
FL	Residence Lines (incl Lifeline)	3,413,192	3,413,192	\$ 1,706,596.00	\$ 20,479,152
FL		1,149,266	1,138,184	\$ 569,092.00	\$ 6,829,104
FL		27,445	27,445	\$ 13,722.50	\$ 164,670
FL		39,765	39,765	\$ 19,882.50	\$ 238,590
FL		33,339	0	\$ -	\$ -
FL	COCOTS Lines	4,131	4,131	\$ 2,065.50	\$ 24,786
FL		243,529	11,378	\$ 5,689.00	\$ 68,268
FL		468	468	\$ 234.00	\$ 2,808
FL		2,436	2,436	\$ 1,218.00	\$ 14,616
FL		61,492	30,746	\$ 15,373.00	\$ 184,476
Total		4,975,063	4,667,745	\$ 2,333,872.50	\$ 28,006,470
	Lifeline Lines	83,745	83,745	\$ 41,872.50	\$ 502,470
	Total Excluding Lifeline Lines	4,891,318	4,584,000	\$ 2,292,000.00	\$ 27,504,000
* Revised pursuant to Late-Filed Deposition Request #6					
Highlighting denotes proprietary information					

June 2006

USOC	MKT	SUM(INSERV)	Revised (cut in half)
1LDPZ	R		
1LDPZ	W		
1RSD2	R		
1RSD3	R		
1RSD3	W		
1RSD4	R		
1RSD5	R		
1RSD5	W		
1RSD6	R		
1RSD6	W		
1RSD9	R		
1RSD9	W		
ATA1F	R		
ATA4F	R		
ATA7F	R		
ATA7M	R		
ATAA1	R		
ATAA3	R		
ATAA4	R		
ATAA6	R		
ATAA7	R		
ATAAA	R		
ATACM	R		
ATACS	R		
ATAEA	R		
ATAG3	R		
ATAG4	R		
ATAG6	R		
ATANK	R		
ATANM	R		
ATANS	R		
ATAT8	R		
ATAUS	R		
ATAVK	R		
ATAVM	R		
ATAVS	R		
FDKXE	R		
FRH11	R		
FRH11	W		
FRH12	R		
FRH12	W		
FRH15	R		
FRH15	W		

June 2006

USOC	MKT	SUM(INSERV)	Revised (cut in half)
FRH18	R		
FRH19	R		
FRH19	W		
FRH10	R		
FRH10	W		
FRH21	R		
FRH21	W		
FRH24	R		
FRH24	W		
FRH25	R		
FRH25	W		
FRH27	R		
FRH27	W		
FRH2M	R		
FRH2M	W		
FRH32	R		
FRH32	W		
FRH38	R		
FRH38	W		
FRH30	R		
FRH40	R		
FRH51	R		
FRH51	W		
FRH56	R		
FRH56	W		
FRH57	R		
FRH5M	R		
FRH64	R		
FRH64	W		
FRH76	R		
FRH76	W		
FRHFS	R		
FRHM3	R		
FRHM3	W		
FRHM6	R		
FRHM9	R		
FRHO3	R		
FRHO6	R		
FRHO6	W		
FRHO9	R		
FRHS1	R		
FRHS1	W		
FRHS2	R		
FRHS2	W		

June 2006

USOC	MKT	SUM(INSERV)	Revised (cut in half)
FRHS3	R		
FRHS5	R		
FRHS5	W		
FRHS7	R		
FRHSE	R		
FRHT1	R		
FRHT1	W		
FRHT3	R		
HFQ4N	R		
HFQ5N	R		
HFS12	R		
HFS1C	R		
HFS1W	R		
HFS48	R		
HFS4C	R		
HFSC7	R		
HFSO3	R		
HFSOC	R		
HFSOW	R		
HFST1	R		
MTEBZ	R		
MTEDZ	R		
MTEPZ	R		
NMLBL	R		
NMLEN	R		
NMLG7	R		
P2JGX	R		
P2JHX	R		
P2JHX	W		
P2JKX	R		
P2JKX	W		
P2JLX	R		
P2JMX	R		
P2JMX	W		
P2JNX	R		
P2JNX	W		
P2JQX	R		
P2JQX	W		
P2JRX	R		
P2JRX	W		
P2JUX	R		
P2JUX	W		

June 2006

USOC	MKT	SUM(INSERV)	Revised (cut in half)
P2JWX	R		
SHNC1	R		
SHNC3	R		
SHNH1	R		
SHNH3	R		
SHNH5	R		
SHNH6	R		
SHNH7	R		
SHNH8	R		
SHNH9	R		
SHNN2	R		
SHNN5	R		
SHNN6	R		
SHNN8	R		
SHNN9	R		
CAR2T	R		
CAROT	R		
MTEBZ	R		
MTEDZ	R		
MTEPZ	R		
NMLBL	R		
NMLEN	R		
NMLG7	R		
Total	R & W		

Retail Only

June 2006				
Line No.	Description	June 2006 Units	Revised Units*	Included in Proposal?
10	RES 1-PARTY FLAT			Y
20	RES MULTI-PARTY			Y
30	RES ISDN (LINES)			Y
40	RES MESSAGE			Y
50	RES STD MEAS			Y
60	RES LOW USE MEAS			Y
70	RES MEAS PLAN			Y
80	RES AREA PLUS			Y
85	RES FEATURE PACK PLANS			Y
90	RES COMPLETE CHOICE			Y
100	RES AREA PLUS W/COMP. CHOICE			Y
110	SUB-TOTAL RES LINES			Subtotal
150	RES TRUNKS			Y
210	BUS 1-PARTY FLAT			Y
215	BUS FLAT STATE-WIDE			Y
220	BUS MULTI-PARTY			Y
230	BUS ISDN (B-CHANNELS)			Y
240	BUS MESSAGE			Y
250	BUS STD MEAS			Y
260	BUS MEAS PLAN			Y
270	BUS PLUS OPT 1			Y
275	BUS PLUS OPT 2			Y
280	BUS CHOICE OPT 1			Y
285	BUS CHOICE OPT 2			Y
290	BUS COMPLETE CHOICE FR			Y
293	BUS COMPLETE CHOICE BP OPT 1			Y
296	BUS COMPLETE CHOICE BP OPT 2			Y
300	SUB-TOTAL BUS LINES			Subtotal
310	BUS TRK FLAT			Y
320	BUS TRK MESS 1ST			Y
330	BUS TRK MESS ADDL			Y
340	BUS TRK MEAS			Y
350	BUS TRK MEAS PLAN			Y
400	SUB-TOTAL BUS TRUNKS			Subtotal
410	NAR ESSX-1			Y
420	NAR ESSX/MSP/CTX FLAT			Y
430	NAR ESSX/MSP/CTX MESS			Y
440	NAR ESSX/MSP/CTX MEAS			Y
450	NAR ESSX/MSP/CTX MEAS PLAN			Y
500	SUB-TOTAL ESSX/MSP NARS			Subtotal
510	NAR ML/LG FLAT			Y
520	NAR ML/LG MESS			Y
530	NAR ML/LG MEAS VU			Y
550	NAR ML/LG MEAS PLAN VU			Y
570	SUB-TOTAL ML/LG NARS			Subtotal
600	ML/LG NAS LINE & TRK			Y
610	COCOTS FLAT			Y
620	COCOTS MESS			Y
630	COCOTS MEAS			Y
640	COCOTS MEAS PLAN			Y
650	SMARTLINE FLAT			Y
660	SMARTLINE USAGE			Y
700	SUB-TOTAL COCOTS LINES			Subtotal
750	PRI RATE ISDN (B-CHANNELS)			Y
760	TOLL TERMINALS			Y
770	CTX/ESSX ISDN (B-CHANNELS)			N
780	CENTREX LINES			N
800	ESSX LINES			N
810	MULTISERV PLUS LINES			N
820	MULTISERV LINES			N
830	MISC. OTHER			Y
835	UNE LINES			N
840	TOTAL (INC. ESSX LINES, NO TOLL TERM)			N/A
860	TOTAL (INC. ESSX NARS, W/ TOLL TERM)			N/A
920	RES HUNTING			N
930	BUS FLAT HTG			N
940	BUS MESS HTG			N
950	BUS MEAS HTG			N
960	BUS MEAS PLAN HTG			N
970	SUB-TOTAL BUS HTG			N

* Revised to exclude BRI B-Channels (Line # 230), PRI B-Channels (Line #750) and NAR ML/LG (Line #s 510 and 520)

Jun-06

Item No. 8
 Attachment
 Page 1 of 3

Florida WC CLLI	WC Name	Actual channels	Max. channels	Avg % Channel Utilization
		144	144	100%
		261	264	99%
		468	480	98%
		45	48	94%
		312	336	93%
		1,166	1,272	92%
		1,231	1,440	85%
		254	312	81%
		371	456	81%
		624	768	81%
		773	960	81%
		96	120	80%
		419	528	79%
		38	48	79%
		319	408	78%
		168	216	78%
		444	576	77%
		147	192	77%
		658	864	76%
		36	48	75%
		88	120	73%
		88	120	73%
		138	192	72%
		317	456	70%
		1,234	1,776	69%
		66	96	69%
		872	1,272	69%
		209	312	67%
		128	192	67%
		527	792	67%
		525	792	66%
		327	504	65%
		249	384	65%
		264	408	65%
		225	360	63%
		149	240	62%
		74	120	62%
		570	936	61%
		174	288	60%
		145	240	60%
		345	576	60%
		443	744	60%

Jun-06

Item No. 8
 Attachment
 Page 2 of 3

Florida WC CLLI	WC Name	Actual channels	Max. channels	Avg % Channel Utilization
		71	120	59%
		56	96	58%
		224	384	58%
		192	336	57%
		82	144	57%
		299	528	57%
		13	24	54%
		214	408	52%
		214	408	52%
		12	24	50%
		108	216	50%
		58	120	48%
		58	120	48%
		1,397	2,952	47%
		170	360	47%
		79	168	47%
		101	216	47%
		33	72	46%
		22	48	46%
		87	192	45%
		163	360	45%
		389	864	45%
		538	1,224	44%
		179	408	44%
		42	96	44%
		42	96	44%
		73	168	43%
		114	264	43%
		287	672	43%
		61	144	42%
		2,934	7,032	42%
		10	24	42%
		20	48	42%
		40	96	42%
		20	48	42%
		815	1,968	41%
		79	192	41%
		121	312	39%
		493	1,296	38%
		189	504	38%
		27	72	38%
		9	24	38%
		178	480	37%
		124	336	37%
		79	216	37%
		78	216	36%
		43	120	36%
		162	456	36%

Jun-06

Item No. 8
Attachment
Page 3 of 3

Florida WC CLLI	WC Name	Actual channels	Max. channels	Avg % Channel Utilization
		76	216	35%
		99	288	34%
		181	528	34%
		252	744	34%
		162	480	34%
		24	72	33%
		16	48	33%
		55	168	33%
		82	264	31%
		214	696	31%
		57	192	30%
		119	408	29%
		62	216	29%
		570	2,040	28%
		39	144	27%
		175	648	27%
		32	120	27%
		297	1,128	26%
		194	744	26%
		25	96	26%
		183	720	25%
		48	192	25%
		6	24	25%
		407	1,680	24%
		111	480	23%
		162	720	23%
		10	48	21%
		24	120	20%
		27	144	19%
		9	48	19%
		43	240	18%
		4	24	17%
		16	96	17%
		86	528	16%
		542	3,432	16%
		18	144	13%
		27	216	13%
		8	72	11%
		72	672	11%
		36	408	9%
		6	96	6%
	Total	30,506	64,416	47%