

ORIGINAL

Venetian Village

Docket No. 060368-WS

Application to Increase Rates and Charges
For a "Class A" Utility
In

Florida

VOLUME 6

Book 7

Set 53 of 57

Containing
Additional Engineering Requirements

Monthly Operating Reports

CMP _____

COM _____

CTR _____

ECR 1

GCL _____

OPC _____

RCA _____

SCR _____

SGA _____

SEC _____

OTH _____

Aqua Utilities Florida, Inc.

DOCUMENT NUMBER-DATE

00883 JAN 26 8

FPSC-COMMISSION CLERK

Aqua Utilities Florida, Inc. Monthly Operating Reports

Venetian Village

	Tab Number	Page Number
Year: 2004		
January	1	3
February	2	5
March	3	7
April	4	9
May	5	11
June	6	13
July	7	15
August	8	17
September	9	19
October	10	21
November	11	23
December	12	25
Year: 2005		
January	1	27
February	2	29
March	3	31
April	4	33
May	5	35
June	6	37
July	7	39
August	8	41
September	9	43
October	10	45
November	11	47
December	12	49

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: January, 2004

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 143		Total Population Served at End of Month: 498	
PWS Owner: Florida Water Services			
Contact Person: Craig Anderson		Contact Person's Title: VP Environmental Services	
Contact Person's Mailing Address: P.O. Box 609520		City: Orlando	State: Florida
		Zip Code: 32860-9520	
Contact Person's Telephone Number: (407) 598-4199		Contact Person's Fax Number: (407) 598-4217	
Contact Person's E-Mail Address: craiga@florida-water.com			

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980	
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida
		Zip Code: 32778	
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	
Licensed Operators	Name	License Class	License Number
Lead/Chief Operator:	Will Fontaine	C	6813
Other Operators:	Brian Heath	C	5825
	John Worrell	C	6597
	Gary Kissick	C	7846
	Mike Ponticelli	C	8450

II Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date: 2/9/2004 0:00

Printed or Typed Name: Will Fontaine

License Number: C-6813

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: January, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*								Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations				UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C if Applicable	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²			Minimum UV Dose Required, mW-sec/cm ²
1	X	24.0	36,800		1.4								1.1	
2	X	24.0	27,300		1.4								1.1	
3	X	24.0	26,900		1.5									
4		24.0	32,500											
5	X	24.0	32,500		1.6								1.2	
6	X	24.0	25,700		1.5								1.2	
7	X	24.0	19,400		1.5								1.1	
8	X	24.0	33,100		1.5								1.1	
9	X	24.0	25,000		1.5								1.1	
10	X	24.0	29,300		1.7									
11		24.0	31,600											
12	X	24.0	31,600		1.5								1.1	
13	X	24.0	27,700		1.5								1.1	
14	X	24.0	24,000		1.5								1.1	
15	X	24.0	42,100		1.4								1.0	
16	X	24.0	27,700		1.5								1.1	
17	X	24.0	25,500		1.6									
18		24.0	34,000											
19	X	24.0	34,000		1.5								1.1	
20	X	24.0	25,600		1.3								1.0	
21		24.0	19,300		1.4								1.0	
22	X	24.0	37,700		1.5								1.1	
23	X	24.0	26,200		1.4								0.9	
24	X	24.0	23,500		1.7									
25		24.0	33,150											
26	X	24.0	33,150		1.3								1.0	
27	X	24.0	24,800		2.1								1.3	
28		24.0	26,900		1.8								1.1	
29	X	24.0	26,900		1.6								1.0	
30	X	24.0	26,600		1.5								0.9	
31	X	24.0	25,600		1.5									
Total			896,100											
Average			28,906											
Maximum			42,100											

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: February, 2004

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 145		Total Population Served at End of Month: 505	
PWS Owner: Florida Water Services			
Contact Person: Craig Anderson		Contact Person's Title: VP Environmental Services	
Contact Person's Mailing Address: P.O. Box 609520		City: Orlando	State: Florida
		Zip Code: 32860-9520	
Contact Person's Telephone Number: (407) 598-4199		Contact Person's Fax Number: (407) 598-4217	
Contact Person's E-Mail Address: craiga@florida-water.com			

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980	
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida
		Zip Code: 32778	
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Brian Heath	C	5825	Days 1st Shift
	John Worrell	C	6597	Days 1st Shift
	Gary Kissick	C	7846	Days 1st Shift
	Mike Ponticelli	C	8450	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

3/9/2004 0:00	Will Fontaine	C-6813
Signature and Date	Printed or Typed Name	License Number

MONTHLY OPERATION REPORT FOR PW'S TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 | Plant Name: Venetian Village | February, 2004

III. Daily Data for the Month/year of:

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines) Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer Peak Flow, mg/L.	Disinfectant Contact Time (T) at C	Lowest CT Before or at Customer Peak Flow, minutes	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg/L.	Operating UV Dose, mW-sec/cm ²	Lowest UV Dose Required, mW-sec/cm ²	Remote Point in Distribution Involves Taking Water System, mg/L.	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*		CT Calculations		Total	Average	Maximum		
														UV Dose	UV Dose	817,233	28,180				38,950	
1		24.0	27,550	1.4														1.4	27,550	24.0	27,550	
2	X		24.0	27,550	1.4													1.4	27,550	24.0	27,550	
3	X		24.0	27,700	1.3													1.3	27,700	24.0	27,700	
4	X		24.0	21,200	1.3													1.3	21,200	24.0	21,200	
5	X		24.0	35,200	1.4													1.4	35,200	24.0	35,200	
6	X		24.0	23,700															23,700	24.0	23,700	
7	X		24.0	32,500															32,500	24.0	32,500	
8	X		24.0	32,500	1.5													1.5	32,500	24.0	32,500	
9	X		24.0	28,400	1.4													1.4	28,400	24.0	28,400	
10	X		24.0	30,200	1.4													1.4	30,200	24.0	30,200	
11	X		24.0	27,200	1.4													1.4	27,200	24.0	27,200	
12	X		24.0	33,400	1.4													1.4	33,400	24.0	33,400	
13	X		24.0	25,700	1.4													1.4	25,700	24.0	25,700	
14	X		24.0	27,700	1.5													1.5	27,700	24.0	27,700	
15			24.0	28,300															28,300	24.0	28,300	
16	X		24.0	28,300	1.5													1.5	28,300	24.0	28,300	
17	X		24.0	28,600	1.5													1.5	28,600	24.0	28,600	
18	X		24.0	26,500	1.5													1.5	26,500	24.0	26,500	
19	X		24.0	33,400	1.3													1.3	33,400	24.0	33,400	
20	X		24.0	21,000	1.5													1.5	21,000	24.0	21,000	
21	X		24.0	24,400	1.4													1.4	24,400	24.0	24,400	
22			24.0	38,950															38,950	24.0	38,950	
23	X		24.0	38,950	1.4													1.4	38,950	24.0	38,950	
24	X		24.0	27,600	1.4													1.4	27,600	24.0	27,600	
25	X		24.0	22,000	1.6													1.6	22,000	24.0	22,000	
26	X		24.0	25,400	1.6													1.6	25,400	24.0	25,400	
27	X		24.0	28,800	1.5													1.5	28,800	24.0	28,800	
28	X		24.0	23,200	1.6													1.6	23,200	24.0	23,200	
29			24.0	21,333															21,333	24.0	21,333	
Total				817,233																		
Average				28,180																		
Maximum				38,950																		

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: March, 2004

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community		<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month: 144		Total Population Served at End of Month: 502	
PWS Owner: Florida Water Services			
Contact Person: Craig Anderson		Contact Person's Title: VP Environmental Services	
Contact Person's Mailing Address: P.O. Box 609520		City: Orlando	State: Florida
Contact Person's Telephone Number: (407) 598-4199		Contact Person's Fax Number: (407) 598-4217	
Contact Person's E-Mail Address: craiga@florida-water.com			

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980	
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Brian Heath	C	5825	Days 1st Shift
	John Worrell	C	6597	Days 1st Shift
	Gary Kissick	C	7846	Days 1st Shift
	Adam Michaelson		Trainee	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

4/8/2004 0:00	Will Fontaine	C-6813
Signature and Date	Printed or Typed Name	License Number

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: March, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*								Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations				UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²			Minimum UV Dose Required, mW-sec/cm ²
1	X	24.0	21,333		1.5								1.0	
2	X	24.0	28,300		1.4								1.0	
3	X	24.0	21,000		1.4								1.0	
4	X	24.0	39,500		1.4								1.1	
5	X	24.0	24,000		1.4								1.0	
6		24.0	31,350											
7		24.0	31,350		1.5									
8	X	24.0	35,000		1.5								1.1	
9	X	24.0	26,000		1.5								1.1	
10	X	24.0	22,400		1.4								1.0	
11	X	24.0	39,500		1.4								1.0	
12	X	24.0	30,800		1.4								1.0	
13	X	24.0	33,500		1.5									
14		24.0	39,300											
15	X	24.0	39,300		1.5								1.0	
16	X	24.0	24,600		1.5								1.0	
17	X	24.0	24,600		1.6								1.1	
18	X	24.0	30,300		1.6								1.1	
19	X	24.0	31,600		1.5								1.0	
20	X	24.0	29,300		1.5									
21		24.0	40,500											
22	X	24.0	40,500		1.5								1.0	
23	X	24.0	34,000		1.5								1.1	
24	X	24.0	29,200		1.6								1.1	
25	X	24.0	37,200		1.6								1.1	
26	X	24.0	28,500		1.6								1.1	
27	X	24.0	16,200		1.7								1.1	
28		24.0	49,500											
29	X	24.0	49,500		1.6								1.2	
30	X	24.0	28,000		1.5								1.1	
31	X	24.0	26,400		1.5								1.1	
Total			982,533											
Average			31,695											
Maximum			49,500											

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: April, 2004

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community		<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month: 144		Total Population Served at End of Month: 502	
PWS Owner: Florida Water Services			
Contact Person: Craig Anderson		Contact Person's Title: VP Environmental Services	
Contact Person's Mailing Address: P.O. Box 609520		City: Orlando	State: Florida
Contact Person's Telephone Number: (407) 598-4199		Contact Person's Fax Number: (407) 598-4217	
Contact Person's E-Mail Address: craiga@florida-water.com			

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980	
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water		Zip Code: 32778	
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Brian Heath	C	5825	Days 1st Shift
	John Worrell	C	6597	Days 1st Shift
	Gary Kissick	C	7846	Days 1st Shift
	Adam Michaelson		Trainee	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Printed or Typed Name	License Number
5/7/2004 0:00	Will Fontaine	C-6813

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: April, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions: Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²				
1	X	24.0	24,000		1.5										1.1	
2	X	24.0	32,000		1.5										1.1	
3		24.0	32,300		1.5											
4		24.0	39,600													
5	X	24.0	39,600		1.5										1.1	
6	X	24.0	34,000		1.4										1.0	
7	X	24.0	28,700		1.4										1.1	
8	X	24.0	26,100		1.4										1.1	
9	X	24.0	44,600		1.5										1.1	
10	X	24.0	54,600		1.7											
11		24.0	50,700													
12	X	24.0	50,700		1.5										1.1	
13	X	24.0	48,600		1.5										1.1	
14	X	24.0	31,700		1.4										1.0	
15	X	24.0	48,500		1.4										1.0	
16	X	24.0	36,700		1.5										1.1	
17	X	24.0	22,600		1.5											
18		24.0	40,650													
19	X	24.0	40,650		1.4										1.0	
20	X	24.0	33,000		1.6										1.0	
21	X	24.0	23,900		1.5										1.1	
22	X	24.0	43,700		1.5										1.1	
23	X	24.0	42,200		1.5										1.1	
24	X	24.0	31,800		1.7											
25		24.0	43,050													
26	X	24.0	43,050		1.7										1.3	
27	X	24.0	29,400		1.5										1.2	
28	X	24.0	27,000		1.8										1.5	
29	X	24.0	29,400		1.7										1.3	
30	X	24.0	32,300		1.7										1.2	
Total			1,105,100													
Average			36,837													
Maximum			54,600													

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: May, 2004

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 145		Total Population Served at End of Month: 505	
PWS Owner: Florida Water Services			
Contact Person: Craig Anderson		Contact Person's Title: VP Environmental Services	
Contact Person's Mailing Address: P.O. Box 609520		City: Orlando	State: Florida
		Zip Code: 32860-9520	
Contact Person's Telephone Number: (407) 598-4199		Contact Person's Fax Number: (407) 598-4217	
Contact Person's E-Mail Address: craiga@florida-water.com			

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980		
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida	
		Zip Code: 32778		
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water				
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800				
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C		
Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Brian Heath	C	5825	Days 1st Shift
	John Worrell	C	6597	Days 1st Shift
	Gary Kissick	C	7846	Days 1st Shift
	Adam Michaelson		Trainee	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

6/8/2004 0:00	Will Fontaine	C-6813
Signature and Date	Printed or Typed Name	License Number

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: May, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT-Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²			
1	X	24.0	44,300		1.7										
2		24.0	36,750												
3	X	24.0	36,750		1.5								1.1		
4	X	24.0	27,200		1.5								1.1		
5	X	24.0	32,200		1.5								1.0		
6	X	24.0	25,600		1.6								1.1		
7	X	24.0	33,000		1.6								1.2		
8	X	24.0	23,600		1.7								1.2		
9		24.0	44,700												
10	X	24.0	44,700		1.5								1.1		
11	X	24.0	36,400		1.5								1.1		
12	X	24.0	27,600		1.4								1.0		
13	X	24.0	46,000		1.4								1.0		
14	X	24.0	34,800		1.4								1.0		
15		24.0	40,100		1.5										
16	X	24.0	48,550												
17	X	24.0	48,550		1.4								1.1		
18	X	24.0	41,000		1.4								1.0		
19	X	24.0	43,000		1.3								1.0		
20	X	24.0	43,200		1.4								1.1		
21	X	24.0	39,000		1.4								1.1		
22	X	24.0	39,500		1.6										
23		24.0	44,350												
24	X	24.0	44,350		1.5								1.2		
25	X	24.0	56,200		1.5								1.1		
26	X	24.0	46,300		1.4								1.0		
27	X	24.0	45,700		1.4								1.0		
28	X	24.0	47,700		1.4								1.0		
29	X	24.0	49,900		1.7										
30		24.0	52,150												
31	X	24.0	52,150		1.5								1.0		
Total			1,275,300												
Average			41,139												
Maximum			56,200												

* Refer to the instructions for this report to determine which plants must provide this information

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: June, 2004

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community		<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month: 143		Total Population Served at End of Month: 498	
PWS Owner: Florida Water Services			
Contact Person: Craig Anderson		Contact Person's Title: VP Environmental Services	
Contact Person's Mailing Address: P.O. Box 609520		City: Orlando	State: Florida
Contact Person's Telephone Number: (407) 598-4199		Contact Person's Fax Number: (407) 598-4217	
Contact Person's E-Mail Address: craiga@florida-water.com			

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980	
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800			

Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	
Licensed Operators	Name	License Class	License Number
Lead/Chief Operator:	Will Fontaine	C	6813
Other Operators:	Brian Heath	C	5825
	John Worrell	C	6597
	Gary Kissick	C	7846

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Will Fontaine Printed or Typed Name	C-6813 License Number
--------------------	--	--------------------------

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: June, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*								Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation.	
				CT Calculations				UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²			Minimum UV Dose Required, mW-sec/cm ²
1	X	24.0	46,300		1.5								1.0	
2	X	24.0	49,000		1.4								1.0	
3	X	24.0	35,200		1.4								1.0	
4	X	24.0	34,600		1.4								1.0	
5	X	24.0	26,100		1.2								0.9	
6		24.0	36,200											
7	X	24.0	36,200		1.3								0.9	
8	X	24.0	33,500		1.3								0.9	
9	X	24.0	27,100		1.4								1.0	
10	X	24.0	22,800		1.4								1.0	
11	X	24.0	33,300		1.2								0.9	
12	X	24.0	30,800		1.4									
13		24.0	32,400											
14	X	24.0	32,400		1.4								1.0	
15	X	24.0	30,200		1.3								0.9	
16	X	24.0	37,200		1.2								0.8	
17	X	24.0	47,000		1.3								0.9	
18	X	24.0	31,400		1.3								0.9	
19		24.0	33,700											
20	X	24.0	33,700		1.6									
21	X	24.0	27,400		1.4								1.0	
22	X	24.0	31,000		1.4								1.0	
23	X	24.0	39,600		1.4								1.0	
24	X	24.0	31,600		1.4								1.1	
25	X	24.0	40,400		1.4								1.1	
26	X	24.0	33,600		1.4									
27		24.0	41,650											
28	X	24.0	41,650		0.7								0.5	
29	X	24.0	31,600		1.1								0.7	
30	X	24.0	35,000		1.2								0.7	
Total			1,042,600											
Average			34,753											
Maximum			49,000											

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: July, 2004

A. Public Water System (PWS) Information

PWS Name:	Venetian Village			PWS Identification Number:	3351426
PWS Type:	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month:	143			Total Population Served at End of Month:	498
PWS Owner:	Aqua Utilities Florida				
Contact Person:	Brian Heath			Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	2315 Griffin Road		City:	Leesburg	State: Florida Zip Code: 34748
Contact Person's Telephone Number:	(352) 787-0980			Contact Person's Fax Number:	(352) 787-6333
Contact Person's E-Mail Address:	beheath@aquamerica.com				

B. Water Treatment Plant Information

Plant Name:	Venetian Village			Plant Telephone Number:	352-787-0980
Plant Address:	31 Tammi Drive		City:	Taveres	State: Florida Zip Code: 32778
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water	<input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	344,800				
Plant Category (per subsection 62-699.310(4), F.A.C.):	V			Plant Class (per subsection 62-699.310(4), F.A.C.): C	
Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked	
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift	
Other Operators:	Brian Heath	C	5825	Days 1st Shift	
	John Worrell	C	6597	Days 1st Shift	

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date _____ Will Fontaine _____ C-6813 _____
 Printed or Typed Name License Number

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identificaiton Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: July, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point In Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²			
1	X	24.0	29,700		1.0									0.7	
2	X	24.0	22,900		1.0									0.7	
3	X	24.0	27,200		1.2										
4		24.0	29,400												
5	X	24.0	29,400		1.2									0.9	
6	X	24.0	40,800		1.2									0.9	
7	X	24.0	39,300		1.3									0.9	
8	X	24.0	40,000		1.3									0.8	
9	X	24.0	33,600		1.3									0.8	
10	X	24.0	18,100		1.4										
11		24.0	37,700												
12	X	24.0	37,700		1.4									1.0	
13	X	24.0	27,800		1.6									1.1	
14	X	24.0	30,600		1.5									1.0	
15	X	24.0	90,400		2.1									1.8	
16	X	24.0	30,100		1.7									1.3	
17	X	24.0	22,900		1.8									1.4	
18		24.0	37,000												
19	X	24.0	37,000		1.7									1.3	
20	X	24.0	36,400		1.8									1.4	
21	X	24.0	36,400		1.5									1.1	
22	X	24.0	14,100		1.6									1.3	
23	X	24.0	47,900		1.5									1.1	
24	X	24.0	22,100		1.6									1.2	
25		24.0	37,500												
26	X	24.0	37,500		1.4									1.0	
27	X	24.0	10,900		1.5									1.1	
28	X	24.0	50,000		1.5									1.1	
29	X	24.0	24,100		1.4									1.0	
30	X	24.0	29,200		1.2									0.9	
31	X	24.0	20,900		1.2										
Total			1,028,600												
Average			33,181												
Maximum			90,400												

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: August, 2004

A. Public Water System (PWS) Information

PWS Name:	Venetian Village	PWS Identification Number:	3351426
PWS Type:	<input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive		
Number of Service Connections at End of Month:	143	Total Population Served at End of Month:	498
PWS Owner:	Aqua Utilities Florida		
Contact Person:	Brian Heath	Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	2315 Griffin Road	City:	Leesburg
		State:	Florida
		Zip Code:	34748
Contact Person's Telephone Number:	(352) 787-0980	Contact Person's Fax Number:	(352) 787-6333
Contact Person's E-Mail Address:	beheath@aquamerica.com		

B. Water Treatment Plant Information

Plant Name:	Venetian Village	Plant Telephone Number:	352-787-0980
Plant Address:	31 Tammi Drive	City:	Taveres
		State:	Florida
		Zip Code:	32778
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water		
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	344,800		
Plant Category (per subsection 62-699.310(4), F.A.C.):	V	Plant Class (per subsection 62-699.310(4), F.A.C.):	C

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Brian Heath	C	5825	Days 1st Shift
	John Worrell	C	6597	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Will Fontaine Printed or Typed Name	C-6813 License Number
--------------------	--	--------------------------

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: August, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*								Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations				UV Dose					
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²		
1		24.0	41,450										
2	X	24.0	41,450		1.2							0.8	
3	X	24.0	30,500		1.4							0.8	
4	X	24.0	30,500		1.4							1.0	
5	X	24.0	37,600		1.3							0.8	
6	X	24.0	31,300		1.2							0.8	
7		24.0	35,350										
8	X	24.0	35,350		1.3								
9	X	24.0	38,100		1.4							1.0	
10	X	24.0	29,000		1.2							0.8	
11	X	24.0	32,600		1.3							0.9	
12	X	24.0	25,500		1.4							1.0	
13	X	24.0	40,100		1.4							1.0	
14	X	24.0	22,200		1.4								
15		24.0	36,600										
16	X	24.0	36,600		1.3							1.0	
17	X	24.0	26,600		1.1							0.7	
18	X	24.0	32,000		1.3							1.0	
19	X	24.0	17,200		0.9							0.7	
20	X	24.0	25,600		1.2							0.8	
21	X	24.0	29,600		1.2								
22		24.0	29,250										
23	X	24.0	29,250		1.2							0.8	
24	X	24.0	29,700		1.2							0.8	
25	X	24.0	25,000		1.0							0.7	
26	X	24.0	35,000		1.1							0.8	
27	X	24.0	19,400		1.2							0.8	
28	X	24.0	42,000		1.2								
29		24.0	45,150										
30	X	24.0	45,150		1.2							0.9	
31	X	24.0	38,700		1.2							0.9	
Total			1,013,800										
Average			32,703										
Maximum			45,150										

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: September, 2004

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community		<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month: 143		Total Population Served at End of Month: 498	
PWS Owner: Aqua Utilities Florida			
Contact Person: Brian Heath		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: 2315 Griffin Road		City: Leesburg	State: Florida
Contact Person's Telephone Number: (352) 787-0980		Contact Person's Fax Number: (352) 787-6333	
Contact Person's E-Mail Address: beheath@aquamerica.com			

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980		
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida	
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water				
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800				
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C		
Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Will Fontaine Printed or Typed Name	C-6813 License Number
--------------------	--	--------------------------

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: September, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L		
1	X	24.0	54,600		1.1									0.9	
2	X	24.0	49,300		1.1									0.9	
3	X	24.0	30,600		1.4									0.9	
4	X	24.0	43,900		1.1									0.8	
5		24.0	260,550												
6	X	24.0	260,550		0.7									0.5	
7	X	24.0	50,000		1.0									0.7	
8	X	24.0	31,400		1.0									0.7	
9	X	24.0	39,300		1.1									0.7	
10	X	24.0	39,400		1.1									0.7	
11		24.0	38,467												
12		24.0	38,467												
13	X	24.0	38,467		1.1									0.7	
14	X	24.0	31,400		0.8									0.6	
15	X	24.0	34,800		1.3									0.8	
16	X	24.0	26,700		1.4									0.7	
17	X	24.0	20,600		1.5									0.7	
18	X	24.0	27,400		1.2									0.7	
19		24.0	29,050												
20	X	24.0	29,050		1.8									0.9	
21	X	24.0	25,900		1.5									0.8	
22	X	24.0	26,700		1.8									0.7	
23	X	24.0	26,000		1.6									0.8	
24	X	24.0	25,800		1.5									0.9	
25	X	24.0	24,900		1.6									1.0	
26		24.0	26,050												
27	X	24.0	26,050		1.1									0.6	
28	X	24.0	26,000		1.2									0.7	
29	X	24.0	35,800		1.3									0.9	
30	X	24.0	29,600		1.2									0.7	
31		24.0													
Total			1,446,800												
Average			46,671												
Maximum			260,550												

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identificaiton Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: October, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²				
1	X	24.0	29,300		1.1										0.7	
2	X	24.0	39,400		1.3										0.8	
3		24.0	32,900													
4	X	24.0	32,900		1.4										0.8	
5	X	24.0	36,800		1.2										0.9	
6	X	24.0	40,300		1.4										0.6	
7	X	24.0	43,100		1.4										1.1	
8	X	24.0	38,400		1.3										0.8	
9	X	24.0	32,500		1.3											
10		24.0	57,650													
11	X	24.0	57,650		1.5										0.9	
12	X	24.0	37,300		1.6										1.0	
13	X	24.0	45,700		1.3										0.8	
14	X	24.0	53,500		1.2										0.3	
15	X	24.0	51,900		1.2										0.6	
16	X	24.0	45,300		1.3										0.8	
17		24.0	61,000													
18	X	24.0	61,000		1.4										1.0	
19	X	24.0	51,200		1.2										1.0	
20	X	24.0	54,510		1.4										0.8	
21	X	24.0	44,410		1.5										1.0	
22	X	24.0	69,200		1.5										0.5	
23	X	24.0	45,600		1.5											
24		24.0	71,700													
25	X	24.0	71,700		1.4										1.0	
26	X	24.0	76,100		1.5										0.8	
27	X	24.0	63,100		1.3										0.7	
28	X	24.0	63,900		1.3										0.8	
29	X	24.0	63,900		1.0										0.6	
30		24.0	69,500													
31	X	24.0	69,500		1.1										0.8	
Total			1,610,920													
Average			51,965													
Maximum			76,100													

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of:	November, 2004
--	----------------

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 143		Total Population Served at End of Month: 498	
PWS Owner: Aqua Utilities Florida			
Contact Person: Brian Heath		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: 2315 Griffin Road		City: Leesburg	State: Florida
Contact Person's Telephone Number: (352) 787-0980		Zip Code: 34748	
Contact Person's E-Mail Address: beheath@aquaamerica.com		Contact Person's Fax Number: (352) 787-6333	

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980		
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida	
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water				
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800				
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C		
Licensed Operators	Name	License Class	License Number	Day(s)/Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Will Fontaine Printed or Typed Name	C-6813 License Number
--------------------	--	--------------------------

MONTHLY OPERATION REPORT FOR PW'SS TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/year of: November, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Operator in Operation	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C	First Customer During Peak Flow, mg-minutes	CT Calculations			Temp of Water, °C	pH of Water, if Applicable	Minimum CT	UV Dose, mW-sec/cm ²	Lowest UV Dose Required, mW-sec/cm ²	Minimum Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
								Lowest CT	Provided	CT Calculations							
1	X		24.0	68,300	1.4												0.8
2	X		24.0	68,980	1.5												0.9
3	X		24.0	61,910	2.0												1.3
4	X		24.0	68,400	1.4												0.4
5	X		24.0	74,500	1.4												0.9
6	X		24.0	61,400	1.4												
7	X		24.0	83,150	1.3												0.5
8	X		24.0	83,150	1.3												0.5
9	X		24.0	74,100	1.4												0.7
10	X		24.0	58,400	1.4												0.8
11	X		24.0	88,000	1.3												0.8
12	X		24.0	75,000	1.1												0.8
13	X		24.0	79,100	1.2												0.9
14			24.0	74,950	1.2												
15	X		24.0	74,950	1.2												0.7
16	X		24.0	76,000	1.1												0.8
17	X		24.0	77,500	1.2												0.6
18	X		24.0	78,900	1.3												0.8
19	X		24.0	76,400	1.3												0.8
20	X		24.0	64,700	1.3												
21			24.0	93,550													
22	X		24.0	93,550	1.3												1.0
23	X		24.0	78,300	1.3												0.9
24	X		24.0	73,200	1.2												0.8
25	X		24.0	73,800	1.3												0.8
26	X		24.0	93,300	1.0												0.7
27	X		24.0	80,900	1.2												0.7
28			24.0	74,150													
29	X		24.0	74,150	1.2												0.7
30	X		24.0	92,600	1.2												0.8
31			24.0														
Total			2,295,290														
Average			74.042														
Maximum			93,550														

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



Polymer Page 3 Due in December

See Pages 4 for Instructions.

I. General Information for the Month/Year of: December, 2004

A. Public Water System (PWS) Information

PWS Name:	Venetian Village	PWS Identification Number:	3351426
PWS Type:	<input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month:	143	Total Population Served at End of Month:	498
PWS Owner:	Aqua Utilities Florida		
Contact Person:	Brian Heath	Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	2315 Griffin Road	City:	Leesburg
		State:	Florida
		Zip Code:	34748
Contact Person's Telephone Number:	(352) 787-0980	Contact Person's Fax Number:	(352) 787-6333
Contact Person's E-Mail Address:	beheath@aquaaamerica.com		

B. Water Treatment Plant Information

Plant Name:	Venetian Village	Plant Telephone Number:	352-787-0980
Plant Address:	31 Tanmi Drive	City:	Taveres
		State:	Florida
		Zip Code:	32778
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water		
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	344,800		
Plant Category (per subsection 62-699.310(4), F.A.C.):	V	Plant Class (per subsection 62-699.310(4), F.A.C.):	C

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

_____ Signature and Date	Will Fontaine _____ Printed or Typed Name	C-6813 _____ License Number
-----------------------------	---	-----------------------------------

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: December, 2004

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²				
1	X	24.0	82,900		1.1										0.7	
2	X	24.0	77,100		1.2										0.7	
3	X	24.0	78,400		1.2										0.8	
4	X	24.0	61,800		1.2											
5		24.0	104,500													
6	X	24.0	104,500		1.2										0.8	
7	X	24.0	85,400		1.2										0.8	
8	X	24.0	89,400		1.2										1.0	
9	X	24.0	86,300		1.2										1.0	
10	X	24.0	83,300		1.1										0.7	
11	X	24.0	76,800		1.3										0.8	
12		24.0	98,050													
13	X	24.0	98,050		1.2										0.9	
14	X	24.0	81,300		1.2										0.9	
15	X	24.0	36,100		1.3										1.0	
16	X	24.0	20,800		1.3										1.0	
17	X	24.0	37,000		1.4										1.0	
18	X	24.0	25,600		1.3											
19		24.0	34,050													
20	X	24.0	34,050		1.4										1.0	
21	X	24.0	29,200		1.4										1.0	
22	X	24.0	34,400		1.4										1.1	
23	X	24.0	25,500		1.4										1.1	
24	X	24.0	20,200		1.3										1.0	
25		24.0	29,100													
26	X	24.0	29,100		1.1											
27	X	24.0	26,600		1.2										0.9	
28	X	24.0	25,000		1.3										1.1	
29	X	24.0	30,100		1.4										1.1	
30	X	24.0	27,400		1.2										1.0	
31	X	24.0	21,300		1.3										1.0	
Total			1,693,300													
Average			54,623													
Maximum			104,500													

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: January, 2005

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive			
Number of Service Connections at End of Month: 143		Total Population Served at End of Month: 498	
PWS Owner: Aqua Utilities Florida			
Contact Person: Brian Heath		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: PO Box 490310		City: Leesburg	State: Florida
		Zip Code: 34749	
Contact Person's Telephone Number: (352) 787-0980		Contact Person's Fax Number: (352) 787-6333	
Contact Person's E-Mail Address: beheath@aquaaamerica.com			

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980		
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida	
		Zip Code: 32778		
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water				
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800				
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C		
Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Will Fontaine Printed or Typed Name	C-6813 License Number
--------------------	--	--------------------------

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: January, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions: Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²			
1	X	24.0	34,300		1.3										
2		24.0	31,500												
3	X	24.0	31,500		1.3									0.9	
4	X	24.0	27,000		1.3									0.9	
5	X	24.0	26,500		1.4									1.0	
6	X	24.0	28,700		1.4									1.0	
7	X	24.0	31,200		1.4									1.0	
8	X	24.0	25,300		1.3										
9		24.0	34,950												
10	X	24.0	34,950		1.2									0.8	
11	X	24.0	26,000		1.2									1.0	
12	X	24.0	42,600		1.5									0.5	
13	X	24.0	27,400		1.2									0.8	
14	X	24.0	22,800		1.4									1.0	
15	X	24.0	21,300		1.3										
16		24.0	30,650												
17	X	24.0	30,650		1.1										
18	X	24.0	28,400		1.3									0.8	
19	X	24.0	29,200		1.6									0.8	
20	X	24.0	21,900		1.2									1.2	
21	X	24.0	34,600		1.5									0.8	
22		24.0	31,500											1.2	
23	X	24.0	31,500		1.3										
24	X	24.0	64,400		1.3									0.9	
25	X	24.0	44,200		1.2									0.8	
26	X	24.0	52,800		1.5									0.7	
27	X	24.0	40,400		1.1									0.7	
28	X	24.0	47,700		1.3									0.9	
29	X	24.0	35,400		1.3										
30		24.0	55,350												
31	X	24.0	55,350		1.3									0.6	
Total			1,080,000												
Average			34,839												
Maximum			64,400												

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: February, 2005

A. Public Water System (PWS) Information

PWS Name:	Venetian Village	PWS Identification Number:	3351426
PWS Type:	<input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive		
Number of Service Connections at End of Month:	151	Total Population Served at End of Month:	529
PWS Owner:	Aqua Utilities Florida		
Contact Person:	Brian Heath	Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	PO Box 490310	City:	Leesburg
		State:	Florida
		Zip Code:	34749
Contact Person's Telephone Number:	(352) 787-0980	Contact Person's Fax Number:	(352) 787-6333
Contact Person's E-Mail Address:	beheath@aquamerica.com		

B. Water Treatment Plant Information

Plant Name:	Venetian Village	Plant Telephone Number:	352-787-0980
Plant Address:	31 Tammi Drive	City:	Taveres
		State:	Florida
		Zip Code:	32778
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water		
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	344,800		
Plant Category (per subsection 62-699.310(4), F.A.C.):	V	Plant Class (per subsection 62-699.310(4), F.A.C.):	C

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

_____ Signature and Date	Will Fontaine _____ Printed or Typed Name	C-6813 _____ License Number
-----------------------------	---	-----------------------------------

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identificaiton Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: February, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²			
1	X	24.0	37,900		1.1									0.7	
2	X	24.0	54,300		1.2									0.7	
3	X	24.0	28,500		1.2									0.8	
4	X	24.0	48,500		1.4									1.1	
5		24.0	40,750												
6	X	24.0	40,750		1.4										
7	X	24.0	52,200		1.1									0.7	
8	X	24.0	38,200		1.3									1.0	
9	X	24.0	41,800		1.2									0.8	
10	X	24.0	26,900		1.3									0.7	
11	X	24.0	27,000		1.2									0.7	
12	X	24.0	23,400		1.2										
13		24.0	33,600												
14	X	24.0	33,600		1.2									0.7	
15	X	24.0	29,700		1.2									0.9	
16	X	24.0	21,900		1.1									1.0	
17	X	24.0	29,300		1.2									0.7	
18	X	24.0	30,600		1.1									0.7	
19	X	24.0	21,300		1.0										
20		24.0	33,300												
21	X	24.0	33,300		1.1									0.7	
22	X	24.0	27,600		1.3									0.8	
23	X	24.0	23,400		1.3									1.0	
24	X	24.0	24,200		1.3									1.0	
25	X	24.0	34,100		1.3									1.1	
26	X	24.0	23,700		1.3										
27		24.0	29,250												
28	X	24.0	29,250		1.2									0.8	
29		24.0													
30		24.0													
31		24.0													
Total			918,300												
Average			29,623												
Maximum			54,300												

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: March, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L		
1	X	24.0	30,600		1.2									1.0	
2	X	24.0	26,200		1.3									0.8	
3	X	24.0	15,800		1.3									0.7	
4	X	24.0	31,000		1.3									0.9	
5	X	24.0	23,100		1.0										
6		24.0	31,750												
7	X	24.0	31,750		1.1									0.9	
8	X	24.0	29,800		1.5									0.9	
9	X	24.0	22,900		1.1									0.8	
10	X	24.0	24,100		1.2									0.9	
11	X	24.0	29,000		1.2									0.8	
12	X	24.0	21,100		1.3										
13		24.0	43,250												
14	X	24.0	43,250		1.3									0.9	
15	X	24.0	27,600		1.3									1.0	
16	X	24.0	29,100		1.2									0.8	
17	X	24.0	24,400		1.4									0.8	
18	X	24.0	27,100		1.1									0.8	
19	X	24.0	30,400		1.3										
20		24.0	32,900												
21	X	24.0	32,900		1.3									0.7	
22	X	24.0	29,000		1.4									1.0	
23	X	24.0	24,300		1.2									0.7	
24	X	24.0	23,700		1.3									0.8	
25	X	24.0	28,000		1.2									0.9	
26	X	24.0	19,200		1.3										
27		24.0	35,600												
28	X	24.0	35,600		1.4									0.6	
29	X	24.0	30,400		1.2									0.6	
30	X	24.0	26,600		1.3									1.0	
31	X	24.0	28,800		1.3									0.9	
Total			889,200												
Average			28,684												
Maximum			43,250												

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: April, 2005

A. Public Water System (PWS) Information

PWS Name:	Venetian Village	PWS Identification Number:	3351426
PWS Type:	<input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive		
Number of Service Connections at End of Month:	151	Total Population Served at End of Month:	529
PWS Owner:	Aqua Utilities Florida		
Contact Person:	Brian Heath	Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	PO Box 490310	City:	Leesburg
		State:	Florida
		Zip Code:	34749
Contact Person's Telephone Number:	(352) 787-0980	Contact Person's Fax Number:	(352) 787-6333
Contact Person's E-Mail Address:	beheath@aquaaamerica.com		

B. Water Treatment Plant Information

Plant Name:	Venetian Village	Plant Telephone Number:	352-787-0980
Plant Address:	31 Tammi Drive	City:	Taveres
		State:	Florida
		Zip Code:	32778
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water		
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	344,800		
Plant Category (per subsection 62-699.310(4), F.A.C.):	V	Plant Class (per subsection 62-699.310(4), F.A.C.):	C

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date

Will Fontaine
Printed or Typed Name

C-6813
License Number

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: April, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²			
1	X	24.0	30,800		1.3									0.9	
2	X	24.0	22,700		1.4										
3		24.0	32,750												
4	X	24.0	32,750		1.3									0.9	
5	X	24.0	36,800		1.2									0.8	
6	X	24.0	34,000		1.4									1.0	
7	X	24.0	37,100		1.3									0.9	
8	X	24.0	41,000		1.3									0.8	
9	X	24.0	23,000		1.3										
10		24.0	40,900												
11	X	24.0	40,900		1.4									1.0	
12	X	24.0	32,600		1.5									1.0	
13	X	24.0	29,500		1.4									1.0	
14	X	24.0	37,300		1.4									0.8	
15	X	24.0	57,800		1.5									1.0	
16	X	24.0	33,600		1.2										
17		24.0	38,950												
18	X	24.0	38,950		1.4									0.7	
19	X	24.0	40,100		1.3									0.8	
20	X	24.0	29,300		1.5									1.1	
21	X	24.0	45,000		1.3									0.5	
22	X	24.0	28,900		1.3									1.0	
23		24.0	42,100												
24	X	24.0	42,100		1.3										
25	X	24.0	38,900		1.5									1.0	
26	X	24.0	44,500		1.3									1.0	
27	X	24.0	26,900		1.3									0.7	
28	X	24.0	24,000		1.3									0.7	
29	X	24.0	35,600		1.4									1.0	
30	X	24.0	31,900		1.5										
31		24.0													
Total			1,070,700												
Average			34,539												
Maximum			57,800												

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identificaiton Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: May, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation		
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L			
1		24.0	33,350													
2	X	24.0	33,350		1.5											0.9
3	X	24.0	27,100		1.3											0.8
4	X	24.0	35,000		1.3											1.1
5	X	24.0	21,500		1.4											1.1
6	X	24.0	31,800		1.3											1.2
7	X	24.0	19,000		1.3											
8		24.0	34,850													
9	X	24.0	34,850		1.4											1.0
10	X	24.0	30,700		1.3											1.0
11	X	24.0	33,500		1.5											1.1
12	X	24.0	25,800		1.2											0.9
13	X	24.0	32,200		1.3											0.9
14	X	24.0	22,900		1.4											
15		24.0	44,900													
16	X	24.0	44,900		1.2											0.8
17	X	24.0	46,000		1.2											0.7
18	X	24.0	44,600		1.3											1.0
19	X	24.0	31,300		1.4											0.7
20	X	24.0	41,600		1.3											1.0
21	X	24.0	30,800		1.3											
22		24.0	50,700													
23	X	24.0	50,700		1.3											1.0
24	X	24.0	38,300		1.2											0.9
25	X	24.0	40,600		1.2											0.8
26	X	24.0	29,000		1.3											1.0
27	X	24.0	49,900		1.2											0.9
28	X	24.0	32,400		1.1											
29		24.0	42,050													
30	X	24.0	42,050		1.2											0.8
31	X	24.0	53,400		1.3											1.0
Total			1,129,100													
Average			36,423													
Maximum			53,400													

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: June, 2005

A. Public Water System (PWS) Information

PWS Name:	Venetian Village	PWS Identification Number:	3351426
PWS Type:	<input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive		
Number of Service Connections at End of Month:	151	Total Population Served at End of Month:	529
PWS Owner:	Aqua Utilities Florida		
Contact Person:	Brian Heath	Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	PO Box 490310	City:	Leesburg
		State:	Florida
		Zip Code:	34749
Contact Person's Telephone Number:	(352) 787-0980	Contact Person's Fax Number:	(352) 787-6333
Contact Person's E-Mail Address:	beheath@aquaaamerica.com		

B. Water Treatment Plant Information

Plant Name:	Venetian Village	Plant Telephone Number:	352-787-0980
Plant Address:	31 Tammi Drive	City:	Taveres
		State:	Florida
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water	Zip Code:	32778
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	344,800		
Plant Category (per subsection 62-699.310(4), F.A.C.):	V	Plant Class (per subsection 62-699.310(4), F.A.C.):	C

Licensed Operators	Name	License Class	License Number	Day(s)/ Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date

Will Fontaine

Printed or Typed Name

C-6813

License Number

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: June, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, sec/cm ²				
1	X	24.0	31,200		1.7										1.2	
2	X	24.0	25,600		1.5										1.0	
3	X	24.0	36,000		1.3										1.2	
4	X	24.0	21,000		1.3											
5		24.0	38,600													
6	X	24.0	38,600		1.2										1.0	
7	X	24.0	33,400		1.4										1.0	
8	X	24.0	37,800		1.3										1.0	
9	X	24.0	26,600		1.2										0.7	
10	X	24.0	32,300		1.2										1.0	
11	X	24.0	19,000		1.1											
12		24.0	31,800													
13	X	24.0	31,800		1.3										0.9	
14	X	24.0	28,500		1.1										0.8	
15	X	24.0	22,300		1.1										0.7	
16	X	24.0	29,000		1.3										0.9	
17	X	24.0	32,400		1.0										0.6	
18	X	24.0	27,900		1.2											
19		24.0	32,000													
20	X	24.0	32,000		1.3										0.8	
21	X	24.0	37,500		1.2										0.8	
22	X	24.0	24,900		1.2										0.8	
23	X	24.0	34,800		1.1										0.7	
24	X	24.0	16,100		1.4										0.6	
25	X	24.0	37,400		1.0											
26		24.0	30,950													
27	X	24.0	30,950		1.1										0.7	
28	X	24.0	31,000		1.1										0.9	
29	X	24.0	24,200		1.3										1.0	
30	X	24.0	26,200		1.3										0.9	
31		24.0														
Total			901,800													
Average			29,090													
Maximum			38,600													

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: July, 2005

A. Public Water System (PWS) Information

PWS Name:	Venetian Village	PWS Identification Number:	3351426
PWS Type:	<input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive		
Number of Service Connections at End of Month:	151	Total Population Served at End of Month:	529
PWS Owner:	Aqua Utilities Florida		
Contact Person:	Brian Heath	Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	PO Box 490310	City:	Leesburg
		State:	Florida
		Zip Code:	34749
Contact Person's Telephone Number:	(352) 787-0980	Contact Person's Fax Number:	(352) 787-6333
Contact Person's E-Mail Address:	beheath@aquaaamerica.com		

B. Water Treatment Plant Information

Plant Name:	Venetian Village	Plant Telephone Number:	352-787-0980
Plant Address:	31 Tammi Drive	City:	Taveres
		State:	Florida
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water	Zip Code:	32778
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	344,800		
Plant Category (per subsection 62-699.310(4), F.A.C.):	V	Plant Class (per subsection 62-699.310(4), F.A.C.):	C

Licensed Operators	Name	License Class	License Number	Day(s)/#Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

_____ Signature and Date	Will Fontaine _____ Printed or Typed Name	C-6813 _____ License Number
-----------------------------	---	-----------------------------------

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: July, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose							
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²				
1	X	24.0	26,700		1.2										0.6	
2		24.0	27,150													
3	X	24.0	27,150		1.4											
4	X	24.0	35,800		1.5										0.8	
5	X	24.0	37,400		1.3										0.8	
6	X	24.0	30,600		1.2										0.7	
7	X	24.0	28,600		1.3										0.4	
8	X	24.0	29,300		1.1										0.8	
9	X	24.0	25,400		0.9											
10	X	24.0	28,100		1.1											
11	X	24.0	24,900		1.0										0.7	
12	X	24.0	28,800		1.2										0.8	
13	X	24.0	26,000		1.3										0.8	
14	X	24.0	29,800		1.2										0.8	
15	X	24.0	21,900		1.2										0.9	
16	X	24.0	37,900		1.3											
17		24.0	29,800													
18	X	24.0	29,800		1.1										0.6	
19	X	24.0	31,100		1.2										0.8	
20	X	24.0	22,900		1.3										0.8	
21	X	24.0	30,700		1.2										0.3	
22	X	24.0	26,000		1.1										0.5	
23		24.0	36,550													
24	X	24.0	36,550		1.2											
25	X	24.0	61,700		1.1										0.6	
26	X	24.0	28,900		1.1										0.5	
27	X	24.0	34,700		1.3										0.9	
28	X	24.0	40,400		1.2										1.0	
29	X	24.0	26,700		1.2										0.7	
30	X	24.0	26,600		1.2											
31		24.0	35,850													
Total			963,750													
Average			31,089													
Maximum			61,700													

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of: August, 2005

A. Public Water System (PWS) Information

PWS Name:	Venetian Village	PWS Identification Number:	3351426
PWS Type:	<input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community <input type="checkbox"/> Consecutive		
Number of Service Connections at End of Month:	151	Total Population Served at End of Month:	529
PWS Owner:	Aqua Utilities Florida		
Contact Person:	Brian Heath	Contact Person's Title:	Area Manager
Contact Person's Mailing Address:	PO Box 490310	City:	Leesburg
		State:	Florida
		Zip Code:	34749
Contact Person's Telephone Number:	(352) 787-0980	Contact Person's Fax Number:	(352) 787-6333
Contact Person's E-Mail Address:	beheath@aquaaamerica.com		

B. Water Treatment Plant Information

Plant Name:	Venetian Village	Plant Telephone Number:	352-787-0980
Plant Address:	31 Tammi Drive	City:	Taveres
		State:	Florida
Type of Water Treatment by Plant:	<input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water	Zip Code:	32778
Permitted Maximum Day Operating Capacity of Plant, gallons per day:	344,800		
Plant Category (per subsection 62-699.310(4), F.A.C.):	V	Plant Class (per subsection 62-699.310(4), F.A.C.):	C

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date

Will Fontaine

Printed or Typed Name

C-6813

License Number

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: August, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L		
1	X	24.0	35,850		1.0									0.6	
2	X	24.0	32,000		1.1									0.8	
3	X	24.0	28,200		1.3									0.6	
4	X	24.0	34,600		1.2									0.8	
5	X	24.0	29,000		1.1									0.7	
6	X	24.0	25,500		1.1										
7		24.0	34,000												
8	X	24.0	34,000		1.2									0.7	
9	X	24.0	35,800		1.3									0.5	
10	X	24.0	23,600		1.3									1.0	
11	X	24.0	33,300		1.4									0.8	
12	X	24.0	34,000		1.3									0.8	
13	X	24.0	22,900		1.3										
14		24.0	30,800												
15	X	24.0	30,800		1.2									0.8	
16	X	24.0	28,600		1.2									0.8	
17	X	24.0	20,100		1.2									0.8	
18	X	24.0	31,600		1.1									0.7	
19	X	24.0	25,700		1.4									0.9	
20	X	24.0	34,600		1.4										
21		24.0	35,650												
22	X	24.0	35,650		1.3									0.8	
23	X	24.0	24,000		1.3									0.8	
24	X	24.0	26,000		1.4									1.0	
25	X	24.0	26,700		1.3									1.1	
26	X	24.0	25,400		1.2									0.8	
27	X	24.0	28,800		1.3										
28		24.0	35,950												
29	X	24.0	35,950		1.2									0.8	
30	X	24.0	25,000		1.3									0.7	
31	X	24.0	31,500		1.3									1.0	
Total			935,550												
Average			30,179												
Maximum			35,950												

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



See Pages 4 for Instructions.

I. General Information for the Month/Year of:	September, 2005
--	-----------------

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community		<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month: 151		Total Population Served at End of Month: 529	
PWS Owner: Aqua Utilities Florida			
Contact Person: Brian Heath		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: PO Box 490310		City: Leesburg	State: Florida
		Zip Code: 34749	
Contact Person's Telephone Number: (352) 787-0980		Contact Person's Fax Number: (352) 787-6333	
Contact Person's E-Mail Address: beheath@aquaaamerica.com			

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980	
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida
		Zip Code: 32778	
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water			
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800			
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	

Licensed Operators	Name	License Class	License Number	Day(s) / Shift(s) Worked
Lead/Chief Operator:	Will Fontaine	C	6813	Days 1st Shift
Other Operators:	Jim Milicic	C	8195	Days 1st Shift

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Will Fontaine Printed or Typed Name	C-6813 License Number
--------------------	--	--------------------------

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identificaiton Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: September, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*								Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions; Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations				UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²			Minimum UV Dose Required, mW-sec/cm ²
1	X	24.0	21,400		1.2								0.7	
2	X	24.0	27,000		1.2								0.8	
3	X	24.0	33,000		1.3									
4		24.0	28,450											
5	X	24.0	28,450		1.4								0.8	
6	X	24.0	34,600		1.2								0.8	
7	X	24.0	28,100		1.2								0.9	
8	X	24.0	27,900		1.1								0.7	
9	X	24.0	26,000		1.2								0.8	
10	X	24.0	32,200		1.1									
11		24.0	33,850											
12	X	24.0	33,850		1.2								0.8	
13	X	24.0	23,200		1.3								0.7	
14	X	24.0	26,600		1.4								0.8	
15	X	24.0	39,400		1.2								0.9	
16	X	24.0	30,400		0.7								0.5	
17	X	24.0	28,000		1.1									
18		24.0	43,000											
19	X	24.0	43,000		1.1								0.7	
20	X	24.0	28,200		1.0								0.8	
21	X	24.0	32,100		1.8								1.6	
22	X	24.0	25,400		1.4								0.8	
23	X	24.0	22,600		1.6								1.0	
24	X	24.0	37,600		1.5									
25		24.0	34,550											
26	X	24.0	34,550		1.1								0.9	
27	X	24.0	28,000		1.1								0.8	
28	X	24.0	39,700		1.2								0.9	
29	X	24.0	32,200		1.3								1.0	
30		24.0	41,400		1.3								0.9	
31		24.0												
Total			944,700											
Average			30,474											
Maximum			43,000											

* Refer to the instructions for this report to determine which plants must provide this information

MONTHLY OPERATION REPORT FOR PW'Ss TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: October, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines)
 Ultraviolet Radiation Other (Describe):

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Day of the Month	Days Plant Staffed or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	CT Calculations, or UV Dose, to Demstrate Four-Log Virus Inactivation, if Applicable*										Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	
				CT Calculations					UV Dose						
				Peak Flow Rate, gpd.	Lowest Residual Disinfectant Concentration (C) Before or at First Customer Peak Flow, mg/L	Disinfectant Contact Time (T) at C Measurement Point During Peak Flow, minutes	Lowest CT Provided Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest Operating UV Dose, mW-sec/cm ²	Minimum UV Dose Required, mW-sec/cm ²	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L		
1	X	24.0	45,000		1.0										
2		24.0	31,750												
3	X	24.0	31,750		1.1									0.7	
4	X	24.0	24,000		1.1									0.8	
5	X	24.0	35,800		1.4									8.0	
6	X	24.0	20,900		1.2									0.6	
7	X	24.0	24,600		1.3									0.9	
8	X	24.0	30,000		1.2									0.8	
9		24.0	31,200												
10	X	24.0	31,200		1.1									0.6	
11	X	24.0	27,600		1.4									0.9	
12	X	24.0	31,200		1.0									0.7	
13	X	24.0	27,200		1.7									1.4	
14	X	24.0	46,300		1.5									1.0	
15	X	24.0	27,000		1.2										
16		24.0	34,150												
17	X	24.0	34,150		1.4									1.2	
18	X	24.0	34,700		1.4									1.0	
19	X	24.0	26,300		1.8									1.2	
20	X	24.0	30,200		1.3									0.9	
21	X	24.0	31,600		1.2									0.8	
22	X	24.0	20,200		1.3										
23		24.0	30,200												
24	X	24.0	30,200		1.2									1.0	
25	X	24.0	31,400		1.3									0.9	
26	X	24.0	24,300		1.4									1.0	
27	X	24.0	32,800		1.1									0.7	
28	X	24.0	26,900		1.4									1.0	
29	X	24.0	30,700		1.2										
30		24.0	28,800												
31	X	24.0	28,800		1.3									1.0	
Total			940,900												
Average			30,352												
Maximum			46,300												

* Refer to the instructions for this report to determine which plants must provide this information.

MONTHLY OPERATION REPORT FOR PW'SS TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village November, 2005

III. Daily Data for the Month/Year of:

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines) Ultraviolet Radiation

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Days Plant Started or Visited by Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal	Peak Flow Rate, gpd	Lowest Residual Disinfectant Concentration (C) Before or at First Customer During Peak Flow, mg/L	Disinfectant Contact Time (T) at C	Before or at First Customer During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	UV Dose, mW-sec/cm ²	Lowest UV Dose Required, mW-sec/cm ²	Lowest Residual Disinfectant Concentration at Remote Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*		
														UV Dose		
1	X	24,000	32,400	1.2								0.6				
2	X	24,000	34,100	1.3								1.0				
3	X	24,000	28,000	1.2								0.8				
4	X	24,000	35,100	1.2								0.8				
5	X	24,000	23,500	1.3								0.8				
6		24,000	34,250													
7	X	24,000	34,250	1.2								0.8				
8	X	24,000	33,300	1.3								0.8				
9	X	24,000	30,500	1.2								0.8				
10	X	24,000	33,600	1.0								0.9				
11	X	24,000	16,000	1.1								0.8				
12	X	24,000	38,800	1.0								0.8				
13		24,000	34,100													
14	X	24,000	34,100	1.5								1.1				
15	X	24,000	31,400	1.3								1.0				
16	X	24,000	29,000	1.3								1.0				
17	X	24,000	34,100	1.2								0.9				
18	X	24,000	26,000	1.2								0.9				
19	X	24,000	17,500	1.3												
20		24,000	32,000													
21	X	24,000	32,000	1.5								1.1				
22	X	24,000	18,800	1.5								1.0				
23	X	24,000	24,300	1.4								1.0				
24	X	24,000	16,600	1.3								0.9				
25	X	24,000	28,900	1.3								1.0				
26	X	24,000	25,800	1.1												
27		24,000	31,750													
28	X	24,000	31,750	1.2								0.9				
29	X	24,000	24,400	1.2								0.9				
30	X	24,000	24,700	1.3								1.0				
31		24,000														
Total		871,000														
Average		28,097														
Maximum		38,800														

* Refer to the instructions for this report to determine which plants must provide this information

MONTHLY OPERATION REPORT FOR PWSs TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER



Polymer Page 3 Due in December

See Pages 4 for Instructions.

I. General Information for the Month/Year of: December, 2005

A. Public Water System (PWS) Information

PWS Name: Venetian Village		PWS Identification Number: 3351426	
PWS Type: <input checked="" type="checkbox"/> Community <input type="checkbox"/> Non-Transient Non-Community <input type="checkbox"/> Transient Non-Community		<input type="checkbox"/> Consecutive	
Number of Service Connections at End of Month: 151		Total Population Served at End of Month: 529	
PWS Owner: Aqua Utilities Florida			
Contact Person: Brian Heath		Contact Person's Title: Area Manager	
Contact Person's Mailing Address: PO Box 490310		City: Leesburg	State: Florida
Contact Person's Telephone Number: (352) 787-0980		Zip Code: 34749	
Contact Person's E-Mail Address: beheath@aquaaamerica.com		Contact Person's Fax Number: (352) 787-6333	

B. Water Treatment Plant Information

Plant Name: Venetian Village		Plant Telephone Number: 352-787-0980	
Plant Address: 31 Tammi Drive		City: Taveres	State: Florida
Type of Water Treatment by Plant: <input checked="" type="checkbox"/> Raw Ground Water <input type="checkbox"/> Purchased Finished Water		Zip Code: 32778	
Permitted Maximum Day Operating Capacity of Plant, gallons per day: 344,800		Plant Class (per subsection 62-699.310(4), F.A.C.): C	
Plant Category (per subsection 62-699.310(4), F.A.C.): V		Plant Class (per subsection 62-699.310(4), F.A.C.): C	
Licensed Operators	Name	License Class	License Number
Lead/Chief Operator:	Will Fontaine	C	6813
Other Operators:	Jim Milicic	C	8195

II. Certification by Lead/Chief Operator

I, the undersigned water treatment plant operator licensed in Florida, am the lead/chief operator of the water treatment plant identified in part I of this report. I certify that the information provided in this report is true and accurate to the best of my knowledge and belief. I certify that all drinking water treatment chemicals used at this plant conform to NSF International Standard 60 or other applicable standards referenced in subsection 62-555.320(3), F.A.C. I also certify that the following additional operations records for this plant were prepared each day that a licensed operator staffed or visited this plant during the month indicated above: (1) records of amounts of chemicals used and chemical feed rates; and (2) if applicable, appropriate treatment process performance records. Furthermore, I agree to provide these additional operations records to the PWS owner so the PWS owner can retain them, together with copies of this report, at a convenient location for at least ten years.

Signature and Date	Will Fontaine Printed or Typed Name	C-6813 License Number
--------------------	--	--------------------------

MONTHLY OPERATION REPORT FOR PW'SS TREATING RAW GROUND WATER OR PURCHASED FINISHED WATER

PWS Identification Number: 3351426 Plant Name: Venetian Village

III. Daily Data for the Month/Year of: December, 2005

Means of Achieving Four-Log Virus Inactivation/Removal: Free Chlorine Chlorine Dioxide Ozone Combined Chlorine (Chloramines) Ultraviolet Radiation

Type of Disinfectant Residual Maintained in Distribution System: Free Chlorine Combined Chlorine (Chloramines) Chlorine Dioxide

Days Plant Visited or Operator (Place "X")	Hours plant in Operation	Net Quantity of Finished Water Produced, gal.	Peak Flow Rate, gpd.	Lowest Residual Disinfectant Provided	Contact Time Before or at First Disinfectant Measurement (T) at C	Customer Point During Peak Flow, mg-min/L	Temp of Water, °C	pH of Water, if Applicable	Minimum CT Required, mg-min/L	Lowest UV Dose, mW-sec/cm ²	UV Dose Required, mW-sec/cm ²	Lowest Residual Disinfectant Concentration at Remove Point in Distribution System, mg/L	Emergency or Abnormal Operating Conditions, Repair or Maintenance Work that Involves Taking Water System Components Out of Operation	CT Calculations, or UV Dose, to Demostate Four-Log Virus Inactivation, if Applicable*		CT Calculations		Total	Average	Minimum
														Lowest CT	UV Dose	Lowest CT	UV Dose			
1	X	24.0	19,700	1.4											1.4	1.3	32,000	24.0	32,000	11
2	X	24.0	35,400	1.3											1.3	1.3	30,000	24.0	30,000	4
3	X	24.0	15,000	1.3											1.3	1.3	30,000	24.0	30,000	4
4		24.0															30,000	24.0	30,000	5
5	X	24.0	30,000	1.2											1.2	1.2	30,000	24.0	30,000	5
6	X	24.0	30,100	1.3											1.3	1.3	25,500	24.0	25,500	7
7	X	24.0	25,500	1.3											1.3	1.4	24,000	24.0	24,000	8
8	X	24.0	24,000	1.4											1.4	1.3	25,500	24.0	25,500	9
9	X	24.0	25,500	1.3											1.3	1.3	12,300	24.0	12,300	10
10	X	24.0	12,300	1.3											1.3	1.4	32,000	24.0	32,000	11
11	X	24.0	32,000	1.4											1.4	1.4	25,000	24.0	25,000	13
12	X	24.0	32,000	1.4											1.4	1.3	26,400	24.0	26,400	14
13	X	24.0	25,000	1.4											1.4	1.2	17,800	24.0	17,800	16
14	X	24.0	26,400	1.3											1.3	1.3	33,200	24.0	33,200	17
15	X	24.0	24,600	1.4											1.4	1.3	41,000	24.0	41,000	18
16	X	24.0	17,800	1.2											1.2	1.1	30,600	24.0	30,600	24
17	X	24.0	33,200	1.3											1.3	1.3	28,000	24.0	28,000	25
18		24.0	41,000														40,400	24.0	40,400	27
19	X	24.0	41,000	1.4											1.4	1.3	28,000	24.0	28,000	26
20	X	24.0	31,800	1.2											1.2	1.3	28,000	24.0	28,000	25
21	X	24.0	21,800	1.2											1.2	1.3	28,000	24.0	28,000	25
22	X	24.0	31,500	1.3											1.3	1.3	22,200	24.0	22,200	23
23	X	24.0	22,200	1.3											1.3	1.1	30,600	24.0	30,600	24
24	X	24.0	30,600	1.1											1.1	1.1	28,000	24.0	28,000	25
25		24.0	28,000														40,400	24.0	40,400	27
26	X	24.0	28,000	1.3											1.3	1.0	28,000	24.0	28,000	26
27	X	24.0	40,400	1.3											1.3	0.9	40,400	24.0	40,400	27
28	X	24.0	26,400	1.2											1.2	0.8	26,400	24.0	26,400	28
29	X	24.0	28,600	1.6											1.6	1.2	28,600	24.0	28,600	29
30	X	24.0	16,600	1.5											1.5	1.2	16,600	24.0	16,600	30
31	X	24.0	31,500	1.5											1.5	1.2	31,500	24.0	31,500	31
Total		857,900															857,900			
Average		27,674															27,674			
Minimum		41,000															41,000			

* Refer to the instructions for this report to determine which plants must provide this information