

ORIGINAL

1

Arredondo

Docket No. 060368-WS

Application to Increase Rates and Charges
For a "Class A" Utility
In

Florida

VOLUME 6

Book 8

Set 1 of 24

Containing
Additional Engineering Requirements

Discharge Monitoring Report

Aqua Utilities Florida, Inc.

DOCUMENT NUMBER-DATE

00967 JAN 30 5

FPSC-COMMISSION CLERK

Aqua Utilities Florida, Inc. Discharge Monitoring Reports

Arrendondo

	Tab Number	Page Number
Year: 2004		
January	1	3
February	2	8
March	3	13
April	4	18
May	5	25
June	6	30
July	7	35
August	8	40
September	9	45
October	10	50
November	11	55
December	12	60
Year: 2005		
January	1	65
February	2	68
March	3	73
April	4	80
May	5	85
June	6	90
July	7	95
August	8	100
September	9	103
October	10	108
November	11	116
December	12	120

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 1/1/04 To: 1/31/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.030		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.026	0.028	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.0		mg/L	0	Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.0	2.0	mg/L	0	Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				4.4		mg/L	0	Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				2.5	3.0	mg/L	0	Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD

From: 1/1/04

To: 1/31/04

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.0	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				337	#/100mL	1	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement				4,000	#/100mL	1	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				Report (Mo Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.2		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				2.76	mg/L	0	Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				281	mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				128	mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				93%	Percent	-	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final REPORT: Monthly
 CLASS SIZE: Minor GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 1/1/04 To: 1/31/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

Version 22 January 2003

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo Geo Mean)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)	mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315

Facility Name: Arredondo Farms Mobile Home Park WWTF ⁷

Month/Year: From 1/1/04 To: 1/31/04

County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.029									
2	.028				7.6	7.6	2.5			
3	.027				7.7	7.7	1.5			
4	.028									
5	.030				7.8	7.8	2.2			
6	.025				7.7	7.7	2.8			
7	.027				7.7	7.7	2.5			
8	.023	<2.0 U	3	<1 U	7.7	7.7	2.0	1.27		
9	.024				7.8	7.8	2.2			
10	.024									
11	.028						2.0			
12	.026				7.0	7.0	1.8			
13	.026				7.7	7.7	1.6			
14	.025				7.8	7.8	1.8			
15	.027				7.8	7.8	1.5			
16	.029				7.6	7.6	2.0			
17	.023						1.8			
18	.023									
19	.026				7.7	7.7	1.6			
20	.020				7.8	7.8	1.8			
21	.024	<2.0 U	2	12,000	7.7	7.7	1.2	2.76	281	128
22	.020				7.7	7.7	1.6			
23	.031				7.6	7.6	2.0			
24	.024						1.4			
25	.024									
26	.025				7.8	7.8	2.0			
27	.032			<1 U	7.7	7.7	1.8			
28	.026				7.6	7.6	2.2			
29	.024				7.7	7.7	3.0			
30	.024				7.8	7.8	2.2			
31	.035						2.0			

Plant Staffing:

Day Shift Operator

Class C

Certificate No. 7212

Name: Mark March

Evening Shift Operator

Class

Certificate No.

Name:

Night Shift Operator

Class

Certificate No.

Name:

Lead Operator

Class C

Certificate No. 7212

Name: Mark March

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: February 1, 2004 To: February 29, 2004

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.029		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.028	0.027	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.0		mg/L	0	Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.25	2.5	mg/L	0	Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				4.3		mg/L	0	Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				1.5	2	mg/L	0	Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD

From: February 1, 2004

To: February 29, 2004

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.4	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			338		#/100mL	1	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement			1.0	1.0	#/100mL	0	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL		Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.5		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				3.86	mg/L	0	Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			256		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			109		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				90	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

Version 22 January 2003

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement					s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement					mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					mg/L		Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315

Facility Name: Arredondo Farms Mobile Home Park WWTF

Month/Year: From February 1, 2004

To: February 29, 2004

County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.035									
2	.024				7.8	7.8	2.2			
3	.024				7.8	7.8	2.1			
4	.027	<2.0U	2	<1U	7.7	7.7	1.8	3.37	256	109
5	.030				7.4	7.4	2.0			
6	.026				7.5	7.5	2.2			
7	.036						1.6			
8	.036									
9	.028				7.6	7.6	1.5			
10	.025				7.7	7.7	1.8			
11	.024				7.8	7.8	2.0			
12	.025				7.7	7.7	2.2			
13	.030				7.7	7.7	2.1			
14	.038						2.0			
15	.038									
16	.026				7.6	7.6	2.1			
17	.023				7.7	7.7	2.8			
18	.026				7.7	7.7	2.6			
19	.023	2.5	1	<1U	7.8	7.8	2.2	3.86		
20	.026				7.8	7.8	2.4			
21	.026									
22	.023						2.2			
23	.029				7.7	7.7	2.0			
24	.028				7.6	7.6	2.2			
25	.025				7.8	7.8	1.8			
26	.027				7.7	7.7	2.2			
27	.030				7.8	7.8	2.0			
28	.032						2.2			
29	.032									
30										
31										

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final REPORT: Monthly
 CLASS SIZE: Minor GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: March 1, 2004 To: March 31, 2004

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.029		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon. Site No. EFA-1	Permit Measurement	0.030 (An. Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.030	0.028	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon. Site No. EFA-1	Permit Measurement	Report (Mo. Avg.)	Report (3-Mo. Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.9		mg/L	0	Monthly	Grab
PARM Code 80082 Y Mon. Site No. EFA-1	Permit Measurement				20.0 (An. Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.36	3.1	mg/L	0	Monthly	Grab
PARM Code 80082 I Mon. Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				3.5		mg/L	0	Monthly	Grab
PARM Code 00530 Y Mon. Site No. EFA-1	Permit Measurement				20.0 (An. Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				1.3	2	mg/L	0	Monthly	Grab
PARM Code 00530 I Mon. Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: 3/1/04 To: 3/31/04

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.5	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			337		#/100mL	1	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement			1	1	#/100mL	0	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL		Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.8		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				1.33	mg/L	0	Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			180		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			116		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				93	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. GAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement					s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	1 Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Y Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	1 Permit Measurement			200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement					mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	1 Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					mg/L		Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	G Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	G Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	I Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315
 Month/Year: From 3/1/04 To: 3/31/04

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.023									
2	.028				7.8	7.8	2.2			
3	.027	<2.0U	<1U	<1U	7.7	7.7	2.2	1.33	180	116
4	.027									
5	.028				7.7	7.7	2.0			
6	.027						2.4			
7	.039				7.7	7.7	2.0			
8	.028				7.6	7.6	1.8			
9	.024				7.7	7.7	2.2			
10	.025				7.7	7.7	2.4			
11	.029				7.8	7.8	2.2			
12	.039				7.7	7.7	2.0			
13	.039									
14	.028						2.3			
15	.034				7.6	7.6	2.0			
16	.024				7.7	7.7	2.4			
17	.027				7.8	7.8	2.2			
18	.026	<2.0U	1	<1U	7.7	7.7	2.0	1.28		
19	.028				7.7	7.7	2.2			
20	.037						2.0			
21	.037									
22	.033				7.7	7.7	1.8			
23	.026				7.7	7.7	2.2			
24	.029				7.8	7.8	2.2			
25	.040				7.7	7.7	2.4			
26	.028				7.5	7.5	2.2			
27	.032				7.6	7.6	2.2			
28	.032									
29	.032				7.7	7.7	2.0			
30	.030				7.8	7.8	2.2			
31	.029	3.1	2	<1U	7.7	7.7	2.0	0.91		

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 4/1/04 To: 4/30/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.029		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An. Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.029	0.029	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo. Avg.)	Report (3-Mo. Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.6		mg/L	0	Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An. Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.0	2.0	mg/L	0	Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				3.8		mg/L	0	Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An. Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				10.0	18.0	mg/L	0	Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD

From: 4/1/04

To: 4/30/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				7.3	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					337	#/100mL	1	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement					1.0	#/100mL	0	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					Report (Mo Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				0.9		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement				0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					1.28	mg/L	0	Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					242	mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					111	mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					96	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement					s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				200 (Mo.Geo.Mean)	800 (Max.)		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement					mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/l		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					mg/L		Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315
 Month/Year: From 4/1/04

To: 4/30/04

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.023				7.7	7.7	2.1			
2	.022				7.7	7.7	2.0			
3	.029						2.2			
4	.030									
5	.029				7.7	7.7	2.0			
6	.033				7.8	7.8	2.2			
7	.026				7.7	7.7	2.4			
8	.026				7.8	7.8	2.4			
9	.036				7.6	7.6	2.0			
10	.027				7.5	7.5	2.2			
11	.027									
12	.028				7.3	7.3	2.0			
13	.029				7.8	7.8	2.4			
14	.027				7.7	7.7	2.0			
15	.033	<2.0U	2	<1U	7.7	7.7	2.6	1.17	242	111
16	.031				7.8	7.8	2.2			
17	.031									
18	.031						2.4			
19	.033				7.8	7.8	2.0			
20	.027				7.7	7.7	1.8			
21	.029				7.8	7.8	1.6			
22	.029				7.8	7.8	2.2			
23	.030				7.7	7.7	2.0			
24	.032						2.5			
25	.032									
26	.025				7.7	7.7	2.2			
27	.034				7.6	7.6	2.0			
28	.017				7.4	7.4	0.9			
29	.030	<2.0U	18	<1U	7.5	7.5	1.8	1.28		
30	.026				7.7	7.7	2.0			
31						7.7				

Plant Staffing:

Day Shift Operator Class C
 Evening Shift Operator Class _____
 Night Shift Operator Class _____
 Lead Operator Class C

Certificate No. 7212
 Certificate No. _____
 Certificate No. _____
 Certificate No. 7212

Name: Mark March
 Name: _____
 Name: _____
 Name: Mark March

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 1 Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 1 Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 1 Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 I Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 I Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 I Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L	Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 I Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: May 1, 2004 To: May 31, 2004

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.031		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.031	0.030	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo. Avg.)	Report (3-Mo. Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.0		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				4.2	6.4	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				4.0		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				3.0	5.0	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: May 1, 2004

To: May 31, 2004

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				7.6	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					366	#/100mL	1	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement					1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (Mo.Geo.Mean)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				1.8		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement				1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					3.10	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					252	mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					110	mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					50	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315
 Month/Year: From May 1, 2004

To: May 31, 2004

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.036						2.0			
2	.036									
3	.030				7.6	7.6	2.2			
4	.029				7.6	7.6	2.2			
5	.030				7.7	7.7	1.8			
6	.026				7.8	7.8	2.2			
7	.031				7.8	7.8	2.5			
8	.031									
9	.031									
10	.029				7.8	7.8	2.0			
11	.031				7.7	7.7	2.2			
12	.031	<2.0U	<1U	<1U	7.8	7.8	2.1	1.16	252	110
13	.029				7.7	7.7	2.4			
14	.029				7.8	7.8	2.0			
15	.034						2.0			
16	.034									
17	.029				7.6	7.6	2.2			
18	.035				7.7	7.7	2.0			
19	.028				7.7	7.7	2.4			
20	.033				7.8	7.8	1.8			
21	.033				7.7	7.7	2.0			
22	.029				7.6	7.6	1.8			
23	.029									
24	.027				7.8	7.8	2.0			
25	.034				7.7	7.7	2.2			
26	.030				7.8	7.8	2.6			
27	.028	6.4	5	<1U	7.8	7.8	2.2	3.10		
28	.026				7.7	7.7	2.3			
29	.033						2.0			
30	.033									
31	.033				7.8	7.8	2.0			

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement						s.u.		Daily, five day per week	Grab
PARM Code 00400 I Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement						#/100mL		Monthly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement					200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement						#/100mL		Monthly	Grab
PARM Code 74055 I Mon.Site No. EFA-1	Permit Measurement				Report (Mo Geo Mean)	800 (Max.)	#/100mL		Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement						mg/L		Daily, five day per week	Grab
PARM Code 50060 I Mon.Site No. EFA-1	Permit Measurement				0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement						Percent		Monthly	Calculated
PARM Code 00180 I Mon.Site No. CAL-1	Permit Measurement					Report (Mo/Total)	Percent		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: AquaSource Utilities, Inc
 MAILING ADDRESS: 6960 Professional Parkway, Suite 400
 Sarasota, FL 34240

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE:

MONITORING PERIOD From: 6/1/04 To: 6/30/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.031		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.032	.030	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.0		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.0	2.0	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				3.9		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				3.5	4.0	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 6/1/04

To: 6/30/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				7.6	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					366	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement					1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (Mo Geo Mean)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				1.8		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement				1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					0.77	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					304	mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					223	mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					51	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315

Facility Name: Arredondo Farms Mobile Home Park WWTF

Month/Year: From 6/1/04 To: 6/30/04

County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.032				7.8	7.8	2.0			
2	.028				7.8	7.8	2.5			
3	.033				7.6	7.6	2.2			
4	.033									
5	.033									
6	.034									
7	.032				7.6	7.6	1.8			
8	.028				7.7	7.7	2.0			
9	.028				7.8	7.8	2.2			
10	.033				7.8	7.8	2.0			
11	.029				7.7	7.7	2.0			
12	.033				7.6	7.6	2.0			
13	.033									
14	.033				7.8	7.8	2.2			
15	.027	<2.0U	3	<1U	7.7	7.7	2.0	0.82	304	223
16	.033				7.8	7.8	2.2			
17	.032				7.7	7.7	2.7			
18	.036				7.8	7.8	2.2			
19	.028						2.0			
20	.028									
21	.030				7.7	7.7	3.0			
22	.030				7.8	7.8	2.2			
23	.030				7.8	7.8	2.0			
24	.030				7.8	7.8	2.2			
25	.030				7.7	7.7	2.0			
26	.032						1.8			
27	.032									
28	.030				7.7	7.7	2.2			
29	.035	<2.0U	4	<1U	7.6	7.6	2.4	0.71		
30	.040				7.8	7.8	2.2			
31										

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-732-6027	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 I Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					#/100mL	Monthly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL	Monthly	Grab
Coliform, Fecal	Sample Measurement					#/100mL	Monthly	Grab
PARM Code 74055 I Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement					mg/L	Daily, five day per week	Grab
PARM Code 50060 I Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L	Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					mg/L	Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					mg/L	Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Solids, Total Suspended	Sample Measurement					mg/L	Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					Percent	Monthly	Calculated
PARM Code 00180 I Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE:

MONITORING PERIOD From: 7/1/04 To: 7/31/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.032		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.029	0.030	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.6		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.2	2.3	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				3.8		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				3.0	5	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-732-6027	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 7/1/04

To: 7/31/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				7.3	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					362	#/100mL	1	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement				1.0	1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon Site No. EFA-1	Permit Measurement					200 (Mo Geo Mean)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				0.8		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement				1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					1.0	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					213	mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					101	mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					51	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-I	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315
 Month/Year: From 7/4/04

To: 7/31/04

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.035				7.6	7.6	2.2			
2	.024				7.5	7.5	2.2			
3	.036				7.7	7.7	2.2			
4	.036									
5	.040				7.4	7.4	2.2			
6	.029				7.4	7.4	2.2			
7	.026				7.4	7.4	2.2			
8	.026				7.3	7.3	2.2			
9	.030				7.3	7.3	2.2			
10	.023				7.6	7.6	0.8			
11	.023									
12	.030				7.6	7.6	2.0			
13	.027	<2.0U	1	<1U	7.6	7.6	2.0	0.89	213	101
14	.022				7.7	7.7	2.4			
15	.027				7.6	7.6	2.2			
16	.030				7.8	7.8	2.2			
17	.031						2.2			
18	.031									
19	.029				7.6	7.6	2.0			
20	.027				7.7	7.7	2.0			
21	.027				7.6	7.6	2.2			
22	.026				7.6	7.6	2.2			
23	.030				7.8	7.8	3.0			
24	.027						2.2			
25	.027									
26	.030				7.6	7.6	2.0			
27	.032	2.3	5	<1U	7.7	7.7	2.2	1.00		
28	.022				7.7	7.7	2.2			
29	.030				7.8	7.8	2.1			
30	.029				7.6	7.6	1.8			
31	.039				7.7	7.7	2.0			

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintnedent		352-732-6027	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD

From: _____

To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement					s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100ml.		Monthly	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100ml.		Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement					mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 8/1/04 To: 8/31/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.033		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.048	0.036	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.3		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				35.5	69.1	mg/L	2	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				4.3		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				7.5	10	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 8/1/04

To: 8/31/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				7.6	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 I Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				362		#/100mL	0	Weekly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement				200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement				1.4	2.0	#/100mL	0	Weekly	Grab
PARM Code 74055 I Mon.Site No. EFA-1	Permit Measurement				200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				1.8		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 I Mon.Site No. EFA-1	Permit Measurement				1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					3.13	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				254		mg/L	0	Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				166		mg/L	0	Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					60	Percent	0	Monthly	Calculated
PARM Code 00180 I Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315

Facility Name: Arredondo Farms Mobile Home Park WWTF

Month/Year: From 8/1/04 To: 8/31/04

County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.039									
2	.062				7.7	7.7	2.3			
3	.015				7.7	7.7	2.0			
4	.009				7.8	7.8	2.2			
5	.023				7.7	7.7	2.0			
6	.030				7.7	7.7	2.2			
7	.026						2.0			
8	.026									
9	.033				7.8	7.8	2.2			
10	.027	<2.0U	5	<1U	7.7	7.7	2.0	1.94	254	166
11	.032				7.6	7.6	2.2			
12	.015				7.7	7.7	2.0			
13	.015				7.8	7.8	2.2			
14	.038						2.2			
15	.038									
16	.028				7.7	7.7	2.4			
17	.026				7.6	7.6	2.0			
18	.060				7.8	7.8	2.2			
19	.026				7.6	7.6	2.8			
20	.027				7.7	7.7	2.0			
21	.024						2.2			
22	.024									
23	.008				7.8	7.8	2.0			
24	.011				7.7	7.7	2.2			
25	.030				7.8	7.8	2.0			
26	.018	69.1	10	<2U	7.7	7.7	1.8	3.13		
27	.023				7.6	7.6	1.8			
28	.029				7.8	7.8	2.0			
29	.029									
30	.029				7.8	7.8	2.3			
31	.026				7.6	7.6	2.0			

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class <u> </u>	Certificate No. <u> </u>	Name: <u> </u>
Night Shift Operator	Class <u> </u>	Certificate No. <u> </u>	Name: <u> </u>
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael V. Fitzgerald, Operations Superintendent		352-732-6027	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD

From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement						s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement						#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				200 (An.Avg.)		#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement						#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				Report (Mo Geo Mean)	800 (Max.)	#/100mL		Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement						mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement				0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement						Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 9/1/04 To: 9/30/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.039		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.064	0.047	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.7		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.0	2.0	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				4.1		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				1.0	1.0	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Michael Fitzgerald, Operations Superintendent		352-369-4881	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 9/1/04

To: 9/30/04

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.4	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			363		#/100mL	1	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement			1.0	1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo.Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.6		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				0.86	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			188		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			94		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				78	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315

Facility Name: Arredondo Farms Mobile Home Park WWTF

Month/Year: From 9/1/04

To: 9/30/04

County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.035									
2	.018				7.8	7.8	1.6			
3	.022				7.8	7.8	2.2			
4	.046						1.8			
5	.046									
6	.027				7.8	7.8	1.6			
7	.046				7.8	7.8	1.6			
8	.037				7.6	7.6	1.6			
9	.033				7.6	7.6	2.8			
10	.021				7.4	7.4	1.8			
11	.020						2.2			
12	.021									
13	.044				7.8	7.8	2.0			
14	.040				7.6	7.6	1.6			
15	.040				7.8	7.8	2.2			
16	.040	<2.0UJ	<1U	<1U	7.6	7.6	2.0	0.86	188	94
17	.026				7.7	7.7	2.2			
18	.026									
19	.034						1.8			
20	.032				7.8	7.8	2.0			
21	.024				7.6	7.6	2.2			
22	.033				7.7	7.7	2.0			
23	.029				7.4	7.4	2.2			
24	.025				7.5	7.5	2.2			
25	.016				7.5	7.5	2.2			
26	.016									
27	1.05				7.8	7.8	2.5			
28	.021				7.7	7.7	2.0			
29	.038				7.7	7.7	1.8			
30	.026				7.8	7.8	2.0			
31										

Plant Staffing:

Day Shift Operator
 Evening Shift Operator
 Night Shift Operator
 Lead Operator

Class C
 Class _____
 Class _____
 Class C

Certificate No. 7212
 Certificate No. _____
 Certificate No. _____
 Certificate No. 7212

Name: Mark March
 Name: _____
 Name: _____
 Name: Mark March

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL	Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L	Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 10/1/04 To: 10/31/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow PARM Code 50050 Y Mon.Site No. EFA-1	Sample Measurement	0.039		MGD				0	Daily, five days per week	Elapsed time meter
	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow PARM Code 50050 I Mon.Site No. EFA-1	Sample Measurement	0.034	0.049	MGD				0	Daily, five days per week	Elapsed time meter
	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C PARM Code 80082 Y Mon.Site No. EFA-1	Sample Measurement				5.6		mg/L	0	Weekly	Grab
	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C PARM Code 80082 I Mon.Site No. EFA-1	Sample Measurement				2.0	2.0	mg/L	0	Weekly	Grab
	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended PARM Code 00530 Y Mon.Site No. EFA-1	Sample Measurement				4.1		mg/L	0	Weekly	Grab
	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended PARM Code 00530 I Mon.Site No. EFA-1	Sample Measurement				2.0	4.0	mg/L	0	Weekly	Grab
	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD From: 10/1/04 To: 10/31/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				7.6	8.0	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					390	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement					10	#/100mL	1	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (Mo Geo Mean)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				1.5		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement				1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					1.83	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					185	mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					169	mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					81	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315
 Month/Year: From 10/1/04 To: 10/31/04

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.035				7.8	7.8	2.2			
2	.035						2.5			
3	.035									
4	.035				7.6	7.6	2.2			
5	.031	<2.0UJ	<1U	1000	7.6	7.6	2.0	1.05	185	169
6	.031				7.8	7.8	2.2			
7	.085				7.6	7.6	2.0			
8	.015				7.6	7.6	2.2			
9	.022						2.0			
10	.022									
11	.039				7.8	7.8	2.2			
12	.038				7.7	7.7	2.1			
13	.038				7.6	7.6	2.1			
14	.09	<2.0U	4	<1U	7.7	7.7	1.8	1.02		
15	.034				7.6	7.6	2.0			
16	.036				7.6	7.6	2.2+			
17	.036									
18	.041				7.7	7.7	1.5			
19	.032				7.7	7.7	2.0			
20	.038				7.8	7.8	2.2			
21	.026				7.7	7.7	1.8			
22	.037				7.8	7.8	2.0			
23	.028						2.2			
24	.028									
25	.031				8.0	8.0	1.8			
26	.029				7.8	7.8	2.0			
27	.028				7.7	7.7	1.6			
28	.029	2.0UJ	1U	1U	7.8	7.8	2.0	3.43		
29	.030				7.8	7.8	2.2			
30	.029				7.7	7.7	2.2			
31	.029									

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement						Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)			Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement						Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)			Monthly	Grab
Coliform, Fecal	Sample Measurement						Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)			Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement						Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)			Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement						Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement						Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)			Monthly	Grab
Solids, Total Suspended	Sample Measurement						Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)			Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement						Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement						Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor
 REPORT GROUP: Monthly Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 11/1/04 To: 11/30/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.036		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.029	0.042	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.3		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.1	2.2	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				3.5		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				1.5	2	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-732-6027	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD From: 11/1/04 To: 11/30/04

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.6	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				390	#/100mL	1	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement				1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				200 (Mo.Geo Mean)	800 (Max.)	#/100mL	Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.6		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				5.58	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				210	mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				153	mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				70	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315
 Month/Year: From 11/1/04 To: 11/30/04

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.025				7.8	7.8	2.0			
2	.038				7.7	7.7	1.8			
3	.027				7.7	7.7	2.0			
4	.030				7.8	7.8	2.3			
5	.035				7.7	7.7	2.0			
6	.036						2.2			
7	.036									
8	.024				7.8	7.8	2.0			
9	.033				7.7	7.7	1.8			
10	.027				7.8	7.8	2.2			
11	.026	2.0U	1U	1U	7.8	7.8	2.0	1.11	210	153
12	.031				7.7	7.7	1.6			
13	.036						2.2+			
14	.036									
15	.023				7.8	7.8	1.6			
16	.033				7.7	7.7	2.0			
17	.030				7.8	7.8	1.8			
18	.037				7.8	7.8	2.0			
19	.023				7.7	7.7	1.6			
20	.022						2.2			
21	.022									
22	.027				7.7	7.7	2.0			
23	.025				7.7	7.7	1.8			
24	.029				7.8	7.8	1.8			
25	.026				7.7	7.7	2.0			
26	.031				7.7	7.7	2.2			
27	.022				7.6	7.6	2.2			
28	.022									
29	.026				7.8	7.8	2.0			
30	.026	2.2	2	1U	7.6	7.6	2.0	5.58		
31										

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 I Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 I Mon.Site No. EFA-1	Permit Measurement			Report (Mo.Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 I Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L	Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 I Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 12/1/04 To: 12/31/04

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow PARM Code 50050 Y Mon.Site No. EFA-1	Sample Measurement	0.037		MGD				0	Daily, five days per week	Elapsed time meter
	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow PARM Code 50050 I Mon.Site No. EFA-1	Sample Measurement	0.034	0.032	MGD				0	Daily, five days per week	Elapsed time meter
	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C PARM Code 80082 Y Mon.Site No. EFA-1	Sample Measurement				5.3		mg/L	0	Weekly	Grab
	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C PARM Code 80082 I Mon.Site No. EFA-1	Sample Measurement				2.4	2.7	mg/L	0	Weekly	Grab
	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended PARM Code 00530 Y Mon.Site No. EFA-1	Sample Measurement				4.1		mg/L	0	Weekly	Grab
	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended PARM Code 00530 I Mon.Site No. EFA-1	Sample Measurement				8.5	9.0	mg/L	0	Weekly	Grab
	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Will Fontaine, Field Coordinator		352-787-0980	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

Version 22 January 2003

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD From: 12/1/04 To: 12/31/04

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.4	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			390		#/100mL	1	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement			1.0	1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.5		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				3.03	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			235		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			75		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				53%	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315
 Month/Year: From 12/1/04 To: 12/31/04

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.028				7.6	7.6	2.0			
2	.019				7.6	7.6	2.0			
3	.028				7.7	7.7	2.2+			
4	.033						2.2+			
5	.033									
6	.023				7.8	7.8	2.2+			
7	.030	2.7	9	1U	7.6	7.6	2.0	1.79	235	75
8	.031				7.7	7.7	2.2+			
9	.030				7.6	7.6	2.2+			
10	.030				7.7	7.7	1.5			
11	.036				7.5	7.5	1.8			
12	.036									
13	.035				7.6	7.6	2.0			
14	.039				7.4	7.4	1.8			
15	.038				7.4	7.4	2.2			
16	.032				7.7	7.7	2.0			
17	.037				7.6	7.6	1.8			
18	.037						1.6			
19	.037									
20	.031				7.8	7.8	2.2			
21	.031				7.7	7.7	2.0			
22	.043	2.0U	8	1U	7.8	7.8	2.0	3.03		
23	.033				7.8	7.8	2.2			
24	.033				7.7	7.7	2.0			
25	.037						2.2+			
26	.040									
27	.040				7.6	7.6	2.2+			
28	.040				7.6	7.6	2.2+			
29	.035				7.5	7.5	1.5			
30	.032				7.5	7.5	2.2+			
31	.036				7.6	7.6	1.2			

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 I Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 I Mon.Site No. EFA-1	Permit Measurement			Report (Mo.Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 I Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)	mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 I Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: 1343 NE 17th Road
 Ocala, FL 34470

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 1/1/2005 To: 1/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.035		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. FFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.031	0.031	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.2		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.4	4.8	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				4.6		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				12.5	22	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 1/1/05

To: 1/31/05

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.5	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			29		#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement			1.73	3.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo Geo.Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.6		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				3.50	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			259		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			131		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				51	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315
 Month/Year: From 1/1/05

To: 1/31/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.054									
2	.055									
3	.037				7.6	7.6	1.8			
4	.034				7.6	7.6	2.0			
5	.027				7.7	7.7	1.6			
6	.033	2.0U	3	3	7.6	7.6	2.0	2.27	259	131
7	.030				7.6	7.6	2.0			
8	.033						1.8			
9	.033									
10	.028				7.7	7.7	1.6			
11	.028				7.6	7.6	2.0			
12	.028				7.6	7.6	1.8			
13	.031				7.7	7.7	2.0			
14	.027				7.7	7.7	1.8			
15	.026						2.0			
16	.026									
17	.042				7.8	7.8	2.0			
18	.017				7.7	7.7	2.0			
19	.037				7.6	7.6	2.4			
20	.031				7.7	7.7	2.2			
21	.034				7.8	7.8	2.4			
22	.026						2.0			
23	.026									
24	.023				7.6	7.6	2.2			
25	.031	4.8	22	1U	7.7	7.7	2.0	3.50		
26	.025				7.7	7.7	2.2			
27	.031				7.7	7.7	2.2			
28	.023				7.5	7.5	2.0			
29	.037				7.8	7.8	2.2			
30	.037						2.2			
31	.025				7.6	7.6	1.8			

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 2/1/05 To: 2/28/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 1 Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 1 Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 1 Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 I Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 I Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)		Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 I Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)	mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 I Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 2/1/05 To: 2/28/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.035		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.027	0.031	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.2		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.4	2.8	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				5.1		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				7.15	10	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 2/1/05

To: 2/28/05

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement			7.2	7.7	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			29		#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement			1.73	3.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo.Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			0.6		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				2.95	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EPA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			490		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/l		Monthly	Grab
Solids, Total Suspended	Sample Measurement			360		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				51	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315
 Month/Year: From 2/1/05 To: 2/28/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.025				7.7	7.7	2.0			
2	.024				7.7	7.7	2.0			
3	.027				7.2	7.2	0.6			
4	.032				7.5	7.5	2.2			
5	.032									
6	.034						1.8			
7	.030				7.4	7.4	2.0			
8	.021				7.4	7.4	2.0			
9	.032				7.6	7.6	2.0			
10	.028	2.8	10	1.0U	7.6	7.6	2.2	4.1	490	360
11	.025				7.6	7.6	2.0			
12	.030						2.0			
13	.030									
14	.024				7.6	7.6	2.2			
15	.024				7.6	7.6	2.0			
16	.025				7.6	7.6	2.2			
17	.024				7.7	7.7	2.2			
18	.028				7.4	7.4	1.8			
19	.025						2.0			
20	.026									
21	.029				7.7	7.7	2.0			
22	.026				7.5	7.5	2.0			
23	.033				7.5	7.5	1.8			
24	.022	2.0U	4.3	3.0	7.6	7.6	2.2	1.8		
25	.034				7.6	7.6	2.0			
26	.027						2.0			
27	.027									
28	.021				7.4	7.4	2.0			
29										
30										
31										

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Aredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 3/1/05 To: 3/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0		MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL	Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L	Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 3/1/05 To: 3/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.035		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.030	0.029	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.2		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.0	2.0	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				5.6		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				7.25	11	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD From: 3/1/05 To: 3/31/05

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH PARM Code 00400 Mon.Site No. EFA-1	Sample Measurement			7.4	7.8	s.u.	0	Daily, five day per week	Grab
	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal PARM Code 74055 Mon.Site No. EFA-1	Sample Measurement			29		#/100mL	0	Weekly	Grab
	Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal PARM Code 74055 Mon.Site No. EFA-1	Sample Measurement			1.0	1.0	#/100mL	0	Weekly	Grab
	Permit Measurement			200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection) PARM Code 50060 Mon.Site No. EFA-1	Sample Measurement			1.5		mg/L	0	Daily, five day per week	Grab
	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N) PARM Code 00620 Mon.Site No. EFA-1	Sample Measurement				2.3	mg/L	0	Weekly	Grab
	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C PARM Code 80082 Mon.Site No. INF-1	Sample Measurement			320		mg/L	0	Monthly	Grab
	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended PARM Code 00530 Mon.Site No. INF-1	Sample Measurement			180		mg/L	0	Monthly	Grab
	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100 PARM Code 00180 Mon.Site No. CAL-1	Sample Measurement				48%	Percent	0	Monthly	Calculated
	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315
 Month/Year: From 3/1/05

To: 3/31/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.032				7.6	7.6	2.2			
2	.029				7.7	7.7	2.0			
3	.022				7.6	7.6	2.2			
4	.017				7.5	7.5	1.8			
5	.018									
6	.043						2.0			
7	.028				7.6	7.6	2.0			
8	.024				7.7	7.7	2.2			
9	.027				7.6	7.6	1.8			
10	.020	2.0	11	1.0U	7.6	7.6	2.7	4.4		
11	.025				7.5	7.5	2.0			
12	.026									
13	.027						1.5			
14	.025				7.6	7.6	2.2			
15	.028				7.8	7.8	1.8			
16	.022				7.8	7.8	1.5			
17	.024				7.7	7.7	2.0			
18	.022				7.7	7.7	1.6			
19	.023						1.5			
20	.033									
21	.022				7.4	7.4	2.0			
22	.023				7.4	7.4	1.8			
23	.025				7.6	7.6	2.0			
24	.028	2.0U	3.5	1.0U	7.6	7.6	2.2	0.19	320	180
25	.024				7.6	7.6	1.8			
26	.031						2.2			
27	.031									
28	.021				7.8	7.8	2.2			
29	.024				7.8	7.8	1.6			
30	.022				7.6	7.6	1.8			
31	.025				7.7	7.7	1.8			

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement						Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					#/100mL	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL	Monthly	Grab
Coliform, Fecal	Sample Measurement					#/100mL	Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			Report (Mo.Geo.Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement					mg/L	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L	Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					mg/L	Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					mg/L	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Solids, Total Suspended	Sample Measurement					mg/L	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					Percent	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 4/1/05 To: 4/30/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.034		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.022	0.026	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo. Avg.)	Report (3-Mo. Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.3		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.9	3.8	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				4.9		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				1.7	2.4	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD From: 4/1/05 To: 4/30/05

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.3	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			29		#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement			1.0	1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.2		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				21	mg/L	1	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			450		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			540		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				2%	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315
 Month/Year: From 4/1/05 To: 4/30/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.027				7.7	7.7	1.8			
2	.024						2.0			
3	.024									
4	.020				7.5	7.5	2.2			
5	.027				7.3	7.3	2.0			
6	.022				7.4	7.4	2.2			
7	.021	3.8	2.4	1.0U	7.6	7.6	2.0	21	450	540
8	.031				7.6	7.6	2.4			
9	.020						2.2			
10	.020									
11	.018				7.6	7.6	2.0			
12	.020				7.5	7.5	2.4			
13	.024				7.8	7.8	2.2			
14	.026				7.4	7.4	1.2			
15	.017				7.6	7.6	2.2			
16	.017									
17	.025						2.2			
18	.023				7.6	7.6	2.0			
19	.021				7.6	7.6	2.2			
20	.023				7.6	7.6	2.0			
21	.021	2.0U	1.0U	1.0U	7.6	7.6	2.0	2.2		
22	.024				7.7	7.7	2.2			
23	.018						2.0			
24	.018									
25	.027				7.5	7.5	2.2			
26	.023				7.6	7.6	2.0			
27	.023				7.6	7.6	2.4			
28	.021				7.4	7.4	2.0			
29	.017				7.4	7.4	2.2			
30	.025						2.0			
31										

Plant Staffing:

Day Shift Operator	Class <u>A</u>	Certificate No. <u>4894</u>	Name: <u>Paul Thompson</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 1 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL	Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 1 Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 1 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L	Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L	Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 I Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315
 LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 5/1/05 To: 5/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.034		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.027	0.026	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.1		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.0	2.0	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo.Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				5.0		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				5.0	6.6	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo.Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

Version 22 January 2003

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD From: 5/1/05 To: 5/31/05

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement			7.4	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			29		#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement			1.0	1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.6		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				4.65	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			240		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			250		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				43%	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315
 Month/Year: From 5/1/05 To: 5/31/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.025									
2	.021				7.5	7.5	2.2			
3	.026				7.6	7.6	2.0			
4	.019				7.5	7.5	2.2			
5	.048	2.0U	6.6	1.0U	7.6	7.6	2.0	6.3		
6	.029				7.6	7.6	2.0			
7	.029									
8	.029						2.0			
9	.024				7.4	7.4	1.6			
10	.027				7.4	7.4	2.2			
11	.033				7.5	7.5	2.2			
12	.026				7.4	7.4	2.0			
13	.027				7.7	7.7	2.0			
14	.026						2.0			
15	.026									
16	.023				7.8	7.8	2.2			
17	.029				7.6	7.6	2.8			
18	.029				7.6	7.6	1.8			
19	.024	2.0U	1.0U	1.0U	7.6	7.6	2.0	3.0	240	250
20	.028				7.5	7.5	1.8			
21	.032						1.6			
22	.032									
23	.026				7.6	7.6	2.0			
24	.026				7.6	7.6	2.2			
25	.029				7.5	7.5	2.0			
26	.013				7.6	7.6	1.8			
27	.013				7.6	7.6	2.0			
28	.055						2.2			
29	.022									
30	.012				7.6	7.6	2.2			
31	.016				7.7	7.7	2.0			

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>A</u>	Certificate No. <u>4894</u>	Name: <u>Paul Thompson</u>

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 495117
 Leesburg, FL 34749

PERMIT NUMBER: EA 1315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement					s.u.		Daily, five day per week	Grab
PARM Code 00400 I Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Monthly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement					#/100mL		Monthly	Grab
PARM Code 74055 I Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL		Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement					mg/L		Daily, five day per week	Grab
PARM Code 50060 I Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					mg/L		Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					mg/L		Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					Percent		Monthly	Calculated
PARM Code 00180 I Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 6/1/05 To: 6/30/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.034		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.029	0.026	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.1		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.0	2.0	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				4.7		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				1.0	1.0	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 6/1/05

To: 6/30/05

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.3	7.6	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			29.0		#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An. Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement			1.0	1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.4		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				5.4	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			310		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo. Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			300		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo. Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				43	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo. Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315
 Month/Year: From 6/1/05

To: 6/30/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.022				7.4	7.4	2.0			
2	.021				7.5	7.5	2.0			
3	.020				7.6	7.6	1.8			
4	.035				7.5	7.5	2.2			
5	.035									
6	.019				7.4	7.4	2.0			
7	.021				7.6	7.6	1.8			
8	.023				7.4	7.4	2.0			
9	.027				7.5	7.5	2.0			
10	.031				7.4	7.4	2.2			
11	.031									
12	.017						1.8			
13	.029				7.4	7.4	2.2			
14	.026				7.4	7.4	2.0			
15	.023				7.4	7.4	2.0			
16	.031	2.0U	1.0U	1.0U	7.3	7.3	1.8	5.4	310	300
17	.028				7.5	7.5	1.2			
18	.028									
19	.023						1.8			
20	.028				7.4	7.4	1.6			
21	.044				7.5	7.5	1.8			
22	.034				7.5	7.5	1.4			
23	.036				7.4	7.4	2.0			
24	.031				7.4	7.4	2.0			
25	.039				7.4	7.4	2.2			
26	.039									
27	.031				7.4	7.4	2.0			
28	.019				7.3	7.3	1.6			
29	.033				7.6	7.6	2.0			
30	.045	2.0U	1.0U	1.0U	7.4	7.4	1.8	3.7		
31										

Plant Staffing:

Day Shift Operator
 Evening Shift Operator
 Night Shift Operator
 Lead Operator

Class C
 Class _____
 Class _____
 Class C

Certificate No. 7212
 Certificate No. _____
 Certificate No. _____
 Certificate No. 7212

Name: Mark March
 Name: _____
 Name: _____
 Name: Mark March

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type	
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter	
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030	(An.Avg.)	mgd					Daily, five days per week	Elapsed time meter	
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter	
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo. Avg.)	Report (3-Mo. Avg.)	mgd					Daily, five days per week	Elapsed time meter	
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab	
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0	(An.Avg.)	mg/L		Monthly	Grab	
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab	
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0	(Mo. Avg.)	60.0	(Max.)	mg/L	Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab	
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0	(An.Avg.)	mg/L		Monthly	Grab	
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab	
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0	(Mo. Avg.)	60.0	(Max.)	mg/L	Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			Report (Mo.Geo.Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)	mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315
 LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 7/1/05 To: 7/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.034		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.030	0.029	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.1		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.1	3.1	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				4.6		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				1.5	2.0	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

Version 22 January 2003

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 7/1/05

To: 7/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				7.3	7.7	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				29.0		#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement				1.0	1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement				200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				1.4		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement				1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					7.5	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				320		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				470		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement				Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					47%	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315
 Month/Year: From 7/1/05

To: 7/31/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.021				7.4	7.4	2.0			
2	.032						2.4			
3	.033									
4	.021				7.3	7.3	2.0			
5	.026				7.4	7.4	1.6			
6	.030				7.4	7.4	1.8			
7	.028				7.4	7.4	2.2			
8	.029				7.3	7.3	2.0			
9	.029						1.5			
10	.025									
11	.024				7.6	7.6	1.8			
12	.033				7.5	7.5	1.8			
13	.023				7.4	7.4	2.0			
14	.026	3.1	2.0	1.0U	7.5	7.5	2.0	1.5	320	470
15	.032				7.4	7.4	1.8			
16	.034						1.4			
17	.035									
18	.031				7.3	7.3	2.0			
19	.025				7.3	7.3	1.8			
20	.033				7.4	7.4	2.0			
21	.030				7.5	7.5	1.8			
22	.025				7.4	7.4	2.0			
23	.049				7.4	7.4	1.4			
24	.049									
25	.027				7.6	7.6	2.2			
26	.033				7.4	7.4	2.0			
27	.026				7.7	7.7	2.6			
28	.035	3.1	1.0U	1.0U	7.4	7.4	2.2	7.5		
29	.038				7.1	7.1	2.0			
30	.028						2.0			
31	.028									

Plant Staffing:

Day Shift Operator
 Evening Shift Operator
 Night Shift Operator
 Lead Operator

Class C
 Class _____
 Class _____
 Class C

Certificate No. 7212
 Certificate No. _____
 Certificate No. _____
 Certificate No. 7212

Name: Mark March
 Name: _____
 Name: _____
 Name: Mark March

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo.Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo.Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)		Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)	mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 8/1/05 To: 8/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.032		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.028	0.029	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.4		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.0	2.0	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				4.3		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				3.2	5.4	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

Version 22 January 2003

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD From: 8/1/05 To: 8/31/05

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.4	7.8	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	1 Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			28.9		#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Y Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement			1.0	1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	I Permit Measurement			200 (Mo-Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			0.5		mg/L	1	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	1 Permit Measurement			1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				3.1	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			370		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	G Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			400		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	G Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				48%	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	1 Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315
 Month/Year: From 8/1/05 To: 8/31/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.023				7.5	7.5	1.0			
2	.021				7.4	7.4	1.2			
3	.036				7.6	7.6	1.2			
4	.026				7.5	7.5	1.6			
5	.021				7.6	7.6	0.8			
6	.021									
7	.047						2.2			
8	.016				7.8	7.8	1.2			
9	.023				7.4	7.4	1.2			
10	.015				7.4	7.4	1.0			
11	.024	2.0U	1.0	1.0U	7.4	7.4	0.8	3.0	370	400
12	.011				7.6	7.6	1.0			
13	.051						1.2			
14	.051									
15	.024				7.6	7.6	1.4			
16	.020				7.7	7.7	1.2			
17	.027				7.6	7.6	1.0			
18	.020				7.5	7.5	1.2			
19	.021									
20	.055				7.4	7.4	2.0			
21	.016				7.7	7.7	2.0			
22	.016				7.7	7.7	1.4			
23	.054				7.8	7.8	1.2			
24	.035				7.5	7.5	1.2			
25	.016	2.0U	5.4	1.0U	7.4	7.4	1.6	3.1		
26	.022				7.5	7.5	1.4			
27	.031				7.4	7.4	2.0			
28	.030									
29	.030				7.5	7.5	0.5			
30	.023				7.6	7.6	1.6			
31	.034				7.4	7.4	1.2			

Plant Staffing:

Day Shift Operator
 Evening Shift Operator
 Night Shift Operator
 Lead Operator

Class C
 Class _____
 Class _____
 Class A

Certificate No. 7212
 Certificate No. _____
 Certificate No. _____
 Certificate No. 4894

Name: Mark March
 Name: _____
 Name: _____
 Name: Paul Thompson

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 9/1/05 To: 9/30/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.029		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.032	0.030	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.0		mg/L	0	Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				10	10	mg/L	0	Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				4.6		mg/L	0	Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				5.5	5.5	mg/L	0	Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD

From: 9/1/05

To: 9/30/05

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH PARM Code 00400 I Mon.Site No. EFA-1	Sample Measurement			7.3	7.8	s.u.	0	Daily, five day per week	Grab
	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal PARM Code 74055 Y Mon.Site No. EFA-1	Sample Measurement			28.9		#/100mL	0	Monthly	Grab
	Permit Measurement			200 (An.Avg.)		#/100mL		Monthly	Grab
Coliform, Fecal PARM Code 74055 I Mon.Site No. EFA-1	Sample Measurement			1.0	1.0	#/100mL	0	Monthly	Grab
	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL		Monthly	Grab
Total Residual Chlorine (For Disinfection) PARM Code 50060 I Mon.Site No. EFA-1	Sample Measurement			0.8		mg/L	0	Daily, five day per week	Grab
	Permit Measurement			0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N) PARM Code 00620 Mon.Site No. EFA-1	Sample Measurement				3.1	mg/L	0	Monthly	Grab
	Permit Measurement				12.0 (Max.)	mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C PARM Code 80082 G Mon.Site No. INF-1	Sample Measurement			360		mg/L	0	Monthly	Grab
	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended PARM Code 00530 G Mon.Site No. INF-1	Sample Measurement			140		mg/L	0	Monthly	Grab
	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100 PARM Code 00180 I Mon.Site No. CAL-1	Sample Measurement				100	Percent	0	Monthly	Calculated
	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL. 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Mzx.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo.Geo Mean)	800 (Max.)	#/100mL	Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)	mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315

Facility Name: Arredondo Farms Mobile Home Park WWTF

Month/Year: From 9/1/05

To: 9/30/05

County: Alachua

Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.035				7.5	7.5	1.2			
2	.024				7.5	7.5	0.8			
3	.035				7.3	7.3	1.4			
4	.035									
5	.040				7.3	7.3	1.4			
6	.027				7.3	7.3	1.5			
7	.017				7.3	7.3	1.0			
8	.044				7.5	7.5	1.0			
9	.036				7.7	7.7	1.2			
10	.036									
11	.023						0.8			
12	.020				7.5	7.5	1.0			
13	.025				7.6	7.6	1.8			
14	.033	10	5.5	1.0U	7.6	7.6	0.8	3.1Q	360	140
15	.021				7.7	7.7	1.2			
16	.028				7.4	7.4	1.0			
17	.028									
18	.038						1.0			
19	.025				7.8	7.8	1.0			
20	.020				7.3	7.3	1.0			
21	.025				7.5	7.5	1.2			
22	.026				7.4	7.4	1.6			
23	.038				7.4	7.4	1.0			
24	.038									
25	.038						0.8			
26	.038				7.5	7.5	1.0			
27	.038				7.7	7.7	1.2			
28	.038				7.3	7.3	1.2			
29	.038				7.6	7.6	1.0			
30	.038				7.5	7.5	0.8			
31										

Plant Staffing:

Day Shift Operator Class C
 Evening Shift Operator Class _____
 Night Shift Operator Class _____
 Lead Operator Class A

Certificate No. 7212
 Certificate No. _____
 Certificate No. _____
 Certificate No. 4894

Name: Mark March
 Name: _____
 Name: _____
 Name: Paul Thompson

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 10/1/05 To: 10/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.030		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.045	0.035	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.4		mg/L	0	Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				6.0	10	mg/L	0	Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				5.9		mg/L	0	Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				17	33	mg/L	0	Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: 10/1/05 To: 10/31/05

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type	
pH	Sample Measurement			7.4	7.7	s.u.	0	Daily, five day per week	Grab
	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			1.6		#/100mL	0	Monthly	Grab
	Permit Measurement			200 (An.Avg.)		#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement			3.464	12	#/100mL	0	Monthly	Grab
	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL		Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.0		mg/L	0	Daily, five day per week	Grab
	Permit Measurement			0.5 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				15.7 (avg)	mg/L	1	Monthly	Grab
	Permit Measurement				12.0 (Max.)	mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			210		mg/L	0	Monthly	Grab
	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			230		mg/L	0	Monthly	Grab
	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				116%	Percent	0	Monthly	Calculated
	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 10/1/05 To: 10/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.030		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.045	0.035	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.4		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site.No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				6.0	10	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				5.9		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				17	33	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 10/1/05

To: 10/31/05

Parameter		Quantity or Loading	Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement			7.4	7.7	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement			1.6		#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)		#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement			3.464	12	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement			200 (Mo Geo Mean)	800 (Max.)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement			1.0		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement			1.0 (Min.)		mg/l		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				15.7 (avg)	mg/L	1	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement			210		mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement			230		mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg)		mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				58%	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS - PART B

Permit Number: FLA011315
 Month/Year: From 10/1/05 To: 10/31/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.049						1.2			
2	.050									
3	.037				7.4	7.4	1.0			
4	.049				7.6	7.6	1.2			
5	.032				7.6	7.6	1.2			
6	.033	2.0U	1.4	1.0U	7.4	7.4	1.0	28		
7	.037				7.6	7.6	1.4			
8	.045						1.2			
9	.045									
10	.048				7.6	7.6	1.8			
11	.048				7.5	7.5	1.6			
12	.048				7.6	7.6	2.0			
13	.035				7.7	7.7	1.6			
14	.049				7.6	7.6	1.8			
15	.058				7.4	7.4	1.4			
16	.058									
17	.049				7.4	7.4	1.4			
18	.040				7.4	7.4	1.0			
19	.060	10	33	12	7.4	7.4	2.2	3.4	210	230
20	.043				7.4	7.4	1.0			
21	.037				7.5	7.5	1.4			
22	.052				7.5	7.5	1.1			
23	.052									
24	.035				7.4	7.4	2.2			
25	.043				7.5	7.5	1.6			
26	.035				7.6	7.6	1.4			
27	.041				7.6	7.6	1.4			
28	.047				7.5	7.5	1.2			
29	.047									
30	.040						1.6			
31	.040				7.4	7.4	1.2			

Plant Staffing:

Day Shift Operator Class C
 Evening Shift Operator Class _____
 Night Shift Operator Class _____
 Lead Operator Class A

Certificate No. 7212
 Certificate No. _____
 Certificate No. _____
 Certificate No. 4894

Name: Mark March
 Name: _____
 Name: _____
 Name: Paul Thompson

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo.Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo.Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 1 Mon.Site No. EFA-1	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Y Mon.Site No. EFA-1	Permit Measurement			200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 1 Mon.Site No. EFA-1	Permit Measurement			Report (Mo Geo.Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 1 Mon.Site No. EFA-1	Permit Measurement			0.5 (Min.)	mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 G Mon.Site No. INF-1	Permit Measurement			Report (Mo.Avg.)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 1 Mon.Site No. CAL-1	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTP
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 7/1/05 To: 7/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.034		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.030	0.029	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo. Avg.)	Report (3-Mo. Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				5.1		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.1	3.1	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				4.6		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				1.5	2.0	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Mark March, Lead Operator		352-303-0718	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD From: 11/1/05 To: 11/30/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				7.3	7.6	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					1.6	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement					1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (Mo Geo Mean)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection).	Sample Measurement					0.8	mg/L	1	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement					1.0 (Min.)	mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement						mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement						mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					250	mg/L	0	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					270	mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					63%	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

117

Permit Number: FLA011315
 Month/Year: From 11/1/05 To: 11/30/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.035				7.3	7.3	1.2			
2	.046				7.4	7.4	1.0			
3	.037				7.5	7.5	1.2			
4	.043				7.5	7.5	1.2			
5	.043									
6	.038						0.8			
7	.035				7.4	7.4	1.0			
8	.043				7.5	7.5	1.2			
9	.040	2.0U	3.4	1.0U	7.5	7.5	1.4	3.5		
10	.038				7.4	7.4	1.2			
11	.040				7.4	7.4	1.0			
12	.032				7.5	7.5	1.2			
13	.064				7.5	7.5	1.2			
14	.037				7.6	7.6	1.0			
15	.037									
16	.033				7.5	7.5	1.0			
17	.041	2.0U	2.4	1.0U	7.6	7.6	1.2	2.7Q	250	270
18	.018				7.6	7.6	1.0			
19	.011						1.2			
20	.011									
21	.043				7.4	7.4	0.8			
22	.046				7.4	7.4	1.0			
23	.032				7.4	7.4	2.2			
24	.044				7.4	7.4	2.2			
25	.040				7.4	7.4	2.2			
26	.047				7.4	7.4	1.0			
27	.048									
28	.043				7.4	7.4	1.4			
29	.038				7.4	7.4	1.0			
30	.030				7.4	7.4	1.1			
31										

Plant Staffing:

Day Shift Operator Class C Certificate No. 7212 Name: Mark March
 Evening Shift Operator Class _____ Certificate No. _____ Name: _____
 Night Shift Operator Class _____ Certificate No. _____ Name: _____
 Lead Operator Class A Certificate No. 4894 Name: Paul Thompson

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS OF 0.030 MGD ADF AND LESS

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: _____ To: _____

Parameter	Sample Measurement	Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.030 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement			MGD					Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement						mg/L		Monthly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement						mg/L		Monthly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg.)	60.0 (Max.)	mg/L		Monthly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS OF 0.030 MGD ADF AND LESS

MONITORING PERIOD From: _____ To: _____

Parameter		Quantity or Loading	Units	Quality or Concentration	Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				s.u.		Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-I	Permit Measurement			6.0 (Min.)	8.5 (Max.)	s.u.	Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-I	Permit Measurement			200 (An.Avg.)	#/100mL		Monthly	Grab
Coliform, Fecal	Sample Measurement				#/100mL		Monthly	Grab
PARM Code 74055 Mon.Site No. EFA-I	Permit Measurement			Report (Mo Geo Mean)	800 (Max.)	#/100mL	Monthly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				mg/L		Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-I	Permit Measurement			0.5 (Min.)		mg/L	Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00620 Mon.Site No. EFA-I	Permit Measurement				12.0 (Max.)	mg/L	Monthly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				mg/L		Monthly	Grab
PARM Code 80082 Mon.Site No. INF-I	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement				mg/L		Monthly	Grab
PARM Code 00530 Mon.Site No. INF-I	Permit Measurement			Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement				Percent		Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-I	Permit Measurement				Report (Mo.Total)	Percent	Monthly	Calculated

DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A

When Completed mail this report to: Department of Environmental Protection, Northeast District, 7825 Baymeadows Way, Suite B-200, Jacksonville, FL, 32256-7590

PERMITTEE NAME: Aqua Utilities Florida
 MAILING ADDRESS: PO Box 490310
 Leesburg, FL 34749

PERMIT NUMBER: FLA011315

LIMIT: Final
 CLASS SIZE: Minor

REPORT: Monthly
 GROUP: Domestic

FACILITY: Arredondo Farms Mobile Home Park WWTF
 LOCATION: 7117 Southwest Archer Road
 Gainesville, FL 32608

MONITORING GROUP NUMBER: R-001
 MONITORING GROUP DESC: FOR FLOWS GREATER THAN 0.030 MGD ADF

COUNTY: Alachua

NO DISCHARGE FROM SITE: []

MONITORING PERIOD From: 12/1/05 To: 12/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No .Ex.	Frequency of Analysis	Sample Type
Flow	Sample Measurement	0.032		MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 Y Mon.Site No. EFA-1	Permit Measurement	0.060 (An.Avg.)		mgd					Daily, five days per week	Elapsed time meter
Flow	Sample Measurement	0.047	0.043	MGD				0	Daily, five days per week	Elapsed time meter
PARM Code 50050 I Mon.Site No. EFA-1	Permit Measurement	Report (Mo.Avg.)	Report (3-Mo.Avg.)	mgd					Daily, five days per week	Elapsed time meter
BOD, Carbonaceous 5 day, 20C	Sample Measurement				3.3		mg/L	0	Weekly	Grab
PARM Code 80082 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement				2.05	2.1	mg/L	0	Weekly	Grab
PARM Code 80082 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				5.4		mg/L	0	Weekly	Grab
PARM Code 00530 Y Mon.Site No. EFA-1	Permit Measurement				20.0 (An.Avg.)		mg/L		Weekly	Grab
Solids, Total Suspended	Sample Measurement				1.1	1.1	mg/L	0	Weekly	Grab
PARM Code 00530 I Mon.Site No. EFA-1	Permit Measurement				30.0 (Mo. Avg)	60.0 (Max.)	mg/L		Weekly	Grab

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

NAME/TITLE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE NO	DATE (YY/MM/DD)
Paul Thompson, Lead Operator		386-937-1143	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here):

Version 22 January 2003

DISCHARGE MONITORING REPORT - PART A (Continued)

FACILITY NAME: Arredondo Farms Mobile Home Park WWTF

PERMIT NUMBER: FLA011315

MONITORING GROUP NUMBER: R001

FOR FLOWS GREATER THAN 0.030 MGD ADF

MONITORING PERIOD

From: 12/1/05 To: 12/31/05

Parameter		Quantity or Loading		Units	Quality or Concentration		Units	No. Ex.	Frequency of Analysis	Sample Type
pH	Sample Measurement				7.3	7.6	s.u.	0	Daily, five day per week	Grab
PARM Code 00400 Mon.Site No. EFA-1	Permit Measurement				6.0 (Min.)	8.5 (Mzx.)	s.u.		Daily, five day per week	Grab
Coliform, Fecal	Sample Measurement					1.6	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (An.Avg.)	#/100mL		Weekly	Grab
Coliform, Fecal	Sample Measurement					1.0	#/100mL	0	Weekly	Grab
PARM Code 74055 Mon.Site No. EFA-1	Permit Measurement					200 (Mo Geo Mean)	#/100mL		Weekly	Grab
Total Residual Chlorine (For Disinfection)	Sample Measurement				1.0		mg/L	0	Daily, five day per week	Grab
PARM Code 50060 Mon.Site No. EFA-1	Permit Measurement				1.0 (Min.)		mg/L		Daily, five day per week	Grab
Nitrogen, Nitrate, Total (as N)	Sample Measurement					6.25	mg/L	0	Weekly	Grab
PARM Code 00620 Mon.Site No. EFA-1	Permit Measurement					12.0 (Max.)	mg/L		Weekly	Grab
BOD, Carbonaceous 5 day, 20C	Sample Measurement					210	mg/L	00	Monthly	Grab
PARM Code 80082 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Solids, Total Suspended	Sample Measurement					180	mg/L	0	Monthly	Grab
PARM Code 00530 Mon.Site No. INF-1	Permit Measurement					Report (Mo.Avg)	mg/L		Monthly	Grab
Percent Capacity (TMADF / Permitted Capacity) x 100	Sample Measurement					72%	Percent	0	Monthly	Calculated
PARM Code 00180 Mon.Site No. CAL-1	Permit Measurement					Report (Mo.Total)	Percent		Monthly	Calculated

DAILY SAMPLE RESULTS – PART B

Permit Number: FLA011315
 Month/Year: From 12/1/05 To: 12/31/05

Facility Name: Arredondo Farms Mobile Home Park WWTF
 County: Alachua

	Flow (mgd)	CBOD (mg/L)	TSS (mg/L)	Fecal Coliform Bacteria (#/100 mL)	pH (s.u.) MIN	pH (s.u.) MAX	Total Residual Chlorine (mg/L)	Total Nitrate Nitrogen (as N) (mg/L)	CBOD5 (mg/L)	TSS (mg/L)
STORET	50050	80082	00530	74055	00400	00400	50060	00620	80082	00530
Mon Site	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	EFA-1	INF-1	INF-1
1	.021				7.5	7.5	1.2			
2	.042				7.6	7.6	1.4			
3	.042									
4	.040				7.3	7.3	1.0			
5	.043				7.3	7.3	1.2			
6	.037				7.6	7.6	2.0			
7	.033				7.4	7.4	1.8			
8	.029				7.5	7.5	1.6			
9	.063				7.5	7.5	1.8			
10	.063									
11	.038						2.0			
12	.049				7.5	7.5	1.8			
13	.041				7.5	7.5	1.6			
14	.041	2.1	1.1	1.0U	7.4	7.4	1.6	6.5	210	180
15	.040				7.6	7.6	1.8			
16	.082				7.6	7.6	2.2			
17	.082									
18	.054						1.6			
19	.065				7.3	7.3	2.0			
20	.053				7.4	7.4	1.6			
21	.040				7.4	7.4	1.4			
22	.049				7.5	7.5	1.8			
23	.038				7.4	7.4	1.8			
24	.043						2.0			
25	.043									
26	.059				7.5	7.5	2.0			
27	.044				7.4	7.4	2.0			
28	.041	2.0U	1.1U	1.0U	7.4	7.4	2.0	6.0		
29	.037				7.5	7.5	1.6			
30	.050				7.6	7.6	1.8			
31	.050									

Plant Staffing:

Day Shift Operator	Class <u>C</u>	Certificate No. <u>7212</u>	Name: <u>Mark March</u>
Evening Shift Operator	Class _____	Certificate No. _____	Name: _____
Night Shift Operator	Class _____	Certificate No. _____	Name: _____
Lead Operator	Class <u>A</u>	Certificate No. <u>4894</u>	Name: <u>Paul Thompson</u>