

Florida Regulatory Relations 150 S. Monroe St., Suite 400 F: 850-224-5073 Tallahassee, FL 32301

T: 850-577-5550 www.att.com

August 18, 2008

Mrs. Ann Cole Director, Division of the Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, Florida 32399

Re: Approval of Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast and Kentucky Data Link, Inc. 7x 951

Dear Mrs. Cole:

Please find enclosed for filing and approval, the original and two copies of the Interconnection, Unbundling, Resale and Collocation Agreement between BellSouth Telecommunications, Inc d/b/a AT&T Florida d/b/a AT&T Southeast and Kentucky Data Link, Inc..

If you have any questions please do not hesitate to contact Robyn Yant at (850) 577-5551.


Very truly yours

Regulatory Vice President

COM ECR GCL OPC RCP SSC SGA ADM CLK

DOCUMENT NUMBER-DATE

07412 AUG 18 8



Customer Name: Kentucky Data Link, Inc.

Kentucky Data Link 2007 ICA	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	25
Att 1 - Resale	26
Att 1 - Resale Discounts & Rates	44
Att 2 - Network Elements & Other Services	53
Att 2 - Exh 1 - GA 271 Requirements	104
Att 2 - Network Element Rates - Exhibit A	110
Att 2 - Network Elements Rates - Exhibit B	213
Att 3 - Network Interconnection	230
Att 3 - Local Interconnection Rates - Renegotiated	260
Att 4 - Collocation	278
Att 4 - Collocation Rates - Exhibit B	331
Att 5 - Access to Numbers and Number Portability	376
Att 6 - Ordering	381
Att 7 - Billing	390
Att 8 - Rights of Way	401
Att 9 - Service Quality Measurements	403
Att 10 - Disaster Recovery Plan	405
Att 11 - BFR and NBR Process	414
Kentucky Data Link Amendment to Remove GA 271	420

CLEC Agreement With:

Kentucky Data Link, Inc.

TABLE OF CONTENTS

General Terms and Conditions

Definitions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Intervening Law
- 14. Legal Rights
- 15. Indivisibility
- 16. Severability
- 17. Non-Waivers
- 18. Governing Law
- 19. Assignments and Transfers
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Rates
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

Version: 2Q07 Standard ICA

TABLE OF CONTENTS (cont'd)

- Attachment 1 Resale
- Attachment 2 Network Elements and Other Services
- Attachment 3 Network Interconnection
- Attachment 4 Collocation
- Attachment 5 Access to Numbers and Number Portability
- Attachment 6 Pre-Ordering, Ordering, Provisioning and Maintenance and Repair
- Attachment 7 Billing
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Service Quality Measurements**
- Attachment 10 AT&T Disaster Recovery Plan
- Attachment 11 Bona Fide Request and New Business Request Process

Version: 2Q07 Standard ICA

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia, AT&T Kentucky, AT&T Louisiana, AT&T Mississippi, AT&T North Carolina, AT&T South Carolina and AT&T Tennessee, (AT&T), and Kentucky Data Link, Inc. (KDL), a Kentucky corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either AT&T or KDL or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, AT&T is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, KDL is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, pursuant to Sections 251 and 252 of the Act; KDL wishes to purchase certain services from AT&T; and

WHEREAS, the Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability (LNP) pursuant to Sections 251 and 252 of the Act as set forth herein; and

WHEREAS, KDL wishes to purchase and AT&T wishes to provide other services as described in this Agreement;

NOW THEREFORE, in consideration of the mutual agreements contained herein, AT&T and KDL agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than ten percent (10%).

Commission is defined as the appropriate regulatory agency in each state of AT&T Southeast Region 9-State (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Version: 2007 Standard ICA

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within AT&T's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

FCC means the Federal Communications Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1 CLEC Certification

- 1.1 KDL agrees to provide AT&T in writing KDL's CLEC certification from the Commission for all states covered by this Agreement except Kentucky prior to AT&T filing this Agreement with the appropriate Commission for approval. Additionally, KDL shall provide to AT&T an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.
- To the extent KDL is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, KDL may not purchase services hereunder in that state. KDL will notify AT&T in writing and provide CLEC certification from the Commission when it becomes certified to operate in, as well as an effective certification to do business issued by the secretary of state or equivalent authority for, any other state covered by this Agreement. Upon receipt thereof, AT&T will file this Agreement in that state, and KDL may purchase services pursuant to this Agreement in that state, subject to establishing appropriate accounts in the additional state as described in Attachment 7.
- 1.3 Should KDL's certification in any state be rescinded or otherwise terminated, AT&T may, at its election, suspend or terminate this Agreement immediately and all monies owed on all outstanding invoices for services provided in that state shall

Version: 2Q07 Standard ICA

become due, or AT&T may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the term of this Agreement. KDL shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

2 Term of the Agreement

- 2.1 The initial term of this Agreement shall be five (5) years, beginning on the Effective Date and shall apply to the AT&T Southeast Region 9-State in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred eighty (180) days prior to the expiration of the initial term of this Agreement, the Parties shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- If, within one hundred thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. § 252.
- XDL may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then AT&T may terminate this Agreement upon sixty (60) days notice to KDL. In the event that AT&T terminates this Agreement as provided above, AT&T shall continue to offer services to KDL pursuant to the rates, terms and conditions set forth in AT&T's then current standard interconnection agreement. In the event that AT&T's standard interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.2 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent

Version: 2Q07 Standard ICA

Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above and AT&T is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month-to-month basis but shall be deemed terminated as of the expiration date hereof.

- If, at any time during the term of this Agreement, AT&T is unable to contact KDL pursuant to the Notices provision hereof or any other contact information provided by KDL under this Agreement, and there are no active services being provisioned under this Agreement, then AT&T may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to KDL pursuant to the Notices section hereof. Furthermore, if after eighteen (18) months following the Effective Date of this Agreement KDL has no active services pursuant to this Agreement, AT&T may terminate this Agreement, without any liability to AT&T, upon notification to KDL pursuant to the Notices section hereof.
- In addition to as otherwise set forth in this Agreement, AT&T reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of AT&T's facilities or service, abuse of AT&T's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due. In such event, KDL is solely responsible for notifying its customers of any discontinuance of service.

3 Nondiscriminatory Access

When KDL purchases Telecommunications Services from AT&T pursuant to Attachment 1 of this Agreement for the purposes of resale to customers, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that AT&T provides to others, including its customers. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by AT&T to KDL shall be at least equal to that which AT&T provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of AT&T and the network of KDL shall be at a level that is equal to that which AT&T provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within AT&T's network and shall extend to a consideration of service quality as perceived by AT&T's customers and service quality as perceived by KDL.

4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

4.1 <u>Subpoenas Directed to AT&T.</u> Where AT&T provides resold services for KDL, AT&T shall respond to subpoenas and court ordered requests delivered directly to

Version: 2Q07 Standard ICA

AT&T for the purpose of providing call detail records when the targeted telephone numbers belong to KDL customers. Billing for such requests will be generated by AT&T and directed to the law enforcement agency initiating the request. AT&T shall maintain such information for KDL customers for the same length of time it maintains such information for its own customers.

- 4.2 <u>Subpoenas Directed to KDL.</u> Where AT&T is providing resold services to KDL, then KDL agrees that in those cases where KDL receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to KDL customers, and where KDL does not have the requested information, KDL will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to AT&T for handling in accordance with Section 4.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's customer, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

5 Liability and Indemnification

- 5.1 <u>KDL Liability.</u> In the event that KDL consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders under this Agreement using KDL's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of KDL under this Agreement.
- 5.2 <u>Liability for Acts or Omissions of Third Parties.</u> AT&T shall not be liable to KDL for any act or omission of another entity providing any services to KDL.
- 5.3 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to KDL pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to KDL pursuant to this Agreement.
- 5.3.1 <u>Limitations in Tariffs.</u> A Party may, in its sole discretion, provide in its tariffs and contracts with its customers and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the customer or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to

Version: 2007 Standard ICA

place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

- Neither AT&T nor KDL shall be liable for damages to the other Party's terminal location, equipment or customer premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 5.3.4 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except as otherwise set forth in this Agreement and except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by any third party (including, but not limited to, a customer of the Party receiving services) arising from the third party's use or reliance on and arising from the Party receiving services use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 5.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY

Version: 2Q07 Standard ICA

CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

6 Intellectual Property Rights and Indemnification

- No License. Except as expressly set forth in Section 6.2 below, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.
- 6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

6.3 <u>Intellectual Property Remedies</u>

6.3.1 Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 above.

Version: 2Q07 Standard ICA

6.3.2 Claim of Infringement

- 6.3.2.1 In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:
- 6.3.2.2 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 6.3.2.3 obtain a license sufficient to allow such use to continue.
- In the event Sections 6.3.2.2 or 6.3.2.3 above are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 6.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Sections 6.1 and 6.2 above shall be excluded from the dispute resolution procedures set forth in Section 8 below and shall be brought in a court of competent jurisdiction.

7 Proprietary and Confidential Information

7.1 Proprietary and Confidential Information. It may be necessary for AT&T and KDL, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All

Version: 2Q07 Standard ICA

such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

7.2 Use and Protection of Information. Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution. disclosure or dissemination to anyone except employees consultants, contractors and agents of Recipient or its Affiliates with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipients may make tangible or electronic copies, notes, summaries or extracts of Information only as necessary for use as authorized herein. All tangible or electronic copies, notes, summaries or extracts must be marked with the same confidential and proprietary notice as appears on the original, Information remains at all times the property of Discloser. Upon Discloser's request, all or any requested portion of the Information (including, but not limited to, tangible and electronic copies, notes, summaries or extracts of any Information) will be promptly returned to Discloser or destroyed, and Recipient will provide Discloser with written certification stating that such information has been returned or destroyed.

7.3 <u>Exceptions</u>

- 7.3.1 Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.2 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. § 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.

Version: 2Q07 Standard ICA

- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

8 Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue resolution of the dispute, shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefor, excluding any taxes levied on income.
- 9.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party
- 9.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By</u>
 Providing Party
- 9.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.

Version: 2007 Standard ICA

- 9.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not applicable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be applicable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.
- 9.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.

Version: 2Q07 Standard ICA

- 9.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party
- 9.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application of or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.
- 9.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

Version: 2Q07 Standard ICA

- 9.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.
- 9.5 Additional Provisions Applicable to All Taxes and Fees
- 9.5.1 In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.
- 9.5.2 Notwithstanding any provision of this Agreement to the contrary, any administrative, judicial, or other proceeding concerning the application or amount of a tax or fee shall be maintained in accordance with the provisions of this Section and any applicable federal, state or local law governing the resolution of such disputed tax or fee; and under no circumstances shall either Party have the right to bring a dispute related to the application or amount of a tax or fee before a regulatory authority.

10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by KDL, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease. The Party affected shall provide notice of the Force Majeure event within a reasonable period of time following such an event.

11 Adoption of Agreements

Pursuant to 47 U.S.C. § 252(i) and 47 C.F.R. § 51.809, AT&T shall make available to KDL any entire interconnection agreement filed and approved pursuant to 47 U.S.C. § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

Version: 2007 Standard ICA

12 Modification of Agreement

- 12.1 If KDL changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of KDL to notify AT&T of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the Commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, KDL shall provide AT&T with any necessary supporting documentation, which may include, but is not limited to, a credit application, Application for Master Account, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) for each state as assigned by National Exchange Carrier Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), AT&T's blanket form letter of authority (LOA), Misdirected Number form and a tax exemption certificate.
- 12.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.

13 Intervening Law

This Agreement is the result of negotiations between the Parties and may incorporate certain provisions that resulted from arbitration by the appropriate state Commission(s). In entering into this Agreement and any Amendments to such Agreement and carrying out the provisions herein, neither Party waives, but instead expressly reserves, all of its rights, remedies and arguments with respect to any orders, decisions, legislation or proceedings and any remands thereof and any other federal or state regulatory, legislative or judicial action(s) which the Parties have not yet fully incorporated into this Agreement or which may be the subject of further review. If any action by any state or federal regulatory or legislative body or court of competent jurisdiction invalidates, modifies, or stays the enforcement of laws or regulations that were the basis or rationale for any rate(s), term(s) and/or condition(s) ("Provisions") of the Agreement and/or otherwise affects the rights or obligations of either Party that are addressed by this Agreement, the affected Provision(s) shall be immediately invalidated, modified or stayed consistent with the action of the regulatory or legislative body or court of competent jurisdiction upon the written request of either Party in accordance with Section 20.1 below ("Written Notice"). With respect to any Written Notices hereunder, the Parties shall have sixty (60) days from the Written Notice to attempt to reach agreement on appropriate conforming modifications to the Agreement. If the Parties are unable to agree upon the conforming modifications within sixty (60) days from the Written Notice, any disputes between the Parties concerning such actions shall be resolved pursuant to the dispute resolution process provided for in this Agreement.

Version: 2Q07 Standard ICA

14 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

15 Indivisibility

Subject to Section 15 below, the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by AT&T of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement as set forth in Attachment 4. The Parties further acknowledge that this Agreement is intended to constitute a single transaction and that the obligations of the Parties under this Agreement are interdependent.

16 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8 above.

17 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in

Version: 2Q07 Standard ICA

accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

19 Assignments and Transfers

- Any assignment by either Party to any entity of any right, obligation or duty, or of 19.1 any other interest hereunder, in whole or in part, without the prior written consent The assignee must provide evidence of a of the other Party shall be void. Commission approved certification to provide Telecommunications Service in each state that KDL is entitled to provide Telecommunications Service. After AT&T's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, KDL shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) KDL pays all bills, past due and current, under this Agreement, or (2) KDL's assignee expressly assumes liability for payment of such bills.
- In the event that KDL desires to transfer any services hereunder to another provider of Telecommunications Service, or KDL desires to assume hereunder any services provisioned by AT&T to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

20 Notices

20.1 Every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

AT&T

AT&T Local Contract Manager 600 North 19th Street, 10th floor Birmingham, AL 35203

and

Version: 2Q07 Standard ICA

Business Markets Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

Kentucky Data Link, Inc.
John Chuang
8829 Bond Street
Overland Park, KS 66214
(913) 754-3339
chuang@cinergycom.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- Notwithstanding the above, AT&T will post to AT&T's Interconnection Web site changes to business processes and policies and shall post to AT&T's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

21 Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23 Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

Version: 2Q07 Standard ICA

24 Filing of Agreement

This Agreement, and any amendments hereto, shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, or as otherwise required by the state and the Parties shall share equally in any applicable fees. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as KDL is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

25 Compliance with Law

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. This Agreement also contains certain provisions that were negotiated without regard to the Parties' obligations as set forth Section 251 of the Act. To the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order in effect as of the execution of this Agreement, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

26 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

27 Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

28 Rates

KDL shall pay the charges set forth in this Agreement. In the event that AT&T is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement, AT&T reserves the right to back bill KDL for such rate or for the difference between the rate actually billed and the rate that should have been billed pursuant to this Agreement; provided, however, that subject to KDL's agreement to the limitation regarding billing disputes as described in Section 2.2 of Attachment 7 hereof, AT&T shall not back bill any amounts for services rendered more than twelve (12) months

Version: 2Q07 Standard ICA

prior to the date that the charges or additional charges for such services are actually billed. Notwithstanding the foregoing, both Parties recognize that situations may exist which could necessitate back billing beyond twelve (12) months. These exceptions are:

- Charges connected with jointly provided services whereby meet point billing guidelines require either Party to rely on records provided by a third party and such records have not been provided in a timely manner;
- Charges incorrectly billed due to erroneous information supplied by the non-billing Party;
- Charges for which a regulatory body has granted, or a regulatory change permits, the billing Party the authority to back bill.
- 28.2 To the extent a rate element is omitted or no rate is established, AT&T has the right not to provision such service until the Agreement is amended to include such rate.
- 28.3 To the extent KDL requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement, unless the Parties agree to amend this Agreement to include such service prospectively.

29 Rate True-Up

- 29.1 This section applies to rates that are expressly subject to true-up.
- 29.2 The rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any discrepancy between the records or disagreement between the Parties regarding the amount of such true-up, the dispute shall be subject to the dispute resolution process set forth in this Agreement.
- A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon AT&T and KDL specifically or upon all carriers generally, such as a generic cost proceeding.

Version: 2Q07 Standard ICA

30 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

31 Entire Agreement

- 31.1 This Agreement means the General Terms and Conditions, the Attachments hereto and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and KDL acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall, as of the Effective Date, be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.
- 31.2 Any reference throughout this Agreement to a tariff, industry guideline, AT&T's technical guideline or reference, AT&T business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this Agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference, and may be found at AT&T's Interconnection Web site at: www.interconnection.bellsouth.com. References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned; provided, however, that in any state where certain AT&T services or tariff provisions have been or become deregulated or detariffed, any reference in this Agreement to a detariffed or deregulated service or provision of such tariff shall be deemed to refer to the service description, price list or other agreement pursuant to which AT&T provides such services as a result of detariffing or deregulation.

Version: 2Q07 Standard ICA

General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.
d/b/a AT&T Alabama, AT&T Florida,
AT&T Georgia, AT&T Kentucky,
AT&T Louisiana, AT&T Mississippi,
AT&T North Carolina, AT&T South
Carolina and AT&T Tennessee

By:

| Date: 6/12/07

Version: 2Q07 Standard ICA 04/26/07

Attachment 1

Resale

Version: 2Q07 Standard ICA

Table of Contents

1.	Discount Rates	3	
2.	Definition of Terms	3	
3.	General Provisions	3	
4	AT&T's Provision of Services to KDL	6	
5.	Maintenance of Services	7	
6.	Discontinuance of Service	7	
7.	White Pages Listings	8	
8.	Operator Services (Operator Call Processing and Directory Assistance)	9	
9.	Branding for Wholesale OCP and DA	10	
10.	LIDB	11	
11.	Revenue Accounting Office (RAO) Hosting	12	
12.	Optional Daily Usage File (ODUF)	12	
13.	Enhanced Optional Daily Usage File (EODUF)	12	
Res	sale Restrictions	Exhibit A	
Opt	tional Daily Usage File (ODUF)	Exhibit B	
Enl	hanced Option Daily Usage File (EODUF)	Exhibit C	
Rec	Resale Discounts and Rates		

Version: 2Q07 Standard ICA

RESALE

1. Discount Rates

- The discounts rates applied to KDL's purchases of AT&T Telecommunications
 Services for the purpose of resale shall be as set forth in Exhibit D. Such
 discounts have been determined by the applicable Commission to reflect the costs
 avoided by AT&T when selling a service for wholesale purposes.
- 1.2 The Telecommunications Services available for purchase by KDL for the purposes of resale to KDL's customers shall be available at AT&T's tariffed rates less the discount reflected in Exhibit D and subject to the exclusions and limitations in Exhibit A.

2. Definition of Terms

For purposes of this Attachment only, the following terms shall have the definitions as set forth below:

- 2.1 Customer of Record means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as nonrecurring, monthly recurring, toll, directory assistance, etc.
- 2.2 End User Customer Location means the physical location of the premises where a customer makes use of the Telecommunications Services.
- 2.3 New Services means functions, features or capabilities that are not currently offered by AT&T. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.4 Resale means an activity wherein a certificated CLEC, such as KDL, subscribes to the retail Telecommunications Services of AT&T and then offers those retail Telecommunications Services to the public.

3. General Provisions

- All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of AT&T's retail Telecommunications Services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, AT&T shall make available to KDL for resale those Telecommunications Services AT&T makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff, to customers who are not Telecommunications carriers.
- 3.1.1 When KDL provides Resale service in a cross boundary area (customer is physically located in a particular state and is served by a central office in an adjoining state) the rates, regulations and discounts for the state in which the serving central office is located will apply. Billing will be from the state in which the customer is located.
- 3.2 KDL as a reseller of Lifeline and Link-Up Services hereby certifies that it has and

Version: 2007 Standard ICA

- will comply with the FCC requirements governing the Lifeline and Link-Up programs as set forth in 47 C.F.R. § 54.417(a) and (b). This includes the requirements set forth in AT&T's GSST, Sections A3.31 and A4.7.
- 3.2.1 KDL shall maintain records to document FCC or applicable state eligibility and verification records to document compliance governing the Lifeline/Link-Up programs for the three (3) full preceding calendar years, and KDL shall provide such documentation to the FCC or it's Administrator upon request.
- In Tennessee, if KDL does not resell Lifeline service to any end users, and if KDL agrees to order an appropriate Operator Services/Directory Assistance block as set forth in AT&T's GSST, the discount shall be twenty-one point fifty-six percent (21.56%).
- 3.2.2.1 In the event KDL resells Lifeline service to any end user in Tennessee, AT&T will begin applying the sixteen percent (16%) discount rate to all services. Upon KDL and AT&T's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate OCN is established for billing of Lifeline service end users, the discount shall be applied as set forth in Section 3.2.2 above for the non-Lifeline affected Master Account (Q-account).
- 3.2.2.2 KDL must provide written notification to AT&T within thirty (30) days prior to either providing its own operator services/directory services or ordering the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of twenty-one point fifty-six percent (21.56%).
- 3.3 KDL may purchase resale services from AT&T for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.3.1 KDL must resell services to other end users.
- 3.3.2 KDL cannot be a CLEC for the single purpose of selling to itself.
- 3.3.3 KDL will be the Customer of Record for all services purchased from AT&T. Except as specified herein, AT&T will take orders from, bill and receive payment from KDL for said services.
- 3.4 KDL will be AT&T's single point of contact for all services purchased pursuant to this Agreement. AT&T shall have no contact with the customer except to the extent provided for herein.
- 3.5 AT&T will continue to bill the customer for any services that the customer specifies it wishes to receive directly from AT&T. AT&T maintains the right to serve directly any customer within the service area of KDL. AT&T will continue to market directly its own Telecommunications products and services and in doing so may establish independent relationships with customers of KDL. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 AT&T will accept a request from another CLEC for conversion of the customer's service from KDL to such other CLEC. Upon completion of the conversion AT&T will notify KDL that such conversion has been completed.

Version: 2Q07 Standard ICA

- 3.5.2 When a customer of KDL or AT&T elects to change his/her carrier to the other Party, both Parties agree to release the customer's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the customer's requested service as set forth in the AT&T Product and Services Interval Guide.
- 3.5.3 AT&T and KDL will refrain from contacting an customer who has placed or whose selected carrier has placed on the customer's behalf an order to change the customer's service provider from AT&T or KDL to the other Party until such time that the order for service has been completed.
- Current telephone numbers may normally be retained by the customer and are assigned to the service furnished. However, neither Party nor the customer has a property right to the telephone number or any other call number designation associated with services furnished by AT&T, and no right to the continuance of service through any particular central office. AT&T reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever AT&T deems it necessary to do so in the conduct of its business and in accordance with AT&T practices and procedures on a nondiscriminatory basis.
- 3.7 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.8 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.9 AT&T can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.10 If KDL or its customers utilize an AT&T resold Telecommunications Service in a manner other than that for which the service was originally intended as described in AT&T's retail tariffs KDL has the responsibility to notify AT&T. AT&T will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by AT&T to provide service to KDL remain the property of AT&T.
- 3.12 <u>Service Ordering and Operations Support Systems (OSS)</u>
- 3.12.1 KDL must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. KDL may submit a Local Service Request (LSR) electronically as set forth in Attachment 6. Service orders will be in a standard format designated by AT&T.
- 3.12.2 AT&T messaging services set forth inAT&T's Messaging Service Re-Seller Information Package shall be made available for resale without the wholesale discount.
- 3.13 AT&T's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by AT&T and without the wholesale discount.

Version: 2Q07 Standard ICA

- In the event KDL acquires a customer whose service is provided pursuant to an AT&T Special Assembly, AT&T shall make available to KDL that Special Assembly at the wholesale discount at KDL's option. KDL shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.15 AT&T shall provide 911/E911 for KDL customers in the same manner that it is provided to AT&T customers. AT&T shall provide and validate KDL customer information to the Public Safety Answering Point (PSAP). AT&T shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the KDL customer information in the Automatic Location Identification/Data Management System (ALI/DMS) databases used to support 911/E911 services.
- Pursuant to 47 C.F.R. § 51.617, AT&T shall bill to KDL, and KDL shall pay, the End User Common Line (EUCL) charges identical to the EUCL charges AT&T bills its customers.

4 AT&T's Provision of Services to KDL

- 4.1 Resale of AT&T services shall be as follows:
- 4.1.1 The resale of Telecommunications Services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only Telecommunications Services available for resale to Hotel/Motel and Hospital customers, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in AT&T's GSST Section A23, Shared Tenant Service Section in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 AT&T reserves the right to periodically audit services purchased by KDL to establish authenticity of use. Such audit shall not occur more than once in a calendar year. KDL shall make any and all records and data available to AT&T or AT&T's auditors on a reasonable basis. AT&T shall bear the cost of said audit. Any information provided by KDL for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in AT&T's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual customer of AT&T in the appropriate section of AT&T's Tariffs. Specific tariff features (e.g., a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 If KDL cancels an order for resold services, any costs incurred by AT&T in conjunction with provisioning of such order will be recovered in accordance with AT&T's GSST and Private Line Services Tariffs.

Version: 2Q07 Standard ICA

4.4 Service Jointly Provisioned with an Independent Company or CLEC 4.4.1 AT&T will in some instances provision resold services in accordance with AT&T's GSST and Private Line Tariffs jointly with an Independent Company (ICO) or other CLEC. 4.4.2 When KDL assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the AT&T service area only. 4.4.3 Service terminating in an ICO or other CLEC area will be provisioned and billed by the ICO or other CLEC directly to KDL. 4.4.4 KDL must establish a billing arrangement with the ICO or other CLEC prior to assuming a customer account where such circumstances apply. 4.4.5 Specific guidelines regarding such services are available on the AT&T Interconnection Web site. 5. Maintenance of Services 5.1 Services resold pursuant to this Attachment and AT&T's GSST and Private Line Service Tariff and facilities and equipment provided by AT&T shall be maintained by AT&T. 5.2 KDL or its customers may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by AT&T except with the written consent of AT&T. 5.3 KDL accepts responsibility to notify AT&T of situations that arise that may result in a service problem. 5.4 KDL will contact the appropriate repair centers in accordance with procedures established by AT&T. For all repair requests, KDL shall adhere to AT&T's prescreening guidelines prior 5.5 to referring the trouble to AT&T. 5.6 AT&T reserves the right to contact KDL's customers, if deemed necessary, for maintenance purposes. 6. **Discontinuance of Service** 6.1 The procedures for discontinuing service to a customer are as follows: 6.1.1 AT&T will deny service to KDL's customer on behalf of, and at the request of, KDL. Upon restoration of the customer's service, restoral charges will apply and will be the responsibility of KDL. 6.1.2 At the request of KDL, AT&T will disconnect a KDL customer. 6.1.3 All requests by KDL for denial or disconnection of a customer for nonpayment must be in writing. 6.1.4 KDL will be made solely responsible for notifying the customer of the proposed disconnection of the service. 6.1.5 AT&T will continue to process calls made to the Annoyance Call Center and will

Version: 2Q07 Standard ICA

advise KDL when it is determined that annoyance calls are originated from one of its customer's locations. AT&T shall be indemnified, defended and held harmless by KDL and/or the customer against any claim, loss or damage arising from providing this information to KDL. It is the responsibility of KDL to take the corrective action necessary with its customer who make annoying calls. (Failure to do so will result in AT&T's disconnecting the customer's service.)

7. White Pages Listings

- 7.1 AT&T shall provide KDL and its end users access to white pages directory listings under the following terms:
- 7.1.1 <u>Listings.</u> KDL shall provide all new, changed and deleted listings on a timely basis and AT&T or its agent will include KDL residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between KDL and AT&T customers. KDL shall provide listing information in accordance with the procedures set forth in The AT&T Business Rules for Local Ordering found at AT&T's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published Customers.</u> KDL will be required to provide to AT&T the names, addresses and telephone numbers of all KDL customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in AT&T's GSST and shall not be subject to the wholesale discount.
- 7.1.3 Inclusion of KDL Customers in Directory Assistance Database. AT&T will include and maintain KDL customer listings inAT&T's Directory Assistance databases. KDL shall provide such Directory Assistance listings to AT&T at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> AT&T will afford KDL's directory listing information the same level of confidentiality that AT&T affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by AT&T at tariffed rates as set forth in AT&T's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as KDL provides listing information to AT&T as set forth in Section 7.1.2 above, AT&T shall provide to KDL one (1) basic White Pages directory listing per KDL customer at no charge other than the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> AT&T or its agent shall make available White Pages directories to KDL customer at no charge or as specified in a separate agreement between KDL and AT&T's agent.
- 7.3 Procedures for submitting KDL Subscriber Listing Information (SLI) are found in The AT&T Business Rules for Local Ordering found at AT&T's Interconnection

Version: 2Q07 Standard ICA

Services Web site.

- 7.3.1 KDL authorizes AT&T to release all KDL SLI provided to AT&T by KDL to qualifying third parties pursuant to either a license agreement or AT&T's Directory Publishers Database Service (DPDS) in AT&T's GSST. Such KDL SLI shall be intermingled with AT&T's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to KDL for AT&T's receipt of KDL's SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent AT&T incurs costs to modify its systems to enable the release of KDL's SLI, or costs on an ongoing basis to administer the release of KDL's SLI, KDL shall pay to AT&T its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of KDL's SLI, KDL will be notified. If KDL does not wish to pay its proportionate share of these reasonable costs, KDL may instruct AT&T that it does not wish to release its SLI to independent publishers, and KDL shall amend this Agreement accordingly. KDL will be liable for all costs incurred until the effective date of the amendment.
- 7.3.3 Neither AT&T nor any agent shall be liable for the content or accuracy of any SLI provided by KDL under this Agreement. KDL shall indemnify, except to the extent caused by AT&T's gross negligence or willful misconduct, hold harmless and defend AT&T and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from AT&T's Tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate KDL listings or use of the SLI provided pursuant to this Agreement. AT&T may forward to KDL any complaints received by AT&T relating to the accuracy or quality of KDL listings.
- 7.3.4 Listings and subsequent updates will be released consistent with AT&T system changes and/or update scheduling requirements.
- 8. Operator Services (Operator Call Processing and Directory Assistance)
- 8.1 Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the customer has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and operator-assisted Directory Assistance (DA).
- 8.2 Upon request for AT&T OCP, AT&T shall:
- 8.2.1 Process 0+ and 0- dialed local calls.
- 8.2.2 Process 0+ and 0- intraLATA toll calls.
- Process calls that are billed to KDL customer's calling card that can be validated by AT&T.
- 8.2.4 Process person-to-person calls.

Version: 2Q07 Standard ICA

8.2.5	Process collect calls.
8.2.6	Provide the capability for callers to bill a third party and shall also process such calls.
8.2.7	Process station-to-station calls.
8.2.8	Process Busy Line Verify and ELI requests.
8.2.9	Process emergency call trace originated by PSAP.
8.2.10	Process operator-assisted DA calls.
8.2.11	Adhere to equal access requirements, providing KDL local customer the same IXC access that AT&T provides its own operator service (OS).
8.2.12	Exercise at least the same level of fraud control in providing OS to KDL that AT&T provides for its own OS.
8.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
8.2.14	Direct customer account and other similar inquiries to the customer service center designated by KDL.
8.3	Upon KDL's request AT&T shall provide call records to KDL in accordance with Optional Daily Usage File (ODUF) standards.
8.4	The interface requirements shall conform to the interface specifications for the platform used to provide OS as long as the interface conforms to industry standards.
8.5	DA Service
8.5.1	DA Service provides local and non-local customer telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
8.5.2	DA Service shall provide up to two (2) listing requests per call, if available and if requested by KDL's customer. AT&T shall provide caller-optional DA call completion service at rates set forth in AT&T's GSST to one of the provided listings.
8.6	<u>DA Service Updates</u> . AT&T shall update customer listings changes daily. These changes include:
8.6.1	New customer connections;
8.6.2	Customer disconnections;
8.6.3	Customer address changes; and
8.6.4	Non-listed and non-published numbers for use in emergencies.
9.	Branding for Wholesale OCP and DA
9.1	AT&T's branding feature provides a definable announcement to KDL's customers using AT&T's DA/OCP prior to placing such customers in queue or connecting

Version: 2Q07 Standard ICA

them to an available operator or automated operator system. This feature allows KDL to have its calls custom branded with KDL's name on whose behalf AT&T is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D.

- 9.2 AT&T offers three (3) branding options to KDL when orderingAT&T's DA and OCP: AT&TBranding, Unbranding and Custom Branding.
- 9.3 KDL's order for Custom Branding is considered firm ten (10) business days after AT&T's receipt of the order. KDL may cancel its order more than ten (10) business days after AT&T's receipt of the order. KDL shall notify AT&T in writing and shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), KDL must contact its Local Contract Manager to initiate the order via the OLNS Branding Order form.
- 9.4 <u>Branding via OLNS</u>
- 9.4.1 AT&T Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, KDL shall not be required to purchase dedicated trunking.
- 9.4.2 AT&T Branding is the default branding offering.
- 9.4.3 For AT&T to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, KDL must have its OCN(s) and telephone numbers reside in AT&T's Line Information Database (LIDB). To implement Unbranding and Custom Branding via OLNS software, KDL must submit a manual order form which requires, among other things, KDL's OCN and a forecast, pursuant to the appropriate AT&T form provided, for the traffic volume anticipated for each AT&T Traffic Operator Position System (TOPS) during the peak busy hour. KDL shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon KDL's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all KDL customers served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10. LIDB
- 10.1 AT&T LIDB stores current information on working telephone numbers and billing account numbers.
- Where KDL is purchasing Resale services AT&T shall utilize AT&T's service order generated from KDL LSR's to populate LIDB with KDL's customer information. AT&T provides access to information in its LIDB, including KDL customer information, to its LIDB customers via queries to LIDB.
- 10.2.1 When necessary for fraud control measures, AT&T may perform additions, updates and deletions of KDL data to the LIDB (e.g., calling card deactivation).
- 10.2.2 KDL will not be charged a fee for LIDB storage services provided by AT&T to KDL pursuant to this Attachment.

Version: 2Q07 Standard ICA

10.3 Responsibilities of the Parties 10.3.1 AT&T will administer the data provided by KDL pursuant to this Agreement in the same manner as AT&T administers its own data. 10.3.2 KDL is responsible for completeness and accuracy of the data being provided to AT&T. 10.3.3 AT&T shall not be responsible to KDL for any lost revenue which may result from AT&T's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by AT&T in its sole discretion from time to time. 11. Revenue Accounting Office (RAO) Hosting 11.2 RAO Hosting is not required for resale in the AT&T Southeast Region 9-State. 12. **Optional Daily Usage File (ODUF)** 12.1 The ODUF Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D. AT&T will provide ODUF service upon written request. 12.2 13. **Enhanced Optional Daily Usage File (EODUF)** 13.1 The EODUF service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D. 13.2 AT&T will provide EODUF service upon written request.

Version: 2Q07 Standard ICA

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 4)

Type of Service		AL	<u> </u>	FL	(GA_		KY	j	LA		MS		NC		SC	T	
	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	SC Discount	Pacala	TN Dian-
10 10			 	<u> </u>				<u> </u>						Discount	IXC341C	Discount	Resale	Discour
1 Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2 Promotions - > 90 Days(Note 2 &3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3 Promotions - < 90 Days (Note 2 & 3)	Yes	No	No	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	No	No	No	No
4 Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes								103	103	1 62
6 N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
(Note 1)		_			103	103	1 110	100	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 MemoryCall®Service		No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No				
8 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes		Yes	No	Yes	No
9 Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No No	Yes Yes	No No	Yes Yes	No No
0 Nonrecurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
I EUCL Charge	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	37					
2 Public Telephone	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes Yes	No	Yes	No	Yes	No
Access Svc(PTAS) 3 Inside Wire Maint	77								. 00	103	103	1 es	res	Yes	Yes	No	Yes	Yes
Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Applicable Not	es:																	
1. Grandfathered	service	s can be r	esold on	ly to exist	ing subs	cribers of	the grar	ndfathered	service.		*					····		
Promotions, if a	ny, which	ne, prom e ch are not	o uons w required	'III be mad I to be reso	e availa de unde	ble only to	custom	iers who w	ould ha	ve qualifie	d for th	e promotic	n had it	been prov	ided by	AT&T di	ectly.	
Promotions shall	l be ava	ilable only	for the	term set fo	orth in t	he applica	ble tarif	for other	aromotic	Semanon L	nay not	be availab	le.	· · · · · · · · · · · · · · · · · · ·				
4. Some of AT&T	's local	exchange	and toll	Telecomm	unicatio	one Comio	22 200	or other	·	ni docume	mation.							

Version: 2Q07 Standard ICA 04/26/07

Optional Daily Usage File

1.	Upon written request from KDL, AT&T will provide the ODUF service to KDL pursuant to the terms and conditions set forth in this section.
2.	KDL shall furnish all relevant information required by AT&T for the provision of the ODUF.
3.	The ODUF feed provides KDL messages that were carried over the AT&T network and processed by AT&T for KDL.
4.	Charges for ODUF will appear on KDL's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
5.	The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) Exchange Message Interface (EMI) record format.
6.	ODUF Specifications
6.1	ODUF Message to be Transmitted
6.1.1	The following messages recorded by AT&T will be transmitted to KDL:
6.1.1.1	Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.);
6.1.1.2	Measured local calls;
6.1.1.3	Directory Assistance messages;
6.1.1.4	IntraLATA Toll;
6.1.1.5	WATS and 800 Service;
6.1.1.6	N11;
6.1.1.7	Information Service Provider Messages;
6.1.1.8	OS Messages;
6.1.1.9	OS Message Attempted Calls;
6.1.1.10	Credit/Cancel Records; and
6.1.1.11	Usage for Voice Mail Message Service.
6.1.2	Rated Incollects (messages AT&T receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with AT&T recorded rated and unrated usage. Rated Incollects will not be packed separately.
6.1.3	AT&T will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to KDL.
6.1.4	In the event that KDL detects a duplicate on ODUF they receive from AT&T, KDL will drop the duplicate message and will not return the duplicate to AT&T.

Version: 2Q07 Standard ICA

6.2 ODUF Physical File Characteristics

- ODUF will be distributed to KDL via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If AT&T determines the Secure FTP Mailbox is nearing capacity levels, AT&T may move the customer to CONNECT:Direct file delivery.
- 6.2.2 If the customer is moved, CONNECT:Direct data circuits (private line or dial-up) will be required between AT&T and KDL for the purpose of data transmission. Where a dedicated line is required, KDL will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with AT&T. KDL will also be responsible for any charges associated with this line. Equipment required on the AT&T end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be KDL's responsibility. Where a dial-up facility is required, dial circuits will be installed in the AT&T data center by AT&T and the associated charges assessed to KDL. Additionally, all message toll charges associated with the use of the dial circuit by KDL will be the responsibility of KDL. Associated equipment on the AT&T end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on KDL's end for the purpose of data transmission will be the responsibility of KDL.
- 6.2.3 If KDL utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of KDL.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to KDL which AT&T RAO is sending the message. AT&T and KDL will use the invoice sequencing to control data exchange. AT&T will be notified of sequence failures identified by KDL and resend the data as appropriate.
- 6.4 ODUF Pack Rejection
- 6.4.1 KDL will notify AT&T within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records

Version: 2Q07 Standard ICA

(e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. KDL will not be required to return the actual rejected data to AT&T. Rejected packs will be corrected and retransmitted to KDL by AT&T.

6.5 ODUF Control Data

KDL will send one confirmation record per pack that is received from AT&T. This confirmation record will indicate KDL's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by KDL for reasons stated in the above section.

6.6 <u>ODUF Testing</u>

Upon request from KDL, AT&T shall send ODUF test files to KDL. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, AT&T shall request that KDL set up a production (live) file. The live test may consist of KDL's employees making test calls for the types of services KDL requests on ODUF. These test calls are logged by KDL, and the logs are provided to AT&T. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

Version: 2007 Standard ICA

Enhanced Optional Daily Usage File

- 1. Upon written request from KDL, AT&T will provide the EODUF service to KDL pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. KDL shall furnish all relevant information required by AT&T for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for EODUF will appear on KDL's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
- 5. All messages will be in the standard ATIS EMI record format.
- 6. Messages that error in the billing system of KDL will be the responsibility of KDL. If, however, KDL should encounter significant volumes of errored messages that prevent processing by KDL within its systems, AT&T will work with KDL to determine the source of the errors and the appropriate resolution.
- 7. <u>EODUF Specifications</u>
- 7.1 EODUF Usage To Be Transmitted
- 7.1.1 The following messages recorded by AT&T will be transmitted to KDL:
- 7.1.1.1 Customer usage data for flat rated local calls originating from KDL's customer lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 7.1.1.1.1 Date of Call
- 7.1.1.1.2 From Number
- 7.1.1.1.3 To Number
- 7.1.1.1.4 Connect Time
- 7.1.1.1.5 Conversation Time
- 7.1.1.1.6 Method of Recording
- 7.1.1.1.7 From RAO
- 7.1.1.1.8 Rate Class
- 7.1.1.1.9 Message Type
- 7.1.1.1.10 Billing Indicators
- 7.1.1.1.11 Bill to Number
- 7.1.2 AT&T will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to KDL.

Version: 2Q07 Standard ICA

- 7.1.3 In the event that KDL detects a duplicate on EODUF they receive from AT&T, KDL will drop the duplicate message and will not return the duplicate to AT&T.
- 7.2 EODUF Physical File Characteristics
- 7.2.1 EODUF feed will be distributed to KDL via FTP. The EODUF messages will be intermingled among KDL's ODUF messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If AT&T determines the Secure FTP mailbox is nearing capacity levels, AT&T may move the customer to CONNECT:Direct file delivery.
- 7.2.2 Data circuits (private line or dial-up) may be required between AT&T and KDL for the purpose of data transmission. Where a dedicated line is required, KDL will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with AT&T. KDL will also be responsible for any charges associated with this line. Equipment required on the AT&T end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the AT&T data center by AT&T and the associated charges assessed to KDL. Additionally, all message toll charges associated with the use of the dial circuit by KDL will be the responsibility of KDL. Associated equipment on the AT&T end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on KDL's end for the purpose of data transmission will be the responsibility of KDL.
- 7.2.3 If KDL utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of KDL.
- 7.3 <u>EODUF Packing Specifications</u>
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- 7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to KDL which AT&T RAO is sending the message. AT&T and KDL will use the invoice sequencing to control data exchange. AT&T will be notified of sequence failures identified by KDL and resend the data as appropriate.

Version: 2007 Standard ICA

RESALE DISCOUNTS & RATES - Alabama												Att: 1 Exh: D			
CATEGORY RATE ELEMENTS	Interim	Zone	BCS	usoc	÷		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	 	├ ─┤			 	Nonrec	urring	Nonrecurring	Discount	ļ	L	000	Rates(\$)	<u> </u>	
	+	 		 	Rec	First	Add't	First	Add'!	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
											-				
RESALE APPLICABLE DISCOUNTS															
Residence %	1	Ш			16.30										
Business %	1	↓ i			16.30					 					Ĺ
CSAs % OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		↓			16.30										L
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the service ordering charg															
OSS - Electronic Service Order Charge, Per Local Service	1														
Request (LSR) - Resale Only		oxdot		SOMEC	<u> </u>	3.50	0.00	3.50	0.00	J					L
OSS - Manual Service Order Charge, Per Local Service Request	1			1	1 1			l	İ						i
(LSR) - Resale Only				SOMAN	\\	19.99	0.00	19.99	0.00	}					
ODUF/EODUF SERVICES										ــــــــــــــــــــــــــــــــــــــ	L	<u> </u>		L	L
OPTIONAL DAILY USAGE FILE (ODUF)					0.000011		 								
ODUF: Recording, per message ODUF: Message Processing, per message	 		<u> </u>		0.00011										
ODUF: Message Processing, per Message ODUF: Message Processing, per Magnetic Tape provisioned		+			42.67			 		 					
ODUF: Data Transmission (CONNECT:DIRECT), per message	+	+-		+	0.000094					-					
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)			<u> </u>		0.0000					·					
EODUF: Message Processing, per message	1				0.22										
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	 	+-								 		· · · · · · · · · · · · · · · · · · ·			
Selective Routing Per Unique Line Class Code Per Request Per								 							
Switch						84.70	84.70	14,11	14.11			!			i
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	SSOFT	WARE		1											
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per	1				T			T							
OCN	-					1.170.00	1,170.00								-
DIRECTORY ASSISTANCE UNBRANDING VIA OUNS SOFTWARE					<u> </u>										
Loading of DA per OCN (1 OCN per Order)	+	↓			↓ -\	420.00	420.00		}	 					
Loading of DA per Switch per OCN		ــــــــــــــــــــــــــــــــــــــ				16.00	16 00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLN	SUFT	VARE			 	7,000.00	7.000.00	 	-						
Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV pe	. -	+	 	+	 	7,000.00	7,000.00	 							
OCN	<u>'</u>	<u> </u>				500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170 00								
OPERATOR ASSISTANCE UNBRANDING VIA OLNS SOFTWARE	1				<u> </u>										
Loading of OA per OCN (Regional)	1	<u> </u>	1			1,200.00	1,200.00		ì	1					

KESALE DISC	COUNTS & RATES - Florida												Att: 1 Exh; D			
					1							Syc Order	Incremental		Incremental	
i					1	ļ					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1			1		J.						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	1.0		RATES(\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order va
											1 '	'	Electronic-	Electronic-	Electronic-	Electronic
1		ì	1	İ	Y	Ì					1	1	1st	Addil	Disc 1st	Disc Add
			<u> </u>												5.44 .4.	
			-			Rec	Nonrec		Nonrecurring					Rates(\$)		
			_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ERALE ARRIVO	ABLE DISCOUNTS		 				_				 					├ ──
	Residence %					21.83					 					
			+		+	16.81					 	 				
	Business %		+	<u> </u>		16.81			 		 	 				
	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"			· · · · · · · · · · · · · · · · · · ·		16.81			·		\ 	 				
ERATIONS SI	DFFORT STATEMS (CBS) + REBIONAL RATES								·		<u> </u>	<u> </u>	·	L		ь
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "	state s	pecific"	QSS charges as ord	dered by the S	tate Commissio	ns. The OSS c	harges current	ty contained in	this rate exhibi	it are the AT	&T "regional	" service orde	ring charges.	CLEC may ek	ect either t
state spe	cific Commission ordered rates for the service ordering charge	s, or C	LEC ma	y elect the regional	service orderi	ing charge, how	ever, CLEC car	not obtain a n	nixture of the N	vo regardless i	f CLEC has	a interconne	ction contract	established in	each of the 9	states.
	SS - Electronic Service Order Charge, Per Local Service											T				
	Request (LSR) - Resale Only	1			SOMEC		3.50	0.00	3.50	0.00		L				i
	DSS - Manual Service Order Charge, Per Local Service Request		1									I				
[{1	LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00		<u> </u>				l
OUF/EODUF SE	ERVICES		<u> </u>													
OPTION	AL DAILY USAGE FILE (ODUF)															
	DDUF: Recording, per message					0.0000071					I	I				
	DUF: Message Processing, per message					0.002146										
	DUF: Message Processing, per Magnetic Tape provisioned					35.91										
	DDUF: Data Transmission (CONNECT:DIRECT), per message				-	0.00010375						1				
	ED OPTIONAL DAILY USAGE FILE (EODUF)															
	ODUF: Message Processing, per message		1			0.080698										
	L ROUTING USING LINE CLASS CODES (SCR-LCC)										.11	\				
1	Selective Routing Per Unique Line Class Code Per Request Per	I	Ţ						1	J						
	Switch						93.55	93.55	12.71	12.71	.]	1				
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
L	oading of DA Custom Branded Anouncement per Switch per															
	DCN	L	1				1.170.00	1,170.00	ļ		1					
	SISTANCE UNBRANDING VIA OLNS SOFTWARE														_	1
	oading of DA per OCN (1 OCN per Order)						420.00	420.00		l						
	oading of DA per Switch per OCN	<u> </u>	1				16.00	16.00								
	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFTV	VARE									l'''				
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00	ļ							
	oading of Custom Branded OA Announcement per shelf/NAV per]]						
	DGN		1				500.00	500.00	ļ		<u> </u>					
L	oading of OA Custom Branded Announcement per Switch per								1							
	DCN		1	L		1	1,170.00	1,170.00	<u> </u>			L				1
	SISTANCE UNBRANDING VIZ OLNS SOFTWARE								l							
	gading of OA per OCN (Regional)			T			1,200.00	1,200 00	1	[

RESALE DISCOUNTS & RATES - Georgia												Att: 1 Exh: D			
											Svc Order Submitted Manually	Incremental Charge - Manual Svc	incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
RATE ELEMENTS	Interim	Zone	B¢\$	USOC	· 		RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
	1	1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	·	
	1				Rec	First	Add'l	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ι	1													
RESALE APPLICABLE DISCOUNTS															I
Residence %	,				20.30										
Business %		Γ			17.30										
CSAs %		Ι			17 30										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the service ordering charge															
OSS - Electronic Service Order Charge, Per Local Service	i		*	.]	. <u></u> .				ŀ					
Request (LSR) - Resale Only		↓	.,	SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Request	ı	1		1					l	l				1	
(LSR) - Resale Only	 	↓		SOMAN		19.99	0.00	19.99	0.00						<u> </u>
DOUF/EODUF SERVICES	1							l	<u></u>	<u> </u>			·	<u> </u>	1
OPTIONAL DAILY USAGE FILE (ODUF)					0.00000									,	· · · · · ·
ODUF: Recording, per message	 	↓ _		 -	0.000007										ļ <u>.</u>
ODUF: Message Processing, per message	+	├			0.002165 36.02				 -						<u> </u>
ODUF: Message Processing, per Magnetic Tape provisioned ODUF: Data Transmission (CONNECT:DIRECT), per message	+	+			0.00010888	<u> </u>		ļ~ ~~~							
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	1				1 0.00010000									l	
EODUF: Message Processing, per message	1				0.229077			,	·						
ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	+	+		 	0.229077			 				·			
	 	+		+	 -			 	 	 				 -	
Switch	İ			1	!	102.19	61.15	12.68	5.34	į				i	
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLN	SOFT	MARE			 	102.13	01.10	14.60	5.34						
Recording of DA Custom Branded Announcement	T	TARE		· 		3,000.00	3.000.00		 					 -	
Loading of DA Custom Branded Anouncement per Switch per	 			 		3,000.00	3,000,00		 	 -					
OCN				ŀ		1.170.00	1,170,00							i	
DIRECTORY ASSISTANCE UNBRANDING VIA OLNS SOFTWARE	 	+	· · · · · · · · · · · · · · · · · · ·	 	· · · · · · · · · · · · · · · · · · ·	1,770,90	1,11,0.00	 						· · · · · · · · · · · · · · · · · · ·	
Loading of DA per QCN (1 QCN per Order)		1				420.00	420.00		 						
Loading of DA per Switch per OCN	1	 - -				16.00	16.00	 	1						†
PERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTV	VARE		1	(1
Recording of Gustom Branded QA Announcement	1	Т	l	1		7,000.00	7,000.00	i	I						
Loading of Custom Branded OA Announcement per shelf/NAV per OCN		T				500.00	500.00								1
Loading of OA Custom Branded Announcement per Switch per OCN		1		1		1,170,00	1,170.00					,			
PERATOR ASSISTANCE UNBRANDING VIA OLINS SOFTWARE	_	+	 	1	 	1,170,30	1,710.00	 -	1	· · · · · · · · · · · · · · · · · · ·					
Loading of OA per OCN (Regional)	+	+			+	1,200,00	1,200.00	 	†···						

RESALE DISCOUNTS & RATES - Kentucky												Att: 1 Exh: D			
CATEGORY RATE ELEMENTS	interin	Zone	acs	usoc	÷		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
		ļ		<u> </u>	<u> </u>			1-4.						Diac Ist	DISC ADD
		+			Rec	Nonrec First	arring Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	+-	† -			 			711-05	- 4007	OGMEC	SOMAN	30111714	JUMAN	SUMAN	SUMAN
RESALE APPLICABLE DISCOUNTS		1													
Residence %		1			16.79										
Business %					15.54									1	
CSAs %		1			15.54										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the service ordering challons. Electronic Service Order Charge, Per Local Service															
Request (LSR) - Resale Only	1	. l	<u> </u>	SOMEC	1	3.50	0 00	3.50	0.00		l		L		
OSS - Manual Service Order Charge, Per Local Service Reques	1	1			T										
(LSR) - Resale Only			<u> </u>	SOMAN		19.99	0.00	19.99	0.00					<u>L</u>	
ODUF/EODUF SERVICES		ــــــــــــــــــــــــــــــــــــــ													
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message		 -	<u> </u>		0.0000136			ļ							
ODUF: Message Processing, per message	-	+			0.002506				ļ						
ODUF: Message Processing, per Magnetic Tape provisioned ODUF: Data Transmission (CONNECT; DIRECT), per message	+	+			0.00010372				ļ						
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)		٠			0.00010372				L				L	L	L
EODUF: Message Processing, per message		·	г		0.235889		··········	 	r	,					
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	+	+			0.233003				L	1					<u> </u>
	-	+-			 					 					
Switch				1		93.53	93.53	15.58	15.58						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLI	IS SOFT	WARE		1	 										
Recording of DA Custom Branded Announcement		Τ			11	3,000.00	3,000.00	,		T					
Loading of DA Custom Branded Anouncement per Switch per	1	1													
	1					1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE		1]										
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLI	S SOFT	NARE	<u> </u>												
Recording of Custom Branded OA Announcement		₩—			 	7,000.00	7.000.00			L					
Loading of Custom Branded OA Announcement per shelf/NAV p OCN	er	<u> </u>				500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN		\perp				1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING VIA OLNS SOFTWARE		+	<u> </u>		 			 	Ļ———						
Loading of OA per OCN (Regional)			I		<u></u>	1.200.00	1,200.00	1	L						

RESALE DIS	COUNTS & RATES - Louisiana												Att: 1 Exh: D		<u> </u>	
ATEGORY	rate elements	interio	Zone	BCS	USOC	÷		RATES(\$)				Svc Order Submitted Manualty per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order va Electronic Disc Add
		 			 	Τ	Nonrec	Urring	Nonrecurring	Disconnect		L	ÖSS	Rates(\$)	·	L
						Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
RESALE APPLI	CABLE DISCOUNTS	 														
	Residence %	_	1		†	20.72					 					
	Business %	 	1		<u> </u>	20.72										
	CSAs %	1	1			9.05	_									
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1		 	1										
state s	(1) CLEC should contact its contract negotiator if it prefers the " secific Commission ordered rates for the service ordering charge OSS - Electronic Service Order Charge, Per Local Service				service orderi		ever, CLEC car	not obtain a n	exture of the tw	o regardless if						
1	Request (LSR) - Resale Only	1	1		SOMEC	 	3.50	0.00	3.50	0.00						
1	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DUF/EODUF		 -	+		SUMAIN	 	13.33	0.00	10.55	0.00	 					
COTIO	VAL DAILY USAGE FILE (ODUF)	٠	ш			· · · · · · · · · · · · · · · · · · ·										
	ODUF: Recording, per message	$\overline{}$			Τ	0.0000117										
	ODUF: Message Processing, per message	· · · · · · · · · · · · · · · · · · ·		· ·		0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned	+				48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message	 	\top		1	0.00010568						· · · · · ·				
	CED OPTIONAL DAILY USAGE FILE (EODUF)				·											
	EODUF: Message Processing, per message					0.250015										
	LL ROUTING USING LINE CLASS CODES (SCR-LCC)		T													
	Selective Routing Per Unique Line Class Code Per Request Per		T					82.25								
	Switch	L DOCT	WARE	ļ	 	 	82.25	82.25			 				i	
RECTORY A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFT	WARE				3.000.00	3,000,00								
	Recording of DA Custom Branded Announcement		+		+	\	3,000,00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00			L			L i		
	SSISTANCE UNBRANDING VIA OLNS SOFTWARE	T														
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN					1.	16.00	16.00								
PERATOR A	SISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	NARE													
	Recording of Custom Branded OA Announcement						7,000.00	7.000.00								
	Loading of Custom Branded QA Announcement per shatt/NAV per OCN						500.00	500.00			ነ]				
	Loading of OA Custom Branded Announcement per Switch per	+	—			<u> </u>					 					
											,	,				
	OCN				<u> </u>		1,170.00	1,170.00		L						
							1,170.00	1,170.00								

RESALE DISCOUNTS & RATES - Mississippi												Att: 1 Exh: D			
CATEGORY RATE ELEMENTS	Interim	Zone	BCS	usoc	÷		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order va. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Olsc 1st	Charge -
	-			+	 	Nonrec	urrinα	Nonrecurring	Disconnect		ļ	OSS	Rates(\$)		Щ.
		—		1	Rec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				1						1					
RESALE APPLICABLE DISCOUNTS															
Residence %				.]	15.75										
Business %					15.75										
CSAs %	1				15.75										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"					L										
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the service ordering chargings of the service order of the service order of the service order Charge. Per Local Service	es, or C	LEC ma	y elect the regional	service order	ing charge, how	ever, CLEC car	not obtain a n	y contained in nixture of the tv	cris rate exhibit /o regardless if	CLEC has	e i "regional a interconne T	ction contract	ring charges. established in	CLEC may ek	atates.
Request (LSR) - Resale Only	1			SOMEC	!	3.50	0.00	3.50	0.00	1					1
OSS - Manual Service Order Charge, Per Local Service Request	·	+				0.00	0.00		3.00		· · · · · · -	 			
(LSR) - Resale Only	1		,	SOMAN		19.99	0.00	19.99	0.00			1			İ
DDUF/EODUF SERVICES	1	1									· · · ·				
OPTIONAL DAILY USAGE FILE (ODUF)								·			1	·			
ODUF: Recording, per message	1				0.0000063				T	· ·		[
ODUF: Message Processing, per message					0.004707										
ODUF: Message Processing, per Magnetic Tape provisioned	1				49.04						· · · · · ·				
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669						l				
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)			,		,										
EODUF: Message Processing, per message					0.250424						ļ <u>.</u>				
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)		+													
Selective Routing Per Unique Line Class Code Per Request Per Switch						05.40					į.				
	E 20531	4/4 DE		_		85.19	85.19	14.19	14.19		ł				
Recording of DA Custom Branded Announcement	JUFT	TARE				3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per	+	+			 	3,000.00	3,000.00			-	···				
OCN CONTRACTOR OF CANAL PROPERTY OF CANAL PROPER	i				1	1,170.00	1,170.00		ŀ	1					1
DIRECTORY ASSISTANCE UNBRANDING VIA OLNS SOFTWARE		+	• •		1	1,170.00	1,110,00								
Loading of DA per OCN (1 OCN per Order)	1		· · · · · · · · · · · · · · · · · · ·		1	420.00	420.00	· · · · · · ·		 		†			
Loading of DA per Switch per OCN	1	1		1	 	16.00	16.00				1	<u> </u>			·
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLNS	SOFTV	VARE	i	<u> </u>	1						<u> </u>				
Recording of Custom Branded OA Announcement	1	1				7,000.00	7,000.00				1				
Loading of Custom Branded OA Announcement per shelf/NAV pe OCN	r .					500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170 00								
OPERATOR ASSISTANCE UNBRANDING VIA OLNS SOFTWARE		1													
Loading of OA per OCN (Regional)	1					1.200.00	1,200.00				1				· · · · · · · · · · · · · · · · · · ·

RESALE DISCOUNTS & RATES - North Carolina												Att: 1 Exh: D			
CATEGORY RATE ELEMENTS	Interim	Zone	BCS	USOC	-		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
									·		<u></u>	tst	Add'l	Disc 1st	Disc Add
		<u> </u>			Rec	Nonre		Nonrecurring			1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Rates(\$)	· · · · · · · · · · · · · · · · · · ·	T
	 	 				First	Addi	First	Addʻi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
RESALE APPLICABLE DISCOUNTS	+	 	-	 	 										
Residence %	+	 			21.50							·			
Business %	+	+			17.60					ļ					
CSA5 %	+	+-	1	1	17.60					1					
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		 	†———												
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the service ordering char CSS's Electronic Service Order Charge, Per Local Service															
Request (LSR) - Resale Only	ļ		1	SOMEC		3.50	0.00	3.50	0.00						1
OSS - Manual Service Order Charge, Per Local Service Request		-		<u> </u>							1				
(LSR) - Resale Only			1	SOMAN	[19.99	0.00	19.99	0.00	ļ.	L	ļ.			1
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message					0.0000174							i			
ODUF: Message Processing, per message					0.001647										
ODUF: Message Processing, per Magnetic Tape provisioned	 		<u>.</u>		35.91				L						
ODUF: Data Transmission (CONNECT:DIRECT), per message			<u> </u>		0.00011029				L	J	·	L		L	L
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)					10404005							· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
EODUF Message Processing, per message SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	- -	+−			0.131005					 	ļ	ļ			
		┼			+					 					
Switch	-	1				188.59		ł							İ
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLA	SSOFT	WARE		1	 	100.00				1					
Recording of DA Custom Branded Announcement	7	T				3,000.00	3.000.00	·		1					
Loading of DA Gustom Branded Anouncement per Switch per		+-		· · · · · · · · · · · · · · · · · · ·		1,									
OCN	1	1		1	i	1,170.00	1,170.00	_							1
DIRECTORY ASSISTANCE UNBRANDING VIZ OLNS SOFTWARE				. I											
Loading of DA per OCN (1 OCN per Order)	1	Τ		1		420.00	420.00								
Loading of DA per Switch per OCN		<u>I_</u> _				16.00	16.00	ļ							
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VID OLN	SSOFT	NARE				1									
Recording of Custom Branded OA Announcement		↓ _	 		 	7.000.00	7,000.00	ļ <u> </u>			ļ <u>.</u>	<u> </u>			
Loading of Custom Branded DA Announcement per shalf/NAV pr DCN	3r	<u> </u>				500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN	<u> </u>			<u> </u>		1,170,00	1,170.00			<u></u>					
OPERATOR ASSISTANCE UNBRANDING VIS OLNS SOFTWARE	+	 	 -					 				ļ			
Loading of OA per OCN (Regional)	1	1	<u> </u>		1	1,200.00	1,200.00	1	<u>l</u>	Щ	<u> </u>	<u> </u>			·

RESALE DISCOUNTS & RATES - South Carolina												Att: 1 Exh: D			
CATEGORY RATE ELEMENTS	interim	Zone	BCS	usoc	.:		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Syr Order vs. Electronic Disc Add'l
	— —	 		1		Nonre	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
	<u> </u>				Rec	First	Add'l	First	Add?	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
RESALE APPLICABLE DISCOUNTS		+							<u> </u>		ļ			-	
Residence %	T			1	14.80										
Business %	1				14.80										
CSAs %	1			T	8.98				1	1					
DPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	1 .	I		 	<u> </u>			l			L				Ĺ
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the service ordering cherg															
OSS - Electronic Service Order Charge, Per Local Service		T													
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00					_	L
OSS - Manual Service Order Charge, Per Local Service Request								1							i
(LSR) - Resale Only				SOMAN	ļ	19.99	0.00	19.99	0.00		ļ				
DUF/EODUF SERVICES		٠	<u> </u>					L	<u> </u>	J	L				L
OPTIONAL DAILY USAGE FILE (ODUF)	·				0.0000216										
ODUF: Recording, per message		——		+	0.0000216						·				
ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned				+	48.87				 						
ODUF: Message Processing, per magnetic rape provisioned ODUF: Data Transmission (CONNECT:DIRECT), per message		├		+	0.00010863				 						
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)		<u> </u>			0.00010603				1	·					
EODUF: Message Processing, per message			····	·	0.258301										
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)	+	├		1	0.236301					 	 				
Selective Routing Per Unique Line Class Code Per Request Per	+	 		 	 			 	 						
Switch	,					64.89	84.89	14.14	14.14						1
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OLN	S SOFT	WARE			_			 							
Recording of DA Custom Branded Announcement	T-7	1		1		3,000,00	3,000.00				-			~	
Loading of DA Custom Branded Anduncement per Switch per	1														
OCN			<u> </u>			1,170.00	1,170.00	L	1	L					i
DIRECTORY ASSISTANCE UNBRANDING VIE OLNS SOFTWARE						-									
Loading of DA per OCN (1 OCN per Order)				1		420.00	420.00								
Loading of DA per Switch per OCN	1	1		1		16.00	16.00		1						
DPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	SOFTV	VARE													
Recording of Custom Branded OA Announcement				4		7,000.00	7,000.00								
Loading of Gustom Branded OA Announcement per shelf/NAV pe OCN	r					500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
PERATOR ASSISTANCE UNBRANDING VIE OLNS SOFTWARE															
Loading of OA per OCN (Regional)	L	l			L	1,200.00	1,200,00	L			1				

RESALE DISCOUNTS & RATES - Tennessee			*									Att: 1 Exh; D			
ATEGORY RATE ELEMENTS	katerin	Zone	BCS	usoc	:		RATES(\$)				Svc Order Submitted Manually per LSR	incrementat Charge - Manual Svo Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronk Disc Add
	 		····			Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
					Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				ļ	_										
RESALE APPLICABLE DISCOUNTS	+	+			16.00						ļ				
Residence % Business %	+	┿		 	16.00				· · · · · · · · · · · · · · · · · · ·						
CSAs %	+				16,00				·········						
DPERATIONS SUPPORT SYSTEMS (QSS) - "REGIONAL RATES"	+	+		+	10.00										
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific Commission ordered rates for the service ordering charge. Per Local Service	"state s ges, or C	pecific" LEC m	OSS charges as ord ay elect the regional	sered by the S service order	itate Commissio	ns. The OSS clever, CLEC can	not obtain a n	y contained in hixture of the ty	this rate exhibit o regardless it	are the AT	RT "regional a interconne	" service orde ction contract	ring charges. established in	CLEC may ele each of the 9	ct either the states.
Request (LSR) - Resale Only		1		SOMEC		3,50	0.00	3.50	0.00			-			l .
OSS - Manual Service Order Charge, Per Local Service Request	+			30MEQ	+	3.30	0.00	3.00	0.00						
(LSR) - Resale Only			ì	SOMAN	1	19.99	0.00	19.99	0.00	i	i	1			ı
DDUF/EODUF SERVICES		+	†···	DOWN	 	10.00	0.00	10.00	0.00	— ——					
OPTIONAL DAILY USAGE FILE (ODUF)			· · · · · · · · · · · · · · · · · · ·												
ODUF: Recording, per message		Т	T	T	0.0000044]	T				
ODUF: Message Processing, per message		1		T	0.002446										
ODUF: Message Processing, per Magnetic Tape provisioned	<u> </u>				35.54										
ODUF: Data Transmission (CONNECT:DIRECT), per massage					0.0000339										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
EODUF: Message Processing, per message					0.229779	L									
ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
Selective Routing Per Unique Line Class Code Per Request Per Switch		<u> </u>				179.60	179.60								
RECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	SSOFT	WARE			 					ļ					
Recording of DA Custom Branded Announcement		┵—–	 	<u> </u>		3,000.00									
Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00			ļ						
DIRECTORY ASSISTANCE UNBRANDING VID OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)	ļ				4	420.00	420.00								
Loading of DA per Switch per OCN				 	+	16.00	16.00	· · · · · · · · · · · · · · · · · · ·			 				
PERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT VIA OUN	SOFT	WARE	\			7.000,00	7,000.00	}	 	 					
Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV pe	. 		 			7,000.00	7,000.00		 		 			····	·
OCN	"					500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN		<u></u>			<u> </u>	1,170.00	1,170.00								l
PERATOR ASSISTANCE UNBRANDING VIA OLNS SOFTWARE	1	1			1					<u> </u>					
Loading of OA per OCN (Regional)					I	1,200.00	1,200.00								i

Attachment 2

Network Elements and Other Services

Version: 2Q07 Standard ICA

TABLE OF CONTENTS

1	Introduction	3
2	Loops	10
3	Line Splitting	33
4	Unbundled Network Element Combinations	36
5	Dedicated Transport and Dark Fiber Transport	40
6	Automatic Location Identification/Data Management System (ALI/DMS)	46
7	White Pages Listings	50
Rat	tes	Exhibit A
Rat	tes	Exhibit B

Version: 2Q07 Standard ICA

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- Except as set forth in Exhibit 1 hereto, this Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that AT&T offers to KDL for KDL's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services AT&T makes available to KDL (Other Services). Additionally, the provision of a particular Network Element or Other Service may require KDL to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for Network Elements, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable AT&T tariff or as negotiated by the Parties upon request by either Party. If KDL purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- In some cases, Commissions have ordered AT&T to separate its disconnect costs and its installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by AT&T, regardless of whether or not a disconnect order is issued by KDL. Disconnect charges are set forth in the rate exhibit of this Attachment. KDL may purchase and use Network Elements and Other Services from AT&T in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 KDL shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, AT&T shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to KDL pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to KDL pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by AT&T (collectively

Version: 2Q07 Standard ICA

"Conversion"). AT&T shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. AT&T shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following AT&T's receipt of a complete and accurate Conversion request from KDL. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between KDL and AT&T. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. AT&T will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, in all states, KDL may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event AT&T determines that KDL has in place any Arrangements after the Effective Date of this Agreement, AT&T will identify such Arrangements and provide KDL with thirty (30) days written notice to disconnect or convert such Arrangements. For orders submitted by KDL within such thirty (30) day period, AT&T will charge the applicable switch-as-is charge set forth in Exhibit A. If KDL fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, AT&T will transition such circuits to the equivalent tariffed AT&T service(s), and shall charge KDL all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. For all transitions pursuant to this Section 1.7 that require a physical rearrangement, AT&T shall charge any applicable nonrecurring installation charges. To the extent no tariff equivalent service exists, AT&T shall disconnect such facility or Arrangement. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.7.1 In addition to the foregoing, for the state of Florida, the applicable recurring tariff charges shall apply to each circuit beginning the day following the thirty (30) day notice period.
- 1.7.2 Notwithstanding the foregoing, for the state of Georgia, those circuits for which KDL failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by AT&T pursuant to this Section 1.7.2 shall be subject to the applicable switch-as-is charges set forth in Exhibit A. If an

Version: 2Q07 Standard ICA

equivalent service is set forth in Exhibit 1, AT&T shall transition to such service. Otherwise, AT&T shall transition to the equivalent tariff service. To the extent no tariff equivalent service exists and no equivalent service is set forth in Exhibit 1, AT&T shall disconnect such facility or Arrangement. The applicable recurring 271 rate, resale or tariffed charge shall apply to each circuit as of March 11, 2006.

- 1.7.3 Notwithstanding the foregoing, for the state of North Carolina, those circuits for which KDL failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by AT&T pursuant to this Section 1.7.3 shall be subject to applicable switch-as-is charges.
- 1.7.4 Notwithstanding the foregoing, for the state of Alabama, the written notice provided by AT&T, as described in Section 1.7, must identify by circuit identification number the specific Arrangements to be converted or disconnected. If KDL fails to dispute AT&T's identified Arrangements or fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, AT&T will transition such circuits to the equivalent tariffed AT&T service(s) subject to the Commission-established switch-as-is rate. The full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs will not apply to such conversions. However, the applicable recurring tariff charges shall apply to each circuit upon conversion.
- 1.7.5 Notwithstanding the foregoing, for the state of Louisiana, AT&T will provide KDL with written notice identifying the specific Arrangements which must be converted or disconnected. KDL shall have thirty (30) days from the date of the notice to submit orders to disconnect or convert the Arrangements. Those circuits to be converted to other AT&T services shall be subject to nonrecurring charges associated with that conversion. If KDL disputes AT&T's identification of Arrangements to be disconnected or converted, KDL shall send written notice of its dispute within thirty (30) days of AT&T's notice. AT&T shall not disconnect the disputed Arrangements while the dispute is being resolved. If the Parties are unable to reach a voluntary resolution of the dispute, they may petition the Commission for assistance. If KDL does not dispute AT&T's identification of Arrangements and fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, AT&T will transition such circuits to the equivalent tariffed AT&T services subject to the full nonrecurring charges for installation of the equivalent tariffed AT&T services as set forth in AT&T's tariffs. The applicable recurring tariff charges shall apply to each circuit upon conversion.
- 1.8 AT&T's Master List of Unimpaired Wire Centers as Approved by State Commissions in its Region (Master List of Unimpaired Wire Centers), located on the AT&T Interconnection Web site designates those wire centers that, in accordance with state Commission orders, met the FCC's established criteria for non-impairment, as of March 11, 2005, where certain high capacity (DS1 and

Version: 2Q07 Standard ICA

above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. AT&T's List of Unimpaired Wire Centers in Kentucky and Tennessee (AT&T's List of Unimpaired Wire Centers), also located on the AT&T Interconnection Web site, are those wire centers that AT&T proposed met the FCC's established criteria for non-impairment as of March 11, 2005 but have not yet been approved by these respective Commissions. The Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers shall be subject to modification and/or the addition of wire centers without amendment to this Agreement upon subsequent orders from state Commissions in the respective generic dockets establishing the wire centers that as of March 11, 2005, were unimpaired. Notification of such modification, addition or deletion of wire centers shall be made via AT&T's Carrier Notification process on AT&T's Interconnection Web site. Upon the Effective Date of this Agreement, KDL may not place any new orders for high capacity Dedicated Transport or high capacity Loops, as applicable, in those wire centers listed on the Master List of Unimpaired Wire Centers. In those wire centers set forth on AT&T's List of Unimpaired Wire Centers, KDL may place new orders for high capacity Loops and high capacity Dedicated Transport pursuant to Section 1.8.1 (self-certification) until such wire centers are approved by the Commissions. To the extent KDL placed orders after March 10, 2005 for high capacity Loops or high capacity Dedicated Transport in wire centers designated on the Master List of Unimpaired Wire Centers, as amended as specified above, within thirty (30) days after the Effective Date of this Agreement, or in the case of additions to the Master List of Unimpaired Wire Centers, within thirty (30) days after the notice of such addition, KDL shall submit an LSR(s) or spreadsheet(s), as applicable, identifying those non-compliant circuits to be disconnected or converted to the equivalent AT&T tariffed service or, in the state of Georgia, to the equivalent 271 service set forth in Exhibit 1. AT&T shall bill KDL the difference between the UNE recurring rates for such circuits pursuant to this Agreement and the applicable recurring charges for the equivalent AT&T tariffed service or 271 service in the state of Georgia from the date UNE circuit was installed in the unimpaired wire center to the date the circuit is disconnected or transitioned to the equivalent AT&T tariffed service. If KDL fails to submit an LSR or spreadsheet identifying such de-listed circuits within thirty (30) days as set forth above, AT&T will identify such circuits and convert them to the equivalent AT&T tariffed service, and charge KDL applicable disconnect charges for the UNE circuit and the difference between the UNE recurring rate billed for such circuit and the full non-recurring and recurring charges for the tariffed service from the date the UNE circuit was installed in the unimpaired wire center to the date the circuit is transitioned to the equivalent AT&T tariffed service. To the extent there is no equivalent AT&T tariffed service for the de-listed UNE circuit, AT&T will disconnect the circuit and bill KDL full disconnect charges.

Version: 2Q07 Standard ICA

- 1.8.1 Prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, KDL shall undertake a reasonably diligent inquiry to determine whether KDL is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, KDL self-certifies that to the best of KDL's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, except in wire centers set forth on the Master List of Unimpaired Wire Centers, or AT&T's List of Unimpaired Wire Centers, AT&T shall process the request in reliance upon KDL's self-certification. To the extent AT&T believes that such request does not comply with the terms of this Agreement, AT&T shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in AT&T's favor, AT&T shall bill KDL the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in AT&T's favor, KDL shall submit an LSR(s) or spreadsheet(s) identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.
- 1.8.2 In the event that (1) AT&T designated a wire center as unimpaired as set forth on the Master List of Unimpaired Wire Centers on the AT&T Interconnection Web site, or AT&T's List of Unimpaired Wire Centers, (2) as a result of such designation, KDL converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop Network Elements subsequent to March 10, 2005, (3) KDL otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) AT&T acknowledges, or a state or federal regulatory body with authority determines, that, at the time AT&T designated such wire center as unimpaired, such wire center did not meet the FCC's unimpairment criteria, then upon request of KDL consistent with the applicable ordering processes as reflected in the Guides located on AT&T's Interconnection Web site no later than sixty (60) days after AT&T acknowledges or the state or federal regulatory body issues an order making such a finding, AT&T shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as unimpaired. In such instances, AT&T shall refund to KDL the difference between the rate paid by KDL for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above) from high capacity Dedicated Transport or high capacity Loops to other wholesale services,

Version: 2Q07 Standard ICA

if applicable, for the period from the later of March 11, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section.

- 1.9 KDL may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable AT&T Technical References.
- AT&T will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If AT&T has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then AT&T shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the service quality measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If AT&T has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. AT&T will provide a price quote for the request and, upon receipt of payment from KDL, AT&T shall perform the RNM.
- 1.10.1 Notwithstanding the foregoing, for the states of Alabama and Georgia, AT&T shall perform RNM at no additional charge, provided however, for any RNM performed by AT&T for which costs are not recovered through existing rates, AT&T can seek resolution from the Commission.
- 1.11 Commingling of Services
- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that KDL has obtained at wholesale from AT&T, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. KDL must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, AT&T shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from AT&T; or (2) shares part of AT&T's network with access services or inputs for mobile wireless services and/or interexchange services.

Version: 2007 Standard ICA

- 1.11.3 Except for the state of Georgia, notwithstanding any other provision of this Agreement, AT&T shall not be obligated to commingle or combine, pursuant to this Agreement, Network Elements or Combinations with any service, network element or other offering that it is obligated to make available pursuant only to Section 271 of the Act.
- 1.11.4 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with AT&T's tariffed rates, rates set forth in a separate agreement between the Parties, or in the state of Georgia only, in accordance with the rates set forth in Exhibit 1 of this Attachment, as applicable.
- 1.11.5 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.6 The Commingling process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, KDL should refer to the "Guides" section of the AT&T Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, located at the "CLEC UNE Products" on AT&T's Interconnection Web site.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to KDL's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with KDL's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.

Version: 2007 Standard ICA

1.13.4 <u>Testing/Trouble Reporting</u>

- 1.13.4.1 KDL will be responsible for testing and isolating troubles on Network Elements. KDL must test and isolate trouble to the AT&T network before reporting the trouble to the Network Elements Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from AT&T at the time of the trouble report, KDL will be required to provide the results of the KDL test which indicate a problem on the AT&T network.
- Once KDL has isolated a trouble to the AT&T network, and has issued a trouble report to AT&T, AT&T will take the actions necessary to repair the Network Element when trouble is found. AT&T will repair its network facilities to its wholesale customers in the same time frames that AT&T repairs similar services to its retail customers.
- 1.13.4.3 If KDL reports a trouble on an AT&T Network Element and no trouble is found in AT&T's network, AT&T will charge KDL a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by AT&T in order to confirm the Network Element's working status. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event AT&T must dispatch to the customer's location more than once due to incorrect or incomplete information provided by KDL (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill KDL for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

2.1 General. The local loop Network Element is defined as a transmission facility that AT&T provides pursuant to this Attachment between a distribution frame (or its equivalent) in AT&T's central office and the loop demarcation point at a customer premises (Loop). Facilities that do not terminate at a demarcation point at a customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the customer's premises, including inside wire owned or controlled by AT&T. KDL shall purchase the

Version: 2Q07 Standard ICA

entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, AT&T shall not subdivide the frequency of the Loop.

- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving a customer's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the customer's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective customer's premises.
- 2.1.2.1 In new build (Greenfield) areas, where AT&T has only deployed FTTH/FTTC facilities, AT&T is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each customer in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where AT&T also has copper Loops, AT&T will make those copper Loops available to KDL on an unbundled basis, until such time as AT&T chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, AT&T will offer a sixty-four (64) kilobits per second (kbps) voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Notwithstanding the foregoing, in the states of Alabama and Louisiana, AT&T shall make available DS1 and DS3 Loops in any wire center where AT&T is required to provide such Loop facilities. In the states of North Carolina and South Carolina, AT&T shall make available DS1 Loops in any wire center where AT&T is required to provide such Loop facilities.
- 2.1.2.4 Furthermore, in FTTH/FTTC overbuild areas where AT&T has not yet retired copper facilities, AT&T is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by KDL. If a request is received by AT&T for a copper Loop, and the copper facilities have not yet been retired, AT&T will restore the copper Loop to serviceable condition if technically feasible. Except for the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, AT&T's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval. For the state of Georgia, in these instances of Loop orders in an

Version: 2Q07 Standard ICA

FTTH/FTTC overbuild area, AT&T's standard Loop provisioning interval will apply.

- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. AT&T shall provide KDL access to hybrid Loops pursuant to the requirements of 47 C.F.R. § 51.319(a)(2). AT&T is not required to provide access to the packet switched features, functions and capabilities of its hybrid Loops.
- 2.1.3.1 AT&T shall not engineer the transmission capabilities of its network in a manner, or engage in any policy, practice, or procedure, that disrupts or degrades access to a local Loop or Subloop, including the time division multiplexing-based features, functions and capabilities of a hybrid Loop, for which a requesting telecommunications carrier may obtain or has obtained access pursuant to this Attachment.
- 2.1.4 DS1 and DS3 Loop Requirements
- 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.2 For purposes of this Section 2, a "Fiber-Based Collocator" is defined in 47 C.F.R. § 51.5.
- 2.1.4.3 Notwithstanding anything to the contrary in this Agreement, AT&T shall make available DS1 and DS3 Loops as described in this Agreement, except in any wire center meeting the criteria described below:
- 2.1.4.3.1 DS1 Loops at any location within the service area of a wire center containing sixty thousand (60,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.3.2 DS3 Loops at any location within the service area of a wire center containing thirty-eight thousand (38,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4 The Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers as described in Section 1.8 sets forth the list of wire centers meeting the criteria set forth in Sections 2.1.4.3.1 and 2.1.4.3.2 above as of March 11, 2005.
- Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.6 Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.2 above, no future DS3 Loop unbundling will be required in that wire center.

Version: 2007 Standard ICA

- 2.1.4.7 <u>Modifications and Updates to the Wire Center Lists and Subsequent Transition Periods</u>
- 2.1.4.7.1 In the event AT&T identifies additional wire centers that meet the criteria set forth in Section 2.1.4.3 above but that were not included in the Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers, AT&T shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". AT&T will follow any notification procedures set forth in applicable Commission orders.
- 2.1.4.7.2 KDL shall have thirty (30) business days to dispute the additional wire centers listed on AT&T's CNL. Absent such dispute, effective thirty (30) business days after the date of an AT&T CNL providing a Subsequent Wire Center List, AT&T shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 2.1.4.7.2.1 For purposes of Section 2.1.4.7 above, AT&T shall make available DS1 and DS3 Loops that were in service for KDL in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of AT&T's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of AT&T's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 2.1.4.7.2.2 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.7.2.3 No later than one hundred eighty (180) days from AT&T's CNL identifying the Subsequent Wire Center List, KDL shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other AT&T services.
- 2.1.4.7.2.3.1 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 2.1.4.7.2.3.2 If KDL fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of AT&T's CNL identifying the Subsequent Wire Center List, AT&T will identify KDL's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed AT&T service(s), or in the case of Georgia, to the equivalent 271 service(s) set forth in Exhibit 1. In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable disconnect charges as set forth in this Agreement and the full

Version: 2007 Standard ICA

nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. In the states of Alabama, Georgia, and North Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by AT&T shall be subject to the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs.

- 2.1.4.7.2.3.3 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.7.2.3 above or transitioned pursuant to Section 2.1.4.7.2.3.2 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, AT&T will install Loops in compliance with AT&T's Products and Services Interval Guide available at AT&T's Interconnection Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the AT&T project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to KDL in accordance with AT&T's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 AT&T will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- When an AT&T technician is required to be dispatched to provision the Loop, AT&T will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, AT&T will tag the Loop on the next required visit to the customer's location. If KDL wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), KDL may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), KDL shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date. This applies to all conversions from one provider to another provider as well as Service Rearrangements as set forth in Section 2.1.12. Where KDL dial-tone is not available on the conversion date the Loop will not be cut over and the Loop order will be returned to KDL for rescheduling.

Version: 2007 Standard ICA

2.1.8 OC and Order Coordination-Time Specific (OC-TS)

- 2.1.8.1 OC allows AT&T and KDL to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to KDL's facilities to limit customer service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the customer. OC for physical conversions will be scheduled at AT&T's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows KDL to order a specific time for OC to take place. AT&T will make commercially reasonable efforts to accommodate KDL's specific conversion time request. However, AT&T reserves the right to negotiate with KDL a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. KDL may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If KDL specifies a time outside this window, or selects a time or quantity of Loops that requires AT&T technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in AT&T's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

Version: 2Q07 Standard ICA

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option — ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option — ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	lncluded (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, KDL must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

2.1.10.1 The CLEC to CLEC conversion process for Loops may be used by KDL when converting an existing Loop from another CLEC for the same customer. The Loop type being converted must be included in KDL's Agreement before requesting a conversion.

Version: 2Q07 Standard ICA

- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same customer location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to KDL pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.11 Bulk Migration

- 2.1.11.1 AT&T will make available to KDL a Bulk Migration process pursuant to which KDL may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the AT&T CLEC Information Package. The CLEC Information Package is located on AT&T's Interconnection Web site. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.11.2 Should KDL request migration for two (2) or more EATNs containing fifteen (15) or more circuits, KDL must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.1.12 Unbundled Loop (DS1 and below) Service Rearrangements
- 2.1.12.1 The Unbundled Loop Service Rearrangement processes will allow changes to be made to a working Loop facility assignment within the same end-user serving wire center. Service Rearrangements will result in service outages to the customer during the time the Loop is being moved.
- 2.1.12.2 An Unbundled Loop Service Rearrangement connecting facility change (CFC) allows KDL to change its installed Loop from one working facility assignment to another facility assignment. CFC includes Connecting Facility Assignment (CFA) and Cable ID & Pair changes within same collocation arrangement or from collocation to collocation. CFA changes are allowed within the same multiplexer or from one multiplexer to another multiplexer. For a CFC, the Loop class of service, Loop type and the customer must remain the same.
- 2.1.12.3 An Unbundled Loop Service Rearrangement connecting facility move (CFM) allows KDL to move the Loop facility assignment from a collocation arrangement

Version: 2Q07 Standard ICA

to a multiplexer or from a multiplexer to a collocation arrangement. CFMs require a change to the Loop basic class of service. The Loop type and the customer must remain the same.

- 2.1.12.4 For Unbundled Loop Service Rearrangements, AT&T shall charge the applicable "Service Rearrangement change in Loop facility" rate found in Exhibit A.
- 2.1.12.5 The Unbundled Loop Service Rearrangement process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.
- 2.1.13 <u>EEL to Loop Retermination</u>
- 2.1.13.1 KDL may utilize the EEL to Loop Retermination process to disconnect an EEL circuit and reterminate the Loop portion of the former EEL circuit to a collocation arrangement in the end-user's Serving Wire Center (EU SWC).
- 2.1.13.2 This process is available when the existing Loop portion of the EEL will be reused and the resulting Loop will be subject to the rates, terms and conditions for that particular Loop as set forth in this Attachment. This process will apply only to EELs that include as a part of its combination a DS1 Loop, UVL-SL2 Loop, 4-Wire UDL Loop (64, 56 kbs) and a 2-Wire ISDN Loop.
- 2.1.13.3 AT&T shall charge the applicable EEL to Loop Retermination rates found in Exhibit A. KDL shall also be charged applicable manual service order, collocation cross-connect and EEL (including the Transport and Loop portions of the EEL) disconnect charges as set forth in Exhibit A of this Attachment.
- 2.1.13.4 The EEL to Loop Retermination process is not available when a dispatch outside the serving wire center where the Loop terminates is required. If an outside dispatch is required, or if the Loop portion of the EEL is not one of the Loop types referenced in Section 2.1.13.2 above, or if KDL elects not to utilize the EEL to Loop Retermination process, KDL must submit an LSR to disconnect the entire EEL circuit, and must submit a separate LSR for the requested standalone Loop. In such cases, KDL will be charged the EEL disconnect charges and the full nonrecurring rates for installation of a new Loop, as set forth in Exhibit A.
- 2.1.13.5 The EEL to Loop Retermination process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 AT&T shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed);

Version: 2Q07 Standard ICA

- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed); or
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed).
- UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. AT&T, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, AT&T will only ensure that the newly provided facility will support voice grade services. AT&T will not guarantee that KDL will be able to continue to provide any advanced services over the new facility. AT&T will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by KDL, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. KDL may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that AT&T normally activates POTS-type Loops for its customers.
- 2.2.4 For an additional charge AT&T will make available Loop Testing so that KDL may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to KDL. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow KDL to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, AT&T will perform the order conversion with standard order coordination at its discretion during normal work hours.

Version: 2Q07 Standard ICA

2.3 Unbundled Digital Loops 2.3.1 AT&T will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service. 2.3.2 AT&T shall make available the following UDLs, subject to restrictions set forth herein: 2.3.2.1 2-wire Unbundled ISDN Digital Loop; 2.3.2.2 2-wire Unbundled ADSL Compatible Loop; 2.3.2.3 2-wire Unbundled HDSL Compatible Loop; 2.3.2.4 4-wire Unbundled HDSL Compatible Loop; 2.3.2.5 4-wire Unbundled DS1 Digital Loop; 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below; 2.3.2.7 DS3 Loop; or 2.3.2.8 STS-1 Loop. 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. KDL will be responsible for providing AT&T with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and customer. With the SPID, AT&T will be able to adequately test the circuit and ensure that it properly supports ISDN service. 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned 2.3.4 according to Revised Resistance Design (RRD) criteria and may be up to eighteen thousand (18,000) feet long and may have up to six thousand (6,000) feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR. 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to twenty-five hundred (2,500) feet of bridged tap

Version: 2Q07 Standard ICA

04/26/07

standard with a test point, OC, and a DLR.

(inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come

- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the customer's location. For the purposes of AT&T's unbundling obligations pursuant to this Agreement, for the states of Alabama, Florida, Georgia, Mississippi and South Carolina, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops. For the state of Louisiana, DS1 Loops include 2-wire and 4-wire HDSL-Compatible Loops to which the necessary electronics have been added to provide service speeds of 1.544 megabytes per second.
- 2.3.6.2 AT&T shall not provide more than ten (10) unbundled DS1 Loops to KDL at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 4-wire Unbundled Digital/DSO Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface. For the purpose of AT&T's unbundling obligations pursuant to this Agreement, DS3 Loops include STS-1 Loops.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.

- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. AT&T's TR73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 KDL may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL).</u>
- 2.4.1 AT&T shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by KDL.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by KDL to provide a wide-range of telecommunications services as long as those services do not adversely affect AT&T's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 Unbundled Copper Loop Non-Designed (UCL-ND)
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from AT&T's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap

between the customer's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using AT&T's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, KDL can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, AT&T also will make available Loop Testing so that KDL may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by KDL to provide a wide-range of telecommunications services as long as those services do not adversely affect AT&T's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of AT&T facilities. OC-TS does not apply to this product.
- 2.4.3.6 KDL may use AT&T's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the AT&T network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that AT&T regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the AT&T's TR 73600 Unbundled Local Loop Technical Specification. AT&T shall provide Line

Version: 2Q07 Standard ICA

Conditioning on Loops, as requested by KDL, even in instances where AT&T does not provide advanced services to the end user on that Loop.

- 2.5.2 AT&T will remove load coils only on copper Loops that are equal to or less than eighteen thousand (18,000) feet in length. AT&T will remove load coils on copper Subloops where the total loop distance (feeder plus distribution) from the AT&T central office to the end user is equal to or less than 18,000 feet or, if there is no copper feeder, the distance from the remote terminal (RT) to the end user is equal to or less than 18,000 feet.
- 2.5.3 For any copper loop being ordered by KDL which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from KDL, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to KDL. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 KDL may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to AT&T's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 AT&T will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If KDL requests ULM on a reserved facility for a new Loop order, AT&T may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. KDL will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, AT&T will provide LMU detail of the Loop provisioned.
- 2.5.8 KDL shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that KDL desires AT&T to condition.
- 2.5.9 When requesting ULM for a Loop that AT&T has previously provisioned for KDL, KDL will submit a SI to AT&T. If a spare Loop facility that meets the Loop modification specifications requested by KDL is available at the location for which the ULM was requested, KDL will have the option to change the Loop

Version: 2007 Standard ICA

facility to the qualifying spare facility rather than to provide ULM. In the event that AT&T changes the Loop facility in lieu of providing ULM, KDL will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving IDLC</u>

- 2.6.1 Where KDL has requested an Unbundled Loop and AT&T uses IDLC systems to provide the local service to the customer and AT&T has a suitable alternate facility available, AT&T will make such alternative facilities available to KDL. If a suitable alternative facility is not available, then to the extent it is technically feasible, AT&T will implement one of the following alternative arrangements for KDL (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.2.1 If no alternate facility is available, and upon request from KDL, and if agreed to by both Parties, AT&T may utilize its SC process to determine the additional costs required to provision facilities. KDL will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the customer's customer premises wiring to AT&T's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the customer's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the customer each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

Version: 2007 Standard ICA

- 2.7.2 AT&T shall permit KDL to connect KDL's Loop facilities to the customer's customer premises wiring through the AT&T NID or at any other technically feasible point.
- 2.7.3 Access to NID
- 2.7.3.1 KDL may access the customer's premises wiring by any of the following means and KDL shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 AT&T shall allow KDL to connect its Loops directly to AT&T's multi-line residential NID enclosures that have additional space and are not used by AT&T or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the customer's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 KDL may request AT&T to make other rearrangements to the customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be KDL's responsibility to ensure there is no safety hazard, and KDL will hold AT&T harmless for any liability associated with the removal of the AT&T Loop from the AT&T NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 KDL shall not remove or disconnect ground wires from AT&T's NIDs, enclosures, or protectors.

- 2.7.3.4 KDL shall not remove or disconnect NID modules, protectors, or terminals from AT&T's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, AT&T will work with KDL to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the customer's customer premises and the distribution media and/or cross-connect to KDL's NID.
- 2.7.4.3 Existing AT&T NIDs will be operational and provided in "as is" condition. KDL may request AT&T to do additional work to the NID on a time and material basis. When KDL deploys its own local loops in a multiple-line termination device, KDL shall specify the quantity of NID connections that it requires within such device.
- 2.8 <u>Subloop Distribution Elements.</u>
- 2.8.1 Where facilities permit, AT&T shall offer access to its Unbundled Subloop Distribution (USLD) elements in accordance with 47 C.F.R. § 51.319(b) as specified herein.
- 2.8.2 Unbundled Subloop Distribution
- 2.8.2.1 The USLD facility is a dedicated transmission facility that AT&T provides from a customer's point of demarcation to an AT&T cross-connect device. The AT&T cross-connect device may be located within a remote terminal (RT) or a standalone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. AT&T will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the customer's premises and may have load coils.

Version: 2Q07 Standard ICA

- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the customer's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the customer and the cross-box.
- 2.8.2.3.1 If KDL requests a UCSL and it is not available, KDL may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by AT&T inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the customer's premises.
- Upon request for USLD-INC from KDL, AT&T will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. AT&T will place cross-connect blocks in twenty five (25) pair increments for KDL's use on this cross-connect panel. KDL will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, KDL shall install a cable to the AT&T cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by an AT&T technician within the AT&T cross-box during the set-up process. KDL's cable pairs can then be connected to AT&T's USL within the AT&T cross-box by the AT&T technician.
- 2.8.2.6 Through the SI process, AT&T will determine whether access to USLs at the location requested by KDL is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet KDL's request, then AT&T will perform the site set-up as described in the CLEC Information Package, located at AT&T's Interconnection Web site.
- 2.8.2.7 The site set-up must be completed before KDL can order Subloop pairs. For the site set-up in an AT&T cross-connect box in the field, AT&T will perform the necessary work to splice KDL's cable into the cross-connect box. For the site set-up inside a building equipment room, AT&T will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.

- 2.8.2.8 Once the site set-up is complete, KDL will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when KDL requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by KDL for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with AT&T's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the customer's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the customer's premises, where a third party owns the wiring to the customer's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which AT&T does not own or control wiring (INC/NTW) to the customers premises, and KDL does own or control such wiring, KDL will install UNTW Access Terminals for AT&T under the same terms and conditions as AT&T provides UNTW Access Terminals to KDL.
- 2.8.3.3.4 In situations in which AT&T activates a UNTW pair, AT&T will compensate KDL for each pair activated commensurate to the price specified in KDL's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the

Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the customer has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the customer is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that customer if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the

Version: 2007 Standard ICA

Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.

- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the customer began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.9 <u>Loop Makeup</u>
- 2.9.1 Description of Service
- 2.9.1.1 AT&T shall make available to KDL LMU information with respect to Loops that are required to be unbundled under this Agreement so that KDL can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment KDL intends to install and the services KDL wishes to provide. LMU is a preordering transaction, distinct from KDL ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 AT&T will provide KDL LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 AT&T's LMU information is provided to KDL as it exists either in AT&T's databases or in its hard copy facility records. AT&T does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 AT&T's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either AT&T or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless AT&T receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

Version: 2007 Standard ICA

- 2.9.1.5 KDL may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular AT&T Loop as long as that equipment does not disrupt other services on the AT&T network. The determination shall be made solely by KDL and AT&T shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee KDL's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to AT&T's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to AT&T's network and will remain on copper facilities until the Loop is disconnected by KDL or the customer, or until AT&T retires the copper facilities via the FCC's and any applicable Commission's requirements. KDL is fully responsible for any of its service configurations that may differ from AT&T's technical standard for the Loop type ordered.
- 2.9.1.6 If AT&T retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, AT&T will notify KDL, according to the applicable network disclosure requirements. It will be KDL's responsibility to move any service it may provide over such facilities to alternative facilities. If KDL fails to move the service to alternative facilities by the date in the network disclosure notice, AT&T may terminate the service to complete the network change.

2.9.2 Submitting LMUSI

- 2.9.2.1 KDL may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on AT&T's Interconnection Web site. After obtaining the Loop information from the mechanized LMU process, if KDL needs further Loop information in order to determine Loop service capability, KDL may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by AT&T. KDL will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, KDL does not reserve facilities upon an initial LMUSI, KDL's placement of an order for an advanced

Version: 2007 Standard ICA

data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.

- 2.9.2.3 Where KDL has reserved multiple Loop facilities on a single reservation, KDL may not specify which facility shall be provisioned when submitting the LSR. For those occasions, AT&T will assign to KDL, subject to availability, a facility that meets the AT&T technical standards of the AT&T type Loop as ordered by KDL.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from AT&T.

3 Line Splitting

- Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to customers over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. AT&T will provide Line Splitting over a Loop (UNE-L) purchased by KDL pursuant to this Agreement.
- 3.2 <u>Line Splitting UNE-L.</u> In the event KDL provides its own switching or obtains switching from a third party, KDL may engage in line splitting arrangements with another CLEC using a splitter, provided by KDL, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 AT&T must make all necessary network modifications, including providing nondiscriminatory access to OSS necessary for pre-ordering, ordering, provisioning, maintenance and repair, and billing for Loops used in line splitting arrangements. The Parties may use the Change Control Process to address necessary OSS modifications.
- 3.4 Provisioning Line Splitting UNE-L
- 3.4.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When KDL owns the splitter, Line Splitting requires the following: a loop from NID at the customer's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 3.4.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4.3 To order Line Splitting utilizing UNE-L on a particular Loop, KDL must have a DSLAM collocated in the central office that serves the customer of such Loop.
- 3.4.4 KDL may purchase, install and maintain central office POTS splitters in its collocation arrangements. KDL may use such splitters for access to its customers

Version: 2007 Standard ICA

and to provide digital line subscriber services to its customers using the high frequency spectrum of the UNE-L. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

- 3.5 <u>Maintenance Line Splitting UNE-L</u>
- 3.5.1 AT&T will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the customer's premises and the termination point.
- 3.5.2 KDL shall indemnify, defend and hold harmless AT&T from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by AT&T's gross negligence or willful misconduct.
- 3.5.3 For the state of Alabama, the following rights are in addition to the general indemnification rights set forth above:
- 3.5.3.1 PROVIDED, HOWEVER, that all amounts advanced in respect of such claims, losses and costs shall be repaid to KDL by AT&T if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that AT&T is not entitled to be indemnified for such claims, losses and costs because the Claims, Losses and Costs arose as a result of AT&T's gross negligence or willful misconduct.
- 3.5.3.2 AT&T will indemnify, defend and hold harmless KDL from and against any Claims, Losses and Costs which arise out of actions related to the other service provider (i.e. CLEC party to the line splitting arrangement who is not KDL brought against KDL to the extent such Claim alleges that the cause of Claim, Loss and Cost was found to be the result of AT&T's gross negligence or willful misconduct.
- 3.5.3.3 PROVIDED, HOWEVER, that AT&T shall have no obligation to indemnify KDL under this section unless KDL provides AT&T with prompt written notice of any such Claim; KDL permits AT&T to assume and control the defense to such action, with counsel chosen by AT&T; and AT&T does not enter into any settlement or compromise of such Claim.
- 3.5.3.4 PROVIDED, HOWEVER, that all amounts advanced in respect of such Claims, Losses and Costs shall be repaid to AT&T by KDL if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that KDL is not entitled to be indemnified for such Claims, Losses and

Version: 2Q07 Standard ICA

Costs because the Claims, Losses and Costs did not arises as a result of AT&T's gross negligence or willful misconduct.

- 3.5.3.5 Definitions:
- 3.5.3.5.1 "Claim" means any threatened, pending or completed action, suit or proceeding, or any inquiry or investigation that AT&T or KDL in good faith believes might lead to the institution of any such action, suit or proceeding.
- 3.5.3.5.2 "Loss" means any and all damages, injuries, judgments, fines penalties, amounts paid or payable in settlement, deficiencies, and expenses (including all interest, assessments, and other charges paid or payable in connection with or respect of such Losses) incurred in connection with the Claim.
- 3.5.3.5.3 "Costs" means all reasonable attorney's fees and all other reasonable fees, expenses and obligations paid or incurred in connection with the Claim or related matters, including without limitation, investigating, defending, or participating (as a party, witness or otherwise) in (including on appeal), or preparing to defend or participate in any Claim.
- 3.6 <u>Line Splitting Loop and Port for the states of Georgia and North Carolina only</u>
- 3.6.1 To the extent KDL is using a commingled arrangement that consists of a Loop purchased pursuant to this Agreement and Local Switching provided by AT&T pursuant to Section 271, AT&T will permit KDL to utilize Line Splitting. AT&T shall charge the applicable line splitting rates set forth in Exhibit A of this Agreement.
- 3.6.2 KDL shall provide AT&T with a signed LOA between it and the third party CLEC (Data CLEC or Voice CLEC) with which it desires to provision Line Splitting services, where KDL will not provide voice and data services.
- 3.6.3 Provisioning Line Splitting and Splitter Space Loop and Port
- 3.6.3.1 The Data LEC, Voice CLEC, or a third party may provide the splitter. When KDL or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the customer's location; a collocation cross-connection connecting the Loop to the collocation space; and a second collocation cross-connection from the collocation space connected to a voice port.
- 3.6.3.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data CLEC is the point of termination on the MDF for the Data CLEC's cable and pairs.

Version: 2Q07 Standard ICA

3.6.4 <u>CLEC Provided Splitter – Line Splitting – Loop and Port</u>

- 3.6.4.1 KDL or its authorized agent may purchase, install and maintain central office line splitters in its collocation arrangements. KDL or its authorized agent may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing collocation rules and procedures and the terms and conditions relating to collocation set forth in Attachment 4-Central Office shall apply.
- 3.6.4.2 Any splitters installed by KDL or its authorized agent in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter standards. KDL or its authorized agent may install any splitters that AT&T deploys or permits to be deployed for itself or any AT&T affiliate.
- 3.6.5 <u>Maintenance Line Splitting Loop and Port</u>
- 3.6.5.1 AT&T will be responsible for repairing troubles with the physical Loop between the NID at the customer's premises and the termination point.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by KDL are in fact already combined by AT&T in the AT&T network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by KDL are not already combined by AT&T in the location requested by KDL but are elements that are typically combined in AT&T's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by KDL are not elements that AT&T combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, AT&T shall perform the functions necessary to combine Network Elements that AT&T is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in AT&T's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with AT&T's network.
- 4.1.2 To the extent KDL requests a Combination for which AT&T does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

Version: 2Q07 Standard ICA

4.2 Rates

- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of KDL.

4.3 Enhanced Extended Links (EELs)

- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. AT&T shall provide KDL with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, KDL thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a Network Element. AT&T shall have the right to audit KDL's high-capacity EELs as specified below.

4.3.4 Service Eligibility Criteria

4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. KDL must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

Version: 2007 Standard ICA

- 4.3.4.1.1 KDL has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each customer will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each customer will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each customer will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each customer will be served by an interconnection trunk over which KDL will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, KDL will have at least one (1) active DS1 local service interconnection trunk over which KDL will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each customer will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 AT&T may, on an annual basis, audit KDL's records in order to verify compliance with the qualifying service eligibility criteria. To invoke the audit, AT&T will send a Notice of Audit to KDL. Such Notice of Audit will be delivered to KDL no less than thirty (30) days prior to the date upon which AT&T seeks to commence an audit.
- 4.3.4.3.1 Such Notice of Audit to KDL shall state AT&T's concern that KDL is not complying with the service eligibility requirements as set forth above and a concise statement of the reasons therefor. AT&T is not required to provide documentation, as distinct from a statement of concern, to support its basis for an audit, or seek the concurrence of the requesting carrier before selecting the location of the audit. AT&T may select the independent auditor without the prior approval of KDL or the Commission. Challenges to the independence of the auditor may be filed with the Commission only after the audit has been concluded.

- 4.3.4.3.2 For the state of Alabama, KDL may, however, challenge the legal qualifications of the auditor selected by filing an objection to that effect with the Commission within 10 days of receiving AT&T's Notice of Audit.
- 4.3.4.3.3 For the state of Louisiana, AT&T's notice to KDL shall include a listing of the circuits for which AT&T alleges noncompliance, including all supporting documentation and a list of three auditors from which KDL may choose one to conduct the audit.
- 4.3.4.4 The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue a report regarding KDL's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether KDL complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.
- 4.3.4.5 To the extent the independent auditor's report concludes that KDL failed to comply with the service eligibility criteria, KDL must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that KDL did not comply in any material respect with the service eligibility criteria, KDL shall reimburse AT&T for the cost of the independent auditor. To the extent the auditor's report concludes that KDL did comply in all material respects with the service eligibility criteria, AT&T will reimburse KDL for its reasonable and demonstrable costs associated with the audit. KDL will maintain appropriate documentation to support its certifications. The Parties shall provide such reimbursement within thirty (30) days of receipt of a statement of such costs.
- 4.3.4.5.1 For the state of Alabama, KDL will maintain appropriate documentation to support its certifications and may dispute any portion of the findings of an audit by petitioning the Commission for a review within twenty (20) days of receiving the reported findings of the auditor.
- 4.3.4.6 In the event KDL converts special access services to Network Elements, KDL shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

- 5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as AT&T's transmission facilities between wire centers or switches owned by AT&T, or between wire centers or switches owned by AT&T and switches owned by KDL, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to KDL. AT&T shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.
- 5.2 <u>DS1 and DS3 Dedicated Transport Requirements</u>
- 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.2 Notwithstanding anything to the contrary in this Agreement, AT&T shall make available Dedicated Transport as described in this Agreement, except in any wire center meeting the criteria described below:
- 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain thirty-eight thousand (38,000) or more Business Lines or four (4) or more fiber-based collocators.
- 5.2.2.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.2.3 The Master List of Unimpaired Wire Centers and AT&T's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Sections 5.2.2.1 and 5.2.2.2 above as of March 11, 2005.
- 5.2.2.4 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.1 above, no future DS1 Dedicated Transport unbundling will be required between that wire center and any other wire center exceeding these same thresholds.
- 5.2.2.5 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.2 above, no future DS3 Dedicated Transport will be required between that wire center and any other wire center meeting or exceeding these same thresholds.
- 5.2.2.6 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 5.2.2.6.1 In the event AT&T identifies additional wire centers that meet the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above, but that were not included in the Master List of Unimpaired Wire Centers or AT&T's List of Unimpaired Wire Centers, AT&T shall include such additional wire centers in a CNL. Each such list of additional

Version: 2Q07 Standard ICA

wire centers shall be considered a Subsequent Wire Center List. AT&T will follow any notification procedures set forth in applicable Commission orders.

- 5.2.2.6.2 KDL shall have thirty (30) business days to dispute the additional wire centers listed on AT&T's CNL. Absent such dispute, effective thirty (30) business days after the date of an AT&T CNL providing a Subsequent Wire Center List, AT&T shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 5.2.2.6.3 For purposes of Section 5.2.2.6 above, AT&T shall make available DS1 and DS3 Dedicated Transport that were in service for KDL in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of AT&T's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of AT&T's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.2.2.6.4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.2.2.6.5 No later than one hundred eighty (180) days from AT&T's CNL identifying the Subsequent Wire Center List, KDL shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other AT&T services.
- 5.2.2.6.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 5.2.2.6.6.1 If KDL fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of AT&T's CNL identifying the Subsequent Wire Center List, AT&T will identify KDL's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed AT&T service(s), or in the case of Georgia, to the equivalent 271 service(s) set forth in Exhibit 1. In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. In the states of Alabama, Georgia and North Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. For the state of Louisiana, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in AT&T's tariffs.

Version: 2007 Standard ICA

- 5.2.2.6.7 For Subsequent Embedded Base circuits converted pursuant to Section 5.2.2.6.5 above or transitioned pursuant to Section 5.2.2.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 5.2.3 AT&T shall:
- 5.2.4 Provide KDL exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.2.5 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.2.6 Permit, to the extent technically feasible, KDL to connect Dedicated Transport to equipment designated by KDL, including but not limited to, KDL's collocated facilities; and
- 5.2.7 Permit, to the extent technically feasible, KDL to obtain the functionality provided by AT&T's digital cross-connect systems.
- 5.3 AT&T shall offer Dedicated Transport:
- 5.3.1 As capacity on a shared facility; and
- 5.3.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to KDL.
- 5.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- KDL may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each Route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport, but for which impairment exists for DS1 Dedicated Transport. For purposes of this Section 5, a "Route" is defined in 47 C.F.R. § 51.319 (e) as a transmission path between one of an incumbent LEC's wire centers or switches and another of the incumbent LECs wire centers or switches. A route between two (2) points (e.g. wire center or switch "A" and wire center or switch "Z") may pass through one or more intermediate wire centers or switches (e.g. wire center or switch "A" and wire center or switch "Z") are the same end points (e.g. wire center or switch "A" and wire center or switch "Z") are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

5.6	Technical Requirements
5.6.1	AT&T shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
5.6.2	AT&T shall offer the following interface transmission rates for Dedicated Transport:
5.6.2.1	DS0 Equivalent;
5.6.2.2	DS1;
5.6.2.3	DS3;
5.6.2.4	STS-1; and
5.6.2.5	SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
5.6.3	AT&T shall design Dedicated Transport according to its network infrastructure. KDL shall specify the termination points for Dedicated Transport.
5.6.4	At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and AT&T Technical References;
5.6.4.1	Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
5.6.4.2	AT&T's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
5.6.4.3	AT&T's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
5.7	Unbundled Channelization (Multiplexing)
5.7.1	To the extent KDL is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at an AT&T central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of AT&T. Once UC

has been installed, KDL may request channel activation on a channelized facility and AT&T shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 5.7.2 AT&T shall make available the following channelization systems and interfaces:
- 5.7.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.7.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.3 <u>Technical Requirements.</u> In order to assure proper operation with AT&T provided central office multiplexing functionality, KDL's channelization equipment must adhere strictly to form and protocol standards. KDL must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.8 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.
- 5.8.1 <u>Dark Fiber Transport Requirements</u>
- 5.8.1.1 For purposes of this Section 5.8, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.8.1.2 Notwithstanding anything to the contrary in this Agreement, AT&T shall make available Dark Fiber Transport as described in this Agreement, except in any wire center meeting the criteria described below:
- 5.8.1.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.8.1.3 The Master List of Unimpaired Wire Centers or AT&T's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Section 5.8.1.2.1 above as of March 11, 2005.
- 5.8.1.4 Once any wire center exceeds either of the thresholds set forth in Section 5.8.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.

Version: 2Q07 Standard ICA

- 5.8.1.5 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 5.8.1.5.1 In the event AT&T identifies additional wire centers that meet the criteria set forth in Section 5.8.1.2.1 above, but that were not included in the Master List of Unimpaired Wire Centers or AT&T's List of Unimpaired Wire Centers, AT&T shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". AT&T will follow any notification procedures in applicable Commission orders.
- 5.8.1.5.2 KDL shall have thirty (30) business days to dispute the additional wire centers listed on AT&T's CNL. Absent such dispute, effective thirty (30) business days after the date of an AT&T CNL providing a Subsequent Wire Center List, AT&T shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 5.8.1.5.3 For purposes of Section 5.8.1.5 above, AT&T shall make available Dark Fiber Transport that was in service for KDL in a wire center on the Subsequent Wire Center List as of the thirtieth (30) business day after the date of AT&T's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of AT&T's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.8.1.5.4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.8.1.5.5 No later than one hundred eighty (180) days from AT&T's CNL identifying the Subsequent Wire Center List, KDL shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other AT&T services.
- 5.8.1.5.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 5.8.1.5.6.1 If KDL fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of AT&T's CNL identifying the Subsequent Wire Center List, AT&T will identify KDL's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed AT&T service(s), or in the case of Georgia, to the equivalent 271 service set forth in Exhibit 1.
- 5.8.1.5.6.2 In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable disconnect charges as

set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs. In the states of Alabama, Georgia and South Carolina, those circuits identified and transitioned by AT&T shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by AT&T shall be subject to the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T's tariffs.

5.8.1.5.6.3 For Subsequent Embedded Base circuits converted pursuant to Section 5.8.1.5.5 above or transitioned pursuant to Section 5.8.1.5.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

5.9 <u>Rearrangements</u>

- 5.9.1 A request to move a working KDL Dedicated Transport circuit or a Combination including Dedicated Transport from one connecting facility assignment (CFA) to another CFA in the same AT&T Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable Rearrangement rates for the Change in CFA are set forth in Exhibit A.
- A request to reterminate one end of a Dedicated Transport facility that is not a Change in CFA and thus results in retermination in a different AT&T Central Office (Retermination) shall constitute disconnection of existing service and the establishment of new service. Disconnect charges and full nonrecurring charges for establishment of service, as set forth in Exhibit A, shall apply.
- 5.9.3 Upon request of KDL, AT&T shall project manage the Change in CFA or Retermination of Dedicated Transport and Combinations that include Dedicated Transport as described in Sections 5.9.1 and 5.9.2 above and KDL may request OC-TS for such orders.
- 5.9.4 AT&T shall accept a LOA between KDL and another carrier that will allow KDL, in connection with a Change in CFA or Retermination, to connect Dedicated Transport or a Combination that includes Dedicated Transport, via a CFA, to the other carrier's collocation space or to another carrier's Multiplexer.

6 Automatic Location Identification/Data Management System (ALI/DMS)

6.1 911 and E911 Databases

6.1.1 AT&T shall provide KDL with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).

Version: 2Q07 Standard ICA

- The ALI/DMS database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. KDL will be required to provide the AT&T 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below.
- 6.2 <u>Technical Requirements</u>
- 6.2.1 AT&T's 911 database vendor shall provide KDL the capability of providing updates to the ALI/DMS database through a specified electronic interface. KDL shall contact AT&T's 911 database vendor directly to request interface. KDL shall provide updates directly to AT&T's 911 database vendor on a daily basis. Updates shall be the responsibility of KDL and AT&T shall not be liable for the transactions between KDL and AT&T's 911 database vendor.
- 6.2.2 It is KDL's responsibility to retrieve and confirm statistical data and to correct errors obtained from AT&T's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the AT&T Interconnection Web site.
- 6.2.3 KDL shall conform to the AT&T standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the AT&T Interconnection Web site.
- 6.2.4 Stranded Unlocks are defined as end user records in AT&T's ALI/DMS database that have not been migrated for over ninety (90) days to KDL, as a new provider of local service to the end user. Stranded Unlocks are those end user records that have been "unlocked" by the previous local exchange carrier that provided service to the end user and are open for KDL to assume responsibility for such records.
- Based upon end user record ownership information available in the NPAC database, AT&T shall provide a Stranded Unlock annual report to KDL that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. KDL shall review the Stranded Unlock report, identify its end user records and request to either delete such records or migrate the records to KDL within two (2) months following the date of the Stranded Unlock report provided by AT&T. KDL shall reimburse AT&T for any charges AT&T's database vendor imposes on AT&T for the deletion of KDL's records.
- 6.3 <u>911 PBX Locate Service®</u>. 911 PBX Locate Service is comprised of a database capability and a separate transport component.

- 6.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate AT&T 911 tandem.
- 6.3.1.1 The database capability allows KDL to offer an E911 service to its PBX end users that identifies to the PSAP the physical location of the KDL PBX 911 end user station telephone number for the 911 call that is placed by the end user.
- 6.3.2 KDL may order either the database capability or the transport component as desired or KDL may order both components of the service.
- 6.3.3 911 PBX Locate Database Capability. KDL's end user or KDL's end user's database management agent (DMA) must provide the end user PBX station telephone numbers and corresponding address and location data to AT&T's 911 database vendor. The data will be loaded and maintained in AT&T's ALI database.
- 6.3.4 Ordering, provisioning, testing and maintenance shall be provided by KDL pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the AT&T Interconnection Web site.
- KDL's end user, or KDL's end user DMA must provide ongoing updates to AT&T's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of KDL to ensure that the end user or DMA maintain the data pertaining to each end user's extension managed by the 911 PBX Locate Service product. KDL should not submit telephone number updates for specific PBX station telephone numbers that are submitted by KDL's end user, or KDL's end user DMA under the terms of 911 PBX Locate product.
- 6.3.5.1 KDL must provision all PBX station numbers in the same LATA as the E911 tandem.
- KDL agrees to release, indemnify, defend and hold harmless AT&T from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by KDL's end user or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by KDL or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by AT&T in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911

PBX Locate Service hereunder, except to the extent caused by AT&T's gross negligence or wilful misconduct. KDL is responsible for assuring that its authorized end users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to KDL's end user or DMA pursuant to these terms. Specifically, KDL's end user or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.

- 6.3.7 KDL may only use AT&T PBX Locate Service solely for the purpose of validating and correcting 911 related data for KDL's end users' telephone numbers for which it has direct management authority.
- 6.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires KDL to order a CAMA type dedicated trunk from KDL's end user premise to the appropriate AT&T 911 tandem pursuant to the following provisions.
- 6.3.8.1 Except as otherwise set forth below, a minimum of two (2) end user specific, dedicated 911 trunks are required between the KDL's end user premise and the AT&T 911 tandem as described in AT&T's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the AT&T Interconnection Web site. KDL is responsible for connectivity between the end user's PBX and KDL's switch or POP location. KDL will then order 911 trunks from their switch or POP location to the AT&T 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a KDL purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). KDL is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the AT&T 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 6.3.9 Ordering and Provisioning. KDL will submit an Access Service Request (ASR) to AT&T to order a minimum of two (2) end user specific 911 trunks from its switch or POP location to the AT&T 911 tandem.
- 6.3.9.1 Testing and maintenance shall be provided by KDL pursuant to the 911 PBX Locate Marketing Service description that is located on the AT&T Interconnection Web site.

Version: 2Q07 Standard ICA

6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by KDL pursuant to the terms and conditions set forth in Attachment 3.

7 White Pages Listings

- 7.1 AT&T shall provide KDL and its customers access to white pages directory listings under the following terms:
- 7.1.1 Listings. KDL shall provide all new, changed and deleted listings on a timely basis and AT&T or its agent will include KDL residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between KDL and AT&T customers. KDL shall provide listing information in accordance with the procedures set forth in The AT&T Business Rules for Local Ordering found at AT&T's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published Customers.</u> KDL will be required to provide to AT&T the names, addresses and telephone numbers of all KDL customers who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in AT&T's GSST and shall not be subject to wholesale discount.
- 7.1.3 <u>Inclusion of KDL Customers in Directory Assistance Database.</u> AT&T will include and maintain KDL customer listings in AT&T's DA databases. KDL shall provide such Directory Assistance listings to AT&T at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> AT&T will afford KDL's directory listing information the same level of confidentiality that AT&T affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by AT&T at tariffed rates as set forth in AT&T's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as KDL provides listing information to AT&T as set forth in Section 7.1.2 above, AT&T shall provide to KDL one (1) basic White Pages directory listing per KDL customer at no charge other than applicable service order charges as set forth in AT&T's tariffs. Except in the case of a LSR submitted solely to port a number from AT&T, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in AT&T's tariffs shall apply, as well as the

Version: 2Q07 Standard ICA

manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.

- 7.2 <u>Directories.</u> AT&T or its agent shall make available White Pages directories to KDL customer at no charge or as specified in a separate agreement between KDL and AT&T's agent.
- 7.3 Procedures for submitting KDL Subscriber Listing Information (SLI) are found in The AT&T Business Rules for Local Ordering found at AT&T's Interconnection Services Web site.
- 7.3.1 KDL authorizes AT&T to release all KDL SLI provided to AT&T by KDL to qualifying third parties. Such KDL SLI shall be intermingled with AT&T's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to KDL for AT&T's receipt of KDL SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent AT&T incurs costs to modify its systems to enable the release of KDL's SLI, or costs on an ongoing basis to administer the release of KDL SLI, KDL shall pay to AT&T its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of KDL's SLI, KDL will be notified. If KDL does not wish to pay its proportionate share of these reasonable costs, KDL may instruct AT&T that it does not wish to release its SLI to independent publishers, and KDL shall amend this Agreement accordingly. KDL will be liable for all costs incurred until the effective date of the agreement.
- 7.3.3 Neither AT&T nor any agent shall be liable for the content or accuracy of any SLI provided by KDL under this Agreement. KDL shall indemnify, except to the extent caused by AT&T's gross negligence or willful misconduct, hold harmless and defend AT&T and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from AT&T's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate KDL listings or use of the SLI provided pursuant to this Agreement. AT&T may forward to KDL any complaints received by AT&T relating to the accuracy or quality of KDL listings.
- 7.3.4 Listings and subsequent updates will be released consistent with AT&T system changes and/or update scheduling requirements.

Version: 2Q07 Standard ICA

Georgia 271 Requirements

- 1. This Exhibit sets forth terms and conditions for de-listed network elements that AT&T is required to offer pursuant to the Georgia Public Service Commission's Order in Docket No. 19341-U ("Order") to KDL for KDL's provision of Telecommunications Services in accordance with its obligations under Section 271 of the Act ("271").
- To the extent DS1 and/or DS3 Loops, DS1 and/or DS3 Dedicated
 Transport and Multiplexing are unavailable as a UNE pursuant to this
 Agreement, these services will be made available by AT&T pursuant to
 Section 271 of the Act on the same terms and conditions set forth
 elsewhere in the Agreement, except as otherwise provided in this Exhibit
 1, and at the rates set forth in Exhibit B to this Agreement.
 Notwithstanding the foregoing, the Parties agree that those provisions
 applicable to DS1 and DS3 Loops or DS1 and DS3 transport provided
 pursuant to Section 251 of the Act relating to transition of Embedded Base
 circuits, limitations on the number of circuits available at a particular
 location or Building, and limitations relating to use for mobile and long
 distance service shall not apply to the equivalent services available
 pursuant to this Exhibit 1.
- 1.2 For information regarding Ordering Guidelines and Processes for 271 elements in the state of Georgia, KDL should refer to the Guides section of AT&T's Interconnection Web site.
- 2. 271 Dark Fiber Loops, 271 DS1 and DS3 Entrance Facilities, and 271 Dark Fiber Transport Facilities are unavailable pursuant to this Agreement and, but are available at the rates, terms, and conditions set forth in the applicable AT&T tariff.
- 2.1 Under no circumstance shall AT&T be required to (1) combine 271 elements with other 271 elements offered pursuant to this Exhibit, or (2) 271 elements combined with tariffed services or other wholesale services provided by AT&T. Additionally, AT&T shall not be required to commingle or combine 271 elements offered pursuant to this Exhibit with tariffed services. Further, under no circumstance shall AT&T be required to convert 271 elements offered pursuant to this Agreement to equivalent tariffed services, or to convert tariffed services to 271 elements offered pursuant to this Agreement.

Version: 2Q07 Standard ICA

Attachment 2 Exhibit 1 Georgia 271 Requirements Page 2 of 6

3. <u>Line Sharing</u>

- General. Line Sharing is defined as the process by which KDL provides digital subscriber line service ("xDSL") over the same copper Loop that AT&T uses to provide retail voice service, with AT&T using the low frequency portion of the Loop and KDL using the high frequency spectrum (as defined below) of the Loop.
- 3.2 Line Sharing arrangements in service as of October 1, 2003 will be billed at the rates set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No. 14361-U.
- 3.3 For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004 the rates will be as set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No. 14361-U.
- 3.4 For Line Sharing arrangements placed on or after October 2, 2004 (whether under this Agreement only, or under this Agreement and a prior Agreement), the rates will be the full copper loop rate as set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No. 14361-U.
- 3.5 As of October 2, 2006, the rates for Line Sharing arrangements shall be as set forth in Exhibit B to this Amendment.
- The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow KDL the ability to provide xDSL data services to the End User for which AT&T provides voice services.
- 3.7 The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI TI.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. AT&T will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. KDL shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the abovementioned document.

Version: 2007 Standard ICA

Attachment 2 Exhibit 1 Georgia 271 Requirements Page 3 of 6

- 3.8 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, lowpass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and TI.601.
- 3.9 AT&T will provide Loop Modification to KDL on an existing Loop for Line Sharing in accordance with procedures as specified in Attachment 2 of this Agreement. AT&T is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades AT&T's voice service. If KDL requests that AT&T modify a Loop and such modification significantly degrades the voice services on the Loop, KDL shall pay for the Loop to be restored to its original state.
- 3.10 Line Sharing shall only be available on Loops on which AT&T is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its AT&T provided voice service for any reason, or in the event AT&T disconnects the End User's voice service pursuant to its tariffs or applicable law, and KDL desires to continue providing xDSL service on such Loop, KDL or the new voice provider, or both, shall be required to purchase a full stand-alone Loop. In those cases in which AT&T no longer provides voice service to the End User and KDL purchases the full stand-alone Loop, KDL may elect the type of Loop it will purchase. KDL will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in the Parties' Amendment to the Agreement to implement the Georgia Public Service Commission's Letter Order dated March 2, 2006 in Docket No. 14361-U. In the event KDL purchases a voice grade Loop, KDL acknowledges that such Loop may not remain xDSL compatible.
- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.12 <u>Provisioning of Line Sharing and Splitter Space.</u> AT&T will provide KDL with access to the High Frequency Spectrum as follows:
- 3.12.1 To order High Frequency Spectrum on a particular Loop, KDL must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.12.2 KDL may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. AT&T will install splitters within thirty-six (36) calendar days of KDL's submission of an error free Line Splitter Ordering Document (LSOD) to the AT&T Complex Resale Support Group.

Version: 2Q07 Standard ICA

Attachment 2
Exhibit 1
Georgia 271 Requirements
Page 4 of 6

- Once a splitter is installed on behalf of KDL in a central office in which KDL is located, KDL shall be entitled to order the High Frequency Spectrum on lines served out of that central office. AT&T will bill and KDL shall pay the electronic or manual ordering charges, as set forth in Exhibit A of Attachment 2 of the Agreement, as applicable when KDL orders High Frequency Spectrum for End User service.
- Once AT&T has placed cross-connects on behalf of KDL to provide KDL access to the High Frequency Spectrum and chooses to rearrange its splitter or CLEC pairs, KDL may order the rearrangement of its splitter or cable pairs via "Subsequent Activity". Subsequent Activity is any rearrangement of KDL's cable pairs or splitter ports after AT&T has placed cross-connection to provide KDL access to the High Frequency Spectrum. AT&T shall bill and KDL shall pay the Subsequent Activity charges as set forth in Exhibit B of this Amendment.
- 3.13 AT&T Provided Splitter Line Sharing. AT&T will select, purchase, install, and maintain a central office POTS splitter and provide KDL access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to KDL's xDSL equipment in KDL's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, AT&T will provide KDL with a carrier notification letter, informing KDL of change. KDL shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports.
- 3.14 AT&T will install the splitter in (i) a common area close to KDL's collocation area, if possible; or (ii) in a AT&T relay rack as close to KDL's DS0 termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for KDL on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. AT&T will cross-connect the splitter data ports to a specified KDL DS0 at such time that a KDL End User's service is established.
- 3.15 <u>CLEC Provided Splitter Line Sharing.</u> KDL may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. KDL may use such splitters to provide xDSL services to its End Users using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

Version: 2Q07 Standard ICA

Attachment 2
Exhibit 1
Georgia 271 Requirements
Page 5 of 6

- Any splitters installed by KDL in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. KDL may install any splitters that AT&T deploys or permits to be deployed for itself or any AT&T affiliate.
- 3.17 Ordering Line Sharing. KDL shall use AT&T's LSOD to order splitters from AT&T and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.18 AT&T's Local Ordering Handbook (LOH) will provide KDL the LSR format to be used when ordering disconnections of the High Frequency Spectrum or Subsequent Activity.
- 3.19 AT&T will provision High Frequency Spectrum in compliance with AT&T's Products and Services Interval Guide available at AT&T's Interconnection Web site.
- 3.20 AT&T shall test the data portion of the Loop to ensure the continuity of the wiring for KDL's data.
- 3.21 AT&T will provide KDL access to Preordering LMU in accordance with the terms of this Agreement. AT&T shall bill and KDL shall pay the rates for such services, as described in Exhibit B of this Amendment.
- Maintenance and Repair Line Sharing. KDL shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. KDL may test from the collocation space, the Termination Point, or the NID. AT&T will be responsible for repairing voice services and the physical line between the NID at the End User's premises and the Termination Point. KDL will be responsible for repairing its data services. Each Party will be responsible for maintaining its own equipment.
- 3.23 KDL shall inform its End Users to direct data problems to KDL, unless both voice and data services are impaired, in which event KDL should direct the End Users to contact AT&T. Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.24 If KDL reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the AT&T portion, or AT&T isolates the trouble to the physical collocation arrangement belonging to KDL, AT&T will charge KDL for any dispatching and testing (both inside and outside the CO) required by AT&T in order to confirm the working status. The

Version: 2007 Standard ICA

04/26/07

Attachment 2 Exhibit 1 Georgia 271 Requirements Page 6 of 6

rates charged for no trouble found (NTF) shall be as set forth in Exhibit B of this Amendment.

Version: 2Q07 Standard ICA

04/26/07

RONDLE	D NETWORK ELEMENTS - Alabama												Att: 2 Exh; A			
regory	RATE ELEMENTS	Interim	Zone	acs	usoc	:		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Menual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order v Electron Disc Ad-
		 	 			Rec	Nonred First	Add')	Nonrecurring First	Add'i	SOMEC	SOMAN	SOMAN	Rates(\$)	80000	
_	 	1-	-			1				7001	JOMEC	SCAPAN	SUMMAN	SUMAN	SOMAN	SOMA
The Z	lone" shown in the sections for stand-alone loops or loops as pa	nt of a co	ombina	tion refers to Geograp	hically Deav	eraged UNE, Zo	RES. TO VIEW C	eographically [Deaveraged UN	E Zone Design	ations by Co	ntral Office.	refer to intern	et Website:	·	
http://v	obreini (minipelo "e "emoped (mop, nituo elled, noli pennopreini, www.	nnection	ı,htm						_							
RATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		<u> </u>													
NOTE	: (1) CLEC should contact its contract negotiator if it prefers the	ratala en	arific"	OSS charges as orde	and hutha S	tate Commissio	ne The OSS -	harma aumand	h. aantningd in	فلطامات معسر منطة	4b- AT	T 11				
State 8	pacific Commission ordered rates for the service ordering charg	es. or Ci	LEC ma	ev elect the regional s	ervice order	ing charge, how	ever, CLEC car	not obtain a m	sixture of the tv	o modardiest if	CLEC has a	interconnec	tion contract	rang charges.	CLEC may ele	Ct aither
NOTE:	: (2) Any element that can be ordered electronically will be billed	accordir	ng to th	e SOMEC rate listed it	n this catego	pry. Please refa	r to AT&T's Loc	al Ordering Har	ridbook (LOH)	o determine if	a product ca	n be ordered	electronicative	. For those e	ements that c	annot he
ordere	d electronically at present per the LOH, the listed SOMEC rate in	this cate	gory n	eflects the charge that	t would be b	illed to a CLEC	ance electronic	ordering capab	ilitles come on	äne for that ele	ment. Other	rwise, the m	anual ordering	charge, SON	IAN, will be ap	plied to
CLEC	s bill when it submits an LSR to AT&T. OSS - Electronic Service Order Charge, Per Local Service			,												
1	Request (LSR) - UNE Only	1	ł		SOMEC	ļ	3.50	0.00	3.50	0.00	ļ	,	1		ı i	
	OSS - Manual Service Order Charge, Per Local Service Request	1.	1	 		 		313 7	<u> </u>					·		
	(LSR) - UNE Only	<u> </u>	<u> </u>		SOMAN		15.66	0.00	1,97	0.00	L	L]	l i		
SERVICE	DATE ADVANCEMENT CHARGE	<u></u>	1	1	<u>ا</u>	<u> </u>	<u> </u>									
NOTE	: The Expedite charge will be maintained commensurate with B	engouth.	s rcc	UAL, UEANL, UCL.	as applicabl	le	·			_r						
				UEF, UPF, UEO, UDL, UENTW, UDN, UEA, UHL, ULC, USL UTT12, UTT48, UTT01, UTT03, UTT01, UTT03, UTT01, UTT03, UTT01, UTT02, UC16C, UC16L, UC16C,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		<u> </u>	NTCVG, NTCUD, NTCD1	SDASP		200.00		·			\		({	
ER MODI	FICATION CHARGE	+	ļ		-		35.13									
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	 -	-	 	 	 	150.00	0.00	0.00	0.00						
UNDLED	EXCHANGE ACCESS LOOP	 	┿~	 		 	130.00	0.00	0.00	0.00						
	E ANALOG VOICE GRADE LOOP			·												
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	12.58			23.49							
_[2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 		UEANL	UEAL2	21.05		17.56	23,49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-		UEANL	UEAL2	34.34		17.56 17.56	23.49							
	Wire Analog Voice Grade Loop - Service Level 1- Zone 1 Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL UEASL	12.58		17.56	23.49 23.49	5.30 5.30						
-	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	+		UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
	Tag Loop at End User Premise	1 -	<u> </u>	UEANL	URETL	1	8.93	0.88		0.00			 +			
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00								
\Box	Loop Testing - Basic Additional Half Hour	<u>-</u>		UEANL	URETA	 	19.85	19.85								
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1	+	 -	UEANL	UEAMC		8.15	8.15								
		1	1		1	1		· •	1			T .	1	T	7	

NBUNDLE	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BC\$	usoc	<i>#</i>	Nonrec	RATES(\$)	Nonwellation	Diecestrock	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Menual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electroni Disc Add
	<u></u>	 	-			Rec	First	Add'i	Nonrecurring First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	004444	
			_				F#5t	Addi	Pirst	AUG !	SUMEC	SOMAN	SUMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for AT&T providing	l		UEANL	UEANM		13.44				l			Į į		1
	make-up (Engineering Information - E.I.)	 	1-	DEANL	UEANNI		13.44							·		
- (Unbundled Loop Service Rearrangement, change in loop facility,	1	\ '	UEANL	JUREWO	i i	15.78	8.94	23.49	5.30	1	ĺ				
	per circuit	-	 	UEANL	UREPN		37.81	17.56	23.49	5.30				 		
	Bulk Migration, per 2 Wire Voice Loop-SL1 Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UHEPM	· · · · · · · · · · · · · · · · · · ·	8.15	8 15		- 3.00						
- Januari	E Unbundled COPPER LOOP			OLAITC	101107 101									L		
2-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1 1	UEQ_	UEO2X	11.20	34.14	15,10	21.25	4.15				-		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEO	UEQ2X	15.07	34.14	15.10		4.15						
 	Tag Loop at End User Premise	 	<u> </u>	UEQ	URETL		8.93	88.0								
	Loop Testing - Basic 1st Half Hour	<u> </u>	 	UEO	URET1		34.16	0.00								
	Loop Testing - Basic Additional Half Hour	T		UEQ	URETA		19.85	19.85								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1														
1	Designed (per loop)	1		UEO	USBMC		8.15	8.15								1
	Unbundled Copper Loop - Non-Designed, billing for AT&T	1														
	providing make-up (Engineering Information - E.I.)	i		UEQ	UEQMU	L	13.44									l
	Unbundled Loop Service Rearrangement, change in loop facility,	1	(1										
ì	per circuit	J		UEQ	UREWO		14.27	7.43	21.25	4.15	L	_				1
	Bulk Migration, per 2 Wire UCL-ND			UEO	UREPN		34.14	15.10	21.25	4.15						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		8.15	8.15								
NBUNDLED	EXCHANGE ACCESS LOOP															
2-WIRE	E ANALOG VOICE GRADE LOOP					····										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		1] ;	i				
	Ground Start Signaling - Zone 1	1-	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44			·			<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		i	I	i!			li							
	Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44	ļ. ——					
· (2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1 -	J	1		أمممه	## co			Ì				i	i
	Ground Start Signaling - Zone 3	 	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1.	1	UEAR2	1400	00.00	55.00	47.74	744	[1		1
	Battery Signaling - Zone 1	—	 '-	UEA	UEARZ	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	2		UEAR2	22.85	88.00	55.00	47.24	7.44	ι,			, ,	- 1	ı
	Battery Signaling - Zone 2	+	+-	UEA	UENNE	22.03	56.00	33.00	47.24	7.44						
ĺ	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1 3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44	f I				i i	
	Battery Signaling - Zone 3	+	 	DEA	- OLATIE	30.14		33.00		7.44						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	1	UEA	URESL		5.59	5.59			l i				- 1	
	DS0)	+	+	DEX	Uncor.	t	3.00	0.00								
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DS0)	ì	1	UEA	URESP		5.59	5.59			i l					
	Unbundled Loop Service Rearrangement, change in loop facility.	+	+	905		 	0.00	0.00								
	per circuit	İ	1	UEA	UREWO		87.72	36.36	f .	l			- 1			
	Loop Tagging - Service Level 2 (SL2)	 	1	UEA	ÜRETL		11.21	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2	 	1	UEA	UREPN	T	88.00	55.00	1							
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	1	1	TUEA	UREPM	· · · · · · · · · · · · · · · · · · ·	0.00	0.00		· · · · · · · · · · · · · · · · · · ·						
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1	Ι'	T-1	UEA	ÜEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 2	T	2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA	UEAL4	60.02	131,97	94.51	59.14	14.50						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		7													
!	pso)			UEA	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1 -	1 -	1	l				 	•		· · ·]				
	DS0)	- 	+	UEA	URESP	 	5.59	5.59	 		ļ					
	Unbundled Loop Service Rearrangement, change in loop facility.	1	Ì	1		1					j		[-		
	per circuit	ــــــــــــــــــــــــــــــــــــــ	ل	UEA	UREWO	<u></u>	87.72	36.36	<u> </u>							
2-WIR	E ISDN DIGITAL GRADE LOOP	-	.	Tubo.	luci av	7	117.24	79.77	52.88	10.74						
	2-Wire ISDN Digital Grade Loop - Zone 1		- 1-2-	UDN	U1L2X U1L2X	21.88 32.85	117.24	79.77		10.54 10.54						
	2-Wire ISDN Digital Grade Loop - Zone 2		_		U1L2X	32.85 48.55	117.24	79.77		10.54	 					
	2-Wire ISBN Digital Grade Loop - Zone 3	+	-1-3	UDN	- JUILEA	40.53	117.64	19.11	32.00	10.34						
	Unbundled Loop Service Rearrangement, change in loop facility,			UDN	UREWO		91,63	44.16	ļ l			1	1	1	- 1	
	per circuit RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRIF	LOOP	100ii	TOTAL TO	·	37,00		ا		٠					
2-W/R	2 Wire Unbundled ADSL Loop including manual service inquiry &		7	<u> </u>		T									· · · · · · · · · · · · · · · · · · ·	
	IS ALLIA OLIDRIDAD WOOF FORD Improved Highligh parage unique, at	1	ĺ	UAL	UAL2X	11.01	110,00	68.00	47.24	7.44	, ,	1	í	1	1	

UNBONDLE	D NETWORK ELEMENTS - Alabama							_					Att: 2 Exh: A			
							· · · · · · · · · · · · · · · · · · ·				Svc Order		Incremental	Incremental	incremental	Incremen
,											Submitted		Charge -	Charge -	Charge -	Charge
		Į	1								Elec	Manually	Manual Svc	Manual Svc		
ATEGORY	RATE ELEMENTS	Interint	Zone	BCS	usoc	-2		RATES(\$)							Manual Svc	Manual S
AILCOOK	TOTAL ELEMENTO			000	4350			1141 40(4)			perLSR	perLSR	Order va.	Order vs.	Order vs.	Order vs
,		ļ	i								\ '		Electronic-	Electronic-	Electronic-	Electronic
		l .	\ '		1								1st	Addl	Disc 1st	Disc Add
	<u> </u>	⊢	-								 		<u> </u>	L		<u> </u>
						Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
		├	-				First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 '	2 Wire Unbundled ADSL Loop including manual service inquiry &	ì	Ι.,								(!			[
	facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7,44				<u></u>		<u>L</u> .
	2 Wire Unbundled ADSL Loop including manual service inquiry &	!	i			· · · · · · · · · · · · · · · · · · ·	i						_			
	facility reservation - Zone 3		_3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44	<u> </u>			}		1
	2 Wire Unbundled ADSL Loop without manual service inquiry &	١ '	1 ']											
l'	facility reservation - Zone 1		1	UAL	UAL2W_	11.01	90.00	57.00	47.24	7.44	1 1	ا ا		[{
	2 Wire Unbundled ADSL Loop without manual service inquiry &]														
	facility reservation - Zone 2	ì	2	UAL	UAL2W	12 73	90.00	57.00	47.24	7.44	1	' i]		1
	2 Wire Unbundled ADSL Loop without manual service inquiry &		T													
	facility reservation - Zone 3	1	3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44	ľ l	l 1				l
	Unbundled Loop Service Rearrangement, change in loop facility,	1	1		- 07.122.1			V00			 					
1	per circuit			UAL	UREWO		86.20	40.40		Į.		. 1		1		1
2 34205	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TRIE	OOR	One.	DUCAAD		99,20	*D.40								
15-44 HGE	2 Wire Unbundled HDSL Loop including manual service inquiry &	HOLE L	75-													
1		{	١.,	UHL					!		1 1	ı i	ı İ	í í		1
	facility reservation - Zone 1	 	1-1-	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
)	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	1		i	ĺ					! i					
	facility reservation - Zone 2	↓	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44	<u> </u>					
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	1	l												
	facility reservation - Zone 3		_3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44	<u> </u>		ļ	, ,	i	
	2 Wire Unbundled HDSL Loop without manual service inquiry and	1	1													*
ł	facility reservation - Zone 1		1 1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44	1 1	- 1			i	
	2 Wire Unbundled HDSL Loop without manual service inquiry and	 	_								 					
1	facility reservation - Zone 2	ļ	2	UHL	UHL2W	10.17	90.00	57.00	47.24	7,44	1 1				i	
	2 Wire Unbundled HDSL Loop without manual service inquiry and	 	<u> </u>	U	0.12277	19:17	00.00	97.00	77.24							
1		1	3	UHL	UHL2W	11,44	90.00	57.00	47.24	7.44	}	1		ì	ĺ	
+	facility reservation - Zone 3		 "	UNL	UNLZW	11,44	30.00	37.00	47.24	7.44	 					
1	Unbundled Loop Service Rearrangement, change in loop facility.		1								l i	!	Į	Į Į	į.	
	per circuit	 		UHL	UREWO		86.14	40.40		<u></u>	11					
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		OOP	,							,					
	4 Wire Unbundled HDSL Loop including manual service inquiry and	5									{	ţ		3		
	facility reservation - Zone 1		1	DHL .	UHL4X	13.95	148.36	68.00	51.70	9.73		i		1	1	
	4-Wire Unbundled HDSL Loop including manual service inquiry and	ᅨ	1			i					"	-				
Д	facility reservation - Zone 2	1	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73	<u>L</u> 1	i)	ì		
	4-Wire Unbundled HDSL Loop including manual service inquiry and	<u> </u>	Τ	T	Ţ						1					
1	facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73	!!	ŀ	l	. i	Į.	
	4-Wire Unbundled HDSL Loop without manual service inquiry and		1								1					
	facility reservation - Zone 1	ì	1 1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73	, ,	[1		
	4-Wire Unbundled HOSL Loop without manual service inquiry and	T	+													
	facility reservation - Zone 2	l	1 2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		Ī	i			
	4-Wire Unbundled HDSL Loop without manual service inquiry and	+	+	J		10.00	34.00	57.50		9.79	 					
Į.	facility reservation - Zone 3		1 3	DHL	UHL4W	15.25	94.00	57.00	51.70	9.73	\ \	}	1	1	ì	
		-	+	Unc	0112444	(3.63	34.00	37.00	51.70	9.73	 		·			
Ì	Unburdled Loop Service Rearrangement, change in loop facility.		1	. In m	UREWO	l i					1			t	ĺ	
	per circuit	1	┸——	UHL	DHEMO	<u> </u>	86.14	40.40			<u> </u>		l			_
4-WIRE	DS1 DIGITAL LOOP				1774.14											
	4-Wire DS1 Digital Loop - Zone 1	┶	 ' -	USL	USLXX	82.55	252.47	157.54	44.70	11,71	<u></u>					
	4-Wire DS1 Digital Loop - Zone 2			ÜSL	USLXX	154.18	252.47	157.54	44.70	11,71						
	4-Wire DS1 Digital Loop - Zone 3	T	3	USL	ÜSLXX	314.52	252.47	157.54	44.70	11.71						
	Switch-As-is Conversion rate per UNE Loop, single LSR, (per	Γ	T								[
1	DS1)	l		USL	URESL	1 1	5.59	5.59	ì		!!	l l			ļ	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 	1-								 		~			
	(DS1)	1		USL	URESP		5.59	5.59	[\	1	ነ	ì)	
	Unbundled Loop Service Rearrangement, change in loop facility.		+	332		 -	0.00	5.00	ļ , , , , , , , , , , , , , , , , , , ,							
1	per circuit	1	1	USL	UREWO	1	101.09	43.05				i	- 1	i	Į.	
4 14/7-1	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			1001	10.12.170		101.09	43.05								
4-AAIKE		7-	1 1	UDL	UDL2X	26.09	126.27	00.00	F0 1	44.55						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	+		UDL	UDL2X	35.95		88.80	59.14		 				T	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	+			UDL2X	37.88	126.27		59.14	14.50	╀━───					
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	 		UDL	UDL2X		126.27	88.80	59.14		 			1	T	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	↓—		UDL	UDL4X	26.09	126.27	88.80	59.14		<u> </u>			T		
1	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UOL	UOL4X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	1		UDL	UDL4X	37.88	126.27	88.80	59.14	14.50	L					
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1		UDL	UDL9X	26.09	126.27	88.80	59.14	14.50	!					
	1 - Trine Bredi Gred Bigital EBOD VIS TERPE GO.					0		88.80								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDLax	35.95	126.27	88.8U	59.14	14.50	l_	,	1			
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	-			UDL9X	35.95		88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.5 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.5 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1			UDL UDL			126.27 126.27 126.27			14.50 14.50						

UNROND	LED NETWORK ELEMENTS - Alabama		,,										Att: 2 Exh: A			
					1						Svc Order	Svc Order	incremental	Incremental	Incremental	Increment
		1	}		ì)					Submitted		Charge -	Charge -	Charge -	Charge
		i	ĺ.								Elec	Manually	Manual Svc			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)						Manu≢i Svç	Manual Svc	Manual Sv
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NAT = CECINETY O	,,,,,,,,,	-	200	0000			WHI EQ(4)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order va.
		ļ			ነ	ì							Electronic-	Electronic-	Electronic-	Electronic
		ł	1			1					ļ	i	1st	Add'l	Disc 1st	Disc Add'i
											1 1		,		D.00 180	DING Add I
							Nonre	curring	Nonrecurring	Disconnect			058	Rates(\$)		
			1		1	Rec	First	Add'I	First	Add'i	SOMEC	COMAN	SOMAN	SOMAN	SOMAN	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		1 3	UDL	UDL19	37.88	126.27	88.80	59.14		SOMEC	SUMMAN	SUMAN	SUMAN	SUMAN	SOMAN
				UDL			20.27									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	⊢			UDL56	26.09	126.27	88.80	59.14		L			L		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	<u> </u>		UDL	UDL56	35.95	126.27	88.80	59.14) '' ''					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	Τ	3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14					·		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UOL	UDL64	35.95	126.27	88.80	59.14		 					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	37.88		88.80								
		 	1 3	UUL	UUL64	37.88	126.27	88.80	59.14	14.50						
1	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per	1	1		i					i	l i					
	DS0)	L		NDF	URESL		5.59	5.59		1	i 1			ł l		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per					1				1						
	DSD	ì	ì	UDL	URESP	1 (5.59	5.59		}	l i			l i		
		 	+	001	0,12,31		0.35	3.33								
ļ	Unbundled Loop Service Rearrangement, change in loop facility.	1	1			1				1	! !		ļ i			
	per circuit		<u> </u>	UDL	UREWO	<u> </u>	102.13	49.75		L	L [\	1	
2-W	IRE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual	T			1	Ţ			· · · · · · · · · · · · · · · · · · ·						······································	
ļ		1	١.	luct	UCLPB	11.01	110.46	CE 70	47.04	1 -44	i i					
	service inquiry & facility reservation - Zone 1	+			Journ	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual	Į.	Į.		1	ነ ነ		i i)	1 1					
	service inquiry & facility reservation - Zone 2		2	UCL .	UCLPB	12.73	112.46	65.30	47.24	7.44]				1	
	2 Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 3		3	luct	UCLPB	14.30	112.46	65.30	47.24	7,44]		l i			
		 	 ~~ -		1000.0	14.00	120	03.00	77.24	· · · · · · · · · · · · · · · · · · ·						
1	2-Wire Unbundled Copper Loop-Designed without manual service	1	1 .	1							!!					
	inquiry and facility reservation - Zone 1	——	┸-	UÇL	UCLPW	11.01	91.46	54 30	47.24	7.44	L]					
	2-Wire Unbundled Copper Loop-Designed without manual service	1			ţ											
- 1	inguiry and facility reservation - Zone 2	ł	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7,44	1 1	1	1	1		
	2-Wire Unbundled Copper Loop-Designed without manual service	 	+	 	1			04,00	77.27	 						
		1	3	UCL	UCLPW	1 44 70	91.46			i		i		1	1	
	inquiry and facility reservation - Zone 3	 	+ 3			14.30		54.30	47.24	7,44	i			i		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	B.15			, ,					
	Unbundled Loop Service Rearrangement, change in loop facility,	}	1		1	1										
ļ	per circuit	1	1	luct	UREWO	i I	97.23	42.48		i	1					
4.386	IRE COPPER LOOP					·		14.10								
4547			7		T	T										
- 1	4-Wire Copper Loop-Designed including manual service inquiry	1	1.	l	1	1				1		i		i i		
	and facility reservation - Zone 1		11	UCL	UCL4S	17,36	135.21	88.05	51.70	9.73	1		!		ļ	
	4-Wire Copper Loop-Designed including manual service inquiry	ĺ			1											
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73	[[Į			4	
	4-Wire Copper Loop-Designed including manual service inquiry	 	+		1			00.00	44.19	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \						
ì				1101		22.04	425.04	ا ـــ ا		1		ı	' i		ì	
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73		i				
- 1	4-Wire Copper Loop-Designed without manual service inquiry and					i l				1						
-	facility reservation - Zone 1	Į.	l t	luci	UCL4W ·	17.36	114.21	67.05	51.70	9.73	1		1	1	i	
	4-Wire Copper Loop-Designed without manual service inquiry and									 						
- 1	facility reservation - Zone 2	1	,	UCL	UCL4W	20.76	114.21	67.05	51,70			1				
		+		199L	100E444	20.76	114,21	67.05	51.70	9.73						
1	4-Wire Copper Loop-Designed without manual service inquiry and	1	1 .	L	L	1		1		1	1	7				
	facility reservation - Zone 3] 3	UCL	UCL4W	28.21	114,21	67.05	<u>51.70</u>	9.73		I	I	I	ŀ	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15		1	· · · · · · · · · · · · · · · · · · ·					
	Unbundled Loop Service Rearrangement, change in loop facility.			T												
. 1	per circuit	1	1	lucu	UREWO	1 1	97.23	42.48		1		i	ì	ì	1	
	po victri		1	UEA, UDN, UAL.	57.6770	+	31.23	46.45								
ı	1	1	1		1						1	- 1	7			
	Order Coordination for Specified Conversion Time (per LSR)		L.,	UHL, UDL., USL	ocost		18.90			i	!		J		1	
Rea	rrangements															
-	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1			T	1		1		T						
- 1	ISL2	1	1	UEA	UREEL	1	87 72	36.36		1	l	4			1	
	- Julie	+	+		OUE CC	+	0, 12	30.36		 						
- 1	L	1	1	ĺ	l	1				(, ,	7				
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loap	1	1	UEA	UREEL	<u> </u>	87.72	36.36			- 1	ļ	J		i	
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop	1	1	UDN	UREEL	1	91.63	44.16	· 							
		1	1		T	1										
1	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	1	1	ludl	UREFL	1	102,13	49.75			. 1	Į	ļ	ļ	Į.	
		+	+	USL	UREEL	 				ļ						
	EEL to UNE-L Retermination, per 4 Wire Unburdled DS1 Loop	+	+	IUOL	UNEEL	 _ _ _ 	101.09	43.05		<u> </u>			1	T		
JNE LOOP	COMMINGLING		٠	L		1				L						
12-W	TRE ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1	1	T	1										
1	Ground Start Signaling - Zone 1	1	1	NTCVG	UEAL2	14.38	g8.00	55.00	47.24	7.44	ļ	1	}	- 1		
	I Ground Start Signating - Zona 1	+		17.75VG	TOEALS.	74.38	50.00	55.00	67.24	/.44						
i	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1	I	1	1 1					- 1	1	П	T	1	
l	Ground Start Signating - Zone 2		2	NTCVG	UEAL2	22.85	98.00	55.00	47.24	7.44	1	1	ì	ì	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1	1	1											
1	Ground Start Signaling - Zone 3	1	1 3	NTCVG	UEAL2	36.14	88.00	55.00	47.24	7.44	į	ļ	- 1		l	,
	perconduction of the control of the					50.74	00.00	33.00	41.24	7,44			1	į.	1	

0,10011022	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			. —
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc		Nonre	RATES(\$)	N		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v: Electron Disc Add
		 -	╅	 		Rec	First	Add'i	Nonrecurring First		1			Rates(\$)		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	+	 	+		FUEL	Aggi	PHST	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	14.38	00.89	55.00	47.24	7.44	}	'				İ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	$\overline{}$	1				- 44.00	33.00	97.24	7,44	 					
	Battery Signaling - Zone 2	1	2	NTCVG	UEAR2	22.85	88.00	55.00	47.24	7,44	{ .				'	ĺ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3	└	3	NTCVG	UEAR2	36.14	88.00	55.00	47.24	7.44	[l				1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR. (per DS0)	Į.	Į.		{	ļ <u> </u>										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per	├ -	 -	NTCVG	URESL	 	5.59	5.59								l
	DS0)		i	NTCVG	URESP	Į Į	5.59	5.59	·		}				_	
	Unbundled Loop Service Rearrangement, change in loop facility,	 	}	1	JUNE ST	 	3.05	5.55								
	per circuit		{	NTCVG	UREWO		87,72	36.36						'		1
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.21	1.10								
	ANALOG VOICE GRADE LOOP - COMMINGLING															
	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	38.58	131,97	94.51	59.14	14.50			····			
	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	NTCVG	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSo)]]	NTCVG	URESL		5.50	F 50	' I							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	┼──	┼──	MICVG	UHESE	 	5.59	5.59								<u></u>
	DS0)	1	1	NTCVG	URESP	1	5.59	5.59				ļ	- 1			
	Unbundled Loop Service Rearrangement, change in loop facility,	·	_		0.1001	 	0.00	3.36	 +							
	per circuit	Į.	-	NTCVG	UREWO	ነ ነ	87,72	36.36	١			ļ		J	ļ	
4-WIRE	DS1 DIGITAL LOOF - COMMINGLING															
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	82.55	252.47	157.54	44.70	11,71				···		
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 3	├	3_	NTCD1	USLXX	314.52	252.47	157.54	44.70	11,71						
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per DS1)	1	1	NTCD1	URESL		5 40									
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	+	+	MICDI	UNESL	 	5.59	5.59								
	DS1)	1	}	NTCD1	URESP	1	5.59	5.59	i					1	- "	
	Unbundled Loop Service Rearrangement, change in loop facility.	 			211201	 	0.00	3.00								
	per circuit	İ	1	NTCD1	UREWO	ነ ነ	101.09	43.05)			ļ		į		
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING								· · · · · · · · · · · · · · · · · · ·							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	26.09	126.27	08.88	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	1	2	NTCUO	UDL2X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	ļ		NTCUD	UDL2X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	 	1	NTCUD NTCUD	UDL4X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	 		NTCUD	UDL4X UDL4X	35.95 37.88	126.27	08.88	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	 		NTCUD	UDLax	26.09	126.27	88.80 88.80	59.14 59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	+		NTCUD	UDL9X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	 		NTCUD	UDL9X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		_1	NTCUD	UDL19	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2			NTCUO	UDL19	35.95	126.27	88.80	59.14	14.50				 }-		
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			NTCUD	UDL19	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<u> </u>		NTCUD	UDL56	26.09	126.27	88.80	59.14	14,50					 -	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 	1 2	NTCUD	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 		NTCUD NTCUD	UDL56 UDL64	37.88 26.09	126.27	88.80	59.14	14,50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	+		NTCUD	UDL64	35.95	126.27 126.27	08.88	59.14 59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps · Zone 3	 		NYCUD	UDL64	37.88	126.27	88.80	59.14	14.50						
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per	1	 -	t	+====	37.00	160.61	ou.u0	22.14	14.50						
	[DS0)] _	1_	NTCUD	URESL	j j	5.59	5.59	[ļ	1		1	1		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		\top			 						+				
	[DS0]			NTCUD	URESP	<u> </u>	5.59	5.59				1	ļ]		
	Unbundled Loop Service Rearrangement, change in loop facility.		[1								+	+		
	per circuit	 	↓	NTCUD	UREWO	\ <u>.</u>	102.13	49.75					1	1		
ì	Order Coordination for Specified Conversion Time (per LSR)	1		NTCVG, NTCUD. NTCD1	0000	[]		}						1		
	review contains on for admonated Conversion 1 time (set LSH)	t	1	INTODI	OCOSL		18.90	1	1		- 1	i	1		- 1	

		1		1									Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interior	Zone	BCS	USOC		Non	RATES(\$)	I Name of the		Svc Order Submitted Elec per LSR	Svc Orde Submitte Manually per LSR	Charge - Manual Syc	Incremental Charge	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Menual S Order v Electron Disc Add
		 		UDC, UEA, UDL,		Rec	First	Add'i	Nonrecurring First	Disconnect Add'i			OSS	Rates(\$)		
				UDN. USL. DAL. UDN. USL. DAL. UNIL. UCL. NTCVG. NTCUG. NTCO1. U1TD1. U1TD3. U1TDX. U1TS1. U1TVX. UDF. UDFCX. UDLSX. ULSD3. ULDD1. ULDD3. ULDDX. ULDD3. ULDDX. ULOCIX. UNCSX. UNCDX. UNCSX.							SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	Maintenance of Service Charge, Basic Time, per half hour	i i			MVVBT		80.00	55.00]				i l	- }		
	Maintenance of Service Charge, Overtime, per half hour			JDC, UEA, UDL. JDN, USL, UAL. JHL, UCL, NTCVG, ITCUD, NTCD1. JHTDX, UHTS1. JHTDX, UHTS1. JHTVX, UDF, IDFOX, UDLSX, IES3, ULDD1, ILDD3, ULDDX, LDS1, ULDVX, NCOX, UNCSX, NCOX, UNCSX,	MVVOT		90.00	65.00								
JP MODIFICA	ATION		Т	MOTA, OLG	AVVPI		100.00	75.00		i		i	Í			
1 1	Unburdled Loop Modification, Removal of Load Colls - 2 Wire pair less than or equal to 18k ft. per Unburdled Loop Unburdled Loop Modification Removal of Load Colls - 4 Wire less		UI	AL, UHL, UCL, EQ, UEA, UEANL, EPSA, UEPSB U	ILM2L		0.00	0.00								
" " "	han or equal to 18K ft. per Unbundled Loop		U	HL, UCL, UEA U	LM4L		0.00	0.00								
LOOPS	Unbundled Loop Modification Removal of Bridged Yap Removal. Berunbundled loop		U	AL, UHL, UCL, EQ, UEA, UEANL, EPSR, UEPSB U	LMBT		32.41	32.41								
Suo-Loop	p Distribution															
 '	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Jp		ŲE	ANL, UEF U	SBSA		244,42							<u></u>		
9	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	+			SBSB		22.64									
s	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-	-+-			SBSC		177.45									
		Į	JUE	ANL US	SBSD	I	55.15	1	1							1

JAN DITOLE	D NETWORK ELEMENTS - Alabama					,							Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Syc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Mariual S Order vi Electroni Disc Add
		 	 		 	Rec	First	urring Add'i	Nonrecurring				085	Rates(\$)		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	1	 	 		FRSC	ADGT	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
- - -	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	 -	1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70					·	
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70			·			
	Zone 3	_	3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ነ	ì	UEANL	USBMC]]	8.15	8.15	[
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		ļ ,	UEANL	USBN4	8.46	79.03	44.19	40.74							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	 	1	052.10	DODING.	0.40	78.93	44.19	49.71	9.07	<u> </u>					!
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	ļ	2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						l
	Zone 3	L_	3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
i	 Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	ļ	5.45									
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2,27	8.15 53.01	8.15 18.17	45.25	6,70						
- 1		1	1		I									~~~~~		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	 	 	UEANL	USBMC		8.15	8.15							- 1	ı
	Sub-Loop 4-wire intrabuliding Network Cable (INC)	 	-	UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
ļ	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ì	ì	UEANL	USBMC		8.15	8.15				1				
	Loop Testing - Basic 1st Half Hour	_	_	UEANL	URETI		34.16	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA	f	19,85	19.85		 						
	2 Wire Capper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	├	3	ÜEF	UCS2X	11.27	65.80	30.96	45 25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair)]	UEF	USBMC		8,15	8.15		ļ		Í	1	_ [T	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44,19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	ÜEF	UC\$4X	15.36	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
l l	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	\	1	UEF, UEANL	URETL	1 1										
	Designed and Distribution Subloops Loop Testing - Basic 1st Half Hour		 	UEF, DEANL	URETI		8.93	98.0								
	Loop Testing - Basic Additional Half Hour	 		UEF	URETA	 	34.16 19.85	0.00 19.85								
Unburg	ded Sub-Loop Modification	·		19.0	10.12.12	·	14.00	19.55		لـــــا						
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		Г		T											
	Col/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load		 	UEF	ULM2X	ļ <u> </u>	175.78	5.10								
	Coi/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per	<u> </u>	 	UEF	ULM4X		175.78	5.10								
	unbundled loop	<u>L</u>	<u> </u>	UEF	ULMBT		278.20	6.11								
Unnunn	dled Network Terminating Wire (UNTW) [Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.701										
Networ	rk Interface Device (NID)		ــــــــــــــــــــــــــــــــــــــ	DENTA	IDENPP	0.40	30.01									
	Network Interface Device (NID) - 1-2 lines	T	Υ	UENTW	UND12		43.23	28.38								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
	Network Interface Device Cross Connect - 2 W				UNDC2		5.87	5.87								
INE OTHER I	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.87	5.87								
HER, P	ROVISIONING ONLY - NO RATE			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, VEF, UEQ, UENTW, NTCVG, NTCUD,	INECN	200										
	Unbundled Contact Name, Provisioning Only - no rate Unbundled DS1 Loop - Superframe Format Option - no rate	 -	 	NTCD1, USL USL, NTCD1	UNECN	0.00	0.00									
	Unbundled DS1 Loop · Expanded Superframe Formal option - no	├	 			 	0.00									
	rate	<u> </u>		USL, NTCD1	CCOEF	<u> </u>	0.00	[[ļ	l	(}	}	
	NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate		<u></u>	UENTW	UENCE	0.00	0.00									

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Att: 2 Exh; A			****
CATEGORY	RATE ELEMENTS	Interim	Zone	всз	usoc		Non-	RATES(\$)		Discourse	Svc Order Submitted Elec per LSR		Incremental Charge Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increment Charge Manual Sy Order vs Electronic Disc Add
			 		+	Rec	First	Add'l	Nonrecurring First	Add'I	SOME	COMAN I	OSS	Rates(\$)		
OOP MAKE-UP					 		PR B.	Augi	First	ADDI	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).		Į.,	UMK	UMKLW	i	20.00	20.00		ļ	[[
	Loop Makeup - Preordering With Reservation, per spare facility			· · · · · · · · · · · · · · · · · · ·							·					
	queried (Manual).	<u> </u>		UMK	UMKLP		21.00	21,00	<u></u>	<u></u>				l í		
	Loop MakeupWith or Without Reservation, per working or spare	1		UMK												
INE SPLITTING	facility queried (Mechamized)			UMK	UMKMO		0.59	0.59	 _	·					L	
	ER ORDERING-CENTRAL OFFICE BASED		<u></u> _			L		<u> </u>		<u> </u>	L					
	Line Splitting - per line activation DLEC owned splitter	····	7	UEPSA UEPSA	UREOS	0.61					,					
	Line Splitting - per line activation AT&T owned - physical			UEPSA UEPS8	UHEBP	0.61	37.01	21,19	20.02	9.83	<u> </u>					
	Line Splitting - per line activation AT&T owned - virtual			UEPSR UEPSB	UREBV	0.51	37.01	21,19		9.83						
	ER ORDERING - REMOTE SITE LINE SPLITTING									·	L					
	DLED EXCHANGE ACCESS LOOP															
	ANALOG VOICE GRADE LOOP	, <u>.</u>														
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		[,]	UEPSA UEPSB	UEALS									Ţ		
	Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 	 -, 	VEFSH VEFSB	VEALS	12.58	37.81	17.56	23.49	5.30						
1 1	z wire xitatog voice drave coop-service cever incline apritting	1	1 ,	UEPSŘ VEPSB	UE <u>AB</u> S	12.58	37.81	17.56	23.49	5.30		ł	7			
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		-	02: 0::02:08	00.00	16.00	37.01	17.50	23.49	3.30						
	Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30	l i			1		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-									0.90						
	Zone 2	<u> </u>	2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30	1		ļ	}		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										· · · · · · · · · · · · · · · · · · ·				· 1	
	Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30			{	-	ļ	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	ļ	_	UEBBE LIEBEB	LIEAGO	'			1							
	Zone 3 AL COLLOCATION		3	UEPS# UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				T					 ,						
	Solittino	ļ	1 '	UEPSR_UEPSB	PEILS	0.03	12.30	11.80	6.03	5.44	ľ		- 1	ł		
	L COLLOCATION			OCT OIT OCT OB	1. 2.100	0.03	12.30	11.80	6.03	5.44	1			I		
			T													
\	Virtual Collocation 2 Wire Cross Connects (Loop) for Line Splitting	l	<u>l</u>	UEPSR UEPSB	VEILS	0.03	12.30	_ 11.80	6.03	5,44	i	i				
	EDICATED TRANSPORT									_						
	FFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - 2-Wire Voice Grade - per mile		}	א∨דוּט	1L5XX	0.008838									т	
	Interoffice Charnel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile		 -	U1TVX	1L5XX	0.008838										
1 1	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination	1		UITVX	U1TR2	21.13	40,54	27.41	16.74	ا مم	ļ		T			
	Interoffice Channel - 4-Wire Voice Grade - per mile			UITVX	1L5XX	0.008838	40.54	27.41	15./4	6.90						
		T	t —		1	2.000000						 -				
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	<u> </u>	L	UITVX	U1TV4	18.73	40.54	27.41	16.74	6.90	İ	ľ		1		
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.008838										
	Interoffice Channel - 56 kbps - Facility Termination			UITOX	U1TD5	15.12	40,54	27.41	16.74	6.90						
	Interoffice Channel - 64 kbps - per mile			U1TOX	1L5XX	0.008838										
	Interoffice Channel - 64 kbps - Facility Termination			UITDX	U1TD6	15.12	40.54	27.41	16.74	6.90					·	
	Interoffice Channel - DS1 - per mile	 -		U1TD1	1L5XX	0.18										
	Interoffice Channel - DS1 - Facility Termination Interoffice Channel - DS3 - per mile	├		U1TD1 U1TD3	U1TF1 1L5XX	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	4.09 703.52	270.76	 ;=;= -!	00.00	= = =						
	Interoffice Channel - STS-1 - per mile	 		UITSI	1L5XX	4.09	278.75	162.76	60.20	58.46						
	Interoffice Channel - STS-1 - Facility Termination	 		U1T\$1	UITES	701.37	278.75	162.76	60.20	58.46						
	DLED DARK FIBER - Stand Alone or in Combination				·		2.10.73	102.76	60.20	38.46						
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	T		T]										
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	22.34			L i	ĺ	i	1	İ			
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per]														
	Route Mile Or Fraction Thereof	├	<u> </u>	UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66				í		
	Y UNBUNDLED LOCAL LOOP	ــــــــــــــــــــــــــــــــــــــ	Щ.	L	<u></u>											
	S-1 UNBUNDLED LOCAL LOOP - Stand Alone			Ciro.	Nation 10											
	DS3 Unbundled Local Loop - Facility Termination		 	UE3	1L5ND UE3PX	8.38 308.08	787.54									
	DS3 Unbundled Local Loop - Facility Termination STS-1Unbundled Local Loop - per mile	+	 -	UDLSX	1L5ND	308.08	451.52	263.94	119.49	83.58						
	STS-1 Unbundled Local Loop - Facility Termination	 	 	UDLSX	UDL\$1	319.83	451.52	263.94	119.49				- T			
					3000	012.00		203.94 [119.49 [83.58				. -		

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Alt: 2 Exh: A			
CATEGORY	rate elements	Interim	Zone	BCS	usoc	·		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'i
			<u> </u>		 	Rec	Nonre		Nonrecurring					Rates(\$)		
CHILD CED EX	TENDED LINK (EELS)	 					First	FDDA	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	k Elements Used in Combinations	·	L			L			L		<u> </u>			<u></u>		
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	(1)	UNCVX	UEAL2	14.3B	88.00	55.00	47.24	7,44			, – 			
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	22.85	88.00	55.00		7,44						
	2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44					· · · · · ·	
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCAX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2_	UNČVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	 	1	UNCVX UNCNX	UEAL4 U1L2X	60.02 21.88	131.97 117.24	94.51 79.77	59.14	14.50						
}	2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2	 	1 - 2 -	UNCNX	U1L2X	32.85	117.24	79.77	52.88 52.88	10.54	 					
	2-Wire ISDN Loop in Combination - Zone 3	 -		UNCNX	UILZX	48.55	117.24	79.77	52.88	10.54	}					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	†		UNCDX	UDL56	26.09	126.27	88.80	59.14							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		Ž_	UNCDX	UDL56	35 95	126.27	08.88	59.14	14.50	 					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCOX	UDL56	37.88	126,27	88.80	59.14	14.50						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	ļ		UNCOX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-Wire 64Kbps Digital Grade Loop In Combination - Zone 2	ļ		UNCOX	UDL64	35.95	126.27	88.80	59.14	14.50						
	A-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	+		UNCDX UNC1X	UDL64	37.88	126.27	88.80	59.14	14.50						
	4-Wire DS1 Digital Loop in Combination - Zone 1	+		UNCIX	USLXX	82.55 154.18	252.47 252.47	157.54 157.54	44.70 44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3	 -		UNCIX	USLXX	314.52	252.47	157.54	44.70	11.71	 					
	DS3 Local Loop in combination - per mile	+		UNC3X	1L5ND	8.38	232.47	137.34	44.70							
	OS3 Local Loop in combination - Facility Termination	1		UNC3X	UE3PX	308.08	451.52	263.94	119.49	83.58						
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	8.38				30.00	 					
	STS-1 Local Loop in combination - Facility Termination		T	UNCSX	UDLS	319.83	451.52	263.94	119.49	83.58						
_	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.008838										
	Interoffice Channel in combination - 2-wire VG - Facility		I			(- T										
	Termination	—)	UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel in combination - 4-wire VG - per mile	 	 	UNCVX	1L5XX	0.008838			ļ							
()	Interoffice Channel in combination - 4-wire VG - Facility Termination	1	\ '	luncvx	U1TV4	18.73	40.54	27.41	16.74		! !	ì		J		
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	+	+	UNCOX	1L5XX	0.008838	40.54	47,41	16.74	6.90						
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	+	1	UNOUX		0.000000					 					
1 1	Termination	Ì		UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90			Í	Į	ļ	
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.008838					·					
	interoffice Channel in combination - 4-wire 64 kbps - Facility		1													
i	Termination			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90)	i	ì	
	Interoffice Channel in combination - DS1 - per mile	-		UNC1X	1L5XX	0.18										
	Interoffice Channel in combination - DS1 Facility Termination	 	 	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel in combination - DS3 - per mile	+	+	UNC3X	1L5XX U1TF3	4.09 703.52	278.75		50.01		 					
	Interoffice Channel in combination - DS3 - Facility Termination Interoffice Channel in combination - STS-1 - per mile	+	+	UNCSX	1L5XX	703.52	276.75	162.76	60.20	58.46						
	Interoffice Channel in combination - STS-1 - per mile	+	 	UNCSX	UITES	701.37	278.75	152.76	60.20	58.46	 					
	ETWORK ELEMENTS	1 -	1		-	1	2,0.73	102.76	00.20	30.46	 	+		 -		
	al Features & Functions:															
		1	1	טודסי.												
	Clear Channel Capability Extended Frame Option - per DS1	4-	 	ULDD1,UNC1X	CCOEF	ļ	0.00							(
				UITOI.	000	\			1				1			
	Glear Channel Capability Super FrameOption - per DS1	4	+	ULDD1,UNC1X	CCOSF	 	0.00	ļ <u>.</u>	-							
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1 .	1	ULDD1, U1TD1, UNC1X, USL	NRCCC	1 (184.85	23.81	ا مما		1	}	1	7		
		3 1		U1TD3, ULDD3,	MUCCO	 	164.85	23.81	1.99	0.7741	 -					
	1					1	219.13	7.67	0.7355	0.00	[[ļ	ļ		
		T .	1		NRCC3											
	C-bit Parity Option - Subsequent Activity - per DS3	ļ .	<u> </u>	UE3, UNC3X UNC1X	MQ1	107.19	91.04	62.57	10.54	9.70 1			1		· · · · · · · · · · · · · · · · · · ·	
				UE3, UNC3X UNC1X UNC3X, UNCSX	MQ1 MQ3	176.20		62.57 93.97	10.54 33.26	9.79						
	C-bit Parity Option - Subsequent Activity - per DS3 DS1/DS0 Channel System	-		UE3, UNC3X UNC1X	MQ1		91.04		33.26				====			
	C-bit Parity Option - Subsequent Activity - per DS3 DS1/DS0 Channel System DS3/DS1 Channel System Voice Grade COCI in combination			UE3, UNC3X UNC1X UNC3X, UNCSX UNCVX	MQ1 MQ3 1D1VG	176.20 0.56	91,04 178,14 6.58	93.97 4.72	33.26							
	C-bit Parity Option - Subsequent Activity - per DS3 DS3/DS3C Channel System DS3/DS1Channel System Votce Grade COCI in combination Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop			UE3, UNC3X UNC1X UNC3X, UNCSX	MQ1 MQ3	176.20	91.04 178.14	93.97	33.26							
	C-bit Parity Option - Subsequent Activity - per DS3 OS1/DS0 Channel System DS3/DS1 Channel System Voice Grade COCI in combination Voice Grade COCI - for 2W-SL2 8 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local			UE3, UNC3X UNC1X UNC3X, UNCSX UNCVX UEA	MQ1 MQ3 101VG	176.20 0.56 0.56	91.04 178.14 8.58 6.58	93.97 4.72 4.72	33.26							
	C-bit Parity Option - Subsequent Activity - per DS3 DS1/DS0 Channel System DS3/DS1 Channel System Voice Grade COCI in combination Voice Grade COCI - for 2W-SL2 8 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation			UE3, UNC3X UNC1X UNC3X, UNCSX UNCVX UEA	MQ1 MQ3 101VG 1D1VG	0.56 0.56	91.04 178.14 8.58 6.58	93.97 4.72 4.72 4.72	33.26							
	C-bit Parity Option - Subsequent Activity - per DS3 DS1/DS0 Channel System DS3/DS1/Channel System Votce Grade COCI in combination Voice Grade COCI - for 2W-SL2 8 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation OCU-DP COCI (2.4-54kbs) in combination			UE3, UNC3X UNC1X UNC3X, UNCSX UNCVX UEA UITUC UNCDX	MQ1 MQ3 (101VG 1D1VG 1D1VG	0.56 0.56 0.56 0.56 2.41	91.04 178.14 6.58 6.58 6.58 6.58	93.97 4.72 4.72 4.72 4.72 4.72	33.26							
	C-bit Parity Option - Subsequent Activity - per DS3 DS1/DS0 Channel System DS3/DS1 Channel System Voice Grade COCI - in combination Voice Grade COCI - for 2W-SL2 8 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation OCU-DP COCI (2 4-64kbs) in combination OCU-DP COCI (2 4-64kbs) - for Virburdled Digital Loop			UE3, UNC3X UNC1X UNC3X, UNCSX UNCVX UEA	MQ1 MQ3 101VG 1D1VG	0.56 0.56	91.04 178.14 8.58 6.58	93.97 4.72 4.72 4.72	33.26							
	C-bit Parity Option - Subsequent Activity - per DS3 DS1/DS0 Channel System DS3/DS1/Channel System Votce Grade COCI in combination Voice Grade COCI - for 2W-SL2 8 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation OCU-DP COCI (2.4-54kbs) in combination			UE3, UNC3X UNC1X UNC3X, UNCSX UNCVX UEA UITUC UNCDX	MQ1 MQ3 (101VG 1D1VG 1D1VG	0.56 0.56 0.56 0.56 2.41	91.04 178.14 6.58 6.58 6.58 6.58	93.97 4.72 4.72 4.72 4.72 4.72	33.26							

	ED NETWORK ELEMENTS - Alabama	T	1	,	-,								Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	,		RATES(\$)				Syc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1at	Increment Charge Manual S Order vs Electroni Disc Add
		+	 			Rec	Nonrec		Nonrecurring	Disconnect			OSS	Rates(\$)		
	2-wire ISDN COCI (BRITE) - for a Local Loop	 	1	UDN	UC1ÇA	1.19	First	Add't	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	Ì'''				1.13	6.58	4.72		ļ						001001
	Local Channel in the same SWC as collocation	<u> </u>		UtTUB	UCICA	1 19	6.58	4.72			1 1					
	DS1 COCI in combination DS1 COCI - for Stand Alone Local Channel	└		UNC1X	UC101	13.47	6.58	4.72		 						
	DS1 COCI - for Stand Alone Local Channel DS1 COCI - for Stand Alone interoffice Channel	ļ <u>.</u>		ULDD1	UC101	13.47	6.58	4.72		 	 					
	DS1 COCI - for DS1 Local Loop			U1T01	UC1D1	13.47	6.58	4.72		 	 					
	DS1 COCI - for connection to a channelized DS1 Local Channel in	 		USL, NTCD1	UC1D1	13 47	6.58	4.72		 						
- 1	the same SWC as collocation		li	U1TUA	UC1D1											
		 		UNCVX, UNCDX,	100101	13.47	6.58	4.72				- 1	ĺ			
	Wholesale - UNE, Switch-As-le Conversion Charge			UNC1X, UNC3X, UNC3X, UDFCX, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNCCC		5.59									
				UITVX, UITDX.	0.4000		5.59	5.59						i	- 1	
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	ł		U1TD1, U1TD3,			1	I]						
	Switch As Is Non-recurring Charge, per circuit (LSR)	1		UITS1, UDF, UE3	URESL		5.59	5.59		i 1		1		i		
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	1		U1TVX, U1TDX,				3.33								
- 1	Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet			U1TD1, U1TD3,			ĺ		i		i	!				
Access	to DCS - Customer Reconfiguration (FlexServ)	<u> </u>		U1TS1, UDF, UE3	URESP		5.59	5.59		1		1		- 1		
	Customer Reconfiguration Establishment				,											
	DS1 DCS Termination with DS0 Switching	 	-				1.48		1.84			т т				
	DS1 DCS Termination with DS1 Switching					29.46	25,55	19.66	16.63	13.38						
	DS3 DCS Termination with DS1 Switching	_				9.94	18.47 25.55	12.58	12.21	8.96						
Node (SynchroNet)				·	103.161	25.55	19.66	16.63	13.38						
	Node per month		1	JNCDX	UNCNT											
IService						15 77 1										
10-11101	Rearrangements				IONGINI	15.77										
	NRC - Change in Facility Assignment per circuit Service Rearrangement	1	 	JITVX, UITDX, JITUC, UITUD, JITUB, ULDVX, JLDDX, UNCVX, JNCDX, UNCIX	URETD	15.77	101.09	43.05								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		JITVX, UITDX, JITUC, UITUD, JITUB, ULDVX, JLDDX, UNCVX, JNCDX, UNCYX, JNTUC, UITDX, JITUC, UITUD, JITUB, ULDVX, JLDDX, UNCYX, JNCOX, UNCYX, JNCOX, UNCYX	URETD	15.77	3.16	3.16								
	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		JITVX, UITDX, JITUC, UITUD, JITUB, ULDVX, JLDDX, UNCVX, JICDX, UNCYX, JITVX, UITDX, JITUB, ULDVX, JLDDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX	URETD	15.77										
)MMINGLING	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		JITVX, UITDX, JITUC, UITUD, JITUE, ULDVX, JLDDX, UNCVX, JLDDX, UNCYX, JITVX, UITDX, JITVX, UITDX, JITUB, ULDVX, JLDDX, UNCYX, JLDDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JNCTX, UNCSX, JN	URETD	15.77	3.16	3.16	0.00	0.00						
MMINGLING	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		JITVX, UITDX, JITUG, UITUD, JITUG, UITUD, JITUG, UITUD, JITUG, UITUD, JITUG, UNGTX JITVX, UNGTX JITVX, UITDX, JITUG, UITUD, JITUG, ULDVX, JLDDX, UNGVX, JLDDX, UNGVX, JLDDX, UNGX, JNCOX, UNGSX, JNCOX, UNGSX, JNCOX, UNGSX, JNCOX, UTD1, JNTD3, JNTS1, JE3, UDLSX, JITVX, UITDX, JITUG, ULDVX, JLDD1, ULDVX, JLDD1, ULDVX, JLDD1, ULDVX, JLDD1, ULDD3, JLDD1,	URETD URETB OCOSR	0.00	3.16 18.93	3.16	0.00	0.00						
MMINGLING	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1	1	JITVX, UITDX, JITUB, ULDVX, JITUB, ULDVX, JNCDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JITVX, UITDX, JITUB, ULDVX, JNCDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JNCOX, UNCOX, JNCOX, UNCOX, JNCYX, UNCDX, JN	URETB OCOSR CMGAU	0.00	3.16 18.93	3.16 18.93 0.00	0,00	0.00						
MINGLING	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled VG COCI Commingled SDN COCI	1		JITVX, UITDX, JITUB, ULDVX, JITUB, ULDVX, JNCDX, UNGYX, JNCDX, UNGYX, JITVX, UITDX, JITUB, ULDVX, JLDDX, UNGVX, JNCDX, UNGYX, JNCDX, UNGTX JNCDX, UNGTX JNCDX, UNGTX, JNCDX, UNGTX, JNCDX, UNGTX, JNCDX, UNDTX, JNCDX, UNDTX, JNCDX, UNDTX, JNCDX, UNDTX, JNCDX, UNDTX, JNCDX, UNDTX, JNCDX, UNDTX, JNCDX, UITD1, JNTTD3, UITD1, JNTTVX, UITD3, JNTTVX, UITDX, JNTTVX, UITDX, JNTUB, ULDVX, LDD1, ULDD3, LDD51, LD51	URETD URETB OCOSR CMGAU IDIVG 1010D	0.00 0.56 1.19	3.16 18.93 0.00	3.16 18.93 0.00	0.00	0.00						
MINGLING	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization rigled (UNE part of single bandwidth circuit) Commingled VG CCCI Commingled VG CCCI Commingled VG CCCI Commingled SDN CCCI Commingled (SDN CCCI Commingled (SDN CCCI Commingled Servier VG Interoffice Channel	1		JITVX, UITDX, JITUG, UITUD, JITUG, UITUD, JITUG, UITUD, JITUB, ULDVX, JICDX, UNGTX JITVX, UITDX, JITVX, UITDX, JITVX, UITDX, JITVX, UITDX, JICDX, UNGTX JICDX, UNGTX JICDX, UNGTX JICDX, UNGTX JICOX, UNGTX JICOX, UNGTX JICOX, UNGTX JICOX, UNGTX JICOX, UNGTX JICOX, UNGTX JICOX, UNGTX JICOX, UITD1, JITO3, UITD1, JITO3, UITD1, JITO3, UITD1, JITUB, ULDVX, JICDD1, ULDD3, JLDD1, ULDD3, JLDD1, ULDD3, JLDD1, ULDD3, JLDD1, ULDD3, JCD1	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UG1CA	0.00 0.56 1.19 2.41	3.16 18.93 0.00 6.58 6.58	3.16 18.93 0.00 0.00 4.72 4.72 4.72								
AMINGLING Commi	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG CCCI Commingled Digital COCI Commingled (SDN COCI Commingled Sewire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel	1		JITVX, UITDX, JITUB, ULDVX, JITUB, ULDVX, JNCDX, UNCYX, JNCDX, UNCYX, JNCDX, UNCYX, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UNCYX, JNCDX, UNCIX JNCDX, UNCIX JNCDX, UNCIX JNCX, UNCIX, JNCX, UNCDX, JNCX, UNCDX, JNCX, UNCDX, JNCX, UNCIX, JNCX, U	URETD URETB OCOSR CMGAU IDIVG 1010D	0.00 0.56 1.19 2.41 2.113	3.16 18.93 0.00 6.58 6.58 6.58 40.54	3.16 18.93 0.00 4.72 4.72 4.72 27.41	16.74	6.90						
AMINGLING Commi	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization nated (UNE part of single bandwidth circuit) Commingled VG COCI Commingled SDN COCI Commingled SDN COCI Commingled 4-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 5-bbps Interoffice Channel	1		JITVX, UITDX, JITUG, UITUD, JITUG, UITUD, JITUG, UITUD, JITUG, UITUD, JITUG, UNCYX, JINCDX, UNCYX, JITUK, UITDX, JITUK, UITDX, JITUK, UITUD, JITUG, ULDVX, JICDX, UNCYX, JINCOX, UNCIX, JINCOX, UNCOX, JINCOX, JINCOX, UNCOX, JINCOX, UNCOX, JINCOX, UNCOX, JINCOX, UNCOX, JINCOX, JINCOX, UNCOX, J	URETD URETB OCOSR CMGAU 101VG 101DD UC1CA UJTV2	0.00 0.56 1.19 2.41 21.13 18.73	3 16 18.93 0.00 6.58 6.59 40,54	0.00 4.72 4.72 4.72 27.41	15.74 16.74	6.90 6.90						
MAIINGLING Commi	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG CCCI Commingled Digital COCI Commingled (SDN COCI Commingled Sewire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel	1		JITVX, UITDX, JITUB, ULDVX, JITUB, ULDVX, JLDDX, UNGYX, JNCDX, UNGYX, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, ULDVX, JUDIA, JU	URETD URETB CCOSR CMGAU 1D1VG 1D10D 10:1CA 10:1TV2	0.00 0.56 1.19 2.41 2.113	0.00 6.58 6.58 40.54 40.54	0.00 0.00 4.72 4.72 27.41 27.41 27.41	16,74 16,74 16,74	6.90 6.90 6.90						
MMINGLING Commi	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled VG COCI Commingled Signal COCI Commingled COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Commingled Signal COCI Com	1		JITVX, UITDX, JITUB, ULTUD, JITUB, ULDVX, JLDDX, UNGYX, JNCDX, UNGTX JITVX, UITDX, JITUB, ULDVX, JITUB, ULDVX, JLDDX, UNGYX, JLDDX, UNGYX, JNCDX, UNGTX JNCDX, UNGTX JNCDX, UNGTX JNCDX, UNGTX JNCDX, UNGTX JNCDX, UNGTX JNCDX, UNGTX JNCDX, UNDTX JNCDX, UNDTX JNCDX, UNDTX JNCDX, UNDTX JNCDX, UNDTX JNCDX, UNDTX JNCDX, UNDTX JNCDX, UNDTX JNCDX, UITD3, JNTD3, UITD3, JITVX, UITD3, JITVX, UITD3, JITVX, UITD3, JULD	URETD URETB OCOSR CMGAU 1D1VG 1D1DD 10C1CA 1UTV2 1UTV3 1UTV5 1UTV6	0.00 0.56 1.19 2.41 21.13 18.73 15.12	3 16 18.93 0.00 6.58 6.59 40,54	0.00 4.72 4.72 4.72 27.41	15.74 16.74	6.90 6.90						
MMINGLING Commi	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization ngled (UNE part of single bandwidth circuit) Commingled VG CCCI Commingled VG CCCI Commingled SDN COCI Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 64kbps Interoffice Channel Commingled 64kbps Interoffice Channel Commingled 64kbps Interoffice Channel Commingled 64kbps Interoffice Channel Commingled 64kbps Interoffice Channel	1		JITVX, UITDX, JITUB, ULDVX, JITUB, ULDVX, JLDDX, UNCYX, JNCDX, UNCIX, JITUB, ULDVX, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UITUB, JITUB, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, UNCIX, JNCOX, JN	URETD URETB OCOSR CMGAU IDIVG IDIDD UGICA UGICA UGITV2 UITV2 UITV3 UITD6 IL5XX	0.00 0.56 1.19 2.41 2.13 18.73 15.12 15.12 0.00838	0.00 6.58 6.58 40.54 40.54	0.00 0.00 4.72 4.72 27.41 27.41 27.41	16,74 16,74 16,74	6.90 6.90 6.90						
MMINGLING Commi	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization Ingled (UNE part of single bandwidth circuit) Commingled VG CCCI Commingled SiDN COCI Commingled (SiDN COCI Commingled SiDN COCI Commingled 4-wire VG Interoffice Channel Commingled 4-wire VG interoffice Channel Commingled 4-wire VG interoffice Channel Commingled 6-wire VG interoffice Channel Commingled 4-wire VG interoffice Channel Commingled 6-wire VG interoffice Channel Commingled 6-wire VG interoffice Channel Commingled 6-wire VG interoffice Channel Commingled 6-wire VG interoffice Channel Commingled 6-wire VG/IDS0 interoffice Channel Commingled 6-wire Local Loop Zone 1	1		JITVX, UITDX, JITUB, ULDVX, JITUB, ULDVX, JLDDX, UNGYX, JNCDX, UNGYX, JITUB, ULDVX, JITUB, ULDVX, JITUB, ULDVX, JLDDX, UNGYX, JNCDX, UNGYX, JNCDX, UNGYX, JNCDX, UNGYX, JNCDX, UNGYX, JNCDX, UNGYX, JNCDX, UNGYX, JNCDX, UNGYX, JNCTX, UNGSX, JNCTX, UNGSX, JNCTX, UNGSX, JNCTX, UNGSX, JNCTX, UNGSX, JNCTX, UNGDX, JNCTX, UNGSX, JNCTX, UNGDX, JNCTX, UNGDX, JNCTX, UNGDX, JNCTX, UNGSX, JNCTX, UNDDX, JN	URETD URETB CCOSR IDIVG 1010D UGICA UITV2 UITV2 UITV5 UITD5 UITD6 ILSXX UEAL2	0.00 0.56 1.19 2.41 18.73 15.12 15.12 0.00838 14.33	3.16 18.93 0.00 6.58 6.59 40.54 40.54 40.54 88.00	3.16 18.93 0.00 4.72 4.72 4.72 2.7.41 27.41 27.41 27.41	16,74 16,74 16,74	6.90 6.90 6.90 6.90						
Commi	NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization ngled (UNE part of single bandwidth circuit) Commingled VG CCCI Commingled VG CCCI Commingled SDN COCI Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 64kbps Interoffice Channel Commingled 64kbps Interoffice Channel Commingled 64kbps Interoffice Channel Commingled 64kbps Interoffice Channel Commingled 64kbps Interoffice Channel			JITVX, UITDX, JITUB, ULDVX, JITUB, ULDVX, JNCDX, UNGTX JITUB, ULDVX, JUDAX J	URETD URETB OCOSR CMGAU IDIVG IDIDD UGICA UGICA UGITV2 UITV2 UITV3 UITD6 IL5XX	0.00 0.56 1.19 2.41 2.13 18.73 15.12 15.12 0.00838	0.00 6.58 6.58 6.59 40.54 40.54 40.54	3.16 18.93 0.00 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74 16.74	6.90 6.90 6.90						

<u> </u>	D NETWORK ELEMENTS - Alabama												Att: 2 Exh; A			
TEGORY	RATÉ ELEMENTS	Interim	Zone	BCS	USOC	-		RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual Order Electron Disc Ad
—						Rec	Nonrec		Nonrecurring					Rates(\$)	<u>' </u>	
	Comminded 4-wire Local Loop Zone 1		⊢. -	XDV6X	UEAL4	25.34	First 131.97	Add'l	First 59.14	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Commingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	38.58	131.97	94.51		14.50						
	Commingled 4-wire Local Loop Zone 2	 		XDV6X	UEAL4	60.02	131.97	94.51 94.51	59.14 59.14	14.50 14.50	 			<u> </u>		
	Commingled 4-wire Edeal Loop Zone 3	+		XDD4X	UDL56	26.09	126.27	88.80	59.14	14.50				<u> </u>		
	Commingled 56kbps Local Loop Zone 2	- 		XDD4X	UDLS6	35.95	126.27	88.80	59.14	14.50						├
	Commingled 56kbps Local Loop Zone 3			XDD4X	UDL56	37.88	126.27	88.80	59.14	14.50				 		
	Commingled 64kbps Local Loop Zone 1	+		XDD4X	UDL64	26.09	126.27	88.80	59.14	14.50						 -
	Commingled 64kbps Local Loop Zone 2	+		(XDD4X	UDL64	35.95	126.27	88.80	59.14	14.50				 -	 	
 -	Commingled 64kbps Local Loop Zone 3	 		XDD4X	UDL64	37.88	126.27	88.80	59.14	14.50				<u> </u>	 	
	Commingled ISDN Local Loop Zone 1	 -		XDD4X	U1L2X	21.88	117.24	79.77	52.88	10.54						ļ
	Commingled ISDN Local Loop Zone 2	 		XDD4X	UILZX (32.85	117.24	79.77	52.88	10.54					 	
 -	Commingled ISDN Local Loop Zone 3			XDD4X	U1L2X	48.55	117.24	79.77	52.88	10.54	 					
	Commingled DS1 COCI			XDH1X	UCIDI	13.47	6.58	4.72	32.00	70.34						
	Commingled DS1 Interoffice Channel	+		XDH1X	UITEI	80.16	89.27	81.81	16.35	14,44	ļ			 -	}	├─
	Commingled DS1 Interoffice Channel Mileage		├	XDH1X	1L5XX	0.18	03.27	01.01	10.33	14,44						ļ
	Commingled DS1/DS0 Channel System		 	XDHIX	MQ1	107.19	91.04	62.57	10.54	9.79						
	Commingled DS1 Local Loop Zone 1		1-	XDH1X	USLXX	82.55	252.47	157.54	44.70	11.71	}			 		
	Commingled DS1 Local Loop Zone 2	-\		XDH1X	JUSLXX -	154.18	252.47	157.54	44.70	11.71						ļ
	Comminged DS1 Local Loop Zone 3			XDHIX	USLXX	314.52	252.47	157.54	44.70	11.71						
	Comminged DS1 Local Loop Zone 3			HFQC6	UESPX	308.08	451.52	263.94	119.49	83.58		-				ļ
	Commingled DS3/STS-1 Local Loop Mileage		}	HEQCS, HERST	1L5ND	8.38	457.52	200.04	115.45	55.36	 					
	Commingled STS-1 Local Loop will sage	+	 	HERST	UDLST	319.63	451.52	263.94	119.49	83.58						
 -	Comminged S1S-1 200ai 200p	- 	┼─-	HFQC6	MOS	176.20	178.14	93.97	33.26	31.83	 -					
	Commingled DS370S1 Charitier System	+	} -	HFQC6	U1TF3	703.52	278.75	162.76	60.20	58.46						
	Commingled DS3 Interoffice Channel Mileage		 	HFQC6	1L5XX	4.09	210.101	102.76	80.20	20.40						 -
 -	Comminged SSS Interoffice Channel	+	┼──	HERST	UTTES	701.37	278.75	162.76	60.20	58.46	 					
	Commingled STS-1Interoffice Channel Mileage		┼	HERST	1L5XX	4.09	270.73	102.76	80.20	20.46	-					 -
- 	Commingled Sark Fiber - Interoffice Transport, Per Four Fiber		-	пенат	1,5200	4.03										
İ	Strands, Per Route Mile Or Fraction Thereof		l	HEODL	1L5DF	22.34	- 1		1		1	j				ĺ
-	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	-}	} -	INECIDE	ILSUF	- 22.34										
	Strands, Per Route Mile Or Fraction Thereof		Į	HEQDL	UDF14	ļ	639.09	137.87	317.06	407.55	ł				((
	UNE to Commingled Conversion Tracking		 	XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	197.56		———				
			┼─	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
P Query Sen	SPA to Commingled Conversion Tracking		 	ADMIA, BEQUE	CIVICISE	0.00	0.00		0.00	0.00	ļ					
	LNP Charge Per query		[-	 		0.000757										├ -
			}	 	 	0.000757	12.52		44.54							
-	LNP Service Establishment Manual		├—	 			593.49	303 20	268.93	197.74						
PBX LOCA	LNP Service Provisioning with Point Code Establishment		├		+		393.48	303 20	268,83	191.14						
						L								L		
911 PB	X LOCATE DATABASE CAPABILITY			ISPBDC	ISPBEU -		1,813.00				,					
	Service Establishment per CLEC per End User Account	-{	├		9PBTN		181.44	·		ļ	 					
	Charges to TN Range or Customer Profile	 -	├	9PBDC 9PBDC	9PBMM		181.44									
~	Per Telephone Number (Monthly)		-		ISPBAM ISPBAC	0.07					<u> </u>					
	Change Company (Service Provider) ID		╄	9PBDC		484.55	532.60			 -		<u>_</u>				
	PBX Locale Service Support per CLEC (Monthit)		+	9P8DC	9PBMR	181,33										
	Service Order Charge			9PBDC	9P8SC	└	15.66		<u> </u>	L						
	X LOCATE TRANSPORT COMPONENT															
See Att	3															
- 1	l .	- 1	1	F	1	. !				1		- 1				

MBUNDE	ED NETWORK ELEMENTS - Florida			,									Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	ž.		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Menual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vi Electroni Disc Add
		-					Nanre	ruring	Nonrecurring	Disconnect						
		† 				Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	
															SUMAN	SOMAN
The "2	Zone" shown in the sections for stand-alone loops or loops as pa	rt of a co	mbina	tion refers to Geograp	phically Deav	reraged UNE Zo	nes. To view 0	eographically	Deaveraged UN	E Zone Design	ations by Co	ntral Office,	refer to intern	et Website:		
	www.interconnection.bellsouth.com/become_s_clec/html/interco	nnection	ı.htm													
ERAINNS	SUPPORT SYSTEMS (USS) - REGIONAL RATES	·	-	L		i										
NOTE	: (1) CLEC should contact its contract negotiator if it prefers the	'state sp	ecific"	OSS charges as orde	red by the S	tate Commissio	ns. The OSS o	harges current	ly contained in	this rate exhibit	are the ATS	T "regional"	" service orde	riva charens	CI EC	
OLDRIA	Id electronically at present per the LOH, the listed SOMEC rate in s bill when it submits an LSR to AT&T.	this cate	gory re	effects the charge that	d ed bluow t	illed to a CLEC	once electronic	ordering capat	oilities come on	-line for that ele	ment. Other	rwise, the m	anual ordering	charge, SOM	AN, will be ap	plied to a
	OSS - Electronic Service Order Charge, Per Local Service										·					
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	!					
	OSS - Manual Service Order Charge, Per Local Service Request]												
IE SERVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE				SOMAN		11.90	0.00	1.83	0.00						
	: The Expedite charge will be maintained commensurate with Be	I South's	FCC	No 1 Tariff Section 5	as applicable				<u> </u>	<u> </u>						
	The same of the sa	, adducti		UAL, UEANL, UCL.	ое аррисарі											
i				UEF, UDF, UEQ.			i							1		
				UDL, UENTW, UDN.		İ							l	' I		
-				UEA, UHL, ULÇ,	Ī						l í	i		1	}	
i		1	ļ	USL, U1T12, U1T48,								[J			
		1	ŀ	U1TD1, U1TD3.							1	i	1	!	!	
			l	U1TDX, U1TO3, U1TS1, U1TVX,										I	i	
İ		1		UC1BC, UC1BL,							! i	1	- 1			
		l		UC1CC, UC1CL.		İ								- 1		
				UC1DC, UC1DL,							l i	ľ	1	ļ]	
				UC1EC, UC1EL.									- 1	ĺ	- 1	
				UC1FC. UC1FL.									i			
1		l		UC1GC, UC1GL,		[i					ľ	i	ĺ	ĺ	
				UC1HC, UC1HL,								i	ļ		J	
				UDE12, UDL48, UDLO3, UDLSX.	l								- 1	í	i	
- 1				UE3, ULD12,								i	- 1			
			ļ	ULD48, ULDD1,								-	j	- 1	i	
- 1				ULDD3, ULDDX.							1			- 1		
				ULDO3, ULDS1.	l							- 1	1	-	1	
1 1		Ì		ULDYX, UNC1X.	F	!						[- 1	- 1		
		1	Į l	UNC3X, UNCDX,		1 1						i	ļ	1	- 1	
		i .		UNCNX, UNCSX,								!		İ		
				UNCVX, UNLD1,						i	- 1			1	í	
1				UNLD3, UXTD1, UXTD3, UXTS1,								- 1		i		
			ļ	UITUC, UITUD,		l i									- (
		i .	1	U1TUB.	İ		· ·	i					1	- 1		
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			UITUA,NTCVG.									i	- 1	[
1	Day		ļ.,,	NTCUD, NTCD1	SDASP		200.00									
DER MODI	ECATION CHARGE															
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)						26.21	0.00	0.00	0.00						
BUNDLED	EXCHANGE ACCESS LOOP	_		<u> </u>	 		150.00	0.00	0.00	0.00						
	E ANALOG VOICE GRADE LOOP		٠													
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57			T-			
	2-Wire Arvalog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-			UEASL	15.20	49.57	22.83	25.62	6.57						
+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise	-	3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
 -	Loop Testing - Basic 1st Half Hour	_	-	UEANL	URET1		8.93 77.09	0.88								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		33.12	33.12								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
			_					2.00								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)	ļ		UEANL	OCOSL	i !	23.02			1						

	ED NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
ATEGORY	RATÉ ELEMENTS	interim	Zone	acs	u so c			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		-				Rec		curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
	Unbundled Non-Design Voice Loop, billing for AT&T providing	 	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	make-up (Engineering Information - E.I.)	ľ		UEANL	1											
	Unbundled Loop Service Rearrangement, change in loop facility,	 		DEANL	UEANM		13.49						_			l
	per circuit			UEANL	Washing.	1										
	Bulk Migration, per 2 Wire Voice Loop-SL1	_		UEANL	UREWO		15.78	8.94	25.62	6.57						1
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1	_		UEANL	UREPM		49.57	22.83	25.62	6.57						
2-WIRE	Unbundled COPPER LOOP			OCANC	TOREFM		9.00	9.00		L,						
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	IUEQ	UEQ2X	7.69	44.98	20.90								
	12 Wire Unbundled Copper Loop - Non-Designed - Zone 2	_		ÜEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	Tag Loop at End User Premise			UEQ	URETL	10.00	8.93	0.88	24.88	6.45						
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-				1			20.00								
	Designed (per loop)			UEQ	USBMC		9.00	9.00		ı i	i	- 1		I		1
	Unbundled Copper Loop - Non-Design, billing for AT&T providing															
	make-up (Engineering Information - E.I.)	<u> </u>		UEQ	UEQMU		13.49	_	i	ļ ļ	- 1	1		l		:
	Unbundled Loop Service Rearrangement, change in loop facility.	""														
	per circuit			UEQ	UREWO		14.27	7 43	24.88	6.45		1		- 1		Į
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		44.98	20.90	24.88	6.45						
IDUNDLED	Bulk Migration Order Coordination, per 2 Wire UCL-ND EXCHANGE ACCESS LOOP			UEQ	UREPM		9.00	9.00								
	ANALOG VOICE GRADE LOOP	L														
Z-VYING	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	,			,											
- 1	Ground Start Signaling - Zone 1															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	12.24	135.75	82.47	63.53	12.01			i			
- 1	Ground Start Signaling - Zone 2	!	,	UEA	1											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	17.40	135.75	82.47	63.53	12.01		i				
1	Ground Start Signaling - Zone 3	Ιi	3	UEA	UEAL2	20.07	400									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	3	UEA	TUEAL2	30.87	135.75	82.47	63.53	12.01					(
- 1	Battery Signaling - Zone 1		٠, ١	UEA	UEAR2	12,24	425.75	20.1-			- 1					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-		OLA.	DEAN2	12.24	135 75	82.47	63.53	12.01						
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	65.60			1				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				100000		133.73	62.47	63.53	12.01						
	Battery Signaling - Zone 3	l i	3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01		- 1	- }	J		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR. (per		$\neg \neg$			- 20.01	100.70	- 02.47	63.53	12.01						
	DS0)	L !		UEA	URESL !		8.98	8.98	- 1			1				
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per							0.00								
	OS0)			UEA	URESP		8.98	8.98	1	1				- 1	i	
	Unbundled Loop Service Rearrangement, change in loop facility,											-				
	per circuit			UEA	UREWO		87.71	36.35	i		l l	Ī			ĺ	
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1 10								
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		135.75	82.47								
4.34/102	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2 ANALOG VOICE GRADE LOOP			UEA	UREPM		0.00	0.00								
4-WIKE	4-Wire Analog Voice Grade Loop - Zone 1	-			177											
	4-Wire Analog Voice Grade Loop - Zone 1		1		UEAL4	18.89	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 2		2		UEAL4	26 84	167.86	115.15	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	-	3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
	DS0)			UEA	LIDEO:											
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UEA	URESL		8.98	8.98							- 1	
	DS0)	1	ŀ	UEA	URESP	1	222			1						
	Unbundled Loop Service Rearrangement, change in loop facility.				VALOP		8.98	8.98							1	
	per circuit	! Į	l,	UEA	UREWO	- 1	87.71	36.35		1						
	ISON DIGITAL GRADE LOOP				10.10		57.711	35.35								
	2-Wire ISDN Digital Grade Loop - Zone 1		11	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 3		3		U1L2X	48.62	147.69	94.41	62.23	10.71	-					
	Unbundled Loop Service Rearrangement, change in loop facility.							34.41	02.43	10.71						
	per circuit			UDN	UREWO		91.61	44.15	1		1	- 1			F	
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE LO	OOP			·										
	2 Wire Unbundled ADSL Loop including manual service inquiry &	T	T]				T	· · · · · · · · · · · · · · · · · · ·						
1	facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.53	- 1	1	- 1		J	

011001106	ED NETWORK ELEMENTS - Florida	,											Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	hisim	Zone	acs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order va Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		1
						- Kec	First	1'bbA	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ì	2 Wire Unbundled ADSL Loop including manual service inquiry &		l													30,000
	facility reservation - Zone 2	 	2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		L		l		ļ
ì	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	1,,,,,,,,				1							
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UAL2X	20.94	149.53	103.85	75.05	15.63		<u> </u>				
	Ifacility reservator - Zone 1	ì	1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12		İ				
	2 Wire Unbundled ADSL Loop without manual service inquiry &	 			UNICETT	9.00	124.00	11.12	50.64	5.12						
	facility reservation - Zone 2	ì	2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12				!	1	1
	2 Wire Unbundled ADSL Loop without manual service inquiry &	T				<u> </u>										
	facility reservation - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12	L _				ĺ	1
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UAL		1										
2.16(10	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	1 W21 E 1 7	208	UAL	UREWO		86.19	40.39	<u> </u>	l	1					L
2-11/10	2 Wire Unbundled HOSL Loop including manual service inquiry &	I BLE L	10-													
	facility reservation - Zone 1	1	1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63)]					l
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1			3	1		7.10	70.00	70.00	 					
	facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	_ 75.05	15.83	,	1			l	
	2 Wire Unbundled HDSL Loop including manual service inquiry &		[]					i					
	facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63			}	}	1	
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	١, ١	UHL]							
	2 Wire Unbundled HDSL Loop without manual service inquiry and		 -	UPL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	_facility reservation - Zone 2		2	UHL	UHL2W	10,26	134.40	80.69	60.64	9.12	1		1	- 1	7	
	2 Wire Unbundled HDSL Loop without manual service inquiry and	_	<u> </u>	O/IL	Unczv	10.25	134.40	80.69	60.64	9.12	 					
1	facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12	1 1	i)	ļ	İ	
	Unbundled Loop Service Rearrangement, change in loop facility.		1			1					·		 -			
	per circuit	<u></u>	<u></u>	UHL	UREWO		86.12	40.39		ļ i	i_	}	j)	ì	
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		OOP			· · · · · ·										
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	'[١. ا	UHL UHL	UHL4X	10.86									1	
	4-Wire Unbundled HDSL Loop including manual service inquiry and			Un.	UHL4X	10.86	193.31	138.98	77.15	12.61	ļ 					
Ţ	facility reservation - Zone 2		2	UHL	UHL4X	15,44	193.31	138.98	77.15	12.61	[Į	· · · · · · · · · · · · · · · · · · ·			
	4-Wire Unbundled HDSL Loop including manual service inquiry and					13.2.1		100.00	77:10	(4.01				+		
	lacility reservation - Zone 3		3_	UHL	UHL4X	27 39	193.31	138.98	77.15	12.61		- 1	1	Į	(
	4-Wire Unbundled HDSL Loop without manual service inquiry and				[
	facility reservation - Zone 1	 	1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	ł	2	UHL	UHL4W	1l										
	4-Wire Unbundled HDSI. Loop without manual service inquiry and	}		UNC	OPLAW	15.44	168.62	115.47	62.74	11.22						
	facility reservation - Zone 3	ł	3	UHL	UHL4W	27 39	168.62	115.47	62.74	11.22		ļ	i	\ \ \		
	Unbundled Loop Service Rearrangement, change in loop facility,	 		<u> </u>	31.2		190.02	1,3,47	02.74	11.22						
]	per circuit	l	_ 1	UHL _	UREWO	! !	86.12	40 39			i	į	Į	{	,	
4-WIR	E DS1 DIGITAL LOOP													<u>-</u>	L	
	4-Wire DS1 Digital Loop - Zone 1	ļ		USL	USLXX	70,74	313.75	181.48		13.53						
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	 	3		USLXX	100.54	313.75	181,48		13.53						
	Switch-As-is Conversion rate per UNE Loop, Single LSR. (per	 	-3-	USL	USLXX	178.39	313.75	181,48	61.22	13.53				I		
	DS1)		l	USL.	URESL	1 (8.98	B.98			[}	ì			
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	 	_		157,435	† · · · · · · · · · · · · · · · · · · ·	5.50	8.50								
	DS1)			USL	URESP	L _ 1	8.98	8.98	Į Į	į		{	1	1	ľ	
	Unbundled Loop Service Rearrangement, change in loop facility,	Ĭ	,		T											
- 	per circuit	ــــــــــــــــــــــــــــــــــــــ		USL	UREWO	<u> </u>	101.07	43.04						!	}	
14-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1 1	UDI	UDL2X	T 22 22 1	72.5									
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	 			UDL2X	22.20 31.56	161.56 161.56	108.85 108.85	67.08							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	1	3	UDŁ	DDFSX	55.99	161.56	108.85	67.08 67.08	15.56 15.56				-		
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	 	Ť		UDL4X	22.20	161.56	108.85	67.08	15.56	+					
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	YDL	UDL4X	31.56	161.56	108.85	67.08	15.56			+			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	UOL	UDLAX	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1	+	3	UDL.	UDL9X UDL19	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	┼─		UDL	UDL19	22.20 31.56	161,56 161,56	108.85	67.08	15.56						
	(= ratio or source original rote or tropo - Edito E		<u> </u>	000	190019	1 20:00	101.50	108.85	67.08	15.56	i					

NURUNULE	D NETWORK ELEMENTS - Florida	_											Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	·		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		ļ. — —			├ ──	 	Nonrec	urrine	Nonrecurring	Disconnect			nes	Rates(\$)		<u> </u>
	· · · · · · · · · · · · · · · · · · ·		 -			Rec	First	Adďi	First	Add'i	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UDL	UDL19	55.99	161.56	108.85	67.08	15,56			<u> </u>	00.04.1	- O GARAGE	- 30,112,1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1		UDL56	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDI.	UDL56	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	L	3		UDL56	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1		UDL64	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<u> </u>	2		UDL64	31.56 55.99	161 56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UUL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Switches Conversion rate per One Luop, Single LSH, (per DS0)	ŀ	1 ;	UDL	URESL	1	8.98	8.98								ĺ
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	T				 	1									
	DS0) Unbundled Loop Service Rearrangement, change in loop facility,			UDL	URESP		8.98	8.98								
_ [per circuit	i		UDL	UREWO	<u> </u>	102.11	49.74	. '	1	1]	'			ĺ
2-WIRE	Unbundled COPPER LOOP														·	
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	uct	UCLPB	8.30	148.50	102.82	75.05	15,63						
	2-Wire Unbundled Copper Loop-Designed including manual		<u> </u>		1	† 										
	service inquiry & facility reservation - Zone 2		2_	ncr	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		33	ucı	UCLPB	20.94	148.50	102.82	75. <u>0</u> 5	15.63		[
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	Ţ	1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual service Inquiry and facility reservation - Zone 2			UCL	UCLPW	11.80	123,81	70.09	60,54	9,12						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch (UCL	 	3_	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	-Des) Urburdled Loop Service Reamangement, change in loop facility.	} -	} -	ncr	UREWO	 	97.21	42.47								
	per circuit	l	_	uct	UCLMC		9.00	9.00		1	1	1]]	l
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		,_	ucu	UCL48	11.83	177.87	132.76	77.15	17.73						
	Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177,87	132.76	77.15	17,73						
	4-Wire Copper Loop-Designed Including manual service inquiry	t ——	 		1	1					· · · · · · ·					
	and facility reservation - Zone 3 4-Wire Copper Loog-Designed without manual service inquiry and	ļ	3_	ucı	UCL4S	29.82	177.87	132.76	77.15	17.73						
	facility reservation - Zone 1	<u> </u>	11	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		i				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2_	UCL	UCL4W	16.81	153.18	100 03	62.74	11.22				.	· · · · · ·	
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153,18	100.03	62.74	11.22						
	Order Coordination for Unbundled Copper Loops (per loop)	1	<u> </u>	UCL	UCLMC		9.00	9.00								
	Unburdled Loop Service Reamangement, change in loop facility, per circuit	<u> </u>		UGL	UREWO		97.21	42,47								
_		 	ļ	UEA, UDN, UAL.	\	+		42.47		 						
Rearran	Order Coordination for Specified Conversion Time (per LSR)	L	ــــــــــــــــــــــــــــــــــــــ	JUHL, UDL,USL	OCOSL		23.02		L	L	ــــــــــــــــــــــــــــــــــــــ					
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1		· · · · · · · · · · · · · · · · · · ·	1	Ţ Ţ	1				1		·			
	SL2	}	┼	UEA	UREEL	 	87.71	36.35		ļ	 					
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		1	UEA	UREEL	Ţ	87.71	36.35	1	\		ŀ		}	i	
	EEL to UNE L Retermination, per 2 Wire ISDN Loop			חסח	UREEL		91.61	44,15								
			1			"			_			-				
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	 	+	upt	UREEL		102.11	49.74	 -i							
NE LOOP CO	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	 	+	USL	UREEL_	 	101.07	49.04	ļ	ļ						
NE LUUP CU	MMINGLING ANALOG VOICE GRADE LOOP - COMMINGLING	٠	٠				-									
S-Mark E	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	T	7	T	 	T										
	Ground Start Signaling - Zone 1	 	ـــٰــ	NTCVG	UEAL2	12.24	135.75	82.47	63.53	12.01						
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		<u> </u>	NTCVG	UEAL2	17.40	135.75	82.47	63.53	12.01	L	/	_ 1	İ	1	

011001100	D NETWORK ELEMENTS - Florida	, -		,									Att; 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	acs	USOC	-		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic-	incremental Charge - Manual Syc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremer Charge Manual S Order v Electron
		<u> </u>				i					f .		181	Add'i	Disc 1st	Disc Ad
					1	Rec	Nonre	curring	Nonrecurring	Disconnect	 		088	Rates(\$)		·
						L Kec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	i			1							_ ****		90,50,1	SOME	SOMM
	Ground Start Signaling - Zone 3 [2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	}	3	NTCVG	UEAL2	30.87	135.75	82.47	63.53	12.01	L J					ļ
	Battery Signaling - Zone 1			NTCVG	UEAR2											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	 	141040	UEAHZ	12.24	135.75	82.47	63.53	12.01	<u> </u>					
- 1	Battery Signaling - Zone 2	1	2	NTCVG	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			7		100:70	92.7/	90.50	12.01	 					
	Battery Signaling - Zone 3	<u> </u>	3	NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01	i i					
i	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	T	ľ			1										
	DS0) Switch As is Conversion rate per UNE Loop, Spreadsheet, [per	ļ	ļ	NTCVG	URESL		8.98	8.98		<u> </u>	<u> </u>	_		ĺ		
1	DS0)	i	i i	NTCVG	1					i						
	Unbundled Loop Service Rearrangement, change in loop facility.	 	├	NICVG	URESP	 	8.98	8.98	<u> </u>	 	ļl			1		
1	per circuit	{	1	NTCVG	UREWO) i	87.71	36.35	i	l		J				
	Loop Tagging - Service Level 2 (SL2)	 		NTCVG	URETL	 	11.21	1.10								
4-WIR	ANALOG VOICE GRADE LOOP - COMMINGLING						11.51	1.10	·					1		
	4-Wire Analog Voice Grade Loop - Zone 1	T	. 1	NTCVG	UEAL4	18.89	167.86	115.15	67.08	15.56				· 		
	4-Wire Analog Voice Grade Loop - Zone 2	T	2	NTCVG	UEAL4	26.84	157.86	115.15	67.08	15.56	l — — —					
· I	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	47.62	167.86	115.15	67.08							
1	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per	T								13.00						
	OS0)	l		NTCVG	URESL	1 :	8.98	8.98	i l		i i	ļ	- {	\	\ \	
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	1	[1											
	(DS0)	<u> </u>	<u>. </u>	NTCVG	URESP	1	8.98	8.98	L		1	Ì	i	ı		
f	Unbundled Loop Service Rearrangement, change in loop facility.	1				[
le Isome	per circuit	1	<u>. </u>	NTCVG	UREWO	<u> </u>	87.71	36.35							ļ	
4-4414	DS1 DIGITAL LOOP - COMMINGLING 4-Wire DS1 Digital Loop - Zone 1		1 1	NTCD1	10.000	,										
	4-Wire DS1 Digital Loop - Zone 1			NTCDT	USLXX	70.74	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 3	 -		NTCD1	USLXX	100.54	313.75	181.48	61.22	13.53						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	+	3	NICDI	USLAA	178.39	313.75	181.48	61.22	13.53						
i	IDS1)	ļ .	\	NTCD1	URESL	1	8.98	8.98)			j			" T	
-	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				TOTAL COL		0.86	5.38								
	(DS1)	1	1	NTCD1	URESP	(!	8.98	8.98	,		·	Í	j	1)	
	Unbundled Loop Service Rearrangement, change in loop facility.				1	† ·	0.00	0.50								
	per circuit_	1 .		NTCD1	UREWO	[[101.07	43.04					l	ł	- (
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING													 L		
	3 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	22.20	161.56	108.85	67.08	15.56	·					
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	31.56	161.56	108.85	67,08	15.56						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	\		NTCUO	UDI'5X	55.99	161.56	108.85	67.08	15.56			 +			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			NTÇUD	UDL4X	22.20	161.56	108.85	67.08	15.56			 +			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	ļ		NTCUD	UDL4X	31.56	161.56	108.85	67.08	15.56			 +			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	<u> </u>		NTCUD	UDL4X	55.99	161.56	108.85	67.08	15.56				+		
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	 		NTCUD	UDL9X	22.20	161.56	108.85	57.08	15.56						
 -	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	 		NTCUD NTCUD	UDL9X	31.56	161,56	108.85	67.08	15.56			1			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	+		NTCUD	UDL9X UDL19	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unburdled Digital 19.2 Kbps - Zone 1	 		NTCUD	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	 		NTCUD	UDL19	31.56	161,56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 		NTCUD	UDL56	55.99	161.56 161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 		NTCUD	UDL56	22.20 31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kops - Zone 3	 		NTCUD	UDL56	55.99	161.56	108.85 108.85	67.08 67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	†		NTCUD	UDL64	22.20	161,56	108.85	67.08	15.56 15.56					$ \perp$	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1		NTCUD	UDL64	31.56	161,56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			NTCUD	UDL64	55.99	161.56	108.85	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				1				07.00	,5.56	+				+	
	[DS0)			NTCUD	URESL		8.98	8.98	1	- 1		1		- 1		
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per								 -							
	[DS0)	L		NTCUD	URESP	<u> </u>	8.98	8.98	1	{		1	}	1	}	
	Unburidled Loop Service Rearrangement, change in loop facility.	{ -7			1	1										
	per circuit	 -	<u> </u>	NTCUD	UREWO		102.11	49.74			!	1	1		ĺ	
	1	1	1	NTCVG, NTCUD,	1 -	1 7										
i	Order Coordination for Specified Conversion Time (per LSR)	1 1		NTCD1	locost		23.02									

	1		1	1								_	Att: 2 Exh;	Α		
CATEGO	RY RATE ELEMENTS	Interin	Zone	acs .	USOC		None	RATES(\$)			Svc Orde Submitted Elec per LSR	Submitted Manually	Incrementa	Charge - Manual Svc Order vs.	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual S Order v Electron Disc Ad
		+		UDC, UEA, UDL,		Rec	First	Add'i	Nonrecurring First	Disconnect			OS:	S Rates(\$)		
				UDN, USL, UAL, UDN, USL, UAL, UHL, UGL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TD3, U1TDX, UDSX, UDFGX, UDLSX, UE3, ULDD1, ULDS1, ULDDX, UNC1X, UNC3X, UNC1X, UNC3X,						AddT	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Maintenance of Service Charge, Basic Time, per half hour			UNCDX, UNCSX,				!				i			1	
	daylor charge, Basic Time, per half hour	+		UNCVX, ULS	MVVBT		80.00	55.00	!					!		
	Maintenance of Service Charge, Overtime, per half hour Maintenance of Service Charge, Premium, per half hour ICATION			IDC, UEA, UDL, IDN, USL, UAL, IFIL, UCL, NTCVG, ITCUD, NTCD1, ITTDX, UITD3, ITTDX, UITS1, ITTVX, UDF, DFCX, UDLSX, LDS1, ULDVX, NCIX, UNCSX, NCIX, UNCSX, NCDX, UNCSX,	MVVOT		90.00	65.00								
P MODIF	ICATION			VCVX. OLS	IVVPT		100.00	75.00		i			ł	ĺ		
	Unbundled Loop Modification. Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop		บเ	AL, UHL, UCL, EQ, ULS, UEA, EANL, UEPSR, EPSB	LM2L											
	Unbundled Loop Modification Removal of Load Colls - 4 Wire less than or equal to 18K ft, per Unbundled Loop						0.00	0.00								
1	The stand coop	-	Ut Ut	IL, UCL, UEA UI	LM4L		0.00	0.00		Ţ						
LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UE	O. ULS, UEA, ANL, UEPSR,	МВТ		10.52	10.52					_			
Sub-L	oop Distribution							.0.00							ĺ	- 1
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up		UE	ANL, UEF US	BSA		487.23									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UE		BSB											
	Set-Up		7-		BSC		6.25	-								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up						169.25						-			
	<u> </u>		UE.	ANL US	BSD	1	38.65									

					1		·····				Svc Order	Svc Order	Att: 2 Exh: A	Inomercial	11	
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC		Y	RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop					Rec	First	curring Add'l	Nonrecurring First	Disconnect			OSS	Rates(\$)		
	∠one 1	ĺ	١.					- Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop			UEANL	USBN2	6.46	60.19	21.78	47.50	5.26	ļ	i i				
	Zone 2] i	2	UEANL	USBN2	9.18	1									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3				000112	3.76	60.19	21.78	47.50	5.26						i
	20163		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	i I	ì	UEANL				27.70	47.30	5.26						
	300-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC	 	9.00	9.00		'			}			
	20ne 1		1	UEANL	USBN4	7.77										
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			527770	038144	7.37	68,83	30.42	49.71	6.60			J	Ì		
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		2	UEANL	USBN4	10.47	68.83	30.42	49,71							
	Zone 3		_ }						49.71	6.60				i		
			3	UEANL	USBN4	18.58	68.83	30.42	49,71	6.60		1	ł			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l		UEANL	Ucerte					0.00						
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBMC USBR2	3.96	9.00	9.00					J		-	
	Outline Consulting Street Little Consulting Street				UGBRE	3.96	51.84	13.44	47 50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBMC		9.00	9.00								
	Sas coop - Trille Illiabuliding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49,71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			LIFANI					43.71	6.60						
	LUUD 1 esting - Basic 1st Half Hour			UEANL UEANL	USBMC		9.00	9.00	_ [1		- 1			
	Loop Testing - Basic Additional Half Hour			JEANL	URET1 URETA		77.09	0.00					 +			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			JEF	UCS2X	5.15	33.12	33.12								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2 (UCS2X	7.31	60.19 60.19	21.78	47.50	5.26						
_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3 (JEF	UCS2X	12.98	60.19	21.78 21.78	47.50 47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair						- 00.10	21.70	47.50	5.26						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			JEF	USBMC		9.00	9.00	ı	-						
	4 Wire Capper Unbundled Sub-Loop Distribution - Zone 2	-		JEF	UCS4X	5 36	68 83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			JEF	UCS4X UCS4X	7.61 13.51	68.83	30.42	49.71	6.60						
	· · · · · · · · · · · · · · · · · · ·		-		00347	13.51	68.83	30.42	49.71	6.60						
- 	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			JEF	USBMC		9.00	9.00								
- -	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops						0.00	3.00								
	Loop Testing - Basic 1st Half Hour			JEF, UEANL	URETL		8.93	0.88	i			[T		
	oop Testing - Basic Additional Half Hour			JEF JEF	URET1 URETA		48.65	0.00								
Unbund	ed Sub-Loop Modification)CT	UHETA		23.95	23.95								
	John Modification - 2-W Copper Dist Load				T	— —										
	Col/Equip Removal per 2-W PR		ju	EF	ULM2X	ŀ	10.11	10.11	!	i					·· ····	
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Col/Equip Removal per 4-W PR						10.11	10.17								
	Jibundled Loop Modification, Removal of Bridge Tap, per		<u> </u> U	EF	ULM4X		10,11	10.11		i		i				
L	Inbundled laan		- 1	EF	l 1											
Unbund	ed Network Terminating Wire (UNTW)			<u> </u>	ULMBT		15.58	15.58		- 1					1	
	Inbundled Network Terminating Wire (UNTW) per Pair		ľÚ	ENTW	UENPP	0.4572	18.02									
MERMOLK	Interface Device (NID)				19911	0.4372	18.02									
 	Vetwork Interface Device (NID) - 1-2 lines Vetwork Interface Device (NID) - 1-6 lines			ENTW	UND12		71.49	48.87		 -						
	letwork Interface Device Cross Connect - 2 W			ENTW	UND16		113.89	89.07								
I IN	etwork Interface Device Cross Corport - 4W			ENTW ENTW	UNDCS		7.63	7.63								
OTHER, PR	OVISIONING ONLY - NO RATE	-	Ÿ	EINI VY	UNDC4		7.63	7.63								
			UI UI UI	AL, UCL. UDC, DL, UDN, UEA, HL, UEANL, UEF, EQ, UENTW, TCVG, NTCUD,												
	nbundied Contact Name, Provisioning Only - no rate		N.	TCD1, USL	UNEON	0.00	0.00	ļ	l	1				- 1		
	Inbundled DS1 Loop - Superframe Format Option - no rate		US	SL, NTCD1	CCOSF	0.00	0.00							_	1	
"	inbundled DS1 Loop - Expanded Superframe Format option - no		- [
N N	ID - Dispatch and Service Order for NID installation			SL, NTCD1 ENTW	CCOEF		0.00			}	1	1				
u U	NTW Circuit Establishment, Provisioning Only - No Rate	- -		-NTW	UNDBX	0.00	0.00									J
			100		10CHOE	0.00	0.00									

]	í										Att: 2 Exh; A			
CATE	GORY			1	1	1	1					Svc Order	Svc Order	Incremental	Incremental		
		RATE ELEMENTS	interin	Zone	BCS	usoc	1		RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charg Manual Order
	╅╼		 	┼—	<u> </u>		1					1	[.	Electronic- 1st	Electronic-	Electronic-	Electro
LOOP	MAKE				L	· · · · · ·	Rec	Nor	recurring	Nonrecurrin	g Disconnect	 			_	Disc 1st	Disc A
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Magnath		-			· 	First	Addi	First	Add't	SOMEC	SOMAN	OSS	Rates(\$)		
	+	spare facility gueried (Manual).		}	UMK			 	 	+		33.00	JOHAN	SOMAN	SOMAN	SOMAN	SOMA
	1	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		 	UMR	UMKLW		52.1	7 52.11	, [}						
	1-	Loop Makeup-With or Without Reservation, per working or spare		<u>L</u> i	UMK	UMKLP					 	·				ļ	
· · · · · ·	_	facility queried (Mechanized)				- OM-INCT		55.0	7 55.07	<u>' </u>		i :					
LINE S	PLITTI	NG			UMK	UMKMO	_Ĺ	0.678	0.6784			 	 				
	ENU	JSER ORDERING-CENTRAL OFFICE BASED		1				0.078	V.6/84	 	 		1		[Ĭ	
		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation AT&T owned - physical			UEPSR VEPSB	UREOS					<u> </u>						
		Line Splitting - per ane activation AT&T owned - physical			VEPSA VEPSB	UREBP	0.61				· · · · · · · · · · · · · · · · · · ·						
	END U				UEPSR UEPSB	UREBV	1.134			19.57	9.61						
								23.60	3 21.28	19.57	9.61		 -	+			
	2.77174	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		T			T										
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	JEPSR UEPSB	UEALS	10,69	49.57	.]			 -					
		Zone 1		- 1		1	10.08	49.57	22.83	25.62	6.57		- 1		-T		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	-+		JEPSR VEPSB	UEABS	10.69	49.57	22.83	25.50							
		2 Wire Analog Voice Grade Lease C		2 (JEPSR UEPSB	UEALS			22.03	25.62	6.57			_	i	ł	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2				UEALS	15.20	49.57	22.83	25.62	6.57						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		2 <u>L</u>	EPSA UEPSB	UEABS	15 20	49.57			0.57						
			Į	3 10			- 10 20	49.57	22.83	25.62	6.57			1	7		
ļ		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	-+	3 P	EPSA UEPSB	UEALS	26.97	49.57	22.83	37.50							
		AL COLLOCATION		3 U	EPSR UEPSB	UEABS				25 62	6.57			1		ł	
	j	Physical Collocation-2 Wire Cross Connects (Inc., 1)				JOEAGS	26.97	49.57	22.83	25.62	6.57						
+	TRIGA	LCOLLOCATION		<u> </u>	EPSA UEPSB	PE1L\$	0.0276	8.22	7.22								
[ŀ	Virtual Collocation-2 Wire Const. C.				· · · · · · · · · · · · · · · · · · ·				5.74	4.58			1	J		
BUND	LED D	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		U	ÉPSR UEPSB	VEILS	0.0502										
- 4	TIERO	FFICE CHANNEL - DEDICATED TRANSPORT		$-\bot$			0.0302	11.57	11.57	0.00	0.00			T			
	_ "	fileroffice Channel - 2-Wire Voice Cond-		Tree	ITVX				·								
_						UTTV2	0.0091										
		nteroffice Channel - 2-Wire Voice Grade Rev Bat per mile nteroffice Channel - 4-Wire Voice Grade - per mile		U1		1L5XX	25.32 0.0091	47.35	31.78	18.31	7.03						
1				U1		1L5XX	0.0091				7.00						
- -	- !	nteroffice Channel - 4- Wire Voice Grade - Facility Termination		1	TVX		0.0051										
- -			-+			U1TV4	22.58	47.35	31.78	18.31							
		nteroffice Channel - 56 kbps - Facility Termination steroffice Channel - 64 kbps - per mile	\exists			1L5XX U1TD5	0.0091			- 0.31	7.03				1		
\perp				Ü1	TDX	1L5XX	0.0091	47.35	31.78	18.31	7.03					+-	
-					TDX	U1TD6	18.44	47.35	24.75								
-+-						1L5XX	0.1856	47.33	31.78	18.31	7.03						
_+		teroffice Channel - DS3 - per mile teroffice Channel - DS3 - Facility Termination teroffice Channel - DS3 - Facility Termination		U11		U1TF1 IL5XX	88.44	105.54	98.47	21.47	19.05						
1		GOING CHANNAL STS.1 - nor mile	エ	Uii	TD3	JiTF3	3.87			~1.4/	19.05		$ \Box$				
_ [$-\Gamma$		IS1 (L5XX	1,071.00 3.87	335.46	219.28	72.03	70.56						
UN		-CU DARK FIRES - Stand Alone to 6	_ــــــ	U11		JITES	1,056.00	335.46	210.00								
- [ark Fiber - Interoffice Transport, Per Four Fiber Strands, Per oute Mile Or Fraction Thereof	7-						219.28	72.03	70.56						
		one wille Of Fraction Thereof unk Fiber - Interoffice Transport, Per Four Fiber Strands, Per		UDF	, UDFCX 1	L5DF											
Щ.	Re	tute Mile Or Fraction Thereof		1		LJUF	26.85					1					
CAP/	AUII Y L	INBLINDI ED LOCAL LOCAL		UDF	, UDFCX U	DF14		751.34	7								i
08	3/5 3-	T UNBUNDLED LOCAL LOOP - Stand Al						/31.34	193.88			_ 1					
+-			7	TUE3													
		3 Unburdled Local Loop - Facility Termination S-1Unbundled Local Loop - per mile		ÜE3		L5ND E3PX	10.92										
\Box				UDL	sx ii	L5ND	10.92	556.37	343.01	139.13	96.84						
NCEL				UDL		DLS1	426.60	556.37									
	work E	ements Used in Combinations		1				556.57	343.01	139.13	96.84				,		

	O NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	-		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Menually per LSR	Incremental Charge - Manuel Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add')	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
		 			-	Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
	2-Wire VG Loop (SL2) in Combination - Zone 1	 	1	UNCVX	UEAL2	12.24	First 127.59	Add'I 60.54	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop (SL2) in Combination - Zone 2	1		UNCVX	UEAL2	17.40	127.59		48.00	6.31	-					
	2-Wire VG Loop (SL2) in Combination - Zone 3	1		UNCVX	UEAL2	30.87	127.59	60.54 50.54		6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1		UNCVX	UEAL4	18.89	127.59	60.54		6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	26.84	127.59	60.54		6.31						
!	4-Wire Analog Voice Grade Loop in Combination - Zone 3	1	3	UNCVX	UEAL4	47.62	127.59	60.54		6.31						
	2-Wire ISDN Loop in Combination - Zone 1		1_	UNCNX	U1L2X	19.28	127.59	60.54		6.31						
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	27.40	127.59	60.54		6.31						
	2-Wire ISDN Loop in Combination - Zone 3		3_	UNCNX	UTL2X	48.82	127.58	60.54	48.00	6.31 6.31						
-	4-Wire S6Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	48.00	6.31						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	31.56	127.59	60.54		6.31						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	55,99	127.59	60.54		6.31						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54		6.31						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>		UNCDX	UDL64	31.56	127.59	60.54	48.00	6.31						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	L		UNCDX	UDL64	55.99	127.59	60.54	48.00	6.31						
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51,44	14.45					— -	
	4-Wire DS1 Digital Loop in Combination - Zone 2	<u> </u>		UNCIX	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3	<u> </u>		UNC1X	USLXX	178.39	217.75	121.62	51,44	14.45						
	DS3 Local Loop in combination - per mile	<u> </u>		UNC3X	1L5ND	10.92			9,,,,,							
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	386.88	244.42	154.73	67.10	26.27						
	STS-1 Local Loop in combination - per mite	}_ _		UNCSX	1L5ND	10.92										
	STS-1 Local Loop in combination - Facility Termination	ļ		UNCSX	UDLS1	426.60	244.42	154.73	67,10	_ 26.27						
	Interoffice Channel in combination - 2-wirs VG - per mile	ļ		UNCVX	1L5XX	0.0091					$\overline{}$					
- -	Interoffice Channel in combination - 2-wire VG - Facility Termination	(1											
		 		UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03	i	i	ľ	i	1	
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0091										
- 1 - 1	Interoffice Channel in combination - 4-wire VG - Facility Termination						т									
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03	ì	ì	į.	ì)	
	Interoffice Channel in combination - 4-wire 56 kbps - Facility			UNCDX	1L5XX	0.0091										
	Termination		l.	· · · · · · · · · · · · · · · · · · ·												
	Interoffice Channel in combination - 4-wire 54 kbps - per mile			UNCDX	U1TD5	18.44	94.70	52.59	45.28	18.03	t	į	ŧ	l	{	
	Interoffice Channel in combination - 4-wire 64 kbps - Facility	 	—— Y	UNCDX	1L5XX	0.0091										
	Termination			LINORY	l 1											
	Interoffice Channel in combination - DS1 - per mile			UNCDX	U1TD6	18,44	94,70	52.59	45.28	18.03		ľ			- 1	
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	1L5XX	0.1856										
	Interoffice Channel in combination - DS3 - per mile	 -		UNC1X UNC3X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Interoffice Channel in combination - DS3 - Facility Termination			UNG3X	1L5XX	3.87										
	Interoffice Channel in combination - STS-1 - per mile		 	UNCSX	U1TF3	1,071.00	320.00	138.20	38.60	18.81						
	Interoffice Channel in combination - STS-1 Facility Termination	 -		UNCSX	U1TFS	3.87										
DITIONAL NE	TWORK ELEMENTS	 		ONCSX	U11F8	1,056 00	320.00	138.20	38.60	18.81						
	Features & Functions:															
				UITDI.												
}	Clear Channel Capability Extended Frame Option - per DS1	1 1		ULDD1.UNC1X	CCOEF_	1	1	Ì	Ī	1	T					
				UITD1.	OUGEF		0.00								- 1	
li<	Clear Channel Capability Super FrameOption - per DS1	1 1		ULDD1,UNC1X	CCOSF		0.00	- 1		I						
	Clear Channel Capability (SF/ESF) Option - Subsequent, Activity -			ULDD1, UTTD1.	100005		0.00							\	- 1	
]];	per DS1	1 1		UNC1X, USL	INRCCC	1										
				U1TD3, ULDD3.	TWOOC T		184.92	23.82	2.07	0.80				i	- 1	
(C-bit Parity Option - Subsequent Activity - per DS3	l i l		UE3, UNC3X	NACC3		212.20			i						
	DS1/DS0 Channel System			UNCIX	MQ1	146.77	219.09 57.28	7.67	0.773	0.00				}]	
				UNC3X, UNCSX	MQ3	211.19	115.60	56.54	1.50	1.34						
	DS3/DS1Channel System				1D1VG	1.38	6.71		12.16	4.26						
	Voice Grade COCI in combination			JNCVX			0.71	4.84			·					
	Voice Grade COCI in combination			UNCVX	13113 -1											
	Voice Grade COCI in combination Voice Grade COCI -1or 2W-SL2 & 4W Voice Grade Local Loop			URCVX UEA	1D1VG		6 71	أبور	ا مم			- 1				
	Voice Grade COCI in combination Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local					1.38	6.71	4.84	0.00	0.00						
	Voice Grade COCI in combination Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation				1D1VG	1.38					+					
\ \ \ \ \ \ \	Voice Grade COCI in combination Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation OCU-DP COCI 22 4-644bs; in combination		ļ	UEA ³	1D1VG	1.38	6.71	4.84	0.00	0.00						
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Voice Grade COCI in combination Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation DCU-DP COCI (2.4-64Mbs) in combination DCU-DP COCI (2.4-64Mbs) - for Unbunded Digital Loop		Į.	JITUC JNCDX	1D1VG 1D1VG	1.38 1.38 2.10	6.71	4.84	0.00	0.00						
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Voice Grade COCI in combination Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation DCU-DF COCI (2.4-644bs) in combination DCU-DF COCI (2.4-644bs) - for unbegined Digital Loop DCU-DF COCI (2.4-644bs) - for unbegined Digital Loop DCU-DF COCI (2.4-644bs) - for proprection to a channel and DS1		Į.	JEA JITUC	1D1VG	1.38	6.71	4.84	0.00	0.00						
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Voice Grade COCI in combination Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation DCU-DP COCI (2.4-644bs) - for whomation DCU-DP COCI (2.4-644bs) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		į.	JITUC JNCDX	1D1VG 1D1VG	1.38 1.38 2.10 2.10	6.71 6.71 6.71	4.84 4.84 4.84	0.00 0.00 0.00	0.00 0.00 0.00						
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Voice Grade COCI in combination Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation DCU-DP COCI (2.4-64Mbs) in combination DCU-DP COCI (2.4-64Mbs) - for Unbunded Digital Loop		L L	UEÂ J1TUC JNGDX JDL	1D1VG 1D1VG 1D1DD	1.38 1.38 2.10	6.71	4.84	0.00	0.00						

	ED NETWORK ELEMENTS - Florida												Att: 7 Exh; A			
ATEGORY	RATE ELEMENTS	kuterim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Syc Order va. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order v Electron Disc Add
	 	 	 	·	 	Rec	Nonres First	Add'i	Nonrecurring		 	·		Rates(\$)		
<u> </u>	2-wire ISDN COCI (BRITE) - for connection to a charnelized DS1		_			 	FIRE	Addi	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	AMOR
_ 1 _	Local Channel in the same SWC as collocation	İ	!	UITUB	UCICA	3.66	6.71	4.84	0.00		ììì					
	DS1 CQCI in combination			UNCIX	UC101	13.76	6.71	4.84	0.00	0.00				<u> </u>	ļ	
	DS1 COCI - for Stand Alone Local Chemiel			ULDD1	UC101	13.76	6.71	4.84	0.00	0.00		<u> </u>		 	}	
- [-	DS1 COCI - for Stand Alone Interoffice Channel			UITDI	UCIDI	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for DS1 Local Loop	_		USL, NTCD1	UC101	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for connection to a channelized DS1 Local Channel in								0.00	0.00						
	the same SWC as collocation			UTTUA UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQCB, XDD2X, XDV6X.	UC1D1	13.76	6.71	4.84	0.00	0.00						
	Wholesale - UNE, Switch-As-Is Conversion Charge			XDDFX, XDD4X, HFRST, UNCNX	UNCCC	}	8.98	8.98	•							
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)			UTTVX, UTTDX. UTTD1, UTTD3, UTTS1, UDF, UE3	URESL		8.98	8.98	<u> </u>						·	
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -			UTTVX, UTTDX.	\	 		5.96								
	Switch As is Non-recurring Charge, incremental charge per circuit on a spreadsheet			U1T01, U1T03, U1TS1, UDF, UE3	URESP_		8.98	8.98						;		ļ
Acces	to DCS - Customer Reconfiguration (FlexServ)															
 -	Customer Reconfiguration Establishment						1.63		1.83			7				
	DS1 DCS Termination with DS0 Switching DS1 DCS Termination with DS1 Switching				<u> </u>	27.39	32.89	23.58	16.98	12.77						
}	DS3 DCS Termination with DS1 Switching					11.70	25.07	15.76	13.05	8.86						
	SynchroNet)				L	146.81	32.89	23.58	16.96	12.77						
1.4-21	Node per month			UNCDX	JUNCNT	16.35										
Service	Rearrangements	ــــــــــــــــــــــــــــــــــــــ		ONCOX	JONENT	1 16.35					<u>_</u>					
	NRC - Change in Facility Assignment per circuit Service Rearrangement	_		UTTVX, UTTDX, UTTUC, UTTUD, UTTUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCTX	JURETD		101.07	43.04								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit it project managed)			UTTVX, UTTDX, UTTUC, UTTUD, UTTUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCTX	URETB		3.67	3.67								
	NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X, UNC3X	OCOSA		18,90	18.90								
MMINGLING																
Comm	Comminging Authorization ngled (UNE part of single bandwidth circuit)			UNCYX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUX, ULDDX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
30.70.0	Commingled VG COCI			XDV2X	1D1VG											
	Commingled Digital COCI			XDV6X	1010G	1.38	6.71 6.71	4.84 4.84	0.00	0.00		Ţ				
	Commingled ISBN COCI			XDD4X	UCICA	2.10 3.56	6.71	4.84 4.84	0.00	0.00]			
	Commingled 2-wire VG Interoffice Channel			XDV2X	UITV2	25.32	94.70	52.59	45.28	18.03						
	Commingled 4-wire VG Interoffice Channel			XDV6X	UTTV4	22.58	94.70	52.59	45.28	18.03						
	Commingled 56kbps Interoffice Channel			XDD4X	UTTOS	18.44	94.70	52.59	45.28	18.03						
	Commingled 64kbps Interoffice Channel			XDD4X	UTTD6	18.44	94.70	52.59	45.28	18.03						
i			_	XDV2X, XDV6X,				26.03		78.03		+				
	Commingled VG/DS0 Interoffice Channel Mileage	[XDD4X	1L5XX	0.0091			ľ	l	1		ſ	l	ţ	
	Commingled 2-wire Local Loop Zone 1			XDV2X	UEAL2	12.24	127.59	60.54	48.00	6.31			}			
	Commingled 2-wire Local Loop Zone 2			XDV2X	UEAL2	17,40	127.59	60.54	48.00	6.31	╼╼┾		+			
	Commingled 2-wire Local Loop Zone 3 Commingled 4-wire Local Loop Zone 1			XDVSX	UEAL2	30.87	127.59	60.54	48.00	6.31		+				
			7 7	XDAex	UEAL4	18.89	127.59	60.54	48.00	6.31						

													Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc	÷		RATES(\$)			Syc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order va. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Manuel Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
		<u> </u>	<u> </u>			Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Commingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	26.B4	127.59	60.54	48.00	6.31						
	Commingled 4-wire Local Loop Zone 3	↓		XDV6X	UEAL4	47.62	127.59	60.54	48.00	6.31						
	Commingled 56kbps Local Loop Zone 1 Commingled 56kbps Local Loop Zone 2	+		XDD4X XDD4X	UDL56	22.20	127.59	60.54	48.00 48.00	6.31	ļ			·		
	Commingled 56kbps Local Loop Zone 2			XDD4X	UDL56 UDL56	31.56 55.99	127.59 127.59	60.54 60.54	48.00	6.31	 					
 -	Commingled 64kbps Local Locp Zone 1	 		XDD4X	UDL64	22.20	127.59	60.54	48.00	6.31 6.31						
	Commingled 64kbps Local Loop Zone 2			XDD4X	UDL64	31 56	127.59	60.54	48.00	6.31	 				ļ	
	Commingled 64kbps Local Loop Zone 3	+		XDD4X	UDL64	55.99	127.59	60.54	48.00	6.31						
	Commingled ISON Local Loop Zone 1			XDD4X	U1L2X	19.28	127.59	60.54	48.00	6.31						
	Commingled ISDN Local Loop Zone 2	+		XDD4X	U1L2X	27.40	127.59	60.54	48.00	6.31	 				ļ	
	Commingled ISDN Local Loop Zone 3	+		XDD4X	U1L2X	48.62	127.59	60.54	48.00	6.31						
	Commingled DS1 COCI	+		XDH1X	UC1D1	13.76	6.71	4.84	0.00	0.00						
	Commingled DS1 Interoffice Channel	+		XDH1X	UITEI	88.44	174.46	122.46	45.61	17.95						
	Commingled DS1 Interoffice Channel Mileage	 		XIHIX	IL5XX	0.1856	174,40	12,5.40		.,,,,,,						
	Commingled DS1/DS0 Channel System	+		XDH1X	MQ1	146.77	57.28	14.74	1.50	1.34						
	Commingled DS1 Local Loop Zone 1	+		XDH1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Commingled DS1 Local Loop Zone 2	 		XDH1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Commingled DS1 Local Loop Zone 3	+		XDH1X	USLXX	178.39	217.75	121.62	51 44	14.45						
	Commingled DS3 Local Loop	+		HFQC6	UE3PX	386.88	244.42	154.73	67,10	26.27						
	Commingled DS3/STS-1 Local Loop Mileage	 	t	HFQC6, HFRST	1L5ND	10.92										
	Commingled STS-1 Local Loop			HERST	UDLS1	426.60	244.42	154.73	67.10	26.27						·
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	211.19	115.60	56.54	12.16	4.26						
	Commingled DS3 Interoffice Channel	T		HFQC6	UITF3	1,071,00	320.00	138.20	38.60	18.91				· · · · · · · · · · · · · · · · · · ·	-	
	Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	3.87									-	
	Commingled STS-1Interoffice Channel			HFRST	UITES	1,056.00	320.00	138.20	38.60	18.81						
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	3.87								j		
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQUL	1L5DF	26.85										/ <u>-</u>
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1			T	\					<u> </u>					
	Strands, Per Route Mile Or Fraction Thereol		L	HEODL	UDF14		751.34	193.88								L
	UNE to Commingled Conversion Tracking	<u> </u>	_	XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00						
	SPA to Commingled Conversion Tracking	 	Ļ	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00				<u> </u>		
Query Sen					+						ļ					
	LNP Charge Per query		— —			0.000852					ļ					·
	LNP Service Establishment Mariual			ļ		 	13.83	13.83	12.7i	12.71				<u> </u>		<u> </u>
PBX LOCA	LNP Service Provisioning with Point Code Establishment	 -	 		<u> </u>	ļ	655.50	334.88	297.03	218.40				<u> </u>		
	X LOCATE DATABASE CAPABILITY			·		<u> </u>					L					
	Service Establishment per CLEC per End User Account	T		9PBDC	19PBEU	· · · · · · · · · · · · · · · · · · ·	1,820.00				,					
	Changes to TN Range or Customer Profile		!	SPROC	9PBTN	 	182.14									
	Per Telephone Number (Monthly)	+	† · · · · ·	9PBDC	9РВММ	0.07	102.14				 					
	Change Company (Service Provider) ID	+	 	9PBDC	SPBPC	7.07	534.66									
	PBX Locate Service Support per CLEC (Monthit)	+	 	9PBDC	9PBMR	178.80	3000				 					
	Service Order Charge			9PBDC	9PBSC		11.90									
911 PB	X LOCATE TRANSPORT COMPONENT				1	•								<u> </u>		
See Att																
	 			<u> </u>	T	1										

ļ					T								Att: 2 Exh: A		·····	
CATEGO	RY RATE ELEMENTS	Interio	m Zone	BCS	USOC			RATES(\$	÷		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svo Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increme Charge Manual S Order v
					 	+							1st	Addi	Disc 1st	Electron Disc Ad
 -			-			Rec	First	recurring	Nonrecurri	ng Disconnect	 		000	J		014C AU
be	ne "Zone" shown in the sections for stand-alone loops or loops as tp://www.interconnection.belisouth.com/bscome_a_clec/htm/inter ONS_SUPPORT_SYSTEMS_(OSS) - "REGIONAL_RATES"	part of a c	embina	tion refers to Gazza				Addi	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	201111
OPERATIO	ONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	connectio	n.htm	MON TO GROUP	iphically Dea	veraged UNE	Zones. To viev	v Geographical	y Deaveraged t	INE Zone Design	artions by C				COMPAN	SOMAN
	REGIONAL RATES"				T						lations by Ce	intral Office,	refer to intern	et Website:		
NO	OTE: (1) CLEC should contact its contract negotiator if it prefers the	"state = -	necifi"	000		·										
NO	TE: (2) Any element that can be a service ordering char	ges, or C	LEC ma	Ves charges as ord	ered by the S	tate Commiss	ions. The OSS	charges curre	ath contained in	this rate and to						
ord	OTE: (1) CLEC should contact its contract negotiator if it prefers the specific Commission ordered rates for the service ordering chald the contract of the service ordering chald the contract of the contrac	d accordir	ig to th	e SOMEC rate listed	In this catego	ing charge, ho	Wever, CLEC	an not obtain a	mixture of the	Wo regardless if	CLEC has a	T "regional"	service order	ing charges.	CLEC may ele	ct sither th
CL.	ECs bill when # aubmits an LSR to AT&T.	n this cate	gory n	flects the charge tha	t would be b	ilied to a CLE	Once electron	ocal Ordering H	andbook (LOH)	to determine if	product can	be ordered	electronically	established in	each of the 9	tates.
!	OSS - Electronic Service Order Charge, Per Local Service							e ordering cap	DIIKINES COME O	n-line for that ele	ment. Other	wise, the ma	nust ordering	charge, SOM	ments that ca	nnot be
	OUT Mailed Outvice Chama Day Coal Co.				SOMEC										, war on app	e or Denis
				-		 	3.50	0.00	3.50	0.00		- 1	T			
	OSS - Electronic Service Order Charge, Per Local Service	+	 		SOMAN		11,71	0.00			-					
JNE SERVI	ICE DATE ADVANCEMENT ONLY PER First 1000 Orders Per Month			SSOSS	SOMGA			4.00	6.13	0.00					- 1	_
NO	TE: The Expedite charge will be maintained commenced to the				SOMGA	0.00		-			1					
	TE: The Expedite charge will be maintained commensurate with B	9#South's	FCC N	lo.1 Tariff, Section 5	as applicable		-									
		1 1		UAL, UEANL, UCL.	""		1									
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			JEO, UDL, UENTW. UDN, UEA, UHL. ULC, USL, U1712. U1748, U17D1, U1703, U17D1, U1703, U17D1, U1703, U17D1, U1703, U17D1, U1703, U17D1, U1703, U17D1, U1703, U17D1, U1704, U1706, UC16L, UC16C, UC16C, UC16C,												
ER MODIF	FIGATION CHARGE	-	+1	TCUD, NTCD1	SDASP		200.00					ĺ				- }
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)														1	
							26.21	0.00	0.00	0.00						
	ANALOG VOICE GRADE LOOP						150.00	0.00	0.00	0.00						
	2-Wire Analog Voice Grade Loop - Soule- L-		· ·	UEANL I	100 41 70 11											
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	2		JEAL2 JEAL2	12.08	39.98	9.98	5.61	1.72						
		3		UEANL (JEAL2	17.43 35.09	39.98	9.98	5.61	1.72						
		1 2		UEANL	JEASL	12.08	39.98 39.98	9.98	5.61	1.72						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2			UÉANL L	JEASL "	17.43	39.98	9.98	5.61 5.61	1.72						
	Tag Loop at Fad Hara Burger Sarvice Level 1- Zone 3	1 3		I E A NII												
	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour	3			BASL HETL	35.09	39.98 8.92	9.98	5.61	1.72		_				

	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	,	3.7	RATES(\$)			Svc Order Submitted Elec per LSR		incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
	——————————————————————————————————————	 	├ ──┪		 	Rec	Nonre: First	Add'l	Nonrecurring D	Add'i	COURC	SOMAN	089	Rates(\$)		
	Manual Order Coordiantion for UVL-SL1s (per loop)		 	UEANL	UEAMC	 	18.90	18.90	5.61	1.72	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMA
1 1 1	Order Coordination for Specified Conversion Time for UVL-SL1				1			10.50	3.01	1./2	 			 		
	(per LSR)	L		UEANL	OCOSL	l i	57.73				1 1			\	\	ì
1 1	Unbundled Nan-Design Voice Loop, billing for AT&T providing	ĺ]]		T	[
	make-up (Engineering Information - E.I.) Unbundled Loop Service Rearrangement, change in loop facility,			UEANL	UEANM	ļ	7.29	7.29								<u> </u>
	per circuit	!		UEANL	UREWO	{	15.75	8.92		. 70	ļ	1		}	_	i
	Bulk Migration, per 2 Wire Voice Loop-SL1		 	UEANL	UREPN	 - 	39.98	9.98	5.61 5.61	1.72				ļ <u> </u>		├ ┈──
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-\$L1			UEANL	UREPM	 	18.90	18.90	3.01	1.12				 -		
	UNBUNDLED COPPER LOOP - NON-DESIGNED										·					
	2 Wire Unbundled Copper Loop Non-Designed-Zone 1	<u> </u>	1	UEQ	UEQ2X	11.02	44.69	22,40						<u> </u>		
	2 Wire Unbundled Capper Loop Non-Designed-Zone 2	<u> </u>	2	UEQ	UEQ2X	12.72	44.69	22.40								
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3 Tag Loop at End User Premise		3	UEQ.	UEQ2X URETL	20.22	44.69	22.40								
	Loop Testing - Basic 1st Half Hour		1	UEO	URETI	 	8.92 26.64	0.88								
	Loop Testing - Basic Additional Half Hour		 	UEQ	URETA	 -	15.15	15.15	 -+							
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		 		1		10.13	13.13			 			 	 	
L	Designed (per loap)		11	UEQ	USBMC	<u>]</u>]	18.90	18.90	1			ļ				ı
	Unbundled Copper Loop - Non-Design, billing for AT&T providing		- 7													
	make-up (Engineering Information - E.I.)			UEQ	UEQMU	 _	7 29	7.29			<u></u> !					i
- ! !	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1	1 I	UEQ	1105,415)										
	Bulk Migration, per 2 Wire UCL-ND			UEO	UREWO	 	14.25	7.42			<u> </u>					
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		 	UEQ	UREPM		18.90	18.90			-					
	XCHANGE ACCESS LOOP		 		- O.L.		16.50	10.30			 					·
2-WIRE	ANALOG VOICE GRADE LOOP					 -					ــــــــــــــــــــــــــــــــــــــ					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				7											
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.32	79.78	24.62	18.90	7.86	1	}		ļ		i .
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		l											
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	18.66	79.78	24.62	18.90	7.86						ı
1 1	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.33	79.78	24.52		- 45])				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1 -1		- OCASE	30.33	73.70	24.52	18.90	7.86	-					
	Battery Signaling - Zone 1		1 1	ŲEA	UEAR2	13.32	79.78	24.62	18.90	7.86	ľ	ļ		. [
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
	Battery Signaling - Zone 2		2	UEA	UEAR2	18.66	79.78	24.62	18.90	7.86	!	i		!		ı
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse] _ [
 	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UEA	UEAR2	36.33	79.78	24.62	18.90	7.86				L		L
1 1	DS0)	ļ		UEA	URESL	ļ	6.54	6.54			-					
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		 		ONESC		0.34	6.54								
	DS0)		ll	UEA	URESP	ļ <u> </u>	6.54	6.54	1		}	i i		 	1	
	Unbundled Loop Service Rearrangement, change in loop facility,					-		<u> </u>				-				
	per circuit		ļ ļ	UEA	UREWO		87.72	36.36			1			ĺ	J	
	Loop Tagging - Service Level 2 (SL2)		 -	UEA	URETL		11,19	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN	ļ	79.78	24.62								
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2 ANALOG VOICE GRADE LOOP		44	UEA	UREPM	<u></u> l	0.00	0.00								
	4-Wire Analog Voice Grade Loop - Zone 1		1 1	ÜEA	ÜEAL4	21.04	02.001	20 44 1	10.00							
- 1 1	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	24.49	92.92	28.14 28.14	19.50 19.50	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	- ŬĒĀ	UEAL4	33.40	92.92	28.14	19.50	8.12 8.12						
	Switch-As-Is Conversion rate per UNE Leop, Single LSR, (per			3=	1			20.14	70.30	5.12	 +	 -				
	DS0)			UEA	URESL	<u>. </u>	6.54	6.54	1		İ	1		í	ļ	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per							1								
	DS0)			UEA	URESP		6.54	6.54						{	\	_
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit) i	UEA	I HECHIC)			T		T					
	ISDN DIGITAL GRADE LOOP		<u> </u>	UEA.	UREWO	<u> </u>	87.72	36.36		1						
	2-Wire ISDN Digital Grade Loop - Zone 1		1 1	UĎŃ	U1L2X	21.89	180.06	35.25	18.23	5 5 5 1						
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97 6.97						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UIL2X	40.17	180.06	35.25	18.23	6.97						
- T	Unbundled Loop Service Rearrangement, change in loop facility.				1				,,,,,,	- 5.57				 +		
	per circuit			UDN	UREWO		120.98	33.04			1					

	D NETWORK ELEMENTS - Georgia	1	T										Att: 2 Exh: A		 -	
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc	÷		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Syc Order vs. Electronic- 1st	Incremental Charge • Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electroni Disc Add
						Rec	Nonre	urring	Nonrecurring			<u> </u>	OSS	Rates(\$)		
ļ	2 Wire Unbundled ADSL Loop including manual service inquiry &			· · · · · · · · · · · · · · · · · · ·			Firet	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry &	<u> </u>	1	UAL	UAL2X	11.23	44.69	31,55	0.00	0.00						
	Facility reservation - Zone 2		2						0.00	0.00						
	2 Wire Unbundled AOSL Loop including manual service inquiry &	 		UAL	UAL2X	12.97	44.69	31.55	0.00	0.00		ļ	!		i	
1 1	Ifacility reservation - Zone 3		_3	UAL	UAL2X	20.62	44.69	31.55								
	2 Wire Unburdled ADSL Loop without manual service inquiry & facility reservator - Zone 1						44.03	31,35	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry 8		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00		-		i		
- 1 - 1	Tacility reservation - Zone 2		2	UAL	UAL2W	12.97		•								
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UNC	UNCZVV	12.97	44.69	31.55	0.00	0.00]		
	facility reservator - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
				1141				0,.00	0.00	0.00						
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BLELC	OP 1	UAL	UREWO		44 69	29.29			1		İ		}	
1 1	4 Wire Undungled HDSL Loop including manual service inquiry 6		<u></u>													
	facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry 8		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
- 1	racisty reservation - Zone 2		,					01.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry &			UHL	UHL2X	9.09	44.69	31.55	0.00	0.00	[1	ŀ	-		
, ,	F. and Y north Vill 25		3	UHL	UHL2X	14.48	44.69									
	2 Wire Unbundled HOSL Loop without manual service inquiry and actility reservation - Zone 1				J. C.	14.40	44.69	31.55	0.00	0.00					J	
	2 Wire Unbundled HDSL Loop without manual service inquiry and		. 1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00	1	l				
	GCHIY reservation - Zone 2	ĺ	2	UHL					0.00	V.00					<u> </u>	
1 12	2 Wire Unbundled HDSL Loop without manual service inquiry and			UHL	UHL2W	9.09	44.69	31.55	0.00	0.00		i	1		ļ	
!	acility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55								
I Ir	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	T I					44.03	31.55	0.00	0.00						
4-WIRE H	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (UDS) COMPAY	BIETÓ	7P	UHL	UREWO		44.69	31.55			ĺ					
14	Wife Unbundled HUSL Loop including manual service inquiry and	BLE LU			· · · · · · · · · · · · · · · · · · ·						٠				<u>-</u>	
1 12	achty reservation - Zone 1	1	. 1	UHL	UHL4X	10.39	44.69	31,55						T		
	l-Wire Unbundled HOSL Loop including manual service inquiry and acility reservation - Zone 2	T					- 42,50	31,55	0.00	0.00						
4	-Wire Unbundled HDSt Loop including manual service inquiry and		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00	ľ	1				
][acinty reservation - Zone 3		3	UHL	UHL4X											
4	Wire Unbundled HDSL Loop without manual service inquiry and		<u> </u>		UHL4X	19.07	44.69	31,55	0.00	0.00			J			
	aclity reservation - Zone 1		. 1	UHL	UHL4W	10.39	44.69	31 55	0.00							
1 1/2	-Wire Unbundled HDSL Loop without manual service inquiry and acifity reservation - Zone 2		2					- 37 33	0.00	0.00						
4	-Wire Unbundled HDSL Loop without manual service inquiry and			UHL	UHL4W	12.00	44.69	31.55	0.00	0.00	Ī	ì	i	ĺ		
l la	BOILTY reservation - Zone 3	- 1	3	UHL	UHL4W	19.07	44.69									
	Inbundled Loop Service Rearrangement, change in loop facility,				1	15.07	44.59	31.55	0.00	0.00	<u></u>				ĺ	
1 10				UHL	UREWO	i	44.69	31.55								
4-WIRE D	er circuit									·						
4-WIRE D	IST DIGITAL LOOP -Wire DS1 Digital Loop - Zone 1		1 1	Hei	T TIELVIV I							·				
4-WIRE D	IS1 DIGITAL COOP Wire DS1 Digital Loop - Zone 1 -Wire DS1 Digital Loop - Zone 2		1 2	USL USL	USLXX	49.41	211.72	72.42	38.20	7.19						
4-WIRE D	IS1 DIGITAL LOOP Wire DS1 Digital Loop - Zone 1 Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 3			USL USL	USLXX	52.55	211.72	72.42	38.20	7.19						
4-WIRE D	IS1 DIGIT AL LOOP -Wire DS1 Digital Loop - Zone 1 -Wire DS1 Digital Loop - Zone 2 -Wire DS1 Digital Loop - Zone 3 witch-As-Is Conversion rate per UNE Loop, Single LSR, (ner		2	USL	USLXX											
4-WIRE D 4-WIRE D 4- 4- 5- 5- 5-	IS1 DIGITAL LOOP Wire DS1 Digital Loop - Zone 1 -Wire DS1 Digital Loop - Zone 2 -Wire DS1 Digital Loop - Zone 3 wilch-As-Is Conversion rate per UNE Loop, Single LSR, (per S1)		2	USL	USLXX	52.55	211.72	72.42	38.20	7.19						
4-WIRE D 4-S 5 0	IS1 Digital LOOP Wire DS1 Digital Loop - Zone 1 Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 3 witch-As-Is Conversion rate per UNE Loop, Single LSR, (per S1) witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per S1)		2	USL USL USL	USLXX USLXX URESL	52.55	211.72 211.72 6.54	72.42 72.42 6.54	38.20	7.19						
4-WiRE D 4-WiRE D 5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-	IS1 Digital LOOP Wire DS1 Digital Loop - Zone 1 Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 3 witch As-Is Conversion rate per UNE Loop, Single LSR, (per S1) witch As-Is Conversion rate per UNE Loop, Spreadsheet, (per S1) mich As-Is Conversion rate per UNE Loop, Spreadsheet, (per S1) houndled Loop Service Rearrangement, change in loop facility		2	USL	USLXX	52.55	211.72 211.72	72.42 72.42	38.20	7.19						
4-WiRE D 4- 4-S 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	IS1 DIGIT AL LOOP -Wire DS1 Digital Loop - Zone 1 -Wire DS1 Digital Loop - Zone 2 -Wire DS1 Digital Loop - Zone 3 witch-As-is Conversion rate per UNE Loop, Single LSR, (per S1) witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per S1) witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per S1) roincided Loop Service Rearrangement, change in loop facility, projectival.		3	USL USL USL USL	USLXX USLXX URESL URESP UREWO	52.55	211.72 211.72 6.54 6.54	72.42 72.42 6.54 6.54	38.20	7.19						
4-WIRE D 4-WIRE D 5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-	IS1 Digital LOOP - Zone 1 - Wire DS1 Digital Loop - Zone 2 - Wire DS1 Digital Loop - Zone 2 - Wire DS1 Digital Loop - Zone 3 - Wire DS1 Digital Loop - Zone 3 - Wire DS1 Digital Loop - Zone 3 - Wire DS1 Digital Loop - Zone 3 - Wire DS1 Digital Loop - Zone 5 - Wire DS1 Digital Loop - Zone 5 - Wire DS1 Digital Loop - Zone 5 - Zone 1 - Wire DS1 Digital Loop - Zone 5		2 3	USL USL USL USL USL USL	USLXX USLXX URESL URESP UREWO 271UC	52.55 68.40 85.97	211.72 211.72 6.54 6.54 100.91 211.72	72.42 72.42 6.54 6.54 42.97 72.42	38.20	7.19 7.19						
4-WIRE D 4-WIRE D 5- 5- 5- 5- 5- 7- 7- 7- 7- 7- 7- 7- 7- 7- 7- 7- 7- 7-	IS1 DIGIT AL LOOP -Wire DS1 Digital Loop - Zone 1 -Wire DS1 Digital Loop - Zone 2 -Wire DS1 Digital Loop - Zone 3 witch-As-is Conversion rate per UNE Loop, Single LSR, (per S1) witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per S1) witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per S1) roundled Loop Service Rearrangement, change in loop facility, er circuit 11 - 4-Wire DS1 Digital Loop - Zone 1 71 - 4-Wire DS1 Digital Loop - Zone 2 77 - 4-Wire DS1 Digital Loop - Zone 3		1 2	USL USL USL USL USL USL USL USL	USLXX USLXX URESL URESP UREWO 271UC 271UC	52.55 68.40 85.97 81.27	211.72 211.72 6.54 6.54 100.91 211.72 211.72	72.42 72.42 6.54 6.54 42.97 72.42 72.42	38.20 38.20 38.20 38.20 38.20	7.19						
94-WIRE D 4-WIRE D 5 S 0 D 5 S 0 D 6 S 7 S 7 S 7 S 7 S 7 S 7 S 7 S 7 S 7 S 7	IS1 Digital LOOP - Zone 1 - Wire DS1 Digital Loop - Zone 2 - Wire DS1 Digital Loop - Zone 2 - Wire DS1 Digital Loop - Zone 3 - Wire DS1 Digital Loop - Zone 3 - S1) - Wind DS1 Digital Loop - Zone 3 - S1) - Wind DS1 Digital Loop - Zone IIII - Zone IIII - A-Wire DS1 Digital Loop - Zone III - A-Wire DS1 Digital Loop - Zone 2 - S1 - A-Wire DS1 Digital Loop - Zone 3 - Z5 - S0 R6 4 KBPS DIGITAL GRADE LOOP		2 3	USL USL USL USL USL USL	USLXX USLXX URESL URESP UREWO 271UC	52.55 68.40 85.97	211.72 211.72 6.54 6.54 100.91 211.72	72.42 72.42 6.54 6.54 42.97 72.42	38.20 38.20 38.20	7.19 7.19 7.19						
4-WRE 0 4-WRE 0 4-4-4-4-4-5 5 5 0 0 0 0 0 22 22 27 4-WRE 15	IS1 DIGIT AL LOOP Wire DS1 Digital Loop - Zone 1 Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 3 witch-As-Is Conversion rate per UNE Loop, Single LSR, (per S1) witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per S1) multiple Loop Service Rearrangement, change in loop facility, or circuit 11. 4-Wire DS1 Digital Loop - Zone 1 11. 4-Wire DS1 Digital Loop - Zone 2 13. 4-Wire DS1 Digital Loop - Zone 3 12. 56 OR 64 KBPS DIGIT AL GRADE LOOP		1 2 3	USL USL USL USL USL USL USL USL USL USL	USLXX USLXX URESL URESP UREWO 271UC 271UC 271UC UDL2X	52.55 68.40 85.97 81.27	211.72 211.72 6.54 6.54 100.91 211.72 211.72	72.42 72.42 6.54 6.54 42.97 72.42 72.42 72.42	38.20 38.20 38.20 38.20 38.20 38.20	7.19 7.19 7.19 7.19 7.19 7.19						
4-WiRE 0 4-WiRE 0 4-4-4-5 5 5 5 5 5 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9	IS1 Digital LOOP - Zone 1 - Wire DS1 Digital Loop - Zone 2 - Wire DS1 Digital Loop - Zone 2 - Wire DS1 Digital Loop - Zone 3 - Witch As-Is Conversion rate per UNE Loop, Single LSR, (per S1) - S1) - Witch As-Is Conversion rate per UNE Loop, Spreadsheet, (per S1) - Provided Loop Service Rearrangement, change in loop facility, er circuit - 11 - 4-Wire DS1 Digital Loop - Zone 2 - 17 - 4-Wire DS1 Digital Loop - Zone 3 - 22, 55 OR 64 KBPS DIGITAL GRADE LOOP Wire Unburdled Digital Loop 2.4 Kbps - Zone 1 Wire Unburdled Digital Loop 2.4 Kbps - Zone 1 Wire Unburdled Digital Loop 2.4 Kbps - Zone 2 Wire Unburdled Digital Loop 2.4 Kbps - Zone 2 Wire Unburdled Digital Loop 2.4 Kbps - Zone 2 Wire Unburdled Digital Loop 2.4 Kbps - Zone 2		1 2 3	USL USL USL USL USL USL USL USL USL USL	USLXX USLXX URESL URESP UREWO 271UC 271UC 271UC 271UC 271UC 271UC UDL2X UDL2X	85.97 81.27 128.28 25.81 31.54	211.72 211.72 6.54 6.54 100.91 211.72 211.72 211.72 196.47	72.42 72.42 6.54 6.54 42.97 72.42 72.42	38.20 38.20 38.20 38.20 38.20 38.20	7.19 7.19 7.19 7.19 7.19 7.19						
U P P P P P P P P P P P P P P P P P P P	IS1 DIGIT AL, LOOP Wire DS1 Digital Loop - Zone 1 Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 3 witch As-Is Conversion rate per UNE Loop, Single LSR, (per S1) witch As-Is Conversion rate per UNE Loop, Spreadsheet, (per S1) return of the Loop Service Rearrangement, change in loop facility, er circuit 71 - 4-Wire DS1 Digital Loop - Zone 1 71 - 4-Wire DS1 Digital Loop - Zone 3 22, 25 OR 64 KBPS DIGIT AL GRADE LOOP Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		1 2 3 1 2 3	USL USL USL USL USL USL USL USL USL USL	USLXX USLXX URESL URESP UREWO 271UC 271UC 271UC UDL2X UDL2X UDL2X UDL2X	52.55 68.40 85.97 81.27 128.28 25.81 31.54 42.38	211.72 211.72 211.72 6.54 6.54 100.91 211.72 211.72 211.72 116.47 196.47	72.42 72.42 6.54 6.54 42.97 72.42 72.42 72.42 36.96 36.96 36.96	38.20 38.20 38.20 38.20 38.20 18.80 18.80	7.19 7.19 7.19 7.19 7.19 7.19						
U PP 4-WIRE D 4-WIRE D 5 5 5 5 5 0 0 0 1 22 22 22 4-WIRE 19 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	IS1 Digital LOOP Wire DS1 Digital Loop - Zone 1 Wire DS1 Digital Loop - Zone 2 Wire DS1 Digital Loop - Zone 3 With-As-Is Conversion rate per UNE Loop, Single LSR, (per S1) witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per S1) witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per S1) roundled Loop Service Rearrangement, change in loop facility, er circuit roundled Loop Service Rearrangement, change in loop facility, er circuit 11 - 4-Wire DS1 Digital Loop - Zone 1 11 - 4-Wire DS1 Digital Loop - Zone 2 12 - 4-Wire DS1 Digital Loop - Zone 3 13 - 2, 56 OR 64 KBPS DIGIT AL GRADE LOOP Wire Unbundled Digital Loop - 24 Kbps - Zone 1 Wire Unbundled Digital Loop - 24 Kbps - Zone 1		1 2 3	USL USL USL USL USL USL USL USL USL USL	USLXX USLXX URESL URESP UREWO 271UC 271UC 271UC 271UC 271UC 271UC UDL2X UDL2X	85.97 81.27 128.28 25.81 31.54	211.72 211.72 6.54 6.54 100.91 211.72 211.72 211.72 196.47	72.42 72.42 6.54 6.54 42.97 72.42 72.42 72.42 72.42 73.6.96	38.20 38.20 38.20 38.20 38.20 38.20 18.80	7.19 7.19 7.19 7.19 7.19 7.19 7.19						

			i	}			T							Att: 2 Exh; A			
CATEGO	RY	RATE ELEMENTS	interin	Zone	acs	USOC			RATES(\$)			Svc Orde Submitted Elec per LSR	Submitted Manually	Incremental	Incremental Charge -	Incremental Charge - Manual Svc Order va. Electronic- Disc 1st	Increm Charg Manual Order Electro Oisc A
	7	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1			Rec	Nonre	curring	Nonrecurring	Disconnect	<u> </u>	ч		'		L
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		1 1	UDL	UDLax	25.81	First	Addit	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)		
		4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	UDL	UDL9X	31.54		00.00		7.19		SOME	SUMAN	SOMAN	SOMAN	SOMA
	- 1	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	_	3	UDL	UDL9X	42.38	707	36.96		7.19	·····	1				
	- 14	Wire Unburded Digital 19.2 Khoc. Zees 0		1	ŲDL	UDL19	25.81		00.00		7.19		1				
	14	Wire Unbundled Digital 10.2 Khase 7		2	UDL	UDL19	31.54		00.00		7.19		 				
		Wire Undundled Digital Logg 56 Khoe - Zong 1		3	ŲDĽ	UDL19	42.38		00.00	- 0.00	7.19						
				1	UDL	UDL56	25.81		00.00	- 0.00	7.19						
	16	Wire Unbundled Digital Loop Ec Man. 7		2	UDL	UDL56	31.54	196.47	36.96		7.19						
	- 14	VIII UNDUNCING DIGITAL LOOP & LENGTH 7 4		3	UDL	UDL56	42.38	196.47	36.96	18.80	7.19						
	- 14	VIVE Undergrad Digital Loop 64 Khas 7s - 0		1	UDL	UOL64	25.81	196.47	36.96	18.80	7.19						
	4	Wire Unbundled Digital Loop 64 Khas. 7		2	ÜDL	UDL64	31.54	196.47	36.96	18.80	7.19						
1	l c	Wilch-As-is Conversion rate per UNF Long. Single LSD. (per		3	UDL	UDL64	42.38	196.47	36.96 36.96	18.80	7.19						
							-2.00	130.47	36.96	18.80	7.19				+		
I -	Is	witch-As-is Conversion rate per UNE Loop, Spreadsheet, (per			UDL	URESL		6.54									
			- 1	!				0.34	6.54				į.	ļ		1	
	ŢÜ	inbundled Loop Service Rearrangement, change in loop facility.			UDL	URESP	:	6.54	6.54	}							
			- 1	j				0.34	6.54					Į.		i	
2-W	IRE U	Inbundled COPPER LOOP		i	UDL	UREWO	1	101.95	49.66	ŀ							
	2-	Wire Unbundled Copper Loon-Designed including						101.33	49.66					ļ		i	
			ŀ														
	12.	Wire Unbunded Conner Logo, Designed including		_'	UCL	UCLPB	12.02	44.69	31.55								
				. 1					31.55	0.00	0.00				ſ	i	
	4	Wire Unbundled Copper Loop-Designed including magnetic		2	UCL	UCLPB	13.88	44.69	24.55	i							
			- 1	_ {				44.65	31.55	0.00	0.00		i			í	
	2-	Wire Unbundled Copper Loop-Designed without		3	UCL	UCLPB	22.07	44.69		i							
				- 1		T		44.03	31.55	0.00	0.00	1	ì			1	
1	Z-1	Wire Unbundled Copper Loon-Designed without many		-1-1	UCL	UCLPW	12.02	44.69									
								44.63	31.55	0.00	0.00	ľ	1			ĺ	
	2-1	Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPW	13.88	44.69		ľ							
			- 1	- 1			3.00	44.09	31.55	0.00	0.00	- !	i	J	ļ		
] On	der Coordination for Unbundled Consent		3	UCL	UCLPW	22.07	44.69	04								
	Un	bundled Loop Service Rearrangement, change in loop facility,			UCL	UCLMC	42.97	18.90	31.55 18.90	0.00	0.00	1	i	l l		Į.	_
			- 1	i				70.30	18.90								
4-WIF	RE CC	OPPER LOOP			UCL	UREWO		44.69	31.55								
1	4-V	Vire Copper Loop-Designed including manual service inquiry						77.00	31.55				Ī	1		1	
			Į.														
	4-7	Vire Copper Loop, Designed including		-1-1-	UCL	UÇL4S	15.65	44.69	74.56		Ţ						
							10.00	44.03	31.55	0.00	0.00		- 1	1	1	- 1	
	4-Y	Vire Copper Loop-Designed including manual		5	UCL	UCL4S	19.22	44.69	21.22	1							
			Į.	.				44.03	31.55	0.00	0.00	1		1	i	i	
	4-W	rire Copper Loop-Designed without manual equipment -		3	UCL	UCL4S	30,55	44.69	D4 F6								
_				. [-4.03	31.55	0.00	0.00		l l	i	1	ì	
	4·W	/ire Copper Loop-Designed without manual service in the		- -	UCL	UCL4W	16.65	44.69	2	1	7						
				ر ا				03	31.55	0.00	0.00		- 1	í	i	l l	
	4-W	ire Copper Loop-Designed without manual coming in the		2	UCL	UCL4W	19.22	44.69	2	, [T							
				.				-4.03	31.55	0.00	0.00	i	j	ĺ	l		-
	Ord	er Coordination for Urbundled Connect		3	UCL	UCL4W	30.55	44.69	21.22	i i							
	Unb	undled Loop Service Rearrangement, change in loop facility,			UČL	UCLMC		18.90	31.55	0.00	0.00	1	1		1		
	per	circuit	- 1					10.90	18.90								
			 	_	UCL	UREWO		44.69	1								
	Ordi	er Coordination for Specified Conversion Time (per LSR)		11	UEA, UDN, UAL,			D3	31.55				ļ	i	ĺ		
Rearra					UHL, UDL, USL	OCOSL	1	57.73	1		·						
	EEL	to UNE-L Retermination, per 2 Wire Unburylled Voice Lea-						37.73					ļ	ĺ		J	
-	SL2	The property of the Coop.	1														
-				_	UEA	UREEL	1	79.85	24.05] " "							
	EEL	to UNE-L. Retermination, per 4 Wire Unbundled Voice Loop	- 1					, 5.05	24.65				ł	1	1	1	٦
	EEL	to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL	1	79.85	24.65	1							
			_ _	_ _	UDN	UREEL		120.98					i	í	J	f -	
	EEL	to UNE-L. Refermination, per 4 Wire Unmbundled Digital Loop	- 1	- 1				.20.30	33.02								
			-		UDL	UREEL	1	101.95	ا مممد								
			+-		USL	UREEL		100.91	49.66			i	1		I	1 -	
in tatter	* ****	LOG VOICE GRADE LOOP - COMMINGLING	- (- 1				100.01	42.97	1						_ !	- 1

0.1001100	D NETWORK ELEMENTS - Georgia		···										Att: 2 Exh; A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCs	usoc	i .		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
		+	 		+	Rec	Nonre: First	Addi	Nonrecurring First		SOMEC	40000	088	Rates(\$)		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1				Feat	Adui	FIRE	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ground Start Signaling - Zone 1		1 1	NTCVG	UEAL2	13.32	79.78	24.62	18.90	7.86	(ļ	1	í
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	\	1						(4.30	7.00	 			 		
	Ground Start Signaling - Zone 2	Ь.	2	NTCVG	UEAL2	18.66	79.78	24.62	18.90	7.86	1 1			Ι.,		l
ľ	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		l[T											
_	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 -	3	NTCVG	UEAL2	36.33	79.78	24.62	18.90	7.86				L		L
1	Battery Signaling - Zone 1		1 1	NTCVG	UEAR2		70.70				\		· · · · · · · · · · · · · · · · · · ·			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	╁╾	\ ' \	NICYG	UEAH2	13.32	79.78	24.62	18.90	7.86						
1	Battery Signaling - Zone 2	1	2	NTCVG	UEAR2	18.66	79.78	24.62	18.90	7.86	[[(
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	 		UCA/IL	18.00	75.76	24.02	16.50	7.86	 			 		
1	Battery Signaling - Zone 3		_ 3	NTCVG	UEAR2	36.33	79.78	24.62	18.90	7.86					l	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1								50						
	080)	 		NTCVG	URESL		<u>6.</u> 54	6.54		<u> </u>	! !	ļ				ı
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)	1	1 1													
			}	NTCVG	URESP	<u>'</u>	6,54	6.54			<u> </u>			<u> </u>		i
Į	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1	l İ	NTCVG	UREWO											
	Loop Tagging - Service Level 2 (SL2)		+ -+	NTCVG	URET		87.72	36.36			<u> </u>					
4-WIRE	ANALOG VOICE GRADE LOOP		٠	NICVG	UNEIL		11.19	1.10			<u> </u>		·			
	4-Wire Analog Voice Grade Loop - Zone 1		133	NTCVG	UEAL4	21.04	92.92	28.14	19.50	8.12						
	4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG	UEAL4	24.49	92.92	28.14	19.50	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3	1.	3	NTCVG	UEAL4	33.40	92.92	28.14	19.50	8.12	 					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
`	DS0)	<u></u>		NTCVG	URESL		6.54	6.54	i			J				ı
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		Į ľ													
	(DS0)		├	NTCVG	URESP		6.54	6.54					i		_ [
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit]	NTCVG		i					, , ,					
A.WIRE	DS1 DIGITAL LOOP - COMMINGLING	<u> </u>		NICVG	UREWO		87.72	36.36								
	4-Wire DS1 Digital Loop - Zone 1		ПТ	NTCD1	ÜSLXX	49,41	211.72	72.42	38.20	7.19						
	4-Wire DS1 Digital Loop - Zone 2	+	2	NTCD1	USLXX	52.55	211.72	72.42	38 20	7.19						
	4-Wire DS1 Digital Loop - Zone 3	T	3	NTCD1	USLXX	58.40	211.72	72.42	38.20	7.19						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					30.55	2.,		00.20		-)				
	(081)	<u> </u>]{	NTCD1	URESL_	_ !	6.54	6.54			! !	- 1	ļ		i	
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)	<u> </u>	-	NTCD1	URESP		6.54	6.54								
1	Unbundled Loop Service Rearrangement, change in loop facility, loer circuit			15004							}					
4.WIDE	19.2, 56 OR 64 KEPS DIGITAL GRADE LOOP - COMMINGLING	<u> </u>	ــــــــــــــــــــــــــــــــــــــ	NTCD1	UREWO		100.91	42.97								
14-1111	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	'	7	NTCUD	UDL2X	25,81	196.47	36.96	18.80				~			
	4 Wire Unbundled Digital Loop 2.4 Kpps - Zone 2		2	NTCUD	UOL2X	31.54	196.47	36.96	18.80	7.19 7.19						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	T	3	NYCUD	UDL2X	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		Ť	NTCUD	UDL4X	25.81	196.47	36.96	18.60	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	↓	1	NTCUD	UDL9X	25.81	196,47	36.96	18.80	7.19						
	4 Wire Unburdled Digital Loop 9.6 Keps - Zone 2 4 Wire Unburdled Digital Loop 9.6 Keps - Zone 3		3	NTCUD	UDL9X	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			NTCUD	UDL9X UDL19	42.38 25.81	196.47 196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	├	2	NTCUD	UDL19	31.54	196.47	36.96 36.96	18.80	7.19 7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	+	3	NTCUD	UDL19	42.38	196.47	36.96	18.30	7.19						
	4 Wire Unbundled Digital Logo 56 Kbps - Zone 1		-	NTCUD	UDL56	25.81	196.47	36.95	18.80	7.19						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 56 Kbps - Zona 3	-	3	NTCUD	UDC56	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	25.81	196.47	36.96	18.80	7,19	1					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	31.54	196.47	36.96	18.80	7,19						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR. (per	 	3	NTCUD	UDL64	42.38	196.47	36.96	18.80	7,19						
	[DS0]		/	NTGUD	URESL		6.54	6.54	i	- 1	1	,	1	· · · · · · · · · · · · · · · · · · ·	T	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	- +		<u> </u>		9.54	6.54								
1	050)			NTCUD	URESP	[6.54	6.54	i	ł	ł	}	Į	į	1	
	Unbundled Loop Service Rearrangement, change in loop facility.	T			1			0.54	 -			 -				
!	per circuit	1]]	NTGUD	UREWO		101 95	49.66	1	!	- 1	1	}	- 1		

1			T		Т								Att: 2 Exh; A			
CATEGO	GORY RATE ELEMENTS	1		}		ł					Svc Orde	r Svc Order	Incremental		Incremental	Increm
	NOTE CLEMENTS	Interin	Zone	BCS	USOC			RATES(\$)		Elec per LSR	Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg Manual Order Electro Disc A
			_			Rec	First	nrecurring Add'i	Nonrecurrin	g Disconnect			OSS	Rates(\$)	Olac ist	DISCA
End-to-E	Order Coordination for Specified Conversion Time (pe	rLSR)		NTCVG, NTCUD. NTCD1	OCOSL				First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
MAINTEN	NANCE OF SERVICE				GCCSL	 	57.	73			1					OUM
		 	 	UDC, UEA, UDL.												
	Maintenance of Service Charge, Basic Time, per half ho	ur	- //	UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1. U1TD1, U1TD3. U1TDX, U1TS1. U1TVX, UDF. UDFCX. UDLSX. UE3, ULDD3, ULD03, ULD0X, ULD03, ULD0X, UNC1X, UNC3X, UNC1X, UNC3X, UNCYX, ULS UDC, UEA, UDL. UDN. USL. UAL. UHL, UCL, NTCVG, NTCUD, NTCD1, UTD13,	MVVBT		80.0	0 55.00								
	Maintenance of Service Charge, Overtime, per half hour			U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCYX, UNCSX, UNCVX, ULS UDC, UEA, UDL, UDD, USL, UAL, UDD, USL, UAL,	MVVOT		90.00	65.00								
OP MODIF	Maintenance of Service Charge, Premium, per half hour		ָּטָר 	HIL, UCL, NTCVG, NTCUD, NTCD1, UTTD1, UTTD3, UTTDX, UTTS1, UTTXX, UDF, JDFCX, UDLSX, UE3, ULD01, JLD03, ULDDX, JLD03, ULDDX, NCO1X, UNC3X, NCDX, UNC3X,	MVVPT		100.00	75.00								
			+-	JAL, UHL, UÇL,				75.00							1	
	Unbundled Loop Modification, Removal of Load Coils - 2 y pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification		ļυ	EQ. ULS, UEA, EANL, UEPSR,	ULM2L											
	Unbundled Loop Medification Removal of Load Colls - 4 W than or equal to 18K ft, per Unbundled Loop	ire less					29.97								1	
	Unbundled Loop Modification Removal of Bridged Too De-	noval	U	AL, UHL, UCL, EQ, ULS, UEA,	JLM4L		68.11									
LOOPS	par distributed Coops			EANL, UEPSA, UEPSB	LMBT									ļ		
Sub-L	Loop Distribution						17.91					}	J	J	İ	ľ
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility	Set-												 		
				JEANL UEF U	SBSA		355.54									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set	110	1		SBSB		255.51			i			1	T		

ONBONDER	D NETWORK ELEMENTS - Georgia	_						_				- 1	Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc	,		RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Manual Syc Order vs, Electronic- Disc 1at	Increment Charge Manual Sy Order vs Electronic Disc Add
					J	Rec		urring	Nonrecurring					Rates(\$)		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility						First	Add'l	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Set-Up		li	UEANL	USBSC		174.92		1							
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-			OLANE	03030		174,52				 -					
	Up		1	UEANL	USBSD		51.56		!			i				
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and															
	Spare Loop Activation			UEANL	USBRC	3.71	28.43	3.85	2.20	0.01	LJ			_		
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and		ll		1						1					
	Spare Loop Activation		\longrightarrow	UEANL	USBAD	7.90	31.04	4,79	2.27	0.01	ļ					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.45	28.43	3 85		0.01	!					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBNZ	7.43	26.43	3 85	2.20	0.01	 					
	Zone 2		2	UEANL	USBN2	11.18	28.43	3.85	2.20	0.01	1 1)			!	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1													
	Zone 3		3 _	UEANL	USBN2	21.46	28.43	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1 1	UEANL	USBN4	6,91	31.04	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop															
	Zone 2		2	UEANL	USBN4	10.98	31.04	4,79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	20.32	21.01	1 76		0.04	\	}				
	(zene 3		 3 	USANL	USB(V4		31.04	4,79	2.27	0.01	 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	i	l J	UEANL	USBMC		18.90	18.90	Į į		i I]				
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR2	3,71	28.43	3.85	2.20	0.01	 					
		· · · · · ·	-		1-2221				1.2.							
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	l I	UEANL	USBMC		18.90	18.90			! !	l				
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	7.90	31.04	4.79	2.27	0.01						
· · · · · · · · · · · · · · · · · · ·			I I								["					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	\	-	UEANL	USBMC		18.90	18.90								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		26.64	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL UEF	URETA		15.15 28.43	15.15			<u> </u>					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2-1	UEF	UCS2X UCS2X	8.32 8.32	28.43	3.85 3.85	2.20	0.01	 					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		3	UEF	UCS2X	10.26	28.43	3.85		0.01	 					
	22 Willia Copper Cristificiad Statistical Positionistic Zone 5			0.21	0032	10.20	20.43	3.03	2.20	0.01	 					
1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.90	18.90	1 1		1 :	[
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1 1	UEF	UCS4X	7.55	31.04	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	ŲEF	UC\$4X	7.12	31.04	4.79		0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UC\$4X	10.26	31.04	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		18.90	18.90	<u> </u>		<u> </u>					
	Loop tagging Service Level 1, Unbundled Copper Loop, Non-			UEF, UEANL) [ŀ	1			
	Designed and Distribution Subloops Loop Testing - Basic 1st Half Hour	ļ	┷	UEF, UEANL UEF	URETL URET1		8.92 26.64	0.88	 		 					
	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Hair Hour		 -1	ÜEF	URETA		15.15	15.15			 					
Unhun	dled Sub-Loop Medification		٠		1 0/10/15		13.13									
- 0	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		T 1		Τ				 _		 1					
	Coll/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00				i				
	Unburdled Sub-loop Modification - 4-W Copper Dist Load		1		1						1	-				
. \	Coil/Equip Removal per 4-W PR	Ì	<u>L</u>	UEF	ULM4X		0.00	0.00	L		I			ĺ	}	
1	Unburdled Loop Modification, Removal of bridge Tap, per]			
- 	unbundled loop	L	اــــا	UEF	ULMBT		0.00	0.00	L,	·	<u></u>					
Unbun	died Network Terminating Wire (UNTW)		, ,	(IPATTA)	LIENSO :	A = A = -	05.00				, , ,					
Not	Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NfD)	<u> </u>	11	ŲENTW	UENPP	0.5325	25.10	12.27	L		1					
Marwo	Network Interface Device (NID) - 1-2 lines	T	т—т	UENTW	UND12		32.82	20.67			 -					
	Network Interface Device (NID) - 1-2 lines	├~	┼──┤	UENTW	UND16		55.97	43.82								
	Network Interface Device Cross Connect - 2 W	 	 	UENTW	UNDC2		2.45	2.45			 					
	Network Interface Device Cross Cornect - 4W	Η	1	UENTW	UNDC4		2.45	2.45			——					
NE OTHER	PROVISIONING ONLY - NO RATE		11					37.0	1		 					

ONBONDLI	ED NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	:	Nonrec	RATES(\$)	Nonrecurring	Discon	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electroni Disc Add
						Rec	First	Add'l	First	Add'l	SOMEC	5011411		Rates(\$)		
	Urbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL,	UNEON	0.00	0.00			201	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	0.00	0.00				 					
	Unbundled DS1 Loop - Expanded Superframs Format option - no		-				- 0.00									
	rate		i	USL, NTCD1	CCOEF		0.00				!!		i			
	NID - Dispatch and Service Order for NID installation		I	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00				 					
OOP MAKE-L		L														
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		15.18	15.18						-		
	queried (Manual).	<u> </u>		UMK	UMKLP		19.83	19.83								
	Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)	ļ .		UMK	UMKMO				i							
INE SPLITTIN				UMR	UMKMQ		0.823	0.823								
	JSER ORDERING-CENTRAL OFFICE BASED	_														
-	Line Splitting - per line activation DLEC owned splitter		T	UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation AT&T owned - physical			UEPSR UEPSB	UREBP	0.0197	34.43	22.35	10.38	7.34						
	Line Splitting - per line activation AT&T owned - virtual		1	UEPSR UEPSB		0.0188	34.43	22.35	10.38	7.34						
ENDU	ISER ORDERING - REMOTE SITE LINE SPLITTING								10.50	7.34						
	Remote Site Shared Loop Line Activation for End Users - CLEC Owned Splitter			UEPSR UEPSB	URERS	0.61	57.13	23.12	7.11	7,11						
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned				1											
	Splitter	<u> </u>		UEPSR UEPSB	URERA	il	54.10	21.46					l l	Į.		
	NDLED EXCHANGE ACCESS LOOP															
2-141161	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-															
	Line Spitting - CLEC Owned Spitter - Zone 1 Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-		1	UEPSA UEPSB	UEARS	6.52	28.46	3.85	2.20	0.01						
_	Line Splitting - CLEC Owned Splitter - Zone 2 Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-	ļ	2	UEPSR UEPSB	UEARS	10.18	28.46	3.85	2.20	0.01						
	Line Splitting - CLEC Owned Splitter - Zone 3 oop Rates for Line Splitting (in Ga. PSC ordered the line splitting)	1	3	UEPSR UEPSB	UEARS	19.51	28.46	3.85	2.20	0.01						
ONE	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	J KOOD U	3003	UEPSR UEPSB		10.98	10.04									
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	 	1-1-	UEPSR UEPSB	UEABS	10.98	10.04	7.35 7.35	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	- i-	2	UEPSR UEPSB	UEALS	16.30	10.04	7.35	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEABS	16.30	10.04	7.35	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	3	UEPSR UEPSB	UEALS	34.73	10.04	7.35	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	Ī	3	UEPSR UEPSB	UEABS	34.73	10.04	7.35	1.37	1.28						
PHYSI	ICAL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line		T		T											
	Splitting		J	UEPSR UEPSB	PE1LS	0.0202	0.00	0.00			i		[-	
VIRTU	AL COLLOCATION															
I INC 9	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	L	<u></u>	UEPSR UEPSB	VE1LS_	0,0192	0.00	0.00	0.00	0.00						
	: The Line Sharing monthly recurring rates for all installations co	poleto	on or	Her October 82, 2002	2 - ball ba Lill	d an fallaure: T										
SPIT	TERS-CENTRAL OFFICE BASED	Die rec	on of a	Ter October v2, 2003	a sciali de bille	u as follows:										
-	Line Sharing Splitter, per System 96 Line Capacity			ÜLS	ÜLSDA	117,18	243.66	0.00		2.05						
	Line Sharing Splitter, per System 36 Line Capacity	 	1	ULS	ULSDB	29.30	243.66	0.00	90.11	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity		1	ULS	ULSD8	9.77	243.66	0.00	90.11	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)			ULS	ULSDG	U.77	72.34	0.00	68.76	0.00						
INE SHARING	G C				1		7 6.04	0.00	98.78	0.00						
END U	ISER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (AT&T Owned splitter)			ULS	ULSDC	0.61	10.51	7,70	7.00	4,20	·					
	Line Sharing - per Line Activation (AT&T Owned splitter)	L		ÜLS	ULSDT	6.50	24.53	0.00	12.26	0.00						
													,		- 1	
	Line Sharing - per Subsequent Activity per Line Rearrangement(AT&T Owned Splitter			ULS	ULSDS		48.91	17.86								

<u> UNBUNDLE</u>	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	acs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual 8 Order v Electror Disc Ad
			\Box			Rec	Nonre		Nonrecurring					Rates(\$)		
		<u> </u>	 		ļ	,,,,,,	First	Add'l	First	AddY	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
ì	Line Sharing - per Subsequent Activity per Line	i			111.556		20.00	42.00					[İ		1
	Rearrangement (AT&T Owned Splitter		 	ULS ULS	ULSCS	 	36.23	13.23	16.94	1.69		ļ <u>.</u>	ļ <u>-</u>		-	ļ
	Line Sharing - per Line Activation (DLEC owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter)		 	ULS	ULSCT	 	29.88 29.88	16.28 16.28		7.34	ļ.—		 	ļ		
DENO	E SITE HIGH FREQUENCY SPECTRUM	Ь	' -	U.O	ULGC.	,	23.00	10.26	12.00	7.34	L	<u> </u>	·			ــــــــــــــــــــــــــــــــــــــ
	ERS-REMOTE SITE															
	Remote Site Line Share AT&T Owned Splitter, 24 Port			ULS	ULSAB	31.64	90.65		64.74							
	Remote Site Line Share Line Activation or End User Served at	Ţ	1		1										 	
ì	AS, AT&T Splitter	<u>_</u>		บเร	ULSRT		43.54	17.28	6.82	3.82	,		!	1		i
	Remote Site Line Share Cable Pair Activation CLEC Owned at RS		I - I													
	and Deactivation			ULS	ULSTG		75.02		47,17		·		l	<u> L </u>	<u>L</u> .	1
	MAINTENANCE		 						ļ							
	No Trouble Found - per 1/2 hour increments - Basic	 -	├ ──-├		 	 	80.00	0.00		ļ						
	No Trouble Found - per 1/2 hour increments - Overtime	₩	 			 	120.00				ļ		<u> </u>	<u> </u>		
UBUNDUES S	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT	₩-	} }		 	}}	160,00	0.00		 				ļ		
	OFFICE CHANNEL - DEDICATED TRANSPORT		4	·		<u> </u>			L	L	L		<u> </u>	L.,	L	<u> </u>
MIEN	Interoffice Channel - 2-Wire Voice Grade - per mile	_	1 1	UITVX	1L5XX	0.0059										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination	┼─	1	UTTVX	U1TV2	13.15	48,41	19.46	16.56	4.99						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile		+	ÜITVX	1L5XX	0.0059		10.40	10.50	4.08			· · · · · · · · · · · · · · · · · · ·	 		
	THE COMMON CONTROL OF THE CONTROL OF		 			1.000								 		
i	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	13.15	48,41	19.46	16.56	4.99				ł	,	i
	Interoffice Channel - 4-Wire Voice Grade - per mile	1	1 1	U1TVX	1L5XX	0.0059										
												···		 		
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination		L 1	U1TVX	U1TV4	11.01	48.41	19.46	16.56	4.99				({	ŧ
	Interoffice Channel - 56 kbps - per mile		L., (אסדוט	1L5XX	0.0059										
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	8.00	48.41	19.46	16.56	4.99						
	Interoffice Channel - 64 kbps - per mile			UITOX	1L5XX	0.0059					C					
	Interoffice Channel - 64 kbps - Facility Termination		 	UTTDX	U1TD6	8.00	48.41	19.46	16.56	4.99						
	Interoffice Channel - DS1 - per mile	}	11	U1TD1	1L5XX	0.1199			<u> </u>							
	Interoffice Channel - DS1 - Facility Termination			U1TD1 U1TD3	1L5XX	34.93 2.53	110.92	80.20	31.33	21.71						
	Interoffice Channel - DS3 - per mile	┿	+	U1TD3	U1TF3	349.42	320.16	20.04			Ļi					
	Interoffice Channel - DS3 - Facility Termination Interoffice Channel - STS-1 - per mile	 	-{ -}	U1TS1	1L5XX	2.63	320.16	86.24	66.71	52.76	ļ					 -
	Interoffice Channel - STS-1 - Per mile Interoffice Channel - STS-1 - Facility Termination	+		UITSI	UITES	366.43	320.16	86.24	66.71	52.76						
UNIDIG	NDLED DARK FIBER	٠	-1	01131	1 011/5	350.43 [320.10	50.24	00./1	32.76				L	<u> </u>	
UNBUI	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		1		T	1 1		· · · · · · · · · · · · · · · · · · ·								
Y	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	24,17			ļ					!		ı
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		11			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·								
ŀ	Route Mile Or Fraction Thereof	į.		UDF, UDFCX	UDF14]	1,774.79	89.68	73.57	18.69				'	· '	ı
GH CAPACI	Y UNBUNDLED LOCAL LOOP	1			1	· · · · · · · · · · · · · · · · · · ·										
	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone															
	DS3 Unbundled Local Loop - per mile			UÉ3	1L5ND	11,40									1	
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	258.44	1,751.51	131.77	112.80	75.81						
	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	11.40										
	STS-1 Unbundled Local Loop - Facility Termination			UDL\$X	UDLS1	349.42	1,751.51	131.77	112.80	75.81						
	XTENDED LINK (EELs)	1	ليسلم													
Netwo	rk Elements Used in Combinations	,						v								
	2-Wire VG Loop (SL2) in Combination - Zone 1	4	1	UNCVX	UEAL2	13.32	195.75	36.35		6.86						
	2-Wire VG Loop (SL2) in Combination - Zone 2	 	2	UNCVX	UEAL2	18.66	195.75	36.35		6.86						
	2-Wire VG Loop (SL2) in Combination - Zone 3	+		UNCVX	UEAL2	36.33	195.75	36.35		6.86						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	+	1	UNCVX	UEAL4 UEAL4	21.04	195.75 195.75	36.35			 					
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	+	2	UNCVX	UEAL4	33.40	195.75	36.35 36.35	18.40	6.86	-					
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	+	1 3	UNCNX	U1L2X	22.73	195.75	36.35	18.40 18.40	6.86 6.86	L					
	2-Wire ISDN Loop in Combination - Zone 1 2-Wire ISDN Loop in Combination - Zone 2	+	2	UNCNX	U1L2X	29.11	195.75	36.35		6.86						
	2-Wire ISDN Loop in Combination - Zone 2 2-Wire ISDN Loop in Combination - Zone 3	+	1 3	UNCNX	U1L2X	46.42	195.75	36.35		6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	 	1-1-	UNCDX	UDL56	25.81	195.75	36.35	18.40	6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	+	2	UNCOX	UDL56	31.54	195.75	36.35	18.40	6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	+	3	UNCDX	UDL56	42.38	195.75	36.35	18.40	6.86						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCOX	UDL64	25.81	195.75	36.35	18.40	6.86						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCOX	UDU64	31.54	195.75	36.35	18.40	6.86						
	4-Wire 64Kbps Digital Grade Loop In Combination - Zone 3	1	3	UNCDX	UDL64	42.38	195.75	36.35		6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNCIX	USLXX	49.41	209.25	70.37	37.87	6.86						

<u>INBUNDLE</u>	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
ATEGORY	rate eléments	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Menual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order va Electronic Disc Add
		 	╆╌┤			 	Nonreci	uring	Nonrecurring	Discounset	 		L	(A)	Ĺ	
			{ · · · · 			Rec	First	Add'l	First	Addil	SOMEC	COLLAN		Rates(\$)		
	4-Wire DS1 Digital Loop in Combination - Zone 2	 	2	UNC1X	USLXX	52.55	209.25	70.37	37.87	6.86	SUMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
		 	3	UNCIX	USLXX	68.40	209.25	70.37	37.87				ļ			
	4-Wire DS1 Digital Loop in Combination - Zone 3	 	3	UNC3X	1L5ND	11.40	203.25	70.37	37.87	6.86			ļ			
	DS3 Local Loop in combination - per mile		 ∤	UNC3X	UE3PX	258.44		628.22	44.40		<u> </u>					
	DS3 Local Loop in combination - Facility Termination		 	UNCSX	1L5ND	11.40	1,259.23	528.22	41.49	20.74						
	STS-1 Local Loop in combination - per mile	}	1 -1	UNCSX	UDLS1	349.42	1,259.23	628.22	41,49	20.74						
	STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile		+	UNCVX	1L5XX	0.0059	1,239.23	620.22	41,49	20.74						
	Interoffice Channel in combination - 2-wire VG - per mile	ļ	 	UNÇVX	ILSX^	0.0039										
		1		UNCVX	U1TV2	13.15	66.47	33.57	43.38	27.57				'		
 	Termination Interoffice Channel in combination - 4-wire VG - per mile		+	UNCVX	1L5XX	0.0059	00.47	33.57	43.38	27.57						
	Interoffice Channel in combination - 4-wire VG - Facility		 	UNCAY	ILSAA	0.0054					 					
1	Termination		i l	UNCVX	U1TV4	10.78	66.47	33.57	43.38	27.57	1					
		-	 	UNCDX	1L5XX	0.0059	50.47	23.27	43.36	27.57						
	Interoffice Channel in combination - 4-wire 56 kbps - per mile Interoffice Channel in combination - 4-wire 56 kbps - Facility	+	 	OIYOUX	11.344	0.0039				·						
1	Termination			UNCDX	U1TD5	8.00	66.47	33.57	43.38	27.57		' I				
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	┼──	+	UNCDX	1L5XX	0.0059	50.47	33.37	43.30	27.37	}					
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	+	+	UNCUX	ILDAA	0.0038										
	Termination		1 1	UNCDX	U1TD6	8.00	65.47	33.57	43.38	27.57					Ĩ	
	Interoffice Channel in combination - DS1 - per mile	-	+	UNC1X	1L5XX	0.1199	60.47	33.57	43.38	27.57						
	Interoffice Channel in combination - DS1 - per mile		+	UNC1X	U1TF1	34.93	87.67	45.69	43.76	27.95						
	Interoffice Channel in combination - DS3 - per mile		- 1	UNC3X	1L5XX	2.63	87.07	#3.63	43.76	27.95						
		}	4	UNC3X	U1TF3	349.42	325.59	76.99	49.51	32.85						
	Interoffice Channel in combination - DS3 - Facility Termination	-		UNCSX	1L5XX	2 63	323.59	(6.99	49.51	32.85						
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	UITES	365.43	325.59	76.99	49.51	32.85						
	Interoffice Channel in combination - STS-1 Facility Termination	├ ─		UNCSX	UllFa	366.43	325.59	/6.98	49.51	32.85						
	ETWORK ELEMENTS		لبل	····	<u> </u>	<u> </u>					L					
Option	al Features & Functions:			U1TĎ1.												
		1		ULDD1,UNG1X	CCOEF	i	0.00				l :					
	Clear Channel Capability Extended Frame Option - per DS1			U1TO1.	CCOEF	 	0.00									
		1 .			00005	1 1	0.00					1	[i	7	
	Clear Channel Capability Super FrameOption - per DS1	↓	4	ULDD1,UNC1X	CCOSF	 	0.00									
ļ	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	1	1	ULDD1, U1TD1,	Jungan	1 1		40]	ŀ	·]		· · · · · · · · · · · · · · · · · · ·	.,
	per DS1		ļ	UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79						
i	1	1 .	1 .	U1TD3, ULDD3,							l					
	C-bit Parity Option - Subsequent Activity - per DS3	 	-	UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00						
	DS 1/DS0 Channel System		-	UNC1X	MQ1	71.23	86.01	0.00	0.00	0.00						
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	124.39	0.00	0.00	0.00	0.00						
	Veice Grade COCI in combination			UNCVX	101VG	0.479	27.30	2.90	16.85	1.04						
								1				- [-		
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop			UEA	1D1VG	0,479	27.30	2.90	16.85	1.04						
	Voice Grade COCI - for connection to a channelized DS1 Local	İ							_							
	Channel in the same SWC as collocation	↓	+	UITUC	1D1VG	0.479	27.30	2.90	16.85	1.04					١	
	OCU-DP COCI (2.4-64kbs) in combination		<u> </u>	UNCDX	1D1DD	1.02	27.30	2.90		1.04						
	OCU-DP COCi (2.4-64kbs) - for Unbundled Digital Loop	↓	ļ	UDL	10100	1.02	27.30	2.90	16.85	1.04						
1 -	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	1				1				,						
	Local Channel in the same SWC as collocation			U1TUD	10100	1.02	27.30	2.90	16.85	1.04						_
	2-wire ISDN COCI (BRITE) in combination	-	1	UNCNX	UC1CA	1.70	27.30	2.90	16.85	1.04						
	2-wire ISDN COCI (BRITE) - for a Local Loop		1	UDN	UCICA	1.70	27.30	2.90	16.85	1.04						
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	1	1			_	1									
	Local Channel in the same SWC as collocation		┷.	U1TUB	UC1CA	1 70	27.30	2.90	16.85	1.04						
	DS1 COCI in combination	J	+	UNC1X	UC1D1	7.50	27.30	2 90	16.85	1.04						
	DS1 COC1 - for Stand Alone Local Channel	↓		ULDD1	UC1D1	7.50	27,30	2.90	16.85	1.04						
	OS1 COCI - for Stand Alone Interoffice Channel	 -	1	UITDI	UC1D1	7.50	27.30	2.90	16.85	1.04						
	DS1 COCI - for DS1 Local Loop	<u> </u>	1	USL, NTCD1	UC101	7.50	27.30	2.90	16.85	1.04						
	DS1 COCI - for connection to a channelized DS1 Local Channel in	٦ ٦	1	1	1	"										
	the same SWC as collocation			U1TUA	UC1D1	7.50	27.30	2.90	16.85	1.04				1	1	
				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X,												
	F .	1	1	XDDFX, XDD4X,	1						ı ,	1			- 1	
į.				HERST, UNCNX	UNCCC		5.69	5.69	6.60	6.60						

		D NETWORK ELEMENTS - Georgia				, .								Att: 2 Exh; A			
ATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC	·		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Menual Syc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Oisc 1st	Incremer Charge Manual S Order v Electron Disc Add
			 	 		 	Rec	Nonre	curring	Nonrecurring				OSS	Rates(\$)		
		·			U1TVX, U1TDX,		 	First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Misc Rate Element, SNE SAI, Single Network Element			UITDI, UITDS,	1				ı		"				00,,,,,,,	_ 00000
		Switch As Is Non-recurring Charge, per circuit (LSR)		l	UITS1, UDF, UE3	URESL				1	1	l i		ĺ	í		
		Unbundled Misc Rate Element, SNE SAI, Single Network Element	 	 	U1TVX, U1TDX,	URESL		5.69	5.69	6.60	6.60	L					
- 1		Switch As Is Non-recurring Charge, incremental charge per circuit	Ī	l	U1TD1, U1TD3,		ļ ļ										
- 1	ŀ	on a spreadsheet	i	l	U1TS1, UDF, UE3	URESP	1	5.69				l i		í	1		
Ac	ccess	to DCS - Customer Reconfiguration (FlexServ)	·		0.70.,00.,000	CHEST		5.69	5.69	6.60	6.60						
		Customer Reconfiguration Establishment	·	r		<u></u>		1,40			·—·						
		DS1 DC5 Termination with DS0 Switching		 			20.08	24.87	18.91	1.63							
		DS1 DCS Termination with DS1 Switching					7.24	18.16		15.02	11.94						
		DS3 DCS Termination with DS1 Switching			······································		128.34	24.87	18.91	11.13 15.02	8.05						
No	ode (S	ynchroNet)					120.04	£4.07	16.91	15.02	11.94	[
i		Node per month			UNÇDX	ÜNCNT	13.98										
Şe	ervice	Restrangements	•			UNON:	10.50										
1				l	UITVX, UITDX,												
i	- 1			!	UITUC, UITUD.						ľ		1	T	· · · · · · · · · · · · · · · · · · ·		
].	U1TUB, ULDVX.										1		
		NRC - Change in Facility Assignment per circuit Service			ULDDX, UNCVX.				·								
<u> </u>		Rearrangement	1		UNCDX, UNC1X	URETD		100.91	42.97			!	J	i		ļ	
					U1TVX, U1TDX,	011010		. 100.91	42.97								
	i				U1TUC, U1TUD,												
i				i	U1TUB, ULDVX,]					i		- 1		- 1	
- 1		NRC - Change in Facility Assignment per circuit Project			ULDDX, UNCVX,			į				ŀ	1	1		ì	
	- 1	Management (added to CFA per circuit if project managed)			UNCDX, UNC1X	URETB		200	2.22		Į.	İ	1		i		
		NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X, UNC3X	OCOSA		3.68 1 18.89	3.68								
MMING	LING	The state of the s		1	OHO IX, DIVOSX	00000		18.89	18.89								
				-	UNCVX, UNCDX.												
					UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,												
		Commingling Authorization			ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00			i			
100	mmin.	gled (UNE part of single bandwidth circuit and interfaces) Commingled VG COCI											·				
-					XOV2X	1D1VG	0.479	27.30	2.90	16.85	1.04						
		Commingled Digital COC! Commingled ISDN COC!			XDV6X	1D1DD	1.02	27.30	2.90	16.85	1.04						
\dashv		Commingled 3-wire VG Interoffice Channel			XDD4X	UC1CA	1.70	27.30	2.90	16.85	1.04					}-	
 		Commingled 4-wire VG Interoffice Channel			XDV2X	U1TV2	13.15	66.47	33.57	43.38	27.57	· · · · · ·					
		Commingled 4-wile VS interoffice Channel			XDV6X	U1TV4	10.78	66.47	33.57	43.38	27.57				····		
		Commingled 64kbps Interoffice Channel			XDD4X XDD4X	U1TD5 U1TD6	8.00	66.47	33.57	43.38	27.57						
	T	3 - W			XDV2X, XDV6X,	01106	8.00	86.47	33.57	43.38	27.57				·		· · · · · · · · · · · · · · · · · · ·
J	le	Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX		i	ļ								
		Commingled 2-wire Local Loop Zone 1			XDV2X	UEAL2	0.0059							- 1		Ì	
	- 1	Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2		195.75	36.35	18.40	6.86					··	
		Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	18.66	195.75	36.35	18.40	6.86						
	- 1	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL2	36.33	195.75	36.35	18.40	6.86						
		Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	21.04	195.75	36.35	18.40	6.86						
		Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	24.49	195.75	36.35	18.40	6.86				-		
_ _		Commingled 56kbps Local Loop Zone 1		7-1	XDD4X	UDL56	33.40 25.81	195.75	36.35	18.40	6.86					 -	
		Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	31.54	195.75	36.35	18.40	6.86				-		
		Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	31.54 42.38	195.75 195.75	36.35	18.40	6.86						
	10	Commingled 64kbps Local Loop Zone 1		7	XDD4X	UDL64	25.81		36.35	18.40	6.86						
	10	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	31.54	195.75	36.35	18.40	6.85						
	· - c	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	42.38	195.75	36.35	18.40	6.86						
		Commingled ISDN Local Loop Zone 1		- 1	XDD4X	U1L2X		195.75	36.35	18.40	6.86						
	1			2	XDD4X	U1L2X	22.73	195.75	36.35	18.40	6.86						
		Commingled ISDN Local Long Zone 2			AUU4A	UILZX	29.11	195.75	36.35	18.40	6.86						
	- 0	Commingled ISDN Local Loop Zone 2				1111740 1	10.10	100									
		Commingled ISDN Local Loop Zone 2 Commingled ISDN Local Loop Zone 3		3	XDD4X	U1C2X	46.42	195.75	36.35	18.40	6,86						
	0	Commingled ISDN Local Loop Zone 2 Commingled ISDN Local Loop Zone 3 Commingled DS1 COCI			XDD4X XDH1X	UCIDI	7.50	27.30	2.90	16.85	1.04						
	0	Commingled ISDN Local Loop Zone 2 Commingled ISDN Local Loop Zone 3 Commingled DS1 COCI Commingled DS1 Interoffice Channel			XDD4X XDH1X XDH1X	UC1D1 U1TF1	7.50 34.93										
	0	Commingled ISDN Local Loop Zone 2 Commingled ISDN Local Loop Zone 3 Commingled DS1 COCI			XDD4X XDH1X	UCIDI	7.50	27.30	2.90	16.85	1.04						

ABUNDLED ATEGORY	NETWORK ELEMENTS - Georgia RATE ELEMENTS	Interim	Zone	acs	usoc	-	<u></u>	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs, Electronic-	Cherge Manual 8 Order v Electron
									Nonrecurring D	le connect			1st	Add") Rates(\$)	Disc 1st	Disc Ad
			Γ.,			Rec	Nonrecu	Add'I	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
				MELLEN	USLXX	49.41	209.25	70.37	37.87	6.86				-		
	Commingled DS1 Local Loop Zone 1	├	1-2-	XDH1X XDH1X	USLXX	52.55	209.25	70.37	37.87	6.86						
(Commingled DS1 Local Loop Zone 2	↓	3	XDHIX	USLXX	68.40	209.25	70.37	37.87	6.86						
_	Commingled DS1 Local Loop Zone 3	—	3-	HFQC6	UE3PX	259.44	1,751.51	131.77	112.80	75.81						
	Commingled DS3 Local Loop	←		HFQC6, HFRST	1L5ND	11.40	1,701.01									
	Commingled DS3/STS-1 Local Loop Mileage		╀╌┤	HFRST	UDLS1	349.42	1,751.51	131.77	112.80	75.81						
	Commingled STS-1 Local Loop	 	+	HFQC5	MQ3	124.39	0.00	0.00	0.00	0.00						
	Commingled DS3/DS1 Channel System		-	HFQC6	UITF3	349.42	325.59	76.99	49.51	32.85						
	Commingled DS3 Interoffice Channel	┿	1	HFQC6	1L5XX	2.63						1				
	Comminded DS3 Interoffice Channel Mileage	+		HFRST	U1TFS	366.43	325.59	76.99	49.51	32.85						
	Commingled STS-1Interoffice Channel	 -	+	HFRST	1L5XX	2.63										
	Comminded STS-1Interoffice Channel Mileage	┼		1111101									[[
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1		HEODL	1LSDF	24.17	\				<u> </u>		L	L		
	Strands, Per Route Mile Or Fraction Thereof	1	1			1							1	f		1
1 7	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1	1	HEODL	UDF14		1,774.79	89.66	73.57	18.69		L	<u> </u>		_	
	Strands, Per Route Mile Or Fraction Thereof	+	+	XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00		-	<u> </u>			+
	UNE to Commingled Conversion Tracking		1	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00	ļ		 		 	 -
	SPA to Commingled Conversion Tracking	+	+			I						L		<u> </u>		
1 DS1 LOOP	TO DISTRICT TO STATE OF THE STA	+										ļ <u> </u>	<u> </u>	 		
4-WIRE	DS1 DIGITAL LOOP - COMMINGLING	+		271CX	271UC	85.97	211.72	72.42		7,19				} -		
	4-Wire DS1 Digital Loop - Zone 1		2	271CX	271UC	81.27	211.72	72.42		7.19	 				 	
	4-Wire DS1 Digital Loop - Zone 2	+-	3	271CX	271UC	128.28	211.72	72.42		7.19		<u> </u>				
	4-Wire DS1 Digital Loop - Zone 3		Ť	271CX	271UK	9.50	27.30	2.90		1.04	 -	<u> </u>			 	
	Central Office Interface Channel	_	+	271CX	URESL		6.54	6.54						<u> </u>		 -
	Switch As Is conversion - single LSR	+		271CX	URESP		6.54	6.54						<u> </u>		
	Switch As Is conversion - Spreadsheet	+		271CX	CCOEF		0.00				<u> </u>	 	 	 	 	
	Extended Superframe	- 		271CX	CCOSF		0.00				J	<u> </u>		 	 	↓
	Superframe Superfit		-	271CX	OCOSL	25.00			1		 		 	-		+
	Order Coordination Time Specific	-	-	271CX	UNECN		0.00		<u> </u>		 		 	 -	 	+
	Contact Name		+												 	
NP Query Sen		_				0.0008227			<u> </u>		 	+		 _	}	 -
	LNP Charge Per query LNP Service Establishment Manual	_	-				12.47		11.07		 	+				
	LNP Service Provisioning with Point Code Establishment						574.31	293.39	251.23	184.73	· 		 		 	 -
11 PEX LOCA											ــــــــــــــــــــــــــــــــــ					
IN PEA LOCA	X LOCATE DATABASE CAPABILITY											T				T
81115	Service Establishment per CLEC per End User Account			9PBDC	9P8EU		1,825.00				 			+	 	
}	Changes to TN Range or Customer Profile			SPBDC	9PBTN		182.67		 		 	+	 	 		
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07			 		+	 -	+	+	+	
	Channe Company (Service Provider) ID			9PBDC	9PBPC	1	536.23		 		 		+	+	1	
	PBX Locate Service Support per CLEC (Monthlt)			9PBDC	9PBMR	176.96	11.73				 	+		+	 	
	TService Order Chame			9PBDC	9PBSC	1	11./3		<u> </u>							
911 PE	X LOCATE TRANSPORT COMPONENT															
See At												T				
A 271			_	-	074114	42.57	110.92	80.20	31.33	21.71				 	1	1
	OS1 Interoffice Channel Facility Termination (271 standalone)		_	U1701	271UA	0.1417		80.20	31,03	****	+	 	1	1	1	1
	OS1 Intereffice Channel, per mile (271 standaione)		—	U1TD1	1L5UB	440.53		86.24	66.71	52.76	<u> </u>					
	IDS3 Interoffice Channel Facility Termination (271 standalone)		 -	U1T03	271NA 1L5NB	3.11		00.2								1
	IDS3 Interoffice Channel per mile (271 standalone)		-	UTTD3	271NC	323.53		131.77	7 112.80	75.8	-	1		1		1
	DS3 Local Loop Facility Termination (27) standalone)	_		UE3	1L5NG	13.47					1		1	1	1	
	ins31 ocal Loop per mile (271 standalone)	_	-	UE3	TLONG	13.47		· · · · · ·					1			
	DS1 Interoffice Channel Facility Termination (271 part	1		INCIV	271UA	44.04	110.92	80.20	31.33	21.7	1		1		l	
	combination)			UNC1X	1L5UB	0.1417			1		Τ				1	
	OS1 Interoffice Channel per mile (271 part in combination)			UNC1X	16300	0.1417					7	7		}		
	DS3 Interoffice Channel Facility Termination (271 part in	ļ	ļ	UNC3X	271NA	440.53	320.16	86.2	4 66.71	52.7	6					
<u> </u>	combination)			UNC3X	1L5NB	3.11										
	DS3 Interoffice Channel per mile (271 part in combination)			UNC3X	271BS	157.48		0.0	0.00	0.0	0			;		
	Incomps (Channel System (271 part in combination)		\rightarrow	UNC3X	271NC	323.53										
	0S3 Local Loop Facility Termination (271 part in combination)	—+	+	UNC3X	1L5NG	13.47		1	1							
1	Insal continon per mile (271 part in combination)		-	1 UNC1X	271UG	85.97		70.3								
	Inst Local Loop in combination (2/1 part in combination)			2 UNC1X	27100	81.27				6.8						
	Institucation is combination (2/) can in complication		\dashv	3 UNG1X	271UC	128.28				6.8	6					
	DS1 Local Loop in combination (271 part in combination)			UNCIX	271UK	9.50				1.0	4 [
	OS1 COCI (271 part in combination)			OHOIA		3,00								1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC	ii.		RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge - Manual Svc Order vs.	Charge -
						_	Nonre	urring	Nonrecurring (Disconnect	T		OSS	Rates(\$)		
		1				Rec	First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Note: R	ates displaying an "I" in interim column are interim as a result o	f a Comn	niesion	order.	1						1					

					T									Att: 2 Exh: A			
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge -	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electro Disc Ac
						 	Rec		ecurring	Nonrecurring	Disconnect			000			DIEC PA
	The "Zon	e" shown in the sections for stand-slope lanes as leave					 	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	221
	http://ww	w.interconnection.beliaouth.com/become a clac/btm//letarea	irt of a co	mbina	tion refers to Geogra	phically Dea	veraged UNE Zo	ones. To view	Geographically	Derver 110					- SOME	SUMAN	SOMA
	NOTE: (1)	e" shown in the sections for stand-alone loops or loops as pa w.interconnection.beliscuth.com/become_a_clechtml/interco IPPORT SYSTEMS (OSS) - "REGIONAL RATES" CLEC should contact its contract negotiator if it prefers the "life Commission ordered rates for the service ordering charge Any element that can be ordered electronically will be billed ectronically at present per the LOH, the listed SOMEC rate in lwhen it submits an LSR to ATAT	"state sp	ecific"	OSS charges as ord	ered by the S	State Commissio	ons. The OSS	charges current	y contained In	this rate avhilis						
	ordered e CLECs bil	The Commission ordered rates for the service ordering charge. Any element that can be ordered electronically will be billed a ctronically at present per the LOH, the listed SOMEC rate in I when it submits an LSR to AT&T. SS - Electronic Service Order Charge, Per Local Service (ULBERT CHARGE).	accordin this cate	g to the gory re	somec rate listed flects the charge that	in this catego I would be b	ory. Please refe pilled to a CLEC	r to AT&T's La once electronic	cal Ordering Ha cordering capat	ndbook (LOH) to olikies come on-	o regardless if o determine if a line for that eler	CLEC has a product can	interconnec	tion contract electronically	established in For those ele	each of the 9 :	tates. nnot be
	R	equest (LSR) - UNE Only SSP - UNIX Service Order Charge, Per Local Service Request (SSP) - UNIX Service Order Charge, Per Local Service Request				SOMEC							, the ma	nuar ordenng	charge, SOM	W, will be app	lied to a
NE SE		SR) - UNE Only TE ADVANCEMENT CHARGE		Ţ		SOMAN		3.50		3.50	0.00						
N	NOTE: TH	E ADVANCEMENT CHARGE				SOMAN	 	7.86	0.00	0.99	0.00		}				
1		e Expedite charge will be maintained commensurate with Be	llSouth's	FCC N	D.1 Tariff, Section 5	as applicable	e.										
DER MC	DDIFICAT Orde	Expedite Charge per Circuit or Line Assignable USOC. per ON CHARGE / Modification Charge (OMC)			JUEF, UDF, UEQ, JUDL, UENTW, UDN, JEA, UHL, ULC, JSI, U1712, U1748, J17D1, U1703, J17D1, U1703, J17D1, U1703, J17D1, U1703, J17D1, U1703, J17S1, U17V3, J17S1, U17V3, J17S1, U17V3, JC1BC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, UC1GL, JC1GC, JC1G	DASP		200.00		-							
UNDLE		r Modification Additional Dispatch Charge (OMCAD) ANGE ACCESS LOOP		_				33.37	0.00	0.00	0.00						
2-W	VIRE ANA	LOG VOICE GRADE LOOP		_				150.00	0.00	0.00	0.00						
-	2-Wir	e Analog Voice Grade Loop - Sandon Loud 1 - Zarra 4		1 TÜE	ANI												
+	12-441	e Analigg Voice Grade I goo - Service Lovel 4 7		UE	- 0	EAL2	10.56	46.66	22.57	26.65	7.65						
_	2.441	e Analog Voice Grade Loop - Service Level 1- Zone 3 e Analog Voice Grade Loop - Service Level 1- Zone 1		3 UE	ANL U	EAL2	31.11	46.66 46.66	22.57	26.65	7.65		-				
		MINIOU VOICE GRADA I DOD - Service aval 1 7-m- 2		ÜE	ANL U	EASL	10.56	46.66	22.57 22.57	26.65	7.65						
-		9 Analog Voice Grade Long - Service Level 1, Zone 2		UE.		ASL	15.34	46.66	22.57	26.65 26.65	7.65						
	Li ag c	dop at End User Premise	_ + *			RETL	31.11	46.66	22.57	26.65	7.65 7.65			$-\Box$			
-	Loop	Testing - Basic 1st Half Hour Testing - Basic Additional Half Hour		ÜË	ANL UF	RET1		8.93	0.88		7.00						
	Manu	al Order Coordination for LIVI -SI 1s (ner lace)		UË	ANL UF	RETA		46.88 24.16	24.16								
		The state of the s	- 1	IUE.	ANL LIE	AMC			44.10	1	7						
-	Order (per L	Coordination for Specified Conversion Time for LIVI. CL1		- 0.07	100	AMU		9.00	9.00								

EGORY	D NETWORK ELEMENTS - Kentucky RATE ELEMENTS	Interim	Zone	BCS	USOC	Rec	Nonrec		Nonrecurring		Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Syc Order vs. Electronic- Add'l Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual S Order v Electror Disc Ad
-						NAC	First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMA
T	Unbundled Non-Design Voice Loop, billing for AT&T providing		1			1 1	13.49	13.49		İ		ļ	!		ł	
	make-up (Engineering Information - E.J.)	<u> </u>	+	UEANL	UEANM	 	13.49	13.48		<u> </u>		-				
T	Unbundled Loop Service Rearrangement, change in loop facility.	l	ĺ	UEANL	LIBEMO	1	15.78	8.94	26.65	7.65	\		1	ì	l	1
	per circuit		} -	UEANL	UREPN		46.66	22.57	26.65			1				
	Bulk Migration, per 2 Wire Voice Loop-SL1 Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM	 	9.00	9.00								
0.14/1015	Unbundled COPPER LOOP		1	DENIL	101101	·										
2-WIRE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1 1	UEQ	DEO5X	10.58	44.97	20.89	25.64	6.85	1					ļ
+	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		1 2	UEO	DEG5X	11.51	44.97	20.89								-
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	NEO5X	13.19	44.97	20.89	25.64	6.65						+
+	Tag Loop at End User Pramise		1	UEĠ	URETL		8.93	0.88				<u> </u>		<u> </u>		+
 	Loop Testing - Basic 1st Half Hour		I	UEQ	URETI		46.88	0.00			<u> </u>	ļ	<u> </u>		 	+
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16			_	ļ	 		 	+
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	-				1			I				ì		1	
-	Designed (per loop)	L		ŲEO	USBMC		9.00	9.00	 	 	-	-	 		 	1
	Unbundled Copper Loop - Non-Design, billing for AT&T providing						ا		Į.	1	1	1	1	1	1	1
	make-up (Engineering Information - E.J.)	-	-	UEO	UEOMU	 	13.49	13.49		 		 	 	1	 	†
	Unbundled Loop Service Rearrangement, change in loop facility.	l	1	l			14.27	7.43	25.64	6.65				i	1	1
	per circuit	ļ	+	UEQ UEQ	UREWO		44.97	20.89					 			_
	Bulk Migration, per 2 Wire UCL-ND		┼	UEO	UREPM		9.00	3.00		0.00	-	-	· · · · · · · · · · · · · · · · · · ·	 	 	
	Bulk Migration Order Coordination, per 2 Wire UCL-ND	 	-	UEQ	IUREPM	 	9.00	3.00	 	 		 -	 		 	
	EXCHANGE ACCESS LOOP	Ь		L					·	-		·		J		
2-WIRI	E ANALOG VOICE GRADE LOOP									T	Т			1	T	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		UEA	UEAL2	12.67	134.89	81.87	73.65	14.88	Į.	Į.	ļ	1	\	\
	Ground Start Signaling - Zone 1	-	+	UEA	- DEVE	12.07	104.00	0,1.2.	1						T	
1	2-Wire Analog Voice Grade Loop - Service Level 2 wilcoop or	1	١,	UEA	UEAL2	17.45	134 89	81.87	73.65	14.88		Į.				1
	Ground Start Signaling - Zone 2		+	, , , , , , , , , , , , , , , , , , ,	OLSE .		104 90									T
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		1 3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88				1	1	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	+		100000	1						T		ĺ	İ	
1	Ballery Signaling - Zone 1	1	1	UEA	UEAR2	12,67	134.89	81.87	73.65	14.88			<u> </u>	J	d	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	+	_		-										1	1
i	Battery Signaling - Zone 2	į.	1 2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						+
-+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1		1	1					1		1			
}	Battery Signaling - Zone 3	i	3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88		 				
	Switch-As-Is Conversion rate per UNE Loop, Single LSR. (per											1	1		1	1
	DS0)	1		UEA	URESL		24.96	3.52				-	<u> </u>	ļ		-
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1	T					1	1)	1]	!	!	
- 1	DS0}	.ì _	Ш	U <u>EA</u>	URESP		25.44	5.01	<u> </u>	ļ	-		 		+	+
	Unbundled Loop Service Rearrangement, change in loop facility.							l			1	i			1	
-	per circuit			UEA	UREWO		87.72	36,36				 	 	+	1	+
	Loop Tagging - Service Level 2 (SL2)			ÜËA	URETL	<u> </u>	11.21	1.10		 				+	+	+
	Bulk Migration, per 2 Wire Voice Loop-SL2	1	_	UEA	UREPN	ļ <u> </u>	134.89	81.67		 	+	 	+		+	+
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-\$L2			UEA	UREPM		0.00	0.00	·	· · · · · ·						
4-WIR	E ANALOG VOICE GRADE LOOP							112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	29.26 34.25	164.11									_
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	85.06	164.11									
	4-Wire Analog Voice Grade Loop - Zone 3	—	- 3	UEA	UEAL4	85.06	164.11	112.30	70.31	10.00	<u> </u>			-		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	1		URESL	1	24.96	3,52	.	1	ì	i		1		Į
	DS0)	 		UEA	URESL		24.30	3.52		 			 	+	1	
[]	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	ì	UEA	URESP	1	25.44	5.01	J	1	1	1	1	1		
_	DS0)			UEA	UNESP	+	20.44	3.01	1	 			1	1	1	\top
1	Unbundled Loop Service Rearrangement, change in loop facility.	1	- 1	UEA	UREWO	1	87.72	36.36	s I	1				f		
	per circuit			JULY.	JONETTO		- V/E	03,00								
2-WIF	RE ISDN DIGITAL GRADE LOOP		1 7	UDN	U1L2X	18.44	146.77	95.02	71.38	13.8	3					
	2-Wire ISDN Digital Grade Loop - Zone 1	+		UDN	U1L2X	25.08	146.77									
	2-Wire ISON Digital Grade Loop - Zone 2	+		UDN	U1L2X	42.87								I		
	2-Wire ISDN Digital Grade Loop - Zone 3	+		10011	10.20			1		1				T	1	
	Unbundled Loop Service Rearrangement, change in loop facility.	ĺ	Ţ	אסט	UREWO	1	91.63	44.16	3)				⊥			
	per circuit RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIR	LOOP	1951											-	
2-WI	2 Wire Unbundled ADSI, Loop including manual service inquiry &	7,000	7	·					Ţ						1	
1	2 Wire Unbundled ADSt. Loop Including manual service inquiry at facility reservation - Zone 1	1	1 .	UAL	UAL2X	10.82	141.98	79.73	69.02	2 11.4	7	1		1	l	<u> </u>

MRONOFI	ED NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
		}										Svc Order	Incremental		incremental	Incremen
	1		l i		i						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		İ									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual 3
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	ļ		RATES(\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order
	`	I			i	1							Electronic-	Electronic-	Electronic-	Electron
						ĺ					ł		1st	Add'l	Disc 1st	Disc Ad
						L					l			L		
						Rec	Nonrec		Nonrecurring		<u> </u>			Rates(\$)		
			<u> </u>			1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2 Wire Unbundled ADSL Loop including manual service inquiry &	i	l			1 1			í		I					
i	facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47	L			<u> </u>		<u> </u>
	2 Wire Unbundled ADSL Loop including manual service inquiry &		1			-								[(
	facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47	<u> </u>			<u></u>		
	2 Wire Unbundled ADSL Loop without manual service inquiry &					!					i			ł		1
	facility reservation - Zone 1	<u> </u>	1	UAL	UAL2W	10.82	121.18	69.00	69.09	11,54						<u> </u>
	2 Wire Unbundled ADSL Loop without manual service inquiry &	ļ	_		ļ											į
	facility reservation - Zone 2	├	2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54				ļ		
1	2 Wire Unbundled ADSL Loop without manual service inquiry &		l _								j			ĺ	}	1
	facility reservation - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54	ļ					
	Unburidled Loop Service Rearrangement, change in loop facility,			UAL	LIBRUIO]	20.00		ł	l						1
	per circuit	1	L	UAL	UREWO	<u>L.,</u>	86.20	40.40	L	L	٠		L	·		1
2-4446	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	I IRCE CI	T	,							,					
	2 Wire Unbundled HDSL Loop including manual service inquiry &		١.	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						1
	facility reservation - Zone 1		 	Unic	UNLEA	0./3	131.34	89.23	09.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	,	UHL	UHLZX	9.56	151.54	89.29	69.09	11.54	}		ł	})	Ì
	2 Wire Unbundled HDSL Loop including manual service inquiry &	 	} 	3772	Junier	3.36	101.54	03.23	99.09	11.54	 				ļ	
	2 wire unbunded HUSL Loop including manual service inquiry sacility reservation - Zone 3	1	3	UHL.	UHL2X	10.61	151.54	89.29	69.09	11.54	1					1
	2 Wire Unbundled HDSL Loop without manual service inquiry and		 	U11C.	UHLZA		131.34	03.53	65.05	11.34						
	lacility reservation - Zone 1	1	۱,	UHL	UHLZW	8.75	130.74	78.56	59.09	11.54	Į.			ļ.		1
	2 Wire Unbundled HDSL Loop without manual service inquiry and	 	 	0110	UNLETT	9.53	100.14	76.50	03.03	11.04						
-	facility reservation - Zone 2		12	UHL	UHL2W	9.56	130.74	78.56	69.09	11,54]					1
	2 Wire Unbundled HOSL Loop without manual service inquiry and	1	-	G/1C	UTILE 17	0.50	700.74	70.00	00.03	115-						 -
	facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						(
 -	Unburdled Loop Service Rearrangement, charge in loop facility,	╅——	 ~~ ~~	0112	JOHCZ IV	10.01	150:14	70.50	00.00	(1.54						
	per circuit			UHL	UREWO		86.14	40.40	İ		Ī				l '	f
4-MIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP	<u> </u>	10.10	·			·				`	L		<u></u>
	4 Wire Unbundled HDSL Loop including manual service inquiry and		T	1					T		T					
	facility reservation - Zone 1	1	ŧ ,	UHL	UHLAX	13.95	185.75	123.50	74.95	14.69	ì					İ
	4-Wire Unbundled HDSL Loop including manual service inquiry and		1							· · · · · · · · · · · · · · · · · · ·	j					
i	facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69				ļ		ĺ
	4-Wire Unbundled HDSL Loop including manual service inquiry and	<u>- I</u>														
	facility reservation - Zone 3	1	lз	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69	1		'	·	į į	1
	4-Wire Unbundled HDSL Loop without manual service inquiry and	Ţ														
	facility reservation - Zone 1	1	1_1_	UHL	UHL4W	13.95	164.95	114,04	77.32	15.80	1					l
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1				1										
	facility reservation - Zone 2	.l	2	UHL	UHL4W	15.68	164.95	114,04	77,32	15.80	<u> </u>					ĺ
	4-Wire Unbundled HDSL Loop without manual service inquiry and	T -	1		1											
	facility reservation - Zone 3	<u> </u>	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80	L		_			1
	Unbundled Loop Service Rearrangement, change in loop facility,							<u>-</u>		[
_ I	per circuit		L	UHL	UREWO	<u> </u>	86.14	40,40		L	L					i
4-WIR	E DS1 OKRITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1	1		USL	USLXX	86.47	306.69	174.44								
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	114.10	306.69	174.44								
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174,44	65.83	14.55						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	1	1	1	1		}								
	DS1)			USL	URESL		24.96	3.52	L		<u> </u>		l			i
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per									I						
	DS1)			USL	URESP		26.44	5.01	<u> </u>					<u> </u>		
	Unbundled Loop Service Rearrangement, change in loop facility.			1	1			}	}	\						
	per circuit		1	USL	UREWO	<u> </u>	101.09	43.04	<u> </u>		1					L
4-WIF	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP								,							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	27.59	157.81	106.06								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL	UDL2X	32.48	157.81	106.06		18.66						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			UDL	UDL2X	36.37	157.81	106.06		18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			ÜDL	UDL4X	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			UDL	UDL4X	32.48	157.81	106.06	78.91	18.66					1	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			ÜÜL	UDL4X	36.37	157.81	106.06	78,91.	18.66						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL) UDF8X	27.59	157.81	106.06								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL8X.	32.48		106.06								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	36.37	157.81	106.06								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	27.59	157.81	106.06								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2			lupt	U0L19	32.4B	157.81	106.06	78.91	18.66						

NBUNDLE	D NETWORK ELEMENTS - Kentucky RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		Discourse		Svc Order Submitted Manually per LSR	Att: 2 Exh: A Incremental Charge - Manual Svc Order va. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vt. Electronic- Disc 1st	Increment Charge Manual St Order vs Electroni Disc Add
						Rec -	Nonrec		Nonrecurring First	Add'\	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		Ļ	_		1151 10	36.37	157.81	106.06	78.91	18.66	0011112	J. G. II. P. L. II.				
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL UDL	UDL19 UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	├		UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-	3		UDL56	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	╄		UDL	UDL64	27.59	157.81	106.06	78.91	18.66			I			
_	14 Wire Unbundled Digital Loop 64 Kbps - Zone 1	┿-	2		UDL64	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	+	3		UDL64	36.37	157.81	106.06	78.91	18.66					 	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per												}	}	}	ì
	DS0)	l _	<u>. </u>	UOL	URESL	<u> </u>	24.95	3.52			ļ.——	 	 	 	 	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per									İ	i	ì			1	1
	DS0)			UDL	URESP	 	26.44	5.01							 	
	Unbundled Loop Service Rearrangement, change in loop facility.					1 1	102.13	49.75		l	ļ	Ţ	1		1	1
	per circuit	ــــــــــــــــــــــــــــــــــــــ	┸	UDL	UREWO	<u> </u>	102.13	49.70							·	
2-WIR	E Unbundled COPPER LOOP											T	Τ		T	
	2-Wire Unbundled Copper Loop-Designed including manual	1	١.	UCL	UÇLPB	10.82	140.95	78.70	69.09	11.54			i	L	<u> </u>	
	service inquiry & facility reservation - Zone 1	 	1	001	1000	1	.40.00				1			1	1	1
	2-Wire Unbundled Copper Loop-Designed including manual	1	١,	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54	L	l				<u> </u>
	service inquiry & facility reservation - Zone 2		 	COL	1000,0	1						Τ	T	1	1	
	2 Wire Unbundled Copper Loop-Designed including manual service	٩	1 3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54					 	↓
	linquiry 8 facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service		+- <u>*-</u> -	<u> </u>						[Ì	1	\	1	ì
	inquiry and facility reservation - Zone 1	Ţ	1 1	ricr .	UCLPW	10,82	120.15	67.97	69.09	11.54					 	
	2-Wire Unbundled Copper Loop-Designed without manual service	1	1						l					,		1
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		ļ	 		 	
	2-Wire Unbundled Copper Loop-Designed without manual service							67.97	69.09	11.54	ļ	1	1	1	}	1
	inquiry and facility reservation - Zone 3		3	uct	UCLPW	12.87	120.15	9.00	03.05	. 11.54	+			+	 	+
	Order Coordination for Unbundled Copper Loops (per loop)	_		UCL	UCLMC	+	9.00	9.00					 		<u> </u>	
	CLEC to CLEC Conversion Charge without outside dispatch (UCI	너	1		UREWO	1 1	97.23	42.48	-		!	1		1	1	
	Des)			UCL_	IONEWO		37.20	42.143								
4-WIR	E COPPER LOOP	_	1										T	1		T
	4-Wire Copper Loop-Designed including manual service inquiry		١.	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69					1	
	and facility reservation - Zone 1	+	 	- OOL	1000.0				Ţ			T	T			
	4-Wire Copper Loop-Designed including manual service inquiry		1 2	UCL	UCL4S	17.35	170.31	108.06	74.95	14.69		<u> </u>	<u> </u>	<u> </u>		
	and facility reservation - Zone 2	+	 	1		1							İ	1	1	
1	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	-	1 3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69				 	- 	
	4-Wire Copper Loop-Designed without manual service inquiry and	3	1								.i			1	1	
	facility reservation - Zone 1	1	<u> 11</u>	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69	' 	+	 	+		
	4-Wire Copper Loop-Designed without manual service inquiry and	d .	7	1		1		07.22	74.95	14.65	,		1	1	1	1
1	facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	/4.80	14.63	' 			+	 	+
	4-Wire Copper Loop-Designed without manual service inquiry and	d	1			20.40	149.52	97.33	74.95	14.69	.1		Ì	1		
-	facility reservation - Zone 3		3	UCL	UCL4W UCLMC	28.10	9.00			14.00			+		1	1
	Order Coordination for Unbundled Copper Loops (per loop)	-	+	UCL	IUCLMC.		9.00	 		-						
	Unbundled Loop Service Rearrangement, change in loop facility.	Ī	1	UCL	UREWO	i	97.23	42.48	.1				l	_i	Ĺ	\perp
	per circuit			UEA, UDN, UAL.	- Oraciro			 							1	1
	Time (our LEP)	İ	- 1	UHL, UDL, USL	ocost		23.01	_		L				1		
	Order Coordination for Specified Conversion Time (per LSR)			101.4, 022, 304	1-4-4-											
- Rear	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop	- 1		T							1				1	
	Si 2		1	UEA	UREEL		87.72	36.36						 		
	31.2	\neg	\neg					1	. [Į.	1	4	1	i	ì	}
1	EEL to UNE-L Retermination, per 4 Wire Unburdled Voice Loop	١.	1	UEA	UREEL		87,72	36.36						+		+
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.63	44.16	·					+		
					luses:	1	102.13	49.75	:1	1	1	1	1	1	1	1
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	<u> </u>	-	UDL	UREEL		101.09			 	+	-		1		
	EEL to UNE-L Retermination, per 4 Wire Unburded US1 Coop		-	USL	UNEEL		- 101,00		1							I
NE LOOP	COMMINGLING															
2-W	RE ANALOG VOICE GRADE LOOP - COMMINGLING							T		T					1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	ł	١,	NTCVG	UEAL2	12.67	134.89	81.87	73.65	14.8	8			1		
	Ground Start Signaling - Zone 1	-	- - '	1,0,0											1	1
ì	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	NTCVG	UEAL2	17.45	134.8	81.8	7 73.65	14.8	8			-	 	
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		 					1]	1	Į	
ı	Ground Start Signaling - Zone 3		1 3	NTCVG	UEAL2	33.22	134.89	81.8	7 73.65	14.8	8	<u> </u>				

MRAMOL	ED NETWORK ELEMENTS - Kentucky					,							Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge » Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order va. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
		 	<u> </u>		ļ	Rec -	Nonrec		Nonrecurring					Rates(\$)		
	1000 1 T T W. 1 0 T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	ĺ	١, ١	NTCVG	UEAR2	12.67	134.89	81.87	73.65	14.88					ļ	{
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 -	 	1,010	CEARLE	12.01	104.00	01.01	19.55	19.00						
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	17,45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	_													
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	33.22	134.89	81.87	73.65	14.88	[L		l <u>.</u>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1														
	DS0)	ļ		NTCVG	URESL	ļ <u>-</u>	24.96	3.52								
	Switch-As-Is Conversion rate per LINE Loop, Spreadsheet, (per		Į.,	NTCVG	URESP		26.44	5.01					Į			
	DS0)	 	-	NICVG	UHESP	ļ -	26.44	3.01								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1		NTCVG	UREWO		87.72	36.36	1							
	Loop Tagging - Service Level 2 (SL2)	 		NTCVG	URETL		11.21	1.10							·	
4-W1F	E ANALOG VOICE GRADE LOOP - COMMINGLING															
	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	29.26	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	34.25	164.11	112.36	78.91	18.65						
	4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	NTCVG	UEAL4	85.06	164.11	112.36	78.91	18.66						
Į.	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	}	i .			!	24.00									
	DS0)		·	NTCVG	URESL		24.96	3.52								
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1		NTCVG	URESP	1	26.44	- 0.			:		i			
	DS0)	┿		W CVG	Uncar	 	20.44	5.01								
1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	ì	ì	NTCVG	UREWO] [87.72	36.36						j	Ï	
4-34/10	RE DS1 DIGITAL LOOP - COMMINGLING	Щ.	·	11010	JONETTO		57.72	30.00			L					L
4-111	4-Wire DS1 Digital Loop - Zone 1	Т	1 1	NTCD1	USLXX	86.47	306.69	174.44	65.83	14.55						<u> </u>
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	114.10	305.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	297.76	306.69	174,44	65.83	14.55						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					1										
	DS1)	<u> </u>	L	NTCD1	URESL	<u> </u>	24.96	3.52								
T	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	i i	1) ì)	[í í					
	DS1)		ļ	NTCD1	URESP	 	26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility,			NTCD1	UREWO		101.09	43.04			l					
14.540	per circuit RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	ـــــــــــــــــــــــــــــــــــ	٠	NICUI	JUNEWO		101.09	43.04			اا					<u> </u>
4-990	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	, —	1 1	INTCUD	UDL2X	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	+		NTCUD	UDL2X	32.48	157.B1	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			NTCUD	UDL2X	36.37	157.81	106.06	78.91	18.66			 -			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	1 1	NTCUD	UDL4X	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		11	NTCUD	UDL9X	27.59	†57.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	١.	2	NTCUD	UDLax	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	┼	3	NTCUD	UDL9X UDL19	36.37	157.81	106.06	78.91	18.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	+	1 2	NTCUD NTCUD	UDL19	27 59 32.48	157.81 157.81	106.06	78.91 78.91	18.66 18.66						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3	┼─	1 - 5	NTCUD	UDL19	36.37	157.81	106.06	78.91	18.66	-		 -			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	+	1 1	NTCUD	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	+	2	NTCUD	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	36.37	157.81	105.06	78.91	18.66						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	Į.	1	NIZCUB	URESL	[44.00		1		\ \ \	-1	\		· · · · · · · · · · · · · · · · · · ·	
	DS0)		+	NTCUD	UHESL	 	24.96	3.52	ļ- 							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1	NTCUD	URESP]	25.44	5.01		*			l	1	İ	
	DS0) Unbundled Loop Service Rearrangement, change in loop facility.	- 	+	11000	UnLor	 	20.44	3,01			 - 					
ļ	per circuit	1	1	NTCUD	JUREWO	1	102.13	49.75	1			ł	ſ		ſ	
	Des Arrotals	 	1-	NTCVG, NTCUD,		1										
	Order Coordination for Specified Conversion Time (per LSR)		1.	NTCD1	ocost	<u>l </u>	23.01	_	l .				ļ		ĺ	
	CE OF SERVICE		· · · · · ·													

						T					Svc Order	Svc Order	Att: 2 Exh: A			
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		No.	RATES(\$)	· · · · · · · · · · · · · · · · · · ·		Submitted Elec per LSR	Submitted Manually per LSR	Incremental Charge - Manual Syc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad-
						Rec	First	ecurring Add'i	Nonrecurrin First	Disconnect			OSS	Rates(\$)		
				UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1,		-				Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Maintenance of Service Charge, Basic Time, per half hour			ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCVX, ULS UDC, UEA, UDL, UDN, USL, UAL,	MVVBT		80.00	55:00								
				JUHL, UCL, NTCVG, NTCUD, NTCUD, NTCUD, NTCD1, UITD1, UITD3, JITD1, UITD3, JITVX, UDF, JDFCX, UDLSX, JDS3, ULDD1, JLD31, ULDDX, JLD31, ULDVX, NCDX, UNCSX, NCDX, UNCSX,												
MODIFI	Maintenance of Service Charge, Overtime, per half hour Maintenance of Service Charge, Premium, per half hour ATION			JNCVX, ULS JDC, UEA, UDL, JDN, USL, UAL, JDN, USL, UAL, JHL, UCL, NTCVG, JTCUD, NTGUG, JTTD1, U1TD3, JTTD1, U1TD3, JTTX, UDF, JDFCX, UDLSX, JDFC, UDLSX, JDFC, UDLSX, LDB1, ULDVX, LDB1, ULDVX, LDB1, ULDVX, NCTX, UNCSX, NCDX, UNCSX, NCDX, ULS	MVVOT		90.00	65.00								
	Unburdied Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unburdied Loop Unburdied Loop Modification Removal of Load Coils - 4 Wire less		UI	AL, UHL, UCL. EQ, ULS, UEA, EANL, UEPSR, EPSB	ULM2L		9.24	9.24								
OOPS	unan or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	+	U/ UE UE	AL, UHL, UČL, EQ. ULS, UEA, EANL, UEPSR,	ULM4L ULM8T		9.24	9.24								
Sub-Lo	op Distribution				<u>-</u>											
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
-	UP				JSBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	- +-			JSBSB		12.50	12.50								
	Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up				JSBSC		80.87	80.87								·
	- P	- 1	JUE	ANL 1	JSBSD		45.04	45.04	ĺ	I	1	7				

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Att: 2 Exit: A			
CATEGORY	RATE ELEMENTS	interim	Zone	BC\$	usoc		Non	RATES(\$)	None	Disconnect	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
	 	Η-	_	L	 	Rec	Nonre- First	Add'i	First	Add*l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90	- DOMEC	0011124	SOME	SOMALI	SUMAIN	JUMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.06	_85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ļ	3_	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop gair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		_	UEANL UEANL	USBMC USBN4		9.00	9.00			<u> </u>					
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop Zone 2		,	UEANL	USBN4	8.14 8.63	102.31	56.32 56.32	65.24 65.24							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuliding Network Cable (INC)	 -	-	UEANL UEANL	USBR2 USBMC	2.57	68.35	22.36	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		ļ	UEANL	USBR4	4.98	9.00 76.49	9.00 30.51	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	ļ <u> </u>		UEANL UEANL	USBMC URET1	-	9.00 46.88	9.00		 	-					
	Loop Testing - Basic Additional Half Hour	 	1	UEANL	URETA	 	24.16	24.16		···-						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
	Wire Copper Unbundled Sub-Loop Distribution - Zone 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF UEF	UCS2X UCS2X	7.06 9.67	85.03 85.03	39.05 39.05	59.81 59.81	7.90 7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ļ	<u> </u>	UEF UEF	USBMC UCS4X	7.09	9.00	9.00		1000						
 	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS4X	8.66	102.31	56.32 56.32	65.24 65.24							
	4 Wire Copper Urbundled Sub-Loop Distribution - Zone 3	<u> </u>		ÜEF	UCS4X	19.40	102.31	56.32	65.24							
	Order Coordination for Unbundled Sub-Loops, per sub-loop gair Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		-	UEF	USBMC	 -	9.00	9.00				<u> </u>				
	Designed and Distribution Subloops	 		UEF, UEANL	UAETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour	+		UEF UEF	URETA	 	46.88 24.16	0.00		<u> </u>						
Heber	Loop Testing - Basic Additional Half Hour Indled Sub-Loop Modification	٠	Ь	ULF	JUNEIX	<u> </u>	44.16	24.16			لــــــا		·			
011301	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1	T	T	 			<u> </u>							
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load	-	 	UEF	ULM2X	 	_ 5.23	5.23					·— ·—		<u> </u>	
	Coll/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per	+	╁	UEF	ULM4X		5.23	5.23		<u> </u>						
Unbu	unbundled loop ndled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair		<u></u>	UEF	UENPP	0.53	7.97	7.97 23.51	<u> </u>	<u> </u>						
Natur	ork Interface Device (NID)	٠	Ь	10611177	TAPLE .	0.33	23.31	23.31	<u> </u>							
	Network Interface Device (NID) - 1-2 lines		Γ	UENTW	UND12	Ţ <u></u>	73.53	49,47	T	T	- 1		·		····	
	Network Interface Device (NID) - 1-5 lines			UENTW	UND16		115.96	91.91								
	Network Interface Device Cross Connect - 2 W	4	 	UENTW	UNDC2	 	8.56	8.56								
UNE DEUTE	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	+	-	UENTW	UNDC4	 -	8.56	8.56	 	 						
ONE OTHER,	Unbundled Confact Name, Provisioning Only - no rate			UAL, UCL, UDC. UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00					_				
	Unbundled DS1 Loop - Superframe Format Option - no rate	+	 	USL, NTCD1	CCOSF	+	0.00		 -	 						
	Unbundled OS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CCOEF		0.00									
	NID - Dispatch and Service Order for NID installation		ļ	UENTW	UNDBX	0.00	0.00		ļ	ļ						
ı T	UNTW Circuit Establishment, Provisioning Only - No Rate		<u> </u>	UENTW	UENCE	0.00	0.00									

UNBUNDLE	D NETWORK ELEMENTS - Kentucky					,							Att; 2 Exh: A			
CATEGORY	RATE ELEMENTS	interim	Zone	всs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order vs Electronic Disc Add
						Rec		curring	Nonrecurring			··· = = -\$14 + 22		Rates(\$)		
LOOP MAKE-U			—	 	 	ļ	First	Add1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
COOF MINNES	Loop Makeup - Preordering Without Reservation, per working or		+		 	 			·	 	 					
1	spare facility queried (Manual).		_	ŲМК	JMKLW		23.40	23.40						[ļ
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85								
	Loop MakeupWith or Without Reservation, per working or spare															
	facility queried (Mechanized)	 	ļ	UMK	UMKMO		0.67	0.67	····							
LINE SPLITTIN	SER ORDERING-CENTRAL OFFICE BASED	<u> </u>	Ь			1				L				L		
	Line Splitting - per line activation DLEC owned splitter	T	T -	UEPSR UEPSB	DREOS	0.61										
	Line Splitting - per line activation AT&T owned - physical	<u> </u>	_	UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87	 					
	Line Splitting - per line activation AT&T owned - virtual			UEPSR UEPSB	UREBY	0.61	37.02	21.20	21.10		<u> </u>					
END U	SER ORDERING - REMOTE SITE LINE SPLITTING															
	Remote Sile Shared Loop Line Activation for End Users - CLEC															
	Owned Splitter	ļ		UEPSR UEPSB	URERS	0.61	56.73	22.96	7,20	7.20	ļ					
. l	Remote Site Shared Loop - Subsequent Activity - CLEC Owned	(1	UEPSR JEPSB	URERA	1	53.73	21.04		}	Ì	i				
	Splitter NOLED EXCHANGE ACCESS LOOP	<u> </u>	Щ.,.	JULY OF UEFOR	Touchy		33.73	21.31		·	·			L		
	ANALOG VOICE GRADE LOOP								"							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		T		T	T				T						
\	Zone 1	<u> </u>	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSA JEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				Ţ <u> </u>											
	Zone 2	 	2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			LIEBOD LIEBOD	15405	45.00	40.00									
	Zone 2	 	2	UEPSR UEPSB	UEABS	15,34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	ļ	1 2	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65	\]				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+	 	001 3H 007 00	DEACG	31.11	40.00		20.03	7.63						
	Zone 3	1	3	UEPSR UEPSB	UEABS	31,11	45.66	22.57	26.65	7.65						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	T								1						
L. I	Line Splitting - CLEC Owned Splitter - Zone 1	١ <u></u>	1 1	UEPSR UEPSB	UEARS	6.34	85.03	39.05	59.81	7.90	L			ĺ		
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-				T											
	Line Splitting - CLEC Owned Splitter - Zone 2	Ļ	2	UEPSR UEPSB	UEARS	9.06	85.03	39.05	59.81	7.90				1		
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		١.			1100		22.55			}					
- HUV61	Line Splitting - CLEC Owned Splitter - Zone 3	1	1 3	UEPSR UEPSB	UEARS	14.82	85.03	39.05	59.81	7.90						
PHYSIC	CAL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line		,	1			·									
. 1	Splitting			UEPSR UEPSB	PEILS	0.0333	24.68	23.68	12.14	10.95		ļ		ļ	ļ	
VIRTU	AL COLLOCATION		·			5.000				, ,,,,,,						
- 		Τ	Т	T							<u> </u>					
<u> </u>	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	<u> </u>		UEPSR UEPSB	VETLS	0.0309	24.68	23.68	12.14	10.95					_	
	DEDICATED TRANSPORT					J		L								
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT			history	GI EVV		т			, 						
	Interoffice Channel - 2-Wire Voice Grade - per mile Interoffice Channel - 2-Wire Voice Grade - Facility Termination			UITVX	IL5XX U1TV2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - 2-Wire Voice Grade - racinty Termination Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile		+	UITVX	1L5XX	0.01		31.78	22.11	8.75						
	Interdince Charrier 224ville VOIGE Chade Hev Gal per finite	t	+	101777	TIESAN	0.01				 	-					
1	Interoffice Channel - 2-Wire VG. Rev Bat Facility Termination	1		U1TVX	U1TA2	29.11	47.34	31.78	22.77	8.75	l i		ì			
	Interoffice Channel - 4-Wire Voice Grade - per mile	1		U1TVX	1L5XX	0.01										
			T													
 _	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	! —	1	UTTVX	U1TV4	25.85	47.34	31.78	22.77	8.75					}	
	Interoffice Channel - 56 kbps - per mile	ļ.—		UITDX	1L5XX	0.0115		ļ								
	Interoffice Channel - 56 kbps - Facility Termination	⊹ -	+	U1TDX U1TDX	U1TD5	20.97	47.34	31.78	22.77	8.75						
 	Interoffice Channel - 64 kbps - per mile Interoffice Channel - 64 kbps - Facility Termination	 	+	UTTOX	1L5XX U1TD6	0.011 <u>5</u> 20.97	47,34	31.78	22.77	8.75	 					
	Interoffice Channel - DS1 - per mile	+	1	UITDI	1L5XX	0.23	47,04	31.76	22.77	8.73						
	Interoffice Channel - DS1 - Facility Termination	+	 	UITDI	U1TF1	96.04	105.52	98.46	23.09	20.49						
			-						77.30							
	Interoffice Channel - DS3 - per mile	$\Gamma_{}$		U1TO3	1L5XX	4.97		L				,		į.		
	Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination	\vdash		U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75						
	Interoffice Channel - DS3 - per mile						335.40 335.40	219.24 219.24	89.57 89.57	87.75 87.75						

DUNDLE	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
BUNULE	D NETWORK ELEMENTS - Relitatory				T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increm
1			l			1					Submitted	Submitted	Charge -	Charge -	Charge •	Charg
			l		1	1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manua
			!_	BCS	USOC			RATES(\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	ì		KKI ES(4)			percon	per Lan	Electronic-	Electronic-	Electronic-	Electro
	l .		l	-	1	1					ļ					
					1						3		1st	Add'I	Disc 1st	Disc A
										5/-				Fire - (F)		<u>}</u>
					<u> </u>	Rec	Nonrec		Nonrecurring		001470	SOMAN	SOMAN	Rates(S)	SOMAN	SOM
					1		First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOM
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		1		1	ll	!				1		ļ	[l	i
	Route Mile Or Fraction Thereof			UDF, UDFCX	'L5DF	30.74										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per					1 1					\	'	i	1	}	1
İ	Route Mile Or Fraction Thereof		L	UDF, UDFCX	UDF14	· · · · · · · · · · · · · · · · · · ·	732.53	192.67	377.27	241.67						
HICAPACIT	Y UNBUNDLED LOCAL LOOP				1	<u></u>					<u> </u>			L	L	<u> </u>
08-3/9	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone															
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	9.25							\		 -	
_	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
-+	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	9.25					 			<u> </u>	ļ	
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
IANCED EX	(TENDED LINK (EELs)				T						<u> </u>		<u> </u>	<u> </u>	<u> </u>	١
	k Elements Used in Combinations															,
,,,,,,,,	2-Wire VG Loop (SL2) in Combination - Zone 1	T	1 1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84			ļ.,	<u> </u>		 -
_	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17,45	125.22	60.48	59.69	7.84			 		ļ	
-+	2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	33.22	125.22	60.48	59.69	7,84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	29.26	125.22	60.48	59,69	7.84						-
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4 Wire Analog Voice Grade Loop in Combination - Zone 2			UNCVX	UEAL4	85.06	125.22	60.48		7.84						
	2-Wire ISDN Loop in Combination - Zone 1		1		U1L2X	18.44	125.22	60.48		7.84						
	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	UTLZX	25.08	125.22	60.48	59.69	7.84						1
		-	3		U1L2X	42.87	125.22	60.48	59.69	7.84			T			
	2-Wire ISDN Loop in Combination - Zone 3		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						7
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	 	+ -	UNCDX	UDL56	32.48	125.22	60.48		7.84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		3	UNCDX	UDL56	36.37	125.22	60.48		7.84						1
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	-	1 3		UDL64	27.59	125.22	60.48		7.84						1
	4-Wire 64Kbps Digital Grade Loop In Combination - Zone 1	ļ	+	UNCDX	UDL64	32.48	125.22	60.48		7.84				 	-	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL64	36.37	125.22			7.84						1
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		. 3	UNCDX	USLXX	86.47	210.70			17.97						╌
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X			210.70	114.60						 		_
	4-Wire DS1 Digital Loop in Combination - Zone 2	<u> </u>	2	UNCIX	USLXX	114.10	210.70	114.60								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.36	17.57	-					-
	DS3 Local Loop in combination - per mile	_		UNC3X	1L5N0	9.25	207.00	147.69	83.43	32.67					-	┼
	DS3 Local Loop in combination - Facility Termination		1	UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.01	}		 	 	 -	+
	STS-1 Local Loop in combination - per mile	Ι	1	UNCSX	1L5ND	9.25		449.00		22.67	 	 				
	STS-1 Local Loop in combination - Facility Termination	T		UNCSX	UDL51	320.51	237.36	147.69	83.43	32.67	 			ļ <u> </u>	ļ	
	Interpffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.01			ļ				-	ļ	ļ	
	Interoffice Channel in combination - 2-wire VG - Facility				-T						1	1	1	1		
Į	Termination	}	1	UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42					<u> </u>	ļ
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.01					L		L	<u></u>		
	Interoffice Channel in combination - 4-wire VG - Facility	T =													1	l
	Termination	1		UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42	1		1	1		
	Interoffice Channel in combination - 4-wire 58 kbps - per mile	1	1	UNCDX	1L5XX	0.01									-	1
	Interoffice Channel in combination - 4-wire 56 kbps - Facility								1	1			1			
	Termination	1		UNÇDX	U1T05	17.25	98.09	53.67	56.31	22.42				L	ļ. —	-
-	Interoffice Channel in combination - 4-wire 64 lobps - per mile	+	1	UNCDX	1L5XX	0.01										1
	Interoffice Channel in combination - 4-wire 64 loops - Facility	+	1	1	1											
1		1	1	UNCDX	UITDE	17.25	98.09	53.67	56.31	22.42		<u> </u>		L	L	
	Termination DS1 per mile		+-	UNC1X	1L5XX	0.19								L	1.	1
	Interoffice Channel in combination - DS1 - per mile	+	+	UNCIX	U1TF1	79.02	181.24	123.53	56.72	22.32					1	1_
-∔	Interoffice Channel in combination - DS1 Facility Termination	+	+-	UNC3X	11L5XX	4.09	1	1	1						I	T
	Interoffice Channel in combination - DS3 - per mile	+-	+	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						T
	Interoffice Channel in combination - DS3 - Facility Termination	+	+	UNCSX	1L5XX	4.09		1		1				T		
	Interoffice Channel in combination - STS-1 - per mile	+	+-	UNCSX	UITES	945.79	350.56	141.58	48.00	23.39						7
	Interoffice Channel in combination - STS-1 Facility Termination	+		311000	10.110	3.70.70	1	1	1	T				1		_
	NETWORK ELEMENTS															
Optio	nal Features & Functions:			U1TO1.				T	T		T		T	T	1	T —
T		1 .	ĺ		CCOEF		0.00	0.00	0.00	0.00	1	i		Į.	l	ļ
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1 UNC1X	CCOEF	+	3.00	0.00	0.00	0.00			1	 	 	+
		1 .	1	UITDI.	CCCC	1	0.00	0.00	0.00	0.00	1	1		I	[i
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		0.00	0.00	, U.U.	0.00	+	+	 	 	 	+
	Clear Charmel Capability (SF/ESF) Option - Subsequent Activity	.		ULDD1, U1TD1.	NESOS.	İ	184.91	23.82	1.99	0.78	.	1	1	1	!	1
1	per D\$1	4	4	UNC1X, USL	NRCCC		184.91	23.82	1.98	0.76		 	 -	1	 	+
		T	1	U1703, ULDD3.	1	ì]			ا	J	1	1	i	1	1
				UE3, UNC3X	NRCC3		205.70	7.20	0.6924	0.00	/ 1	1	,	1		
	C-bit Parity Option - Subsequent Activity - per DS3	i	_	UNC1X	MOI	113.33										7

INDLE	D NETWORK ELEMENTS - Kentucky RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrect	RATES(\$)	Nonrecurring D		Svc Order Submitted Elec per LSR	Submitted Manually per LSR		Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charg Manual Order Electro Disc A
			├			Rec -	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
			 	UNCVX	1D1VG	0.6228	6.71	4.84								├
	Voice Grade COCI in combination		 	V.1.0.1.1								ì	ì)	1	İ
Į	Voice Grade COC1 - for 2W-SL2 & 4W Voice Grade Local Loop	į	1 1	UEA	1D1VG	0.6228	6.71	4.84							 	
	Voice Grade COCI - for connection to a channelized DS1 Local								e l			1		ļ		Į
1	Channel in the same SWC as collocation		J. J	U1TUC	1D1VG	0.6228	6.71	4.84 4.84								
 	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	10100	1.32	6.71 6.71	4.84								1
1	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop			UDL	10100	1.32	6.11	4.07								1
1	OCIL-DP COCI (2.4-64kbs) - for connection to a channelized DS1	l	ì		1D1DD	1.32	6.71	4.84								1
	Local Channel in the same SWC as collocation		 	U1TUD	UC1CA	2.84	6.71	4.84								
	2-wire ISDN COCI (BRITE) in combination			UNÇNX	UC1CA	2.84	6.71	4.B4								1
	2-wire ISDN COCI (BRITE) - for a Local Loop	├	+	JUN	130.57						1					1 "
1	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	}	1	U1TUB	UCICA	2.84	6.71	4.84					Ļ	ļ	ļ	
 _	Local Channel in the same SWC as collocation	_	+	UNCIX	UC101	11.80	6.71	4.84					ļ		ļ 	+
-	DS1 COCI in combination	_	+-	ULDD1	UC101	11,80	6.71	4.84							 	\vdash
 	DS1 COCI - for Stand Alone Local Channel DS1 COCI - for Stand Alone Interoffice Channel	_		UITOI	UC101	11.80	6.71	4.84	L				 	 	 	-
-	DS1 COCI - for DS1 Local Loop	 		USL, NTCD1	UC1D1	11.80	6.71	4.84					 			+
+	DS1 COCI - for DS1 Edga Coop DS1 COCI - for connection to a channelized DS1 Local Channel in	1	1						I		1		1	1	I	
1	the same SWC as collocation			U1TUA	UC1D1	11.80	6.71	4,84	 		+	+	 		 	
				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,				9.00								
	Wholesale · UNE, Switch-As-Is Conversion Charge	<u> </u>		HERST, UNCNX	UNCCC		8.98	8.98	 			· · · · · ·			 	
	 			UITVX, UITDX,		1 1				ĺ					1	i
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	t -{		U1TD1, U1TD3.	URESL	i I	36.80	16.10			•	1]		ł	
1	Souther As Is Non-requiring Charge, per Circuit (LSR)	1		U1TS1, UDF, UE3	UMESL		30.60	10.10					1	Ţ	1	T
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	t -	l	UITVX, UITDX, UITDI, UITD3,	1	1 1			i i	ì	1	1		ĺ	1	1
1	Switch As Is Non-recurring Charge, incremental charge per circuit	1 .		U1TS1, UDF, UE3	URESP	1	1.49	1.49					<u> </u>	┸	<u> </u>	<u> </u>
	on a spreadsheet			0.1.0.1,00.7.0.1								-,				
Acces	s to DCS - Customer Reconfiguration (FlexServ)	T	$\neg \neg$		_		1.63		2.03			 	 			+
	Customer Reconfiguration Establishment DS1 DCS Termination with DS0 Switching					25.69	32.88	23.58				-	· }	 	 	+
 -	IDS1 DCS Termination with DS1 Switching	-				12.41	25.07	15.76				 			 	+-
+	DS3 DCS Termination with DS1 Switching					154.20	32.88	23.58	21.09	13.6	-					
Node	(SynchroNet)													T	1	T
11000	Node per month			UNCDX	UNCNT											
Servi	ce Rearrangements			THE STATE OF THE S									T		1	T
	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		101.09	43.04	<u> </u>							-
	NRC - Change in Facility Assignment per circuit Project Naccommon (added to CFA per circuit if project managed)			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.67	3.6								
+	NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X, UNC3X	OCOSA		18.87	18.8		 	 -			 		
MINGLI				LINION CONTRACTOR		 			 	 	+	-	· · · · ·			T
				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TVB, ULDVX, ULDD1, ULDD3,	CMGAU	0.00	0.00	0.0	0 0.00	0.0	10					
ĺ	The second secon	- 1	1	ULDS1	LOMONO	0.00)	J.0				·				
	Commingling Authorization															
Con	Comminging Authorization Imingled (UNE part of single bandwidth circuit) Commingled VG COCI			IXDV2X	I1D1VG	0.6228	6.71	4.8	4						}	

DUBRANDE	D NETWORK ELEMENTS - Kentucky											i	Att; 2 Exh: A			
ATEGORY	RATE ÉLEMENTS	Interim	Zone	BCS	usoc	ı		RATES(\$)		-	Svc Order Submitted Elec per LSR	Svc Order Submitted Menually per LSR	incremental Charge - Manual Svo Order va. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order va Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)	L	
	0			XDD4X	10.0		First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled ISDN COCI	}		XDV5X	UCICA UITV2	2.84	6.71	4.84			 				ļ	
 -	Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel	+		XDV6X	U1TV4	23.95 21.28	98.09	53.67 53.67	56,31 _ 56,31	22.42 22.42	ļ				 _	
	Commingled 56kbps Interoffice Channel	+		XDD4X	U1TD5	20.97	98.09 (53.67	56.31	22.42	ļ				ļ	
	Commingled 64kbps Interoffice Channel	+	-	XDD4X	U1TD6	17.25	98.09	53.67	56.31	22.42	 				 	 -
	Commingled VG/DS0 Interoffice Channel Mileage			XDV2X, XDV6X, XDD4X	1L5XX	0.01			- 00.5	52.42						
	Commingled 2-wire Local Loop Zone 1	 -	1 1	XDV2X	UEAL2	12.67	125.22	60.48	59.69	7.84	ļ				-	
	Commingled 2-wire Local Loop Zone 2	 -		XDV2X	UEAL2	17.45	125.22	60.48	59.69	7.84	ļ					
	Commingled 2-wire Local Loop Zone 3	 		XDV2X	UEAL2	33.22	125.22	60.48	59.69	7.84	 					
	Commingled 4-wire Local Loop Zone 1	1		XDV6X	UEAL4	29.26	125.22	60.48	59.69	7.84			~			
	Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	34.25	125.22	60.48	59.69	7.84	 					
	Commingled 4-wire Local Loop Zone 3			XDV6X	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Commingled 56kbps Local Loop Zone 1			XDD4X	UDL56	27.59	125.22	60.48	59.69	7.84						
	Commingled 56kbps Local Loop Zone 2	L		XDD4X	UDL56	32.48	125.22	60.48	59.69	7.84	I					
	Commingled 56kbps Local Loop Zone 3	 		XDD4X	UDL56	36.37	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 1			XDD4X	UDL64	27.59	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 2	 		XDD4X	UDL64	32.48	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 3	+		XDD4X XDD4X	UDL64 U1L2X	36.37	125.22	60.48	59.69	7.84						
	Commingled ISDN Local Loop Zone 1 Commingled ISDN Local Loop Zone 2	+		XDD4X	U1L2X	18.44 25.08	125.22	60.48 60.48	59.69 59.69	7.84						
	Commingled ISDN Local Loop Zone 3	+		XDD4X	U1L2X	42.87	125.22 125.22	60.48	59.69	7.84 7.84						
- -	Commingled BS1 COCI			XDHIX	UCTDI	11.80	5.71	4,84	39.60	1.04	}					
	Commingled DS1 Interoffice Channel			XDH1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Commingled DS1 Interoffice Channel Mileage	 	1	XDH1X	1L5XX	0.19		. 20.00	30.72	22.04						
	Commingled DS1/DS0 Channel System	T		XDH1X	MQ1	113.33	57.26	14,74	1,86	1.67						
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	86.47	210.70	114.60	63.96	17.97	f					
	Commingled DS1 Local Loop Zone 2				USLXX	114.10	210.70	114.60	63.96	17.97						
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Commingled OS3 Local Loop		\	HFCCS	UE3PX	308.31										
	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	9.25										
	Commingled STS-1 Local Loop		-	HFRST	UDLS1	320.51	237.36	147.69	83.43	32.67						
	Commingled DS3/D\$1 Channel System			HFOC6	MQ3 U1TF3	158.20	115.48	56.53	15.12	5.30						
	Commingled DS3 Interoffice Channel		 	HFQC6 HFQC6	1L5XX	965.89	350,56	141.58	48.00	23.39						
	Commingled DS3 Interoffice Channel Mileage			HFRST	UITES	945.79	250 55	441 50	40.00	20.00						
	Commingled STS-1Interoffice Channel Commingled STS-1Interoffice Channel Mileage	+	 	HFRST	(1L5XX	4.09	350.56	141.58	48.00	23.39						
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	+	 	1	- Lonn	4.05					ļ					
	Strands, Per Route Mile Or Fraction Thereof			HEODL	1L5DF	30.74										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof	Į.	ļ	HEODL	UDF14	ļ ļ	732,53	192.67	377.27	241.67	ì '	ì	Ì]		
	UNE to Commingled Conversion Tracking	+-	+	XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	 	·				
	SPA to Commingled Conversion Tracking	 	1	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
IP Query Ser		_			T	1	 1	2.50	0.50	2.30					 1	
<u> </u>	LNP Charge Per query				T	0.0008695										
	LNP Service Establishment Manual						13.82	13.82	12.71	12.71						
	LNP Service Provisioning with Point Code Establishment		ļ	L			953.27	487.00	431.95	317.61						
1 PBX LOCA			1	<u> </u>	1		1									
911 PE	X LOCATE DATABASE CAPABILITY			Todon -	Tophel.	,										
	Service Establishment per CLEC per End User Account	 	 	9PBDC	9PBEU		1,814.00									
	Changes to TN Range or Customer Profile	+	┼	9PBDC 9PBDC	9PBTN 9PBMM	0.07	181.57		-]		
	Per Telephone Number (Monthly)		┼──	9PBDC	9PBPC	0.07	533.00				 					
	Change Company (Service Provider) ID	+	+-	9PBDC	9PBMR	179.88	534.00									
	PBX Locate Service Support per CLEC (Monthit) Service Order Charge	+	+	9PBDC	9PBSC	179.56	7.86				 					
911 00	SX LOCATE TRANSPORT COMPONENT		ч	10, 000	101 000	11			<u> </u>		لــــا	. .	1			
See Al																
	<u> </u>	T	$\overline{}$		-T	1								т	——-	
	Rates displaying an "I" in Interim column are interim as a result															

IBUNDL	ED NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	:		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual : Order v Electron Disc Ad
						Rec	Nonre		Nonrecurring				oss	Rates(\$)		<u> </u>
		-	-		-		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMA
The "7	Zone" shown in the sections for stand-alone loops or loops as pa	rt of a c	ombina	tion refers to Geograp	phically Deav	eraged UNE Zo	nes, To view (eographically	Deaveraged Ui	NE Zone Design	ations by Co	ntral Office,	refer to intern	et Website:		
	www.interconnection.bells.outh.com/become_a_clec/html/interco SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	nnection	n.htm													
																<u></u>
NOTE	: (1) CLEC should contact its contract negotiator if it prefers the	state sp	ecific"	OSS charges as orde	ered by the S	tate Commissio	ns. The OSS o	harges current	ly contained in	this rate exhibit	t are the AT	ET "regional"	service orde	ring charges.	CLEC may ele	sct either
INUIE	specific Commission ordered rates for the service ordering charge: (2) Any element that can be ordered electronically will be billed	accordi	na to th	a SOMEC rate sated i	n thu catego	rv. Please refe	to ATAT's Lor	al Ordering Ha	indbook (I OW)	to determine it :	n mendunt	- ha	A	44		
OLDBie	d electronically at present per the LOH, the listed SOMEC rate in	this cate	gory r	effects the charge that	t would be b	lied to a CLEC	once electronic	ordering capal	bilities come on	-sne for that ele	ment. Othe	rwise, the m	anual ordering	r. Portnose el	ements that co	annot be
CLEC	s bill when it submits an LSR to AT&T.													i cumidet nom	-u+, ++ iii u+ ap	piece to a
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			İ	SOMEC		2.50									
	OSS - Manual Service Order Charge, Per Local Service Request	 	-		SOMEC		3.50	0.00	3.50	0.00						
	(LSA) - UNE Only	<u> </u>			SOMAN		15.20	0.00	15.20	0.00						
	DATE ADVANCEMENT CHARGE															
NOTE	: The Expedite charge will be maintained commensurate with Be	ellSouth	s FCC	No.1 Tariff, Section 5	as applicable	9.										
		1		UEF, UDF, UEQ,									- 1			
			ļ	UDL, UENTW, UDN.						1						
		i		UEA, UHL, ULC.							! .		ł	ĺ	- 1	
1		1		USL, U1T12, U1T48,	İ					İ					- 1	
1				U1TD1, U1TD3,		1			ľ			1]		- 1	
- 1		1		U1TDX, U1TO3.		1			1	1			ĺ		J	
		İ		U1TS1, U1TVX.	ļ						l i				ĺ	
		1	1	UC1BC, UC1BL, UC1CC, UC1CL,					ļ			i	}	1	- 1	
		!		UC1DG, UC1DL.		.				1			ì	- 1	ļ	
	-	İ		UC1EC, UC1EL.		1 1				1	1	l i		ļ		
				UC1FC, UC1FL,							1 1			ĺ	- 1	
1			}	UC1GC, UC1GL.	ŀ				•	!	[]		- 1	I	1	
1		1	ĺ	UC1HC, UC1HL,					l	ļi	j			1		
		ļ		UDL12, UDL48,	ĺ					i l		i	i	- 1	1	
				UDLO3, UDLSX,		1			ļ					J		
ļ		1		UE3, ULD12, ULD48, ULDD1,	ļ								1	ĺ	ļ	
		1		ULDD3, ULDDX,					l	1]	I	- 1	- 1		
		1	i	ULDO3, ULD\$1,		1										
- 1		ļ		ULDVX, UNC1X,					!				f		1	
		1	1	UNC3X, UNCDX,					i		l [i			
į		1		UNCNX, UNCSX,						[]	!			i		
i		l		UNCVX, UNLD1,						! !		i	ĺ		1	
		1	1	UNLD3, UXTD1,	1									- 1		
				U1TUC, U1TUD.		[ĺ				ļ		ł	
				UITUB.		i				1 1			i			
	UNE Expedite Charge per Circuit or Line Assignable USOC, per	l		U1TUA,NTCVG,		1			•	i I				i	ļ	
	Day	 	<u> </u>	NTCUD, NTCD1	SDASP		200.00									
DER MODI	FICATION CHARGE	۰	ļ													
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	 -	-	<u> </u>	 		26.21 150.00	0.00		0.00						
UNDLED	EXCHANGE ACCESS LOOP	 	 				130.00	0.00	0.00	0.00						
	E ANALOG VOICE GRADE LOOP	`		·												
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54									
_	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36.54									
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 	3	UEANL	UEAL2	48.43	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	 	1 2	UEANL	UEASL	12.90	36.54 36.54	16.87								
		.L				48.43	36.54	16.87		 						
		T	1 3	IUEANL												
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	+	3	UEANL	UEASL	48.43										
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour		3			48.43	8.92 33.17	0.88								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		3	UEANL UEANL UEANL	URETL URETI URETA	48,43	8.92	0.88								
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour		3	UEANL	URETL URET1	48.43	8.92 33.17	0.88								

	THE PARTY OF EMPLIES.												Att: 2 Exh: A			
NDLE	NETWORK ELEMENTS - Louisiana										Syc Order	Svc Order	Incremental	Incremental	Incremental	
		. 7	ιl		1	1						Submitted	Charge -	Charge -	Charge -	Charg
1			' I		1	1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual
ì					l			DATER(E)					Order vs.	Order vs.	Order vs.	Order
DRY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			perLSR	per LSR				
ואכ	10110 400110110	i			1						(Electronic-	Electronic-	Electronic-	Electro
			ιι		}	1							1st	Add'l	Disc 1st	Disc A
- 1			i I		i							<u> </u>	1			L
		_			 	1	Nonrecu	rring	Nonrecurring (Disconnect				Rates(\$)		,
					+	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
			├					7.007			1	_	1			1
	Unbundled Non-Design Voice Loop, billing for AT&T providing	ļ	l į			1	13.04	13.04				i				
- \	make-up (Engineering Information - E.I.)		L1	UEANL	UEANM	 	10.04	13.04			· · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			
	Unbundled Loop Service Rearrangement, change in loop facility.				i	1									ĺ	
	per circuit	Ì	!	UEANL	UREWO		15,75	8.93			-					
	D. F. M			UEANL	UREPN		36.54	16.87			 					}
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPM		7.92	7.92			J	<u> </u>				<u> </u>
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1	,	1	Q												
2-WIRE	Unbundled COPPER LOOP			100	UEQ2X	12.40	35.27	15.60								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	!		UEQ	UECON	14.32	35.27	15.60								
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X		35.27	15.60			 -					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	16.87	35.27	15.00			+					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	Т		1	1 1			1 !			!	1	1	l	l
		1	1	UEQ	URETL		8.92	0.88			+		 			
	Premise	-	1	UEO	UHET1		33.17	0.00					<u> </u>			-
	Loop Testing - Basic 1st Half Hour		+	UEQ	URETA	 	19.28	19.28								1
	Loop Testing - Basic Additional Half Hour		+	050	- POPE IN						1					1
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1	1		luan	1	7.92	7.92			1	1	i	I	!	ļ
	Designed (per loop)			UEQ	USBMC	<u> </u>	7.52	1.02	 		 					1
	Unbundled Copper Loop - Non-Design, billing for AT&T providing		Γ		1	1			j !		1	1	I	1	I	1
l	make the (Engineering Information - F-1)	1	1	UEQ	UEOMU		13.04	13.04			-		·			
	make-up (Engineering Information - E.i.)		1								1	1	1	1	1	
l	Unbundled Loop Service Rearrangement, change in loop facility,	1	Ç.	IUEQ	UREWO))	14.25	7.42	I			<u> </u>		<u> </u>		
١	per circuit				UREPN	 	35.27	15.60						L	<u> </u>	1
	Bulk Migration, per 2 Wire UCL-ND			UEO			7.92	7.92								1
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		1	UEO	UREPM	 	7.92	7.52				· · · · · ·				1
DI ED I	XCHANGE ACCESS LOOP								<u> </u>					<u> </u>		·
EDLED C	ANALOG VOICE COADE LOOP											,				T
2-WIRE	ANALOG VOICE GRADE LOOP	7							l i	İ	1		1	1	1	Į.
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	١.	UEA	UEAL2	14.93	102.10	65.72					l			
l	Ground Start Signating - Zone 1		 	UEA	locate	14.50	1,000							ļ		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1			25.05	402.40	65.72	1	ŀ	l l	Į.	1	1	ì	1
1	Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	63.72								+
 	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1							ì			1	1	1	1	i
	2-Will Ared Voice Grade Loop - Corrice Large Inches	1	3	UEA	UEAL2	50.46	102.10	65.72	L	<u> </u>			<u> </u>	+	}	
	Ground Start Signaling - Zone 3	+	+		-						1	1	1	ì	ŀ	1
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١,	UEA	UEAR2	14.93	102.10	65.72				.!	L	L	<u> </u>	ـــــــــــــــــــــــــــــــــــ
1	Battery Signaling - Zone 1	-	+ -	USA	- UEAAE	17.00	t		1						"	T
	2-Wire Aralog Voice Grade Loop - Service Level 2 w/Reverse	ì	1	Ì		04.05	102.10	65.72		1		1	1	1	1	1
1	Rattery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	03.72	+				+	 		1
 	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					1			1		- {	!		1	1	1
1	2-yyira Analog voice Grade coop - Garrios Eurora in terrors	1	Íз	UEA	UEAR2	50.46	102,10	65.72	!						ļ	+
	Battery Signaling - Zone 3	_							T		Y	1	Ĭ	1		
	Świtch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	- 1-	1154	URESL	}	24.98	3.52	<u> </u>			1_		L	<u> </u>	
}	(DS0)			UEA	UNESL		24,00	- 5,00								-
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			1		1	1		. I	1	1	1	1	1	1	1
1	DS0)	_1_		UEA	URESP		26.47	5.01	-	ļ		+	+	 	 	1
 	Unbundled Loop Service Rearrangement, change in loop facility.								.l	Į.	1	1	1	}	1	1
i		1	l	UEA	UREWO	1	87.59	36.30								+
	per circuit			UEA	URETL		11.20	1,10	5					1		\bot
	Loop Tagging - Service Level 2 (SL2)		 -		UREPN		102.10			1					1	
	Rulk Migration, per 2 Wire Voice Loop-SL2			UEA			0.00	0.00		T	_		T	1		
1	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		_1_	UEA	UREPM		0.00	0.00	·	L						
4-14/10	E ANALOG VOICE GRADE LOOP								· · · · · · ·				т	1	T	
-4-4414	4-Wire Analog Voice Grade Loop - Zone 1	T	1	UEA	UEAL4	30.81					_+		+	 	 	
	Id No. A miles Volce Oracle Long 7000 2	$\overline{}$	2	UEA	UEAL4	38.32		91.0					_		1	+
1	4-Wire Analog Voice Grade Loop - Zone 2		+ 5	UEA	UEAL4	60.39		91.02	2	1				1	ļ	+
	4-Wire Analog Voice Grade Loop - Zone 3	 -		257	_	1	1				[\	1	\	1	1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		- 1	lue s	URESL	1	24.98	3.5	2)	1			1		1	
Į	(080)			UEA	UHESL	_+	24.50	T. J.J.	-	1		1		1	T	1
-	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	-	1	1				l	۱.	Ī		ľ	1	1	1	i
1		1	- 1	UEA	URESP		26.47	5.0	<u> </u>			+	+	+		+
+	DS0)	-								1	1	1	t	ļ	1	1
	Unbundled Loop Service Rearrangement, change in loop facility.	i	-	UEA	UREWO	Į	87.59	36.3	0	1			٠		<u> </u>	1
	per circuit			1250	1-1-1-1											_
2-WiF	RE ISDN DIGITAL GRADE LOOP			Lumbi	Trecas	22.09	113.34	76.9	61	1						
	2-Wire ISDN Digital Grade Loop - Zone 1		1 1	UDN	U1L2X					+						7
 	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28				+		+	+	+	+	1
+	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.9	•	 			 -			+
	2-vvire is bit Digital Grade Loud - 20-5 5	_	-4							1	1	1	1	1	[1
1	Unbundled Loop Service Rearrangement, change in loop facility.	' I	- 1	UDN	UREWO		91,49	44.0	9							
	per circuit	- AT-	<u> </u>	10014	10110110											
2-Wil	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COM	PATIBL	E LOOP	· · · · · · · · · · · · · · · · · · ·				T		T	1			T	T	
15	2 Wire Unbundled ADSL Loop including manual service inquiry 8	. -	- 1	1	1				r	1		1	1)	1	1
1	2 Wire Urbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1	<u> </u>	1	UAL	UAL2X	12,29	9 117.08	68.3	6	L					ــــــــــــــــــــــــــــــــــــــ	

OMBONDER	D NETWORK ELEMENTS - Louislana												Att: 2 Exh: A			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		Į.	Į	ļ	1							Submitted	Charge -	Charge -	Charge -	Charge
		l .	1			l .					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
			ŀ		l	{					\ ` '	'	Electronic-	Electronic-	Electronic-	Electron
		1	1										1st	Add'i	Disc 1st	Disc Add
		 			·	<u> </u>			T .:			ئـــــــــــــــــــــــــــــــــــــ	L	L		L
		+	 			Rec	First	curring Add't	Nonrecurring Disc First		0.000	SOMAN	OSS	Rates(\$)		
	2 Wire Unbundled ADSL Loop including manual service inquiry &	+			 	 	rnat	ADDI	Piret	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 2	Í	2	UAL	UAL2X	14.09	117.08	68.36			1 !	!		1	' .	1
	2 Wire Unbundled ADSI, Loop including manual service inquiry &				T	1		<u></u>	 							
	facility reservation - Zone 3		3	UAL	UAL2X	15.75	_117.08	68.36								1
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1														
	facility reservation - Zone 1	ļ	1-1-	UAL	UAL2W	12.29	92.83	56.02								
l	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL					1							
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UAL2W	14.09	92.83	56.02								
ı	facility reservation - Zone 3		з	UAL	UAL2W	15.75	92.83	56.02						1		1
	Unbundled Loop Service Rearrangement, change in loop facility,	├──	- -		UNLETT	13.73	_ 36.03	36.02				<u> </u>				
Į.	per circuit	ľ		UAL	UREWO	l i	86 07	40.34	l i							
2-WiRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BLE LO	900	· · · · · · · · · · · · · · · · · · ·		'		10.01								
	2 Wire Unbundled HDSL Loop including manual service inquiry &						1		T T		1					
	facility reservation - Zone 1	<u> </u>	1 1	UHL	UHL2X	9.79	125.50	76.77			' i					į.
	2 Wire Unbundled HDSL Loop including manual service inquiry &	T														
	facility reservation - Zone 2	_	2	UHL	UHL2X	11.52	125.50	76.77	<u> </u>							L.
ļ	2 Wire Unbundled HDSL Loop including manual service inquiry &	\	} _	l		1										
	facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry and	Ļ	3	UHL	UHL2X	12.74	125 50	76,77								
1	facility reservation - Zone 1	Ì		UHL	UHL2W	2.70	404.01			ļ	l l		· l			
	2 Wire Unbundled HDSL Loop without manual service inquiry and	├	'- -	UNL	UHLZVV	9.79	101.24	64.43								
	facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64 43			İ				J	i
	2 Wire Unbundled HDSt, Loop without manual service inquiry and	 		0/10	O.L.E.	11.52	101.24	64 43								
	facility reservation - Zone 3	ļ	3	UHL	UHL2W	12.74	101.24	64.43) j	ì	ı 1	·]	Ì			i
	Unbundled Loop Service Rearrangement, change in loop facility.															
	per circuit	<u> </u>		UHL	UREWO		86.00	40.34		ĺ	·	i				
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT		OOP											<u></u>		
ì	4 Wire Unbundled HDSL Loop including manual service inquiry and		Ι.					_ 1								
	facility reservation - Zone 1 4-Wire Unbundled HDSt Loop including manual service inquiry and	 	1	UHL	UHL4X	16.24	153.26	104.54								
	facility reservation - Zone 2	1	2	UHL	UHL4X	16.65	152.00	404.54	 	- 1	· •	Ì	1	i	}	
	4-Wire Unbundled HDSL Loop including manual service inquiry and	 	 - -	Ont.	URL4X	19.63	153.26	104.54								
ļ	facility reservation - Zone 3	7	3	UHL	UHL4X	17.34	153.26	104.54			ŀ				ļ	
	4-Wire Unbundled HDSL Loop without manual service inquiry and			-		77,54	- 25.20	104.54								
, l	facility reservation - Zone 1	ì	1 1	UHL	UHL4W	16.24	129.00	92.20			ŀ		- 1		ļ	
	4-Wire Unbundled HDSt, Loop without manual service inquiry and							52.50								
	facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	16.65	129.00	92.20		(ļ	į.	ļ	\ -	1	
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1	1													
	facility reservation - Zone 3	ļ	3	UHL	UHL4W	17.34	129.00	92.20			1					
!	Unbundled Loop Service Rearrangement, change in loop facility,	ļ							'			·- ·- Ţ				
4 1470010	per circuit E DS1 DIGITAL LOOP		Щ-	UHL	UREWO	·	86.00	40.34	<u> </u>						i	
4-9416	4-Wire DS1 Digital Loop - Zone 1		, -,- -	USL	USLXX	85.70	245.16	450.00								
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16 245.16	152.98 152.98								
	4-Wire DS1 Digital Loop - Zone 3	(− −		บระ	USLXX	491,94	245.16									
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		-ٽ	<u> </u>	COLAN	-01.34	2-0.10	132.90								
	DS1)			USL	URESL		24.98	3.52	İ			1			I	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		 -		1	<u> </u>										
\	D\$1)	1		USL	URESP	1	26.47	5.01		i				ı	I	
	Unbundled Loop Service Rearrangement, change in loop facility.													 -		
	per circuit	Ш.,	Щ.	UŞL	UREWO		100.93	42.98				}	1	Y	ì	
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				1											
	4 Wire Unbundled Digital Loop 2.4 Kops - Zone 1	 -	1-1-	UDL	UDL2X	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	 	1 2	UDL	UDL2X	36,78	121.86	85.48				T		T		
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	₩-	1 -	UDL	UDL4X	38.92 30.99	121.86 121.86	85.48 85.48								
	4 Wire Unburdled Digital Loop 4.8 Kbps - Zone 2	+	2	UDL _	UDL4X	36.78	121.86	85.48 85.48	 							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	 	1 3	UDL	UDL4X	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	1	UDL	UDL9X	30.99	121.86	85.48								
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	UDL	UDL9X	36.78	121.86	85.48							+	
	6-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	UDL	UDL9X	38.92	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1			ÜDL	UOL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL 19	36.78	121.86	85.48								

THRONDLE	D NETWORK ELEMENTS - Louisiana					 _			 	,		Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	:		RATES(\$)		Syc Order Submitted Elec per LSR	Svc Order Submitted Menually per LSR	incremental Charge Manual SVc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order va Electroni Diac Ado
			 		 	Rec	Nonrec		Nonrecurring Disconnect			oss	Rates(\$)		
	Latter that added District 10.2 Mbs. Top. 2		-	I I Di	UDV 40		First	Add'l	First Add'f	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3		UDL 19 UDL 56	38.92 30.99	121.86	85.48 85.48							
	4 Wire Unburded Digital Loop 56 Kbps - Zone 2	 -	2	IIDI	UDL56	36.78	121.86	85.48		}					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 	3	UDI	UDL56	38.92	121.86	85.48		 					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 	Ť	UDL	UDL64	30.99	121.86	85.48		 					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	36.78	121.86	85.48	t - t	 					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3		UDL64	38.92	121.86	85.48							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per								1						
	DS0)		ļ.,	UDL	URESL	 	24.98	3.52							
- 1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)	1		UDL	URESP	1 1	26.47	5.01]]					1
	Unbundled Loop Service Rearrangement, change in loop facility.														
2000	per circuit	<u> </u>		UDL	UREWO	<u> </u>	101.97	49.67		<u> </u>			<u></u>		L.,
Z-WIRE	Unbundled COPPER LOOP									·					
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		,	UCL	UCLPB	12.29	116.18	67.46							i
	2-Wire Unbundled Copper Loop-Designed including manual	 			1300.0	16.63	110-18	07.46	 	 					
-	service inquiry & facility reservation - Zone 2	l	2	UCL	UÇLPB	14,09	116.18	67 46		ļ ļ	}	į.	ļ	្រែ	i
	2 Wire Unbundled Copper Loop-Designed including manual service				1					 					
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46		L					i
	2-Wire Unbundled Copper Loop-Designed without manual service		1 1												
	inquiry and facility reservation - Zone 1	 -	└ └	UCL	UCLPW	12.29	91.92	55.12	L	1]			
1	2-Wire Unbundled Copper Loop-Designed without manual service		2		LICE PILE		24.22			1					
	inquiry and facility reservation - Zone 2 2-Wire Unburdled Copper Loop-Designed without manual service	├	2	ncr	UCLPW	14 09	91.92	55.12	<u> </u>	ļ — — i					
	inquiry and facility reservation - Zone 3	ļ	ا ء ا	UCL	UCLPW	15.75	91.92	55.12	l	Į Į	Ļ				ı
	Order Coordination for Unbundled Copper Loops (per loop)	 -		UCL	UCLMC	13.13	7.92	7.92							
	Unbundled Loop Service Rearrangement, change in loop facility.		h	000	- GGENIG	 		7.52							
1	per circuit		li	UCL	UREWO		91.92	42.47					İ		
4-WIRE	COPPER LOOP								·						
	4-Wire Copper Loop-Designed including manual service inquiry				T										
	and facility reservation - Zone 1		1	UÇL.	UCL45	22.27	139.69	90.96		l		!			
	4-Wire Copper Loop-Designed including manual service Inquiry	- ·											i		
	and facility reservation - Zone 2		2	ncr	UCL4S	18.95	139.69	90.96	<u> </u>						
	4-Wire Copper Loop-Designed including manual service inquiry		3		1]	1					
	and facility reservation - Zone 3	 	J 3	UCL	UCL4S_	10.99	139.69	90.96	<u> </u>	[
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		١.,	UCL	UCLAW	22.27	115.43	78.63	 	1 1	1	- 1	ì	ì	
	4-Wire Copper Loop-Designed without manual service inquiry and	 	- ' - '	301	I GOC4VV	26.61	113,43	/8.63							
	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78,63]		-	i	i		
	4-Wire Copper Loop-Designed without manual service inquiry and	 	 		1	19:30	7.50	70.00		 					
	facility reservation - Zone 3	1	3	UCL.	UCL4W	10.99	115.43	78.63	i	i i	Î]]		
	Order Coordination for Unbundled Copper Loops (per loop)			UÇL	UCLMC	1	7.92	7.92							
	Unbundled Loop Service Rearrangement, change in loop facility.														
	per circuit	l		UCL	UREWO	<u> </u>	91.92	42.47	<u> </u>	l l	_ ,		ļ	- 1	
		1	1	UEA. UDN, UAL,]									
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	ـــــــــــــــــــــــــــــــــــــ	UHL, UDL, USL	OCOSL	<u></u>	17.56		L	L	1				
Rearra	ngements	,			.,				,						
	EEL to UNE-L Retermination, per 2 Wire Unbundled Volce Loop-	1	i i			į Į			!	1 1	}	·	1	i	
	SL2	+		UEA	UREEL	 	87.59	36.30							
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.59	36.30	l i	1		ļ	ł	- 1	
	EEL to UNE-L Refermination, per 2 Wire ISDN Loop	+		UDN	UREEL	 	91.49	44.09							
	EEE TO BINE E THE STRING BOTT, DET 2 17 TO TO DET 1 COOP	 		<u> </u>	JULIEU	 -	51.40	44.00		1		 +			
1	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	1	1	UDL	UREEL	[]	101.97	49.67	[[İ	Ī	İ	
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	1	1	USL	UPEEL		100.93	42.98					* 		
	MMINGLING					I				†		 †		i	
2-WIR	ANALOG VOICE GRADE LOOP - COMMINGLING								·						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					[T	- · · · · ·	T	1	i	
	Ground Start Signaling - Zone 1		1 1	NTCVG	UEAL2	14.93	102.10	65.72							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	Į –	i		J	\ <u></u>				}					
	Ground Start Signaling - Zone 2	1	2	NTCVG	UEAL2	25.35	102.10	65.72	<u> </u>				<u> </u>		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	3	17010	luma: a]		_		"[1	
1	Ground Start Signaling - Zone 3		1 3	NTCVG	UEAL2	50.46	102.10	65.72		اـــــــــــــــــــــــــــــــــ					

01100110	D NETWORK ELEMENTS - Louislana												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	,		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v Electron Disc Ad
			—-		-	Rec		curring	Nonrecurring					Rates(\$)		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-			-		First	Add'I	First	Add'l	SOMEC	SCMAN	SOMAN	SOMAN	SOMAN	SOMA
	Battery Signaling - Zone 1	1	١,	NTCVG	UEAR2	14.93	102.10	65.72	l	l					1	
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	 	111070	DEAGE.	14.83	102.10	63.72			 					
<u> </u>	Battery Signaling - Zone 2	1	2	NTCVG	JUEAR2	25.35	102.10	65.72			í	İ				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1														
	Battery Signaling - Zone 3	-	3	NTCVG	UEAR2	50.46	102.10	65.72								
- 1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)	j	}		1	1										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 		NTCVG	URESL		24.98	3.52	<u> </u>					<u> </u>		
1	DS0)	1	1	NTCVG	URESP	! I	26.47	5.01		ļ	1					
	Unbundled Loop Service Rearrangement, change in loop facility,	 	 		UNESF		20.47	5.01	ļ		-					
	per circuit	1		NTCVG	UREWO	1	87.59	36.30	l	l				(ĺ
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.20	1.10			 					
	ANALOG VOICE GRADE LOOP													·		·
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	-		NTCVG	UEAL4	30.81	127.40	91.02		0.00						
	4-Wire Analog Voice Grade Loop - Zone 2	 		NTCVG NTCVG	UEAL4 UEAL4	38.32 60.39	127.40	91.02	0.00	0.00						
_	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	+	-3-	NICVG	UEAL4	60.39	127.40	91.02	0.00	0.00						
	DS0)		i	NTCVG	URESL	l.	24.98	3.52						!		l
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	 	11.01.0	ONEGL	-	24.90	3.52								
	DS0)]	NTCVG	URESP	[26.47	5.01		i	i	1			İ	i
	Unbundled Loop Service Rearrangement, change in loop facility,		1		1											
	per circuit		1	NTCVG	UREWO	<u> </u>	87.59	36.30)		J
	DS1 DIGITAL LOOP	·			1											
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	 		NTCD1 NTCD1	USLXX	85.70	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3	+		NTCD1	USLXX	194.96 1 491.94	245.16 245.16	152.98								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	 	<u> </u>	NTCD!	USEA.	491.84	245.15	152.98								
	DS1)	1	1 :	NTCD1	URESL	1 1	24.98	3.52		[i				
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per						27.00				-					-
	DS1)	<u> </u>	<u> </u>	NTCD1	URESP	l 1	26.47	5.01								
Ì	Unbundled Loop Service Rearrangement, change in loop facility.]]]										
4 VODE	per circuit 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<u> </u>	L.,	NTCD1	UREWO		100.93	42.98								
4-AAIKE	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	Т	T t	NTCUD	UDL2X	20 70	101.00									
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	+		NTCUD	UDL2X	30.99 36.78	121.86	85.48 85.48								
	4 Wire Urbundled Digital Loop 2.4 Kbps - Zone3	 		NTCUD	UDL2X	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			NTCUD	UDL4X	30.99	121.86	85.48			-					
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	38.92	121.86	85.48								
-	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			NTCUD	UDL9X	30.99	121.86	85.48								
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	 		NTCUD	UDL9X	36.78	121.86	85.48								
+-	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1	┼		NTCUD	UDL9X UDL19	38.92 30.99	121.86 121.86	85.48 85.48	ļ							
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	 		NTCUD	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	 		NTCUD	UDL19	38.92	121.86	85.48			 i					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<u> </u>		NTCUD	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 -		NTCUD	UDL64	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 		NTCUD	UDL64	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 54 Kbps - Zone 3 Switch-As-is Conversion rate per UNE Loop, Single LSP, (per	 	1 3	NTCUD	UDL64	38.92	121.86	85.48								
	SWICH-AS-IS CONVERSION FATE PER UNE LOOP, Single LSH, (per DS0)	ĺ	(NTCUD	URESL	į (3400									
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	├ -		41000	UNESC		24.98	3.52								
	DS0)		-	NTCUD	URESP	J I	26.47	5.01							ł	
	Unbundled Loop Service Rearrangement, change in loop facility,	1	1		T		50.47	5.01			 					
	per circuit			NTCUD	UREWO	L l	101.97	49.67						ļ		
				NTCVG, NTCUD,												
	Order Coordination for Specified Conversion Time (per LSR)	 	ļ.,,	NTCD1	ocost		17.56				<u> </u>		1	J	J	
INTENANCE	OF SERVICE				L	7										

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
		1		T		I					Svc Order	Svc Order		Incremental	Incremental	Incrementa
		1			i							Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Syc	Manual Svc	Manual Syd
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
			1		l						,	,	Electronic-	Electronic-	Electronic-	Electronic-
				Ì									fst	Add'l	Disc 1st	Disc Add'l
						<u> </u>						L				<u> </u>
						Rec	Nonrec First	urring Add'l	Nonrecurring D	Add'1	SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
		 	-	UDC, UEA, UDL.			Frait	7001	F 11 91	Addi	SOMEO	SOMERIC	SOME	SOME	SOMAN	301104
				UDN, USL, UAL,							1					
İ				UHL, UCL, NTCVG,							ì					
		1		NTCUD, NTCD1,								1		j		ļ
- 1		1	l	U1TD1, U1TD3,								!				ĺ
!		1	l	U1TDX, U1TS1,		i	1 !									
			1	U1TVX, UDF,			l		1							
1			1	UDFCX, UDLSX,					i							
1				UE3, ULDD1.	1	İ		i	i I							ļ.
. !			l	ULDD3, ULDDX, ULDS1, ULDVX,	1		i !									ĺ
1		1	l	UNC1X, UNC3X,	1		1 1									
				UNCDX, UNCSX.			i									
	Maintenance of Service Charge, Basic Time, per half hour	1			MVVBT	1	80.00	55.00								
	The little of the country of the late of t	1		UDC. UEA, LIDL.				35.00			†					
		1		UDN, USL, UAL,	ļ											ì
		!	1	UHL, UCL. NTCVG,	1		;									I
				NTCUD, NTCD1,					l :		1					
			l	U1TD1, U1TD3.					!				i	İ	ĺ	
		1	l	U1TDX, U1TS1,	i		1				1		}			-
		1	1	U1TVX, UDF.			1 .				1	ĺ				ĺ
			1	UDFCX, UDLSX,												
	i	1	ŀ	UE3, ULDD1,]		1		1			
		ļ	1	ULDD3, ULDDX,					l !		1	ŀ			1	1
1		i	ì	ULDS1, ULDVX,		1			l		1					ĺ
				UNC1X, UNC3X.	ŀ						1					
	Maintenance of Service Charge, Overtime, per half hour			UNCDX, UNCSX, UNCVX, ULS	MVVOT		90.00	65.00	1						}	
	Maintenance of Service Charge, Overtime, per half hour	+		UDC, UEA, UDL.	WAAGI	 	30.00	03.00			+					
		ļ	1	UDN, USL, UAL,							1					1
		1	1	UHL, UCL, NTCVG.					l [!		!			1
				NTCUD, NTCD1.					I .		1]				
l i		1		U1TD1, U1TD3.					!		i					
			1	U1TDX, U1TS1,	l	1					1					ļ
		1	1	U1TVX, UDF.			1				1	!	İ			
l i		1	1	UDFCX, UDLSX.		1			I [ľ				
1		1	1	UE3, ULDD1,	i	1			l		1					
		1		ULDD3, ULDDX,	1	1					1	ì]
		1		ULDS1, ULDVX,		1										
			1	UNC1X, UNC3X, UNCDX, UNCSX,		!										I
	Maintenance of Service Charge, Premium, per half hour		1	UNCVX, ULS	MVVPT	1	100.00	75.00			1		l			1
LOOP MODIFIC	CATION	1				1.										
T				UAL, UHL, UCL,		1										i
		1	1	UEQ, ULS, UEA,							1			l i	ĺ	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,					[[l			
	pair less than or equal to 18k ft, per Unbundled Loop	+	ļ	UEPSB	ULM2L		0.00	0.00	 		ļ		ļ			
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less	5	1	010 1101 1174			200		l i		ĺ			i	ĺ	ĺ
	than or equal to 18K ft, per Unbundled Loop	+	-	UHL, UCL, UEA UAL, UHL, UCL,	ULM4L	+	0.00	0.00	-		+					
	[1		UEQ, ULS, UEA,					1				l			
	Unbundled Loop Modification Removal of Bridged Tap Removal.	1		UEANL, UEPSR.	1			ļ	[]			1	!			1
	per unbundled loop			UEPSB	ULMBT	1	12.15	12.15				i				1
SUB-LOOPS	But at ent many 1900		1	1			1 2.70									
	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	ļ	1	UEANL, UEF	USBSA		144.08	144.09								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ļ		UEANL, UEF	USBSB		10.99	10.99	<u> </u>		-					
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	1	1													
	Set-Up		+-	UEANL	USBSC		86.16	86.16	 		ļ		ļ			ļ
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set	¹ ·	1			1			! !		1					1
4 1	Uρ			UEANL	USBSD		27.13	27,13	<u> </u>		<u> </u>	<u> </u>				

INBUNDI P	D NETWORK ELEMENTS - Louislana									10	G G .	Att: 2 Exh: A	Incorporate!	Incorporate-I	Increment
			1			1					Svc Order				
		}				i				Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		l								Elec	Manualty	Manual Svc	Manual Svc	Manual Svc	Manual S
	DATE ELEMENTE	Interim	Zona	BCS	USOC	-:		RATES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
TEGORY	RATE ELEMENTS	1636 Cat. 11. 11	20110	503	0000					1	1	Electronic-	Electronic-	Electronic-	Electron
		}	1 1	i l]						1st	Add'l	Disc 1st	Disc Ad
		ĺ				i						,,,,	1		
		<u> </u>	-			 	Nonrec	urring	Nanrecurring Disconnect	 		OSS	Rates(\$)		
						Rec	First	Addil	First Add't	SOMEC	NAMOS		SOMAN	SOMAN	SOMA
		├						7001	3,72						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop		Ι.	UEANL	USBN2	7.57	63.89	30.06	l .						<u> </u>
	Zone 1		<u> </u>	UEANL	USBINE	1.37	00.00								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	l	1 .	UEANL	USBN2	12.75	63.89	30.06		1	1	į	·	<u> </u>	1
	Zone 2	├	2	DEANL	USBNZ	12.73	03.60	00.00							
-1-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop	1	ا ء	UEANL	USBN2	21.45	63.89	30.06	1		!			L	
	Zone 3		 	DEANL	038142		- 						1		
- 1		i		UEANL	USBMC	!	7.92	7.92	! i	1			L		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	 	 	UEANL	0381410							T	7		
Į.	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1	١.	UEANL	USBN4	11.76	76.75	42.92	i		l	l	l		
	Zone 1	╄-	+	UEANL	U3B144	11.70	70.72				1				
T	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		١,	UEANL	USBN4	16.84	76.75	42.92	1 1		1				
	Zone 2		 	UEANL	035144	70.04			· · · · · · · · · · · · · · · · · · ·		1		7	1	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	1	3	LICANI	USBN4	19.27	76.75	42.92	f	1		i			
	Zone 3		1 3	UEANL	U30!14	19.27	70.75	76.02				T			
		1	i	UEANL	USBMC		7.92	7.92		1			L		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-	+	DEANL	USBR2	2.91	51.48				T	T			
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	DODNE	2.31	31.40	17.00	 		T	T	T		
		i	1	UEANL	USBMC		7.92	7.92		1			L		L
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	+	+	UEANL	USBA4	6.58	57.54	23.71							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBA	0.36	37.54	LO.				1	1	}	T
		!	1			(7.92	7.92	1 1	Ì	1	i	1	1	. 1
l	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	. 		UEANL_	USBMC		33.17	0.00			1-		T		
	Loop Testing - Basic 1st Half Hour			UEANL	URETI	 	19.28	19.28							T
	Loop Testing - Basic Additional Half Hour		_ _	UEANL.	URETA	6.26	63.89	30.06				-		T	\top
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- -	1 1	UEF	UCS2X	10.07		30.06			+		1		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 		UEF	UCS2X			30.06			+	1	 	T	1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	ÜEF	UCS2X	12.70	63.69	30.00	·		+	 -			
		1	1	l	l		7.92	7.92	.]				1	1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC			42.92			+		+	1	1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1 1		UCSAX	8.03		42.92	 		 	 	+	·	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UC54X	10.71						+			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	6.08	/6.75	42.92			+			 	1
								7.92	.1		1		1	ţ	1
Ī	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		┺.	UEF	USBMC		7.92	7.94				+	+		1
	Loop Tagging Service Level 1, Unburdled Copper Loop, Non-	1	1	ì	ļ				,	1	1		1	1	1
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92					+	+		+
	Loop Testing - Basic 1st Half Hour			VEF	URET1	· · · · · · · ·	33.17						+	 	
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28							
Unbu	indied Sub-Loop Medification												т		
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	7					1		.	İ	1	1	J	ļ	1
İ	Coll/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00	' 				 	+	+
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	1	i	1		i	l	1	J l	l l	1	1	1	1	1
Ì	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.0	<u>'</u>			+	+		+
	Unbundled Loop Modification, Removal of Bridge Tap, per				I	1		4.2	.	i	!	1	1	1	1
- 1	unbundied loop			UEF	DLMBT		224.55	4.2	<u> </u>						
Unbi	undled Network Terminating Wire (UNTW)							7 77 77							T
- 10.1-	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.3454	14.72	14.7	21						
(Nate	ork Interface Device (NID)							-1							т
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.8	3				+		
 -	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86		3				+	+	+-
	Natwork Interface Davice Cross Connect - 2 W			UENTW	UNDC2		5.73								+
	Network Interface Device Cross Connect - 4W		7	UENTW	UNDC4		5,73	5.7	3.				+		+
INE OTHER	R, PROVISIONING ONLY - NO RATE						<u> </u>	 -						 	
ME OTRE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	\neg		UAL, UCL. UDC.				1	1 1			1		!	
- 1	1	- 1		UDL, UDN. UEA.	1]	1	I t	Į.		1	1	1	ì
		į	1	UHL, UEANL, UEF	. {	{	1	ì		1		1	1	1	1
\	\	1		UEQ. UENTW.		1		1	1	1			1	1	1
				NTCVG, NTCUD.				i	i i	ı		i		1	
	Unbundled Contact Name, Provisioning Only - no rate	ı		NTCD1, USL	UNECN	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate		\Box	USL, NTCD1	CCOSF		0.0	2				+			+
	Unbundled DS1 Loop - Expanded Superframe Format option - n	•								1				1	1
	rate			USL, NTCD1	CCOEF		0.0		 			+		4	+
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00								 	-{
	UNTW Circuit Establishment, Provisioning Only - No Pate	_		UENTW	UENCE	0.00	0.0)!							

MB 12:51 -	D NETWORK ELEMENTS Audelana												Att: 2 Exh: A			
NBUNDLE ATEGORY	D NETWORK ELEMENTS - Louislana RATE ELEMENTS	interim	Zone	всэ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Charge Manual St Order va Electroni Diac Add
					<u> </u>	 			Nonrecurring	Disconnect			oss	Rates(\$)		
					<u> </u>	Rea	Nonrec	uring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					 	 	First	ADGI	First		0020					
OOP MAKE-L	P	-	-		 	 										
	Loop Makeup - Preordering Without Reservation, per working or			UMK	UMKLW	, ,	23.29	23.29								 _
	spare facility queried (Manual).		-	DIVIN	GIVINE	 	20.20									
	Loop Makeup - Preordering With Reservation, per spare facility		1	UMK	UMKLP	1 1	24.70	24.70								↓ —
	queried (Manual). Loop MakeupWith or Without Reservation, per working or spare		1		1	-								l	!	1
	Itacility queried (Mechanited)	Ι	1	UMK	UMKMQ	11	0.19	0.19					Ļ			┼──
NE SPLITT#											L		J	<u> </u>	L	
IEND I	SER ORDERING-CENTRAL OFFICE BASED													·		Ţ
END	Line Solitting - per line activation DLFC pwned splitter	<u> </u>		UEPSR UEPSB	UREOS	0.61							 			
-	It ice Solition - per line artivation ATAT owned - physical			UEPSR UEPSB	UREBP	0.61		10.29								
	Line Splitting - per line activation AT&T owned - virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29			L					
ENDL	ISER ORDERING - REMOTE SITE LINE SPLITTING													1	T	1
_	Remote Site Shared Loop Line Activation for End Users - CLEC		Į.		URERS	0.61	56.83	23.00	7.19	7.19	l			1	l	i
- 1	Owned Splitter	-	_	UEPSR UEPSB	UHEHS	0.61	56,83	23.00	/		-					T
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned			LIEBOR LIEBOR	URERA		53.82	21.35			l	i		l		
1	Splitter	ــــــــــــــــــــــــــــــــــــــ		UEPSR UEPSB	URERA		33.02	21.00								
	NDLED EXCHANGE ACCESS LOOP															
2-W)R	E ANALOG VOICE GRADE LOOP					T				1	T				T	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	١.	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00					<u> </u>	
	Zone 1	₩		UEFSH DEFOR	ULALS	12.50	30.54		1							1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00				ļ	ļ	↓ —
	Zone 1	+		GET STI GET GE	- Quinter	12.77					T			İ		i
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	1 2	UEPSR UEPSB	UEALS	23,33	36.54	16.87	0.00	0.00	<u> </u>			ļ	ļ <u>.</u>	+
	Zone 2 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	+		OEI GIT GEI GE	+ 	1				1	1	ì	1	1	1	
l l		1) 2	UEPSA UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00				 		+
	Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+-	1					Γ					1			1
- 1	Zone 3	1	1 3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00	ļ	ļ				+
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	7			Ţ <u> </u>	1		1	1		1		1	1	
	Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00				+	+	+
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-				T						i			J	1	
	Line Splitting - CLEC Owned Splitter - Zone 1		1	UEPSR UEPSB	UEARS	7.57	_63.89	30.06	0.00	0.00	ļ			+		+
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	-		1	}	1]]	0.00	0.00	.		1	1		
i i	tine Splitting - CLEC Owned Splitter - Zone 2		2	UEPSR UEPSB	UEARS	12.75	63.89	30.06	0.00	9.00		 	+	 	+	+
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-	- T-			l			30.06	0.00	0.00	.1		1	1	l	į.
	Line Splitting - CLEC Owned Splitter - Zone 3		3	UEPSA VEPSB	UEARS	21.45	63.89	30.06	0.00	0.00				.,		
PHYS	SICAL COLLOCATION									T	T		7		1	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	1		WEBER WEBER	PEILS	0.0318	11.94	11.46	0.00	0.00	,		Ι.			1
	Splitting			UEPSR UEPSB	PEILS	0.0316	11.34	11.40	0,33							
VIRT	UAL COLLOCATION					3		7	1	T	T					
)	1	UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00	1		1			
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splittin	<u>g </u>	-	UEFOR CEFOR	VETES	0.0250	1								1	
JNBUNDLE	DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT		-,	U+TVX	1L5XX	0.013		T								
	Interoffice Channel - 2-Wire Voice Grade - per mile	+-		UITVX	U1TV2	22.60	39.36	26.6	?			ļ				
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination Interoffice Channel - 2-Wire Voice Grade Rev Bat - per mile	+		UITVX	1L5XX	0.013						 -			+	
	Interornice Channer - 2-wire voice Grade nev Bat per mile	+	-							1	}	1	1	1	1	1
İ	Interoffice Channel - 2-Wire VG. Rev Bat Facility Termination	1	1	บ₁TVx	U1TR2	22.60		26.6	2			+				
	Interoffice Channel - 2-Wife Voice Grade - per mile			UTTVX	1L5XX	0.013		ļ		+			+			
	THE COLOR CHARGE STATE VALUE COLOR DO										1		1	l	l	
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			UITVX	U1TV4	19.81		26.6	2		-		-1		+	+
	Interoffice Channel - 56 kbps - per mile			UTTOX	1L5XX	0.013		,	, 	 -		+	-+	+	+	+
	Interoffice Channel - 56 kbps - Facility Termination			UITDX	U1TD5	15.6		26.6			+	+		1 -		_
	Interoffice Channel - 64 kbps - per mile			UTTDX	1L5XX	0.013		26.6	, 					1		
	Interoffice Channel - 64 kbps - Facility Termination			UITDX	U1TD6	15.6		46.6								
	Internitice Channel - DS1 - per mile	_		U1TD1	1L5XX U1TF1	0.265		79.4	4	-		+	-			
	Interoffice Channel - DS1 - Facility Termination	-		UITDI	1L5XX	6.0			+							
	Interoffice Channel - DS3 - per mile		_+	U1TD3 U1TD3	U1TF3	850.4		158.0	5	1						
	Interoffice Channel - DS3 - Facility Termination	+		U17S1	1L5XX	6.0										
	Interoffice Channel - STS-1 - per mile	\leftarrow		U1TS1	UITES	830.1	9 270.6	9 158.0	5							<u> </u>
	Interoffice Charnel - STS-1 - Facility Termination			101.00	100									_		

O.T. O.T. D. C.C.	D NETWORK ELEMENTS - Louisiana				_								Att: 2 Exh: A			
			-	Į.								Svc Order			Incremental	
	ì	i	ĺ		i							Submitted	Charge -	Charge -	Charge -	Charge
ATEGORY	RATE ELEMENTS	Interim	7	BCS	usoc						Elec	Manually	Manual Svc	Manual Syc	Manual Svc	
AI EGON I	ION E EDEMENTS	into the	Zens	DC3	USOC	l		RATES(\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order vi
		1	1								i		Electronic-	Electronic-	Electronic-	Electroni
		!		Į.	1	1						f	1st	Addil	Disc 1st	Disc Add
		 	 	·			Nonre	curring	Nonrecurring	Disconnect		L	000	Rates(\$)	<u> </u>	<u> </u>
						Rec	First	Add¹l	First	Add'i	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
1	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof	1	1													-
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	 	├	UDF, UDFCX	1L5DF	25.28		\	L	<u> </u>	<u> </u>	<u> </u>	<u> </u>			
	Route Mile Or Fraction Thereof	1		UDF, UDFCX	UDF14	l i	620.60	133.88		İ			1	1		}
	Y UNBUNDLED LOCAL LOOP	1			1	 	020.00	193.56		 	 			 		
	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone													·		
	DS3 Unbundled Local Loop - per mile		 	UE3	1L5ND	10 04										
	DS3 Unbundled Local Loop - Facility Termination STS-1Unbundled Local Loop - per mile	 	├	UE3 UDLSX	UE3PX 1L5ND	362.34 10.04	438.46	256.30								
	STS-1 Unbundled Local Loop - Facility Termination	┼──	 	UDLSX	UDLS1	374.56	438.46	256.30				ļ <u>.</u>	ļ			
NHANCED EX	(TENDED LINK (EELs)	+	 	LOCO A	00001	374.30	436.40	230.30								
	k Elements Used in Combinations							·		'			·	·	L	
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.93	94.21	45.09								
	2 Wire VG Loop (SL2) in Combination - Zone 2	ļ	2	UNCVX	UEAL2	25.35	94.21	45.09						· · · · · · · · · · · · · · · · · · ·		1
	2-Wire VG Loop (SL2) in Combination - Zone 3	 	3	UNCVX	UEAL2	50.46	94.21	45.09								
	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2	+		UNCVX	UEAL4 UEAL4	30.81	94.21	45.09								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	+	3	UNCVX	UEAL4	38.32	94.21 94.21	45.09 45.09		ļ	 					ļ
	2-Wire ISDN Loop in Combination - Zone 1	 		UNCNX	U1L2X	22.09	94.21	45.09		 -	 					ļ
	2-Wire ISDN Loop in Combination - Zone 2	†		UNCNX	U1L2X	35.28	94.21	45.09			 					
	2-Wire ISDN Loop in Combination - Zone 3		3	UNÇNX	U1L2X	.65.18	94.21	45.09			 					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	\perp		UNCDX	UDL56	36.78	94.21	45.09								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	 		UNCDX	UDL56	38.92	94.21	45.09								
- 	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	-	1 1	UNCOX	UDL64	30.99	94.21	45.09								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	┾┈-	1 2	UNCDX UNCDX	UDL64	36.78	94.21	45.09								
	4-Wire DS1 Digital Loop in Combination - Zone 1	-	1 7	UNCIX	USLXX	38.92 85.70	94.21 169.22	45.09 100.89								1
	4-Wire DS1 Digital Loop in Combination - Zone 2	1	1 2	UNCIX	USLXX	194.96	169.22	100.89			 					ļ <u>-</u>
	4-Wire DS1 Digital Loop in Combination - Zone 3	 -		UNC1X	USLXX	491.94	169.22	100.89			 					
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	10.04					 					
	DS3 Local Loop in combination - Facility Termination	1		UNC3X	UE3PX	362.34	188.45	125.51								
	STS-1_Local Loop in combination - per mile		 	UNCSX	1L5ND	10.04										
	STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile	-	{	UNCSX	UDES1	374.56	188.45	125.51								
	Interoffice Channel in combination - 2-wire VG - Facility	 	 	UNCVX	1L5XX	0.013					ļ					
	Termination	1		UNCVX	U1TV2	22.60	72.60	41.75	1		! I					(
	Interoffice Channel in combination - 4-wire VG - per mile		 	UNCVX	1L5XX	0.013	72.00	41.73			 					ļ
	Interoffice Channel In combination - 4-wire VG - Facility		1		1	1					 					 -
	Termination		ļ	UNCVX	U1TV4	19,81	72.60	41,75			L		<u> </u>			ł
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	ļ		UNCOX	1L5XX	0.013										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination	1		I I I I I I I I I I I I I I I I I I I	lucen.	1										·
	Interoffice Channel In combination - 4-wire 64 kbps - per mile	+	-	UNCDX	U1TD5	15.61	72.60	41.75		<u></u>	Ļ					
- 1 - :	Interoffice Channel in combination - 4-wire 64 kbps - Facility	 	 	V-10DV	ILDAA	0.013					 		 			
	Termination	1	1	UNCDX	U1TD6	15.61	72.60	41.75							ĺ	-
	Interoffice Channel in combination - DS1 - per mile	1		UNC1X	11.5XX	0.2652	,2.00				 -					
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	UITFI	70.47	143.58	103.88			 					
	Interoffice Channel in combination - DS3 - per mile	\bot		UNC3X	1L5XX	6.04										
	Interoffice Channel in combination - DS3 - Facility Termination	↓	ļ	UNC3X	U1TF3	850.45	296.68	121.16								
	Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 Facility Termination	 	}	UNCSX	U1TFS	6.04	000.0									
	ETWORK ELEMENTS	 	 	UNUOA	101115	830.19	296.68	121.16			 -					
	Features & Functions:	•		L		'					<u> </u>					
			Γ	UITDI,	T	<u> </u>				······································	·					
	Clear Channel Capability Extended Frame Option - per DS1	1	<u> </u>	ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00			' !	J	Į	
			l	U1TD1;												
	Clear Channel Capability Super FrameOption - per DS1	+		ULDD1.UNC1X	CCOSF	 	0.00	0.00	0.00	0.00					_	
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1 .	1	ULDD1, U1TD1, UNC1X, USL	NACCC		404							1		
	Dai n2)	+ '-	├	UNCIX, USE UITD3, ULDD3,	INHCCC		184.65	23.79	1.97	0.77	<u> </u>					
1	C-bit Parity Option - Subsequent Activity - per DS3	Li	1	UE3, UNC3X	NRCC3	1 1	218.78	7.66	0.7263	0.00		1	i		-	
	DS1/DS0 Channel System			UNCIX	MQ1	105.09	59.97	12.96	0.7203	0.00						
	DS3/DS1Channel System	$\overline{}$	·	UNC3X, UNCSX	MQ3	201.48	107.05	48.07								

ONBONDLE	D NETWORK ELEMENTS - Louisiana	,											Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCŞ	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
		 	-		 -	Rec	Nonrec		Nonrecurring D					Rates(\$)		
	Voice Grade COCI in combination	 	1	UNCVX	1D1VG	0.6497	First 5.91	Add'1 4.26	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		-		0.1017	10170	0.0497	3.911	4.25								
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	Ĺ		UEA	101VG	0.6497	5.91	4.26								
	Voice Grade COCI - for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation	<u> </u>		U1TUC	1D1VG	0.6497	5.91	4.26						l i		
	OCU-DP COCI (2.4-64kbs) in combination OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop	-		UNCDX	101DD	1.38	5.91	4.26								
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1		 	UDL	1D10D	1.38	5.91	4.26								
ŀ	Local Channel in the same SWC as collocation	1	1 :	UITUD	10100	1.38	5.91	4.26		İ						
	2-wire ISDN COCI (BRITE) in combination	_		UNCNX	UC1CA	2.96	5.39	4.58								
	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	2.96	6.39	4.58								
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUB	UCICA	2.96	6.39	4.58]		
	DS1 COCI - for Stand Alone Local Channel	-	<u> </u>	UNCIX	UC1D1	11.78	5.91	4.26								
	DS1 COCI - for Stand Alone Local Channel DS1 COCI - for Stand Alone Interoffice Channel	-		ULDD1 U1TD1	UC1D1 UC1D1	11.78	5.91	4.26								
	DS1 COCI - for DS1 Local Loop			USL NTCD1	UC1D1	11.78 11.78	5.91 5.91	4.26 4.26								
	DS1 COCI - for connection to a channelized DS1 Local Channel in		_	CGE, IVI COL	OCIDI	11.76	5.91	4.26								
	the same SWC as collocation			U1TUA	UC101	11.78	5.91	4.26					}			
				UNCVX, UNCDX,			0.0	4.20								
			İ,	UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,												
	Wholesale - UNE, Switch-As-Is Conversion Charge			HERST, UNCNX	UNCCC	! !	5.43	5.43	·				i	1	- 1	
				U1TVX, U1TDX,	-			0.40								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	1	. 1	U17D1, U17D3,	i i								1		í	
	Switch As Is Non-recurring Charge, per circuit (LSR)			U1TS1, UDF, UE3	URESL		36.83	16.12						i	- 1	
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	i		UITVX, UITDX.												
	Switch As is Non-recurring Charge, incremental charge per circuit on a spreadsheet			U1TD1, U1TD3, U1TS1, UDF, UE3	Unren								í	i	- 1	
	to DCS - Customer Reconfiguration (FlexServ)		L	01131, 0DF, 0E3	TORESP	<u> </u>	1.49	1.49								
	Customer Reconfiguration Establishment			·			1.43									
	OS1 DCS Termination with DS0 Switching		-			19.58	24.81	19.09								
	DS1 DCS Termination with DS1 Switching				-	10.95	17.93	12.22								
	DS3 DCS Termination with DS1 Switching					149.41	24.81	19.09								
	SynchroNet)															
	Node per month			UNCDX	UNCNT	15.43										
Service	Rearrangements	,														
	NRC - Change in Facility Assignment per circuit Service Rearrangement	1		UTTVX, UTTDX, UTTUC, UTTUD, UTTUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCTX	URETD		100.93	42.98								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	1		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	UAETB		3.67	3.67								
	NRC - Order Coordination Specific Time - Dedicated Transport	1		UNC1X, UNC3X	OCOSR		18.85	18.85								
DMMINGLING																
	Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00								
	ngled (UNE part of single bandwidth circuit)			04001	LOWIGHU	0.00	0.001	0.00								
	Commingled VG COCI		· · · · · ·	XDV2X	1D1VG	0.6497	5.91	4.26								
	Commingled Digital COCI			XDV6X	1D1DD	1.38	5.91	4.26						- 1	T	

NBUNDLE	D NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A		11	Incremer
		T			Ĭ							Svc Order	Charge	Incremental Charge -	Incremental Charge -	Charge
						1					Elec	Submitted Manually	Charge - Manual Svc	Manual Svo	Manual Svc	Manual S
			-		11500	l		RATES(\$)			perLSR		Order vs.	Order vs.	Order vs.	Order v
TEGORY	RATE ELEMENTS	Interim	2079	BCS	usoc			141 500			per Lon	PAI COK	Electronic-	Electronic-	Electronic-	Electron
l		}	1			1					ļ	Ţ	1st	Add'i	Disc 1st	Disc Ac
											<u> </u>	<u> </u>			1	L,
						Rec	Nonrect		Nonrecurring I					Rates(\$)		
						<u> </u>	First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Commingled ISBN COCI			XDD4X	UC1CA	2.96	6.39	4.58			ļ	 -		 	}	
	Commingled 2-wire VG Interaffice Channel	↓		XDV2X	U1TV2	22.60 t	72.60 72.60	41.75								
	Commingled 4-wire VG Interoffice Channel	-		XDV6X XDD4X	U1T05	15.61	72.60	41.75				 		·		
	Commingled 56kbps Interoffice Channel	 	 	XDD4X	U1TD6	15.61	72.60	41.75	·							
	Commingled 64kbps Interoffice Channel	 		XDV2X, XDV6X.	101,120	19.91							1		1	Γ
	Commingled VG/DS0 interoffice Channel Mileage		1	XDD4X	1L5XX	0.013								ļ		
	Commingled 2-wire Local Loop Zone 1			XDV2X	UEAL2	14.93	94,21	45.09				\ <u></u>				
	Commingled 2-wire Local Loop Zone 2			XOV2X	UEAL2	25.35	34.21	45.09					ļ	ļ		
	Commingled 2-wire Local Loop Zone 3	1		XDV2X	UEAL2	50.46	94.21	45.09			 	 		 	}	
	Commingled 4-wire Local Loop Zone 1	1		XDV6X	UEAL4	30.81	94.21	45.09 45.09			+	 		 		
	Commingled 4-wire Local Loop Zone 2	- 		XDA8X	UEAL4	38.32 60.39	94.21	45.09			 	+		 		
	Commingled 4-wire Local Loop Zone 3			XDV6X XDD4X	UDL56	30.99	94.21	45.09								
	Commingled 56kbps Local Loop Zone 1 Commingled 56kbps Local Loop Zone 2	1		XDD4X	UDL56	36.78	94.21	45.09								
	Commingled 56kbps Local Loop Zone 3			XDD4X	UDL56	38.92	94.21	45.09								
	Commingled 64kbps Local Loop Zone 1	1	1	XDD4X	UDL64	30.99	94.21	45.09								1
	Commingled 64kbps Local Loop Zone 2			XDD4X	UDL64	36.78	94.21	45.09					ļ — —			
	Commingled 64kbps Local Loop Zone 3			XDD4X	UDL64	38.92	94.21	45.09					ļ:			}
	Commingled ISDN Local Loop Zone 1			XDD4X	U1L2X	22.09	94.21	45.09	<u> </u>		 -		 	 		+
	Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	35.28 65.18	94.21	45.09 45.09			 			+		}
	Commingled ISDN Local Loop Zone 3		3	XDD4X XDH1X	U1L2X	11.78	5.91	4.26			 	 		 	 	+
	Commingled DS1 COCI		} —	XDH1X	U1TF1	70.47	143.58	103.88			 	·		 		
	Commingled DS1 Interoffice Channel Commingled DS1 Interoffice Channel Mileage	+	+-	XDHIX	1L5XX	0.2652	140.00									
	Commingled DS1/DS0 Channel System	-	-	XDH1X	MQ1	105.09	59.97	12.96								1
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	85.70	169.22	100.89								
	Commingled OS1 Local Loop Zone 2		2	XDH1X	USLXX	194.96	169.22	100.89			ļ			 		
	Commingled DS1 Local Loop Zone 3		3		USLXX	491.94	169.22	100.89		ļ		 		 		
	Commingled DS3 Local Loop		1_	HFQC6	UE3PX	362.34	188.45	125.51			 		 -		 	
	Commingled DS3/STS-1 Local Loop Mileage		+	HERST	UDLS1	10.04 374.56	188.45	125.51	-	 		 	 			·
	Commingled STS-1 Local Loop			IHFQC6	MQ3	201.48	107,05	48.07			 	 	1	1	+	
	Commingled DS3/DS1 Channel System		 	HFQC6	U1TF3	850.45	296.68	121,16			1					
	Commingled DS3 Interoffice Channel Commingled DS3 Interoffice Channel Mileage	-	1-	HFQC6	1L5XX	6.04									T	
	Commingled STS-1Interoffice Channel		-	HFRST	UITES	830.19	296.68	121.16								
	Commingled STS-1 Interoffice Charnel Mileage	-	_	HFRST	1L5XX	6.04								· · · · · · · · · · · · · · · · · · ·		
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			T					})	1					1
	Strands, Per Route Mile Or Fraction Thereof		1_	HEODL	1L5DF	25.28			 		 	 	+	 		
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1			L 20544	Į į	600.50	133 88)	I		1		1	Į.	ĺ
	Strands, Per Route Mile Or Fraction Thereof			XDH1X, HFOC6	UDF14 CMGUN	0.00	620.60	0.00		0.00	<u> </u>	+	 		+	
	UNE to Commingled Conversion Tracking	-+		XDH1X, HFQC6	CMGSP	0.00	0.00	0.00				 		<u> </u>		
	SPA to Commingled Conversion Tracking		-	AGETTA, THE GOOD	341331	1		3.00	3,00	1		1				
HP QUETY SE			+-	+	_	0.0008559										
	LNP Charge Per query LNP Service Establishment Manual		+			L	12.16								1	1
$\overline{}$	LNP Service Provisioning with Point Code Establishment		1				576.33	294.43				+		+		
1 PBX LOCA				1					L	L		ــــــــــــــــــــــــــــــــــــــ				1
	BX LOCATE DATABASE CAPABILITY				100000							7				
	Service Establishment per CLEC per End User Account	_	+-	9PBDC	9PBEU 19PBTN		1,819.00		 	 		 -	+		 	
	Changes to TN Range or Customer Profile	-	+	9PBDC	9PBMM	0.07	181.99	 	1	 	+		 	1	 	1 -
	Per Telephone Number (Monthly)		+	9PBDC	9PBPC	9.07	534.22		 	·	1	 	1	1		1
	Change Company (Service Provider) IO	-+	+	9PBDC	SPBMR	178.58	334.22		1					1		T
	PBX Locate Service Support per CLEC (Monthit)		+	9PBDC	9PBSC		15.20									1
011 0	Service Order Charge BX LOCATE TRANSPORT COMPONENT			75. 550												
See A																
Dec W	······································			7					1	1	1	1		i	1	1_

TEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC						Svc Order Submitted		Att: 2 Exh: A Incremental Charge •	Charge -	Incremental Charge -	Incremen
		ļ						RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Syc Order ys, Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual S Order v Electron Disc Add
		 	 -	 		Rec	Nonre First	curring Add'l	Nonrecurring					Rates(\$)		L
Yha 51	7" -1								First	Add'i		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
http://	Zone" shown in the sections for stand-alone loops or loops as pa www.interconnection.bellaouth.com/become_a_clec/html/interco	irt of a co	ombina	tion refers to Geogra	phically Deav	veraged UNE Zo	nes. To view (Geographically	Deaveraged Ul	E Zone Design	ations by Ce	ntral Office.	refer to intern	et Website:		<u> </u>
ERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	T	LITUM	T												
NOTE	400.50					<u> </u>	·		<u> </u>							
state #	: (1) CLEC should contact its contract negotiator if it prefers the " specific Commission ordered rates for the service ordering charge."	'state sp	ecific"	OSS charges as orde	ered by the S	tate Commissio	ons. The OSS o	harges current	ly contained in	this rate exhibit	are the AT&	"menonal"	service order	ring charges	CI EC may ala	
	c. (2) Any element that can be ordered electronically will be billed and electronically at present per the LOH, the listed SOMEC rate in a bill when it submits an LSR to AY&T.															
- 1	USS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC											
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only		_		SOMAN		3.50	0.00	3.50	0.00						
ESERVICE	DATE ADVANCEMENT CHARGE						15.75	0.00	1.97	0.00						
NOTE:	The Expedite charge will be maintained commensurate with Be	illSouth's	FCC	No.1 Tariff, Section 5	as applicable	6.										
_1 1	UNE Expedite Charge per Circuit or Line Assignable USOC, per ICATION CHARGE			IJAL, UEANIL, UCI, UEF, UDF, UEA, UHL, UEC, UDF, UENTW, UDN, UEA, UHL, UEC, USL, UHTJE, UHTDB, UHTDB, UHTDB, UHTDB, UHTDB, UHTDB, UHTDB, UGHC, UGHCL, UGHC, UGHCL, UGHC, ULDGB, ULDGB, ULDGB, ULDGB, ULDGB, ULDGB, ULDGB, ULDGB, ULDGB, ULDGB, ULDGB, ULDGB, UNGMX, UNGCX, UNGMX,	SDASP		200.00									
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	\Box					26.21	0.00	0.00	0.00						
UNDLED E	XCHANGE ACCESS LOOP						150.00	0.00	0.00	0.00						
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1				JEAL2	12.03	37.92	17.55	23.48	5.25	 					
	Wire Analog Voice Grade Loop - Service Level 1- Zone 2 Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2		JEAL2 JEAL2	16.87	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4				JEAL2	25.68 43.85	37.92 37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	JEASL	12.03	37.92	17.55	23.48	5.25 5.25						
	0.110		-	UEANL I	JEASL	16.87	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	\rightarrow														
	Wire Analog Voice Grade Loop - Service Level 1- Zone 2 Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Wire Analog Voice Grade Loop - Service Level 1- Zone 4	=	3	UEANL	JEASL	25.68	37.92	17.55	23.48	5.25						
	2-Wira Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4 Tag Loop at End User Premise		3	UEANL I			37.92 37.92	17.55 17.55								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		3	UEANL L UEANL L UEANL L JEANL L	JEASL JEASL	25.68	37.92	17.55	23.48	5.25						

	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	nsoc			RATES(\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1at	Increme Charge Manual S Order v Electron Disc Ad
						Rec		curring	Nanrecurring	Disconnect			oss	Rates(\$)	<u> </u>	L,
						Nec .	First	Add¹l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.19	18.19								
	Unbundled Non-Design Voice Loop, billing for AT&T providing make-up (Engineering Information - E.L.)			UEANL	UEANM		13.51	13,51								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1		UEANL												
	Bulk Migration, per 2 Wire Voice Loop-SL1	 	-	UEANL	UREWO	 	15.75 37.92	8.92	23.48	5.25						
- - 	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1	 		UEANL	UREPM		8.20	17.55 8.20	23.48	5.25						
2-WIRE	Unbundled COPPER LOOP			OC. III	10		0.20	8.20	L	L	L					<u> </u>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	(·	UEO	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	Ī		ÜEO	UEQ2X	11.57	36.53	16.16	22.66							
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4			ÜEO	UEQ2X	13.16	36.53	16.16	22.66	4.42						
	Tag Loop at End User Premise			ÜEQ	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour	ļ		UEQ	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
_ i !	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		8.20	8.20								
	Unbundled Copper Loop - Non-Design, billing for AT&T providing make-up (Engineering Information - E.I.)	<u> </u>		UEQ	UEOMU		13.51	13.51								
	Unburdled Loop Service Rearrangement, change in loop facility.	l	1			1										
	per circuit		_	UEQ	UREWO	·	14.24	7.42	22.66	4.42		l				
	Bulk Migration, per 2 Wire UCL-ND Bulk Migration Order Coordination, per 2 Wire UCL-ND	-		UEQ	UREPN		36.53	16.16	22.66	4.42						
PINDIED E	XCHANGE ACCESS LOOP	 	<u> </u>	UEQ	UREPM	 	8.20	8.20								
	ANALOG VOICE GRADE LOOP	ļ						·		[
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	···														
l	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<u> </u>	1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
i	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3_	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Ground Start Signaling - Zone 4 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
	2-Wire Anabo Voice Grade Loop - Service Level 2 Wileverse 2-Wire Anabo Voice Grade Loop - Service Level 2 Wileverse			UEA	UEAR2	13.69	105.96	68,28	52.82	10.37	· .					
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37						
	Battery Signaling - Zone 4 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UEA	URESL		25.01	3.53								
	DS0) Unbundled Loop Service Rearrangement, change in loop facility,			UEA	URESP		26.50	5.02								
	Description Longing - Service Level 2 (SL2)	ļ		UEA	UREWO	ļ	87.56 11.19	36.29								
	Bulk Migration, per 2 Wire Voice Loop-SL2	-		UEA	LUREPN	 	105.96	1.10 68.28								
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	 		UEA	UREPM	 	0.00	0.00								
4-WIRE	ANALOG VOICE GRADE LOOP	·			101101 191		0.00	u.uu					i			
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	TUEAL4	27.47	132.27	94.59	89.09	14,64	· · · · · · · · · · · · · · · · · · ·				,	
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.26	132.27	94 59	60.68							
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132,27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4			UEA	UEAL4	50.03	132.27	94.59	60.68	14,64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA	URESL		25.01	3.53	50.06	14.09						
	Switch-As-is Conversion rate per UNE Loop. Spreadsheet, (per DS0)			UEA	URESP		26.50	5.02				 				
	Urbundled Loop Service Rearrangement, change in loop facility, per circuit			UEA	UREWO		87.56	36.29								
					,			30.28			1				ł	
2-WIRE	ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1															

NBUNDLE	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh; A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	nsoc			RATES(\$)			Svc Order Submitted Etec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Menual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Syc Order va. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			 -			Rec [-	Nonrec		Nonrecurring		 	A 4.000		Rates(5)	··- - =	
	2-Wire ISBN Digital Grade Loop - Zone 2	 	1	אמט	100 50		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 -	2-Wire ISDN Digital Grade Loop - Zone 3		 	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37	<u> </u>					
	2-Wire ISDN Digital Grade Loop - Zone 3	 	1-3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37	 				<u> </u>	}
	Unbundled Loop Service Rearrangement, change in loop facility,	 	4	00N	U1L2X	59.18	117.61	79.92	52.82	10.37						
	per circuit		j	UDN	UREWO	1 !	91.46	44.07	•	1	ĺ					Į
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	THEIRI	COP	JUN	IOHEMO	J	91.46	44.07		L	<u> </u>			ـــــــــــــــــــــــــــــــــــــ		<u> </u>
	2 Wire Unbundled ADSL Loop including manual service inquiry &	1		· · · · · · · · · · · · · · · · · · ·							· · · · · · ·					
	facility reservation - Zone 1	ļ	1.	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						Ì
	2 Wire Unbundled ADSL Loop including manual service inquiry &	 	 		- GALEX	 	15,151	10.01	00.00	- (.93) i					
1 1	facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93	í l					!
	2 Wire Unbundled ADSL Loop including manual service inquiry &	_	 		- U-CE-1		121.27	70.01	50.00	, , , , ,						·
- F 1	facility reservation - Zone 3	[1 3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93	ł I					
	2 Wire Unbundled ADSL Loop including manual service inquiry &		 		- JOHNSON	 		70.01	00.00	7.00						
	facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	_ 7.93] [l (ļ			
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	┌	·		 		.0,0,	30.30	, 33	·					
	facility reservator - Zone 1		1	UAL	UALZW	11.11	96.15	58,03	50.38	7.93				ŀ	i	
	2 Wire Unbundled ADSL Loop without manual service inquiry &	 				 	303	30,00	30.36	1.03	 					
	facility reservation - Zone 2	[1 2 1	VAL	UAL2W	11.47	96.15	58.03	50.38	7.93					ļ	ļ
	2 Wire Unbundled ADSL Loop without manual service inquiry &		- · · · ·			 	- 99.19	- 00.00	00.00	1.00						
	facility reservation - Zone 3	l	3	UAL	UAL2W	11,74	96.15	58.03	50.38	7.93	ļļ			ı 1	ì	ì
	2 Wire Unbundled ADSL Loop without manual service inquiry &	_	†			l — — — — —	30313	30,50	50.00	7.35						
	facility reservaton - Zone 4	1	4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		i	ĺ			
	Unbundled Loop Service Rearrangement, change in loop facility,		1					- 55.77	- 00.00		 					
	per circuit	ļ.	1 1	ŲAL	UREWO) }	86.04	40.33			1		ļ	1		
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BLELO	OP			·		70.00			<u> </u>					
	2 Wire Unbundled HDSL Loop including manual service inquiry &					T	·									
	facility reservation - Zone 1	1] 1]	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93	l i				i	
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93	}	1	ì)	i	ì
1	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 3		_3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93	l i				Į	
	2 Wire Unbundled HDSL Loop including manual service inquiry &					1										
	facility reservation - Zone 4	1_	_ 4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and	1														
	facility reservation - Zone 1	ļ	1	UHL	UHL2W	8.75	104,86	86.74	50.38	7.93	1 1	1	i	' i		
1	2 Wire Unbundled HDSL Loop without manual service inquiry and	T														
	facility reservation - Zone 2	<u> </u>	2	UHL	UHL2W	9 22	104,86	66.74	50.38	7.93] [Į	į.	ļ	
	2 Wire Unbundled HDSL Loop without manual service inquiry and	T "	1 -			1										
	facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	_ 7.93	li	ļ				
	2 Wire Unbundled HD\$L Loop without manual service inquiry and	ļ														
	facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	_ 50.38	7.93	ii					
	Unbundled Loop Service Rearrangement, change in loop facility,		Ι		- I ··											
	per circuit	L	<u> </u>	UHL	UREWO	<u> </u>	85.98	40.33			! <u> </u>			1	· ·	
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT		OOP													
	4 Wire Unbundled HOSL Loop including manual service inquiry and	1		Į	L											
	facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68	l			1	}	
	4-Wire Unbundled HDSL Loop including manual service inquiry and	{	٦.	l												
	facility reservation - Zone 2	Ļ	2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						L
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1	1 . :		L	Ι Τ										
	facility reservation - Zone 3	ļ	3	UHL	UHL4X	15.59	158.74	108 28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and		Ι.	l			_			1						
- 	facility reservation - Zone 4	├ -	4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68	L	1				
{	4-Wire Unbundled HDSL Loop without manual service inquiry and)	١	ì	l. 11						"]				
	facility reservation - Zone 1	-	11	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68	ļ					
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1	,	l	L n n	ll	,	{		'	1	ì	1	_}	7	
	facility reservation - Zone 2	}	1 2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and	l	1 3	l	luu ny	1	[7		-	Ţ	
	facility reservation - Zone 3	 	-3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68	<u> </u>			i		
	4-Wire Unbundled HDSL Loop without manual service inquiry and	1	4) IUHL	134 B 454	ا ا							· i		T	
	facility reservation - Zone 4		1 4	UFIL	UHL4W	14.46	133.62	95.50	56.72	10.68						
ll		7														
	Unbundled Loop Service Rearrangement, change in loop facility,				LIBETTO	(\			ĺ	I	. [
				UHL	UREWO		85,98	40.33								

MOUNDLE	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh; A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order ve Electroni Disc Add
			L			Rec	Nonrec	urring	Nonrecurring				oss	Rates(\$)		
					<u> </u>	<u>. </u>	First	Addil	First	Add'i		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	129.38	253_93	158.45	46.10	12.07					[
	4-Wire DS1 Digital Loop - Zone 3 4-Wire DS1 Digital Loop - Zone 4		3	USL	USLXX	206.74	253.93	158 45	46,10	12.07	-					
	Switch As Is Conversion rate per UNE Loop, Single LSR, (per	-	4	08L	USLXX	458.46	253.93	158.45	46.10	12.07			<u> </u>			
	DS1)	1	١.,	USL	URESL	i	25.01	0.50			i					ĺ
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (ger	 -		000	Jorne Sc		25.01	3.53					<u> </u>			
	DS1)	Ì	i	USL	URESP		26.50	5.02			l .					ľ
	Unbundled Loop Service Reamangement, change in loop facility,	_			O. EG.	· · · · · · · · · · · · · · · · · · ·	20.00	3.02			 	 -				
il	per circuit			ŲSL.	UREWO	1	100.90	42.96	i i)				Ι.,	1
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1		1	UDL.	UDL2X	27.44	126.53	88.85	60.68	14.64	1					
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	∪D(UDL2X	34.55	125.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3		UDL2X	40.76	126.53	88.85	60.68	14.64	<u> </u>					
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4		4		UDL2X	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		7		UDL4X	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2		UDL4X	34.55	126.53	88.85	60.68	14.54						
	4 Wire Unbundled Digital Loop 4.8 Ktrps - Zone 3	ļ	3		UDL4X	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4		4		UDL4X	32.25	126.53	88.85	60.58	14.64	L					
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		-		UDL9X	27.44	126.53	88.85	60.68	14.64						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2		UDL9X	34.55	126.53	88.85	89,09	14.64						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3		UDF8X	40.76	126.53	88.85	60.68	14.64			_:			
	7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4		4		UDL9X	32,25	126.53	88.85	60.68	14.64			_			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1		UDL19	27.44	126.53	88.85	60,68	14.64	\					
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UUL	UDL19	40.76	126.53	88.85	60,68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 4	ļ			UDL19	32.25	126.53	88.85	60.68	14.84	<u> </u>					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27,44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3		UOL56	34.55 40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4		UDL56	32.25	126.53	88.85	88.08	14.64	 					<u></u>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1		UDL56 UDL64	27.44	126.53 126.53	88.85 88.85	60.68	14,64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3		UDL64	40.76	126.53	88.85	50.68 60.68	14.64 14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4		UDL64	32.25	126.53	88.85	60.68	14.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	 			UOL04	32.23	120.03	55.03	60.68	14.64	 					
	DS0)	!		มอน	URESL) :	25.01	3,53			ł I	' I				i
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per				OTTE OL		25.01	ددبن			 					
	DS0)			UDL	URESP	[26.50	5.02			\			· ·		ł
	Unbundled Loop Service Rearrangement, change in loop facility,				1011201		- 20.00	3,04								
	per circuit	İ		UDL	UREWO		101.94	49.66				Į.				i
	Unbundled COPPER LOOP				10.10.10		101.04	45.00							L	
	2-Wire Unbundled Copper Loop-Designed including manual	T														
	service inquiry & facility reservation - Zone 1	i i	1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93				ļ	. {	i
	2-Wire Unbundled Copper Loop-Designed including manual			·					55,50	7.80						
	service inquiry & facility reservation - Zone 2) i	2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93	i I					i
	2 Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 3		_3	UCL	UCLPB	11,74	120.34	69.87	50.38	7.93	}	ì		i		i
	2 Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 4		_ 4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93]	i		!		i
	2-Wire Unbundled Copper Loop-Designed without manual service				T (
	inquiry and facility reservation - Zone 1		1	UCL	UCLEW	11.11	95.21	57.09	50.38	7.93					[1
	2-Wire Unbundled Copper Loop-Designed without manual service]				<u>. </u>										
	inquiry and facility reservation - Zone 2	 _	2	UCL	UCLPW	11.47	95.21	57,09	50.38	7.93	i				[i
	2-Wire Unbundled Copper Loop-Designed without manual service	"		l	1.											
	Inquiry and facility reservation - Zone 3	ļİ	3	ncr	UCLPW	11.74	95.21	57.09	50.38	7.93		\	1	}	1	L
	2-Wire Unbundled Copper Loop-Designed without manual service	\			1]										
	inquiry and facility reservation - Zone 4	Ь——	4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93				[i	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	ļ	8.20	8.20								
	Unbundled Loop Service Rearrangement, change in loop facility,	1 '		1401		}			T							
	per circuit COPPER LOOP	Ļ		UCL	UAEWO	L	95.21	42.40			لبسيا			1		
	4-Wire Copper Loop-Designed including manual service inquiry					. — —										
									I							

		T T									Svc Order	Svc Order	Incremental	incremental	incremental	Increme
ı		ĺ	Ιİ			Į.					Submitted	Submitted	Charge -	Charge -	Charge -	Charge
ı											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	· /		RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order
EDOM:	1011 5 655/17/17			•	1							pe, 2011	Electronic-	Electronic	Electronic-	
		1]]]						:		ist	Add'i	Disc 1st	Disc A
		1	i I		į					_	L i	_	180	740.	5.50 101	5,000
						Rec	Nonrec		Nenrecurring					Rates(\$)		SOMA
		L				-	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry															\Box
	and facility reservation - Zone 3	ļ <u>.</u>	3	UCL	UCL4S	21.33	144.68	94.22	56.72	10,68	 		ļ		ļ	₩-
1	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4)	4	ucı	UCL4S	21 33	144.68	94.22	56.72	10.68		L				1
	4-Wire Copper Loop-Designed without manual service inquiry and		Ī.						EC 70	40.00						
_	(actility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and	├	1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68	-					
	facility reservation - Zone 2	l	2	UCL	UCL4W	18.84	11 <u>9.56</u>	81,44	56.72	83.01						L
	4-Wire Copper Loop-Designed without manual service inquiry and	Γ				Ī										
	facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and	 	3	UCL	UCL4W	21.33	119,56	81.44	56.72	10.68	· · · · · · · · · · · · · · · · · · ·					+
- 1	facility reservation - Zone 4	l	4	UCL	UCL4W	21.33	119.56	81,44	56.72	10.68		<u> </u>		<u> </u>	1	<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)	Τ		UCL	UCLMC		8.20	8.20								
	Unbundled Loop Service Rearrangement, change in loop facility.						04					}				
	per circuit	ļ	 	UCL UEA, UDN, UAL.	UREWO		95.21	42.40	_	ļ	 				 	+
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL. USL	OCOSL		18.19			_		l	,			
Rearrai	ngements												,			
	EEL to UNE L Retermination, per 2 Wire Unbundled Voice Loop-	Ī		UEA	UREEL		87.56	36.29					i			1
	SL2	┼	 	UEA	UHEEL	 	81.30	36.28	 	}	}	 	 			+
	EEL, to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		l	UEA	UREEL		87.56	36.29	<u> </u>	<u> </u>	<u> </u>				ļ <u></u>	
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop	_	<u> </u>	UDN	UREEL	Į	91.46	44.07	_	ļ <u>.</u>					ļ	
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL		101.94	49.66	<u>[</u>	l		İ				
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	+	 	USL	UREEL	 	100.90	42.96		 	†					1
E LOOP CO	MMINGLING		1			f			i							
2-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING		1													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	Γ						1		1		" "			
	Ground Start Signaling - Zone 1	L	1	NTCVG	UEAL2	13.89	105.96	68.28	52.82	10.37	<u> </u>		ļ			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				UEAL2	18.75	105.96	68,28	52.82	10.37						1
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	 	2	NTCVG	UEAL2	18.75	105.96	68.28	52.82	10.37	 	 	-			+
	Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	27.55	105.96	68.28	52.82	10.37	<u> </u>					L
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															T
	Ground Start Signaling - Zone 4 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	4	NTCVG	UEAL2	45.72	105.96	68.28	52.82	10.37	-		-	 		+
Ì	Battery Signaling - Zone 1	Ì	1	NTCVG	UEAR2	13.89	10 <u>5</u> .96	68.28	52.82	10.37	1	_				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	T	,		UEAR2	18.75	105.96	68.28	52.82	10.37						
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 	2	NTCVG	UEARS	18.75	103.96	68.28	54.84	10.37	 	 	-	 	<u> </u>	
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	27.55	105.96	68.28	52.82	10.37	<u> </u>	<u> </u>				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		4	NTCVG	UEAR2	45.72	105.96	68.28	52.82	10.37		İ				1
	Battery Signaling - Zone 4 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	+	+ 4	NICVG	UEARZ	45.72	103.96	66.26	32.62	10.37	 	 	 		†	+
	DS0)	l	1	NTCVG	URESL		25.01	3.53	<u> </u>		1		<u> </u>		<u> </u>	<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCVG	URESP		26.50	5.02								
	DS0) Unbundled Loop Service Rearrangement, change in loop facility.	+	+	MICVG	UNESP	+	20.30	5.02		 	 	 	 		T	
	per circuit		ļ	NTCVG	UREWO	ļ	87.56	36.29		ļ	 	 -			ļ	—
	Loop Tagging - Service Level 2 (SL2)	↓		NTCVG	URETL	 	11.19	1.10	 	 	 -	 	 	 	 -	+
		- —	Ц.,.	NTCVG		<u>.l.</u>	L	I				L	J		1	ــــــــــــــــــــــــــــــــــــــ
4-WIRE	E ANALOG VOICE GRADE LOOP - COMMINGLING		T	INTOVG	ÜEAL4	27.47	132,27	94.59	60.68	14,64	т		<u> </u>	 	ŧ .	
	4-Wire Analog Voice Grade Loop - Zone 1	 	1 2		UEAL4	38.26						—	 	 	+	+
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG NTCVG	UEAL4	50.03						-	 		 	+
	4-Wire Analog Voice Grade Loop - Zone 3	 	3	NTCVG	UEAL4	50.03	132.27					\vdash	 	 	†	+
	Wire Analog Voice Grade Loop - Zone 4 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	+	+ *	INTOVG	UEAL4	30.03	132.27	54.58	90.66	14.64	1	 	 	 	 	+-
	DS0)			NTCVG	URESL		25.01	3.53						L		┸_
									,	,					,	

NBU <u>ND</u> LE	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	r		RATES(\$)	_		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring				oss	Ratus(\$)		
		Ţ				1,100	First	Addil	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Service Rearrangement, change in loop facility,	1	İ	NTCVG	UREWO	1 1	87.56	36.29								l
	per circuit DS1 DIGITAL LOOP	┸	<u> </u>	NICVG	Inveno		07.30	30.23				'ـــــــــــــــــــــــــــــــــــــ	<u></u>	L		
	4-Wire DS1 Digital Loop - Zone 1	1	1 1	NTCD1	USLXX	79.08	253.93	158.45	46.10	12.07					· · · · · · · · · · · · · · · · · · ·	
	4-Wire DS1 Digital Loop - Zone 1	+		NTCD1	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 3	+		NTCD1	USLXX	206.74	253.93	158.45	46.10	12.07	·					
	4-Wire DS1 Digital Loop - Zone 4	T	4	NTCD1	USLXX	458.46	253.93	158.45	46.10	12.07						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	Τ			-						[
	DS1)	1		NTCD1	URESL	1	25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		į			1		5.02							·	
	DS1)			NTCD1	URESP	 	26.50	5.02								
	Unbundled Loop Service Rearrangement, change in loop facility,		1	NTCD1	UREWO		100.90	42.96					!	İ		
, with	per circuit 19.2, 56 OR 54 KBPS DIGITAL GRADE LOOP		1	14,001	IOUE MO	<u>. </u>	100.50	42.30						<u> </u>	<u>ا</u> ــــــــــــــــــــــــــــــ	
4-74117	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1		1	NTCUD	DDF5X	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unburdled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3			NTCUD	UDL2X	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4	1		NTCUD	UDL2X	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1		NTCUD	UDL4X	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4			NTCUD	UDL4X	32.25	126.53	88.85	60.68	14.64			<u></u>			
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	↓ —		NTCUD	UDL9X	27 44 34.55	126.53 126.53	88.85 88.85	60.68	14.64 14.64						
	5 Wire Unbundled Digital Loop 9.5 Kbps - Zone 2	 		NTCUD NTCUD	UDL9X	40.76	126.53	88.85	60.68		 					
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	+-	+ -	NTCUD	UDL9X	32.25	126.53	88.85	60.68	14.64						
	7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4	+	1	NTCUD	UDL19	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1 4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	+		NTCUD	UDL19	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 4			NTCUD	UDL19	32.25	126.53	88.85	60.68	14.64	1					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	27.44	126.53	88.85	60.68							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	34.55	126.53	88.85	60.68							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UDL56	40.76	126.53	88.85	60.68	14.64						
. 1	4 Wire Unbundled Digital Loop 56 Klops - Zone 4	1		NTCUD	UDL56	32.25	126.53	88.85	60.68							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			NTCUD	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			NTCUD	UDL64	34.55 40.76	126.53 126.53	88.85 88.85	60.68	14.64	ļ					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			NTCUD NTCUD	UDL64 UDL64	32.25	126.53	88.85			 					
	4 Wire Unbundled Digital Loop 64 Kops - Zone 4	 	4	NIGOD	UDIL64	34.43	120.53	00.00	50.00	14.54	 					
)	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCUD	URESL	1	25.01	3.53	}						ĺ	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		+	11,1000	Uncac	 		3.30								
	DS0)			NTCUD	URESP		26.50	5.02			!!			1	ŀ	
	Unbundled Loop Service Rearrangement, change in loop facility.	+	 	<u> </u>	1				i	· · · · · · · · · · · · · · · · · · ·	<u> </u>					
- 1	per circuit	1	1	INTOUD	UREWO	1	101.94	49.66]	Ī	1 .	l i		ļ		
	pe 0.0s.		 	NTCVG, NTCUD,												
	Order Coordination for Specified Conversion Time (per LSR)		1	NTCD1	<u>o</u> çost		18.19			<u> </u>						
AINTENANC	E OF SERVICE		<u> </u>													
				UDG, UEA, UDL. UDN, USL, UAL. UDN, USL, UAL. UHL, UCI, NTCVG, NTGUD, NTCD1, U1TD1, U1TD3, U1TDX, UTTS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X,				:								

	ED NETWORK ELEMENTS - Mississippi	1	,										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order va Electronic
		 	-		-	Rec	Nonre First	curring Add'l	Nonrecurrin	g Disconnect			oss	Rates(\$)		
				UDC, UEA. UDL, UDN, USL, UAL, UHL, UGL, NTCVG, NTCUD, NTCO1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX,			,,,,,	2001	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	. Maintenance of Service Charge, Overtime, per half hour			UNC1X, UNC3X, UNCDX, UNCSX, UNCVX, ULS	MVVOT		90.00	65.00								
				UDC, UEA, UDL, UDN, USL, UAL, UDN, USL, UAL, UDN, USL, VAL, UDN, NTCOI, NTCOID, NTCOID, UTTDI, UTTDI, UTTDI, UTTDI, UTTDI, UTTDI, UDFCX, UDLSX, UEB, ULDDI, ULDDX, ULDSI, ULDVX, UNCDX, UNCSX,			55,00	3500								
	Maintenance of Service Charge, Premium, per half hour	1		UNCVX, ULS	MVVPT		100.00	75.00		i I				İ		
DOP MODIFI	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop [Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57					ĺ		-	
JB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop.			UAL, UHL, UCL. UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32 59	32.59								
	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL, UEF	USBSA		259.69									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL. UEF	USBSB	+	22.77	l								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-			UEANL	USBSC		178.47					_				
	Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop			JEANL	USBSD		56.39									
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	JEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		2	JEANL -	USBN2	9.51	66.18	31.14	45.36	6.71						
_	Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		3	JEANL	USBN2	12.45	56.18	31.14	45.36	6.71			·			
	Zone 4		4	JEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			JEANL	USBMC		8.20	8.20								
-	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	JEANL	USBN4	7.30	79.49	44,45	51.27	9.35						
	Zone 2															

UNBUNDLE	D NETWORK ELEMENTS - Mississippi		, .	<u> </u>									Att: 2 Exh: A	,		
CATEGORY	RATE ELEMENYS	interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Naum	Discount	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic Disc Add'l
						Rec -	First	Add'i	Nonrecurring First	Add'l	COVEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	┼─~	 			 	, ji gi t	AGUT	Filat		JUNEC	SOMMAN	SUMMIN	JUMAN	SUMAN	SUMMA
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35	-					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1									1			T		1
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
			1		USBMC	1	0.00	0.00		i			i			ì
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	 -	_	UEANL UEANL	USBR2	2.29	8,20 53.32	8.20 18.28	45.36	6.71						
	Sub-coop z-wire illiacodiding Marwork Cable (IIAC)	 	_	OCAIR.	CODITE		50.02	10.20	73.50		 -		···-			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	_		UEANL	USBMC	<u> </u>	8.20	8.20					ļ.,		L	L
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
		1		UEANL	USBMC	1	8.20	8.20		İ						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	+	 	UEANL	URETI	 	34.36	0.00			 	 				 -
	Loop Testing - Basic Additional Half Hour	 	 	UEANL	URETA		19.97	19.97								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			ÜEF	UC52X	6.06	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2				UCS2X	7.09	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-			UCS2X UCS2X	8.16 9.90	66.18 66.18	31.14 31.14	45.36 45.36	6.71						
 	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	+	4	UEF	UU02X	9.90	55.18	31,14	45.36	6.71	}					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L_	UEF	USBMC		8.20	8.20		l				1		Į
h	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UC\$4X	5.10	79.49	44,45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	 -		UEF UEF	UCS4X	14.00	79.49 79.49	44,45 44,45	51.27							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	 -	4	UEF	UCS4X	14,00	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	Ī		UEF	USBMC		8.20	8.20	l	l	ļ		į			ļ
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		1													
	Designed and Distribution Subloops	1	_	UEF, UEANL	URETL		8.92	0.88								<u> </u>
	Loop Testing - Basic 1st Half Hour	ļ		UEF UEF	URET1 URETA		34.36 19.97	0.00 19.97	ļ							
0.50	Loop Testing - Basic Additional Half Hour died Sub-Loop Modification		Щ.	Ine.	URETA	J	19.97	19.97		<u> </u>	 -	·				
Unoun	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	1	T	T					<u> </u>			Γ				· · · · · · · · · · · · · · · · · · ·
! !	Coil/Equip Removal per 2-W PR	1		UEF	ULM2X		176.80	5.13					L			f
1 1	Unbundled Sub-loop Medification - 4-W Copper Dist Load	T	Ţ	1		Ţ " [_	}							
	Coil/Equip Removal per 4-W PR	 -	ļ	UEF	ULM4X		176.80	5.13		ļ <u>. </u>					·	
1	Unbundled Loop Modification, Removal of Bridge Tap, per urbundled toop	1	ŀ	UEF	ULMBT		279,81	6.15				-			:	
Unbun	died Network Terminating Wire (UNTW)	—		JOE	IOCAIO!		£70.87	0.10	·	<u> </u>			L	····		
- Cincum	Unbundled Network Terminating Wire (UNTW) per Pair	T		UENTW	UENPP	0.3366	30.55									
Netwo	rk Interface Device (NID)		,	hierien	lusus 25											
	Network Interface Device (NID) - 1-2 fines Network Interface Device (NID) - 1-6 fines	+	-	UENTW	UND12 UND16	+	43.84 65.30	28.90 50.36	 		 	·				
 	Network Interface Device (NIU) - 1-6 knes Network Interface Device Cross Connect - 2 W	╁	}	UENTW	UNDC2	 	5.94			 	 	 	 			
 	Network Interface Device Cross Connect - 4W	1		UENTW	UNDC4		5.94	5.94								
UNE OTHER, I	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UGL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00	-							-	
 	Urbundled DS1 Loop - Superframe Format Option - no rate	+	+	USL, NTCD1	CCOSF	 	U. 00		 	 	 			 		L
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CCOEF	1	0.00			1						
	NID - Dispatch and Service Order for NID installation		1	UENTW	XBOND	0.00	0.00									·
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP MAKE-L		-	-							 	<u></u>					
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.58	25.58								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	ШМКМО		0.6652	0.6652								
				A												

	ED NETWORK ELEMENTS - Mississippi	T	1										Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	÷		RATES(\$)				Svc Order Submitted Menually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		 				Rec		urring	Nonrecurring	Disconnect	 		OSS	Rates(\$)		<u> </u>
END	USER ORDERING-CENTRAL OFFICE BASED	1	L		<u> </u>	,,,,,	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMÁN	SOMA
	Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61									50,000	- 50/11/2
	Line Splitting - per line activation AT&T owned - physical		-	UEPSR UEPSB	UREBP	0.61	18.62	- 10.00							- "	
	Line Splitting - per line activation AT&T owned - virtual			UEPSR UEPSB	UREBY	0.61	18.62	10.66 10.66	10.04	4.93						
END	USER ORDERING - REMOTE SITE LINE SPLITTING				Jonest	0.01	10.02	10.56	10.04	4.93	L					
ļ	Remote Site Shared Loop Line Activation for End Users - CLEC				1	1										
-	Owned Splitter			UEPSR UEPSB	URERS	0.61	56.96	23.05	7.19	7.19	!	l	1			
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter									7.10						
LINE	INDLED EXCHANGE ACCESS LOOP			UEPSR UEPSB	URERA		53.94	21.40			1			- 1		l
	E ANALOG VOICE GRADE LOOP									_						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-											··		
.]	Zone 1	l i	1	UEPSR UEPSB	UĒALS	12.03							1			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	 		ULF 3R UEF 3B	UEALS	12.03	37.92	17.55	23,48	5.25				- 1		
	Zone 1	ll	1 1	UEPSR UEPSB	UEABS	12.03	37.92	47.55								
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting	1			CCABO	12.03	37.82	17.55	23.48	5.25						
	[20ne 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25	ŀ					
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1	15/01	07.02	17.55	23.46	5.25						
	Zone 2		2	UEPSR LIEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	1							20.40	3.20						
			3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25	- 1	1	1	- 1		
- 1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	!	_							0.40						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25	- 1	+				
	Zone 4		4	UEPSR UEPSB												
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	DEPOR DEPOR	UEALS	43.85	37.92	17.55	23.48	5.25		- 1			!	
	Zone 4	li	4	UÉPSR UEPSB	ŲEABS	43.85										
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-		-7-1	OLF SH GEF 36	UEABS	43.65	37.92	17.55	23.48	5.25				- 1		
	Line Splitting - CLEC Owned Splitter - Zone 1	ļ ļ	- 1 l	UEPSR UEPSB	UEARS	7.15	66.18	31.14								
-	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-				02:11:10	7.13	66.10	31,14	45.36	6.71						
-	Line Splitting - CLEC Owned Splitter - Zone 2		2	JEPSR JEPSB	UEARS	9.51	66.18	31.14	45.36	6.71	i					
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		$\neg \neg$					37,14	43.36	6./1						
 	Line Splitting - CLEC Owned Splitter - Zone 3		_3 l	JEPSA UEPSB	UEARS	12.45	66.18	31.14	45.36	6.71	- 1	i				
ļ	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-							-	43.00	0.71						
puve	Line Splitting - CLEC Owned Splitter - Zone 4 ICAL COLLOCATION		4 t	JEPSR UEPSB	UEARS	18.26	66.18	31.14	45.36	6.71			į	- 1		
FAIS	Physical Collocation-2 Wire Cross Connects (Loop) for Line				,											
	Splitting		J,	JEPSR UEPSB	l									T	,	
VIRTU	AL COLLOCATION		<u> l'</u>	JEPSK DEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45					İ	
			Т		· · · · · · · · · · · · · · · · · · ·											*******
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	- 1	- k	JEPSR UEPSB	VE1L\$	0.0268	12.37		[—Т	
	DEDICATED TRANSPORT		- 1	30, 01, 00, 00	100	0.0266	12.37	11.87	6.04	5.45						
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT									l						
	Interoffice Channel - 2-Wire Volce Grade - per mile	[JITVX	1L5XX	0.0098		1					····			
+	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			JITVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
+	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			JITVX	1L5XX	0.0098					-					
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination	1														
+	Interoffice Channel - 4-Wire Voice Grade - per mile			JITVX	U1TR2	22.52	40.77	27.57	17.26	7.11		1		1	.	
 	Third Charles - 4-4418 Voice Grade - per mile			JITVX	1L5XX	0.0098				-						
ļ	Interoffice Channel - 4- Wire Voice Grade - Facility Termination		Į,	JITVX	U1TV4											
	Interoffice Channel - 56 kbps - per mile			JITOX	1L5XX	0.0098	40.77	27.57	17.26	7.11						
	Interoffice Channel - 56 kbps - Facility Termination			ITOX	U1TD5	15.68	40.77	27.57								
	Interoffice Channel - 64 kbps - per mile			HTDX	1L5XX	0.0098	40.77	27,57	17.26	7.11						
	Interoffice Channel - 64 kbps - Facility Termination		L	ITDX	UTTD6	15.68	40.77	27.57	17.26	7.11						
	Interoffice Channel - DS1 - per mile			J1TD1	1L5XX	0.201		- 27.37	17.40	/.11						
-	Interoffice Channel - DS1 - Facility Termination			ITD1	UTTF1	57.33	89.79	82.28	16.86	14.90						
+	Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination				1L5XX	4.75				14.30	-					
+	Interoffice Channel - DS3 - Facility Termination Interoffice Channel - STS-1 - per mile				U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - STS-1 - per mile				1L5XX	4.76										
UNBU	NDLED DARK FIBER		10	1101	U1TFS	644.21	280.37	163.70	62.08	60.29						
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof	- 1	L.	DF, UDFCX	1L5DF	28.27	(i	1							

UDITED T	D NETWORK ELEMENTS Mineterine												Att: 2 Exh: A		laammanist	Increment
RUNDLE	D NETWORK ELEMENTS - Mississippl										Svc Order	Svc Order	Incremental	Incremental	Incremental	Charge
	ì	1	1		1 1							Submitted	Charge -	Charge -	Charge -	Manual S
					1 1						Elec	Manually	Manual Svc	Manual Svc	Manuai Svo	
			_					RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order V
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USAC			KAI ES(4)			per core	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Electronic-	Electronic-	Electronic-	Electron
		1	; '	}	1 1					,	· '	ì	1st	Add'l	Disc 1st	Disc Ad
																·
		ļ					Nonrec	urden	Nonrecurring C	Disconnect				Rates(\$)	SOMAN	SOMA
		 				Rec	First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	- 50,11
_	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	 	├-		1								1	ı	ì	ì
	Route Mile Or Fraction Thereof	1	1	UDF, UDFCX	UDF14		642.79	138.67	326.97	203.85						
CAPACE	Y UNBUNDLED LOCAL LOOP	_									<u> </u>			1		
	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone										T		T			
	DS3 Unburdled Local Loop - per mile	T		UE3	1L5ND	11.20			100 22	86.19					<u> </u>	<u> </u>
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	326.15	454.13	265.47	123.23	50.13						
	STS-1Unbundled Local Loop - per mile		└	UDLSX	1L5ND	11.20	454.13	265.47	123.23	86.19						
	STS-1 Unbundled Local Loop - Facility Termination	ļ	↓	UDLSX	UDLS1	338.55	454.13	205.47	123.20						<u> </u>	
	XTENDED LINK (EELs)	<u></u>	Щ			L										
Netwo	rk Elements Used in Combinations	T		LINIOUV	UEAL2	13.89	105.96	68.28	52.82	10.37					 	-
_	2-Wire VG Loop (SL2) in Combination - Zone 1	1	1 2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37			1	}		
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37				 	+	
	2-Wire VG Loop (SL2) in Combination - Zone 3	+		UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		-		 	 	+
	2-Wire VG Loop (SL2) in Combination - Zone 4			UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64			 	 		-
	Wire Analog Voice Grade Loop in Combination - Zone 1 Wire Analog Voice Grade Loop in Combination - Zone 2	+	1 2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						T
+	4-Wire Analog Voice Grade Loop in Combination - Zone 3	+		UNCVX	ÜEÁL4	50.03	132.27	94.59	60.68	14.64		+		+	+	
	4-Wire Analog Voice Grade Loop in Combination - Zone 4	+		UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64			+	+	+	
+	2-Wire ISDN Loop in Combination - Zone 1	1		UNCNX	U1L2X	21.01	117.61	79.92		10.37			 	+		
	2-Wire ISDN Loop in Combination - Zone 2	1	2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		+		 		
	2-Wire ISDN Loop in Combination - Zone 3	_	3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		+		1		
_	2-Wire ISDN Loop in Combination - Zone 4	1	4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		· -	+			
_	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	27.44	125.53	88.85		14.64			1			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	Ţ		UNCDX	UDL56	34 55	126.53	. 88.85		14.64		 		1		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	T		UNCDX	UDL56	40.76	126.53	88.85		14.64						_
	14-Wire 56Kbps Digital Grade Loop in Combination - Zone 4	1		UNCOX	UDL56	32.25	126.53 126.53	88.85 88.85		14.64						-\ -
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	27.44 34.55	126.53	88.85		14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			UNCOX	UDL64	40.76	126.53	88.85								-
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	32.25	126.53	88.85			1					
_	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		1	UNCOX	USLXX	79.0B	253.93	158.45			7				-} -	
	4-Wire DS1 Digital Loop in Combination - Zone 1	-	2	UNCIX	USLXX	129.38	253.93	158.45			7				_	+-
	4-Wire DS1 Digital Loop in Combination - Zone 2	+	1 3	UNCIX	USLXX	206.74	253.93	158.45								
-	4-Wire DS1 Digital Loop in Combination - Zone 3	-		UNCIX	USLXX	458.48		158.45	46.10	12.0	7 1					-+
_	4-Wire DS1 Digital Loop in Combination - Zone 4 DS3 Local Loop in combination - per mile	+	+	UNC3X	1L5ND	11.20										
	DS3 Local Loop in combination - Facility Termination	-	+	UNC3X	UE3PX	326.15	454.13	265.47	123.23	86.1	9					_
	STS-1 Local Loop in combination - per mile		-	UNCSX	1L5ND	11.20				- 22		 -				
	STS-1 Local Loop in combination - Facility Termination	<u> </u>	1-	UNCSX	UDLS1	338.55	454.13	265.47	123.23	86.1	9			_		
-	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0088							+	_		
	Interoffice Channel in combination - 2-wire VG - Facility		Т							7.1	,		l	1		
1	Termination		1_	UNCAX	U1TV2	20.32	40.77	27.57	17.26	 						
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0088	 		 	+				1	1	ı
	Interoffice Channel in combination - 4-wire VG - Facility	1	1			47.00	40.77	27.57	17.26	7.1	1					
	Termination	+	-	UNCVX	U1TV4	0.0088	40.77	£1.51	20	1						
_	Interoffice Channel in combination - 4-wire 56 kbps - per mile	-	┼	UNCOX	TI COXX	0.0088	 	 	 	1	1			1	1	1
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1	1	UNCDX	U1T05	14.14	40.77	27.5	1 17.26	7.1	1					
	Termination	+	+-	UNCDX	1L5XX	0.0088		1								
	Interoffice Channel in combination - 4-wire 64 kbps - per mile		+	10.700	1207	1			7		-	1	{	1		
	Interoffice Channel in combination - 4-wire 54 kbps - Facility Termination			UNCDX	U1TD6	14.14	40.77	27.5	7 17.26	7.1	11					-
	Interoffice Channel in combination - D\$1 - per mile		+-	ÚNÇ1X	1L5XX	0.1813									-	
+	Interoffice Channel in combination - DS1 Facility Termination		+	UNC1X	UITFI	51.72		82.2	8 16.86	14.9	90 (-				
-	Interoffice Channel in combination - DS3 - per mile		_	UNC3X	1L5XX	4.29		1				 -				
+-	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	UtTF3	579.12		163.7	62.08	60.2	(3)					
_	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	4.29	 	+	62.08	60.2		+-				
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	UITES	581.21	280.37	163.7	62.08	50.4		_				
ITIONAL	NETWORK ELEMENTS		T				<u> </u>			<u> </u>						
	nal Features & Functions:									T						l
		1 .		U1TO1,	LOGGET	1	0.00	. 0.0	al 0.00	0.0	00					
	Clear Channel Capability Extended Frame Option - per DS1	-	+-	ULDD1,UNC1X	CCOEF		3.00	+	7.50	1				1	1	ì
				UTTD1, ULDD1,UNC1X	CCQSF	1	0.00	0.0	0.00	0.0	00			_		
	Clear Channel Capability Super FrameOption - per DS1		+-	ULDD1, U1TD1,	CCOSF	-	1	1-34	1						1	
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity per DS1	٦.	1	UNCIX, USL	NRCCC		184,60	23.7	a 1.96	el 0.:	76	J				

NBUNDLE	D NETWORK ELEMENTS - Mississippi			-									Att: 2 Exh: A			
regory	RATE ELEMENTS	loterim	Zone	BCS	usoc			RAYES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Menual Svo Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electroni Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Olsconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	1		UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00						·
	DS1/DS0 Channel System	<u> </u>		UNC1X	MO1	102.85	91.57	62.94	10,87	10.10			ļ		 	
	DS3/DS1Channel System	├		UNC3X, UNCSX	MQ3	170.63	179,17	94.52	34,30	32.82	 -	 	 		 	
	Voice Grade COCI in combination	 	-	UNCVX	1D1VG	0.5737	5,62	4,74			 		+			
	Voice Grade COCI - for 2W-SLZ & 4W Voice Grade Local Loop			UEA	1D1VG	0.5737	6.62	4,74					<u> </u>			
}	Voice Grade COCI - for connection to a channelized DS1 Local					1		4.74	i	ļ	ļ	ļ	İ			
	Channel in the same SWC as collocation	 		UITUC	1D1VG	0.5737	6.62	4.74		 	 -	 	 	 	 	
_	OCU-DP COCI (2.4-64kbs) in combination OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop	 		UNCDX	1D1DD	1.22	6.62 6.62	4.74			 	-	 		 	
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	 		UDL	10100	1.62	0.52	4./4			 	 	 	· · · · · · · · · · · · · · · · · · ·	<u> </u>	T
	Local Channel in the same SWC as collocation			บารบอ	1D1DD	1.22	6.62	4 74]			1			
	2-wire ISDN COCI (BRITE) in combination	+	+	UNCNX	UCICA	2.62	5.62	4.74			 		 		<u> </u>	
	2-wire ISDN COCI (BRITE) - for a Local Loop	t	 	UDN	UCICA	2.62	6,62	4.74			 	 	1	1	1	
	2-wire ISON COCI (BRITE) - for connection to a channelized DS1	1	1			2.02					 					1
	Local Channel in the same SWC as collocation			UITUB	UCICA	2.52	6.62	4.74	_	l	L	<u></u>	L	L	<u> </u>	
	DS1 COCI in combination	1	1	UNC1X	UC101	12.96	6.62	4.74								
	DS1 CDCI - for Stand Alone Local Channel	1	1	ULDD1	UC1D1	12.96	8,62	4.74					T			
	DS1 COCI - for Stand Alone Interoffice Channel	T	1	U1TD1	UC1D1	12.96	6.62	4.74					1			
	DS1 COC1 - for DS1 Local Loop	1	1	USL, NTCD1	UC1D1	12.96	6.62	4,74								
	DS1 COCI - for connection to a channelized DS1 Local Channel in		\Box								1	1				1
_ \	the same SWC as collocation	1	l	U1TUA UNCVX, UNCDX,	UC1D1	12.96	6.62	4.74			J	<u> </u>	<u> </u>	 	<u> </u>	
	Wholesale - UNE, Switch-As-Is Conversion Charge			UNCSX, UDFCX, XDH1X, HFQCB, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNGGC		5.63	_5.63								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element			U1TVX, U1TDX, U1TD1, U1TD3,					[Ì		1			
	Switch As is Non-recurring Charge, per circuit (LSR)	 	1	U1TS1, UDF, UE3	URESL		36.87	16.14		ļ		<u> </u>		 	-	
	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As is Non-recurring Charge, incremental charge per circuit	1		U1TVX, U1TDX, U1TD1, U1TD3,]			ļ	ļ	ì	1				
	on a spreadsheet	- 1		U1TS1, UDF, UE3	URESP		1.49	1.49		<u> </u>	<u> </u>		1	1	<u></u>	
Acces	s to DCS - Customer Reconfiguration (FlexServ)										 .	· · · · · · · · · · · · · · · · · · ·	,			
	Customer Reconfiguration Establishment	ļ	↓		ļ <u>-</u>		1.49		1.90				ļ	 	 	+
	DS1 DCS Termination with DS0 Switching	↓	 	ļ	 	20.81	25.69	19.77				+	 	 	 	+
-	DS1 DC5 Termination with DS1 Switching	 	 			10.73 145.05	18.57 25.69	12.65 19.77				+	1	 	+	
Made 1	DS3 DCS Termination with DS1 Switching	٠	٠	·		1 145,05	≥5.69	19.77	17.15	13.78					· ·	
NOG8 (SynchroNet) Node per month		7.	UNCDX	UNCNT				1-	1		1	1	1	T	T
Sanda	e Rearrangements	٠		TOHOUN	10110111			L					-1			
35,710	NRC - Change in Facility Assignment per circuit Service Rearrangement	1		UITVX, UITDX, UEA, UDL, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX, UITVX, UITDX,	URETD		100,90	42.96								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			UTTVX, UTTDX, UEA, UDL, UTTUG, UTTUD, UTTUB, ULDVX, ULDOX, UNCVX, UNCDX, UNCTX	URETB		3.68	3.68								
	NRC - Order Coordination Specific Time - Dedicated Transport	+	+-	UNG1X, UNC3X	OCOSA	 	18.87	18.87		 	1	1		· · ·	1	T
MMINGLIN			+	DINGIA, CHOSA			10.07	13.07				+	+		 	

JNBUNDLE	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	вся	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Increment Charge - Manual Sv Order vs
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
					ļ	Rec	Nonrec		Nonrecurring		20120	CONTAN		Rates(\$)	SOMAN	SOMAN
	·	 		UNCVX, UNCDX.			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN_	SUMMAN
				UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,												
Cammi	Commingling Authorization ingled (UNE part of single bandwidth circuit)	<u> </u>	L	ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00	<u>. </u>	<u>. </u>	L			<u> </u>
Comm	Commingled VG COCI	Ţ	_	XDV2X, NTCVG	TIDIVG	0.5737	6.62	4.74				1			T	
	Cammingled Digital COCI	1		XDV6X, NTCUD	10100	1.22	6.62	4.74					L			
	Commingled ISDN COC!			XDD4X	UCTCA	2.62	6.62	4.74								
	Commingled 2-wire VG Interoffice Channel	 		XDV2X	U1TV2	22.52	40.77	27.57	17.26	7.11					ļ	
	Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel	 	 	XDV6X XDD4X	U1TV4 U1TD5	19.79	40.77 40.77	27.57 27.57	17.26 17.26	7.11 7.11		 		 	 	
	Commingled 64kbps Interoffice Channel	+	-	XDD4X	U1TD6	15.68	40.77	27.57	17.26	7.11			 	 	 	
				XDV2X, XDV6X,							T					
	Commingled VG/DS0 Interoffice Channel Mileage	ļ	 	XDD4X	1L5XX	0.0088									ļ	
	Commingled 2-wire Local Loop Zone 1	ļ		XDV2X XDV2X	UEAL2 UEAL2	13.89 18.75	105.96	68.28 68.28	52.82 52.82	10.37					 -	
	Commingled 2-wire Local Loop Zone 2 Commingled 2-wire Local Loop Zone 3	 		XDASX	UEAL2	27.55	105.96 105.96	68.28 68.28	52.82	10.37 10.37	 		 			
	Commingled 2-wire Local Loop Zone 4	1		XDV2X	UEAL2	45.72	105.96	68.28	52.82	10.37	 	-	 	 		†
	Commingled 4-wire Local Loop Zone 1	1		XDV6X	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Commingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Commingled 4-wire Local Loop Zone 3	↓		XDV6X	UEAL4 UEAL4	50.03	132.27	94.59	60.68	14.64			ļ			ļ
	Commingled 4-wire Local Loop Zone 4 Commingled 56kbps Local Loop Zone 1			XDV6X XDD4X	UDL56	50.03 27.44	132.27 126.53	94 59 88 85	60.68 60.68	14.64		 	 	 		
	Commingled 56kbps Local Loop Zone 2			XDD4X	UDL56	34.55		88.85	60.68	14.64		 	 	 	 	
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	40.76	126.53	88.85	60.68	14.64						
	Commingled 56kbps Local Loop Zone 4	I		XDD4X	UDL56	32.25	126.53	88.85	60.68							
	Commingled 64kbps Local Loop Zone 1			XDD4X	UDL64	27.44		88.85	60.68	14.64				ļ		₩-
	Commingled 64kbps Local Loop Zone 2 Commingled 64kbps Local Loop Zone 3	<u> </u>		XDD4X XDD4X	UDL64 UDL64	34.55 40.76	126.53 126.53	_88.65 88.85	60.68 60.68	14.64 14.64		 -		 		
	Commingled 64kbps Local Loop Zone 4	+		XDD4X	UDL64	32.25	126.53	88.85	60.68	14.64			1	1	}	
	Commingled ISDN Local Loop Zone 1	1		XDD4X	U1L2X	21.01	117.61	79.92	52.82	10.37						1
	Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Commingled ISDN Local Loop Zone 3			XDD4X	U1L2X	37.34	117.61	79.92	52.82	10.37	ļ		<u> </u>		ļ <u> </u>	
	Commingled ISDN Local Loop Zone 4 Commingled DS1 COCI		4	XDD4X XDH1X, NTCD1	U1L2X UC1D1	59.18 12.96	117.61 6.62	79.92 4.74	52.82	10.37	 				 	
	Commingled DS1 Interoffice Channel	+-	 	XDH1X	UITEI	57.33	89.79	82.28	16.86	14.90	 	 	 	···-	 	
	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.1813	- 55.17				†		 		1	
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Commingled DS1 Local Loop Zone 1	├ ─		XDH1X	USLXX	79.08	253.93	158.45	46.10	12.07	ļ	ļ	ļ	 	 _	
	Commingled DS1 Local Loop Zone 2 Commingled DS1 Local Loop Zone 3			XDH1X XDH1X	USLXX	129.38 206.74	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07		-	-	 	ļ	┼──
	Commingled DS1 Local Loop Zone 4			XOH1X	USLXX	458.46	253.93	158.45	46.1D			ļ		 	 	_
	Commingled DS3 Local Loop	1	\vdash	HFQC6	UE3PX	326.15	454.13	265.47	123.23	86.19		 	†		l	
	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	11.20										
	Commingled STS-1 Local Loop	 	ļ	HFRST	UDLS1	338.55	454.13	265.47	123.23	86.19		ļ				
-	Commingled DS3/DS1 Channel System Commingled DS3 Interoffice Channel		 	HFQC6 HFQC6	MQ3 U1TF3	170.63 641.90	179.17 280.37	94.52 163.70	34.30 62.08	32.82 60.29		 	 	 -	 	
	Commingled DS3 Interoffice Channel Mileage	+		HFQC6	1L5XX	4.29	200.37	103.70	92.00	00.24	 	 	 	 	 	+
	Commingled STS-1Interoffice Channel			HFRST	UITFS	644.21	280.37	163.70	62.08	60.29	<u> </u>					
	Commingled STS-1Interoffice Channel Mileage	\Box		HERST	1L5XX	4.29								ļ		
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1	1	MEODI	1L5DF	30.57					[
	Strands, Per Route Mile Or Fraction Thereof Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	+	-	HEODL	ILSUF	28.27	ļ	·	-		 -	 	 	 	 	
	Strands, Per Route Mile Or Fraction Thereof			HEODL	UDF14	1	642.79	138.67	326.97	203.85		l	l	l	1	1
	UNE to Commingled Conversion Tracking	—		XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00						
	SPA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
NP Query See		1		ļ	 	0.0000							ļ			
	LNP Charge Per query LNP Service Establishment Mariual	+				0.0008477	12.59	12.59	11.58			ļ		 -	 	
	TELAL DELAICE CARTINELLINGUE LA SUNGI		1	L	.+		12.59	12.59	11.58	11,58	.1		1	J		

UNBUNDLED NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted		incremental Charge - Manual Svc Order vs. Electronic- Add'l	Order vs.	Charge -
						Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		,
					Rec	First	Add'l	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89						
911 PBX LOCATE															Ĺ
911 PBX LOCATE DATABASE CAPABILITY															
Service Establishment per CLEC per End User Account			9PBDC	9PBEU	· · · · · · · · · · · · · · · · · · ·	1,822.00									
Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.29							1		
Per Telephone Number (Monthly)			9PBOC	9PBMM	0.07										
Change Company (Service Provider) ID			9PBDC	9PBPC		535.11									
PBX Locate Service Support per CLEC (Monthit)			9PBDC	9PBMA	178.43										
Service Order Charge			9PBDC	9PBSC		15.75									L
911 PBX LOCATE TRANSPORT COMPONENT															
See Att 3															
Note: Rates displaying an "f" in Interim column are interim as a re	sult of a Comr	nission	order.							1	I	l			

BUNDLE	NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	.:		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Ejectronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		 	 		 		Nonre	curring	Nonrecurring	Disconnect		L	OSS	Rates(\$)	!	<u></u>
+ +		<u> </u>	┼			Rec	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	ne" shown in the sections for stand-alone loops or loops as pa			tion refers to Geograp	phically Deav	eraged UNE Zo	nes. To view (seographically i	Deaveraged UN	E Zone Design	ations by Co	intral Office,	refer to intern	et Website:		
	www.interconnection.belisouth.com/bacome_a_clec/html/interco	nnectio	n.htm												,	
ERATIONS S	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"			<u></u>	L	L										1
state sp NOTE: (ordered	1) CLEC should contact its contract negotiator if it prefers the 'actific Commission ordered rates for the service ordering charge. Any element that can be ordered electronically will be billed glectronically at present per the LOH, the listed SOMEC rate in bill when it submits an LSR to AT&T.	es, or C accordi	LEC ma	ly elect the regional se e SOMEC rate listed is	ervice orderi n this catego	ng charge, how xy. Please refe	rever, CLEC car r to AT&T's Loc	n not obtain a n al Ordering Ha	nixture of the ty ndbook (LOH) (o regardless if o determine if a	CLEC has a product ca	nterconne	ction contract d electronically	established in r. For those e	each of the 9 lements that o	states. cannot be
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	CSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
E SERVICE I	ATE ADVANCEMENT CHARGE		<u> </u>			<u> </u>									<u> </u>	
NOTE:	The Expedite charge will be maintained commensurate with Be	#South	s FCC	Ng.1 Tariff, Section 5	as applicable	в.										
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			UEF, UDF, UEO, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UTT12, UTT48, UTTD13, UTTD3, UTTD3, UTTD3, UTTD3, UTTD3, UTTD3, UTTD3, UTTD3, UTTD3, UC1BC, ULD13, ULD13, UNC1X, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNT1B, UTTUB,												
NEP MANUE	Day CATION CHARGE		+	NTCUD, NTCD1	SDASP	_	200.00		ļ	ļ			 	 	 	
	Order Modification Charge (OMC)	+	 -		 	 	26.21	0.00	0.00	0.00	 	 			 	+
 	Order Modification Additional Dispatch Charge (OMCAD)	\vdash	+			 	0.00		0.00	0.00			 			+
BUNDLED E	XCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP	Υ	1 2	THE AND	lucare		1 00 =-	· · · · · · · · · · · · · · · · · · ·							 	,
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	 		UEANL UEANL	UEAL2	10.82	36.54 36.54	16.87 16.87		<u> </u>		i			 	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEAL2	24.08					-			·	 	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.82	36.54	16.87		Ī						
)	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.21	36.54	16.87								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-	3	UEANL	UEASL URETL	24.08	36.54 8.93	16.87 0.88			ļ. 	 	<u> </u>	 		
	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour	-	 	UEANL	URETL	+	33.17	0.88	 	 	 	 	 	 	+	
		-	+			 					 	+			 	+
	Logo Testing - Basic Additional Half Hour	1	1	UEANL	URETA		19.28	1928	ı	!		1		!		
	Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop)		_	UEANL UEANL	URETA UEAMC	<u> </u>	19.28 7.92	19.28 7.92	<u> </u>	<u> </u>	<u> </u>	<u> </u>			<u> </u>	

3113011366	D NETWORK ELEMENTS - North Carolina			, 		,				·			Att: 2 Exh: A			r
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc	÷	·	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual SV Order vs. Electronic Disc Add'
						Rec -	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for AT&T providing				i	1					" '' "					ł
	make-up (Engineering Information - E.I.)			ÜEÄNL	UEANM		13.04	13.04								<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility.	1			l	1			ļ I		1		1			1
	per circuit			UEANL	UREWO	ļ	15.74	8.92								
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL UEANL	UREPN	ļ <u>.</u>	36.54	16.87			. 					
2.4800	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1 Unburdled COPPER LOOP		L	DEANL	UREPM	LL	7.92	7.92	l							
2-1944	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	,	· ·	UEG	UEQ2X	10.93	35.27	15.60					,			
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 		UEG	UEQ2X	12.75	35.27	15.60								
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEO	DEOSX	13.92	35.27	15.60								
	Tag Loop at End User Premise	-		UEO	URETL	75.02	8.93	0.88			+					
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	0.00	· · · · · · · · · · · · · · · · · · ·		 			· · · · · · · · · · · · · · · · · · ·		-
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28			1		· · · · · · · · · · · · · · · · · · ·			
·	Manual Order Coordination 2 Wire Unbundled Copper Loop · Non-	1				 					 		i			
	Designed (per loop)		LI	UEQ	USBMC		7.92	7.92			1					1
	Unbundled Copper Loop - Non-Design, billing for AT&T providing								""		1					
	make-up (Engineering Information - E.I.)		ш	UEQ	UEOMU		13.04	13.04					-			
	Unbundled Loop Service Rearrangement, change in loop facility.	l														
	per circuit	1	L	UEQ	UREWO		14.23	7.41								
	Bulk Migration, per 2 Wire UCL-ND	<u> </u>		UEQ	UREPN		35.27	15.60								
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		7.92	7.92			ļ					
	EXCHANGE ACCESS LOOP	ь	ļ.,			1 1			<u> </u>			L	L		<u> </u>	
2-191146	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		ا ، ا	UEA			400.40				Ţ					i
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	' -	UEA	UEAL2	11.96	102.10	65.72			-	ļ	ļ			
	Ground Start Signaling - Zone 2		ا ، ا	UEA	UEAL2	17.36	102.10	65.72			1					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEALZ	17.35	102.10	05.72					 			
	Ground Start Signaling - Zone 3		ایا	UEA	UEAL2	25.23	102,10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			000	DEALE	20.20	102.10	03.72			+					┼──
	Battery Signaling - Zone 1		1 1	UEA	UEAR2	11.96	102.10	65.72	1 1		1					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 			J. C. C.		102.70	00.72			1					
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.36	102.10	65.72			1					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse								<u> </u>		† · · · · · · · · · · · · · · · · · · ·		i			
	Battery Signaling - Zone 3		3	UEA	UEAR2	25.23	102.10	65.72			1					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)	l		UEA	URESL		25.03	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		26.52	5.02				1				
	Unbundled Loop Service Rearrangement, change in loop facility.												i			
	per circuit			UEA	UREWO		87.49	36.26				1	1		l	
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL	J	11.20	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		102.10	65.72								
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	L	1	UEA	UREPM		0.00	0.00	<u> </u>		<u> </u>				L	<u> </u>
4-WIRE	ANALOG VOICE GRADE LOOP	_		lues	100-2004	10.50	107.40	24.62	,			,	,		· · · · · · · · · · · · · · · · · · ·	
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	-		UEA UEA	UEAL4 UEAL4	19.52	127.40	91.02			 	ļ	ļ		ļ	
	4-Wire Analog Voice Grade Loop - Zone 2	 	2	UEA	UEAL4	24.74 46.11	127.40 127.40	91.02 91.02			 			,	 	
- 	Switch-As-Is Conversion rate per UNE Loop, Single LSA, (per	-	3	UEA	UEAL4	40.11	127.40	91.02				<u> </u>				
- 1	IDS0)			UEA	URESL		25.03	3.53	i l				1			
\neg	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	t	 	V-C	UNEGL	 	25.03	3.53	 		+	 	 		 	
	DS0)	-		UFA	URESP	, ,	26.52	5.02	(I		1	1	I	1	1	ļ
	Unbundled Loop Service Rearrangement, change in loop facility.	<u> </u>	 		1	1	EU.DE	3.04	t		+	 	i	·	····	-
-	per circuit			UEA	UREWO	1 1	87.49	36.26	{ 				l	l	l	
2-WiRE	ISDN DIGITAL GRADE LOOP				1				• • • • • • • • • • • • • • • • • • • •				•			
	2-Wire ISDN Digital Grade Loop - Zone 1	1.		UDN	U1L2X	19.78	113.34	76.96	1		1	l		ļ		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	26.16	113.34	76.96			T		l			· · · · · ·
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	35.37	113 34	76.96	[L	
	Unbundled Loop Service Rearrangement, change in loop facility.								1		T	[1		[
	per circuit			UDN	UREWO		91.39	44.04	1 l	L						
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE	OOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry &	1				1							_			
- 1	facility reservation - Zone 1		1	UAL	UAL2X	10.14	117.08	68.36	1 I			ŀ	1	1		1

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	D NETWORK ELEMENTS - North Carolina											Att: 2 Exh: A			
ATEGORY	RATE ELEMENYS	interim	Zone	BCS	USOC	÷		RATES(\$)		Syc Orde Submitte Elec per LSF	d Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual St Order vs Electronic
												16t	Add'l	Disc 1st	Disc Add
						Rec	Nonrec	urring	Nonrecurring Disco	nnect			Rates(\$)		
	2 Wire Unbundled ADSL Loop including manual service inquiry &		 				First	Addil	First A	dd'I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 2		2	U A L	UAL2X	11.59	117.09	68.36			-				
	2 Wire Unbundled ADSL Loop including manual service inquiry &		Τ.												
	facility reservation - Zone 3 2 Wire Unbundled ADSL Loop without manual service inquiry &	 	3	UAL	UAL2X	12.28	117.08	68.36							
	facility reservation - Zone 1		1 1	UAL	UAL2W	10.14	92.83	56.02							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	11,59	20.00	****							
	2 Wire Unbundled ADSL Loop without manual service inquiry &	 	-	UAL	UALZW	11.59	92.83	56.02			+				
	facility reservation - Zone 3	<u> </u>	3	UAL	UAL2W	12.28	92.83	56.02			•	1			
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		1	UAL	UREWO		78.06	32.38							1
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	DOP	IQAL	JUNEWO	 	78.06]	34.35				1	<u> </u>	l	<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry &	T	1												
	facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry &	-	1	UHL.	UHL2X	7.95	125.50	76.77				1			
Ì	facility reservation - Zone 2	ļ	2	UHL	UHL2X	9.15	125.50	76.77						}	
	2 Wire Unbundled HDSL Loop including manual service inquiry &													<u> </u>	
	facility reservation - Zone 3	ļ	3	UHL	UHL2X	9.53	125.50	76.77							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		١,	UHL	UHL2W	7.95	101.24	64.43						ĺ	
	2 Wire Unbundled HDSL Loop without manual service inquiry and	 			GILLETT		701.24	04.40	 						
	facility reservation - Zone 2	ļ	2	UHĻ	UHL2W	9.15	101.24	64.43							
	2 Wirs Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	ļ	9	UHL	UHL2W	9.53	101.24	64.43							
	Unbundled Loop Service Rearrangement, change in loop facility.	 	-	Onc	Uniczyy	3.50	101.24	54.43		-					
	per circuit	<u> </u>		UHL	UREWO		78.00	32.38	L						
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 4 Wire Unbundled HDSL Loop including manual service inquiry and		OOP			· · · · · · · · · · · · · · · · · · ·						· · · · · · · · · · · · · · · · · · ·	,	· · · · · · · · · · · · · · · · · · ·	· · · · · · ·
	facility reservation - Zone 1	'	١,	UHL	UHL4X	11.01	153.26	104.54							
	4-Wire Unbundled HDSL Loop including manual service Inquiry and		1	· · · · · · · · · · · · · · · · · · ·											
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry and	<u>, </u>	2	ŲHL	UHL4X	12.20	153.26	104.54							<u> </u>
	4-wire undurided MUSL Loop including manual service inquiry and facility reservation - Zone 3	1	1 3	UHL	UHL4X	13.49	153.26	104.54							
	4-Wire Unbundled HDSL Loop without manual service inquiry and	i –	T	······································			100.20	104.04							
	facility reservation - Zone 1	ļ	1 1	UHL	UHL4W	11.01	129.00	92.20				<u> </u>	<u> </u>		<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	12.20	129.00	92.20							
	4-Wire Unbundled HDSL Loop without manual service inquiry and	 	1-				76.00	V4.EU					<u> </u>		
	facility reservation - Zone 3		3	UHL	UHL4W	13.49	129.00	92.20				ļ	ļ		
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UHL	UREWO		78.00	32.38							
4-WIRE	DS1 DIGITAL LOOP		٠	Oric	TONEWO	1	78.00	32.36	<u> </u>				!	L	<u> </u>
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	63.62	245.16	152.98							
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	 		USL USL	USLXX	104.40 210.22	245.16 245.16	152.98 152.98			.	ļ			
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	 	 		USLAA	410.44	240.16	132.88				·····	 		
	[D\$1)	<u> </u>	<u> </u>	USL	URESL	<u> </u>	25.03	3.53							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)	'		USL	URESP	[26.52	5.02					1		1
	Unbundled Loop Service Rearrangement, change in loop facility,	 	+	USL	Unesr	 	20.32	5.02							
	per circult			USL	UREWO	1	100.82	42.93							
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		, , , .	UDL	TUDL2X	21.98	121.86	85,48					,	,	·
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	 		UDL	UDL2X	27.58	121.86	85.48					 		
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3	UDL	UDL2X	43.08	121.86	85.48							<u> </u>
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	\bot		UDL	UDL4X	21.98	121.86	85.48				ļ <u>.</u>			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	+		UDL	UDL4X UDL4X	27.58 43.08	121.86 121.86	85.48 85.48			+	 	 -	· · · · · · · · · · · · · · · · · · ·	
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1			UDL	UDL9X	21.98	121.86	85.48				 	 	-	\vdash
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2			UDL	UDL9X	27.58	121.86	85.48							
-	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1	₩		UDL UDL	UDL9X UDL19	43.08 21.98	121.86 121.86	85.48 85.48				ļ <u> </u>	ļ		
	4 Wire Unburdled Digital 19.2 Kbps - Zone 1	 		UDL	UDL19	27.58	121.86	85.48 85.48				 		ļ	

UNDUNUL	ED NETWORK ELEMENTS - North Carolina											Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BC\$	USOC	e e		RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic- Disc Add'l
	<u> </u>	 				Rec	Nonre First	curring Add'l	Nonrecurring Disconnect First Add'l	2014	SOMAN		Rates(\$)	001111	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	1101	UDL19	43.08	121.86	85.48	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 	1	UDL	UDL56	21.98	121.86	85.48		_					
_	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 	2		UDL56	27.58	121.86	85.48		+					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	43.08	121.86	85.48		+					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.98	121.86	85.48							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	27.58	121.86	85.48		 	~~				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	43.08	121.86	85.48							
Ì	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	[1		1										
	(DS0)		<u> </u>	UDL	URESL	1	25.03	3.53							
i	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDI.	URESP		26.52	5.02							
	Unbundled Loop Service Rearrangement, change in loop facility,	 				† · · · · · · ·	20.02	0.02		+					ļ
	per circuit		L_	UDL	UREWO		101.86	49.62					ľ		1
2-WIRI	E Unbundled COPPER LOOP												-		
	2-Wire Unbundled Copper Loop-Designed including manual														
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.14	116.18	67.46							<u> </u>
1	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	1	,	UCL	UCLPB	11.59									
	2 Wire Unburdled Copper Loop-Designed Including manual service	}		001	UCLPB	11.59	116.18	67 46							
	inquiry & facility reservation - Zone 3	<u> </u>	3	UCL	UCLPB	12.28	116.18	67.46							
	2-Wire Unbundled Copper Loop-Designed without manual service									† · · · · · ·					T
	inquiry and facility reservation - Zone 1	<u></u>		UCL	UCLPW	10.14	91.92	55.12		1			!)
	2-Wire Unbundled Copper Loop-Designed without manual service														
	inquiry and facility reservation - Zone 2	L	2	UCL	UCLPW	11.59	91.92	55.12							
- 1	2-Wire Unbundled Copper Loop-Designed without manual service	İ	3				i					·			i
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLEW	12.28	91.92	55.12							
	Unbundled Loop Service Rearrangement, change in loop facility.	 		UCL	UCEMC	 	7.92	7.92							
	per circuit	i		UCL	UREWO	1 1	89.06	34,45							
4-WIRI	E COPPER LOOP		·	OOL	JUNEWO	·	63.06	34,43	· · · · · · · · · · · · · · · · · · ·						Ш
1	4-Wire Copper Loop including manual service inquiry and facility	T	1			T				7					1
- 1	reservation - Zone 1		f 1	ucı	UCL4S	13.10	139.69	90.96		1			ļ		
	4-Wire Copper Loop including manual service inquiry and facility				!	<u> </u>									
	reservation - Zone 2	l	2	UCL	UCL4S	15.17	139.69	90.96							[
	4-Wire Copper Loop including manual service inquiry and facility									1					
	reservation - Zone 3	<u> </u>	3	nor	UCL4S	17.03	139.69	90.96							
	4-Wire Copper Loop without manual service inquiry and facility				1.	1									
	reservation - Zone 1	↓_ _		UCL	UCL4W	13.10	115.43	78.63							
	4-Wire Copper Loop without manual service inquiry and facility		١ . ا												' '
	reservation - Zone 2 4-Wire Copper Loop without manual service inquiry and facility	├ ~	2	UCL	UCL4W	15.17	115.43	78.63					<u> </u>		
Į.	reservation - Zone 3		3	UCL	UCL4W	17.03	115.43	78.63					!		1
	Order Coordination for Unbundled Copper Loops (per loop)	 		UCL	UCLMC	17.03	7.92	7.92							
	Unbundled Loop Service Rearrangement, change in loop facility,			COL	TOCKNO .	 	7.52	1.52		+					
ł	per circuit	l	()	UÇL	UREWO	, ,	89.06	34.45	l l	1			ł		{
		-		UEA, UDN, UAL,		-	30.00			·					
i	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL	1	17.56								
Rearra	ingements					·		<u> </u>					<u> </u>		
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-				T										
	SL2			UEA	UREEL		87.49	36.26	1						
	<u></u>	["													
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	ļ		UEA	UREEL		87.49	36.26							L
	EEL to UNE-L Retermination, per 2 Wire ISON Loop	 	-	UDN	UREEL	<u> </u>	91.39	44.04							
\		1	1	luor	UREEL	1 1	101	40.00		1 :			1]
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	┿	 	USL	UREEL	 	101.86 100.82	49.62 42.93							
NE LOOP CO	DMMINGLING	+		COL	INDEEL	 	100.62	42.93		 					 -
	E ANALOG VOICE GRADE LOOP - COMMINGLING			·	,l			L			<u> </u>		·	L	<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				Т	7									
	Ground Start Signaling - Zone 1	1	1	NTCVG	UEAL2	11.96	102.10	65.72							1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		T		"					 					
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.36	102.10	65.72	<u> </u>				L		1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														
	Ground Start Signaling - Zone 3	ι	3	NTCVG	DEAL2	25.23	102.10	65.72	1	1 '			ı		1

TOUNDEL	D NETWORK ELEMENTS - North Carolina											Att: 2 Exh: A			
TEGORY	rate elements	Interim	Zone	всs	usoc	÷		RATES(\$)				incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vi Electroni Disc Add
						Rec	Молгес		Nonrecurring Disco			OSS	Rates(\$)		
		 	ļ			1110	First	Add'I	First	Add'I SOME	C SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1		NTCVC	UEAR2		400.40	65.70		ì	1	Ì	}	}	ł
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	∤	1	NTCVG	DEAHS	11.96	102.10	65.72				ļ.,	 	 -	 -
	Battery Signaling - Zone 2	1	2	NTCVG _	UEAR2	17.36	102,10	65.72	ļ		i				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			1									t	
	Battery Signaling - Zone 3	╄	3	NTCVG	UEAR2	25.23	102.10	65.72				<u> </u>	<u> </u>		<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		25.00	3.53						1	
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	 	├	MICAG	Uneat	 	25.03	3.53					 	 -	
	DS0)	1	1	NTCVG	URESP	1 1	26.52	5.02	1	Ų	Ţ	1	Į.	\	\
	Unbundled Loop Service Rearrangement, change in loop facility,	1			1								1		
	per circuit	ļ	<u> </u>	NTCVG	UREWO		87.49	36 26				<u> </u>	l		
4 19005	Loop Tagging - Service Level 2 (SL2)	ــــــــــــــــــــــــــــــــــــــ		NTCVG	URETL	<u> </u>	11.20	1,10					<u> </u>	L	
	ANALOG VOICE GRADE LOOP -COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1		1 1	NTCVG	UEAL4	19.52	127.40	91.02						,	
	4-Wire Analog Voice Grade Loop - Zone 2	┾		NTCVG	UEAL4	24.74	127.40	91.02	· · · · · · · · · · · · · · · · · · ·		 	 	<u> </u>	 	
	4-Wire Analog Voice Grade Loop - Zone 3	$\overline{}$		NTCVG	UEAL4	46.11	127.40	91.02				 -	 		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per												 	1	
	DS0)			NTCVG	URESL	<u> </u>	25.03	3.53					\	<u></u>	1
1 1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)	1	1	NTCVG	URESP									1	
- i	Unbundled Loop Service Rearrangement, change in loop facility,	╅─┈	┾-	NICVG	URESP	 	26.52	5.02			_	ļ <u>.</u>	ļ	 -	
	per circuit		[NTCVG	UREWO		87,49	36.26				į.		ĺ	
4-WIRE	DS1 DIGITAL LOOP						<u> </u>	00.20							·
	4-Wire DS1 Digital Loop - Zone 1	Ι		NTCD1	USLXX	63.62	245.16	152.98				Γ			$\overline{}$
	4-Wire DS1 Digital Loop - Zone 2	<u> </u>		NTCD1	USLXX	104.40	245.16	152.98							
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	210.22	245.16	152.98							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)	ļ	Į.	NTCD1	 URESL	 	0= 05	3.53		i	1	1	1	Ì	1
	Switch-As-is Conversion rate per UNE Loop. Spreadsheet, (per	-	-	N CD1	UMESL	 	25.03	3.33		····		 		 	
	DS1)	i		NTCD1	URESP		26.52	5.02		!	1		ŀ		l
	Unbundled Loop Service Rearrangement, change in loop facility,		T			1						 			
	per circuit		<u> </u>	NTCD1	UREWO	1	100.82	42.93			<u> </u>	<u>l</u> .		L	
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	,	,	la de la companya de la companya de la companya de la companya de la companya de la companya de la companya de											
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	 		NTCUD	UDL2X UDL2X	21.98	121.86 121.86	85.48 85.48					ļ	ļ	Ļ
	4 Wire Unburded Digital Loop 2.4 Kbps - Zone3	 		NTCUD	UDL2X	27.58 43.08	121.86	85.48 85.48				ļ		 	
	4 Wire Unbundled Digital Loop 4.8 Kops -Zone 1	+		NTCUD	UDL4X	21.98	121.86	85.48				 		 	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1	2	NTCUD	UDL4X	27.58	121.86	85.48				 		 	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	43.08	121.86	85.48							
_	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UDL9X	21.98	121.86	85.48							1
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	 		NTCUD	UDLax	27.58	121.86	85.48							
- 	Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 Wire Unbundled Digital 19.2 Kbps - Zone 1	 -		NTCUD NTCUD	UDL9X UDL19	43.08 21.98	121.86 121.86	85.48 85.48				 	<u> </u>	 	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	+	-	NTCUD	UDL19	27.58	121.86	85.48				 		 	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	+	3	NTCUD	UDL19	43.08	121.86	85.48				 		 	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1		NTCUD	UDL56	21.98	121,86	85.48				 		· · · · · · · · · · · · · · · · · · ·	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	27.58	121.86	85.48							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	<u></u>		NTCUD	UDL56	43.08	121.86	85.48							
_ —	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	↓	1-	NTCUD	UDL64	21.98	121.86	85.48							
	4 Wire Unbundled Digital Loop 64 Klaps - Zone 2	┼──	1-2-	NTCUD NTCUD	UDL64 UDL64	27.58	121.86	85.48				 			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	+	1 3	NICOD	UDL64	43.08	121,86	85.48				 		ļ	
	DS0)		1	NTCUD	URESL		25.03	3.53						1	ŀ
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	 			107.000	tt	25.05	9.00				 	 	 	
	(DS0)	<u> </u>	<u> </u>	NTCUD	URESP	1 1	26.52	5.02		İ	1				
	Unbundled Loop Service Rearrangement, change in loop facility,				T							T			
	per circuit	 	╄	NTCUD	UREWO	ļ	101.86	49.62		<u> </u>			L,,		ļ
l i	Order Coordination for Specified Conversion Time (per LSR)	1	l	NTCVG, NTCUD, NTCD1	OCOSL	į Į	17.56		, ,	ļ	-	\			1
		1	1	(11100)	UUUUL		17.501	:		5	1	1	1	1	L

1				1										Att: 2 Exh;	Δ		
CAT	EGORY	RATE ELEMENTS	Interin	Zone	BCS	USOC	Rec	None	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual S Order v Electron Disc Ad
				-	UDC, UEA, UDL,		Kec .	First	Add'l	First	Disconnect Add'l			08	S Rates(\$)		
					UDN. USL. UAL. UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDB3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X,						2001	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	1	Maintenance of Service Charge, Basic Time, per half hour	!		UNCOX, UNCSX,				i	[ì	
		Asintenance of Service Charge, Overtime, per half hour			UNGVX. ULS UDC. UEA, UDL, UDN. USL, UAL, UHL, UGL, NTCVG, NTCUD, NTCDY, UITD1, UITD3, UITDX, UITS1, UITDX, UITS1, UITDX, UITS1, ULDD3, ULDDX, ULDB3, ULDDX, ULDB1, ULDVX, UNCDX, UNCSX, UNCVX, ULS UNCVX, ULS UNCVX, ULS UNCVX, ULS UNCVX, ULS UNCVX, ULS UNCVX, ULS UNCX, UNCSX, UNCX, ULS ULS ULS ULS ULS ULS ULS ULS	MVV6T		90.00	65.00								
				ĮU	INC1X, UNC3X,		1			İ			ľ		ĺ)	ļ
	М	aintenance of Service Charge, Premium, per half hour		l'i	NCDX, UNCSX. NCVX, ULS			- 1	ļ			ļ					
OP M	ODIFICAT	ION				IVVPT		100.00	75.00		- 1				ĺ		ļ
1	Ųr	rbundled Loop Modification, Removal of Load Coils - 2 Wire ir less than or equal to 18k ft, per Unbundled Loop bundled Loop Modification, Removal of Load Coils - 2 wire		U	AL, UHL, UCL, EQ, ULS, UEA, EANL, UEPSR, EPSB U	LM2L		0.00	0.00								
-+				Į _U	CL, ULS, UEQ U	LM2G											ĺ
		bundled Loop Modification Removal of Load Colls - 4 Wire less in or equal to 18K ft, per Unbundled Loop		- 1				0.00	0.00					[
T	lou	bundled Loop Modification Removal of Load Coils - 4 Wire		- lui	HL, UCL, UEA UI	LM4L		0.00	0.00								
+	pai	r greater than 18k ft		UC	OL UL AL, UHL, UCL,	M4G		0.00	0.00							_	
1-100	PS	bundled Loop Modification Removal of Bridged Tap Removal, runbundled loop		UE	EQ, ULS, UEA. EANL, UEPSR,	мвт		12.15	12.15					+			
- 5	UD-Loop I	Distribution		1.												1	1
	Up	b-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		Τ.													
	6.4	line Budana		UE	ANL, UEF US	BSA		144.09									
	Jorg	-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	Į	los	ANL, UEF US	BSB	1		-				1	ı	- 1	1	- 1

CHOCKE	D NETWORK ELEMENTS - North Carolina	γ				,				Bus Or	Cur On	Att: 2 Exh: A			T
											Svc Order	Incremental	Incremental		Incrementa
						i					Submitted	Charge -	Charge -	Charge -	Charge -
ATEGORY	RATE ELEMENTS	Interim	Zona	BCS	USOC			RATES(\$)		Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sy
MIEGORI	CALL ELEMENTS	1111001011	20116	903	0300			KK1 60(4)		perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		ļ.								i		Electronic-	Electronic-	Electronic-	Electronic-
		Į.	1		(- 1	}	1st	Add'I	Disc 1st	Disc Add's
	<u> </u>					Rec	Nonrec	urring	Nonrecurring Disconnec	-	<u> </u>	oss	Rates(\$)		·····
	<u> </u>					Kec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility		T								i				
	Set-Up	 	 	UEANL	USBSC	<u> </u>	86.16						L		ļ
	Sub-Loop · Per Building Equipment Room - Per 25 Pair Panel Set-		}	JEANL	USBSD		27.13	27.13		l	l	Į	Į į		•
	Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	}	-	UEANL	05850	 	27.13	27.13							
	Zone 1	1	1	UEANL	USBN2	6.70	63.89	30.06		- !		J			1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop														· · · · · · · · · · · · · · · · · · ·
!	Zone 2		2	UEANL	USBN2	9.93	53.89	30.06				1			1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1													
	Zone 3	 	3	UEANL	USBN2	12.79	63.89	30.06					<u> </u>		
1	Out Co-adiabian to 13-b added Sub-Lance and below here		1	DEANL	USBMC		7.92	7.92	1			ł			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	 	+	DEWINE	USBIVIC		7.32	7.52			 				<u> </u>
	Zone 1		1	DEANL	USBN4	10.81	76.75	42.92		- 1		i	ļ		ĺ
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		1		T	T			1 - ····						
- 1	Zone 2	<u></u>	2	UEANL	USBN4	14.16	76.75	42.92	l l _	.		Į	į l		Į.
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	1			1										
	Zone 3	ļ	3	UEANL	USBN4	24.67	76.75	42.92							
		i]	LIFANI	LICOLIO	† i		7.00			I				
	Order Coordination for Unburidled Sub-Loops, per sub-loop pair	₩-	 	UEANL UEANL	USBMC USBR2	2.34	7.92 51.48	7.92 17.65							
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	 	+	DEANL	USBR2	2.34	51.48	17.55							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	l	UEANL	LUSBMC	į į	7.92	7.92	ļ ļ	- \		,	\		}
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		 	UEANL	USBR4	4.18	57.54	23.71	· · · · · · · · · · · · · · · · · · ·						
		1			i										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92			<u></u> .		<u> </u>		
Service	Order charges will apply only once per sub-loop														
	Loop Testing - Basic 1st Half Hour	├	-	UEANL	URETA	ļ — —	33.17	0.00							
+	Loop Testing - Basic Additional Half Hour	-	 	UEANL UEF	UCS2X	5 43	19.28 63.89	19.28 30.06				·			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+	+	UEF	UCS2X	8.04	63.89	30.06							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	 	1-5	ÜEF	UC52X	9.79	63.89	30.06					·		
	12 Wile Copper Grobbibles 300-Loop Distribution - 2014 3	 	1	OL.	UUUUX	J./*	05.00	30.00							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	UŞBMÇ		7.92	7.92	1	i					
 -	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			ŲĘF	UC\$4X	6.34	76.75	42.92							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		5	UEF	UCS4X	9.62	76.75	42.92							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.04	76.75	42.92							
		1	1												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	 	UEF	USBMC	<u> </u>	7.92	7.92							
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			UEF, UEANL	URETL .]	8.93	A 50							
	Designed and Distribution Subloops Loop Testing - Basic 1st Half Hour	+	+	UEF, UEANL	URETL	 	33.17	0.00	····			ļ			
	Loop Testing - Basic 1st Hair Hour Loop Testing - Basic Additional Haif Hour	} -	1	UEF	URETA	 	19.28	19.28					 		
Ugbun	died Sub-Loop Modification		٠	13-7				.,,,,,,	·		·	·	ــــــــــــــــــــــــــــــــــــــ		٠
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	Υ	T		1	T			I I						
	Coil/Equip Removal per 2-W PR			ŲEF	ULM2X		0.00	0.00					L		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		1		L										
	Coll/Equip Removal per 4-W PR	↓	 	UEF	ULM4X		0.00	0.00	 		<u> </u>) <u>.</u>			
	Unbundled Loop Modification, Removal of Bridge Tap, per		1	UEF	ULMBT		224.55	4.29							
I linker	urbundled loop idled Network Terminating Wire (UNTW)			JOEF	IATMR (<u> </u>	224.55	4.29	·		· · · · · · · · · · · · · · · · · · ·	l	ــــــــــــــــــــــــــــــــــــــ		
Qnodn	Urbundled Network Terminating Wire (UNTW) per Pair	т—	т	UENTW	JUENPP	0.51	14.72	14,72	T				·····		
Netwo	rk Interface Device (NID)			14	4	3.01			'				L		
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69					3	····	
. " ["	Network Interface Device (NID) - 1-5 lines	1	1	UENTW	UND16		127.93	98.21							
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73							
	Network Interface Device Cross Connect - 4W	1		UENTW	UNDC4		5.73	5.73							
NE OTHER,	PROVISIONING ONLY - NO RATE	-	+	1141 1/01 1/02	ļ	_			 						
- 1		1	1	UAL, UCL, UDC,	1] .		[
		1	l	UDL, UDN, UEA, UHL, UEANL, UEF.	Į		Į į		,	ļ	į		ļ ,	}	
ì		1		UEQ. UENTW.										ł	
ļ	· ·	1		NTCVG, NTCUD.	1		-		1	1		!	 		
	Unbundled Contact Name, Provisioning Only - no rate	1		INTCD1, USL	UNECN	0.00	0.00					!		ļ	
1 1	Juliuuruled Contact Name, Provisioning Only - no rate			HITTOUI, USL	TOTALCIA	0.00	U.00		·				L		

ONRONDLE	D NETWORK ELEMENTS - North Carolina	,	_	· · · · · · · · · · · · · · · · · · ·		,					14	E	Att: 2 Exh: A		·	T
												Svc Order	incremental			1
						Ì					Submitted		Charge -	Charge -	Charge -	Charge
TEGORY	RATE ELEMENTS	Interim	7000	BCS	usoc	1		RATES(\$)			Elec	Manually	Manual Svc		Manual Svc	
HEGORY	KATE ELEMENTS	Interior	Zone	B C3	0300			UMI EQ(4)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
			1		1	Į.							Electronic-	Electronic-	Electronic-	Electron
			1		İ								1st	Adďi	Disc 1st	Disc Ad
			-		 	1	Monroe	curring	Nonrecurring	Disconnect	 	L		Rates(\$)		<u> </u>
		-	 		}	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Unbundled DS1 Loop - Superframe Format Option - no rate	-	┿┈	USL, NTCD1	CCOSF	 -	0.00	Hadi	- · · · · · · · · · · · · · · · · · · ·	7001	JOMEC	SOME	30404	SUMAIN	SUMAN	SUMAL
	Unbundled DS1 Loop - Expanded Superframe Format option - no	- -	┼	OGC, NTOP1	00000	 	0.00			 	 -					
- 1	rate		1	USL, NTOD1	CCOEF		0.00							ł	1	
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							 		}
	UNTW Circuit Establishment, Provisioning Only - No Rate		+	UENTW	UENCE	0.00	0.00			 						
OOP MAKE-U		1	 		1						1					
	Loop Makeup - Preordering Without Reservation, per working of										1 -					
i	spare facility queried (Manual).	1	1	UMK	UMKLW		23.29	23.29							1	
	Loop Makeup - Preordering With Reservation, per spare facility		T^{-}		7				1					· · · · · · · · · · · · · · · · · · ·		
1	queried (Manual).	1	ļ	UMK	UMKLP		24.70	_ 24.70	J		1		!		}	
	Loop Makeup-With or Without Reservation, per working or spare	1									1					
ł	facility queried (Mechanized)	1		UMK	UMKMO	1	0.19	0.19		i				j	1	
NE SPLITTIN	IG	I														
END U	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61	15.53	7.79		L						
	Line Splitting - per line activation AT&T owned - physical			UEPSR UEPSB	UREBP	0.6409	17.97	10.29								
	Line Splitting - per line activation AT&T owned - virtual	Ι.		UEPSA UEPSB	UREBV	0.6325	17.87	10.29								
ENDU	SER ORDERING - REMOTE SITE LINE SPLITTING															
	NOLED EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										1					
	Zone 1		1 1	UEPSR UEPSB	UEALS	10.82	36.54	16.87	0.00	0.00						L
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-										l					
	Zone 1	1	1.1	UEPSR UEPSB	UEABS	10.82	36.54	16.87	0.00	0.00		<u> </u>			l	
1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	T	T			1					1			[
	Zone 2		1 2	UEPSR UEPSB	UEALS	16.21	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1		i					l	1						
	Zone 2	<u> </u>	2	UEPSR UEPSB	UEABS	16.21	36.54	16.87	0.00	0.00	<u> </u>			L	<u> </u>	
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1	1	1	1					ì	!	ļ		'	
	Zone 3		3	UEPSR UEPSB	UEALS	24.08	36.54	16.87	0.00	0.00					L	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			l						i		-				
	Zone 3		3	UEPSR UEPSB	UEABS	24.08	36,54	16.87	0.00	0.00	<u> </u>	L	L			
PHYSI	CAL COLLOCATION	,		,					,	,						
1	Physical Collocation-2 Wire Cross Connects (Loop) for Line	1	1					٠	l		1	•	ļ	ļ	ļ	
	Splitting	<u> </u>		UEPSR UEPSB	PEILS	0.0309	19.77	14.95	0.00	0.00			Ĺ <u></u>	l		ــــــــــــــــــــــــــــــــــــــ
VIRTU	AL COLLOCATION	· ,								,						
- 1		_i	1	UEPSR UEPSB	VE1LS	0.0287	70.00	22.00		0.00	ļ					İ
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	4	┼	UEFSH UEFSB	VEILS	V.U207	33.96	32.08	0.00	0.00						├
MEGMOLEO	DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT							<u></u>			1		L	1		
INTER	Interoffice Channel - 2-Wire Voice Grade - per mile			IU1TVX	1L5XX	0.0095				T	·			т—		
	Interoffice Channel - 2-Wire Voice Grade - per mile Interoffice Channel - 2-Wire Voice Grade - Facility Termination	+	+	U1TVX	U1TV2	12.12	39.36	26.62	 	 	 				 -	
	Interoffice Channel - 2-Wire Voice Grade Rev Bal per mile	+	 	UTTVX	IL5XX	0.0095	95,36	20,02	 	 	 			 		
	INTO COMO CONTINUE - E-TONG VOICE CHADE THEY DOLD - POT TIME	+	+	12	100,150	0,000				 	 			}		
ı	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination _	1		UITVX	U1TA2	12,12	39.36	26.62	i					I		1
	Interoffice Channel - 4-Wire Voice Grade - per mile	1	1	UITVX	1L5XX	0.0095			 		 			 		
	The state of the s	1	1	1	T					 	 			 		
!	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	1	i	UITVX	U1TV4	10.19	39.36	26.62	l		1			[l	ł .
- -	Interoffice Channel - 56 kbps - per mile	1	 	XOTIU	1L5XX	0.0095	 -			 	1	-				
	Interoffice Channel - 56 kbps - Facility Termination	1	1	ÜITDX	U1TD5	7.47	39.37	26.62		<u> </u>						
	Interoffice Channel - 64 kbps - per mile		_	UITOX	1L5XX	0.0095										
	Interoffice Channel - 64 kbps - Facility Termination	1	1	U1TDX	U1TD6	7.47	39.37	26.62		I	[I		
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.1936										
	Interoffice Channel - DS1 - Facility Termination			וסדוט	UITFI	31.06	85.69	79.44								
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	4.44		I			I					
	Interoffice Channel - DS3 - Facility Termination		L	U1TD3	U1TF3	329.91	270.69	158.05			Ι					
	Interoffice Channel - STS-1 - per mile			UITSI	1L5XX	4.44					I					
	Interoffice Channel - ST\$-1 - Facility Termination			U1TS1	UITES	339.20	270.69	158.05	l		T					
	TY UNBUNDLED LOCAL LOOP								L	L	1					
	STS/I UNBUNDLED LOCAL LOOP - Stand Alone															
	D53 Unbundled Local Loop - per mile			UE3	1L5ND	12.95				I	I					
	DS3 Unbundled Local Loop - Facility Termination	1		UES	UE3PX	229.90	438.46	256.30			I					
				UDLSX	IL5ND	12.95			T	I	Τ					
	STS-1Unbundled Local Loop - per mile STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1_	257.82	438,46	256.30								

NBUNDL	ED NETWORK ELEMENTS - North Carolina												Att; 2 Exh: A			
					1						Svc Order	Svc Order	Incremental	incremental	Incremental	Incremen
		İ	ì		1						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		}	Ì		1	l					Elec	Manually	Manual Syc	Manual Svc	Manual Svc	Manual S
EGORY	RATE ELEMENTS	ไทรอกัก	Zone	acs	บรอด	1 '		RATES(\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
	1	1	1								1		Electronic-	Electronic-	Electronic-	Electron
		1	1		1							ļ	1st	Add'i	Disc 1st	Disc Ad
	<u> </u>	L	<u></u>								1					
			" "			Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						T Kec	First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBL	INDLED DARK FIBER															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		1			1				_	[<u> </u>					
- 1	Route Mile Or Fraction Thereof	۱ <u> </u>	}	UDF, UDFCX	1L5DF	24.77			l		1					ļ
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				1	1										
	Route Mile Or Fraction Thereof	1		UDF, UDFCX	UDF14	1. !	620.60	133.88				L			Ī	
HANCED I	EXTENDED LINK (EELs)		}													
Netw	ork Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.96	385.26	72.08								
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.36	385.26	72.08								
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNÇVX	UEAL2	25.23	385.26	72.08								
	4-Wire Analog Voice Grade Loop in Combination - Zone 1			UNCVX	UEAL4	19.52	385.26	72.08								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	24.74	385.26	72.08						L		
	4 Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	46.11	385.26	72.08								L
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.78	385.26	72.08								
1	2-Wire ISDN Loop in Combination - Zone 2			UNCNX	U1L2X	26.16	385.26	72.08								
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	35.37	385.26	72.08								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.98	385.26	72.08								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	27.58	385.26	72.08								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	L	3	UNCOX	UDL56	43.08	385.26	72.08						L		
\neg	4-Wire 64Kbps Digital Grade Loop In Combination - Zone 1		1	UNCOX	UDL64	21.98	385.26								<u> </u>	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	27.58	385.26	72.08								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL64	43.08	385.26	72.08								
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	63.62	412.03	139.55								
	4-Wire DS1 Digital Loop in Combination - Zone 2		5	UNC1X	USLXX	104.40	412.03	139.55								
\neg	4-Wire DS1 Digital Loop in Combination - Zone 3	$\overline{}$	3	ÜNC1X	USLXX	210.22	412.03	139.55								
	D\$3 Local Loop in combination - per mile	1	1	UNC3X	(LSND	12.95		,								
	DS3 Local Loop in combination - Facility Termination		1	UNC3X	UE3PX	229.90	3,073.55	1,245.84								
	STS-1 Local Loop in combination - per mile	1	1	UNCSX	1L5ND	12.95										
	STS-1 Local Loop in combination - Facility Termination	\vdash		UNCSX	UDLS1	257.82	3,073.55	1,245.84								
	Interoffice Channel in combination - 2-wire VG - per mile	-	1	UNCVX	1L5XX	0.0095										
	Interoffice Channel in combination - 2-wire VG - Facility		1		1										· ·	
	Termination	1	1	UNCVX	U1TV2	12.12	131,81	78.34			1				ŀ	!
	Interoffice Channel in combination - 4-wire VG - per mile	\Box		UNCVX	1L5XX	0.0095										
	Interoffice Channel in combination - 4-wire VG - Facility		1	·	1			1								
1	Termination	ļ		UNCVX	U1TV4	10.19	131.81	78.34								
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0095										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1	1													
	Termination			UNCDX	U1TD5	7.47	131.81	78. 34								
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	\top	1	UNCDX	1L5XX	0.0095										
	Interoffice Channel in combination - 4-wire 64 kbps - Facility	T			1									[
	Termination	I _		UNCDX	U1TD6	7.47	131.81	78.34				L				l .
	Interoffice Channel in combination - DS1 - per mile	$\overline{}$		UNCIX	1L5XX	0.1938										
\neg	Interoffice Channel in combination - DS1 Facility Termination	T		UNC1X	UTTF1	31.06	234.02	162.52								
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	4.44										
	Interoffice Channel in combination - DS3 - Facility Termination	T		UNC3X	U17f3	329.91	802.81	146.02								
	Interoffice Channel in combination - STS-1 - per mile	T	T	UNCSX	1L5XX	4.44										
\neg	Interoffice Channel in combination - STS-1 Facility Termination	T		UNCSX	U1TFS	339.20	802.81	146.02				I				
DITIONAL	NETWORK ELEMENTS							l.	L							
	onal Features & Functions:															
1 7,500	1	1	1	טודטו.		1	[1	[
- [Clear Channel Capability Extended Frame Option - per DS1	1)		ULDD1,UNC1X	CCOEF	1	0.00	L	<u> </u>	L				L		
- 		1	1	UITDI.												
	Clear Channel Capability Super FrameOption - per DS1	1	1	ULDD1,UNC1X	CCOSF	1	0.00	l	ļ	l _	1	l				
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity	T -	1	ULDD1, U1TD1.							T					
	per DS1	1 1		UNC1X, USL	NACCC	<u> </u>	184.76	23.80	1.99	0.78	3]					
		1	1	U1TD3, ULDD3,		T		· · · · · ·								
J	C-bit Parity Option - Subsequent Activity - per DS3	1	1	UE3, UNG3X	NACC3	<u> </u>	218.92	7.66	0.7576	0.00	o.].		[{		
_	DS1/DS0 Channel System	1	1	UNC1X	MO1	70.84			1							
	DS3/DS1Channel System			UNC3X, UNCSX	МОЭ	84.32	0.00		I		<u> </u>					
	Voice Grade COCI in combination			UNCVX	101VG	0.4329	54.14	17.51								
		+			T	1					1		1			
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	1		UEA	1D1VG	0.4329	6.39	4.58	1		}	J				
-	Voice Grade COCI - for connection to a channelized DS1 Local	\top	T	1	T	1			1		1					
1	Channel in the same SWC as collocation	1	1	UITUC	101VG	0.4329	6.39	4.58	I	1	1	ſ	į l			

NEUNDL	ED NETWORK ELEMENTS - North Carolina											Att: 2 Exh: A			
					τ					Svc Order	Syc Order	Incremental	incremental	Incremental	Increme
		ì			ļ					Submitted		Charge -	Charge -	Charge -	Charge
		!	1		ĺ					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual
TEGORY	RATE ELEMENTS	Interim	7000	acs	usoc			RATES(\$)							
I EGOK I	INAI E ELEMENTS	KILOI JI	1 2011	503	0300	l '		(A) CO(4)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
		l	Į I		Į.	Į.				ì	i '	Electronic-	Electronic-	Electronic-	Electro
		l	1			1						1st	Add'i	Disc 1st	Disc Ad
					ļ	ļ						L	I	L	<u> </u>
			1			Rec	Nonrec		Nonrecurring Disconnect				Rates(\$)		
			Ц.			1	First	Add'l	First Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	OCU-DP COCI (2.4-64kbs) in combination			UNCOX	ַםסוסו	0.9199	54.14	17.51						I	
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop		1	UDL	10100	0.9199	6.39	4.58							
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1		1		1	1									1
	Local Channel in the same SWC as collocation	l	1	ไป1700	1D1DD	0 9199	6.39	4.58	l l						ľ
	2-wire ISDN COCI (BRITE) in combination		1	UNCNX	UC1CA	1.53	54.14	17.51							· · · · · ·
	2-wire ISDN COCI (BRITE) - for a Local Loop	_	1	UDN	UC1CA_	1.53	6.39	4.58	 						
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	-	+	000	100707	1.00	0.00	4.00	· · · · · · · · · · · · · · · · · · ·					-	
- 1	Local Channel in the same SWC as collocation	1	1	U1TUB	UC1CA	1.53	6.39	4.58						ĺ	ľ
		 	 							 				ļ	
	DS1 COCI in combination	 		UNC1X	UC101	8.43	54.14	17.51					<u></u>	}	
	DS1 COCI - for Stand Alone Local Channel	—		ULDD1	UC1D1	8.43	6.39	4.58						L	
	DS1 COCI - for Stand Alone Interoffice Channel	<u> </u>		וסדוט	UC101	8.43	6.39	4.58					l		
	DS1 COCI - for DS1 Local Loop		1	USL, NTCD1	UC1D1	8.43	6.39	4.58							
	DS1 COCI - for connection to a channelized DS1 Local Channel in		-		1				T	1			[L	\
Į	the same SWC as collocation	ţ	1	UITUA	บดาอา	8.43	6.39	4.58	1	1	1	}	I		1
			1	UNCVX, UNCDX.	1	1				1			 	 	
		i	1	UNC1X, UNC3X.	1	1				İ					
		1	1	UNCSX, UDFCX,	1	1 1									
		1		XDH1X, HFQC6,	1	i i			[Į į			\	}	}
- 1		1	1		1	1 1									
- 1		[1	XDD2X, XDV6X,	-										
		[i	XDDFX, XDD4X,											
1	Wholesale - UNE, Switch-As-Is Conversion Charge			HFRST, UNCNX	NUCCC		5.43	5.43	Ll				i		
		1		UTTVX, UTTDX,	1										
- 1	Unbundled Misc Rate Element, SNE SAI, Single Network Element	1	ì	וטודטז, טודסט.	1	1	}							ļ	
	Switch As Is Non-recurring Charge, per circuit (LSR)	1	1	U1TS1, UDF, UE3	URESL	1	36.90	16.15	l i			1 .	Į į	ĺ	
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	+	+	UITVX, UITDX,	Unege	· · · · · · · · · · · · · · · · · · ·	00.50	10.10	 	+					
		1	1	U1TD1, U1TD3,	1										
	Switch As is Non-recurring Charge, incremental charge per circuit	l	Į						1	i i	ì	ì	1]	Ì
- }	on a spreadsheet			U1TS1, UDF, UE3	UHESP		1.49	1,49	<u> </u>		<u> </u>	<u></u>	l		
Acce	ss to DCS - Customer Reconfiguration (FlexServ)														
	Customer Reconfiguration Establishment		1				1.43	1.43							
1	DS1 DCS Termination with DS0 Switching]	1	I	1	21.64	24.81	19.09	l —l ···-—.		[L		
1	DS1 DCS Termination with DS1 Switching	1	1	T	1	7.32	17.93	12.22		T					
	DS3 DC5 Termination with DS1 Switching	$\overline{}$			1	136.07	24.81	19.09							
Node	(SynchroNet)														
	Node per month	1	7	JUNGDX	JUNCHT	16.00									
8	ice Rearrangements			Jones	10.10.11								<u> </u>		
26141	ice rearrangements	7		UITVX, UITDX,									,		
[ſ	1		İ	ŀ			!						
				U1TUC, U1TUD,	1				1 1					l 1	
- 1		i		U1TUB, ULDVX,		1 1	i		l I		1				Į
- 1	NRC - Change in Facility Assignment per circuit Service	1													
		ι	ı,	ULDDX, UNCVX,	1	1	ļ		{	1	\)	ì	ļ	
1	Rearrangement	1	<u>L</u>	ULDDX, UNCVX, UNCDX, UNC1X	URETD		100.82	42,93			` `	_			l
-	Rearrangement	1	┼	UNGDX, UNC1X U1TVX, U1TDX,	URETD		100.82	42,93		-		<u> </u>			<u> </u>
-	Rearrangement	-	+	UNGDX, UNC1X U1TVX, U1TDX,	URETD		100.82	42,93		-					
	Rearrangement		-	UNGDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD,	URETD		100.82	42,93		-		_			
				UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX,	URETD		100.82	42,93				-			
	NRC - Change in Facility Assignment per circuit Project			UNGDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,											
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.18	3.18							
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNGDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,											
MMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	 		UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.18	3.18							
MMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	-		UNGDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNGDX, UNC1X UNG1X, UNC3X	URETB		3.18	3.18							
MMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.18	3.18							
MMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UNGDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNGDX, UNC1X UNG1X, UNC3X	URETB		3.18	3.18							
MMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X UNC1X, UNC3X UNC1X, UNCDX, UNC1X, UNCDX, UNC1X, UNCDX, UNC1X, UNCDX, UNC1X, UNCDX, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UTD1.	URETB		3.18	3.18							
DMMINGL IN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNGDX, UNC1X UNC1X, UNC3X UNC1X, UNC3X, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TD1,	URETB		3.18	3.18							
DMMINGL IN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UNCOX, UNCIX, UITUX, UITUX, UITUX, UITUD, UITUB, ULDVX, ULDDX, UNCOX, UN	URETB		3.18	3.18							
SMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UNCOX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUC, U1TUD, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCYX, UNCOX, UNCIX, UNCIX, UNC3X UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCSX, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UULSX, U1TVX, U1TDX,	URETB		3.18	3.18							
DMMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA or circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UNGDX. UNC1X U1TVX. U1TDX, U1TUB, ULDVX. ULDDX. UNCVX. UNGDX. UNC1X UNGTX. UNC3X UNCYX. UNCDX. UNCYX. UNCDX. UNCYX. UTD1. UNCYX. UTD1. UTD1. UTD1. UTD1. UTD1. UTTD1. UTTD1. UTTDX. UTTDX. UTTDX. UTTDX. UTTDX. ULDVX.	URETB		3.18	3.18							
MMINGLIN	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport			UNCDX, UNC1X U1TVX, U1TDX, U1TUD, U1TUD, U1TUD, U1TUD, U1DDX, UNCVX, UNCDX, UNC1X UNC1X, UNC3X UNC1X, UNC3X UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UTD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TUB, ULDX, U1TVX, U1TDX, U1TVX, U1TDX, U1TUB, ULDVX, U1LDD1, ULDD3,	URETB OCOSR		3,18	3.18 16.89							
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NG Commingling Authorization			UNGDX. UNC1X U1TVX. U1TDX, U1TUB, ULDVX. ULDDX. UNCVX. UNGDX. UNC1X UNGTX. UNC3X UNCYX. UNCDX. UNCYX. UNCDX. UNCYX. UTD1. UNCYX. UTD1. UTD1. UTD1. UTD1. UTD1. UTTD1. UTTD1. UTTDX. UTTDX. UTTDX. UTTDX. UTTDX. ULDVX.	URETB	0.00	3.18	3.18							
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NG Comminging Authorization Imminged (UNE part of single bandwidth circuit)			UNGDX, UNC1X U1TVX, U1TDX, U1TUB, ULDVX, ULDDX, UNCVX, UNGDX, UNC1X UNGTX, UNC3X UNGYX, UNCDX, UNGYX, UNCDX, UNGYX, UNCDX, UNGYX, UNCDX, UNGYX, UNCDX, UNGYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, ULD03, ULD01, ULD03,	URETB		3.18 18.89	3.18 16.89							
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NG Comminging Authorization Imingied (UNE part of single bandwidth circuit) Comminged VG COCI			UNGDX, UNC1X U1TVX, U1TDX, U1TUG, U1TUG, U1TUG, U1TUG, U1DDX, UNCYX, UNGDX, UNC1X UNGTX, UNC3X UNC1X, UNC3X UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, U1TD1, U1TUG3, U1TD1, U1TUG3, U1TD1, U1TUG3, U1TD1, U1TUG3, U1TD2, U1TUG3, U1TUG3, U1TUG1, U1TUG3, ULDG1, ULDD3, ULDG1, ULDD3, ULDG1, ULDD3,	URETB OCOSR CMGAU	0.4329	3.18 18.89 0.00	3.18 18.89 0.00							
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NG Commingling Authorization Imaged (UNE part of single bandwidth circuit) Commingled Violet COCI Commingled Digital COCI	1		UNGDX, UNC1X U1TVX, U1TDX, U1TUB, ULDVX, ULDDX, UNCVX, UNGDX, UNC1X UNGTX, UNC3X UNGYX, UNCDX, UNGYX, UNCDX, UNGYX, UNCDX, UNGYX, UNCDX, UNGYX, UNCDX, UNGYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, ULD03, ULD01, ULD03,	URETB		0.00 54.14 54.14	3.18 16.89							
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NG Commingling Authorization Imaged (UNE part of single bandwidth circuit) Commingled Violet COCI Commingled Digital COCI			UNGDX, UNC1X U1TVX, U1TDX, U1TUG, U1TUG, U1TUG, U1TUG, U1DDX, UNCYX, UNGDX, UNC1X UNGTX, UNC3X UNC1X, UNC3X UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, U1TD1, U1TUG3, U1TD1, U1TUG3, U1TD1, U1TUG3, U1TD1, U1TUG3, U1TD2, U1TUG3, U1TUG3, U1TUG1, U1TUG3, ULDG1, ULDD3, ULDG1, ULDD3, ULDG1, ULDD3,	URETB OCOSR CMGAU	0.4329	3.18 18.89 0.00	3.18 18.89 0.00							
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NG Comminging Authorization Immingied (UNE part of single bandwidth circuit) Commingied USC COCI Commingied USC COCI Commingied USC COCI			UNGDX. UNC1X U1TVX. U1TDX U1TUG. U1TUG. U1TUG. U1DVX. ULDDX. UNCVX. UNGDX. UNC1X UNGTX. UNC3X UNC1X. UNC3X UNC1X. UNC3X UNC1X. UNC3X. UNC3X. U1TD1. U1TD3. U1TD1. U1TD3. U1TD1. U1TD3. U1TDX. U1TUG. ULDD3. ULDS1 ZDV2X XDV6X XDV7X	URETB OCOSR CMGAU	0.4329 0.9199	0.00 54.14 54.14	3.18.89 16.89 0.00							
ÖMMINGLIN Com	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NG Comminging Authorization minipled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Usitial COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI Commingled ISBN COCI			UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUC, U1TUD, U1TUC, UNCDX, UNCDX, UNC1X, UNCDX, UNC1X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, U1TD1, U1TVX, U1TD1, U1TVX, U1TD1, U1TVX, U1TD1, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, UNC1X, UNC	URETB OCOSR CMGAU TDIVG 1DIDD UCICA UITVE	0.4329 0.9199 1.53 12.12	0.00 54.14 54.14 54.14 131.81	3.18 18.89 0.00 17.51 17.51 17.51 76.34							
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NG Comminging Authorization Immingied (UNE part of single bandwidth circuit) Commingied USC COCI Commingied USC COCI Commingied USC COCI			UNGDX. UNC1X U1TVX. U1TDX U1TUG. U1TUG. U1TUG. U1DVX. ULDDX. UNCVX. UNGDX. UNC1X UNGTX. UNC3X UNC1X. UNC3X UNC1X. UNC3X UNC1X. UNC3X. UNC3X. U1TD1. U1TD3. U1TD1. U1TD3. U1TD1. U1TD3. U1TDX. U1TUG. ULDD3. ULDS1 ZDV2X XDV6X XDV7X	URETB OCOSR CMGAU	0.4329 0.9199 1.53	0.00 54.14 54.14 13181	3.18.89 16.89 0.00							

NOONDEE	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	:		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- tst	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
		+	 -	-	 	 	Nonrec	arring	Nonrecurring	Disconnect			065	Rates(\$)		
						Rec	First	Add'l	Firet	Add"l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				XDV2X, XDV6X,				· · · · · · · · · · · · · · · · · · ·	1.1.51	1		00/12/11	OCHPAN	SOMM	SOMAN	SUMA
	Commingled VG/DS0 Interoffice Channel per mile		l	XDD4X	1L5XX	0.0095				1	1		'			İ
	Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	11.96	385.26	72.08		†	 					
	Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	17.36	385.26	72.08								
	Commingled 2-wire Local Loop Zone 3			XDV2X	UEAL2	25.23	385.26	72.08								
	Commingled 4-wire Local Loop Zone 1			XDV6X	UEAL4	19.52	385.26	72.08								
	Commingled 4-wire Local Loop Zone 2			XDV6X	UEAL4	24.74	385.26	72.08			1					
	Commingled 4-wire Local Loop Zone 3			XDV6X	UEAL4	46.11	385.26	72.08								
	Commingled 56kbps Local Loop Zone 1	1	1	XDD4X	UDL56	21.98	385.26	72.08			T					
	Commingled 56kbps Local Loop Zone 2			XDD4X	UDL56	27.58	385.26	72.08			L					
	Commingled 56kbps Local Loop Zone 3	1	3	XDD4X	UDL56	43.08	385.26	72.08								
	Commingled 64kbps Local Loop Zone 1	1	1	XDD4X	UDL64	21.98	385.26	72.08			T			-		
	Commingled 64kbps Local Loop Zone 2	↓	2	XDD4X	UDL64	27.58	385.26	72.08		1	1					· · · · · · · · · · · · · · · · · · ·
	Commingled 64kbps Local Loop Zone 3	1	3	XDD4X	UDL64	43.08	385.26	72.08						***************************************		
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	19.78	385.26	72.08								
	Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	26.16	385.26	72.08								
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	35.37	385.26	72.08								
	Commingled DS1 COCI			XDH1X	UC1D1	8.43	54.14	17.51				`				
	Commingled DS1 Interoffice Channel Facility Termination	.1		XDH1X	U1TF1	31.06	234.02	162.52			1					
	Commingled DS1 Interoffice Channel per mile			XDH1X	1L5XX	0.1938					· · · · · · · · · · · · · · · · · · ·					
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	70.84	170.57				 	-				
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	63.62	412.03	139.55								
	Commingled DS1 Local Loop Zone 2	T .	2	XDH1X	USLXX	104.40	412.03	139.55								
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	210.22	412.03	139.55		 	†					
	Commingled DS3 Local Loop Facility Termination	Τ		HFQC6	UE3PX	229.90	3.073.55	1,245.84			† · · · · · · · · · · · · · · · · · · ·					
	Commingled DS3/STS-1 Local Loop per mile			HFQC6, HFRST	1L5ND	12.95		. ,;			1					
	Commingled STS-1 Local Loop Facility Termination			HFRST	UDLS1	257.82	3,073.55	1,245,84		 	 					
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	84.32					 					
	Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	329.91	802.81	146.02			 					
1	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	4.44					 					
	Commingled STS-1Interoffice Channel Facility Termination	1		HFRST	UITFS	339.20	802.81	146.02	· · · · · · · · · · · · · · · · · · ·		1					
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	4.44				 	 					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber		_							· · · · · · · · · · · · · · · · · · ·						
	Strands, Per Route Mile Or Fraction Thereof			HEODL	1L5DF	24.77						1				
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	 														
	Strands, Per Route Mile Or Fraction Thereof			HEODL	UDF14		620.60	133.88			1				}	
	UNE to Commingled Conversion Tracking			XDH1X, HFQC8	CMGUN	0.00	0.00	0.00	0.00	0.00	 					
	SPA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
P Query Ser		 			-	V.53		0.00	0.00	0.00						
	LNP Charge Per query	+		 	-	0.0007579										
	LNP Service Establishment Manual		_			0.0007373	12.16									
	LNP Service Provisioning with Point Code Establishment				 		576.33	294.43								
PBX LOCA		+	-		+		370.33	234.43								
	X LOCATE DATABASE CAPABILITY			·		<u> </u>				L	اا					
	Service Establishment per CLEC per End User Account	T		9PBDC	9PBEU	· · · · · · · · · · · · · · · · · · ·	1,823.00	·· · · · · · · · · · · · · · · · · · ·		,						
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.45			<u> </u>	ļ					
~ 	Per Telephone Number (Monthly)	+		9PBDC	ISPBMM	0.07	102.43			ļ		 ,,,				
	Change Company (Service Provider) ID			19PBDC	19PBPC	0.07	535.57				 					
\dashv	PBX Locate Service Support per CLEC (Monthit)	+		9PBDC	9PBMR	165.63	335.5/									
	Service Order Charge	+		9PBDC	9PBSC	103.03	15 30									
911 PR	X LOCATE TRANSPORT COMPONENT		ш	In PRO	Janbac	<u> </u>	15.20			<u> </u>		1				
See Att																
	-				1	· · · · · · · · · · · · · · · · · · ·										
	<u> </u>		1	1		, ,				1	1 1					

		l .												Att: 2 Exh: A			
ATEG	ORY	RATE ELEMENTS	Interin	Zone	BCS	USOC	i i		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual 8vc Order vs. Electronic-	Charge Manual Order v Electron
			-	F			Rec	Nonre	curring	Nonrecurring	Disconnect				Add'l Rates(\$)	Disc 1st	Disc Ad
-	The "Z	One" shown in the sections for stood about					1	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMA
	http://w	one" shown in the sections for stand-sions loops or loops as pr www.interconnection.bellsouth.com/become_s_clec/hbm/interc. SUPPORT SYSTEMS (ASS)_"REGIONAL DATES	ert of a c	ombina n htm	tion refers to Geogra	phically Dea	veraged UNE Zo	ones. To view (Seographically	Deaveraged UI	E Zone Design	tions by Co	ntral Office	mfor to leter			
PERAT	TIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1,000									na 21 Onice,	tetet to intern	et Website:		
- l	NOTE:	(1) CLEC should contact to annual contact to ann						I									
	state sp	(1) CLEC should contact its contract negotiator if it prefers the pecific Commission ordered rates for the service ordering charge (2) Any element that can be ordered electronically will be billed	"state s	ecific"	OSS charges as orde	ered by the S	State Commissio	ons. The OSS of	harges current	ly contained in	this rate evhibit	n= 15= 4T P					
	ordered CLECs	electronically at present per the LOH, the listed SOMEC rate in bill when it submits an LSR to AT&T.	according this cate	g to th	e SOMEC rate listed of the Some state of the	ervice order In this categ It would be b	ring charge, how ory. Please refe tilled to a CLEC	r to AT&T's Loc once electronic	not obtain a n al Ordering Ha ordering capab	nixture of the to ndbook (LOH) ollities come on	o regardless if o determine if a line for that elec-	CLEC has a product car nent. Other	interconnection of the ordered	tion contract: section contract: sectionically	Ing charges. stablished in For those ek	each of the 9 ements that co	states, nnot be
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				1	T								Citalge, GOM.	AN, WIII DE AD	phed to a
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
E SE	RVICE	DATE ADVANCEMENT CHARGE		-		SOMAN		15.69	0.00	1.97	0.00						
	NOTE:	The Expedite charge will be maintained commensurate with Bo	IIS outh	FCC	No.1 Tariff, Section 5	as applicabl					3.00						
					UAL, UEANL, UÇL,	- пррисво	1										
					UEF, UDF, UEQ,			ĺ				1					
			1		UDL, UENTW, UDN,				-			İ		1	- 1		
	- 1		1		UEA. UHL, ULC. USL. U1712, U1748.		1 1		1					- 1	1		
					U1TD1, U1TD3,									- 1	ŀ	ļ	
	ļ			- 1	U1TDX, U1TO3,		l !							- 1		ł	
- 1				- 1	U1TS1, U1TVX		l [1		1	1		- 1			- 1	
				i	UC1BC, UC1BL,] [1				1		- 1	
	- [UC1CC, UC1CL,		i		ľ		- 1	i				- 1	
					UC1DC, UC1DL,		ļ į								1	1	
					UCIEC, UCIEL,		i I	ļ	1	İ				- 1	- 1		
				l.	UC1FC, UC1FL,			ĺ	- 1			ļ	1				
	i				UC1GC, UC1GL, UC1HC, UC1HL,						1		1	1			
	- 1				JDL12, UDL48.						1			i	ŀ		
- 1	- 1				UDLO3, UDLSX.		[J	i	- 1				1	1	
- 1	i				JE3, ULD12.			- 1	İ		- 1				i	- 1	
					JLD48, ULDD1,					ļ							
				į.	JLDD3, ULDDX.		i			ľ				- 1		ļ	
			f	- I	JLDO3, ULDS1,		·	!	i							- 1	
					JLDVX, UNC1X,			-		1	1			- 1	ŀ		
			1		JNC3X, UNCDX.					- 1	- 1	- 1		- 1		- 1	
	1		- 1		JNCNX, UNCSX,									-			
	- 1				JNCVX, UNLD1,		- 1		ľ	- 1		ĺ		i		ļ	
	ı				JNLD3, UXTD1, JXTD3, UXTS1,		ŀ			.						i	
	- 1				ITUC UTTUD					į					- 1		
	1				JITUB.			1	1		1						
1	ĺñ	NE Expedite Charge per Circuit or Line Assignable USOC, per			ITUA,NTCVG.		i							!			
ER M	ODIFIC	ay ATION CHARGE		N	ITCUD, NTCD1 S	DASP		200.00		i i				i	- 1	1	
	0	rder Modification Charge (OMC)															
145151	10	rder Modification Additional Disputch Character (CARCAE)		-+				26.21	0.00	0.00	0.00						
12-Y	ED EX	CHANGE ACCESS LOOP NALOG VOICE GRADE LOOP						150.00	0.00	0.00	0.00						
	2-	Wire Analog Voice Grade Loop - Service Level 1- Zone 1		4 10													
-1		Wire Analog Voice Grade Loop - Service Level 1, Zone 2	_			EAL2	14.94	37.92	17.62	23.56	5.32						
		Wire Analog Voice Grade Logo - Service Level 1- Zone 3			No. of the last of	IEAL2	21,39	37.92	17.62	23.56	5.32						
-	12.	Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1 U	EANL	EASL	26.72 14.94	37.92	17.62	23.56	5.32						
+]2-	Wife Analog Voice Grade Loop - Service Level 1, Zone 2		2 U	EANL	EASL	21.39	37.92 37.92	17.62	23.56	5.32						
+	12-	Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3 U	EANL U	EASL	26.72	37.92	17.62	23.56	5.32						
+-		ag Loop at End User Premise oop Testing - Basic 1st Half Hour		Ü	EANL U	RETL	20.74	8.95	17.62 0.88	23.56	5.32						
-	10	resting - Basic 1st Haif Hour rop Testing - Basic Additional Haif Hour			EANL U	RET1		34.23	0.00								
_	M	artual Order Coordination for UVL-SL1s (per loop)			EANL U	RETA		19.90	19.90								
	Or	rder Coordination for Specified Conversion Time for UVL-SL1	-+	<u> </u> ⊻	EANL U	EAMC		8.17	8.17								
		The second of th									,						
	(p	er LSR)	- 1	- In	EANL O	COSL	1	18.13	18.13								

	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC	÷		RATES(\$)			Svc Order Submitted Elec per LSR		incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
		<u> </u>	-			Rec	Nonrec		Nonrecurring					Rates(\$)		·
		 	\vdash				First	Add'l	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for AT&T providing		1	LIPANI	UEANM			13.47							Į	
	make-up (Engineering Information - E.I.)	 	 	UEANL	UEANM		13.47	13.47								
	Unbundled Loop Service Rearrangement, change in loop facility.	1		UEANL	UREWO	1	15.81	8.96	23.56	5.00	i					1
	per circuit Bulk Migration, per 2 Wire Voice Loop-SL1	┼~~~		UEANL	UREPN	 	37.92	17.62	23.56	5.32 5.32	·			·		
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1	 		UEANL	UREPM	 	8.17	8,17	23.30	3.32						
	Unbundled COPPER LOOP	·			10710.10		9,177	- VIII								·
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	T	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42	1				T	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	 		UEQ	UEQ2X	14,51	36.40	16.10	22.66	4.42						<u> </u>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	Τ	1													
	Premise		<u> </u>	UEQ	URETL	<u> </u>	8.95	88.0								<u> </u>
	Loop Testing - Basic 1st Half Hour	\Box		UEQ	URET1		34.23	0.00								
	Loop Testing - Basic Additional Half Hour	 	 	DEQ	URETA	<u> </u>	19.90	19.90								-
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	1		l			احر				ļ					1
	Designed (per loop)	 		DEO	USBMC	 	8.17	8.17			ļ <u> </u>			ļ		
1 '	Unbundled Copper Loop - Non-Design billing for AT&T providing	1	1	NEO	DEOMU		13.47	13.47			1		1	İ	I	1
	make-up (Engineering Information - E.I.) Unbundled Loop Service Rearrangement, change in loop facility,	 	┼	050	TOEGIND.	 	13.4/	13.47	 -i							
	per circuit		1	UEQ	UREWO		14.30	7.45	22.66	4.42					•	
	Bulk Migration, per 2 Wire UCL-ND	+	 	UEQ	UREPN		36.40	16.10	22.66	4,42	 		 			
	Bulk Migration Order Coordination, per 2 Wire UCL-ND	+		UEQ	UREPM		8.17	8.17	<u> </u>	7,72			-			
INBUNDI ED E	XCHANGE ACCESS LOOP	+-	 		0.1.0.1.11	 									 -	
	ANALOG VOICE GRADE LOOP			·		·									L	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	Т	Τ		T											
	Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61	Ļ			ļ	ļ	\
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	\top	1													
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	_ 68.43	53.05	10.61			_	L		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	T-				1				· · · · ·	1		i			
	Ground Start Signating - Zone 3	1	3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61			_			<u>L</u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1								1					
	Battery Signaling - Zone 1	<u> </u>	1.	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						<u></u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	1				1									
	Battery Signating - Zone 2	 	2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	i	Ι.	l	l	1					į		ļ i	1	,	
	Battery Signaling - Zone 3	ļ	3	UEA	UEAR2	28.45	105.98	68.43	53.05	10.61	ļ <u>.</u>					ļ
i	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per				UPFCI	1		5.54							1	
	(DSO)		+-	UEA	URESL	+	24.88	3.51	<u></u>							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per IDS0)			UEA	URESP	1	26.37	4.99	1							i
$-\!\!\!\!-\!\!\!\!\!-$		+-	+	UEM	UNESP		20.37	4.99	-							
1	Unbundled Loop Service Rearrangement, change in loop facility,		1	UEA	UREWO	1	87.90	36.44					!	1		1
	per circuit	+-	+	UEA	URETL	 	11.24	1.10								
	Loop Tagging - Service Level 2 (SL2) Bulk Migration, per 2 Wire Voice Loop-SL2	+	 	UEA	UREPN	+	105.98	68.43		·	 			 		
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	+	 	UEA	UREPM	+	0.00	0.00	 		 					
4.WIRE	ANALOG VOICE GRADE LOOP			1	144-141 199		0.00	- 5,50	·	·			·			
	4-Wire Analog Voice Grade Loop - Zone 1	Ţ	1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.51			ſ	I		
	4-Wire Analog Voice Grade Loop - Zone 2	+-	2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61	 					
	4-Wire Analog Voice Grade Loop - Zone 3		3		UEAL4	43.38	132.38	94.83		14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		1										_			
	DS0)		L	UEA	URESL		24.88	3.51			j					İ
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1	1												
	OS0)	<u> </u>		UEA	URESP		26.37	4.99	l	<u></u>	<u> </u>					L
	Unbundled Loop Service Rearrangement, change in loop facility,	[["	[(T					(1				· · · · · · · · · · · · · · · · · · ·
	per circuit			UEA	UREWO	<u> </u>	87.90	36.44	L			<u>L </u>	L			
2-WIRE	ISDN DIGITAL GRADE LOOP									····						
	2-Wire ISDN Digital Grade Loop - Zone 1	1	3"	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
	2-Wire ISON Digital Grade Loop - Zone 3		1 3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61	ļ			ļ <u></u>		
	Unbundled Loop Service Rearrangement, change in loop facility,	1	1	Luna	l Inc				j				1	' '	1	_
	per circuit	17001 7	LOCE	ΠDΝ	UREWO		91.82	44.25			<u> </u>			L	L,	L
	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	AIIBLE	LUUP	· · · · · · · · · · · · · · · · · · ·												
2-WIRL	2 Wire Unbundled ADSL Loop including manual service inquiry &															

ONRONDLE	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC	ē		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order V Electron Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
1	Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	13,71	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	<u> </u>	3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7,93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7,93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3	ļ <u>.</u>	3	UAL	UAL2W	14,14	95.81	57.82	50.37	7.93						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	1	\	UAL	UREWO]	86.38	40.48								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP													-
	2 Wire Unbundled HDSL Loop including manual service inquiry &	T	T			[<u></u>]			T	T	T					
	facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry 8	├	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry &	<u> </u>	2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93	<u> </u>					
	facility reservation - Zone 3	ļ	3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						<u></u>
	2 Wire Unburdled HDSL Loop without manual service inquiry and facility reservation - Zone 1	-	1	UHL	UHL2W	9.58	104,49	66.50	50.37	7.93	ļ					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and	ļ	2	UHL	UHL2W	10.92	104.49	66,50	50.37	7.93	ļ					<u> </u>
	facility reservation - Zone 3	↓ _	3	UHL	UHL2W	11,40	104.49	66,50	50.37	7.93						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	}		UHL	UREWO	ļ i	86.32	40.48								l
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		OOP													
\	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1_1_	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4X	14.33	158,18	107.89	55,12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSt, Loop without manual service inquiry and facility reservation - Zone 1	<u> </u>	1	UHL_	UHL4W	16.02	133,14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	ļ	2	UHL	UHLAW	14.33	133,14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	<u> </u>	3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		<u> </u>	UHL	UREWO		86.32	40.48								
4-WIRE	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1	 		USL	USLXX	79.51 136.00	253.03 253.03	157.89 157.89	44.80 44.80							
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	+		USL	USLXX	229.15	253.03	157.89					ļ			
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per IDS1)	†	-3	USL	URESL	223.10	24.88	3.51	44.60		· · · · · · · · · · · · · · · · · · ·	 -				
 	IOS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)	†		USL	URESP		26.37	4.99		 						i
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		 	USL	UREWO	†·	101.30	43.13		 	╁╴┈					Γ —
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		<u> </u>							<u> </u>		<u> </u>				·
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDLZX	29.93	126.66			14.61	T.					
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	4		UDL	UDL2X	33.99		89.12								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	1-	3	UDL	UDL2X	34.74										
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			UDL	UDL4X	29.93	126.66									
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	+		UDL	UDL4X UDL4X	33.99 34.74	126.66 126.66	89.12 89.12	59.35 59.35			 				
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	+		UDL	UDL9X	29.93	126.66	89.12		14.61		 				
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	_		UDL	UDL9X	33.99	126.66	89.12								
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	T:		UDL	ÚDL9X	34.74	126.66	89.12								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1 1	UDL	UDL19	29.93	126.66	89.12								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	7	2	UDL	ÚDL19	33.99	126,66	69.12	59.35	14.61	Т					

	ED NETWORK ELEMENTS - South Carolina	·											Att: 2 Exh: A			
ATEGORY	RAYE ELEMENTS	Interim	Zone	BCS	Usoc			RATES(\$)				Svc Order Submitted Menually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svo Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order v Electron Disc Ad
		 	-		_	Rec	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	 		UDL			First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	· · · · · ·		UDL	UDL19	34.74	126.66	89.12	59.35	14.61				SOME	SUMAN	3 UMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	 		UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	33.99	126.66	89.12	59.35	14.61	1					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL56	34,74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 		UDL	UDL64	29.93	126.66	89.12	59.35	14,61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	 		UDL	UDL64 UDL64	33.99	126.66	89.12	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		-	QDL.	UDL64	34.74	126.66	89.12	59.35	14.61						
	(DS0)	l		UDL	URESL											
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	_		24.88	3.51								
	Unbundled Loop Service Rearrangement, change in loop facility.	,			URESP		26.37	4.99								
7 14075	per circuit			UDL	UREWO		102.34	49.85					Í		1	
2-WIRE	Unbundled COPPER LOOP							75.00								
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL_	UCLPB	12.19	119.91	69.62	50.37	7.93			- 1			
	2-Wire Unbundled Copper Loop-Designed Including manual					=7.9		30.02	30.37	7.93						
	service inquiry & facility reservation - Zone 2	L	2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93			- 1			
1	2 Wire Unbundled Copper Loop-Designed including manual service							00.02	30.37	7.93						
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93	1		1			
1 1	2-Wire Unburdled Copper Loop-Designed without manual service	'					-	50.02	30.07	7.53						
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93	i	- 1	ì	ļ		
1	2-Wire Unbundled Copper Loop-Designed without manual service								50.07	7.53						
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93		1		İ		•
	2-Wire Unbundled Copper Loop-Designed without manual service							70.00	50.07	7.50						
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93			- 1	- 1		
	Order Coordination for Unbundled Copper Loops (per loop)			UÇL	UCLMC		8.17	8.17	00.07	7.53						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		- 1		!											
4-WIDE	COPPER LOOP			UCL	UREWO		94.87	42.57		!		i	- 1		1	
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1															
	4-Wire Copper Loop-Designed including manual service inquiry		-1	UCL	UCL45	19.64	144.17	93.88	55.12	10.38		1		i		
	and facility reservation - Zone 2		ا م		i I											
	4-Wire Copper Loop-Designed including manual service inquiry		2	UCL	UCL4S	20.90	144,17	93.88	55.12	10.38					- 1	
	and facility reservation - Zone 3	- 1	3			-										
	4-Wire Copper Loop-Designed without manual service inquiry and		. 3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38					- 1	
	facility reservation - Zone 1			UCL	I J	-										
	4-Wire Copper Loop-Designed without manual service inquiry and			UUL.	UCL4W	19.64	119.13	81.15	55.12	10.38	j	J				
1	facility reservation - Zone 2	- 1	2	UCL	I 1											
	4-Wire Copper Loop-Designed without manual service inquiry and			UCL	UCL4W	20.90	119.13	81.15	55.12	10.38			- 1	- 1		
1 1	facility reservation - Zone 3	1	3	UCL												
	Order Coordination for Unburdled Copper Loops (per loop)	-		UCL	UCL4W UCLMC	19,34	119.13	81.15	55.12	10.38	ľ		- 1			
	Unbundled Loop Service Rearrangement, change in loop facility,			JCL	OCLMC		8.17	8.17								
	per circuit	1	- 1	UCL	UREWO	- 1		[
				JÉA, UDN, UAL.	DREWO		94.87	42.57							1	
	Order Coordination for Specified Conversion Time (per LSR)	1		JHL, UDL, USL	OCOSL											
Rearran	gements			511E, 55E, 55E	100031		18.13				_		i		- 1	
1 1	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	-			T											
	SL2	ļ	- 1	JEA	UREEL	i										
				JL^	UNCEL		87.90	36.44						- 1	- 1	
!	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	- 1	- li	JFA	UREEL											
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			JDN	UREEL		87.90 91.82	36.44 44.25							1	
					TOTAL COLUMN		91.82	44.25								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop		l.	JDL	UREEL		102.34	40.05								
	EEU to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			JSL	UREEL		102.34	49.85								
	MINGLING				1-11-2-		101.30	43.13								
LOOP CON	ANALOG VOICE CEARE LOGE ACTUALITY				•											
2-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING				· · · · · · · · · · · · · · · · · · ·											-
2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		J		1 !							_				
2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1 1	VTCVG	UEAL2	16 62	105 99	60 40	E2 05			I	- 1			
2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	TCVG	UEAL2	16.68	105.98	68.43	53.05	10.51						
2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2			TCVG												
2-WIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				UEAL2	16.68 23.13	105.98	68.43 68.43	53.05 53.05	10.61						 +

MBUNDER	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
TEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svd Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Adi
	<u> </u>	——	-		ļ <u> </u>	Rec	Nortrec		Nonrecurring					Rates(\$)		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		ļ		 		First	Add'I	First	Add¹l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	16.68	105.98	68.43	53.05	10.61						ĺ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1			100,000	10:00	100.50	00.43	33.03	10.01					 	
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61					İ	l
	2-Wire Analog Voice Grade Loop · Service Level 2 w/Reverse	 	1							····					· · · · · · · · · · · · · · · · · · ·	
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	28.46	105.98	68.43	53.05	10.61						
1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per														I	[
	DS0) Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per	₩		NTCVG	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per CINE Loop, Spreadsheet, (per DS0)		l .	NTCVG	URESP		26.37	4.99								1
	Unbundled Loop Service Rearrangement, change in loop facility,	┼	-	NICVG	UNESP		20.3/	4,58							ļ	
	per circuit	1) '	NTCVĢ	urewo		87.90	36.44							! :	1
	Loop Tagging - Service Level 2 (SL2)			NTCVG	UHETL		11.24	1.10								
	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3	↓	3	NTCVG	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			NTOVO	Lunger .										i	l
	DS0) Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per		├	NTCVG	URESL		24.88	3.51			_					<u> </u>
	DS0)	ì		NTCVG	URESP		26.37	4.99								l
	Unbundled Loop Service Rearrangement, change in loop facility,	 -	_	141040	UNEST		20.07	4.99								
	per circuit	1	l	NTCVG	UREWO		87.90	36.44			ì				!	i
4.WIRE	DS1 DIGITAL LOOP - COMMINGLING				101.02.10		01.001	- 44.44			·			·	·	
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	79.51	253.03	157.89	44.80	11.73	T		• • • • • • • • • • • • • • • • • • • •		i	
	4-Wire DS1 Digital Loop - Zone 2	\top		NTCD1	USLXX	136.00	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 3		. 3	NTCD1	USLXX	229.15	253.03	157.89	44.80	11.73						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	"							<u> </u>						
	DS1)			NTCD1	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	1)	·)]		1 .					
	DS1)	 		NTCD1	URESP		26.37	4.99			ļ					——
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		}	NTCD1	UREWO		101.30	43.13							!	ı
A.WIDE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	٠	1	IMICDI	TONEAAC	<i>ــــــــــــــــــــــــــــــــــــ</i>	101.30	43.13	ــــــــــــــــــــــــــــــــــــــ							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	T	1	NTCUD	TUDL2X	29.93	126.68	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	1		NTCUP	UDL2X	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	1		NTCUD	UDL2X	34.74	126.66	89.12		14.61						
	4 Wire Unburdled Digital Loop 4.8 Kbps -Zone 1		1	NTCUD	UDL4X	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	₩-		NTCUD	UDL9X	29.93	126.66	89.12	59.35	14.61						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	 		NTCUD	UDL9X	33.99	126.66	89.12		14.61						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1	+	3	NTCUD NTCUD	UDL9X UDL19	34.74 29.93	126.66 126.66	89.12 89.12		14.61						
	4 Wire Unburdled Digital 19.2 Kbps - Zone 2	┿~	<u> </u>	NTCUD	UDL19	33.99	126.66	89.12		14.61	ļ <u>-</u> i					
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	+	3	NTCUO	UDL19	34.74	126.66	89.12		14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	+	1 1	NTCUD	UDL56	29.93	126.66	89.12		14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	33.99	126.66	89.12		14,61	 					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	 	3	NTCUD	UDL56	34.74	126.66	89,12		14.61						$\overline{}$
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	INTOUR	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			NTCUD	UDL64	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	34.74	126.66	89.12	59.35	14.61						_
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	1	Leann							1					
	DS0)		₩	NTCUD	URESL		24.88	3.51								
- {	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)	1	1	NTCUD	URESP) 1	26.37	4.99	}]						l i	
	Unbundled Loop Service Rearrangement, change in loop facility,	+	┿	NT COD	TOREST.		26.37	4.99								
	per circuit	1	1	NTCUD	UREWO		102.34	49.85							l l	
		_	1	NTCVG, NTCUD.	J.,,,,,,		102.34	-9.03			 					
- 1	Order Coordination for Specified Conversion Time (per LSR)	1	1	NTCD1	ocost]	18,13									
	OF SERVICE	 							·							

													Att: 2 Exh: A			
CATEGOR	RATE ELEMENTS	Interin	Zone	BCS	USOC	:	No.	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual 8 Order v Electron Disc Ad
			-	UDC. UEA, UDL.		Rec	First	Add'l	Nonrecurrin First	Disconnect			OSS	Rates(\$)		
				UDN. USL. UAL. UDN. USL. UAL. UHL. UCL. NTCVG. NTCUD. NTCD1, UTTD1, UTD3, U1TDX. U1TD3, U1TDX. UDSX. UBS3. ULDD1, ULDD3, ULDDX. URD3, ULDDX. UNC1X, UNC3X, UNC3X, UNC3X,						Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Maintenance of Service Charge, Basic Time, per half hour		i !	UNCDX, UNCSX,				,	1					- 1		
	Maintenance of Service Charge, Overtime, per half hour			DC. UEA, UDL. DD., USL, UAL. HL, UCL, NTCVG. TCUD, NTCD1. ITD1, UITD3, ITDX, UITS1, ITVX, UDF, DFCX, UDLSX, E3, ULDD1, .DD3, ULDDX, .COS, ULDX, .COS,	MVVOT		90.00									
DP MODIFE	Maintenance of Service Charge, Premium, per half hour		UN NU	ICDX UNCSX.	IVVPT	- 1					ŀ		1			i
	THE STATE OF THE S				4461		100.00	75.00			1		J		ĺ	ļ
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or expense of the 1980 of t		UE	L, UHL, UCL, Q, ULS, UEA, ANL, UEPSR, PSB U	LM2L		32.46	32.46								
	than or equal to 18K ft, per Unbundled Loop		UH	L, UCL, UEA U	LM4L		32.46]
-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UE	L, UHL, UCL, Q, ULS, UEA, ANL, UEPSR, PSB UI	.мвт			32.46								
Sub-Lo	op Distribution						32.48	32.48							1	
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up		UE	ANL, UEF US	BSA		241.42	245.15								
P 1	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	_	-	ANL, UEF US	BSB		22.69	241.42					-			
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-		UE/	INL US	BSC		177.84	177.84								
	Toh		UEA	MI Lon	BSD								- 1	- 1	- 1	- 1

	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		┼		usoc	.:		RATES(\$)			Submitted Elec per LSR	Menually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Syc Order va. Electronic- Add'i	Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charge Manual S Order v Electron Disc Ad
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2					Rec	Nonre First	curring Add'l	Nonrecurring	Disconnect			OSS	Rates(\$)		
	Zone 2							Adbi	First	Add'1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 2			UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	Situation Distribution Box 2 1864- 4		2	UEANL	USBN2	12.58	65.94	31.03								
1 1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANI			03.54	31.03	45.35	6.71						
1 1	0.1			UEANL	USBN2	14.79	65.94	31 03	45.35	6.71						
I 1-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBMC		8.17	8.17								
			,	UEANL		7	0.17	B.17								
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop			UEANL	USBN4	14,11	79.21	44.29	49.82	9.09		1				
1 14	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		2	UEANL	USBN4	19.40	79.21	44.29	40.00							
7	Zone 3		3	NE ALI			70.21	44.29	49.82	9.09						
			. 3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09	- 1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBMC	1	8.17	8.17								
1 1			$\overline{}$	UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
9	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ı		UEANL	UCRUO				43.55	6.71						
- S	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBMC USBR4	5.36	8.17 59.38	8.17 24.47			i		ŀ	i		
c	Order Coordination for Unbundled Sub-Loops, per sub-loop pair					9.50	35.38	24.47	49.82	9.09						
	oop resuring - basic 1st Hair Hour			JEANL JEANL	USBMC URET1		8.17	8.17		1						
1	cop Testing - Basic Additional Half Hour			JEANL	URETA		34.23	0.00			-					
- 2	Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1		UCS2X	7.11	19.90 65.94	19 90								
- 2	Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2 (UCS2X	9.83	65.94	31.03 31.03	45.35	6.71						
1 1	Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3 [JEF	UCS2X	10.48	65.94	31.03	45.35 45.35	6.71 5.71						
0	order Coordination for Unbundled Sub-Loops, per sub-loop pair		l,	JEF	USBMC			01.00	45.33	5.71						
1 4	Wife Copper Unbundled Sub-Loop Dietribution, Zone 1		716		UCS4X	7.85	8.17	8.17		i				1		
	Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2		UC\$4X	14,17	79.21 79.21	44.29	49.82	9.09						
+ + +	Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3 (JEF	UCS4X	12.64	79.21	44.29 44.29	49.82 49.82	9.09			-			
0	rder Coordination for Unbundled Sub-Loops, per sub-loop pair)EF	1		75.27	44.68	49.82	9.09						
1 100	Top Tagging Service Level 1, Unbundled Copper Loan, Non-			/EF	USBMC		8.17	8.17		- 1			1			
De	esigned and Distribution Subloops		ı	IEF, UEANL	URETL	1						-				
- Lo	pop Testing - Basic 1st Half Hour			EF	URET1		8.95	0.88								
Unbundle	pop Testing - Basic Additional Half Hour d Sub-Loop Modification		Ú	EF	URETA		34.23 19.90	19.90								
U	nbundled Sub-Loop Modification - 2-W Copper Dist Load						19.50	13.30	<u>-</u>							
l Co	DIVEGUID Removal per 2-W PR		- 1	EF				, T								
Ür	bundled Sub-loop Modification - 4-W Copper Dist Load		٦,	EF	ULM2X		176.17	5.11							T	
	ZIVEQUIP Hemoval per 4-W PR		υ	EF	ULM4X		176.17	5.11								
i iumi	bundled Loop Modification, Removal of Bridge Tap, per bundled loop	1		EF.	1		170.17	3.11								
Unbundled	Network Termination Wire (LNTW)		JO	EF	ULMBT		278.82	6.13		1						
į (Un	bundled Network Terminating Wire // INTW/ per Pair		ΤŪ	ENTW	UENPP	0.3303										
MOLMOUX IL	iterface Device (NID)				JOENNY 1	0.3303	30.20	30.20				-				
Ne Ne	twork Interface Device (NID) - 1-2 lines twork Interface Device (NID) - 1-6 lines			ENTW	UND12		43.68	28.79								
Ne	twork Interface Device Cross Connect - 2 W			ENTW	UND16		64.42	49.53								
l Ne	WORK Interface Device Crans Connect 400			ENTW ENTW	UNDC2		5.92	5.92								
THER, PRO	VISIONING ONLY - NO RATE	_		ENTW	UNDC4		5.92	5.92								
Uni	bundled Contact Name, Provisioning Only - no rate		UI UI UI V1	AL, UCL, UDC, DL, UDN, UEA, HL, UEANL, UEF, EQ, UENTW, TCVG, NTCUD, TCD1, USL	UNECN	0.00										
Unt	bundled DS1 Loop - Superframe Format Option - no rate		ÜS	L, NTCD1	CCOSF	0.00	0.00								1	
Unk	bundled DS1 Loop - Expanded Superframe Format option - no		-				0.00	· · · · · · · · · · · · · · · · · · ·								
NHO	- Dispatch and Service Order for NID installation			L, NTCD1	CCOEF		0.00		1					-		
UN	TW Circuit Establishment, Provisioning Only - No Rate			NTW	UNDBX	0.00	0.00									- 1

NOONDLE	D NETWORK ELEMENTS - South Carolina											_	Att; 2 Exh; A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	·		RATES(\$)		.,	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Charge
					1	Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	•	
						7.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
OP MAKE-U		-	ļ		ļ						<u> </u>					
	Loop Makeup - Preordering Without Reservation, per working or		ĺ	10.44		i !	04.04									İ
	spare facility queried (Manual).	 	 	UMK	UMKLW	ļ	24.04	24.04							ļ	
!	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.49	25.49							ļ	İ
	Loop Makeup-With or Without Reservation, per working or spare	 		OWIN	OWINE	 	20.48	23.43								
ļ	facility queried (Mechanized)			имк	UMKMQ		0.34	0.34	ł							İ
NE SPLITTIN	G													 		
END U	SER ORDERING-CENTRAL OFFICE BASED															·
	Line Splitting - per line activation DLEC owned splitter			UEPSA UEPSB	UREOS	0.61										
	Line Splitting - per line activation AT&T owned - physical	<u> </u>		UEPSA VEPSA	UREBP	0,61	37.09	21.24		9.85						
	[Line Splitting - per line activation AT&T owned - virtual	<u> </u>	L	UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85	<u> 1</u>	!			l	l
	SER ORDERING - REMOTE SITE LINE SPLITTING		· · · · ·													
	NDLED EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP															
2-1411/12	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	T	T	 		1					т					
	Zone 1	!	1 1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						Ì
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_		42.125				20.00	5.02	 					
- !	Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32		!				Ì
- 	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-										 					
	Zone 2	1	2	UEPSR UEPSB	UEALS	21 39	37.92	17.62	23.56	5.32						Ì
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-										1					
	Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						İ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-												- "			
	Zone 3	ļ	3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						İ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1 _		1											ĺ
- BUVE	Zone 3	<u> </u>	3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32	1			L		<u> </u>
PHISI	CAL COLLOCATION Physical Collocation-2 Wire Cross Connects (Loop) for Line		1			,										
	Splitting			UEPSR UEPSB	PEILS	0.0341	12.32	11.83	5.04	5.45	!					l
VIRTU.	AL COLLOCATION	'	·	OCT OTT OCT OD	1, 5,120	0.0041	12.02	11.00	0.04	3,43					L	ь
	l l	T									Γ.				r	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VEILS	0.0317	12.32	11.83	5.04	5.45						l
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0167										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile	-		UITVX	1L5XX	0.0167										
	Interesting Channel 2 Wire VC Day Day Facility Termination		[U1TVX	U1TR2	24.70	40.00	07.47	40						'	i
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination Interoffice Channel - 4-Wire Voice Grade - per mile	┼	 	UITVX	1L5XX	24.30 0.0167	40.63	27,47	16.77	6.91	-					
	Interotrice Citatral - 4-Mile Agide Orage - Decimile	1	-	UTIVA	ILSAA	V,u167					-					
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination		1	UITVX	U1TV4	21.29	40.63	27.47	16.77	6.91						ı
	Interoffice Channel - 56 kbps - per mile	 	 	UITDX	1L5XX	0.0167	-0.03		10.77	0.31				····		
	Interoffice Channel - 56 kbps - Facility Termination	 		UITOX	U1TD5	16.76	40.63	27.47	16.77	6.91	 					
	Interoffice Channel - 64 kbps - per mile			UITDX	1L5XX	0.0167			70.77		 					
	Interoffice Channel - 64 kbps - Facility Termination	1		U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91	·					
	Interoffice Channel - DS1 - per mile	1		U1TD1	1L5XX	0.3415				5.5	 					
	Interoffice Channel - DS1 - Facility Termination	j		U1TD1	UITFI	77,14	89.47	81.99	16.39	14.48	1					
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	8.02					I					
	Interoffice Channel - DS3 - Facility Termination	1		U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Interoffice Channel - STS-1 - per mile	 _ 	 	U1TS1	1L5XX	8.02										
	Interoffice Channel - STS-1 - Facility Termination	Ь.	<u> </u>	U1TS1	UITFS	880.55	279.37	163.12	60.33	58.59						
UNBUI	NDLED DARK FIBER		1								,					
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	1	LIDE LIDEON	1L5DF											
	Route Mile Or Fraction Thereof	 	 	UDF, UDFCX	I I LOUP	36.41										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1		UDF, UDFCX	UDF14		640.51	120 17	047 =0	400 **] .					i
CH CARACE	Route Mile Or Fraction Thereof TY UNBUNDLED LOCAL LOOP	+		OUF. OUFCX	10DF 14	 	640.51	138.17	317.76	198.11	 					
	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone										I					
100-010	DS3 Unbundled Local Loop - per mile		1	IUE3	TILSNO	12.26					····				 ,	
	DS3 Unbundled Local Loop - Facility Termination	+	+	UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
-	STS-1Unbundled Local Loop - per mile	<u> </u>		UDLSX	fL5ND	12.26	-02.02	204.00	.,,,,,,,	40,77						
	STS-1 Unbundled Local Loop - Facility Termination	 		UDLSX	UDLS1	313.49	452.52	264.53	119,75	83.77						

INBUNDLED NET	WORK ELEMENTS - South Carolina												Alt: 2 Exh; A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BÇS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		incremental Charge - Menual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1at	Incremen Charge Manual S Order vs Electroni Disc Add
		 			 		Nonrec	arring	Nonrecurring	Disconnect			oss	Rates(\$)	I	<u> </u>
					1	Rec	First	Add'l	First	Add'1	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
NHANCED EXTENDE	D LINK (EELs)	1			7											
	nts Used in Combinations															***************************************
	/G Loop (SL2) in Combination - Zone 1	1	1 1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	1					
2.Wire V	/G Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61				 		
	/G Loop (SL2) in Combination - Zone 3	†		UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61				 		
	Analog Voice Grade Loop in Combination - Zone 1	-		UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61				 		
	Analog Voice Grade Loop in Combination - Zone 2	 		UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61					· · · · · · · · · · · · · · · · · · ·	
	Analog Voice Grade Loop in Combination - Zone 3	 		UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
						25.21	117.58	80.03		10.61						
	SDN Loop in Combination - Zone 1			UNCNX	U1L2X				53.05		<u> </u>				<u> </u>	ļ
	SDN Loop in Combination - Zone 2			UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						<u> </u>
	SDN Loop in Combination - Zone 3	ļ		UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61	L					
	66Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	 					ļ
	6Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61					L	
4-Wire 5	6Kbps Digital Grade Loop in Combination - Zone 3			UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	54Kbps Digital Grade Loop in Combination - Zone 1			UNCOX	UDL64	29.93	126.66	89.12	59.35	14.61						
	4Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
4-Wire 6	64Kbps Digital Grade Loop in Combination - Zone 3	T		UNCDX	UDL64	34.74	126 66	89.12	59.35	14.61						$\overline{}$
	DS1 Digital Loop In Combination - Zone 1			UNC1X	USLXX	79.51	253.03	157.89	44.80	11,73				†		
	DS1 Digital Loop in Combination - Zone 2	+		UNC1X	USLXX	136.00	253.03	157.89	44.80	11.73	-					
	OS1 Digital Loop in Combination - Zone 3	+		UNC1X	USLXX	229.15	253.03	157 89	44.80	11.73				 		
DE37 =	cal Loop in combination - per mile	 		UNC3X	1L5ND	12.26	230.00	10, 00	74.00							
		+		UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	cal Leop in combination - Facility Termination	+				12.26	452.52	204.53	119.75	03.77						
	ocal Loop in combination - per mile			UNCSX	1L5ND						<u> </u>				Į	Ļ
	ocal Loop in combination - Facility Termination	 		UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77	ļ				<u> </u>	
	ce Channel in combination - 2-wire VG - per mile	ļ		UNCVX	1L5XX	0.0167										
	ce Channel in combination - 2-wire VG - Facility		1 1		Į l	Į Į		ļ			{			ļ .	}	ł
Termina			1 .	UNCVX	U1TV2	24 30	40.63	27.47	16.77	6.91				<u></u>]
Interoffi	ce Channel in combination • 4-wire VG - per mile			UNÇVX	1L5XX	0.0167				<u> </u>						
Interoffic	ce Channel in combination - 4-wire VG - Facility															
Termina			1	UNCVX	U1TV4	21.29	40.63	27.47	16.77	6.91				ļ	1	
Interoffic	ce Channel in combination - 4-wire 56 kbps - per mile	1 "		UNCDX	1L5XX	0.0167										
	ce Channel in combination - 4-wire 56 kbps - Facility	1	1													
Termina			1	UNCDX	U1TD5	16.76	40.63	27.47	16.77	6.91				ı		
	ce Channel in combination - 4-wire 64 kbps - per mile	+	1	UNCDX	1L5XX	0.0167	40.00		10.17	0.0.				 		
		+	 	ONCOA	115000											
	ce Channel in combination - 4-wire 64 kbps - Facility]	UNCDX	U1TD6	16.76	40.63	27 47	16.77	6.91	! !				1	i
Termina						0.3415	40.53	2/4/	16.77	6.91						
	ce Channel in combination - DS1 - per mile	ļ	1	UNC1X	1L5XX											
	ce Channel in combination - DS1 Facility Termination	.		UNCIX	U1TF1	77.14	89.47	81.99	16.39	14.48						<u> </u>
	ce Channel in combination - DS3 - per mile		1	UNC3X	1L5XX	8.02								t		
	ce Channel in combination - DS3 - Facility Termination		1	UNC3X	U1TF3	880.65	279.37	163.12	60.33	58.59						
Interoffi	ce Channel in combination - STS-1 - per mile		1	UNCSX	1L5XX	8.02										
Interoffi	ce Channel in combination - STS-1 Facility Termination	L		UNCSX	U1TFS	880.55	279,37	163.12	60.33	58.59					1	
DITIONAL NETWOR	KELEMENTS	1														
Optional Featur	es & Functions:														····	
- 		т	I	UITOI,		1		· · · · · · ·	i		·				·····	
Clear C	hannel Capability Extended Frame Option - per DS1	1 1		ULDD1 UNC1X	CCOEF		0.00				!					l
Giadar Or	The contract of the contract o	† <u> </u>	<u> </u>	U1TO1.	- 	 	5.00				 					
Classes	hannal Comphibly Super EramoOntion Logs DC1	1 .	1	ULDD1,UNC1X	CCOSF	[[0.00	1			! 1	ì			1	1
	hannel Capability Super FrameOption - per DS1	+ '-	 	ULDD1, U1TD1	Julius F	 	0.00				l			·		
	hannel Capability (SF/ESF) Option - Subsequent Activity -	Ι.	1		Nacca	i l	***	20.00			¦			i i		ı
per DS1	<u> </u>	1	 	UNC1X, USL	NRCCC	 	185.26	23.86	1.99	0.78	 					
1 1		Ι.	1	U1TD3, ULDD3,	l	‡ I			I						l	1
	arity Option - Subsequent Activity - per DS3	1	1	UE3, UNC3X	NRCC3	1	219.58	7.69	0.737	0.00	ļ <u>.</u>					
	60 Channel System		1	UNCIX	MQ1	107.57	91.24		10.56	9.81						
	S1Channel System			UNC3X, UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	Grade COCI in combination			UNCVX	1D1VG	0.56	6.59	4,73								
		1	1													
Voice G	Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	1	1	UEA	1D1VG	0.56	6.59	4.73				!		į		í
Voice C	Grade COCI - for connection to a channelized DS1 Local	1	1		1						· · · · · ·			 		· · · · · · · · · · · · · · · · · · ·
Voice C	In the same SWC as collocation	1	1	U1TUC	1D1VG	0.56	6.59	4.73)	l				i
		+	-		10100	1.19		4.73			}			 		
	P COCI (2.4-64kbs) in combination	+	-	UNCOX			6.59									
	P COCI (2.4-64kbs) - for Unbundled Digital Loop	+	-	UDL	10100	1.19	6.59	4.73	Į		L			Ļ		
	P COCI (2.4-64kbs) - for connection to a channelized DS1	1	1	l	1]]]]]			"		
	hannel in the same SWC as collocation		<u> </u>	U1TUD	1D1DD	1.19	6.59	4.73			ļ				!	
	SDN COCI (BRITE) in combination		1	UNCNX	UC1CA	2.56	6.59	4.73								

INBUNDLE	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order va. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
					 	Rec -	Nonrec	urring	Nonrecurring	Disconnect	50450	SOMAN		Rates(\$)	501441	0.000
-+-	2 wise ISPN COCLIDENTE: for a Level Level	 	├──	UDN	UC1CA	250	First 6.59	Add'l 4.73	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-wire ISDN COCI (BRITE) - for a Local Loop 2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	 	- -	DDN	UCICA	2.56	6.39	4./3								
	Local Channel in the same SWC as collocation		1	UITUB	UCICA	2.56	6.59	4.73			l .					
+	DS1 COCI in combination		├	UNC1X	UCIDI	8.64	6.59	4.73								
-+-	DS1 COCI - for Stand Alone Local Channel		├─	ULDD1	UC1D1	8.64	6.59	4.73								
\rightarrow	DS1 COCI - for Stand Alone Interoffice Channel	-	 	U1TD1	UC1D1	8.64	6.59	4.73								
	DS1 COCI - for DS1 Local Loop	 		USL, NTCD1	UC101	8.64	6.59	4.73						,		
	DS1 COCI - for connection to a channelized DS1 Local Channel in	-		552,111,551	190.00	1	- 0.00									
	the same SWC as collocation			UITUA	UC101	8.64	6.59	4.73								
				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,												
	Wholesale - UNE, Switch-As-Is Conversion Charge	1	l	HFRST, UNCNX	UNGCC	i l	5.61	5.61			l .				i	
	Wildesdie - Oide, Switch-Ashis Conversion Charge	 	├	U1TVX U1TDX	TONGOO	 	7.01	3.01			 					
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As is Non-recurring Charge, per circuit (LSR)	1		U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		40.27	13.52						<u> </u>		
_	Unbundled Misc Rate Element, SNE SAI, Single Network Element	-		U1TVX, U1TDX,										i		
	Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet			U1TD1, U1TD3. U1TS1, UDF, UE3	LURESP		23.80	12,11						i I		
Acces	s to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment	I			T		1.48		1.85		[
	DS1 DCS Termination with DS0 Switching					27.96	25.60	19.70	16.67	13.41						
	DS1 DCS Termination with DS1 Switching					12.67	18.51	12.61	12.24	8.98						
1 1 1	DS3 DCS Termination with DS1 Switching				1								l			
		<u> </u>				176.51	25.60	19.70	16.67	13,41	<u> </u>		<u> </u>			L
Node ((SynchroNet)	<u> </u>					25.60	19.70	19.67	13,41			L			
	SynchroNet) Node per month			UNCDX	UNGNT	14.55	25.60	19.70	10.07	13,41	L					
	SynchroNet) Node per month e Rearrangements NRC - Change in Facility Assignment per circuit Service			UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX,	UNCNT		101.30	19.70	16.67	13,41						
	SynchroNet) Node per month e Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	1		UITVX, UITDX, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX, UNCDX, UNCTX UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX	URETD		101.30	43.13	10.0/	13,41						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit II project managed) NRC - Order Coordination Specific Time - Decidated Transport	1		UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCIX UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX,	URETD		101.30	43.13	15.5/	13,41						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport G Commingling Authorization	1		UITVX, UITDX, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX, UNCDX, UNCTX UITVX, UITDX, UITUC, UITUD, UITUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX	URETD		101.30	43.13	0.00	0.00						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit II project management (added to CFA per circuit II project management (added to CFA per circuit III project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization Commingling Authorization ingled (UNE part of single bandwidth circuit)	1		UITVX, UITDX, UITUS, UITUS, UITUS, UITUS, ULDVX, UNCOX, UNCOX, UNCOX, UITUS, UITUS, UITUS, UITUS, UITUS, UITUS, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UITOI, UI	URETD URETB OCOSR CMGAU	14.55	101.30 3.66 18.90	3.66 18.90	0.00							
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit II project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ingled (UNE part of single bandwidth circuit) Commingled Vig COCI	1		UITVX, UITDX, UITUE, ULDVX, UITUE, ULDVX, UNCDX, UITDI, UITDB, UITDI, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, ULDDI, ULDDI, ULDDI, ULDDI, ULDDI, ULDDI, ULDDI, UITUE, ULDDI, ULDDI, ULDDI, UITUE, ULDDI, ULDDI, ULDDI, ULDDI, ULDDI, UITUE, ULDDI, UL	URETB OCOSR CMGAU	0.00	101.30 .3.66 .18.90 .0.00	3.66 18.90 0.00	0.00							
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization implied (UNE part of single bandwidth circuit) Commingled VIG COCI Commingled Digital COCI	1		UITVX, UITDX, UITUC, UITUE, ULDVX, ULDVX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTDI, UTDI, UTDI, UTDI, UTDI, UTDI, UTDI, UTDI, UDLOX, ULDCI, ULDX, ULDCI, ULDX, ULDDI, ULDX, ULDSI, ULDSI, ULDSI, UNCOX, UTTUB, ULDX, ULDDI, ULDSI, ULDX, ULDSI, ULDSI, UNCOX, ULDCI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, UNCOX, ULDCI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, UNCOX, ULDCI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, ULDSI, UNCOX, ULDCI, ULDSI, ULDSI, UNCOX, ULDCI, ULDSI, U	URETB OCOSR CMGAU	0.00 0.56	101.30 3.66 18.90 0.00 6.59	3.66 18.90 0.00 4.73 4.73	0.00							
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Rearrangement (added to CFA per circuit If project management (added to CFA per circuit If project managed) NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization singled (UNE part of single bandwidth circuit) Commingied VIS CCCI Commingied VIS CCCI Commingied ISON COCI	1		UITVX, UITDX, UITUS, UITUS, UITUS, ULDVX, UNCVX, UNCDX, UNCYX, UNCDX, UNCYX, UITUS, UITUS, UITUS, UITUS, UNCDX, UNCDX, UNCDX, UNCDX, UNCSX, UNCSX, UNCSX, UNCSX, UNCSX, UNCSX, UNCSX, UITS1, UE3, UDLSX, UITUS, UITU	URETD URETB OCOSR CMGAU IDIVG IDIDD	0.00 0.56 1.19 2.56	101.30 3.66 18.90 0.00 6.59 6.59	3.66 18.90 0.00 4.73 4.73 4.73	0.00	0.00						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Rearrangement (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization singled (UNE part of single bandwidth circuit) Comminged VG GCC Comminged Digital COCI Comminged ISON COCI Comminged Spot CoCI Coc Coc CoCI Coc Coc CoCI Coc Coc CoCI Coc Coc Coc Coc Coc Coc Coc Coc Coc Coc	1		UITVX, UITDX, UITUE, ULDVX, UITUE, ULDVX, UNCDX, UNCDX, UNCDX, UNCDX, UITUE, ULDVX, UITUE, ULDVX, ULDDX, UNCX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UITDI, UITDB, UITDB, UITDA, UITUE, ULDVX, ULDDI, ULDVX, ULDDI, ULDDB, ULDDA, UNCDX, UNCDX, UITDI, UITVX, UITDI, ULDVX, ULDDI, ULDDB, ULDVX, ULDDI, ULDDB, ULDDA, UNC	URETD URETB OCOSR CMGAU 10100 10100 UCIGA UTIVE	0.00 0.00 0.56 1.19 2.56 24.30	0.00 0.59 6.59 6.59 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47	0.00	0.00						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) Commingled (SCC) Commingled Upital COCI Commingled Swire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination	1		UITVX, UITDX, UITUC, UITUE, ULDVX, ULDVX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UTTD, UTTD3, UTTD3, UTTD3, UTTD4, UTTD5, UTTD5, UTTD5, UTTUE, ULDVX, ULDD1, ULDD3, ULDS1	URETB OCOSR CMGAU 11D1VG 101DD UC1CA UITV2 UITV2	0.00 0.56 1.19 2.56 24.30 21.29	0.00 0.59 6.59 6.59 40.63	0.00 4.73 4.73 4.73 27.47	0.00	0.00 6.91 6.91						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Rearrangement (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization ingled (UNE part of single bandwidth circuit) Camminged V3 COCI Comminged Sign COCI Comminged Sign CoCI Comminged Sign CoCI Comminged Sign Sign CoCI Comminged Sign Sign Sign Sign Sign Sign Sign Sign	1		UITVX, UITDX, UITUE, ULDVX, UITUE, ULDVX, UNCDX, UTDI, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, UITUB, ULDVX, ULDVA, ULD	URETD URETB OCOSR CMGAU 1DTVG 1010D U010A U1TV2 U1TV4 U1TV4	0.00 0.56 1.19 2.56 24.30 21.29 16.76	0.00 0.00 0.59 6.59 40.63 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47	0.00 16.77 16.77	0.00 6.91 6.91 6.91						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) NRC - Order (added to CFA per circuit if project managed) Commingled (SCC) Commingled Upital COCI Commingled Swire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination	1		UITVX, UITDX, UITUE, ULDVX, UITUE, ULDVX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UITUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTDD, UITD3, UITD3, UITD3, UITD4, ULDVX, ULDD1, ULDVX, ULDD1, ULDD3, ULDD3, ULDD3, UNCDX, UNCDX, UNCDX, UNCDX, UTDD1, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, UNCDA, UNC	URETD URETB OCOSR CMGAU 11D1VG 101DD UC1CA UTTV2 UTTV2	0.00 0.56 1.19 2.56 24.30 21.29	0.00 0.59 6.59 6.59 40.63	0.00 4.73 4.73 4.73 27.47	0.00	0.00 6.91 6.91						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Rearrangement (added to CFA per circuit II project management (added to CFA per circuit III project management (added to CFA per circuit III project management (added to CFA per circuit III project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization inglied (UNE part of single bandwidth circuit) Commingled Service VG Interoffice Channel Facility Termination Commingled Service VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 64kbps Interoffice Channel Facility Termination	1		UITVX, UITDX, UITUC, UITUE, ULDVX, ULDVX, UNCOX, UTTU, UTTU, UTTU, UTTU, UTTU, UTTU, UTTUD, UITUD, UTTUD, U	URETD URETB OCOSR CMGAU 1101VG 1011D0 UC1CA UJ1TV2 UJ1TD5 UJ1TD6	0.00 0.56 1.19 2.56 24.30 21.29 16.76	0.00 0.00 0.59 6.59 40.63 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47	0.00 16.77 16.77	0.00 6.91 6.91 6.91						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport NRC - Order Coordination Specific Time - Dedicated Transport Comminging Authorization ingled (UNE part of single bandwidth circuit) Comminged Signation Comminged Signation Comminged Signation Comminged Skipps Interoffice Channel Facility Termination Comminged 68/bbps Interoffice Channel Facility Termination Comminged 68/bbps Interoffice Channel Facility Termination Comminged VG/DS0 Interoffice Channel Facility Termination	1		UITVX, UITDX, UITUE, ULDVX, UITUE, ULDVX, UNCDX, UITUE, UITDB, UITDB, UITDB, UITDB, UITUE, ULDVX, UITUE, ULDVX, UITUE, ULDVX, UITUE, ULDVX, ULDDI, UL	URETD URETB OCOSR CMGAU IDIVG IDIDD UCICA UITV2 UITV4 UITV5 UITD6 IL5XX	0.00 0.56 1.19 2.56 24.30 21.29 16.76 16.76	0.00 0.00 6.59 6.59 40.63 40.63 40.63	3.66 18.90 0.00 4.73 4.73 27.47 27.47 27.47	0.00 16.77 16.77 16.77 16.77	0.00 6.91 6.91 6.91						
Servic	SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Rearrangement (added to CFA per circuit II project management (added to CFA per circuit III project management (added to CFA per circuit III project management (added to CFA per circuit III project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization inglied (UNE part of single bandwidth circuit) Commingled Service VG Interoffice Channel Facility Termination Commingled Service VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 64kbps Interoffice Channel Facility Termination	1		UITVX, UITDX, UITUC, UITUE, ULDVX, ULDVX, UNCOX, UTTU, UTTU, UTTU, UTTU, UTTU, UTTU, UTTUD, UITUD, UTTUD, U	URETD URETB OCOSR CMGAU 1101VG 1011D0 UC1CA UJ1TV2 UJ1TD5 UJ1TD6	0.00 0.56 1.19 2.56 24.30 21.29 16.76	0.00 0.00 0.59 6.59 40.63 40.63	3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47	0.00 16.77 16.77	0.00 6.91 6.91 6.91						

INDUNDLE	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh; A			
ATEGORY	RATE ELEMENTS	Interion	Zone	BCS	USOC	.:		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Charge Manual S Order vi Electroni Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			08.9	Rates(\$)		
		Ţ				<u> </u>	First	Addʻl	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled 4-wire Local Loop Zone 1	1		XDV6X	UEAL4	32.59	132.38	94.83	59 35	14.61						
	Commingled 4-wire Local Loop Zone 2	. .		XDV6X	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Commingled 4-wire Local Loop Zone 3			XDV6X	UEAL4	43.38	132.38	94.83		14.61	-					<u> </u>
	Commingled 56kbps Local Loop Zone 1			XDD4X	UDL56	29.93	126.66	89.12		14.61			<u> </u>	<u></u> _		
	Commingled 56kbps Local Loop Zone 2	4		XDD4X	UDL56	33.99	126.66	89.12		14.61						<u> </u>
	Commingled 56kbps Local Loop Zone 3			XDD4X	UDL56	34.74	126.66	89.12		14.61					\ <u>-</u>	
	Commingled 64kbps Local Loop Zone 1	 		XDD4X	UDL64	29.93	126.66	89.12		14.61						
	Commingled 64kbps Local Loop Zone 2	 		XDD4X	UDL64	33.99	126.66	89.12		14.61						<u> </u>
	Commingled 84kbps Local Loop Zone 3	├ ──		XDD4X	UDL64	34.74	126.66	89.12		14.61				ļ		
	Commingled ISDN Local Loop Zone 1			XDD4X	U1U2X	25.21	117.58	B0.03		10.61						
	Commingled ISDN Local Loop Zone 2	+		XDD4X	U1L2X	32.76	117.58	80.03		10.61						
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	37.70	117.58	80.03		10.61	L					
	Commingled DS1 COC1	 	<u> </u>	XDH1X	UC1D1	8.64	6.59	4.73								
	Commingled DS1 Interoffice Channel Facility Termination	<u> </u>		XDH1X	U17F1	77.14	89.47	81.99	16.39	14.48						
	Commingled DS1 Interoffice Channel per mile	4	_	XDH1X	1L5XX	0.3415			L							
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	107.57	91.24	62.71		9.81						
	Commingled DS1 Local Loop Zone 1			XDH1X	USLXX	79.51	253.03	157.89		11.73						
	Commingled DS1 Local Loop Zone 2			XDH1X	USLXX	136.00	253.03	157.89		11.73						
	Commingled DS1 Local Loop Zone 3		3_	XDH1X	USLXX	229.15	253.03	157.89		11.73						
	Commingled DS3 Local Loop Facility Termination			HFQC6	UE3PX	306.36	452.52	264.53	119.75	83.77						
	Commingled DS3/STS-1 Local Loop per mile			HFQC6, HFRST	1L5ND	12.26										
	Commingled STS-1 Local Loop Facility Termination	1		HFRST	UDLS1	313.49	452.52	264.53		83.77						
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	144.02	178.54	94.18		31.90						
	Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	8.02										
	Commingled STS-1Interoffice Channel Facility Termination			HFRST	UITFS	880.55	279.37	163.12	60.33	58.59						
	Commingled STS-1Interoffice Channel per mile	1		HFRST	1L5XX	8.02										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber		i -	1	1 -											
	Strands, Per Route Mile Or Fraction Thereof	<u> </u>		HEODL	1L5DF	36.41			<u> </u>							
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1 -	l	\	\	1	·									
	Strands, Per Route Mile Or Fraction Thereof			HEODL	UDF14		640,51	138.17		198,11		_				
	UNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0.00	0.00	0.00		0.00						
	SPA to Commingled Conversion Tracking		_	XDH1X HFOCE	CMGSP	0.00	0.00	0.00	0.00	0.00						
NF Query Se																
	LNP Charge Per query					0.0008837	i		L'							
	LNP Service Establishment Manual						25.09	25.09		23.07						
	LNP Service Provisioning with Point Code Establishment	T	I		1]	594.82	303.88	269.53	198.18						
11 PBX LOCA									<u> </u>							
911 PE	X LOCATE DATABASE CAPABILITY															
	Service Establishment per CLEC per End User Account	1	<u> </u>	SPBOC	9PBEU	1	1.813.00									
	Changes to TN Range or Customer Profile		ļ	9PBDC	9PBTN		181.40									
	Per Telephone Number (Monthly)		L	9PBOC	9PBMM	0.07										
	Change Company (Service Provider) ID	1	└	9PBDC	9PBPC		532.48									
	PBX Locate Service Support per CLEC (Monthit)		<u> </u>	9PBDC	SPBMR	181.29										
	Service Order Charge	Ĺ	Щ.	9PBDC	9PBSC	L	15.69									
	X LOCATE TRANSPORT COMPONENT															
See At	13															
		1	1	1	1											

NBUNDL	ED NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC	-		RATES(\$)				Syc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increme Charge Manual 8 Order v Electror Disc Ad
		-				Rec	Nonrecurring First	Add't	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMA
The "7	Zone" shows in the specimen for stand plane leaves or leaves as			Var refere to Co	L111- D	1005										
http://	Zone" shown in the sections for stand-alone loops or loops as pa www.interconnection.bells.outh.com/become_a_clec/html/interco	nnection	,htm	ron raiats to daoâtst	nically Deav	eraged UNE Z	ones, soview (eographically	Deaveraged UI	IE Zone Design	ations by Co	entral Office,	refer to intern	et Website:		
PERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"					I					Ι					I
NOTE ordere	: (1) CLEC should contact its contract negotistor if it prefers the specific Commission ordered rates for the service ordering charge : (2) Any element that can be ordered stectronically will be billed of electronically at present per the LOH, the flated SOMEC rate in	accordin	g to th	e SOMEC rate listed in	ervice orderl n this catego	ng charge, hov ery. Please rate	vever, CLEC car or to AT&T's Loc	not obtain a n	nixture of the to ndbook (LOH)	vo regardiess i to determine if	CLEC has a	n be orderer	ction contract	established in	each of the 9	states.
	s bill when it submits an LSR to AT&T. : (3) OSS - Manual Service Order Charge, Per Element - UNE On	v **Plea	S-0 500	applicable rate eleme	nt for SOMA	N charge**										
	OSS - Electronic Service Order Charge, Per Local Service	1				l .					ļ			<u> </u>		
IE SERVICE	Request (LSR) - UNE Only DATE ADVANCEMENT CHARGE	ļ	ļ		SOMEC		3.50	0.00	3.50	0.00						
	: The Expedite charge will be maintained commensurate with B.	South's	FCC	No.1 Tariff, Section 5	as applicable	<u> </u>	<u> </u>		l	<u> </u>	<u> </u>					L.,
				UAL, UEANL, UCL.		Ĭ ·	I			1	1		_			
- 1				UEF, UDF, UEQ.												
				UDL, UENTW, UDN.	!	1	}			1						
1				UEA, UHL, ULC. USL, U1T12, U1T48,		Į.										
- 1				U1TD1, U1TD3.												
1	· ·			U1TDX, U1TO3.]						
				U1TS1, U1TVX	!	i					1					
				UC1BC, UC1BL,		ļ										
-				UC1CC, UC1CL,]					
1				UC1DC, UC1DL, UC1EC, UC1EL,											l	
i				UC1FC, UC1FL.		į	İ				İ					
-				UC1GC, UC1GL,		-	ļ	! !								
				UC1HC, UC1HL,		Į.										
				UDL12, UDL48, UDLO3, UDLSX,												
				UE3. ULD12,		į.										
				ULD48. ULDD1.		ŀ										
				ULDD3, ULDDX,			i									
				ULDO3, ULDS1,												
				ULDVX, UNC1X,						į						
				UNC3X, UNCDX, UNCNX, UNCSX,							İ				1	
				UNCVX, UNLD1,		1				ļ	ŀ				į	
				UNLD3, UXTD1,							ĺ					
				UXTD3, UXTS1,							!					
				U1TUC, U1TUD, U1TUB,							}					
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA NTCVG,							1		į			
	Day				SDASP	İ	200.00									
DER MODI	FICATION CHARGE Order Modification Charge (OMC)	-														
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	 					26.21 150.00	0.00	0.00	0.00						
	EXCHANGE ACCESS LOOP	 					130.00	0.00	0.00	0.00						·· · · · · · · · · · · · · · · · · · ·
2-WIRI	E ANALOG VOICE GRADE LOOP	,								·						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1			UEAL2	11.74		20.02	10.65	1.41			20.35	10.54	13.32	. 1,
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	}			UEAL2	17.59 29.37		20.02	10.65 10.65	1.41	—		20.35	10.54	13.32	13
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1			UEASL	11.74		20.02	10.65	1.41			20.35 20.35	10.54 10.54	13.32 13.32	10
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	17.59	31.99	20.02	10.65	1,41			20.35	10.54	13.32	1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	ļ	3		UEASL	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	1
	Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour	ļ			URETL URET1	<u> </u>	8,95 57,67	0.88								
	Loop Testing - Basic Additional Half Hour	 			URETA		37,44	9.00 37.44			-					
	Manual Order Coordination for UVL-SL1s (per loop)	1		UEANL	UEAMC	<u> </u>	36.52	36.52			 					
	Order Coordination for Specified Conversion Time for UVL-SL1	T				İ										
	(per LSR)			UEANL	OCOSL		34.29									

	NETWORK ELEMENTS - Tennessee	,	,										Att: 2 Exh: A			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	Usoc	:		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Syc Order va. Electronic- 1st	Incremental Charge - Menual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs, Electronic- Disc 1st	Increme Charg Manual Order Electro Disc A
- - -	·····	<u> </u>				Rec	Nonrecurring		Nonrecurring			_		Rates(\$)		
	bundled Non-Design Vaice Loop, billing for AT&T providing		_		- 		First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	ake-up (Engineering Information - E.I.)	1		UE ANII												i Total
	bundled Loop Service Rearrangement, change in loop facility.			UEANL	UEANM		25.33	25.33								1
	or circuit	1	!!	UEANL	UREWO							ŀ			_	i
	lk Migration, per 2 Wire Voice Loop-SL1	-	-	UEANL	UREPN	ļ <u> </u>	15.80 31.99	8.95	10.65	1.41			20.35	10.54	13.32	1
	Ik Migration Order Coordination, per 2 Wire Voice Loop-\$L1			UEANL	UREPM		36.52	20.02	10.65	1,41						
	nbundled COPPER LOOP			OLNIK.	JOHERM	L	36.52	36.52	L			1				
	Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEO2X	11.74	31.99	20.02	10.65	1.41						
	Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEO2X	17.59		20.02	10.65	1,41	 		20.35	10.54	13.32	1
	Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	NEO5X	29.37		20.02	10.65	1,41			20.35	10.54	13.32	
Ta	g Loop at End User Premise			UEQ	URETL	E0.37	8.95	0.88	10.65	1.41			20.35	10.54	13.32	
	op Testing - Basic 1st Half Hour	 		UEQ	URETI	···-	57 67	0.00								
	op Testing - Basic Additional Half Hour	 -		UEQ	URETA		37.44	37.44	i		·					
Ma	anual Order Coordination 2 Wire Unbundled Copper Loop - Non-	i			T	 		07.44	 							
De De	esigned (per loop)	Ĺ	[UEQ	USBMC	1	36.52	36.52	j j			-				ı
	bundled Copper Loop - Non-Design, billing for AT&T providing															
ma	ake-up (Engineering Information - E.I.)			UEQ	UEQMU		25.33	25.33				- 1	20.35	10.54	13.32	
	bundled Loop Service Rearrangement, change in loop facility.						1						20.33	10.54	10.32	,
	ricircuit		!!	UEO	UREWO		14.29	7.44	10.65	1,41			20.35	10.54	13.32	,
	k Migration, per 2 Wire UCL-ND			UEQ	UREPN		31.99	20.02	10.65	1,41			20.33	10.54	13.32	
	k Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM	1	36.52	36.52								
	HANGE ACCESS LOOP								-							
	IALOG VOICE GRADE LOOP					•	·									
	Nire Analog Voice Grade Loop - Service Level 2 w/Loop or				T		1									
	ound Start Signaling - Zone 1		1 1	UEA	UEAL2	14,74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	
	Wire Analog Voice Grade Loop - Service Level 2 w/Loop or								20.70	17.0-			20.00	10.54	10.02	
Gro	ound Start Signaling - Zone 2		_2	ŲĒA	UEAL2	22.08	75.06	48.20	28.70	17.64	!		20.35	10.54	13.32	1
	Nire Analog Voice Grade Loop - Service Level 2 w/Loop or												20.00	10.04	13.52	
	ound Start Signaling - Zone 3		3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64	i		20.35	10.54	13.32	1
	Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												. 20.00		10.52	
	ttery Signaling - Zone 1		1	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	1
	Mire Analog Voice Grade Loop - Service Level 2 w/Reverse														10.02	
	ttery Signaling - Zone 2		2	ŲEĄ	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	1
	Nire Analog Voice Grade Loop - Service Level 2 w/Reverse												20.03	10.54	10.02	
	ttery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	١
	itch-As-Is Conversion rate per UNE Loop, Single LSR. (per								1						.0.52	
DS				UEA	UREȘL		23.42	3.30			1		20.35	10.54	13.32	1
Sw	itch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
DS				UEA	URESP		24.82	4.70			-	1				
	bundled Loop Service Rearrangement, change in loop facility.															
	ricircuit			UEA	UREWO		75.06	36.41			- 1	1	20.35	10.54	13.32	1
Lac	op Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10								
	k Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		75.06	48.20								
	k Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0.00							· · · · · · · · · · · · · · · · · · ·	
	ALOG VOICE GRADE LOOP															
	Vire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	- 1
4-7	Vire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.93	122.76	85 57	76.35	39.16			20.35	10.54	13.32	1
4.9	Vire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	1
DS DS	itch-As-Is Conversion rate per UNE Loop, Single LSR, (per	i I			l		i									
				UEA	URESL		23.42	3.30				_	20.35	10.54	13.32	1
ns ns	itch-As-Is Conversion rate per UNE Loop. Spreadsheet, (per															
100			 	UEA	URESP	ļ	24.82	4.70							I	
	bundled Loop Service Rearrangement, change in loop facility,			UEA	LIBELLIA	Į.										
	DN DIGITAL GRADE LOOP	ـــــا	 l	UEA	UREWO		75.06	36.41					20.35	10.54	13.32	1
	Vire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X		1,255									
	Vire ISDN Digital Grade Loop - Zone 1					19.77	142.76	88.88	76.35	39.16			20.35	10.54	13.32	1
	Vire ISDN Digital Grade Loop - Zone 2 Vire ISDN Digital Grade Loop - Zone 3		2	UDN	U1L2X	29.63	142.76	88.88	76.35	39.16			20.35	10.54	13.32	1
	bundled Loop Service Rearrangement, change in loop facility,	\vdash	3	UUN	U1L2X	49 47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	1
	r circuit			UDN	UREWO			ا ــ . ،		l	T	T				
	YMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	7801 5 4	OOP.	ODIN .	TOWENO	L	91.77	44.22					20.35	10.54	13.32	1
	Vire Unbundled ADSL Loop including manual service inquiry &		- J						· · · · · · · · · · · · · · · · · · ·							
	illy reservation - Zone 1		١,١	UAL	UAL2X	12.30	400.0-					T	-1			
	- g - caci rapon - curs i			Uni	JUNEZA	1∠.30	156.95	64.54	89.64	16.93	1	1	20.35	10.54	13.32	

	ED NETWORK ELEMENTS - Tennessee	1											Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	÷		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order va. Electronic- Disc 1st	Increme Charg Manual Order Electro Disc Ad
		f -	├—			Rec	Nonrecurring First		Nonrecurring				OSS	Rates(\$)		
	2 Wire Unbundled ADSL Loop including manual service inquiry &	}			 -		FIFET	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	facility reservation - Zone 2	<u> </u>	2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	١ ،
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	İ	١.				[80.90	10.54	13.32	
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	1
	facility reservation - Zone 1	1 .	1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10.54		
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_						72.02	77.48			20.35	10.54	13.32	1
	facility reservator - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &	-	2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48			20.35	10.54	13.32	1 1
	facility reservaton - Zone 3		3	UAL	UAL2W	30.77	89.40	35.91	72.02		1					
	Unbundled Loop Service Rearrangement, change in loop facility.					00.57	59.40	33.91	72.02	11.48		——————————————————————————————————————	20.35	10.54	13.32	1
2.14/10/0	per circuit HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	100 5 1 4		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	1
- 11111	2 Wire Unbundled HDSL Loop including manual service inquiry &	LIBLE LC	IOP													
	facility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93		1	20.20			
	2 Wire Unbundled HDSt Loop including manual service inquiry & facility reservation - Zone 2								53.64	10.03			20.35	10.54	13.32	1
	2 Wire Unbundled HDSL Loop Including manual service inquiry &	 	2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93			20.35	10.54	13.32	1
	Ifacility reservation - Zone 3		3	UHL	UHL2X	24.12	158.94	65.20						·		
" "	2 Wire Unbundled HDSL Loop without manual service inquiry and	1			- Junear	24.12	136.34	65.20	89.64	15.93			20.35	10.54	13.32	1
	facility reservation - Zone 1		1	UHL	UHL2W	9.64	89.40	35 91	72.02	11.48		ľ	20.35	10.54	13.32	1
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		,	UHL										10.54	.0.02	
	2 Wire Unbundled HDSL Loop without manual service inquiry and			UNL	UHL2W	14.44	89.40	35.91	72 02	11.48			20.35	10.54	13.32	1.
	facility reservation - Zone 3		3	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48		į	20.35	10.54	13.32	
- 1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit	}							12/02	11.40			20.05	10.34	13.34	1.
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	BIELO		UHC	UREWO		31.99	20.02					20.35	10.54	13.32	1
	4 Wire Unbundled HDSL Loop including manual service inquiry and	[]	<u> </u>	•	1											
	facility reservation - Zone 1		1	UHL	UHL4X	12.40	169.62	75.89	39.73	19.53			20.35	10.54	13.32	1
	4-Wire Unbundled HDSI. Loop including manual service inquiry and facility reservation - Zone 2		_										20.00	10.34	15.52	
	4-Wire Unbundled HDSL Loop including manual service inquiry and			UHL	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	1:
	facility reservation - Zone 3		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53	ĺ	ĺ	20.35		40.00	
	4-Wire Unbundled HDSL Loop without manual service inquiry and								02.70	18.03			20.35	10.54	13.32	1
	facility reservation - Zone 1 4-Wire Unburdled HDSL Loop without manual service inquiry and		_1_	UHL	UHL4W	12.40	100.09	46.60	75.75	13.97		1	20.35	10.54	13.32	1:
	facility reservation - Zone 2		,	UHL	UHL4W	18.58	100.09	44.00								
	4-Wire Unbundled HDSL Loop without manual service inquiry and				O. LEVII	10.50	100.09	46.60	75.75	13.97			20.35	10.54	13.32	1
	facility reservation - Zone 3		3	UHL.	UHL4W	31.03	100.09	46.60	75.75	13.97	1	1	20.35	10.54	13.32	10
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		ł	UHL	urewo			-						70.04	10.02	
4-WIRE	DS1 DIGITAL LOOP	L	1	<u> </u>	JUREWO I		31.99	20.02					20.35	10.54	13.32	1;
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	51.38	313.08	219.72	96.86	40.45			18.98	8.43	11,95	11
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3	I	2		USLXX	76.98	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	USL	USLXX	128.54	313.08	219.72	96.86	40,45			18.98	8.43	11.95	11
	DS1)			ŲSL	URESL	į	23.42	3.30]			
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per							0,00				 -				
	DS1) Unbundled Loop Service Rearrangement, change in loop facility,			USL	URESP		24.82	4.70				_	İ		ļ	
	per circuit	ŀ		USI.	UREWO	i	130.47									
	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				10712710		130.47	40.11				l	20.35	10.54	13.32	13
	4 Wire Unburdled Digital Loop 2.4 Kbps - Zone 1		1		UDL2X	27.68	207.01	141.38	90.70	44.18	Т		 -			
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3		3		UDL2X	41,47	207.01	141.38	90.70	44.18				<u> </u>		
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1		1		UDL2X UDL4X	69.24 27.68	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	JDL	UDL4X	41.47	207.01	141.38	90.70	44.18 44.18						
	4 Wire Unbundled Digital Loop 4.8 Khos - Zone 3		3		UDL4X	69.24	207.01	141.38	90.70	44.18						—
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	{	2	JDL JDL	UDL9X UDL9X	27.68 41.47	207.01	141.38	90.70	44.18						
	6.Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	JOL	UDL9X	69.24	207.01	141.38	90.70	44.18 44.18						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1.1	JDL	UDL19	27.68	207.01	141.38	90.70	44.18			20.35	10.54	10.00	
1 1	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	· T	2	JDI	UDL19	41 47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13. 13.

	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			*
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	s		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Menually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		-	ļ			Rec	Nonrecurring		Nonrecurring				OSS	Rates(\$)		<u> </u>
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	 	3	UDL	1100 10-		First	Addi	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL19 UDL56	69.24	207.01	141.38	90.70	44,18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	27.68 41.47	207.01 207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	69.24	207.01	141.38 141.38	90.70	44.18			20.35	10.54	13.32	13
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	ŲĎL,	UDL64	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	L	2	UDL	UDL64	41.47	207.01	141.38	90.70	44.18 44.18			20.35	10.54	13.32	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	69.24		141.38	90.70	44.18			20.35 20.35	10.54	13.32	13
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)								03.10				20.35	10.54	13.32	13
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per			UDL	URESL		23.42	3.30	-			i	20.35	10.54	13.32	13
	DS0) Unbundled Loop Service Rearrangement, change in loop facility.			UDL	URESP		24.82	4.70								
-	per circuit			UDL	UREWO		102.28	49.82			i					
2-WIRE	Unbundled COPPER LOOP							- 40.UZ	<u> </u>		1		20.35	10.54	13.32	13
	2-Wire Unbundled Copper Loop-Designed including manual														 ,	
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	l i								20.05	10.34	13.34	,
	2 Wire Unbundled Copper Loop-Designed including manual service			UCL	UCLPB	17.59	31.99	20.02	10.65	1.41	i	'	20.35	10.54	13.32	13
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	29.37										
	2-Wire Unbundled Copper Loop-Designed without manual service			<u> </u>	OCLFB.	29.37	31.99	20.02	10.65	1,41			20.35	10.54	13.32	13
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service		1	UÇL	UCLPW	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
	inquiry and facility reservation - Zone 2	i	2	UCL	UCLPW	17.59	31.99	20.00		1						
	2-Wire Unbundled Copper Loop-Designed without manual service				JOCE W	17.58	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
	linguiry and facility reservation - Zone 3		3	UCL	UCLPW	29.37	31,99	20.02	10.65	1,41						
	Order Coordination for Unbundled Copper Loops (per loop)			UÇL	UCLMC	20.0.	36.52	36.52	10.03	1,61			20.35	10.54	13.32	13
	Unbundled Loop Service Rearrangement, change in loop facility,															
AWIDE	per circuit COPPER LOOP			UCL	UREWO		31.99	20.02				Į	20.35	10.54	13.32	13
7.4311/2	4-Wire Copper Loop-Designed including manual service inquiry				· · · · · · · · · · · · · · · · · · ·						-		20.00	10.54	13.32 }	- 13
	and facility reservation - Zone 1		١ ، ١	UCL	UCL4S	0.00										
	4-Wire Copper Loop-Designed including manual service inquiry		'- 	OCE	UCL48	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
	and facility reservation - Zone 2		2	UCL	UCL4S	32.93	122.76	85.57	76.35		ĺ					
	4-Wire Copper Loop-Designed including manual service inquiry				1.5.0	02.00	122.76	63.57	/6.35	39.16			20.35	10.54	13.32	13
	and facility reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16	i					
	4-Wire Copper Loop-Designed without manual service inquiry and							00.01	70.00	35.10			20.35	10.54	13.32	13
	facility reservation - Zone 1		1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16	!		20.35	10.54	13.32	13
	4-Wire Copper Loop-Designed without manual service inquiry and lacility reservation - Zone 2	i			I								20.00	10.54	13.32	13
	4-Wire Copper Loop-Designed without manual service inquiry and		2	UCL	UCL4W	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.
	facility reservation - Zone 3		3	UÇL	UCL4W	54.99	400							· · · · · · · · · · · · · · · · · · ·		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	54.55	122.76 36.52	85.57 36.52	76.35	39.16			20.35	10,54	13.32	13.
!	Unbundled Loop Service Rearrangement, change in loop facility.				COLING		30.52	36.52								
	per circuit			UCL	UREWO		31.99	20.02	ļ	ŀ	1	1				
				UEA, UDN, UAL.									20.35	10.54	13.32	13.
Barrer	Order Coordination for Specified Conversion Time (per LSR) gements			UHL, UDL. USL	QCOSL .		34.29	ļ			1	İ	1		í	
Kearran	EEL to UNE-L Retermination, per 2 Wire Unburdled Voice Loop-									··			ل			
	SL2		- 1.	JEA												
	-		 '	JEA	UREEL		75.06	36.41								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	-	- I	JEA	UREEL		75.06	50.44	1		T	- · · · · · · · · · · · · · · · · · · ·				
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			JDN	UREEL		91,77	36.41 44.22								
							31,77	44.22								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			JDL	UREEL.		102.28	49.82	!	- 1			ļ		ì	
LOOP COL	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			JSL	UREEL		130.47	40.11								
	AMALOG VOICE GRADE LOOP - COMMINGLING															
S-TTIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				,											
	Ground Start Signaling - Zone 1		, ا,	NTCVG	UEAL2	14.74								1		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		' '	11010	UEALZ	14.74	75.06	48.20	28.70	17.64					- 1	
	Ground Start Signaling - Zone 2	1	2 1	NTCVG	UEAL2	22.08	oo		[Т						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		- 		14774	22.00	75.06	48.20	28.70	17.64						
	Ground Start Signaling - Zone 3															

ONBONDL	ED NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Syc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order vs Electronic Disc Add
	 	 			-	Rec	Nonrecurring First	A 4-19	Nonrecurring					Rates(\$)		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	 			 		FVSt	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Battery Signaling - Zone 1	1	1	NTCVG	UEAR2	14.74	75.06	48.20	28.70	17.64				ľ		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				-		7,0.00	15.20	20.10	17.04				···		
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	22.08	75.06	48.20	28.70	17.64	1					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		1,70140												
	Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NTCVG	UEAR2	36.87	75.06	48.20	28.70	17.64						
	DS0)			NTCVG	URESL		23.42	3.30								1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1			017202			9.00								
	DS0)			NTCVG	URESP		24.82	4.70								1
	Unbundled Loop Service Rearrangement, change in loop facility,	1												i		
	per circuit Loop Tagging - Service Level 2 (SL2)			NTCVG NTCVG	UREWO URETL	 	75.06 11.23	36.41								
4.WiR	E ANALOG VOICE GRADE LOOP	1		NICVG	IUREIL	L	11.23	1.10			L			L		
3211,00	4-Wire Analog Voice Grade Loop - Zone 1	T	1	NTCVG	UEAL4	21.98	122.76	85.57	76.35	39.16						
	4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG	UEAL4	32.93	122.76	85.57	76.35	39.16						
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	54.99	122.76	85.57	76.35	39.16				 		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)	ļ		NTCVG	URESL		23.42	3.30								
İ	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)	ł		NTCVG	URESP		24.82	4.70			'			l		
	Unbundled Loop Service Rearrangement, change in loop facility.			NIOVG	UNESF		24.52	4,70					 .			
1	per circuit			NTCVG	UREWO		75.06	36.41								
4-WIR	E DS1 DIGITAL LOOP - COMMINGLING				,	·	1	00.4()						<u> </u>		
	4-Wire DS1 Digital Loop - Zone 1	I		NTCD1	USLXX	51.38		219,72	96.86	40.45						
	4-Wire DS1 Digital Loop - Zone 2			NTCD1	USLXX	76.98	313.08	219.72	96.86	40.45						
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NTCD1	ÜSLXX	128.54	313.08	219.72	96.86	40.45						
	DS1)			NTCD1	URESL	i	23.42	3.30								1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 	-		3,1232	 	20.42	3.30								
	DS1)			NTCD1	URESP		24.82	4.70	-		! 1				1	
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit	l	L	NTCD1	UREWO		130.47	40.11								L
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	т——		ACTOUR	Lunt ov	27.00										
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD NTCUD	UDL2X	27.68		141.38 141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			NTCUD	UDL2X	69.24		141.38	90.70 90.70	44.18 44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1			NTCUD	UDL4X	27,68	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			NTCUD	UDL4X	41.47	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			NTCUD	UDL4X	69.24	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	<u> </u>		NTCUD	UDL9X	27.68		141,38	90.70	44.18						***************************************
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			NTCUD NTCUD	UDL9X	41.47 69.24	207.01	141.38	90.70	44.18						
	4 Wire Unburdied Digital 19.2 Kbps - Zone 1	 		NTCUD	UDL19	27.68	207.01	141.38	90.70 90.70	44.18 44.18						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	 		NTCUD	UDL19	41.47	207.01	141.38	90.70	44.18 44.18						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	T		NTCUD	UDL19	59.24		141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	27.68		141.38	90.70	44.18	<u> </u>					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			NTCUD	UDL56	41.47	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			NTCUD	UOL56	59.24		141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 		NTCUD NTCUD	UDL64	27.68 41.47		141.38	90.70	44.18		_				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	 		NTCUD	UDL64 UDL64	69.24	207.01	141.38 141.38	90.70	44.18 44.18				<u>_</u>		
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	+	ا ا	171000	UDE04	59.24	207.01	141.38	90.70	44.18		<u>.</u>				
	DS0)			NTCUD	URESL	ļ.	23.42	3.30							İ	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1			1			2.00								
	DS0)	1		NTGUÐ	URESP		24.82	4.70						,		
	Unbundled Loop Service Rearrangement, change in loop facility,	1 "														
	per circuit	 		NTCUD	UREWO	ļ <u></u>	102.28	49.82								
	Order Coordination for Specified Conversion Time (per LSR)	l		NTCVG, NTCUD, NTCD1	OCOSL	1	34.29									
	E OF SERVICE	t .	1		LANCOL .	1	1 34.29				ı 1	1		ı		

	ED NETWORK ELEMENTS - Tennessee	1	7		· · · · · ·	,							Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	interim	Zone	всѕ	usoc	,		RATÉS(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order vs. Electronic Disc Add
		 		 -	 	Rec	Nonrecurring		Nonrecurrin	Disconnect			OSS	Rates(\$)		
		†···-		UDC, UEA, UDL.			First	Add'I	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDN, USL, UAL, UHL, UCL, NTCVG, NTGUD, NTCVG, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDS1, ULDDX, ULDS1, ULDVX,												
ļ] [UNC1X, UNC3X,						ŀ	l i				İ	
	Maintenance of Service Charge, Basic Time, per half hour			UNCDX, UNCSX. UNCVX, ULS	MVV8T		00.00					-		i		
	Maintenance of Service Charge, Overtime, per half hour			UDG, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, UITD1, UITD3, UITD1, UITD1, UITD2, UITD3, UITD3, UITD3, UITD3, UIDD3, ULDD3, ULDD4, ULDD3, ULDD5, ULDD3, ULDD5, ULDD3, ULDVX, UNCD1, UNCSX, UNCD1, UNCSX, UNCD1, UNCSX, UNCD1, UNCSX, UNCD1, UTD3, UTD1, UTD3, UTD1, UTD3, UTD1, UTD3, UTD1, UDL5X, UE3, ULDD1, ULD01, ULDX, ULD01, ULDX, ULD01, ULD0X, ULD01, ULD0X, ULD01, ULD0X, ULD01, ULD0X, ULD01, ULD0X, ULD01, ULD0X, UNCSX, UNCXX, UNCSX, UN	MVVOT		90.00	65.00								
OOP MODIFIC	ALION			INCVX, ULS	MVVPT		100.00	75.00							ĺ	
Service	Order charges will only apply once per Loop						·									
	Unburdled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unburdled Loop Unburdled Loop Modification Removal of Load Coils - 4 Wire less		U	JAL, UHL, UĞL, JEQ, ULS, UEA, JEANL, UEPSR, JEPSB	ULM2L		65.40	65.40								
	than or equal to 18K ft, per Unbundled Loop		lu	JHL, UCL, UEA	ULM4L		ee				-				· · · · · · · · · · · · · · · · · · ·	
JB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		U	JAL, UHL, UCL. JEQ, ULS, UEA, JEANL, UEPSR,	ULM8T		65.40	65.40								
	op Distribution						55,44	65.44								
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-													L.		
	Up		U	EANL, UEF	USBSA		517,25	517.25		T						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up				ICDCC								20.35	10.54	13.32	13.32
- 1	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up				USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up	_			USBSC		313.01	313.01					20.35	10.54	13.32	13.32
			U	EANL L	JSBSD	1	108.06	108.06			- 1		20.35	1	1,1	

DIADONOL	ED NETWORK ELEMENTS - Tennessee		,	,									Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	,		RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add1	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electron Disc Add
					1	Rec	Nonrecurring		Nonrecurring					Rates(\$)		
		<u> </u>	ļ			1100	First	Add'i	First	Addʻl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	l			1										
	Statewide		ļ	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65	<u> </u>		20.35	10.54	13.32	13.0
	1		l													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	├	├	UEANL	USBMC		36.52	36.52				L				L
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop		Ι.	UEANI.							1					
	Zone 1	ļ	<u>'</u>	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.3
1	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		١,	UEANL	USBN4	9.80					i					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop	 		UEANL	USBN4	9.80	106.85	51.20	74.08	11.55	ļ		20.35	10.54	13.32	13.3
i	Zone 3		3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55		i				
			, J	CEANA	036144	10.35	100.00	31.20	74.08	11.55			20.35	10.54	13.32	13.0
ı	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ŀ	UEANL	USBMC		36.52	36.52				1				
<u> </u>	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	 -		UEANL	USBA2	1.35		29.35			ļ	<u> </u>	20.05	18.63	10.00	
 	The state of the s	 	_	- LITTL	300114	1.35	54.55	23.35		 			20.35	10.54	13.32	13.0
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		36.52	36.52								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	t	_	UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13,3
			-			2.20	170.14	07.10					20.55	10,54	10.32	13.,
I	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC	I	36.52	36.52		I	l					
	Loop Testing - Basic 1st Half Hour			UEANL	URET1	····	57.67	0.00		 						
	Loop Testing - Basic Additional Half Hour	i	1	UEANL	URETA		37.44	37.44								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	4.67		25.75	70.82	9.55	 		20.35	10.54	13.32	13.
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	6.99	81.40	25.75	70.82	9.55	_		20.35	10.54	13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.67		25.75	70.82	9.55			20.35	10.54	13.32	13.3
											-	ļ 	20.00	10.04	70.04	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	ļ	UEF	lusamo		36.52	36.52				•				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.85	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.3
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS4X	8.76	81.74	26.08	74.08	11.55	·		20.35	10.54	13.32	13.3
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	14.63	81.74	26.08	74.08	11.55	_		20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36.52	36.52								
1	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-															
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88		1	,					
	Loop Testing - Basic 1st Half Hour			UÉF	URET1		57.67	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		37,44	37.44								
Unbur	ndled Sub-Loop Modification	,														
]	Unburdled Sub-Loop Modification - 2-W Copper Dist Load		ì		1											
	Coll/Equip Removal per 2-W PR		!	ŲĘF	ULM2X		335.36	7.82								
i	Unburdled Sub-loop Modification - 4-W Copper Dist Load	1	ļ													
	Coll/Equip Removal per 4-W PR	-	├	UEF	ULM4X		335.36	7.82								
[Unbundled Loop Modification, Removal of Bridge Tap, per urbundled loop		1	UEF			i			i						
Harbara	inded Network Terminating Wire (UNTW)			UEF	ULMBT		528.48	9,74		i		L				
Jonau	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.4555	2.48	2.40	0.554.4	0.5044						
Notes	ork Interface Device (NID)			IOCIA I AA	OCHE	0.4555	∠.48	2.48	0,5814	0.5814	L	L	20.35	10.54	13.32	13.3
194141	Network Interface Device (NID) - 1-2 lines		· · · · ·	IUENTW	UND12		63.46	31.06	0.6391	0.6391			20.00			
	Network Interface Device (NID) - 1-6 lines	 	 	UENTW	UND16		63.46	31.06	0,6522	0.6522			20.35 20.35	10.54	13.32	13.3
	Network Interface Device Cross Connect - 2 W	 		UENTW	UNDÇ2		8.75	8.75	0.0322	0.6522			20.35	10.54 10.54	13.32	13.3
	Network Interface Device Cross Connect - 4W			UENTW	UNDÇ4		8.75	8.75			·		20.35	10.54	13.32	13.3
NE OTHER.	PROVISIONING ONLY - NO RATE	 	 	-	15.155	 		0.75		 			20.55	10.54	13.32	13.3
				UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												···········
	Unbundled Contact Name, Provisioning Only - no rate	L		NTCD1, USL	UNEÇN	0.00	0.00						ļ	l		
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF		0.00			l						
	Unbundled DS1 Loop - Expanded Superframe Format option - no							·············	· · · · · · · · · · · · · · · · · · ·							
	rate			USL, NTCD1	CCOEF		0.00			<u> </u>	L !				l	
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate	1	ļ	UENTW	UENCE	0.00	0.00									
LOOP MAKE-			-													
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	Į.	1	UMK	UMKLW	I	0.76	0.76								
													20.35	10.54	13.32	13.3

MEGMOLE	D NETWORK ELEMENTS - Tennessee	,	,	,	· · · · · · · · · · · · · · · · · · ·						<u></u>		Att: 2 Exh: A			
TEGORY	RATE ELEMENTS	interim	Zone	acs	USOC			RATES(\$)				Syc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Menual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increme Charg Manual Order Electro Disc Ar
			-			Rec	Nonrecurring First	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Nonrecurring First		- COMPO	SOMAN	SOMAN	Rates(\$)	SOMÁÑ	SOMA
	Loop Makeup - Preordering With Reservation, per spare facility	——			+	+	rirst	Add'I	riişt	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SOMA
- {	queried (Manual).	ļ	ļ	UMK	UMKLP	1	0.76	0.76	[}	1	}	20.35	10.54	13.32	1 1
	Loop MakeupWith or Without Reservation, per working or spare	\vdash			1	T										
	facility queried (Mechanized)	└		UMK	UMKMQ		0.76	0.76					20.35	10.54	13.32	
E SPLITTING	G BER ORDERING-CENTRAL OFFICE BASED	L			ــــــــــــــــــــــــــــــــــــــ	<u> </u>			l		L			 _		L
ENDUS	Line Splitting - per line activation DLEC owned splitter			UEPSA UEPSB	UREOS	0.61										·
-	Line Splitting - per line activation AT&T owned - physical	†	_	UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	
_	Line Splitting - per line activation AT&T owned - virtual		l	UEPSR UEPSB	UREBY	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	
	SER ORDERING - REMOTE SITE LINE SPLITTING	,		,								,				,
	Rempte Site Shared Loop Line Activation for End Users - CLEC Owned Splitter		l	UEPSR UEPSB	URERS	0.61	53.40	21.61	6.70	6.70			0.00	0.00	0.00	
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned		 	UEFOR UEFOR	UNENS	1.0.61	53.40	21.61	8.70	6.70	 		0.00	0.00	0.00	
- i i	Soliter	1]	UEPSH VEPSB	URERA		50.57	20.06	ł				0.00	0.00	0.00	
UNBUN	IDLED EXCHANGE ACCESS LOOP								<u> </u>							
	ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	i	١.			l										}
	Zone 1	 		UEPSR UEPSB	UEALS	11,74	31.99	20.02	10.65	1,41			20,35	10.54	13.32	
]]	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		١,	UEPSR UEPSB	UEABS	11,74	31.99	20.02	10.65	1.41		•	20.35	10.54	13.32	
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	┿~~		DEFOR CEPSO	05.000	1	01.00	20.02	70.03	1.91			20.93	10,35	13.32	
1 1	Zone 2	1	2	UEPSA UEPSB	UEALS	17.59	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	i
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				7	1										
	Zone 2	 -	2	UEPSR UEPSB	UEABS	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	<u> </u>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.		lucas c					1		ŀ				
	Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	—-	-3-	UEPSR UEPSB	UEALS	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	├
l i	Zone 3		3	UEPSR UEPSB	UEABS	29.37	31.99	20.02	10.65	1.41	ł		20,35	10.54	13.32	ļ
	AL COLLOCATION		· · ·	02. 0 02. 00		1	3.190			,,,,,,				70.04		
	Physical Collocation-2 Wire Cross Connects (Loop) for Line	1	1	, , , , , , , , , , , , , , , , , , , ,												
	Splitting	<u></u>	J	UEPŞR UEPSB	PE1LS	0.0475	11.62	9.90	10.38	8.66	J		0.00	0.00	0.00	<u></u>
VIRTUA	AL COLLOCATION	,	1	,									,			τ
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	J	-	UEPSR UEPSB	VEILS	0.57	11.62	9.90	10.38	8.66	1		2.07	2.81	0.67	
SUNDI ED D	DEDICATED TRANSPORT	' 		GEF SH GEF GO	72.00	0.97	71.62	9.50	10.36	0.00			2.07	4.01	0.67	
	OFFICE CHANNEL - DEDICATED TRANSPORT - Stand Alone					<u> </u>			1	<u> </u>						
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0174										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	18.58		17.37	27.96	3.51			20.35	21.09	9.80	
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile		-	U1TVX	1L5XX	0.0174	ļ				 					—
	Interoffice Channel - 2-Wire VG. Rev Bat Facility Termination	Į.	1	UITVX	U1TR2	18.58	55.39	17.37	27.96	3.51	1	l	20.35	21.09	9.80	1
	Interoffice Channel - 4-Wire Voice Grade - per mile	 	 	U1TVX	1L5XX	0.0174		17.57	27.50	3.01	 	****	20.55	21,03	3.00	
		 				1							· · · · · · · · · · · · · · · · · · ·	ļ ———		
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			UITVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	9.80	L
	Interoffice Channel - 56 kbps - per mile		-	UITOX	1L5XX	0.0174			<u></u>							
	Interoffice Channel - 56 kbps - Facility Termination Interoffice Channel - 64 kbps - per mile	├ ─-	 	UTTOX	1L5XX	17.98		17.37	27.96	3.51	 		20.35	21.09	9.80	├ ─
	Interoffice Channel - 64 kbps - Facility Termination		+	U1TDX	U1TD6	17.98		17,37	27.96	3.51	 		20.35	21.09	9.80	
	Interoffice Channel - DS1 - per mile	+	 	U1TD1	1L5XX	0.3562		17,07	27,30	5.51			20,00	21.08	3.00	-
	Interoffice Channel - DS1 - Facility Termination	1		UITOI	UITFI	77.86		76.27	19.55	14.99			20.35	21,09	9.80	
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	2.34										
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	848.99		176.56	109.04	105.91	<u> </u>		36.84	36.84	19.01	
	Interoffice Channel - STS-1 - per mile	-	-	U1151	1L5XX U1TFS	2.34 849.30				405.54		<u> </u>	22.74			
	Interoffice Channel - STS-1 - Facility Termination IDLED DARK FIBER - Stand Alone or in Combination		Ь	UTSI	JUTTES	048.30	395.29	176.56	109.04	105.91	L	L	36.84	35.84	19.01	<u> </u>
- UNOUN	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	Ţ	Т			T	T		T		T	F				
	Route Mile Or Fraction Thereof	1	l	UDF, UDFCX	1L5DF	28.74	1		ļ	1	ļ.	ļ	\	\	ا '	İ
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	$\overline{}$	1		T				 	T	1					
	Route Mile Or Fraction Thersof		ļ	UDF, UDFCX	UDF14	 	1,121.00	153.19	580.26	357.17	1					<u></u>
	Y UNBUNDLED LOCAL LOOP	ــــــــــــــــــــــــــــــــــــــ	Щ.	L			L		l	L	<u>. </u>	L	L			
ns-3/8.	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone		_	ÜE3	1L5ND	9.19					T					
- 	DS3 Unbundled Local Loop - per mile DS3 Unbundled Local Loop - Facility Termination	+ -	 	UE3	DE3PX	374.24		304.50	234.83	170.16			36.84	36.84	19.01	
	STS-1 Unbundled Local Loop - per mile	+	+	UDLSX	1L5ND	9.19					 		55.07	20.07	19.01	

JNOUNDLE	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	÷		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'I	Disc 1st	Disc Add'i
						Reç	Nonrecurring First	Add'l	Nonrecurring D	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	ŞOMAN	SOMAN
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	389 35	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.0
NHANCED EX	TENDED LINK (EELs)	1			1	I								L		
	k Elements Used In Combinations		T-2-	(mind) av	LIENIO	14.74	100.70	0F 47 I	70.54	40.00			31.26	10.42		
	2-Wire VG Loop (SL2) In Combination - Zone 1	 		UNCVX	UEAL2 UEAL2	14.74	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			31.26	10.42		
	2-Wire VG Loop (SL2) in Combination - Zone 2 2-Wire VG Loop (SL2) in Combination - Zone 3	+		UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86			31.26	10.42		
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	-		UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86			31.26	10.42		
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	ļ	2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86			31.26	10.42		
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 1	 		UNČNX	U1L2X	19.77	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 2	+	3	UNCNX	U1L2X U1L2X	29.63 49.47	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			31.26 31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 3 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	+	1	UNCDX	UDL56	27.68	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	+	<u></u>	UNCDX	UDL56	41 47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	Ι	3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UDL64	27.68	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	41 47		35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X UNC1X	USLXX	51.38 76.98	228.40 228.40	161.74 161.74	79.87 79.87	24.88 - 24.88			18.98	8.43 8.43	11.95	
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3	+		UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43	11,95	····
	DS3 Local Loop in combination - per mile	+	٦	UNC3X	1L5ND	9.19		.0.,7=	10.01	24.00			10.00	- 0.70	71,00	
	DS3 Local Loop in combination - Facility Termination	1	+	UNC3X	UE3PX	374.24	1,260.47	628.84	106.78	45.24			36.84	36.84	19.01	19.
	STS-1 Local Loop in combination - per mile		T	UNCSX	1L5ND	9.19										
	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDL\$1	389.35	1.260.47	528.84	79.87	24.88			36.84	36.84	19.01	19.0
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0174										
	Interoffice Channel in combination - 2-wire VG - Facility		1						no no				20.00			
	Termination		 	UNCVX	U1TV2 1L5XX	18.58 0.0174	79.83	44.08	69.32	31.00			20,35	21.09	9.80	10.5
	Interoffice Channel in combination - 4-wire VG - per mile Interoffice Channel in combination - 4-wire VG - Facility	+	 	DINCAX	IF3VV	0.0174	·									
	Termination			UNGVX	U1TV4	24.09	79.83	44.08	69.32	31,00			15.08	15.08	8.66	8.6
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0174						····	141.5			
	Interoffice Channel in combination - 4-wire 56 kbps - Facility	1														
j	Termination	<u> </u>	ļ	UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	Interoffice Channel in combination - 4-wire 64 kbps - per mile		ļ	UNCDX	1L5XX	0.0174										
	Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	Interoffice Channel in combination - DS1 - per mile	+	+	UNCIX	1L5XX	0.3562	79.00	44.00	05.52	31.00			20.33	21.00	3.00	10.0
	Interoffice Channel in combination - DS1 Facility Termination	+	+	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.5
	Interoffice Channel in combination - DS3 - per mile	+	+	UNC3X	1L5XX	2.34										
	Interoffice Channel in combination - DS3 - Facility Termination	\top	†	UNC3X	U1TF3	848.99	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.0
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	2.34	1.									
	Interoffice Channel In combination - STS-1 Facility Termination		1	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.0
	ETWORK ELEMENTS	<u> </u>	┸		_l	ــــــــــــــــــــــــــــــــــــــ	<u> </u>		1	 	L	l	L	<u> </u>	L	L
Optiona	I Features & Functions:			UITDI.	T	1	······		· · · · · · · · · · · · · · · · · · ·							l
	Clear Channel Capability Extended Frame Option - per DS1	1 .		ULDD1,UNC1X	CCOEF	1	0.00	0.00	0.00	0.00			j			
	Clear Chairles Capability Extended Frame Option - per 031	+	+	U1TD1,	CCCC	+	0.00	0.00	9.00	0.50			-			
	Clear Channel Capability Super FrameOption - per DS1	1 i		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -		1	ULDD1, U1TD1.												
	per DS1		1	UNC1X, USL	NRCCC		185.16	23.86	2.03	0.79						
7				U1TD3, ULDD3,								1				
	C-bit Parity Option - Subsequent Activity - per DS3	4		UE3, UNC3X	NRCC3	ļ	219.46	7.68	0.7637				<u> </u>	<u> </u>		
	DS1/DS0 Channel System	+	+	UNC1X	MQ1 MQ3	80.77 222.98	105.76 156.02	14,48 49,41	3.04 17.12	2.74 6.77			20.35	9.80	11.49	f,
	DS3/DS1Channel System	+-	+	UNCXX, UNCSX	1D1VG	1.82		49.41	17.12	6.77	 	 	20.35	9.80	11.49	1,
	Voice Grade COC1 in combination		+-	10,1010	10.10	1.92	3.73	34.42	-							
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop			UEA	1D1VG	1.82	5.70	4.42			l	1		[
	Voice Grade COCI - for connection to a channelized DS1 Local	1	1													
	Channel in the same SWC as collocation			UITUC	1D1VG	1.82		4.42	L		1	ļ	ļ			
	OCU-DP COCI (2.4-64lds) in combination			UNCDX	1D1DD	0.91		4.42			L		20.35	9.80	11,49	1.1
					14D4DD		5.70	4.42			i					1
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1		1	UDL	1010D	0.91	3.70	7.72								

	LED NETWORK ELEMENTS - Tennessee	,											Att: 2 Exh: A		·	
CATEGORY	RATE ELEMENTS	knterim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Syc Order vs. Electronic- Add'i	Incremental Charge - Manual 8vc Order va, Electronic- Disc 1st	Increment Charge Manual Sy Order vs Electronic Disc Add
					 	Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		ــــــ
	2-wire ISDN COCI (BRITE) In combination			UNCNX	UCTCA	17.58	First	Add't	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - for a Local Local	 		UDN	UCICA	17.58	5.70	4.42					20.35	9.80	11.49	1.1
1	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1	-			CCICA	17.56	5.70	4,42								
	Local Channel in the same SWC as collocation		ļļ	UITUB	UC1CA	17.58	5.70			1						
	DS1 COCI in combination			UNC1X	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for Stand Alone Local Channel			ULDO1	UC1D1	17.58	5.70	4.42		<u> </u>			20.35	9.80	11.49	1.1
	DS1 COCI - for Stand Alone Interoffice Channel			UITDI	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for DS1 Local Loop			USL, NTCD1	UC1D1	17.58	5.70	4.42								
- 1	DS1 COCI - for connection to a channelized DS1 Local Channel in				100.0	17.36	5.70	4.42								
	the same SWC as collocation	!	1	U1TUA	UC1D1	17.58	5.70	4.42] [*
1				UNCVX, UNCDX.	00.07	17.36	9.70	4.42								
	Wholesale - UNE, Switch-As-is Conversion Charge			UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,	:											
	arte, carta rara conversion charge			HFRST, UNCNX	UNCCÇ		52.73	24.62	9.12	9.12			i	i	í	
ŀ	Unbundled Misc Rate Element, SNE SAI, Single Network Element			UITVX, UITDX.	l i											
1	Switch As Is Non-recurring Charge, per circuit (LSR)			U1TD1, U1TD3,												
	Unbundled Misc Rate Element, SNE SAI, Single Network Element	' -		U1TS1, UDF, UE3	URESL		34.53	15.11					ļ.	I	F	
	Switch As is Non-recurring Charge, incremental charge per circuit	- 1	- 13	UITVX, UITDX,	1 1									i		
	on a spreadsheet	. !	- !!	U1TD1, U1TD3.				- 1	i		!]				
Acces	s to DCS - Customer Reconfiguration (FlexServ)			J1TS1, UDF, UE3	URESP		1.40	1.40				i				
	Customer Reconfiguration Establishment											,				
	DS1 DCS Termination with DS0 Switching				<u> </u>		2.78		3.32			1				
	DS1 DCS Termination with DS1 Switching					23.35	41.14	34 25	29.94	24.08						
	DS3 DCS Termination with DS1 Switching		-			13.45	27.79	20.90	21.99	16.12						
Node	(SynchroNet)				<u> </u>	150.88	41.14	34.25	29.94	24.08						
	Node per month															
Servic	e Rearrangements		اــــا	JNGDX	UNCNT	17.11										
	NRC - Change in Facility Assignment per circuit Service Rearrangement		ر ر ر	JITVX, UITDX, JITUC, UITUD, JITUB, ULDVX, JLDDX, UNCVX, JNCDX, UNCIX	URETD		130,47	40.11								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	1	 	JITVX, UITDX, JITUC, UITUD, JITUB, ULDVX, JLDDX, UNCVX, JNCDX, UNCIX	UAETB											
	INRC - Order Coordination Specific Time - Dedicated Transport	- 			OCOSE	·	3.44	3.44						Į.	ĺ	
OMMINGLING		 			OCCOR.		18.93	18.93								
	Comminging Authorization		00000	NCVX, UNCDX, INC1X, UNC3X, INC5X, U1TD1, IHTD3, U1TS1, E3, UDL5X, ITVX, U1TDX, ITVB, ULDVX, LDD1, ULDD3, LDS1	CMGAU											
Comm	ngled (UNE part of single bandwidth circuit)				CIVICIAU]	0.00	0.00	0.00	0.00	0.00				1	- 1	
	Commingled VG COCI		ĪΫ	DV2X	1D1VG	2.651										
	Commingled Digital COCI				10100	1.82	5.70 5.70	4.42	T							
	Commingled ISDN COCI				UC1CA	17.58		4.42	T							
	Commingled 2-wire VG Interoffice Channel Facility Termination				UITV2	18.58	5.70	4.42								
	Commingled 4-wire VG Interoffice Channel Facility Termination				U1TV4		79.83	44.08	69.32	31.00						
	Commingled 56kbps Interoffice Channel Facility Termination	\rightarrow				24.09	79.83	44.08	69.32	31.00				·		
	Commingled 64kbps Interoffice Channel Facility Termination				U1TD5	17.98	79.83	44.08	69.32	31.00						
	3			DV2X, XDV6X	01106	17.98	79.83	44,08	69.32	31.00				- -		
ĺ	Commingled VG/DS0 Interoffice Channel per mile	1						7-								
	Commingled 2-wire Local Loop Zone 1				JEAL2	0.0174							ļ	1	I	
			101	UYEA	JEALZ !	14,74	108.76	35.47	72,94	44.00						- 1
	Commingled 2-wire Local Loop Zone 2				JEAL2	22.08	108.76	35.47	72.94	10.86		· ·	- 1			

INBUNDLE	ED NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc	a.		RATES(\$)				Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electron Disc Ade
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
		T				1	First	Addʻl	First	Add I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Commingled 2-wire Local Loop Zone 3	j		XDV2X	UEAL2	36.87	108.76	35.47	72.94	10.86						
	Commingled 4-wire Local Loop Zone 1			XDV6X	UEAL4	21.98	108.76	35.47	72.94	10.86						
	Commingled 4-wire Local Loop Zone 2	1		XDV6X	UEAL4	32.93	108.76	35.47	72.94	10.86						
	Commingled 4-wire Local Loop Zone 3	1		XDV6X	UEAL4	54.99	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 1			XDD4X	UDL56	27.68	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 2			XDD4X	UDL56	41.47	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	69.24	108.76	35.47	72.94	10.86						
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	27.58	108.76	35,47	72.94	10.86						
	Commingled 64kbps Local Loop Zone 2	1		XDD4X	UDL64	41.47	108.76	35.47	72.94	10.86			<u> </u>			
	Commingled 64kbps Local Loop Zone 3	1	3	XDD4X	UDL64	69.24	109.76	35.47	72.94	10.86						
	Commingled ISDN Local Loop Zone 1		1 1	XDD4X	U1L2X	19.77	108.76	35.47	72.94	10.86						
	Commingled ISDN Local Loop Zone 2			XDD4X	U1L2X	29.63	108.76	35.47	72.94	10.86						
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	49.47	108.76	35.47	72.94	10.86						
	Commingled DS1 COCI			XDH1X	UC1D1	17.58	5.70	4.42								
	Commingled DS1 Interoffice Channel Facility Termination			XDH1X	UITFI	77.86	171.24	113.12	70.07	30.90						$\overline{}$
	Commingled DS1 Interoffice Channel per mile			XDH1X	1L5XX	0.3562										
	Commingled DS1/DS0 channelSystem	1		XDH1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Commingled D\$1 Local Loop Zone 1	$\overline{}$	1	XDH1X	USLXX	51,38	228.40	161.74	79.87	24.88				·		
	Commingled DS1 Local Loop Zone 2	1	2	XDH1X	USLXX	76.98	228.40	161.74	79.87	24.88						
	Commingled DS1 Local Loop Zone 3	1	3	XDH1X	USLXX	128.54	228,40	161.74	79.87	24.88						
	Commingled D\$3 Local Loop Facility Termination			HFQC6	UE3PX	374.24	1.260.47	628.84	106.78	45.24	·					
	Commingled D\$3/STS-1 Local Loop per mile		 	HFQC6, HFRST	1L5ND	9.19	-				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
	Commingled STS-1 Local Loop Facility Termination		 	HFRST	UDLS1	389.35	1,260.47	628.84	79.87	24.88						
	Commingled D\$3/D\$1 channelSystem	+	1	HFQC6	МОЗ	222.98	156.02	49,41	17.12	6.77						$\overline{}$
	Commingled DS3 Interoffice Channel Facility Termination		 	HFQC6	U1TF3	848.99	482.01	153.81	64.43	35.43						
	Commingled D\$3 Interoffice Channel per mile	-	 	HFQC6	1L5XX	2.34				<u>_</u>			-			
	Commingled STS-1Interpffice Channel Facility Termination	+	i –	HFRST	U1TFS	849.30	482.01	153.81	64.43	35.43	 		· · · · · · · · · · · · · · · · · · ·			
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	2.34					 					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			177.101	1.00	1					 	<u> </u>				
	Strands, Fer Route Mile Or Fraction Thereof	1		HEODL	1L5DF	28.74					İ			i		ĺ
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	_		TICODE	12301	10.74					 					
1	Strands, Per Route Mile Or Fraction Thereof		ļ	HEADL	UDF14	1 1	1,121.00	153.19	580.26	357.17		!			!	ĺ
	UNE to Commingled Conversion Tracking	+		XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	 			 		
	SPA to Commingled Conversion Tracking		!	XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00					 	
P Query Se		+	┼	AUITIA, FU GIÇO	CMOO	0.00	0.00		0.00	5.00		 				
IP QUELY SE	LNP Charge Per query	+			+	0.0009277					 	 	ļ			
	LNP Service Establishment Manual		+			0.0003211	23.60	13.83	23.60	12.71						-
	LNP Service Provisioning with Point Code Establishment		+	 i	+	 	1,119.00	571,71	1,119.00	571.71					 	
1 PBX LOC			 	 	+	 	1,173.00	377,71	1,110.00	57 1,71		_				
		4	Ц	1 	.1				L		<u> </u>			<u> </u>	<u> </u>	
911 PI	EX LOCATE DATABASE CAPABILITY		т	Tobone.	9PBEU	,	1.706.00		T							
	Service Establishment per CLEC per End User Account	_		9PBDC		 					 					
	Changes to TN Range or Customer Profile	+		9PBDC	9PBTN	0.07	170.69		_	· · · · · · · · · · · · · · · · · · ·				ļ. —	<u> </u>	⊢
	Per Telephone Number (Monthly)		+	9PBDC	9PBMM	0.07						-			 	
	Change Company (Service Provider) ID			9PBDC	9PBPC	104.50	501.06					-				
	PBX Locate Service Support per CLEC (Monthli)		├ ─	9PBDC	9PBMR	191.92		· · · · · · · · · · · · · · · · · · ·	-	<u> </u>	ļ				<u> </u>	
	Service Order Charge	٠	ــــــــــــــــــــــــــــــــــــــ	9PBDC	9PBSC		23.20						L	L	L	
	EX LOCATE TRANSPORT COMPONENT															
See A	11 3	.,			.,				,			,	,	,		,
1		ī	1	1	1	1					I	1	I	ı	i '''	i

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	-		RATES (\$)			Svc Order Submitted Elec per LSR		incremental Charge - Manual Svc Order vs. Electronic- 1st		Charge -	Charge - Manual Svo Order vs.
						Rec	Nonre	curring	Nonrecurrin	g Disconnect	<u> </u>	l	oss	Rates (\$)	<u></u>	
						Rec	First	Add'l	First	Add*1	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INDINO ED	EXCHANGE ACCESS LOOP		_							 						
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	,	 	 			 						 	
	2 Wire Unbundled HDSL Loop including manual service inquiry		T		1										i	
	& facility reservation - Zone 1		1	UHL	UHL2X	10.05	. <u>-</u>		<u> </u>							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11.70										
	2 Wire Unbundled HDSL Loop including manual service inquiry								<u> </u>	· · · · · · · · · · · · · · · · · · ·						
	& facility reservation - Zone 3		3	UHL	UHL2X	13.16			<u> </u>		<u> </u>					<u> </u>
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		١,	UHL	UHL2W	10.05		1					ĺ		•	1
	2 Wire Unbundled HDSL Loop without manual service inquiry		 ' -	UAL	UHLZVV	10,05		 	 	 		· · · · · ·			1	
	and facility reservation - Zone 2		2	UHL	UHL2W	11.70		ļ								ĺ
	2 Wire Unbundled HDSL Loop without manual service inquiry								1							
4 14/15	and facility reservation - Zone 3 E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDE C		UHL	UHL2W	13.16		.		ļ						
4-4416	4 Wire Unbundled HDSL Loop including manual service inquiry	IIIDEE	LOOP		+			<u> </u>	 	 						
i i	and facility reservation - Zone 1		1	UHL	UHL4X	16.04									ļ	į
	4-Wire Unbundled HDSL Loop including manual service inquiry									1						
	and facility reservation - Zone 2		2	UHL	UHL4X	17.89			ļ	<u> </u>						
	Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	17.54										
	4-Wire Unbundled HDSL Loop without manual service inquiry		1						1	<u> </u>						
<u> </u>	and facility reservation - Zone 1		1	UHL	UHL4W	16.04				<u> </u>						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	17.89										l .
 	4-Wire Unbundled HDSL Loop without manual service inquiry	 	1 -	0/10	0112411	17.05		 	 	ł						
<u> </u>	and facility reservation - Zone 3	L	3	UHL	UHL4W	17.54										l .
4-WIR	E DS1 DIGITAL LOOP		Ľ.						1.							
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2	ļ		USL	USLXX	94.93 177.31			ļ							
	4-Wire DS1 Digital Loop - Zone 3		3	ust	USLXX	361.70	•	 			-					· · · · · · · · · · · · · · · · · · ·
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP		 		1				 	 	· · · · · · · · · · · · · · · · · · ·					
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															[
	month High Capacity Unbundled Local Loop - DS3 - Facility		-	UE3	1L5ND	9,64			 	ļ						
	Termination per month	i		UE3	UE3PX	308.98				i						1
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		 		1	, , , , , , , , , , , , , , , , , , ,			1							
	month	<u> </u>	1	UDLSX	1L5ND	9.64			1	<u> </u>	1					1
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	367.80			1							
UNBUNDLED	DEDICATED TRANSPORT	 	 -	UDLOX	UDLS1	367,80		 	·	 						
	OFFICE CHANNEL - DEDICATED TRANSPORT		1			· ·										····
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1							
 	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	<u> </u>	1	U1TD1	1L5XX	0.21		 	 	ļ						
	Termination			U1TD1	U1TF1	69.18				<u></u>						L !
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.70										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	809.05										İ
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	 	 						 							
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility		+-	U1TS1	1L5XX	4.70	· · · · · · · · · · · · · · · · · · ·	 								
	Termination	L	<u> </u>	U1TS1	UITES	806.58			1	L						į
UNBU	NDLED DARK FIBER - Stand Alone or In Combination															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		[UDE UDSOY	41.505	07.00										
ENHANCED =	Route Mile Or Fraction Thereof XTENDED LINK (EELs)	 	 	UDF, UDFCX	1L5DF	25.69		 	 	 			-			
LAILANCED E	ALL DESCRIPTION PROPERTY.		<u> —</u>	L							·		<u></u>			

INBUNDLE	D NETWORK ELEMENTS - Alabama												Attachmen	t; 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
						 -	Nonre	curring	Nonrecurrin	Disconnect		L	OSS	Rates (\$)	L	L
		1				Rec	First	Add*I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE	The monthly recurring and non-recurring charges below will	apply a	nd the S	Switch-As-Is Char	ge will not app	ply for UNE com	inations pr	visioned as	Ordinarily Com	bined' Networ	k Elements	-		-		
NOTE	The monthly recurring and the Switch-As-is Charge and not	he non-	recurrir	ng charges below	will apply for	UNE combination	ns provision	ed as ' Curren	ly Combined	Network Eleme	ents.	 				
EXTE	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	ORT	1		Ť				 				
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNÇ1X	USLXX	94.93					1					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	177.31			†	·		 				
	4-Wire DS1 Digital Loop in Combination - Zone 3	i	3	UNC1X	USLXX	361.70		† 			· · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21								,		
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNCIX	UITFI	69.18										
EXTE	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT							1	 				
	DS3 Local Loop in combination - per mile per month		\Box	UNC3X	1L5ND	9.54										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.33										1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70			·		1					
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	809.05										
EXTER	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT										····				
	STS-1 Local Loop in combination - per mile per month			UNCŠX	1L5ND	9.54		Ţ				· · · · · ·	 			
	STS-1 Local Loop in combination - Facility Termination per month			UNC\$X	UDL\$1	367.80										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITFS	806.58										

Version: 2007 Standard ICA 04/26/07

OURONDE	D NETWORK ELEMENTS - Florida											,		t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC\$	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			Γ	\		Rec		urring	Nonrecumn	g Disconnect				Rates (\$)		
		├	+-				First	Add <u>'l</u>	First	l'bbA	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNGLED E	XCHANGE ACCESS LOOP	 	 				~		 -	 						
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP						t		 					
	2 Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	T													f
	& facility reservation - Zone 1		1-	UHL	UHL2X	8.30			<u> </u>	ļ						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	ł	2	UHL	UHL2X	11 80			1							1
	2 Wire Unbundled HDSL Loop including manual service inquiry		+ -	Uni.	Unicax	11.60			 	 	 					
ì	& facility reservation - Zone 3)	3	UHL	UHL2X	20.94			1							
	2 Wire Unbundled HDSL Loop without manual service inquiry	1									 					
	and facility reservation - Zone 1		1	UHL	UHL2W	8.30										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	l	2	IUHL	I I I I I I I I I I I I I I I I I I I				\	1	\	,				
	2 Wire Unbundled HDSL Loop without manual service inquiry		 - -	Unt	UHL2W	11.80			 	 	+					
	and facility reservation - Zone 3	1	3	UHL	UHL2W	20.94			İ	1	1					
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE			1		 			 	 					
	4 Wire Unbundled HDSL Loop including manual service inquiry		T						1		1					
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4X	12.49										
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	47.70										
	4-Wire Unbundled HDSL Loop including manual service inquiry		-	UHL	DHL4X	17.76			 		 					
	and facility reservation - Zone 3		1 3	UHL	UHL4X	31.50			1	1	1)	Ì
	4-Wire Unbundled HDSL Loop without manual service inquiry	T	+-		 	T				·	 					
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4W	12.49										1
	4-Wire Unbundled HDSL Loop without manual service inquiry	Į									1					
	and facility reservation - Zone 2 4-Wire Unbundted HDSL Loop without manual service inquiry		1-2	UHL	UHL4W	17.76				 	} -					ļ
	and facility reservation - Zone 3		3	UHL	UHL4W	31.50			i							
4-WIRE	DS1 DIGITAL LOOP	 	 	0.14	10	050			 	+	 	<u> </u>				
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	81.35			 -	<u> </u>						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	115.62										
	4-Wire DS1 Digital Loop - Zone 3	ļ	3	USL	USLXX	205.15										
	TY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per	-	 			[
	month	ļ	!	UE3	1L5ND	12.56										t
<u> </u> -	High Capacity Unbundled Local Loop - DS3 - Facility	1	1	-	1	12.00				 	 					
	Termination per month			UE3	UE3PX	444.91		<u></u>		<u> </u>					:	1
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1		T					Ţ						
	month High Capacity Unbundled Local Loop - STS-1 - Facility	-	 	UDLSX	1L5ND	12.56				ļ	<u> </u>					
\	Termination per month	ì	1	UDLSX	UDLS1	490.59)		1						1
UNBUNDLED (DEDICATED TRANSPORT	 	+	3345	10020	400.55			 	 	 		··· · · · · · · · · · · · · · · · · ·			
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT								1							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				Ī				!		1					<u> </u>
-	month Interoffice Channel - Dedicated Tranport - DS1 - Facility	}		UITDI	1L5XX	0.21			 	 						
	Termination			U1TD1	UITEI	101,71										1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	†	+		1	101.71			 	 	 					
	month			U1TD3	1L5XX	4.45				<u> </u>						i
1	Interoffice Channel - Dedicated Transport - DS3 - Facility]	1													<u> </u>
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		+	U1TD3	U1TF3	1231.65				 	 					
	Interoffice Channel - Dedicated Transport - 515-1 - Per Mile per Imonth			U1TS1	1L5XX	4.45			1	1		Į			j	i
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	†		T	 					1	 					
	Termination	<u> </u>		U1TS1	UITFS	1214.40			<u> </u>	l						<u></u>
UNBUI	NDLED DARK FIBER - Stand Alone or in Combination	-	 	ļ		L										
ł	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	30.88			!							
NHANCED F	THOUSE MIS OF FRACIION THEREOF	 	 	GOT , OUTON	1:55	30.68				 	 					
	·							·····	·							

Version: 2007 Standard ICA 04/26/07

NBUNDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. B	L	
ATEGORY	RATE ELEMENYS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs.	Charge -	Charge Manual S Order va
							Nonre	urring	Nonrecurrin	g Disconnect	 		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	The monthly recurring and non-recurring charges below will	арріу а	nd the	Switch-As-Is Charg	e will not app	oly for UNE com	binations pro	visioned as '	Ordinanly Corr	bined' Networ	k Elements.					1
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurr	ing charges below	will apply for	UNE combination	ns provision	d as 'Curren	tly Combined	Network Eleme	ints.					1
	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT					T			T	1	T					1
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	81.35				<u> </u>	Ţ:					1
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	115.62			1	1	1					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15					1					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	101.71									· · · · · · ·	
EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NTER	FFICE	TRANSPORT		† 				† ···-						1
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.56										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	444.91		i 								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		[UNC3X	1L5XX	4.45			T				1			1
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1231.65										
EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROF	FICE TRANSPORT									· · · · · · · · · · · · · · · · · · ·			
	STS-1 Local Loop in combination - per mile per month		I	UNCSX	1L5ND	12.56					T					
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	490.59										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.45										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1214.40										

Version: 2Q07 Standard ICA 04/26/07

NRONDEED	NETWORK ELEMENTS - Georgia											1	Attachmen	t: 2 Exh. B	ļ	
ATEGORY	RATE ELEMENTS	Intert m	Zone	BCS	υsoc			RATES (\$)		, Himmon	Svc Order Submitted Elec per LSR		incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec First	urring Add'l	Nonrecurrin First	g Disconnect Add'I	SOMEC	SOMAN	OSS SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	CHANGE ACCESS LOOP		<u> </u>													
	IGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOP							<u> </u>						
	facility reservation - Zone 1	1 1	1	UHL	UHL2X	9.06				i	i l	- 1		•		l
2	Wire Unbundled HDSL Loop including manual service inquiry		 	UTIL	Unice	3.001			}	}	 					
. 8	facility reservation - Zone 2		2	UHL	UHL2X	10.45										
	Wire Unbundled HDSL Loop including manual service inquiry		1										··· -			
	facility reservation - Zone 3		3	UHL	UHL2X_	16.65		·								
	Wire Unbundled HDSL Loop without manual service inquiry nd facility reservation - Zone 1	Ι.	,	UHL	LUI B MAN											
	Wire Unbundled HDSL Loop without manual service inquiry	 ! -	 	UHL	UHL2W	9.06										
	nd facility reservation - Zone 2		2	luhl	UHL2W	10.45			I	1						1
	Wire Unbundled HDSL Loop without manual service inquiry	 	 -	<u> </u>	UI N.CTT	10.40			 	 	<u> </u>					
ar	nd facility reservation - Zone 3		3	UHL	UHL2W	16.65				ł	i l	-	-			ĺ
	IIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	Wire Unbundled HDSL Loop including manual service inquiry		Ϊ.								i					
	nd facility reservation - Zone 1	1	1	UHL	UHL4X	11.95										
	Wire Unbundled HDSL Loop including manual service inquiry nd facility reservation - Zone 2	١,	2	UHL	UHL4X	13.80			1	1						İ
	Wire Unbundled HDSL Loop including manual service inquiry	 	 -	TOFIC	UnL4X	13.60			 	 						
	nd facility reservation - Zone 3	L	3	UHL	UHL4X	21.93						:				ĺ
4-	Wire Unbundled HDSL Loop without manual service inquiry		1								 					
	nd facility reservation - Zone 1	1	_1	UHL	UHL4W	11.95		_								
	Wire Unbundled HDSL Loop without manual service inquiry	[T						
	nd facility reservation - Zone 2	1	2	UHL	UHL4W	13.80										
	-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	١.	3	UHL	UHL4W	21.93										i
	PS1 DIGITAL LOOP			UAL	UHL4W	21.93			ļ	 						
	-Wire DS1 Digital Loop - Zone 1	 	1	USL	USLXX	56.82				 						
4-	-Wire DS1 Digital Loop - Zone 2			USL	USLXX	60.43			1	}				· · · · · · · · · · · · · · · · · · ·		
	-Wire DS1 Digital Loop - Zone 3		3	USL	UŞLXX	78.66										
	UNBUNDLED LOCAL LOOP															
	igh Capacity Unbundled Local Loop - DS3 - Per Mile per		Ī		T											
	onth			UE3	1L5ND	13.11					ļ					
	igh Capacity Unbundled Local Loop - DS3 - Facility ermination per month			UE3	UE3PX	297.21]					1
	igh Capacity Unbundled Local Loop - STS-1 - Per Mile per	 		023	UESFA	297.21			 							
	nonth			UDLSX	1L5ND	13.11										ĺ
- H	igh Capacity Unbundled Local Loop - STS-1 - Facility	1			1											
	ermination per month			UDLSX	UDLS1	401.83			l		L i					İ
	DICATED TRANSPORT		ļ													
	FICE CHANNEL - DEDICATED TRANSPORT	 														
	nteroffice Channel - Dedicated Channel - DS1 - Per Mile per			HATDA	41.5304	0.4070						1			-	
	north teroffice Channel - Dedicated Tranport - DS1 - Facility	+	ļ	U1TD1	1L5XX	0.1379			<u> </u>		ļ					
	ermination			U1TD1	UITFI	40.17							İ			
	nteroffice Channel - Dedicated Transport - DS3 - Per Mile per	 	-	37731	10777	- 40.17				 						
	ionth			U1TD3	1L5XX	3.02									- 1	
	teroffice Channel - Dedicated Transport - DS3 - Facility	Ī .	T						T	1	···				-	
	ermination per month	<u> </u>	L	U1TD3	U1TF3	401.83										
	teroffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	LUTCA	11.500)							
	nonth Iteroffice Channel - Dedicated Transport - STS-1 - Facility	 	┼	UITSI	1L5XX	3.02			ļ	ļ						
	ermination	1	1	U1TS1	UITES	421.39]				I	
	ENDED LINK (EELs)	 	 	0.101	10115	421,39			 	 	 		···-			
NOTE: TH	ne monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-la Charn	e will not app	ly for UNE com	binations pro	visioned as ' (ordinarily Com	bined' Network	Elements			***		
NOTE: Th	he monthly recurring and the Switch-As-is Charge and not t	the non	-recurri	ing charges below (vill apply for t	JNE combination	ns provision	d as Current	ly Combined	Network Elema	nts.					
	ED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT															

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attachmer	t: 2 Exh. B		
CATE	GORY	RATE ELEMENTS	Interi M	Zone	BCS	USOC			RATES (\$)				Submitted	Charge - Manual Svc Order vs.	Charge -	Charge -	Charge Charge Manual Svo Order vs. Electronic- Disc Add'l
	L. "						Rec	Nonre	curring	Nonrecurrin	g Disconnect	·	·	058	Rates (\$)	· · · · ·	
							Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	56.82					T					
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNCIX	USLXX	60.43										
	1	4-Wire DS1 Digital Loop in Combination - Zone 3	l	3	UNC1X	USLXX	78.66					1					1
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNCIX	1L5XX	0.1379							1		1	
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	40.17				<u> </u>						
	EXTE	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERO)FFIC	E TRANSPORT					· · · · · · · · · · · · · · · · · · ·							
		DS3 Local Loop in combination - per mile per month		Ţ.	UNC3X	1L5ND	13.11										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	297.21										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month		Γ	UNC3X	1L5XX	3.02										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	401.83										
	EXTE	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROF	FICE TRANSPORT												
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	13.11										
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	401.83										
		Interoffice Transport - Dedicated - \$TS-1 combination - per mile per month		Γ	UNC\$X	1L5XX	3.02										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	421.39										

Version: 2007 Standard ICA 04/26/07

UNBUNDLE	NETWORK ELEMENTS - Kentucky								 -				Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			├		 	Rec	Nonre- First	curring Add'i		g Disconnect		SOMAN		Rates (\$)	SOMAN	SOMAN
		 	-		 -		FIFSt	Addi	First	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	XCHANGE ACCESS LOOP															
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA 2 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOP													
	& facility reservation - Zone 1		1	UHL	UHL2X	10.06								ļ		i '
	2 Wire Unbundled HDSL Loop including manual service inquiry	 	┷	0.12	UNLEX	10.00										
	& facility reservation - Zone 2	ļ	2	UHL	UHL2X	10.99			<u> </u>							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	40.00				-			· 			
	2 Wire Unbundled HDSL Loop without manual service inquiry	 	-3-	UNL	UHLZX	12.20				 						
l /	and facility reservation - Zone 1		1	UHL	NH _T SM	10.06		<u>L</u>	1	<u> </u>	١			<u></u>		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2													
	2 Wire Unbundled HDSL Loop without manual service inquiry	├	- 5	UHL	UHL2W	10.99				ļ				<u> </u>		
L [i	and facility reservation - Zone 3		3	UHL	UHL2W	12.20		Ì	Ì							1 '
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
] [4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	İ	١,	UHL	11111111111	40.04									·	
	4-Wire Unbundled HDSL Loop including manual service inquiry	 	 	Unic	UHL4X	16.04					ļ			<u> </u>	ļ	
L	and facility reservation - Zone 2	1	2	UHL	UHL4X	18.03										l
	4-Wire Unbundled HDSL Loop including manual service inquiry]												<u> </u>		
	and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	19.53			1					ļ <u> </u>		<u></u>
	and facility reservation - Zone 1		١,	UHL	UHL4W	16.04			1							1
	4-Wire Unbundled HDSL Loop without manual service inquiry				0.12-11	10.04				 						
<u> </u>	and facility reservation - Zone 2		2	UHL	UHL4W	18.03									<u> </u>	
1 1 1	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	ì	3	UHL	UHL4W	19.53			Ĩ							İ
4-WIRE	DS1 DIGITAL LOOP		<u> </u>	Unic	OHLHVV	18.53				 	 					
	4-Wire DS1 Digital Loop - Zone 1			ÜSL	USLXX	99.44			1	-						
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	131.22										
HIGH CAPACITY	Y UNBUNDLED LOCAL LOOP		3	USL	USLXX	342.42			+	ļ	ļ					
	High Capacity Unbundled Local Loop - DS3 - Per Mile per					·			-							
	month	<u> </u>		UE3	1L5ND	10.64			<u>\</u>	1		L				<u> </u>
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		, "	UE3	LIE ARV											
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	 		UE3	UE3PX	354.56					ļ			 	<u> </u>	├ ─
	month	L.	1	uplsx	1L5ND	10.64			1							
	High Capacity Unbundled Local Loop - STS-1 - Facility								1							
	Termination per month EDICATED TRANSPORT			UDLSX	UDLS1	368.59			ļ	<u> </u>						
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT	 	_	· · · · · · · · · · · · · · · · · · ·					 	ļ. <u> </u>	 				}	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		<u> </u>		 - 	· · · · · · · · · · · · · · · · · · ·			 	<u> </u>				 	 	
<u> </u>	month		L	U1TD1	1L5XX	0.26			1					<u> </u>		L
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	440.5					1					
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		 	01101	UNIFI	110.45			- 	 	 					
	month	L		U1103	1L5XX	5.72				[
	nteroffice Channel - Dedicated Transport - DS3 - Facility				1											
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	 	<u> </u>	U1TD3	U1TF3	1351.42										
	month			U1TS1	1L5XX	5.72			1		1					
	Interoffice Channel - Dedicated Transport - STS-1 - Facility					5.72			 		 			· · · · · · · · · · · · · · · · · · ·		
	Termination DLED DARK FIBER	_		UITSI	UITES	1321,94			<u> </u>				,		<u> </u>	└
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			 	 				ļ	ļ	ļ			ļ <u>.</u>		
F	Route Mile Or Fraction Thereof	<u>_</u>		UDF, UDFCX	1L5DF	35.35				1						}
ENHANCED EXT	TENDED LINK (EELs)								1]	

Version: 2007 Standard ICA 04/26/07

NBUN	NOLE	D NETWORK ELEMENTS - Kentucky												Attachmen			
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	;		RATES (\$)			Submitted	Submitted	Charge •	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
1			-	├	 	· 	 	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
			 	├──		-	Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
h	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not ap	ply for UNE com	binations pro	visioned as '	Ordinarily Con	blned Network	Elements.					l
	NOTE:	The monthly recurring and the Switch-As-is Charge and not t	he non	fecun	ing charges below	vill apply for	UNE combination	ns provision	ed as 'Curren	ly Combined'	Network Eleme	ints.					
	XTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTE	ROFFICE TRANSPO	3 T			1		T						
		14-Wire DS1 Digital Loop in Combination - Zone 1	T		IUNC1X	IUSLXX	99.44			T	† · · · · · · · · · · · · · · · · · · ·						
		4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	131.22				 						
\rightarrow		4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	342.42				1						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	 	1		1										T
- (per month	f	1	UNC1X	1L5XX	0.22		ł	}	1	1	•	<i>l</i>	<u> </u>		1
		Interoffice Transport - Dedicated - DS1 combination - Facility		†		1					 					T	
		Termination per month	1		UNC1X	U1TF1	90.87		ļ				l			<u> </u>	<u> </u>
— fi	EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	FFICE	TRANSPORT	1					T				1		
		DS3 Local Loop in combination - per mile per month	T	Т	UNC3X	1L5ND	10.64										
	-						-			1					1		
- 1		OS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	354.56								l	1	
		Interoffice Transport - Dedicated - DS3 - Per Mile per month	1	1	UNC3X	1L5XX	4.70										
		Interoffice Transport - Dedicated - DS3 combination - Facility	T	T	1	1	T			1						T	1
,		Termination per month	J	J	UNÇ3X	U1TF3	1111.92			1	<u>l</u> .	<u> </u>	<u> </u>	<u> </u>	L	<u> </u>	
ti	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	\$-1 INT	EROF	FICE TRANSPORT	T	1								T	T	
		STS-1 Local Loop in combination - per mile per month	Γ	Ţ	UNCSX	1L5ND	10.64			i						I	
$\neg \neg$		STS-1 Local Loop in combination - Facility Termination per			T	1			1		T	1				1	1
- 1		month	1		UNCSX	JUDLS1	368.59			1	L	i			L		<u> </u>
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNÇSX	1L5XX	4.70										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	UITES	1087.66										

OMBONDE	LED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B	<u> </u>	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Syc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge - Manual Svc Order vs.	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
	<u> </u>		1			Rec		curring		Disconnect				Rates (5)	1	SOMAN
-		-	_	 	+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SUMAN
UNBUNDLE	D EXCHANGE ACCESS LOOP	+	 -		 				 	-	 					
	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP	ATIBLE	LOOP					 			 					
	2 Wire Unbundled HDSL Loop including manual service inquiry		T	<u> </u>												-
	& facility reservation - Zone 1		1	UHL	UHL2X	11.26		ļ])
	2 Wire Unbundled HDSL Loop including manual service inquiry					1			<u> </u>							
	& facility reservation - Zone 2		2	UHL	UHL2X	13.25										
	2 Wire Unbundled HDSL Loop including manual service inquiry	1		1							I					
	& facility reservation - Zone 3	 	3	UHL	UHL2X	14.65					ļ					
	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	luht.	UHL2W	11.00				ŀ					Ì	
	2 Wire Unbundled HDSL Loop without manual service inquiry	 	 -	Unt	UHLZVV	11.26			 	· · · · · · · · · · · · · · · · · · ·	.					
	and facility reservation - Zone 2	1	2	UHL	UHL2W	13.25			1	I			-		1	1
	2 Wire Unbundled HDSL Loop without manual service inquiry	1	 	1		70.20	*****	 	†	<u> </u>	 	 	 		† ·· ·	
	and facility reservation - Zone 3	1	3	UHL	UHL2W	14.65			1	I		1				
4-WI	IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP.	ATIBLE	LOOP											·		
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1	-	1	UHL	UHL4X	18.68									ļ	
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		. 2	UHL	UHI 4X	10.15		i								
	4-Wire Unbundled HDSL Loop including manual service inquiry	 	1 2	UHL	UHL4X	19.15			 	ļ						ļ
İ	and facility reservation - Zone 3	1	1 3	UHL	UHL4X	19.94			1							1
	4-Wire Unbundled HDSL Loop without manual service inquiry	 	<u>-</u> -	- Corne	UTIC4X	13.34			-						 	
	and facility reservation - Zone 1	1	1	UHL	UHL4W	18.68			1						l	
	4-Wire Unbundled HDSL Loop without manual service inquiry				1				İ							1
	and facility reservation - Zone 2		2	UHL	UHL4W	19.15		L			l .				1	
	4-Wire Unbundled HDSL Loop without manual service inquiry	1								1			T			
4 140	and facility reservation - Zone 3 IRE DS1 DIGITAL LOOP	-	3	UHL	UHL4W	19.94			1						1	ļ.,
4-441	4-Wire DS1 Digital Loop - Zone 1	ļ .	1	USL	USLXX	98.56				<u> </u>						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	224.20									ļ	
	4-Wire DS1 Digital Loop - Zone 3	+	3	USL	USLXX	565.73			1			-				
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP	+	 ~	1992	- GCC///	303.73			 	 				· · · · · · · · · · · · · · · · · · ·	 	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1			· · · · · · · · · · · · · · · · · · ·				 							
	month			UE3	†L5ND	11.55			ł				ļ			
	High Capacity Unbundled Local Loop - DS3 - Facility	T							1							
	Termination per month	ļ		UE3	UE3PX	416.69				1			!			
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	1		HOLEY					ŀ	ļ			!			
	High Capacity Unbundled Local Loop - STS-1 - Facility	+	 	UDLSX	1L5ND	11.55					 	-	-		 	-
	Termination per month			UDLSX	UDLS1	430.74							İ	ļ		1
UNBUNDLE	D DEDICATED TRANSPORT	1			9000	100:11			+	-	 					
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT	1						·		1		ļ	 	· · · · · · ·	T	<u> </u>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	T								ļ						
	month	ļ		UITDI	1L5XX	0.30			<u> </u>						1	ļ
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination	1	1		11175					1				1		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	+	ļ	U1TD1	U1TF1	81.04			-	1	 				 	
)	month	1	1	UITD3	1L5XX	6.95				İ	1					
	Interoffice Channel - Dedicated Transport - DS3 - Facility	 		12		0.50		 	 	 	 	 	 	 	 -	
	Termination per month			U1TD3	U1TF3	978.02				1						
T	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1						· · ·			1		 		·	†
	month	<u> </u>	<u> </u>	U1TS1	1L5XX	6.95										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1		ļ <u>.</u>												
I HAID	Termination BUNDLED DARK FIBER	 		U1TS1	U1TFS	954.72		-		ļ	ļ <u>.</u>					ļ
UND	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	 	1			····		<u> </u>	 	 		 	ļ		ļ	
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	29.07				1					1	
	EXTENDED LINK (EELs)	 	1	30.100.04	1.230,	23.07		 	+	 	1	-	 	 	+	

Version: 2Q07 Standard ICA 04/26/07

NB	UNDLE	D NETWORK ELEMENTS - Louisiana	,				·								t: 2 Exh. B		
ΑTE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted	Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni
							<u> </u>	Nonre	curring	Nonrecurrin	Disconnect			oss	Rates (\$)		
						1	Rec	First	Add	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the S	witch-As-is Char	ge will not ap	ly for UNE com	binations pro	visioned as	Ordinarily Com	bined' Network	k Elements.				T	<u> </u>
	NOTE:	The monthly recurring and the Switch-As-is Charge and not to	he non-	recurrin	o charges below	will apply for	UNE combination	ns provision	ed as 'Curren	tiv Combined	Vetwork Eleme	ints.					
	EXTE	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	ED DS1	INTERO	FFICE TRANSPO	ORT				1		T -					
		4-Wire DS1 Digital Loop in Combination - Zone 1			JNC1X	USLXX	98.56			 		 					<u> </u>
		4-Wire DS1 Digital Loop in Combination - Zone 2		2 1	JNC1X	USLXX	224.20										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3 1	JNC1X	USLXX	565,73			· ·							Τ
	7	Interoffice Transport - Dedicated - DS1 combination - Per Mile								 							T
	1	per month		i iu	JNC1X	1L5XX	0.30		}	1	1	1	}		1		J
	_	Interoffice Transport - Dedicated - DS1 combination - Facility								· -		 				1	Τ
		Termination per month		lι	JNC1X	U1TF1	81.04		i			1			Į.	l	
	EXTE	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	NTERC	FFICE	RANSPORT					 							
_		DS3 Local Loop in combination - per mile per month			JNC3X	1L5ND	11.55			-		1					
		DS3 Local Loop in combination - Facility Termination per month			JNC3X	LUE OF THE											
	+	Interoffice Transport - Dedicated - DS3 - Per Mile per month			INC3X	UE3PX	416.69					-			 		
_	+	Interoffice Transport - Dedicated - DS3 combination - Facility		٠	INCSA	1L5XX	6.95			 		 		 	 		+
		Termination per month		_.	JNC3X	LIATED	070.55			1	1	1			1	1	
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INT			U1TF3	978.02			ļ		 	 	ļ	+		+
	1	JSTS-1 Local Loop in combination - per mile per month	3+1 IN I		INCSX	41.51.5				 	ļ	 	 				+
	f	STS-1 Local Loop in combination - Facility Termination per			INCOV	1L5ND	11.\$5			ļ		 	 	 	 	-}	+
		month .		ال	INCSX	UDLS1	430.74						1				<u> </u>
		Interoffice Transport - Dedicated - STS-1 combination - per mile			JNCSX	1L5XX	6.95										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			INCSX	U1TFS	954.72	·	-			 					

UNBUNULE	D NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. B		
			T								Syc Order	Svc Order			Incremental	Incrementa
					ļ							Submitted		Charge -	Charge -	Charge -
		ļ))]									Manual Svc	Manual Svc	Manual Sy
CATEGORY	RATE ELEMENTS	Interi	 -	BCS	uses			RATES (\$)			Elec	Manually	Manual Svc			
PAIEGORE	RATE ELEMENTS	m	Zone	805	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	!	1											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>													<u> </u>	
						Rec	Nonrec		Nonrecurrin	g Disconnect				Rates (\$)		
		T	1			_ Kec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		l							T	1	T					L
UNBUNDLED 8	EXCHANGE ACCESS LOOP	1								<u> </u>						
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE 1	OOP						 	1						
	2 Wire Unbundled HDSL Loop including manual service inquiry		T						1							
	& facility reservation - Zone 1		1 ,	UHL	UHL2X	10.06										
	2 Wire Unbundled HDSL Loop including manual service inquiry		 	0.70	Q. ISE.	10.00			+							
	& facility reservation - Zone 2		2	UHL	UHL2X	10.60			i					Į		
	2 Wire Unbundled HDSL Loop including manual service inquiry			Unc	UNLZA	10.00			 							
	& (acility reservation - Zone 3	1	ا ۽ ا	UHL												
		ļ <u> </u>	3	UHL	UHL2X	11.35			<u> </u>		ļ					
[2 Wire Unbundled HDSL Loop including manual service inquiry	ľ	í í		. (1	}	1	ļ		j	}	1
	& facility reservation - Zone 4	L	4	UHL	UHL2X	12.03			<u> </u>	1	<u> </u>					 -
	2 Wire Unbundled HDSL Loop without manual service inquiry							-	i						1	i
	and facility reservation - Zone 1			UHL	UHL2W	10.06										ļ <u>.</u>
	2 Wire Unbundled HDSL Loop without manual service inquiry															
_	and facility reservation - Zone 2		2	UHL	UHL2W	10.60	1		1		l]	L		l	<u> </u>
	2 Wire Unbundled HDSL Loop without manual service inquiry								T	1	I					
1	and facility reservation - Zone 3	l	3	UHL	UHL2W	11.35			ĺ				1			1
	2 Wire Unbundled HDSL Loop without manual service inquiry	 								 	 -					
	and facility reservation - Zone 4		4	UHL	UHL2W	12.03			(1	1	ľ	ľ	ł	ł	1
A MANDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE		Unic	UNCZVV	12.03				 						
4-44166	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	.UUP						ļ		 					
1		Į.		UHL		15.85			1	1			ł			
	and facility reservation - Zone 1		1	UHL	UHL4X	15.85			<u> </u>	 	ļ					ļ
	4-Wire Unbundled HOSL Loop including manual service inquiry															l
	and lacility reservation - Zone 2		2	UHL	UHL4X	15.44			1					<u> </u>		
	4-Wire Unbundled HDSL Loop including manual service inquiry										i	ì	1			
_	and facility reservation - Zone 3	l	3	UHL	UHL4X	17,93				1		1	L			<u> </u>
"	4-Wire Unbundled HDSL Loop including manual service inquiry								1		T			1		1
	and facility reservation - Zone 4		4	UHL	UHL4X İ	16.63			ļ					ļ		1 _
	4-Wire Unbundled HDSL Loop without manual service inquiry	1										· · · · · · · · · · · · · · · · · · ·				
	and facility reservation - Zone 1		1	UHL	UHL4W	15.85				1		i	i			
~ 	4-Wire Unbundled HDSL Loop without manual service inquiry			· · · · · · · · · · · · · · · · · · ·	U.I.E.VIV	- 10.55	·		+	+		 				· · · · · ·
1	and facility reservation - Zone 2		2	UHL	UHL4W	15.44			ļ				i .	ì		
	4-Wire Unbundled HDSL Loop without manual service inquiry			Unt	UNLAVV	15.44										+
1		ł	_			47.00								1		Ì
	and facility reservation - Zone 3		3	UHL	UHL4W	17.93				 	 	ļ	ļ	<u> </u>	 	
i	4-Wire Unbundled HDSL Loop without manual service inquiry	1	1							1	[1	1			
	and facility reservation · Zone 4		4	UHL	UHL4W	16.63					<u> </u>					ļ
	DS1 DIGITAL LOOP	l											<u> </u>			<u> </u>
	4-Wire DS1 Digital Loop - Zone 1		1		USLXX	118.62				1	L		L	<u> </u>	1	L
1	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	148.79										
	4-Wire DS1 Digital Loop - Zone 3	1	3	USL	USLXX	237.75										
	4-Wire DS1 Digital Loop - Zone 4		4		USLXX	527.23			1	T	· · · · · · · ·	1		T		
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP	 			- 						1			1		T
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1	1						1	 	 	· · · · · · · · · · · · · · · · · · ·	f	 	 	
1	month	1	1	UE3	1L5ND	12.88			1	1	1		I	1		
	High Capacity Unbundled Local Loop - DS3 - Facility	 		013	, INDIAN	14.00			 	+	 	 	 	 		
ļ				LIES	UESEY	225.27			1	1	1	1	!			
	Termination per month	ļ		UE3	UE3PX	375.07			 		4	ļ		 	ļ	+
1	High Capacity Unbundled Local Loop - STS-1 - Per Mile per	1							1	1	1			i		1
	month	L		UDLSX	1L5ND	12.88						ļ		ļ	ļ	
	High Capacity Unbundled Local Loop - STS-1 - Facility	1	1 -						1			1		1	1	1
	Termination per month	<u> </u>	<u></u> _	UDLSX	UDLS1	389.33			1	<u> </u>	1	<u> </u>		l	<u> </u>	
	DEDICATED TRANSPORT	L										1	L			
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT						-		1							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1			1		T		
	month	ì	!	U1TD1	1L5XX	0.23			i	1	1			1		
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	 	i			V.20			 		† 		 			1
	Termination		1	U1TD1	U1TF1	65.93					1		1	1		
1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		 -	J. 101		03.83		 -	+	 			 		 	+

JNBUNDLE	D NETWORK ELEMENTS - Mississippi		-										Attachmen	: 2 Exh. B		
		· · · · · ·	Τ		T					-	Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
		}	1								Submitted	Submitted	Charge -	Charge -	Charge	Charge -
			ł	!	1 :	1					Elec	Manually i	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	interi	Zone	BCS	usoc		R.A	TES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
		m	1								P 50. E 4.1.	, , , , , ,	Electronic-	Electronic-	Electronic-	Electronic
													ist	Add'I	Disc 1st	Disc Add
														Rates (\$)	L	<u> </u>
						Rec -	Nonrecurrir		Nonrecurrin	g Disconnect		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ļ					Add'I		Add'I	SOMEC	SOMAN	SOMAN	3000	- COMPAN	1
ļ	Interoffice Channel - Dedicated Transport - DS3 - Facility		1			700					1					
_	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	!	-	UITD3	U1TF3	738,18			ļ		<u> </u>					
	Interoffice Channel - Dedicated Transport - \$15-1 - Per Mile per			U1TS1	41.5307	5.47			1	1		1			Î	i
~	Interoffice Channel - Dedicated Transport - STS-1 - Facility		 	0118)	1L5XX	5.47					 					
1	Termination			เหรา	UITES	740.84									i	1
UNIBLIA	IDLED DARK FIBER			01101	U11F3	/40.84			 		 					
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		+-							 	+					
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	32.51			i	1			ļ			
NHANCED EX	(TENDED LINK (EELs)		+ —	ODF, ODFCX	LSUF	32.31			+					 -		
	The monthly recurring and non-recurring charges below will	annly a	nd the	Switch As Is Charg	a will not ann	ly for LINE combi	Inations provisio	nod 36 '	Ordinarily Con	bined' Networ	k Elements.					
	The monthly recurring and the Switch-As-Is Charge and not t															
	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT					0112 0011011011	S provisionou da	001.01	in commen	1						
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	JUSLXX	90,94				 						J
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	148,79			· · · · · · · · · · · · · · · · · · · 	 					T	
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNCTX	USLXX	237.75	-			-						_
	4-wire DS1 Digital Local Loop in Combination - Zone 4			UNC1X	USLXX	527.23						1			L	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	· ·	 	<u> </u>	1 3 3 5 7 7											
	per month	ł	İ	UNC1X	1L5XX	0.23	((1	1	1	Ĺ	<u> </u>		
	Interoffice Transport - Dedicated - DS1 combination - Facility		1						· · · · · · ·			T	ļ ———		1	
1	Termination per month	1		UNC1X	U1TF1	59,48	Į.		İ			l	L	<u> </u>		
EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT	· · · · · · · · · · · · · · · · · · ·							1	L			
	DS3 Local Loop in combination - per mile per month		\Box	UNC3X	1L5ND	12.88										
			—		1							T	1	1	ļ	i i
	DS3 Local Loop in combination - Facility Termination per month		1	UNC3X	UE3PX	375.07			ĺ			<u> </u>	<u> </u>			
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	•	1	UNC3X	1L5XX	5,47						I				
	Interoffice Transport - Dedicated - DS3 combination - Facility						1 "						1	ĺ	1	ì
	Termination per month			UNC3X	U1TF3	738,18				l		<u> </u>		<u> </u>	<u> </u>	
	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	12.88					1	T				
	STS-1 Local Loop in combination - Facility Termination per	1	1		T									1		ł
	month			UNCSX	UDLS1	389.33						ļ	 	 _	 	
	Interoffice Transport - Dedicated - STS-1 combination - per mile		T		1								1	1	1	1
_ 1	per month	J	1	UNCSX	1L5XX	5.47			l					<u> </u>		
	Interoffice Transport - Dedicated - STS-1 combination - Facility				T									(i	ĺ
	Termination per month	l		UNCSX	U1TFS	740.84	1		1	1		1	1	<u> </u>		1

NBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachmen	t: 2 Exh. B	<u> </u>	
		T	T					_			Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
	{	l	1	ŀ	1 1						Submitted		Charge -	Charge -	Charge -	Charge -
		1													Manual Svc	
ATEGORY	DATE SI SALESITO	Interi	l_		1. 1						Elec	Manually	Manual Svc		1	1
ATEGURT	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		1 ""	1		1							-	Electronic-	Electronic-	Electronic-	Electronic
		1	1										1st	Add'i	Disc 1st	Disc Add
		1		İ							i		,,,,	700.		
		1-	+				Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)		
- +		†	 	 		Rec -	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		 	 				rirst	A00)	FIFS1	Aug i	SOMEO	SOMAN	30/11/11			1
NEW PLED E	VCILANOE ADDESS LOOP	-	ļ					 		- 						
	XCHANGE ACCESS LOOP												<u> </u>			
	DS1 DIGITAL LOOP			<u> </u>	1				l						 	
	4-Wire DS1 Digital Loop - Zone 1	I	1	USL	USLXX	73.16			1		1"					ļ <u> —</u>
	4-Wire DS1 Digital Loop - Zone 2		2	ÜŞL	USLXX	120.06										
	4-Wire DS1 Digital Loop - Zone 3			ÜSL	USLXX	241.75					 					
	TY UNBUNDLED LOCAL LOOP		+		- COCXX			+	·	 						
1	High Capacity Unbundled Local Loop - DS3 - Per Mile per	┼	+	 	 			 	 	· 			 	 	 	
	month		1		1 1				1				1	ļ	Į.	1
		<u> </u>		UE3	1L5ND	14.89		<u> </u>		1						
- 1	High Capacity Unbundled Local Loop - DS3 - Facility	1	-		1			1		1	1	·	1	i		1
L_	Termination per month		1	UE3	UE3PX	264.38		1	1	1	1	l	I _			
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		1					1	<u> </u>	 	1	_	[1	
- 1	month		1	UDLSX	1L5ND	14.89		1				1			i	1
	High Capacity Unbundled Local Loop - STS-1 - Facility	†	+	ODCOA.	LEGIND	14.09		 		+	 			 	 	
1 .		j	J		J.,_,			1		1	1	I	!	1	1	ì
	Termination per month	<u> </u>	<u> </u>	UDLSX	UDLS1	296.49		 	 	ļ <u> —</u>	1	 	 	 		
	DEDICATED TRANSPORT	<u></u>	<u> </u>					<u> </u>		1				ļ	.	
INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT	ł							!		1					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	T														
ı	month	1	1	U1TD1	1L5XX	0.2229		1			1	•	ļ	i	1	1
	Interoffice Channel - Dedicated Transport - DS1 - Facility	 	 	UTIVOT	163//	0.223		+		 				 	 	· · · · · · · ·
	Termination	ł		LIATE .		05			i			i				!
				U1TD1	U1TF1	35,87		ļ	<u> </u>			ļ <u>.</u>	 			
í i	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	ł	1	1	1 1			1	}	1	1	1	j	J		J
	month	j	}	U1TD3	1L5XX	5.11			1		1	L	L	1	<u> </u>	
	Interoffice Channel - Dedicated Transport - DS3 - Facility		1					1				·				Ĭ
1	Termination per month		1	U1TD3	U1TF3	379.40			1				i	1	1	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	†	+		 • • • • • • • • • • • • • • • • • • •			+					 			
	month			UITSI	1L5XX	5.11		1	i			1	1			1
-	 	├ ──	 	01131	ILLUAN	3,11		+				 	+	 		
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	1		1 1					ì				1	ì	Į.
	Termination	Į.	1	UtT\$1	U1TFS J	390.08		1	I			<u> </u>	<u> </u>			
UNBUN	IDLED DARK FIBER		Ι'					T	1		Ţ	f				
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	1					 			-1		1		1 -	
	Route Mile Or Fraction Thereof			UDF, UDFCX	ILSDF	28.49					ĺ		1	1		1
	(TENDED LINK (EELs)	 	<u> </u>	ODI LODI ON	1,500	10.43					+	 	 			
	The monthly recurring and non-recurring charges below will			Sudant A L Char		1.6.1306	er in	1	0.45-2 0.40-4	- 1 Nation	1. 51	 	 		 	
NOTE.	The monthly recorning and non-recorning charges below will	арріу в	no the	SWITCH-AS-IS Charg	e will not app	ly for UNE com	pinations pr	ovisioned as	Orginarily Con	noined Netwol	K Elements.	 	 		 	
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	ne non	recurr	ing charges below t	will apply for U	JNE combinatio	ns provisio	ied as Curren	tly Combined	Network Elem	ents.	<u> </u>				
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1						<u> </u>	<u> </u>				<u></u>	<u> </u>		
	4-Wire DS1 Digital Loop in Combination - Zone 1	[UNCIX	[USLXX]	73,16		1	1 - "		1	ł	ł	<u> </u>		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	UŠLXX	120.06		T				L		1		
	4-Wire DS1 Digital Loop in Combination - Zone 3	1		UNC1X	USLXX	241.75					1	Γ	T	1	L	
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	† 	1			******		 	 	+		† 		1		
1 1	per month	1	1	UNC1X	1L5XX	0.2229			1	1	1	1	1	1		
		├		DINC IV	ILESXX	0.2229			 			 	+		+	+
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	L	1				1	1		1	1	1	1	
	Termination per month		1	UNC1X	U1TF1	35.72		1	1		1					
	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE						1		J			l		
	OS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.89		1				1				
					+			 	 			1	1	1		
	DS3 Local Loop in combination - Facility Termination per month	1	I	UNC3X	UE3PX	264,38			1		1		1	i	1	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	 	+	UNC3X		254,38		 	 	-	+	 				
	Intercence transport - Dedicated - DS3 - Per Mile per month		 _	UNC3X	1L5XX	5.11		 	 			 	+	+		
	Interoffice Transport - Dedicated - DS3 combination - Facility	1	1		4 I				1	1	1		1		i	i
	Termination per month		<u> </u>	UNC3X	<u>U1</u> TF3	379.40		1	l			1				
IEXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	\$-1 INT	EROFF	ICE TRANSPORT								1		<u> </u>		
(=	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	14.89		1	1			7		1	1	- F
	STS-1 Local Loop in combination - Facility Termination per	 	 		1-0.15			 	 		 	1	1		1	
		1		UNCSX	UDLS1	390.08		1	1	1	1	!	1		1	1
, i	month			LL ON AN A	11 H H S 1	390.08		I	<u> </u>		_l	4				
	month		-	UTTO CIT	10000											
	Interoffice Transport - Dedicated - STS-1 combination - per mile										1	1				
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	5.11						<u> </u>				
	Interoffice Transport - Dedicated - STS-1 combination - per mile											<u> </u>	ļ <u>.</u>		 	

OURONDITE	D NETWORK ELEMENTS - South Carolina					_							Attachmen		L	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre First	curring Add'i	Nonrecurring First	g Disconnect Add'i	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
			 -		- 		- FIFST	Audi	FIIS	Augi	JOHEC	3000011	SOMAN	00		
	XCHANGE ACCESS LOOP	İ					··········									
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP								ļ <u>.</u>					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	11.02										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	12.56										
	2 Wire Unbundled HDSL Loop including manual service inquiry							<u> </u>	 	-					1	<u> </u>
-+-	& facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2X	13.11		 	+	 					 	
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHLZW	11.02				<u></u>	<u> </u>					ļ
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	12.56	·									
	2 Wire Unbundled HDSL Loop without manual service inquiry		 		1			 	i	 	 					
	and facility reservation - Zone 3			UHL	UHL2W	13.11										ļ
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP							<u> </u>	ļ					
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	18.42				<u> </u>		l	1		1	<u> </u>
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation · Zone 2		2	UHL	UHL4X	16.48		1		<u> </u>				1	-	
	4-Wire Unbundled HDSL Loop including manual service inquiry							 	· · · · · · · · · · · · · · · · · · ·	-					T	1
	and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	19.37			 	 	-			 	<u> </u>	
	and facility reservation - Zone 1		1	UHL	UHL4W	18.42				<u> </u>	ļ					
1	Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		. 2	UHL	UHL4W	16.48									ļ <u>.</u>	
	4-Wire Unbundled HDSL Loop without manual service inquiry land facility reservation - Zone 3		3	UHL	UHL4W	19.37			Ţ :					ļ		ļ
4.MIDE	DS1 DIGITAL LOOP	ļ	1 3	UNL	Unii444	19.37		 	 	<u> </u>	 	 	-			
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	91.44					 	 				1
	4-Wire DS1 Digital Loop - Zone 2	 		USL	USLXX	156.40				 	 					1
	4-Wire DS1 Digital Loop - Zone 3	 		USL	USLXX	263.52			1	1	<u> </u>		1			
	Y UNBUNDLED LOCAL LOOP	† · · · · ·						1								
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	14.10										
	High Capacity Unbundled Local Loop - DS3 - Facility							 		 	<u> </u>				<u> </u>	
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per	 	 	UE3	UE3PX	352.31		 		 			· · · · · · · · · · · · · · · · · · ·			
	month			UDLSX	1L5ND	14.10		ļ		<u> </u>	-					↓
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	36 <u>0</u> .51										
	DEDICATED TRANSPORT		ļ											<u> </u>	1	
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	_	ļ					 			 	ļ			+	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			UITDI	1L5XX	0.39			1.							
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			UITDI	U1TF1	88.71										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1							1			1	<u> </u>		Ī
	month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	1L5XX	9.22		 			 				 	+
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	1012.75		ļ	+	-		<u> </u>	-	ļ		
	month			U1TS1	1L5XX	9.22		ļ		<u> </u>					_	ļ
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			UITSI	U1TFS	1012.63										1
ÜNBUN	IDLED DARK FIBER									T						I
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	41.87					1				1	
	(TENDED LINK (EELs)	 	 	DDF, DDFCX	- Falte	41.07		+		 	+	 	 		+	+

NRUNDLE	D NETWORK ELEMENTS - South Carolina		_										Attachmen			
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Charge
			1				Nonre	curring	Nonrecurrin	g Disconnect	 		oss	Rates (\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Char	ge will not app	ly for UNE com	binations pro	visioned as 10	Ordinarily Com	bined' Networ	k Elements.					
	The monthly recurring and the Switch-As-Is Charge and not															
EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTED	OFFICE TRANSPO	will apply for	UNE COMDINAIIC	ons provision	HO 35 CUITEN	lly Combined	Network Steme	ents.					
-	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	TÚŠLXX	104.50		-	 	 		 		 		
	4-Wire DS1 Digital Loop in Combination - Zone 2	 		UNC1X	USLXX	178.74		ļ	 			 				
	4-Wire OS1 Digital Loop in Combination - Zone 3			UNCIX	USLXX	301.17										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.31								-		
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.71										
	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT		- 86.71		 		 	 					
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14,10		 		 	+					
			†		1.23.13	142.10				 	+	 		· · · · · · · · · · · · · · · · · · ·		
	DS3 Local Loop in combination - Facility Termination per month	ł		UNC3X	UE3PX	352.31			İ		1			ļ		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	9.22			 	 	+	 		· · · · · · · · · · · · · · · · · · ·		
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1012.75		<u></u>								
EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT	J	10,20		 	 	 	 	 		 		
	STS-1 Local Loop in combination - per mile per month	· · · ·		UNCSX	1L5ND	14.10		 	 	· · · · · · · · · · · · · · · · · · ·				 		
	STS-1 Local Loop in combination - Facility Termination per month		1	UNCSX	UDLS1	360,51	4.4.7	-								
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month	***		UNCSX	1L5XX	9.22		<u> </u>		1						
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month]	UNCSX	UITFS	1012.63										

Version: 2007 Standard ICA 04/26/07

NUBRANDLED NE.	WORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. B		
		,]								Sup Order	Syr Order	Incremental		Incremental	Increment
		}	i		1									Charge -	Charge -	Charge -
ŀ	RATE ELEMENTS	Interi m	_	i								Submitted	Charge -			
ATEGORY											Elec	Manually		Manual Svc Order vs.		Order vs.
ALEGORI			Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.		Order vs.	
1											po. 25/1		Electronic-	Electronic-		
i			ļ										1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>								ļ		l		5.20	
						Rec	Nonrecurring		Nonrecurrin	g Disconnect				Rates (\$)		
						Rec	First	Add'1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DIDLUDI ED EV do à																
INBUNDLED EXCHA			<u> </u>							l	J					
2-WIRE HIGH	BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP												ļ <u></u>	ļ
2 Wire	Unbundled HDSL Loop including manual service inquiry											i		1	1	
8 1acii	ty reservation - Zone 1		1	UHL	UHL2X	11.09					_					
2 Wire	Unbundled HDSL Loop including manual service inquiry			-]					
& facil	ty reservation - Zone 2		2	UHL	UHL2X	16.61							<u> </u>		<u> </u>	ļ
2 vvire	Unbundled HOSL Loop including manual service inquiry		i							1	i i		[
& raciii	ty reservation - Zone 3		3	UHL	UHL2X	27.74										ļ
2 Wile	Unbundled HDSL Loop without manual service inquiry												i		i	1
and ta	cility reservation - Zone 1		1	UHL	UHL2W	11.09			ŧ	t	1			l		
	Unbundled HDSL Loop without manual service inquiry													1		
	cility reservation - Zone 2		_ 2	UHL	UHL2W	16.61				1	}		<u></u>	<u> </u>		
	Unbundled HDSL Loop without manual service inquiry															
	cility reservation - Zone 3		3	UHL	UHL2W	27.74			1		İ				<u> </u>	
4-WIRE HIGH	BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE L	OOP.													
4 Wire	Unbundled HDSL Loop including manual service inquiry										1				T	
	cility reservation - Zone 1		1	UHL	UHL4X	14.26						ļ				
4-Wire	Unbundled HDSL Loop including manual service inquiry							 	T						T	Τ
and fa	cility reservation - Zone 2		2	UHL	UHL4X	21.37]	Ì			1	
	Unbundled HDSL Loop including manual service inquiry								· · · · · ·		1					T
and fa	cility reservation - Zone 3		3	UHL	UHL4X	35.68				1	ļ					
4-Wire	Unbundled HDSL Loop without manual service inquiry							•			<u> </u>			<u> </u>		T
and fa	cility reservation - Zone 1		1	UHL	UHL4W	14.26										· _
4-Wire	Unbundled HDSL Loop without manual service inquiry								· · · · · · · · · · · · · · · · · · ·				1	 	1	
and fa	cility reservation - Zone 2		2	UHL	UHL4W	21.37				1				1	1	ĺ
4-Wire	Unbundled HDSL Loop without manual service inquiry				4.14.1				 	 	+	 				
and fa	cility reservation - Zone 3		а	UHL	UHL4W	35.68						ł				1
4-WIRE DS1 D					, , , , , , , , , , , , , , , , , , ,	50.00			 · · · · · · · · · · · · · · · · · · ·	 	+				 	
4-Wire	DS1 Digital Loop - Zone 1		1	USC	USLXX	59.09			 	· ····		 	ļ	1	1	1
4-Wire	DS1 Digital Loop - Zone 2		2		USLXX	88.53			 	 	 	····	1	-	- 	
4-Wire	DS1 Digital Loop - Zone 3		3		USLXX	147.82		*					 	 	<u> </u>	
IGH CAPACITY UNB	UNDLED LOCAL LOOP			-	COLYC	147.02					····	 	 	 		
	apacity Unbundled Local Loop - DS3 - Per Mile per								 					+		
month				UE3	1L5ND	10.57			ì		i				1	1
High C	apacity Unbundled Local Loop - DS3 - Facility			000	TESINO	10.37		**		 	+	 	- 	+	-	
Termin	ation per month	1		UE3	UE3PX	430.38					l	Ì		!		
	apacity Unbundled Local Loop - STS-1 - Per Mile per			050	OE3FA.	430.36			}			1		 		+
month				UDLSX	1L5ND	10.57			[1		1		-
	apacity Unbundled Local Loop · STS-1 - Facility			ODEGA	ILSIND	10.57		· · · · · · · · · · · · · · · · · · ·	-	 		 	 			
Termin	ation per month			UDLSX	UDLS1	447.75			1						1	i
NBUNDLED DEDICA				ODESK	UDLS)	447.75			 			 	 			
	CHANNEL - DEDICATED TRANSPORT									1	 	 			+	+
	ice Channel - Dedicated Channel - DS1 - Per Mile per											<u> </u>		+		
month	ios Situmer - Dedicated Charliner - D31 - Fer kille per			U1TD1	1L5XX	0.40000										ļ
	ice Channel - Dedicated Tranport - DS1 - Facility			UTIO	ILSAA	0.40963			 		<u> </u>	ļ	+			
Termin	ation			U1TD1	UITEI	20.54				1			Į.		Į.	
	ice Channel - Dedicated Transport - DS3 - Per Mile per	-		01101	ULTE	89.54				 		-	 	+		+
month	on on a mer oddicated frameport - Doo - Fer will be			U1TD3	1L5XX	2.69			j			1	1	1	i	
	ice Channel - Dedicated Transport - DS3 - Facility			01103	1,577	2.59						 	 			+
Termin	ation per month			U1TD3	UITES	976.34				1	1	1			1	1
Internit	ice Channel - Dedicated Transport - STS-1 - Per Mile per			01103	ULIFS	9/5.34			 	 	 	 	 	+	- 	
month	- so sometime in Dedicated Transport - 313-1 - ret Mile per			UITSI	11.500						1	1			1	1
	ice Channel - Dedicated Transport - STS-1 - Facility			VI151	1L5XX	2.69			 	 	4	 				+
Termin	ation			UITSI	Intee	070 70					1	1		1	1	1
	DARK FIBER - Stand Alone or in Combination			U1181	U1TFS	976.70			 	 	-		1	 	+	 -
Inart E	iber - Interoffice Transport, Per Four Fiber Strands, Per									+		 		+	-	
	Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	22.25			1		1	1	1	1	1	
	D LINK (EELs) AND THEIR COMPONETS			UUF. UUFCX	1L5UF	33.05			ļ		4	 	 	 	+	
	S SINT (SECS) AND THEIR COMPONETS									1	1	1	L			

NBUNDLED NETWORK ELEMENTS - Tennessee								_	•				t: 2 Exh. B		
TEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge - Manual Svc Order vs.	Charge Manual S Order v
					Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates (\$)			1
MOZE ZL - AL	<u> </u>	<u> </u>	<u> </u>			First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Char	ge will not app	oly for UNE con	nbinations prov	Isioned as	Ordinarily Con	bined' Networ	k Elements.					
NOTE: The monthly recurring and the Switch-As-Is Charge and not	he non-	recum	ing charges below	will apply for	UNE combinati	ons provisione	d as 'Curren	tly Combined	Network Eleme	ents.					
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	ROFFICE TRANSPO	RT					1					<u> </u>	
4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	59.09						I				
4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	88.53										
4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	147.82										1
Interoffice Transport - Dedicated - DS1 combination - Per Mile			_					· · · · · · · · · · · · · · · · · · ·							
per mon(h		j	UNC1X	1L5XX	0.40963					1	1	l			
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month								-							
		<u> </u>	UNC1X	U1TF1	89.54					<u> </u>	<u> </u>			 	
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		1										<u> </u>	
DS3 Local Loop in combination - per mile per month	└	<u> </u>	UNC3X	1L5ND	10.57				J	1				<u> </u>	
DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	430.38										1 .
Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69			·		 					T _
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TE3	976.34										
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT	01115	5,0,54					 	 		 	 	
STS-1 Local Loop in combination - per mile per month	1		UNGSX	1L5ND	10.57			 		 	 	 		+	
STS-1 Local Loop in combination - Facility Termination per			UNCSX	UDLS1	447.75		·	f		 				1	1
Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSX	1L5XX	2.69			 			 				1
Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	976.70				<u> </u>	 	 		 		

Attachment 3

Network Interconnection

Version: 2Q07 Standard ICA

TABLE OF CONTENTS

1	General	
1		
2	Definitions: (For the purpose of this Attachment)	
3	Network Interconnection	
4	Interconnection Trunk Group Architectures	
5	Network Design And Management For Interconnection	13
6	Forecasting for Trunk Provisioning	14
7	Local Dialing Parity	10
8	Interconnection Compensation	16
9	Ordering Charges	22
10	Basic 911 and E911 Interconnection	22
11	SS7 Network Interconnection	23
Rat	tes	Exhibit A
Bas	sic Architecture	Exhibit B
On	e Way Architecture	Exhibit C
Tw	o Way Architecture	Exhibit D
Sup	pergroup Architecture	Exhibit E

Version: 2Q07 Standard ICA 04/26/07

NETWORK INTERCONNECTION

1	General
1.1	The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-Bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
2	Definitions: (For the purpose of this Attachment)
	For purposes of this attachment only, the following terms shall have the definitions set forth below:
2.1	Automatic Location Identification (ALI) is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
2.2	Automatic Number Identification (ANI) corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
2.3	AT&T Trunk Group is defined as a one-way trunk group carrying AT&T originated traffic to be terminated by KDL.
2.4	911 Service is as described in this Attachment.
2.5	Call Termination has the meaning set forth for "termination" in 47 C.F.R. § 51.701(d).
2.6	Call Transport has the meaning set forth for "transport" in 47 C.F.R. § 51.701(c).
2.7	Call Transport and Termination is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
2.8	Common (Shared) Transport is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the The Telcordia® LERG TM Routing Guide (LERG).
2.9	Dedicated Interoffice Facility is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.

Version: 2Q07 Standard ICA

End Office Switching is defined as the function that establishes a 2.10 communications path between the trunk side and line side of the End Office switch. Fiber Meet is an interconnection arrangement whereby the Parties physically 2.11 interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. Final Trunk Group is defined as the last choice trunk group between two (2) 2.12 switches for which there is no alternate route. Integrated Services Digital Network User Part (ISUP) is a message protocol 2.13 to support call set-up and release for interoffice voice connections over SS7 signaling. Interconnection Point (IP) is the physical telecommunications equipment 2.14 interface that interconnects the networks of AT&T and KDL for the exchange of telecommunications traffic between the Parties. IntraLATA Toll Traffic is as defined in this Attachment. 2.15 2.16 **ISP-Bound Traffic** is as defined in this Attachment. 2.17 Local Channel is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.18 Local Traffic is as defined in this Attachment. 2.19 Public Safety Answering Point (PSAP) is the answering location for 911 calls. 2.20 Selective Routing (SR) is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.21 Serving Wire Center (SWC) is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.22 Signaling System 7 (SS7)/Common Channel Signaling 7 (CCS7) is an out-of-band signaling system used to provide basic routing information, call set-up and other call termination functions. Signaling is removed from the voice channel and put on a separate data network. 2.23 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.

Version: 2Q07 Standard ICA

2.24 **Transit Traffic** is traffic originating on KDL's network that is switched and/or transported by AT&T and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by AT&T and delivered to KDL's network.

3 Network Interconnection

- 3.1 This Attachment pertains only to the provision of network interconnection where KDL owns, leases from a third party or otherwise provides its own switch(es).
- Network interconnection may be provided by the Parties at any technically feasible point within AT&T's network. Requests to AT&T for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) Process set forth in Attachment 11.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within AT&T's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties.
- Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-Bound Traffic exceeds eight point nine (8.9) million minutes per month for three (3) consecutive months at the proposed location of the additional IP. AT&T will not request the establishment of an IP in an AT&T Central Office where physical or virtual collocation space is not available or where AT&T fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

Version: 2Q07 Standard ICA

3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at AT&T's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at AT&T's intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff rates.
- Fiber Meet. Notwithstanding Sections 3.2.1, 3.2.2, and 3.2.3 above, if KDL elects to establish interconnection with AT&T pursuant to a Fiber Meet Local Channel, KDL and AT&T shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic and ISP-Bound Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, KDL's SONET transmission system must be compatible with AT&T's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.1 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.2 The Parties shall agree to a Fiber Meet point between the AT&T Serving Wire Center and the KDL Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet point. AT&T shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type CLLI code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.

Version: 2Q07 Standard ICA

- 3.4.3 Upon verbal request by KDL, AT&T shall allow KDL access to the fusion splice point for the Fiber Meet point for maintenance purposes on KDL's side of the Fiber Meet point.
- Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic and ISP-Bound Traffic. The percentage of Local Channel facilities utilized for Local Traffic and ISP-Bound Traffic shall be determined based upon the application of the PLF factor as set forth in this Attachment. The charges applied to the percentage of Local Channel facilities used for Local Traffic and ISP-Bound Traffic as determined by the PLF factor are as set forth in Exhibit A. The remaining percentage of Local Channel facilities shall be billed at AT&T's applicable access tariff rates. Charges for switched and special access services shall be billed in accordance with the applicable AT&T intrastate Access Services Tariff and or BellSouth's FCC No. 1 Tariff.

4 Interconnection Trunk Group Architectures

- 4.1 AT&T and KDL shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Attachment. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 KDL shall establish an interconnection trunk group(s) to at least one (1) AT&T access tandem within the LATA for the delivery of KDL's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent KDL desires to deliver Local Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to AT&T access tandems within the LATA, other than the tandems(s) to which KDL has established interconnection trunk groups, KDL shall pay the appropriate rates for Multiple Tandem Access, as described in this Attachment.
- 4.2.1 Notwithstanding the forgoing, KDL shall establish an interconnection trunk group(s) to all AT&T access and local tandems in the LATA where KDL has homed (i.e., assigned) its NPA/NXXs. KDL shall home its NPA/NXXs on the AT&T tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each AT&T tandem is defined in the LERG. KDL shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from IXCs based on KDL's NXX access tandem homing arrangement as specified by KDL in the LERG.
- 4.4 Any KDL interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to KDL from an AT&T switch, and (3) requires special AT&T switch translations

Version: 2Q07 Standard ICA

and other network modifications will require KDL to submit a BFR/NBR via the BFR/NBR Process as set forth in Attachment 11.

- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between AT&T and KDL are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate AT&T intrastate Access Services Tariff or BellSouth's FCC No. 1 Tariff.
- For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at fifty percent (50%) of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. KDL shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as SS7 capable where technically feasible. If SS7 is not technically feasible, multi-frequency (MF) protocol signaling shall be used.
- In cases where KDL is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the Access Service Request (ASR) process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through AT&T's Carrier Interconnection Switching Center (CISC) Project Management Group and KDL's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than one hundred ninety-two (192) trunks on a single or multiple group(s) in a given AT&T local calling area.
- 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic
- 4.10.1 Upon mutual agreement of the Parties in a joint planning meeting, the Parties shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. KDL shall order such two-way trunks via the ASR process. AT&T will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts in accordance with Section 6 below. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude

Version: 2Q07 Standard ICA

either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the other Party. Other trunk groups for operator services, directory assistance and intercept must be established pursuant to AT&T's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff.

- 4.10.2 <u>AT&T Access Tandem Interconnection.</u> AT&T Access Tandem interconnection at a single Access Tandem provides access to those End Offices subtending that access tandem (Intratandem Access). Access Tandem interconnection is available for any of the following access tandem architectures:
- 4.10.2.1 Basic Architecture. In the basic architecture, KDL's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between KDL and AT&T Access Tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between KDL and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with AT&T, and other network providers with which KDL desires to exchange traffic. This trunk group also carries KDL originated Transit Traffic transiting a single AT&T Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. AT&T originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to KDL. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.
- 4.10.2.2 One-Way Trunk Group Architecture. In one-way trunk group architecture, the Parties interconnect using three (3) separate trunk groups. A one-way trunk group provides Intratandem Access for KDL-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for AT&T end users. A second one-way trunk group carries AT&T-originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic destined for KDL end users. A two-way trunk group provides Intratandem Access for KDL's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between KDL and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with AT&T, and other network providers with which KDL exchanges traffic. This trunk group also carries KDL originated Transit Traffic transiting a single AT&T Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. AT&T originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to KDL. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.
- 4.10.2.3 Two-Way Trunk Group Architecture. The two-way trunk group Architecture establishes one (1) two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic between KDL and AT&T. In addition, a separate two-way transit trunk group must be

Version: 2007 Standard ICA

established for KDL's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between KDL and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with AT&T, and other network providers with which KDL exchanges traffic. This trunk group also carries KDL originated Transit Traffic transiting a single AT&T Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. AT&T originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to KDL. However, where KDL is responsive in a timely manner to AT&T's transport needs for its originated traffic, AT&T originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-Bound Traffic and IntraLATA Toll Traffic. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.2.4 Supergroup Architecture. In the supergroup architecture, the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic and KDL's Transit Traffic are exchanged on a single two-way trunk group between KDL and AT&T to provide Intratandem Access to KDL. This trunk group carries Transit Traffic between KDL and ICOs, IXCs, other CLECs, CMRS providers that have a Meet Point Billing arrangement with AT&T, and other network providers with which KDL desires to exchange traffic. This trunk group also carries KDL originated Transit Traffic transiting a single AT&T Access Tandem destined to third party tandems such as an ICO tandem or other CLEC tandem. AT&T originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to KDL. However, where KDL is responsive in a timely manner to AT&T's transport needs for its originated traffic, AT&T originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable AT&T tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.2.5 Multiple Tandem Access (MTA) Interconnection

4.10.2.5.1 Where KDL does not choose access tandem interconnection at every AT&T Access Tandem within a LATA, KDL must utilize AT&T's MTA interconnection. To utilize MTA KDL must establish an interconnection trunk group(s) at a minimum of one (1) AT&T Access Tandem within each LATA as required. AT&T will route KDL's originated Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. KDL must also establish an interconnection trunk group(s) at all AT&T Access Tandems where KDL NXXs are homed as described in Section 4.2.1 above. If KDL does not have NXXs homed at any particular AT&T Access Tandem within a LATA and elects not to establish an interconnection trunk group(s) at such AT&T Access Tandem, KDL can order MTA in each AT&T Access Tandem within the LATA

Version: 2Q07 Standard ICA

where it does have an interconnection trunk group(s) and AT&T will terminate KDL's Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to end users served through those AT&T Access Tandems where KDL does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with AT&T's Ordering Guidelines.

- 4.10.2.5.2 KDL may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the AT&T network to an IXC. Switched access traffic originated by or terminated to KDL will be delivered to and from IXCs based on KDL's NXX access tandem homing arrangement as specified by KDL in the LERG.
- 4.10.2.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.2.5.4 To the extent KDL does not purchase MTA in a LATA served by multiple Access Tandems, KDL must establish an interconnection trunk group(s) to every Access Tandem in the LATA to serve the entire LATA. To the extent KDL routes its traffic in such a way that utilizes AT&T's MTA service without properly ordering MTA, KDL shall pay AT&T the associated MTA charges.
- 4.10.3 Local Tandem Interconnection
- 4.10.3.1 Local Tandem Interconnection arrangement allows KDL to establish an interconnection trunk group(s) at AT&T local tandems for: (1) the delivery of KDL-originated Local Traffic and ISP-Bound Traffic transported and terminated by AT&T to AT&T End Offices served by those AT&T local tandems, and (2) for local Transit Traffic transported by AT&T for third party network providers who have also established an interconnection trunk group(s) at those AT&T local tandems.
- 4.10.3.2 When a specified local calling area is served by more than one (1) AT&T local tandem, KDL must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, KDL may choose to establish an interconnection trunk group(s) at the AT&T local tandems where it has no codes homing but is not required to do so. KDL may deliver Local Traffic and ISP-Bound Traffic to a "home" AT&T local tandem that is destined for other AT&T or third party network provider end offices subtending other AT&T local tandems in the same local calling area where KDL does not choose to establish an interconnection trunk group(s). It is KDL's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to KDL's codes. Likewise, KDL shall obtain its routing information from the LERG.

Version: 2007 Standard ICA

- 4.10.3.3 Notwithstanding establishing an interconnection trunk group(s) to AT&T's local tandems, KDL must also establish an interconnection trunk group(s) to AT&T Access Tandems within the LATA on which KDL has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access and toll traffic, and traffic to Type 2A CMRS connections located at the Access Tandems. AT&T shall not switch SWA traffic through more than one AT&T access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the AT&T Access Tandem for completion. (Type 2A CMRS interconnection is defined in Section A35 of AT&T's GSST).
- 4.10.3.4 AT&T's provisioning of Local Tandem Interconnection assumes that KDL has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.4 <u>Direct End Office-to-End Office Interconnection</u>
- 4.10.4.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.4.2 The Parties shall utilize direct end office-to-end office trunk groups under any one (1) of the following conditions:
- 4.10.4.2.1 <u>Tandem Exhaust.</u> If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between KDL and AT&T.
- 4.10.4.2.2 Traffic Volume. To the extent either Party has the capability to measure the amount of traffic between KDL's switch and an AT&T End Office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.
- 4.10.4.2.3 <u>Mutual Agreement.</u> The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.
- 4.10.5 Transit Traffic Trunk Group
- 4.10.5.1 Transit Traffic trunks can either be two-way trunks or two (2) one-way trunks ordered by KDL to deliver and receive Transit Traffic. Establishing Transit Traffic

Version: 2Q07 Standard ICA

trunks at AT&T Access and Local Tandems provides Intratandem Access to the third parties also interconnected at those tandems. KDL shall be responsible for all recurring and nonrecurring charges associated with Transit Traffic trunks and facilities.

4.10.5.2 <u>Toll Free Traffic</u>

- 4.10.5.2.1 If KDL chooses AT&T to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from AT&T's switches, all KDL originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- KDL may choose to perform its own Toll Free database queries from its switch. In such cases, KDL will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is an AT&T local or intraLATA Toll Free call, KDL will route the post-query local or IntraLATA converted ten (10)-digit local number to AT&T over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, KDL will route the post-query local or intraLATA converted ten (10)-digit local number to AT&T over the Transit Traffic Trunk Group and KDL shall provide to AT&T a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, KDL will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to KDL's network but that are connected to AT&T's Access Tandem.
- 4.10.5.2.3 All post-query Toll Free calls for which KDL performs the SSP function, if delivered to AT&T, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend an AT&T Access Tandem within the LATA.

5 Network Design And Management For Interconnection

- 5.1 <u>Network Management and Changes.</u> The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- 5.2 <u>Interconnection Technical Standards.</u> The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS1 pursuant to Telcordia Standard No. GR-NWT-00499. Where KDL chooses to utilize SS7 signaling, also known as CCS7, SS7 connectivity is required between the KDL switch and the AT&T

Version: 2Q07 Standard ICA

STP. AT&T will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the AT&T Guidelines to Technical Publication, GR-905-Core. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

6 Forecasting for Trunk Provisioning

- 6.1 Within six (6) months after execution of this Agreement, KDL shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within AT&T's Southeast region. Upon receipt of KDL's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed Confidential Information under the General Terms and Conditions.
- At a minimum, the forecast shall include the projected quantity of Transit Trunks, KDL-to-AT&T one-way trunks (KDL Trunks), AT&T-to-KDL one-way trunks (AT&T Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six (6) months and shall include an estimate of the current year plus the next two (2) years total forecasted quantities. The Parties shall mutually develop AT&T Trunk Groups and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (e.g., local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for KDL location and AT&T location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- Once initial interconnection trunk forecasts have been developed, KDL shall continue to provide interconnection trunk forecasts at mutually agreeable intervals. KDL shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 6.1.1 above.

Version: 2007 Standard ICA

The submission and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

6.4 Trunk Utilization

- 6.4.1 For the AT&T Trunk Groups that are Final Trunk Groups (AT&T Final Trunk Groups), AT&T and KDL shall monitor traffic on each AT&T Final Trunk Group that is ordered and installed. The Parties agree that the AT&T Final Trunk Groups will be utilized at sixty percent (60%) of the time consistent busy hour utilization level within ninety (90) days of installation. The Parties agree that the AT&T Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within one hundred eighty (180) days of installation. Any AT&T Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. Subject to Section 6.4.2 below, AT&T may disconnect any under-utilized AT&T Final Trunk Groups and KDL shall refund to AT&T the associated nonrecurring and recurring trunk and facility charges paid by AT&T, if any.
- AT&T's CISC will notify KDL of any under-utilized AT&T Trunk Groups and the number of such trunk groups that AT&T wishes to disconnect. AT&T will provide supporting information either by email or facsimile to the designated KDL interface. KDL will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which KDL expects to need such trunks. AT&T's CISC Project Manager and Circuit Capacity Manager (CCM) will discuss the information with KDL to determine if agreement can be reached on the number of AT&T Final Trunk Groups to be removed. If no agreement can be reached, AT&T will issue disconnect orders to KDL. The due date of these orders will be four (4) weeks after KDL was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 6.4.4 For the two-way trunk groups, AT&T and KDL shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that

Version: 2Q07 Standard ICA

within ninety (90) days of the installation of the AT&T two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within one hundred eighty (180) days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "under-utilized" trunks. AT&T will request the disconnection of any under-utilized two-way trunk(s) and KDL shall refund to AT&T the associated nonrecurring and recurring trunk and facility charges paid by AT&T, if any.

- AT&T's CISC will notify KDL of any under-utilized two-way trunk groups and the number of trunks that AT&T wishes to disconnect. AT&T will provide supporting information either by email or facsimile to the designated KDL interface. KDL will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which KDL expects to need such trunks. AT&T's CISC Project Manager and CCM will discuss the information with KDL to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, KDL will issue disconnect orders to AT&T. The due date of these orders will be four (4) weeks after KDL was first notified in writing of the under-utilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

7 Local Dialing Parity

7.1 AT&T and KDL shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating Telecommunications Services that require dialing to route a call.

8 Interconnection Compensation

- 8.1 Compensation for Call Transport and Termination for Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic
- 8.1.1 For the purposes of this Attachment and for intercarrier compensation for Local Traffic exchanged between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates from one Party's customer located in one exchange and terminates to the other Party's customer in either the same

Version: 2Q07 Standard ICA

exchange, or other local calling area associated with the originating calling party's exchange as defined and specified in Section A3 of AT&T's GSST.

- 8.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 8.1.2 For purposes of this Attachment and for intercarrier compensation for ISP-Bound Traffic exchanged between the Parties, ISP-Bound Traffic is defined as calls to an information service provider or Internet Service Provider (ISP) that are dialed by using a local dialing pattern (seven (7) or ten (10) digits) by a calling party in one (1) exchange to an ISP server or modem in either the same exchange or other local calling area associated with the originating exchange as defined and specified in Section A3 of AT&T's GSST. ISP-Bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 8.1.3 Neither Party shall pay compensation to the other Party for per minute of use rate elements as set forth in Exhibit A associated with the Call Transport and Termination of Local Traffic or ISP-Bound Traffic.
- 8.1.4 The appropriate elemental rates set forth in Exhibit A shall apply for Transit Traffic as described in this Attachment and for MTA as described in this Attachment.
- 8.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-Bound Traffic for purposes of determining compensation for the call. If KDL delivers Switched Access Traffic to AT&T for termination in violation of this Section, AT&T shall charge KDL terminating switched access charges as set forth in AT&T's Intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate. Additionally, such delivery of traffic shall constitute improper use of AT&T facilities as set forth in Section 1.5.2 of Attachment 7 of this Agreement.
- 8.1.6 IntraLATA Toll Traffic is defined as all traffic, regardless of transport protocol method, that originates and terminates within a single LATA that is not Local Traffic or ISP-Bound traffic under this Attachment.
- 8.1.6.1 For terminating its intraLATA toll traffic on the other Party's network, the originating Party will pay the terminating Party AT&T's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in AT&T's intrastate Access Services Tariffs and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one (1) Party is the other Party's customer's presubscribed interexchange carrier or if one (1) Party's customer uses the other Party as an interexchange carrier on a 101XXXX basis, the originating party will charge the other Party the appropriate

Version: 2Q07 Standard ICA

AT&T originating switched access tariff rates as set forth in AT&T's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff as filed and in effect with the FCC or appropriate Commission.

- 8.1.7 If KDL assigns NPA/NXXs to specific AT&T rate centers within the LATA and assigns numbers from those NPA/NXXs to KDL customer physically located outside of that LATA, AT&T traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a KDL customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, KDL agrees to identify such interLATA traffic to AT&T and to compensate AT&T for originating and transporting such interLATA traffic to KDL at BellSouth's FCC No. 1 Tariff rates.
- 8.2 If KDL does not identify such interLATA traffic to AT&T, AT&T will determine which whole KDL NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in AT&T's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. AT&T shall make appropriate billing adjustments if KDL can provide sufficient information for AT&T to determine whether or not said traffic is Local or ISP-Bound Traffic.

8.3 <u>Jurisdictional Reporting</u>

- 8.3.1 Percent Local Use (PLU). Each Party shall report to the other a PLU factor. The application of the PLU will determine the amount of local or ISP-Bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month based on local and ISP-Bound usage for the past three (3) months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in AT&T's Jurisdictional Factors Reporting Guide.
- 8.3.2 Percent Local Facility (PLF). Each Party shall report to the other a PLF factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLF calculation and reporting shall be as set forth in AT&T's Jurisdictional Factors Reporting Guide.
- 8.3.3 Percent Interstate Usage (PIU). Each Party shall report to the other the projected PIU factors, including but not limited to PIU associated with facilities (PIUE) and Terminating PIU (TPIU) factors. The application of the PIU will determine the

Version: 2Q07 Standard ICA

respective interstate traffic percentages to be billed at BellSouth's FCC No. 1 Tariff rates. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in AT&T's intrastate Access Services Tariff will apply to KDL. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local traffic and facilities. The intrastate toll traffic shall be billed at AT&T's intrastate Access Services Tariff rates. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) days after the first of each such month, for all services showing the percentages of use for the past three (3) months ending the last day of December, March, June and September. Additional requirements associated with PIU calculations and reporting shall be as set forth in AT&T's Jurisdictional Factors Reporting Guide.

- Notwithstanding the provisions in Sections 8.3.1, 8.3.2, and 8.3.3 above, where AT&T has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at AT&T's option, be utilized to determine the appropriate jurisdictional reporting factors (i.e., PLU, PIU, and/or PLF), in lieu of those provided by KDL. In the event that AT&T opts to utilize its own data to determine jurisdictional reporting factors, AT&T shall notify KDL at least fifteen (15) days prior to the beginning of the calendar quarter in which AT&T will begin to utilize its own data.
- Audits. On thirty (30) days written notice, KDL must provide AT&T the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. KDL shall retain records of call detail for a minimum of nine (9) months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by KDL. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by an independent auditor chosen by AT&T. The audited factor (PLF, PLU and/or PIU) shall be adjusted based upon the audit results and shall apply to the usage for the audited period through the time period when the audit is completed, to the usage for the quarter prior to the audit period, and to the usage for the two (2) quarters following the completion of the audit. If, as a result of an audit, KDL is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, KDL shall reimburse AT&T for the cost of the audit.
- 8.4 Compensation for IntraLATA 8XX Traffic. KDL shall pay the appropriate switched access charges set forth in the AT&T's intrastate Access Services tariff and/or BellSouth's FCC No. 1 Tariff. KDL will pay AT&T the database query charge as set forth in the applicable AT&T intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. KDL will be responsible for any applicable Common Channel Signaling (SS7) charges.

Version: 2Q07 Standard ICA

- 8.4.1 Records for 8XX Billing. Where technically feasible, each Party will provide to the other Party the appropriate records, in accordance with industry standards, necessary for billing intraLATA 8XX providers. The records provided will be in a standard EMI format.
- 8.4.2 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD). AT&T's provision of 8XX TFD to KDL requires interconnection from KDL to AT&T's 8XX Signal Channel Point. Such interconnections shall be established pursuant to AT&T's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. KDL shall establish SS7 interconnection at the AT&T LSTPs serving the AT&T 8XX Signal Channel Points that KDL desires to query. The terms and conditions for 8XX TFD are set out in the appropriate AT&T Access Services Tariff.

8.5 Mutual Provision of Switched Access Service

- 8.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any PSTN interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method or method of originating or terminating the call, a call that originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or a call in which the Parties' Switched Access Services are used for the origination or termination of the call, shall be considered Switched Access Traffic.
- 8.5.2 If an AT&T end user chooses KDL as their presubscribed interexchange carrier, or if an AT&T end user uses KDL as an interexchange carrier on a 101XXXX basis, AT&T will charge KDL the appropriate AT&T tariff charges for originating switched access services.
- Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in AT&T's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff, as appropriate.
- 8.5.4 When KDL's end office switch provides an access service connection to or from an IXC by a direct trunk group to the IXC utilizing AT&T facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with

Version: 2Q07 Standard ICA

the exception of the interconnection charge. The interconnection charge will be billed by KDL as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish Meet Point Billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.

- In cases where KDL has a unique hosted Revenue Accounting Office (RAO) code and KDL's end office subtends the AT&T Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via AT&T's Access Tandem switch, AT&T, as the tandem company agrees to provide to KDL, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 8.5.5 AT&T, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 8.5.6 KDL shall not deliver switched access traffic to AT&T for termination over any trunks and facilities other than KDL ordered switched access trunks and facilities.

8.6 <u>Transit Traffic</u>

- 8.6.1 AT&T shall provide tandem switching and transport services for KDL's Transit Traffic. Rates for local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable rate elements for Tandem Switching, Common Transport and Tandem Intermediary Charge as set forth in Exhibit A. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in AT&T's intrastate Access Services Tariff and/or BellSouth's FCC No. 1 Tariff. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between KDL and Wireless Type 1 third parties or Wireless Type 2A third parties that do not engage in Meet Point Billing with AT&T shall not be treated as Transit Traffic from a routing or billing perspective until such time as such traffic is identifiable as Transit Traffic.
- 8.6.2 The delivery of traffic that transits the AT&T network is excluded from any AT&T billing guarantees. AT&T agrees to deliver Transit Traffic to the terminating carrier; provided, however, that KDL is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the AT&T network. AT&T will not be liable for any compensation to the terminating carrier or to KDL. In the event that

Version: 2Q07 Standard ICA 04/26/07

the terminating third party carrier imposes on AT&T any charges or costs for the delivery of Transit Traffic, KDL shall reimburse AT&T for such charges or costs.

- 8.7 For purposes of intercarrier compensation, AT&T will not be responsible for any compensation associated with the exchange of traffic between KDL and a CLEC utilizing AT&T switching. Where technically feasible, AT&T will use commercially reasonable efforts to provide records to KDL to identify those CLECs utilizing AT&T switching with whom KDL has exchanged traffic. Such traffic shall not be considered Transit Traffic from a routing or billing perspective, but instead will be considered as traffic exchanged solely between KDL and the CLEC utilizing AT&T switching.
- 8.7.1 KDL is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of traffic with a CLEC utilizing AT&T switching. AT&T will not be liable for any compensation to the terminating carrier or to KDL. In the event that the terminating third party carrier imposes on AT&T any charges or costs for the delivery of such traffic, KDL shall reimburse AT&T for all such charges or costs.
- KDL shall send all IntraLATA toll traffic to be terminated by an independent telephone company to the End User's IntraLATA toll provider and shall not send such traffic to AT&T as Transit Traffic. IntraLATA toll traffic shall be any traffic that originates outside of the terminating independent telephone company's local calling area.

9 Ordering Charges

- 9.1 The facilities purchased pursuant to this Attachment shall be ordered via the ASR process.
- 9.2 The rates, terms and conditions associated with submission and processing of ASRs are as set forth in BellSouth's FCC No. 1 Tariff, Section 5.

10 Basic 911 and E911 Interconnection

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. AT&T will provide to KDL a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. KDL will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by AT&T. KDL will be

Version: 2Q07 Standard ICA

required to route that call to the appropriate PSAP. When a municipality converts to E911 service, KDL will be required to begin using E911 procedures.

- 10.3 E911 Interconnection. KDL shall install a minimum of two (2) dedicated trunks originating from its SWC and terminating to the appropriate E911 tandem. The SWC must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (one point five forty-four (1.544) Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, KDL shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the AT&T Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. KDL will be required to provide AT&T daily updates to the E911 database. KDL will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by AT&T. If the E911 tandem trunks are not available, KDL will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over AT&T's interoffice network and will not carry the ANI of the calling party. KDL shall be responsible for providing AT&T with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- Trunks and facilities for 911 Interconnection may be ordered by KDL from AT&T pursuant to the terms and conditions set forth in this Attachment.
- The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the AT&T Interconnection Services Web site.

11 SS7 Network Interconnection

11.1 SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable interoperability of CLASS features and functions except for call return. SS7 signaling parameters will be provided, including but not limited to ANI, originating line information (OLI) calling company category and charge number. Privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate SS7 based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges. Nothing herein shall obligate or otherwise require AT&T to send SS7 messages or call-related database

Version: 2Q07 Standard ICA

queries to KDL's or any other third party's call-related database, unless otherwise agreed to by the Parties under a separate agreement.

- Signaling Call Information. AT&T and KDL will send and receive ten (10) digits for Local Traffic. Additionally, AT&T and KDL will exchange the proper call information, (i.e., originated call company number and destination call company number, CIC, and OZZ) including all proper translations for routing between networks and any information necessary for billing.
- SS7 Network Interconnection is the interconnection of KDL LSTP switches or KDL local or tandem switching systems with AT&T STP switches. This interconnection provides connectivity that enables the exchange of SS7 messages among AT&T switching systems and databases, KDL local or tandem switching systems, and other third party switching systems directly connected to the AT&T SS7 network.
- 11.3.1 The connectivity provided by SS7 Network Interconnection shall fully support the functions of AT&T switching systems and databases and KDL or other third party switching systems with A-link access to the AT&T SS7 network.
- 11.3.2 If traffic is routed based on dialed or translated digits between a KDL local switching system and an AT&T or other third party local switching system, either directly or via an AT&T tandem switching system, then it is a requirement that the AT&T SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (i.e., Automatic Callback, Automatic Recall, and Screening List Editing) between the KDL LSTP switches and AT&T or other third party local switch.
- 11.3.3 SS7 Network Interconnection shall provide:
- 11.3.3.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.3.3.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.3.3.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 11.3.4 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is an AT&T switching system or DB, or is another third party local or tandem switching system directly connected to the AT&T SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a KDL local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a

Version: 2007 Standard ICA

- gateway pair of KDL LSTPs and shall not include SCCP Subsystem Management of the destination.
- 11.3.5 SS7 Network Interconnection shall provide all functions of the ISUP as specified in ANSI T1.113.
- 11.3.6 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 11.3.7 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of AT&T STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.4 <u>Interface Requirements.</u> The following SS7 Network Interconnection interface options are available to connect KDL or KDL-designated local or tandem switching systems or signaling transfer point switches to the AT&T SS7 network:
- 11.4.1 A-link interface from KDL local or tandem switching systems; and
- 11.4.2 B-link interface from KDL STPs.
- The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the AT&T STP is located. There shall be a DS1 or higher rate transport interface at each of the signaling points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 11.4.4 AT&T shall provide intraoffice diversity between the Signaling Point of Interconnection and the AT&T STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to an AT&T STP.
- The protocol interface requirements for SS7 Network Interconnection include the MTP, ISUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 11.4.6 AT&T shall set message screening parameters to accept messages from KDL local or tandem switching systems destined to any signaling point in the AT&T SS7 network with which the KDL switching system has a valid signaling relationship.
- 11.5 Rates. The Parties shall institute a "bill and keep" compensation plan under which neither Party will charge the other Party for ISUP CCS7 signaling messages associated with Local Traffic. The portion of ISUP CCS7 signaling messages utilized for Local Traffic, which is subject to bill and keep in accordance with this section, shall be determined based upon the application of the applicable signaling factors set forth in AT&T's Jurisdictional Factors Reporting Guide. All other CCS7 signaling messages associated with Local Traffic will be billed at the


Version: 2Q07 Standard ICA

rates set forth in Exhibit A. In addition, CCS7 facility charges, including charges for signaling ports and signaling links, utilized for Local Traffic will be billed at the rates set forth in Exhibit A. CCS7 signaling messages, signaling ports, and signaling links associated with interstate calls and with intrastate non-local calls, shall be billed in accordance with the applicable AT&T intrastate Access Services Tariff and BellSouth's FCC No. 1 Tariff for switched access services.

Version: 2Q07 Standard ICA

Basic Architecture


Exhibit B



Version: 2Q0 04/26/07

One-Way Architecture


Exhibit C



Version: 2Q0 04/26/07

Two-Way Architecture


Exhibit D



Version: 2Q0 04/26/07

Supergroup Architecture

Exhibit E



Version: 2Q07 Standard ICA

OCAL INTE	RCONNECTION - Alabama												Att; 3 Exh; A			
LTEGORY	RATE ELEMENTS	Interim	Zone	B CS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Syc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order va Electroni Disc Add
			ļ		 	Rec	Nonre: First	Curring Add ³	Nonrecurring First	Disconnect Add'l	CONTE	COMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
		 	-	·	 		FRSt	Addi	Frial	A001	SUMEC	SUMMA	SUMMA	SUMAN	SUMAN	SUMAN
CAL INTERC	ONNECTION (GALL TRANSPORT AND TERMINATION)															
	"bk" beside a rate indicates that the Parties have agreed to bill a	ind keep	for tha	t element pursuant t	o the terms a	nd conditions in	Attachment 3.									
	MSWITCHING		· · · ·			0.000.0000			 					·		
 -	Tandem Switching Function Per MOU Multiple Tandem Switching, per MOU (applies to initial tandem		-		 	0.0004980bk			 		 			ļ		
	only)	_	<u> </u>		ì_	0.000498]	<u> </u>			Ĺ				
	Tandem Intermediary Charge, per MOU*				T	0.0025										
	harge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or inte	rconnection	charges.										
	CHARGE Installation Trunk Side Service - per DS0	, 	T-	OHD	TPP6X	T	21.56	8.12		 						
	Installation Trunk Side Service - per DS0	-		OHD	TPP9X		21.56				 -					 -
	Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OHI OHIMS	YDE 1P	0.00					ļ					
	Dedicated Tandem Trunk Port Service per DS0** Dedicated Tandem Trunk Port Service per DS1**		 	OHD OH1 OH1MS	TOWIP	0.00		 	 	 	 -	ļ				
** This	rate element is recovered on a per MOU basis and is included in	the End					elements	L	<u> </u>	L		<u> </u>		L		
COMMO	N TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU				<u> </u>	0.0000023bk										
	Common Transport - Facilities Termination Per MOU		ļ			0.0003224bk										
CAL INTER	ONNECTION (DEDICATED TRANSPORT) DEFICE CHANNEL - DEDICATED TRANSPORT	ــــــــــــــــــــــــــــــــــــــ	ــــــــــــــــــــــــــــــــــــــ	L	<u> </u>	L		L		L				L,		
INTERC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1	7	T	Τ	T		r	1		T					
İ	Per Mile per month	l _		ОНМ	1L5NF	0.008838			L	l	L					1
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1	1													
	Facility Termination per month	 		OHM	1L5NF	21.13	40.54	27.41	16.74	6.90	ļ					·
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	1		ОНМ	1L5NK	0.008838			1	İ						l
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	 -		O THE	TICSING	0.008036		 	 	 -	 					
	Termination per month	ļ		ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90	ì '		•			1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per				T											
	morth	ļ <u>-</u>	_	ОНМ	1L5NK	0.008838			 		 					
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	l		ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90	}		1			i
	Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1		<u> </u>	1,20,47	10:12	40.04		10.74	0.00	 				" -	
	month		<u>l</u>	OH1, OH1MS	1L5NL	0.18			1							l .
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1			T			[1						
	Termination per month	 	}	OH1, OHIMS	1L5NL	60.16	89.27	81.61	16.35	14.44						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			онз. онзмѕ	1L5NM	4.09		ļ	ŀ	ł	}				i	Į.
	Interoffice Channel - Dedicated Transport - DS3 - Facility	 -	\top	Or to. Or rolling	1.00-7.00	1.00				 						
ļ	Termination per month	<u> </u>	<u> </u>	онз, онзмв	1L5NM	703.52	278.75	162.76	60.20	58.46						
LOCAL	CHANNEL - DEDICATED TRANSPORT				T=== -											
	Local Channel - Dedicated - 2-Wire Voice Grade per month	├ -	┾	OHM OHM	TEFV2 TEFV4	13.97 14.93	193.10 193.53	33.17 33.60		3.20						
	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month	 	+	IOH1	TEFHG	35.76				15.26						
	Code Orial-of Dedicated - OOT partitions	† -	 	<u> </u>	1	1		1	1		T					
	Local Channel - Dedicated - DS3 Facility Termination per month		1	OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58	<u> </u>	L		L		
LOCAL	INTERCONNECTION MID-SPAN MEET		,	15:1110	leccus.					,						
	Local Channel - Dedicated - DS1 per month	┿	 	OH1MS OH3MS	TEFHG TEFHJ	0.00	0.00		 	 	 			<u> </u>		
Mili Yu	Local Channel - Dedicated - DS3 per month	٠	<u>. </u>	JO: IOWIG		0.00	1 0.00	L			<u> </u>	لــــــــــــا				
MULII	Channelization - DS1 to DS0 Channel System		I.	OH1, OH1MS	\$ATN1	101.06										
	DS3 to DS1 Channel System per month	\perp		OH3, OH3MS	SATNS	166.13				31.63						
	DS3 Interface Unit (DS1 COCI) par month	l distance	1	OH1, OH1MS	SATCO	12.70	6.58	4,72			ــــــــــــــــــــــــــــــــــــــ	L				
Notes:	If no rate is identified in the contract, the rates, terms, and con-	utions f	or (119 5	pecine service or fun	ICIGIO WILL DE	- ser iomn in al	pricacie dellSc	Just tariff.								
NOTE:	"bk" beside a rate indicates that the parties have agreed to bill :	and keer	for the	st element pursuant t	o the terms a	nd conditions in	Attachment 3.			' 						
	ICCS7 Signaling Termination, Per STP Port		Ι.	UPB	PT8SX	130.83										
	CCS7 Signaling Usage, Per TCAP Message				TPP6A	0.0000569		L								
	CCS7 Signaling Connection, Per DS1 level link (A link)	+	+	UOB UOB	TPP6A	15.46 15.46	35.53 35.53	35.53 35.53		16.44 16.44				}		
	CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also know	<u>n </u>	+	1000	117.54	13.46	35.53	35.53	16.44	19.44	 					
- 1	as D link)	1	1	LIDB	TPP6B	15.46	35.53	35.53	16.44	16 44	I i				- 1	

			1			1							Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		_	RATES(\$)			Svc Order Submitted Elec per LSR	200 militar	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge Manual Sy Order vs Electronic
						Rec	Nonre	surring	Nonrecurring	Disconnect					Dist 180	Disc Add
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known		-				First	Add'l	First	Add'I			OS\$	Rates(\$)		
	as O link)				i				- "	AGG I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Usage, Par ISUP Message			UDB	TPP9B	15.46	35.53	35.53	16.44	16,44						
	CCS7 Signaling Usage Surrogate, per link per LATA			1100		0.0000142bk			70.44	10,44						
	CCS7 Signaling Point Code, per Originating Point Code		 	UDB	STU56	650.33bk										
	Establishment or Change, per STP affected		ll	unn												
1	CCS7 Signaling Connection, Switched access service, interface			UDB	CCAPO		29.01	29.01	35.57	35.57	1	-		-		
	groups, transmissiom paths 6 DS1 level path with bit stream								00.07	30.57			1			
	signaling		1	100			1		i		ŀ		T			
	CCS7 Signaling Connection, Switched access service, interface			UDB .	TPP6X	15.46	35.53	35.53	16.44	16.44		1		1		
- 1	groups, transmissiom paths 9 DS3 level path with bit stream								10.44	15.44			l			
	signaling		I.	IDD.		l 1				!	!	!				
				JDB	TPP9X	15.46	35.53	35.53	16.44	16.44			- 1			

OCAL INTE	RCONNECTION - Florida				_	_							Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Manuaily	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
 +		 	_		 		Nonrec	urring	Nonrecurring	Disconnect	 		OSS	Rates(\$)		
			 	·	 	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		 									1			O G A G A G		00,
CAL INTERC	ONNECTION (CALL TRANSPORT AND TERMINATION)										1					
NOTE: "	bk" beside a rate indicates that the Parties have agreed to bill a	and kees	for the	it element pursuant t	a the terms a	nd conditions in	Attachment 3.									
TANDER	SWITCHING															
	Tandem Switching Function Per MOU	Ľ				0.0006019bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem				1						Į	l	[
	only)		-		-	0,0006019			 -		 	ļ <u></u>				
	Tandem Intermediary Charge, per MOU*	L	1	and the later of the state of		0.0025			i		L	ـــــــــــــــــــــــــــــــــــــ	L			
	narge is applicable only to transit traffic and is applied in additio	n to app	HICADIB	awarening and/or inte	rconnection	cnarges.				·						
	CHARGE Installation Frunk Side Service - per DS0		T	OHD	TPP6X		21.73	8.19			·					
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.73	8.19			 					
	Dedicated End Office Trunk Port Service-per DS0**	 	 	OHD	TDEOP	0.00	20	<u> </u>		1	 	 -				
	Dedicated End Office Trunk Port Service-per DS1**		 	OH1 OH1MS	TDE 1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**		T	OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00			C	[T	-				
" This r	ate element is recovered on a per MOU basis and is included in	the End	d Office	Switching and Tand	lem Switchin	g, per MOU rate	elements									
	N TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU	Ι'				0.0000035bk										
	Common Transport - Facilities Termination Par MOU					0.0004372bk										
	ONNECTION (DEDICATED TRANSPORT)	Ι									1					
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1		[]					
	Per Mile per month		<u> </u>	ОНМ	1L5NF	0.0091			ļ <u></u>							
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -										l	Į	('			
	Facility Termination per month	↓	}	ОНМ	1L5NF	25.32	47.35	31.78	18.31	7.03	 	<u> </u>				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	1	1	ОНМ	41 51112	0.0001					ļ	}				
	month	├ ─		OHM	1L5NK	0.0091			<u> </u>			ļ				
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			ОНМ	1L5NK	18 44	47.35	31.78	18.31	7.03	i					
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	 	+	OHW .	TLSIVK	10 44	47.33	31.70	16.31	7.03	 	 	· · · · · · · · · · · · · · · · · · ·			
	mouth mouth		ļ	ОНМ	1L5NK	0.0091	!		i	1						
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	+	+	O. 101	TESTER	0.2031					 					
	Termination per month	1	ŀ	ОНМ	1L5NK	18,44	47.35	31.78	18.31	7.03	İ					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per									1.50	t					
- \	month	1	1	OH1, OH1MS	1L5NL	0.1856	Ì		1			ļ	ļ			
- - 1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	-		T					<u> </u>							
	Termination per month	Į		OH1, OH1MS_	1L5NL	88.44	105.54	98.47	21.47	19.05] ;				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month	L	Į	OH3, OH3MS	1L5NM	3.87	L			<u> </u>	<u> 1</u>)	·	
	Interoffice Channel - Dedicated Transport - DS3 - Facility]	1			1							
1	Termination per month	⊥	<u> </u>	OH3, OH3MS	1L5NM	1.071.00	335.46	219.28	72.03	70.56	<u></u>					
	CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	19.66	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 4-Wire Voice Grade per month		1	ОНМ	TEFV4	20.45	266.54	47.67		5.33						
	Local Channel - Dedicated - DS1 per month	 		OH1	TEFHG	36.49	216.65	183.54	24.30	16.95						
]]		1	1	lour.									·	, -1		
	Local Channel - Dedicated - DS3 Facility Termination per month	┸		ОНЗ	TEFHU	531.91	556.37	343.01	139.13	96.84	<u> </u>		<u>_</u>			
LOCAL	INTERCONNECTION MID-SPAN MEET		,	Volume	Tremio	1 000	2.00		, -							
	Local Channel - Dedicated - DS1 per month	+	-	OH1MS OH3MS	TEFHG	0.00			ļ	 	 	 	<u> </u>			
	Local Channel - Dedicated - DS3 per month		1	OH3MS	TIEFHJ	0.00	0.00	L	L	<u> </u>						
				OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49						
	Channelization - DS1 to DS0 Channel System	 	+	OH3, OH3MS	SATNS	211,19	199.28	118.64				ļ				
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month	+	+	OH1, OH1MS	SATCO	13.76	10.07	7.08		39.07	 					
Note	If no rate is identified in the contract, the rates, terms, and con-	ditions f	or the s						<u> </u>	' -	<u> </u>	·	ــــــــــــــــــــــــــــــــــــــ			
IGNALING (CC			1 174 3	DEC. 70 0814108 D1 1011											······	
HATE.	(bk" beside a rate indicates that the parties have agreed to bill a	ind keer	for the	t element nursuant h	o the terms =	nd conditions in	Attachment 3			·						
	CCS7 Signaling Termination, Per STP Port	(1	lube	PT8SX	135.05	1			T						
	CCS7 Signaling Usage, Per TCAP Message	+-	 	1	 	0.0000607							 +	+		
	CCS7 Signaling Connection, Per DS1 level link (A link)	+	T''	NDB	TPP6A	17.93	43.57	43.57	18.31	18.31	<u> </u>					
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB .	TPP9A	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known	n	1						T	((I					
1 1	as D link)	1	1	BOCI	TPP68	17.93	43.57	43.57	18.31	18.31]					

		1	1											Att: 3 Exh: A			
CATEGORY	RAYE ELEMENTS	Interim	Zone		BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge -	Charge -	Charge -	Charge -
				-			Rec	Nanre		Nonrecurring	Disconnect				Rates(\$)		
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)	_				 		First	Add'l	First	1.ppy	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
	CCS7 Signaling Usage, Per ISUP Message			UDB		трр9в	17.93 0.0000152bk	43.57	43.57	18.31	18.31				COMPAN	SUMAN	SOMAN
	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			UD6		STU56	694.32bk										
	Establishment or Change, per STP affected CGS7 Signaling Point Code, per Destination Point Code			UDB		CCAPO		46.03	46.03	46.03							
	Establishment or Change, Per Stp Affected CCS7 Signaling Connection, Switched access service, interface			UDB		CCAPD			40.00	46.03	46.03						
	groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	17.93	43.57		-							
i	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling					JA	17.93	43.57	43.57	18.31	18.31						

OCAL INTERCONNECT	ION - Georgia												Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manuel Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremen Charge Manual S Order vi Electroni
													1st	Add'i	Disc 1st	Disc Add
						Rec	Nonre	urring Add'l	Nonrecurring		COLFE	SOMAN		Rates(\$) SOMAN	SOHAN	SOMAN
		-					First	Addi	First	Add'I	SOMEC	SUMAIN	SOMAN	SUMAN	SUMAN	301474
CAL INTERCONNECTION (ALL TRANSPORT AND TERMINATION)															
NOTE: "bk" beside a ra	te Indicates that the Parties have agreed to bill	and keep	for the	at element pursuant to	o the terms a	nd conditions in	Attachment 3.									
TANDEM SWITCHING	Carrier Bankion			T		0.0004186bk					T		1			
Multiple Tandem	g Function Per MOU Switching, per MOU (applies to intial landern	 														
ony)		L		<u></u>		0.0004186							 			
Tandem Interme	diary Charge, per MOU*	1	licable.	rwitching and/or inte	rconnection	0.0025							L			
Trunk Charge is applica	ble only to transit traffic and is applied in addition	on to app	ricable	PARCHAIG SHOVE INTE	regimeeston	Çırarges.										
	Side Service - per DS0	1		OHD	TPP6X		21.53	8.11								
Installation Truri	Side Service - per DS0			OH0	TPP9X		21.53	8.11								
Dedicated End 0	Office Trunk Port Service-per DS0**	<u> </u>		OHD	TDEOP	0.00					 					
	Office Trunk Port Service-per DS1**			OH1 OH1MS	TDEIP	0.00										
	em Trunk Port Service-per DS0**	-		OHD OHI OHIMS	TDWOP	0.00	 		 		ļ		 			
Dedicated Tand	ecovered on a per MOU basis and is included in	the En	Office	Switching and Tand	em Switchin	rt. per MOU rate	elements		I		-		·		·	
COMMON TRANSPOR		tile Cit	Oline	Switching Bird Carlo		a, per										
	ort - Per Mile, Per MOU					0.0000028bk										
Common Transi	ort - Facilities Termination Per MOU					0.0001955bk										
CAL INTERCONNECTION (DEDICATED TRANSPORT)						<u> </u>				<u> </u>		1	L	L	L
INTEROFFICE CHANN	L - DEDICATED TRANSPORT		,	······································	,	, - · · · ·										
	nel - Dedicated Transport - 2-Wire Voice Grade -			ОНМ	1L5NF	0.0059			Į Į		Ì	İ	[}	ĺ
Per Mile per mo	nth	┿~	 	ОНМ	ILSNE	0.0038	 		-		 		 			
Facility Termina	nel - Dedicated Transport- 2- Wire Voice Grade - tion per month			OHM	1L5NF	13.15	48.41	19.46	16.56	4.99						
Interoffice Char	net - Dedicated Transport - 56 kbps - per mile per												1			
month			ļ	онм	1L5NK	0.0059					 	·	 			
	nel - Dedicated Transport - 56 kbps - Facility	1		онм	1L5NK	8.00	48.41	19.46	16.56	4.99	ĺ	i				!
Termination per	nel - Dedicated Transport - 64 kbps - per mile per	+	1	<u> </u>	100											
month	rei - Dedicated Transport - O-Traps - por Tras per			ОНМ	1L5NK	0.0059		<u> </u>					<u> </u>			L
	nel - Dedicated Transport - 64 Kbps - Facility		ī	T			l				İ	ĺ	1			
Termination per	month		-	ОНМ	1L5NK	8.00	48.41	19.46	16.56	4.99	 		 -		<u> </u>	
Interoffice Char	nel - Dedicated Channel - DS1 - Per Mile per			OH1, OH1MS	1L5NL	0.1199		ļ			!	Į	t	l		1
month later than Char	nel - Dedicated Tranport - DS1 - Facility	+		OHT, OHTMA	TIESINE	0.1103	1				 					
Termination per				OH1, OH1MS	1L5NL	34.93	110.92	80.20	31.33	21.71						
Interoffice Char	nel - Dedicated Transport - DS3 - Per Mile per	1	 										-			1
month			<u> </u>	OH3, OH3MS	1L5NM	2.63	ļ <u>.</u>	ļ		Ļ		-		-		└ ──
	nel - Dedicated Transport - DS3 - Facility	1	1	aus aumus		240 42	320,16	86.24	66.71	52.76		1	1	i		ĺ
Termination pe	month			OH3, OH3MS	1L5NM	349.42	320,16	1 00.24	00.71	52.70	٠		 		L	
LOCAL CHANNEL - DI	DICATED TRANSPORT		_	ОНМ	TEFV2	7.91	120.95	53,24	46.35	13.35	Τ		T			
	Dedicated - 2-Wire Voice Grade per month Dedicated - 4-Wire Voice Grade per month	 -	+	OHM	TEFV4	8.90										
Local Channel	Dedicated - DS1 per month	1	1	OH1	TEFHG	22.82	149.31	111.09	40.32	26.09						
							1									
Local Channel	Dedicated · DS3 Facility Termination per month			онз	TEFHJ	150.05	444.58	145.04	112.80	75.81		L				ــــــــــــــــــــــــــــــــــــــ
LOCAL INTERCONNE	CTION MID-SPAN MEET		_	TOUTUS	TEFHG	0.00	0.00	,		,			т			
Local Channel	Dedicated - DS1 per month	+	+-	OH1MS OH3MS	TEFHJ	0.00			 		 	· · · · · · · · · · · · · · · · · · ·				
	Dedicated - DS3 per month			ICH3M3	TIEFTIS	0.00	0.00									
MULTIPLEXERS	DS1 to DS0 Channel System			OH1, OH1MS	SATNI	71.23	105.57	41.545	23.73	4.19	II.					
	namel System per month			OH3, OH3MS	SATNS	124.39	224.255					1				
DC2 Interface	teit (DC1 COCI) not month			OH1, OH1MS	SATCO	7.50	15.79		6.60	6.60	L	<u> </u>			L	
Notes: If no rate is ide	ntified in the contract, the rates, terms, and cor	nditions f	or the	specific service or fur	ction will be	as set forth in a	pplicable BuilS	outh tariff.		,		,	T		,	
CHALLING (CCCT)				1	1	1	į.	1	1	 _				<u> </u>	<u> </u>	
NOTE: "bk" beside a r	ite indicates that the parties have agreed to bill	and kee	p for th	UDB	TPP6A	8.93	34.74	34.74	16.90	16.90	т —		T			
CCS7 Signalin	Connection, Per 56Kbps Facility A-Link DS1	-		UDB	TPP9A	8.93										
CCS7 Signalin	Connection, Per 56Kbps Facility A-Link OS3 Connection, Per 56Kbps Facility B-Link OS1			UDB	TPP6B	8.93	34.74	34.74	16.90	16.90		1				
CCS7 Signalin	Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	8.93	34.74	34.74	16.90	16.90						
CCS7 Sidnalin	Termination, Per STP Port		\perp	UDB	PT8SX	111,30										
	Usage, Per Call Setup Message			1		.0000134bk	I	1	J		┺	1				1

			T	T		T	1							Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone		BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted		Charge - Manual Svc Order vs.	Charge -	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect			050	Rates(\$)		
	CCS7 Signaling Usage, Per TCAP Message		 	 				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	0.04444	
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)	 	-				0.0000536							- OCHIDAY	SUMMAN	SOMAN	SOMAN
	CCS7 Signaling Usage Surrogate, per link		-	UDB			.0000134bk										
	CCS7 Signaling Point Code, Establishment or Change, per STP			DDB .		STU56	921.93bk										
	affected			BOU		CCAPO		28.12	22.42								
1	CCS7 Signaling Connection, Switched access service, interface					9,0111 0		20,12	28.12	33.29	33.29			' I	- 1	i	
	groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	8.93	34.74	34.74								
	CCS7 Signaling Connection, Switched access service, interface					T	0.00	34.74	34.74	16.90	16.90					1	
	groups, transmissiom paths 9 DS3 level path with bit stream	1		ı		I	1	I	1								

AL IN E	RCONNECTION - Kentucky		,								In		Att: 3 Exh: A			
		[Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental	
1		ነ	1 1		1)					Elec	Manually	Manual Svc	Manual Svc	Charge - Manual Svc	Charge
GORY	RATE ELEMENTS	Interim	7000	BCS	USOC			RATES(\$)								
GURY	RATE ELEMENTS	(C) (B) (H)	2.0110	BC3	0300	i		VMI E9(4)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order
i		!			1								Electronic-	Electronic-	Electronic-	
j		ĺ				Į					1		1st	Addil	Disc 1st	Disc A
					 		Nonre	urring	Nonrecurring	Disconnect		<u> </u>	oss	Rates(\$)		т
+			_			Rec	First	Addi	First	Add'i	SOMEC	SOMAN	SOMAN		SOMAN	SOM
1																
LINTERC	ONNECTION (CALL TRANSPORT AND TERMINATION)															T
NOTE:	bk" beside a rate indicates that the Parties have agreed to bill a	nd keep	for the	at element pursuant t	o the terms a	ind conditions in	Attachment 3.									
	N SWITCHING															
	Tandem Switching Function Per MOU	<u> </u>	ļ		ļ <u>-</u>	0.0006772bk				<u> </u>						
	Multiple Tandem Switching, per MQU (applies to intral tandem	1			Į					Ĭ				í		
	only)	ļ				0.0006772				 	·					—
1	Tandem Intermediary Charge, per MOU		1				L		L	L	 _	L	<u> </u>	l	t <u>.</u>	<u> </u>
This ci	rarge is applicable only to transit traffic and is applied in addition	n to app	IRCADIO	switching and/or inte	rconnection	charges.										
	CHARGE Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58	8.13		T				r		
	Installation Trunk Side Service - per DS0	-		OHD	TPP9X		21.58	8.13		 	 			 	 	
	Dedicated End Office Trunk Port Service-per DS0**		 	OHD	TDEOP	0.00	21,36	0.13		 	 			 	 	+
	Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1**			OHI OHIMS	TDE1P	0.00				 -	 			 		+
	Dedicated Tandem Trunk Port Service-per DS0**	-		OHD	TDWOP	0.00					 					
	Dedicated Tandem Trunk Port Service-per DS1**	 	 	OHI OHIMS	TDW1P	0.00			 	 						+
** This *	ate element is recovered on a per MQU basis and is included in	the En	Office	Switching and Tane	em Switchin	g, per MOU rate	alments			·	•			,	·	-
	N TRANSPORT (Shared)	- A									····					
	Common Transport - Per Mile, Per MOU					0.0000030bk					Ţ	,		F		Τ
-{	Common Transport - Facilities Termination Per MOU				· · · · · ·	0.0007466bk				i	1					
LINTERC	ONNECTION (DEDICATED TRANSPORT)									T	ļ —					
	FFICE CHANNEL - DEDICATED TRANSPORT		-	· · · · · · · · · · · · · · · · · · ·		·			,					·		
1	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	T	1		T	Ţ · - "	i		T					l	r	T
	Per Mile per month			ОНМ	1L5NF	0.01										[
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	 	1													
	Facility Termination per month	1		ОНМ	1L5NF	29.11	47.34	31.78	22.77	8.75	1	} '		}	}	ì
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per				T											1
	month	l		ОНМ	1L5NK	0.0115				<u> </u>	<u> </u>					
T	Interoffice Channel - Dedicated Transport - 56 kbps - Facility]			[]]		
	Termination per month			OHM	1L5NK	20.97	47,35	31.78	22.77	8.75						<u>t</u>
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per	\ ``	}	\		1	ነ		1	1	1					
	month	ļ		ОНМ	1L5NK	0.0115	<u></u>				 					
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	Į		L									l i			[
	Termination per month	├ -		ОНМ	1L5NK	20.97	47.35	31.78	22.77	8,75	ļ					ļ
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1	J	0.00			ļ		ļ	\	\ '	1		\ '	'	1
	month	├	 	OH1, OH1MS	1L5NL	0.23										-
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49	l i			İ		
		⊢ −		On I, On IMS	TESINE	36.04	105.52	30.46	23.05	20.48	 					ļ
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	j	1	она, онамв	1L5NM	4,97	1		i	I	[ļ	(
	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	—	O TO CO TO IND	, COITIN	4.07			 		 					
	Termination per month		1	она, онамѕ	1L5NM	1,175.15	335.40	219.24	89.57	87.75						ļ
	CHANNEL - DEDICATED TRANSPORT	٠		10.101.01.01.0	114014	1								٠		Ь
	Local Channel - Dedicated - 2-Wire Voice Grade per month	T	T	ЮНМ	TEFV2	18.57	265.78	46.96	46.79	4,98	<u> </u>					
 	Local Channel - Dedicated - 4-Wire Voice Grade per month		t	ОНМ	TEFV4	19.86		47.65	47.54	5.73	1					
+ +	Local Channel - Dedicated - DS1 per month	-		OH1	TEFHG	40.46	209.60	176.51	30.21	21.07	 			···		
+			ļ						T		T					
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHU	576.05	551.38	338.08	173.00	120.42						1
LOCAL	INTERCONNECTION MID-SPAN MEET															
	Local Channel - Dedicated - DS1 per month	T	}	OHIMS	TEFHG	0.00				L						
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
	LEXERS															
	Channelization - DS1 to DS0 Channel System	L	$oxed{\Box}$	OH1, OH1MS	SATN1	113.33		71.60								
	DS3 to DS1 Channel System per month		ļ	OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59						
	DS3 Interface Unit (DS1 COCI) per month	1		OH1 OH1MS	SATCO	11.80	10.07	7.08	L	<u> </u>		لـــــــــــــــــــــــــــــــــــــ				
	If no rate is identified in the contract, the rates, terms, and conc	itions fo	r the s	pecific service or fun	ction will be	as set fortfi ∤n a	pplicable BellSc	utn tariff.	,		,					
ALING (CC	87)	I	1	<u> </u>				L	L							
NOTE:"	bk" beside a rate indicates that the parties have agreed to bill a	uq keeb	or tha	it eiement pursuant t Tilloo	TOOC*	na conditions in	Attachment 3.	40.55			, , , , , , , , , , , , , , , , , , , 	· ····································				
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	+		UDB	TPP6A TPP9A	20.71	43.56	43.56		22.45						
	CCS7 Signaling Connection. Per 56Kbps Facility A-Link DS3	+	-		TPP68	20.71	43.56 43.56	43.56	22.45							
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1	+	 	UDB	TPP68	20.71	43.56	43.56 43.56	22.45 22.45							
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3		4	UDB	PT8SX_	151.39	43.56	40.56	22.45	22,45	 					
	CCS7 Signaling Termination, Per STP Port															

LOCAL IIVI	ERCONNECTION - Kentucky		,				1							Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	laterim	Zone	E	3CS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
							Rec	Nonrec	urring	Nonrecurring	Disconnect		·	OSS	Rates(\$)		
	OCCIC P. TOAR W						1	First	Adďi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signating Usage, Per TCAP Message	 	ļ.,,,,,				0.0000656										001711-04
	CCS7 Signating Usage, Per ISUP Message		-				0.0000164bk										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB		STU56	751.08bk					/'·		-			r
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB		CCAPO		46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected																
	CCS7 Signaling Connection, Switched access service, interface	├		UDB		CCAPD		46.02	46.02	58.43	56.43						ĺ
	groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB		TPP6X	20.71	43.56	43 56	22.45	22.45						
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream							43.36	43.30	22.43	24.45						
	signaling	<u> </u>		UD8		TPP9X	20.71	43.56	43.56	22.45	22.45						ı

LOCAL II	INTERCONNECTION - Louisiana										~ _		Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Norm	RATES(\$)	Nonrecurring	Discourset		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1at	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order va Electronic Disc Add
			┿			Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
OCAL INT	TERCONNECTION (CALL TRANSPORT AND TERMINATION)	<u> </u>	Ι	L	L					L						
NO	OTE: "bk" beside a rate indicates that the Parties have agreed to	bill and kee	p for th	at eigment pursuant t	o the terms a	ind conditions in	Altachment 3									
TA	Tandem Switching Function Per MOU					0.0005507bk			T		· · · · · · · · · · · · · · · · · · ·					
	Multiple Tandem Switching, per MOU (applies to Intial tandem		+-			0.000000					 					
	only)		<u>i </u>			0 0005507					L		_			
	Tandem Intermediary Charge, per MOU*		Γ.	l	L	0.0025				L						
	his charge is applicable only to transit traffic and is applied in ad	dition to ap	plicable	switching and/or inte	rconnection	charges.		·								
TRI	RUNK CHARGE Installation Trunk Side Service - per DS0			OHD	TPP6X		21.64	8 15	,	T						
	Installation Trunk Side Service - per DS0		+	OHD	TPP9X	 	21.64	8.15								
	Dedicated End Office Trunk Port Service-per DS0**		1	OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**		-	OHD	TDWOP_	0.00		L	ļ	<u> </u>	ļ					
وبياسا	Dedicated Tandem Trunk Port Service-per DS1** This rate element is recovered on a per MOU basis and is includ-	d in the En	d Office	OH1 OH1MS	TDW1P	0.00	elamante	<u> </u>		ــــــ	J			L		L
	This rate element is recovered on a per MOU basis and is include DMMON TRANSPORT (Shared)	o II sne En	a ome	ownering and I and	ern awrenn	M. Doi MOU 1416	e-directs									
	Common Transport - Per Mile, Per MOU	$\overline{}$	T	T	·	0.00000326k			·		1					
 	Common Transport - Facilities Termination Per MOU					0.0003748bk										
	TERCONNECTION (DEDICATED TRANSPORT)															
INT	TEROFFICE CHANNEL - DEDICATED TRANSPORT					,		· · · · · · · · · · · · · · · · · · ·	~		·					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grac Per Mile per month			ОНМ	1L5NF	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grac Facility Termination per month		ļ	ОНМ	1L5NF	22.60	39.36	26.62				<u> </u>		<u> </u>		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile month	per	<u> </u>	онм	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	15,61	39.37	26.62								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile month	per ·	<u> </u>	ОНМ	1L5NK	0.013		ļ		<u> </u>	ļ					
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		 	ОНМ	1L5NK	15.61	39.37	26.62			<u> </u>					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month Interoffice Channel - Dedicated Tranport - DS1 - Facility		 -	OH1, OH1MS	11.5NL	0.2652					ļ					
	Termination per month		 	OH1, OH1MS	11.5NL	70.47	86.69	79.44			ļ					
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile permonth		 	она, онамѕ	1L5NM	6.04										
<u></u>	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month OCAL CHANNEL - DEDICATED TRANSPORT		<u> </u>	онз, онзмя	1L5NM	850.45	270.69	158.05	<u>L.</u>	<u></u>	<u>L</u>	i				
1 100	Local Channel - Dedicated - 2-Wire Voice Grade per month		1	OHM	TEFV2	18.32	187.51	32.21	Y		1					
	Local Channel - Dedicated - 4-Wire Voice Grade per month		1	ОНМ	TEFV4	19.41	187.94	32.63								
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	39.18	172.34	149.27								
	Local Channel - Dedicated - DS3 Facility Termination per mor	ib		ОНЗ	TEFHJ	469.44	438.46	256.30								
LO	OCAL INTERCONNECTION MID-SPAN MEET		 -	louuse.	Treeto	· · · · · · · · · · · · · · · · · · ·	0.60	,	T	Τ'	1	· · · · · · · · · · · · · · · · · · ·				
	Local Channel - Dedicated - DS1 per month	- 	┼─-	OH1MS OH3MS	TEFHG	0.00	0.00	 	 	 	 					
1	Local Channel - Dedicated - DS3 per month			TO TOMO	1. Erro	. 0,00	0.00	L		٠						
17/10	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATNI	105.09	88.41	60.76			Τ					
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	201.48	172.99	91.25								
	DS3 Interface Unit (DS1 COCI) per month		\Box	OH1, OH1MS	SATCO	11.78	6.39	4.58	L							
	otes: If no rate is identified in the contract, the rates, terms, and	conditions 1	or the s	pecific service or fun	ction will be	as set forth in ap	plicable BellSo	outh tariff.	т							
SIGNALING	IG (CCS7)	hill and here	1	I	o the town	nd condulate !-	Attachment 7		ــــــــــــــــــــــــــــــــــــــ		L					
INO	OTE: "bk" beside a rate indicates that the parties have agreed to CCS7 Signaling Termination, Per STP Port	DIX AND K99	p for this	UDB	PT8SX	147.60	Auscament 3.	1			Τ			—		
	CCS7 Signaling Termination, Per STP Pon CCS7 Signaling Usage, Per TCAP Message	 	+-		1	0.000064					 					
	CCS7 Signaling Connection, Per DS1 level link (A link)		1	UDB	TPP6A	15.77	34.50	34.50	1							
	CCS7 Signaling Connection, Per DS3 level link (A link)		1	NDB	TPP9A	15.77										
	CC57 Signaling Connection, Per DS1 level link (B link) (also k as D link)	nown		upa	терев	15.77	34.50	34,50								

			T		1								Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	naoc		_	RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge -	Order vs.	Charge -	Charge -
			 		-	Rec	Nonre		Nonrecurring	Disconnect			088	Rates(\$)		
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known)		 				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	as D link)			UDB	TPPSB	15.77			·					50,115,117	SUMAN	SUMAN
	CCS7 Signaling Usage, Per ISUP Message			-		0.000016bk	34.50	34.50						i 1		ı
	CCS7 Signaling Usage Surrogate, per link per LATA		1	UDB	STU56	732.15k										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	TOE. TOK				· · · · · · · · · · · · · · · · · · ·	-					
1	CCS7 Signaling Point Code, per Destination Point Code		1	000	CCAFO	+	28.17	28.17							- 1	
	Establishment or Change, Per Stp Affected			UDB	CCAPD	!	28.17	28.17								· · · · · · · · · · · · · · · · · · ·
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	TPP6X											
	CCS7 Signaling Connection, Switched access service, interface		- 	000	IFFBA	15.77	34.50	34.50					- 1	. 1		
ļ	groups, transmissiom paths 9 DS3 level path with bit stream															
	signaling		i I	UDB	TPP9X	15,77	34.50	34.50	1		1 1		- 1			

GORY					ļ	I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge / Manual Syc Order vs. Electronic- Disc 1st	Charg Manual Order Electro Disc A
1						Rec	Nonre		Nonrecurring					Rates(\$)		L
$oldsymbol{oldsymbol{\Box}}$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
LINTERC	ONNECTION (CALL TRANSPORT AND TERMINATION)															
	"bk" beside a rate indicates that the Parties have agreed to bill a	nd keep	for tha	t element pursuant to	the terms a	ind conditions in	Attachment 3.									
TANDER	M SWITCHING Tandem Switching Function Per MOU	т			·	0.0005379bk			,							
+	Multiple Tandem Switching, per MOU (applies to initial tandem	-							1							
.	only)				ļ	0.0005379										<u> </u>
	Tandem Intermediary Charge, per MOU* harge is applicable only to transit traffic and is applied in additio					0.0025			ll		L	<u></u>				
	narge is applicable only to transit transc and is applied in addition	п со арр	IICADIB I	M KCHING BROKET HILE	COMMECTION	cnarges.										
	Installation Trunk Side Service - per DS0	T		OHD	TPPSX		21.58	8.13								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.58	8.13								
	Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1**	├─		OHD OH1 OH1MS	TDEOP TDE1P	0.00			 	· · · · · · · · · · · · · · · · · · ·	 					
+	Dedicated Find Office Trunk Port Service-per DS1*	 		OHD	TDWOP	0.00					1					
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** This r	rate element is recovered on a per MOU basis and is included in	the End	Office	Switching and Tand	em Switchin	g, per MOU rate	elements									
	ON TRANSPORT (Shared) Common Transport - Per Mile, Per MÖU	т	,			0.0000026bk					Τ			******		
	Common Transport - Per Mile, Per MOU Common Transport - Facilities Termination Per MOU	 	 		 	0.0000525bk			 		 					
LINTERC	ONNECTION (DEDICATED TRANSPORT)															
	FFICE CHANNEL - DEDICATED TRANSPORT	,														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	<u> </u>		онм	1L5NF	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month	ļ		ОНМ	1L5NF	22.52	40.77	27.57	17.26	7,11						
1 1	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	<u> </u>		ОНМ	1L5NK	0.0098				· · · · · · · · · · · · · · · · · · ·						
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month	<u> </u>		ОНМ	1L5NK	15.68	40.78	27.57	17.26	7,11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			ОНМ	1L5NK	15.68	40.78	27.57	17.26	7 11						
1 _1	Interoffice Channel - Dedicated Transport - DS1 - Facility	ļ		OH1, OH1MS	1L5NL	0.201										
	Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	↓—		OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						
1	Interoffice Channel - Dedicated Transport - DS3 - Facility	ļ	 	онз, онзмѕ	1L5NM	4 76										
1 1	Termination per month CHANNEL - DEDICATED TRANSPORT	<u> </u>	<u> </u>	OH3, OH3MS	1L5NM	841.90	280.37	163.70	62.08	60.29	1		}]	
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	14.91	194.22	33.36		3,30						
	Local Channel - Dedicated - 4-Wire Voice Grade per month	+-	 	OHM OHM	TEFV4 TEFHG	15.99 36.83	194.66 178.50	33.80 154.61	38.27 22.89	3.78 15.74	 					
	Local Channel - Dedicated - DS1 per month	+	 													
1.000	Local Channel - Dedicated - DS3 Facility Termination per month	<u> </u>	<u> </u>	онз	TEFHJ	413.87	454.13	264.47	123.23	86.19	<u> </u>					
	INTERCONNECTION MID-SPAN MEET Local Channel - Dedicated - DS1 per month	T	<u> </u>	OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00				<u> </u>					
MULTIP	LEXERS		.,		T=						,					
\bot	Channelization - DS1 to DS0 Channel System	↓	+	OH1, OH1MS OH3, OH3MS	SATN1 SATNS	102.85 170.63		62.94 94.52		10.10 32.82						
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month	+	+	OH1, OH1MS	SATCO	12.96				32.52	 					
Notes:	If no rate is identified in the contract, the rates, terms, and cond	ditions fo	or the s	pecific service or fun-											<u>-</u>	
ALING (CC	CS7)	Τ														
NOTE:	"bk" beside a rate indicates that the parties have agreed to bill a	ind keep	for tha	t element pursuant to	the terms a	nd conditions in	Attachment 3.		,							_
\bot	CCS7 Signaling Termination, Per STP Port	 	 	UD8	PTBSX	0.0000597			 							
	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per DS1 level link (A link)	+	+	UD8	TPP6A	16.55	35.74	35.74	16.53	16.53						
	ICCS7 Signaling Connection, Per DS3 level link (A link)		1	UD8	TPP9A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also knowless D link)	7		UDB	TPP68	16.55	35.74	35.74	16.53	16.53		- '''				

	ERCONNECTION - Mississippi	· · · · ·		1			1							Att: 3 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone		BCS	usoc			RATES(\$)		•	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			_			 	Rec	Nanrec		Nonrecurring	Disconnect			OSS	Rates(\$)	L	
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known						1	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	as D link)			UDB		TPP9B	16.55	35.74	35.74								
	CCS7 Signaling Usage, Per ISUP Message						0.0000149bk	33.74	35.74	16.53	16.53						
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB		STU56	683.55bk										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UOB		CCAPO	1000.000										
	CCS7 Signaling Point Code, per Destination Point Code			000		CCAFO	 	29.18	29.18	35.78	35.78	Í	[·	
	Establishment or Change, Per Stp Affected		li	UDB		CCAPD	1	I									
	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			UDB	-				-								
	CCS7 Signaling Connection, Switched access service, interface		-	200		TPP6X	16.55	35.74	35.74	16.53	16.53			ļ	i		
	groups, transmissiom paths 9 DS3 level path with bit stream signaling			UDB		TPP9X	16.55	35.74	35.74	16.53	16.53						

LOCAL INTER	CONNECTION - North Carolina					,							Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre		Nonrecurring Disconnect				OSS Rates(\$)			
					J		First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					 	ļ					 					<u> </u>
	INECTION (CALL TRANSPORT AND TERMINATION)					1 196 1			L	J				L		<u> </u>
	" beside a rate indicates that the Parties have agreed to bill a WITCHING	ind Keep	tor tha	t element pursuant	to the ternis a	and contraints in	Attachment 3.	· · · · · · · · · · · · · · · · · · ·				 -				
	ndem Switching Function Per MOU		— Т			0.0004788bk									,	,
	Itiple Tandem Switching, per MOU (applies to intial tandem		1			5.00041000				 	+					
071						0.0004788		1	i		1					
	ndem Intermediary Charge, per MOU*				 	0.0025					 					
* This char	ge is applicable only to transit traffic and is applied in additio	n to app	licable :	switching and/or int	erconnection	charges.										
TRUNK CH	IARGE															
Ins	tallation Trunk Side Service - per DS0			OHD	TPP6X		21.55	8.12								
Ins	tallation Trunk Side Service - per DS0	<u> </u>		OHD	ТРР9Х		21.55	8.12	<u> </u>	l	ļ					
	dicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00					ļ					ļ
	dicated End Office Trunk Port Service-per 051**	 		OH1 OH1MS	TDE1P	0.00			-		ļ					
	dicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00				ļ						
	dicated Tandem Trunk Port Service-per DS1**	1		OH1 OH1MS			-lamanta		ļ	l	J	<u>ا</u>				<u> </u>
	selement is recovered on a per MOU basis and is included in TRANSPORT (Shared)	E110	- U11100	CHICATING BUILTISTS	MACH CALIFORNIA	A' has MOO IND										
	mmon Transport - Per Mile, Per MOU					0.00000235k			1		1					
	mmon Transport - Facilities Termination Per MOU				+	0.0001676bk	·				 					
	NECTION (DEDICATED TRANSPORT)				1											
	ICE CHANNEL - DEDICATED TRANSPORT										<u> </u>					
	eroffice Channel - Dedicated Transport - 2-Wire Voice Grade -			····	T	1			<u> </u>	T	ĭ					
	Mile per month	l _		ОНМ	1L5NF	0.0095				1						
Inti	eroffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
Fa.	cility Termination per month	l		OHM	1L5NF	12.12	39.36	26.62								!
int	eroffice Channel - Dedicated Transport - 56 kbps - per mile per				1						1					
	onth			OHM	1L5NK	0.0095				<u> </u>						
	eroffice Channel - Dedicated Transport - 56 kbps - Facility	Į.	, ;		1	·			1	\	`			1)
Te	rmination per month	ļ		ОНМ	1L5NK	7.47	39.37	26.62	ļ	ļ <u> </u>						
	eroffice Channel - Dedicated Transport - 64 kbps - per mile per	1	l .	онм	1L5NK	0.0095]	1 :		i			
	onth eroffice Channel - Dedicated Transport - 64 kbps - Facility	 	ļ	ОПМ	ILSIVI	0,0035	_			 						
	rmination per month			онм	1L5NK	7.47	39.37	26.62				l f				
	eroffice Channel - Dedicated Channel - DS1 - Per Mile per	 	· -	<u> </u>	1,00,00	1										
	onth	1		OH1, OH1MS	1L5NL	0.1938			ì	1	ì i	ì)		1
	eroffice Channel - Dedicated Tranport - DS1 - Facility	 	1			1					ļ					
	mination per month	l _	1	OH1, OH1MS	1L5NL	31.19	86.69	79.44		i]					
	eroffice Channel - Dedicated Transport - DS3 - Per Mile per															
	onth			OH3, OH3MS	1L5NM	4,44				L						
in	eroffice Channel - Dedicated Transport - DS3 - Facility				1					1						
Te	rmination per month	<u></u>	١	OH3, OH3MS	1LSNM	329.91	270.69	158.05	1	<u> </u>	<u> 1</u>				L	
LOCAL CH	fannel - DEDICATED TRANSPORT				T	1			, 	,	,					
	cal Channel - Dedicated - 2-Wire Voice Grade per month	├ ─-	ļ	OHM	TEFV2 TEFV4	6.29	187.51	32.21	 	ļ <u> </u>						
	cal Channel - Dedicated - 4-Wire Volce Grade per month cal Channel - Dedicated - DS1 per month	+	-	OHM OH1	TEFHG	7.08	187.94 172.34	32.63 149.27		 	 	-		<u> </u>		
- Lo	cal Channel - Dedicated - DS1 per month	 	i -	UH!	rema	22.13	172.34	143.27	 	 	-					
-	cal Channel - Dedicated - DS3 Facility Termination per month	i		онз	TEFHU	82.89	438.46	256.30	Į	ţ	[į į	ļ			1
	TERCONNECTION MID-SPAN MEET	<u> </u>		,	<u>, , co cw</u>	- GEAG	330.40	200.30	L	1 ,	·	·				·
	ical Channel - Dedicated - DS1 per month	Γ .	1	OHIMS	TEFHG	0.00	0.00			Υ						
	cal Channel - Dedicated - DS3 per month	1		OH3MS	TEFHJ	0.00	0.00									
MULTIPLE	XERS															
CI	nannelization - DS1 to DS0 Channel System			OH1, OH1MS	SATNI	146.69	197.78	140.06								
	53 to DS1 Channel System per month	ļ	\vdash	OH3, OH3MS	SATNS	233.10		234.40								
	53 Interlace Unit (DS1 COCI) per month	<u></u> _		OH1, OH1MS	SATCO	16.07	13.09	9.38	J	<u> </u>	I					
	no rate is identified in the contract, the rates, terms, and cont	itions fo	r the s	ecinc service or ful	nction will be	as set forth in as	picable Be#So	uth tariff,	Г						·····	
IGNALING (CCS	7)			t alamant augress	la the terms :	nd soulblers to	AH		<u> </u>	<u></u>	L					
	beside a rate indicates that the parties have agreed to bill a S7 Signaling Connection, Per OS1 level link (A link)	LIG KEND	ror tna	UDB	TPP6A	8.13		34.50	T		·		· · · · · · · · · · · · · · · · · · ·			
	CS7 Signaling Connection, Per US1 level link (A link) CS7 Signaling Connection, Per US3 level link (A link)	+	 	UDB	TPPSA	8.13	34.50	34.50		-	 					
	CS? Signaling Connection, Per DS1 level link (B link) (also know)	,	, 	T-7	1	1 - 5.19	37.00	33,50		 						
	Dan Signam g Commedition, Per Don Retermine (5 miles (200 1000)	1		UDB	TPP6B	8 13	34.50	34.50		1				 		
	CS7 Signaling Connection, Per DS3 level link (B link) (also knowl	1	1	T	7	T	1		T	1						
	D link)	1	1	UDB	TPP9B	8.13	34.50	34.50	1	i .	1		1		1	

		1	T			T				· · · · · -				Alt: J Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	ne	BC\$	usoc	,		RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Add'l	Chame.	Charge . Manual Svc Order vs.
						 	Rec -	Nonrec		Nonrecurring	Disconnect	 					
	CCS7 Signaling Termination, Per STP Port			UDB		PTBSX	108,19	First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)		
	CCS7 Signaling Usage, Per ISUP Message					1,000	0.0000094bk						00.00	CONDAIN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Usage, Per TCAP Message			_		 	0.0000374										
}	CCS7 Signaling Usage Surrogate, per link per LATA		_	UDB.		STU56	644.0454										
	CCS7 Signaling Point Code, per Originating Point Code					70.000	094,0464					7	1				
	Establishment or Change, per STP affected	L. 1	i	UDB		CCAPO		55.77									
!	CCS7 Signaling Point Code, per Destination Point Code					00/11/0	 	33.77	55.77			<u>l</u> i	l			í	
	Establishment or Change, Per Stp Affected	1	ļ	UDB		CCAPD		0.00									
i	CCS7 Signaling Connection, Switched access service, interface		~~~	-			 	8.00	8 00				1	1			
i	groups, transmission paths 6 DS1 level path with bit stream]]										
	signalling	L !	- 1	UDB		TPP6X	8.13	34.50				j į	ļ		f		
	CCS7 Signaling Connection. Switched access service, interface						3.13	34.30	34.50			<u> </u>		f	ſ	- 1	
- 1	groups, transmissiom paths 9 DS3 level path with bit stream					ł	1		ļ								·
	signaling		I	UDB		TPP9X	8.13	34.50	34.50	i			1		1		

OCAL INT	ERCONNECTION - South Carolina												Att: 3 Exh: A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Syc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
													1st	Add'i	Disc 1st	Disc Add'l
						Rec	Nonre	urring	Nonrecurring				OSS	Rates(\$)		
							First	Add'l	First	Add'i	SOMEC	SÓMAN	SOMAN	SOMAN	SOMAN	SOMAN
0041 01750	CONNECTION (CALL TRANSPORT AND TERMINATION)				 	 					 					
	: "bk" basids a rate indicates that the Parties have agreed to bill :	and keet	for the	at element puravant	to the terms i	and conditions in	Attachment 3		·	<u> </u>				·		
	EM SWITCHING															
	Tandem Switching Function Per MOU					0.0007360bk				L						
]	Multiple Tandem Switching, per MOU (applies to initial tandem				1											I
	only)	⊢ —				0.000736					ļ					
• This	Tandem intermediary Charge, per MOU* charge is applicable only to transit traffic and is applied in addition	n to app	licable	switching and/or int	erconnection										L	
	K CHARGE												,			
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.65	8.16								
	Installation Trunk Side Service - per OS0	ļ	<u> </u>	OHD	TPP9X	—	21.65	8.16		L	ļ					
	Dedicated End Office Trunk Port Service-per DS0** Dedicated End Office Trunk Port Service-per DS1**	 	 	OHD OH1 OH1MS	TDEOP TDE1P	0.00					 				ļ	
	Dedicated End Office Trunk Port Service-per US1 Dedicated Tandem Trunk Port Service-per DS0**	 		OHD	TDWOP	0.00					 					
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00				 	 					
	s rate element is recovered on a per MOU basis and is included in	the End	Office	Switching and Tand	dem Switchin		elements									·
COMM	ON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU	1				0.0000045bk					ļ <u> </u>					
CAL INTER	Common Transport - Facilities Termination Per MOU CONNECTION (DEDICATED TRANSPORT)	├			 	0.0004095bk								ļ		
	OFFICE CHANNEL - DEDICATED TRANSPORT	<u> </u>	·			<u> </u>				L						·
JIN I E I	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				T	<u> </u>				Γ						
ł	Per Mile per month	ł	İ	ОНМ	1L5NF	0.0167				ļ				:		
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -										<u> </u>					
	Facility Termination per month	L		OHM	1L5NF	24.30	40.63	27 47	16.77	6.91						
Ì	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	ł	ļ	aun.	21 54 117											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	⊢ −		ОНМ	1L5NK	0.0167					 					ļ
	Termination per month			онм	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per			<u> </u>				47.77		- 0.01						
	month			OHM	1L5NK	0.0167					<u> </u>					
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			ОНМ	1L5NK	16.76	40.63	27.47	16.77	6.91	-					<u> </u>
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1		OH1, OH1MS	1L5NL	0.3415										
	Interoffice Channel - Dedicated Transport - DS1 - Facility	 		OH1, OHTING	TESINE	0.3413					 					
	Termination per month			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48				į		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per					1					1					
	month	<u> </u>		OH3, OH3MS	1L5NM	8.02										
1	Interoffice Channel - Dedicated Transport - DS3 - Facility		İ	0110 0110140			070 07					i				
LOCA	Termination per month L CHANNEL - DEDICATED TRANSPORT	٠	L	OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59	1			L		
LOCA	Local Channel - Dedicated - 2-Wire Voice Grade per month	Τ	T	ОНМ	TEFV2	15.33	193.53	33.24	35.72	3.21	T					
	Local Channel - Dedicated - 4-Wire Voice Grade per month	<u> </u>		ОНМ	TEFV4	16.54	193.97	33.68	37.19	3.68						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62	177.87	154,06	22.24	15.30						
				2112												
	Local Channel - Dedicated - DS3 Facility Termination per month		<u> </u>	OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77						
LOCA	LINTERCONNECTION MID-SPAN MEET [Lacal Charnel - Dedicated - OS1 per month		г	OHIMS	TEFHG	0.00	0.00				γ			- · · · · · · · · · · · · · · · · · · ·		
	Local Channel - Dedicated - DS3 per month	 		OH3MS	TEFHJ	0.00	0.00				 					
MULT	PLEXERS							`		<u> </u>						
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56							
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90						
	DS3 Interface Unit (DS1 COCI) per month	161	- 43	OH1, OH1MS	SATCO	8.64	6.59	4 73	L	L—						
Notes GNALING (C	: If no rate is identified in the contract, the rates, terms, and conc	INSONE TO	r the s	Decric service or fur	CHOR WAI DE	as set forth in ap	piicabie Bell30	um tarin.								
NOTE	:"bk" beside a rate indicates that the parties have agreed to bill a	nd keep	for the	t element pursuant i	the terms a	nd conditions in	Attachment 3.			·				1		
7.412	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	T	1	UD8	TPP6A	16.93	35.61	35.61	16.48	16.48	1	1				
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3			UDB	TPP9A	16.93	35,61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			ÜDB	TPP68	16.93		35.61	16.48							
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3	 		UDB	TPP98	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Termination, Per STP Port	1	i	UDB	PT8SX	163.49			!	I	1 1		1			

		1											Att: 3 Exh: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		RATES(\$)				Submitted	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge .		
						Rec	Nonrec	urring	Nonrecurring	Disconnect	 		000	B 1			
	CCS7 Signaling Usage, Per ISUP Message	_	-				First	Add'I	First	Add'f	SOMEC	SOMAN	SOMAN	Rates(\$)			
	CCS7 Signaling Usage Surrogate, per link per LATA		-	UDB		0.0000173bk						SOME	SUMAN	SOMAN	SOMAN	SOMAN	
1	CCS7 Signaling Point Code, per Originating Point Code		1	UUB	STU56	791.37bk											
- 1	Establishment or Change, per STP affected		ll		1	1											
	CCS7 Signaling Point Code, per Destination Point Code			ŲDB	CCAPO		29.08	29.08	35.65	35.65	1						
- 1	Establishment or Change, Per Stp Affected									33.65						1	
	CCS7 Signaling Connection, Switched access service, interface			UDB	CCAPD	1 1	29.08	29.08	35.65	35.65			J				
ŀ	groups, transmissiom paths 6 DS1 level path with bit stream					1	1		00.00	33.65						1	
1	Signaling					1 !	1		' '								
	CCS7 Signaling Connection, Switched access service, interface			UDB	TPP6X	16.93	35.61	35.61	16.48	12.10					1		
	groups, Iransmissiom paths 9 DS3 level path with bit stream								70.40	16.48							
- 1	signaling	1 1	- 1			1			1			- 1					
	la-Andrin A		_ !	JDB	TPP9X	16.93	35.61	35.61	16.48	16.48		- 1	1	- 1			

OCAL INTE	RCONNECTION - Tennessee												Att: 3 Exh; A			
ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manuel Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Charge -
		 	 	ļ		Rec	Nonrecurring First	Addy	Nonrecurring		SOMEC	COLLAN		Rates(\$)	00000	0044
				 		 		Add'l	First	Add'l	SOMEC	SUMPAN	SOMAN	SOMAN	SOMAN	SOMAN
CAL INTERC	ONNECTION (CALL TRANSPORT AND TERMINATION)															
	"bk" beside a rate indicates that the Parties have agreed to bill a	end keep	for the	at element pursuant to	o the terms a	nd conditions i	n Attachment 3.									
	M SWITCHING			,					· · · · · · · · · · · · · · · · · · ·							
	Tandem Switching Function Per MOU	ļ				0.0009778bk										
	Multiple Tandem Switching, per MOU (applies to initial tandem only)	\	\	}	1	0.0009778	ነ	Î	1	Ĭ	1 1	Ì				
	Tandem Intermediaty Charge, per MOU*		 			0.0025	 -		 							
	harge is applicable only to transit traffic and is applied in additio	n to app	licable	switching and/or inte	rconnection		ł				·			<u> </u>		L
	CHARGE															
	Installation Trunk Side Service - per DS0	1		OHD	TPP6X		21.59	8.09								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.59	8.09								
	Dedicated End Office Trunk Port Service-per DS0**	\	.	OHO	TOEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**	ļ		OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0** Dedicated Tandem Trunk Port Service-per DS1**	 		OHD OH1 OH1MS	TDWOP TDW1P	0.00					-					
** This	rate element is recovered on a per MOU basis and is included in	the Eng	Office				- cloments	L	L	<u> </u>	L1					
	N TRANSPORT (Shared)	THE EIR	QII.CO	Ownering and Tanto	en ow Kcinin	g, per inco rate	- GIGITIONICS									
	Common Transport - Per Mile, Per MOU				1	0.0000064bk	T				· · · · · · · · · · · · · · · · · · ·					
1	Common Transport - Facilities Termination Per MOU	1			-	0.0003871bk					1					
CAL INTERC	ONNECTION (DEDICATED TRANSPORT)	1			<u> </u>				 		i					
INTERC	FFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			ОНМ	1L5NF	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	18.58	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per)]	0.11	41.53.00											
	month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			ОНМ	1L5NK	0.0174	55.00	47.07								
	Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			ОНМ	1L5NK	0.0174	55.39	17.37	27.96	3.51						
_	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Terminalion per month	<u> </u>		ОНМ	1L5NK	17.98	55.39	17.37	27.96	3.51						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1, OH1MS	1L5NL	0.3562		77.97	27.00	9.31						
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month		_	OH1, OH1MS	1L5NL	77.86	112 40	76.27	19.55	14.99						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3, OH3MS	1L5NM	2.34							·			
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			она, онамѕ	1L5NM	848.99	395.29	176.56	109.04	105.91						
	CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month	ļ		OHM	TEFV2	15.29	199.33	24.16		4.80						
	Local Channel - Dedicated - 4-Wire Voice Grade per month Local Channel - Dedicated - DS1 per month	1		OHM OHM	TEFV4 TEFHG	16.18 32.25	201.53 277.35	24.83	55.52 33.18	5.51						
-	Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 Facility Termination per month	<u> </u>	 -	ОНЗ	TEFHU	611.30		233.26 304.50		22.30 151.15						· · · · · ·
	INTERCONNECT ON MID-SPAN MEET Local Channel - Dedicated - DS1 per month	'	 -	OHIMS	TEFHG	0.00	0.00	304.30	213.82	191.15	L					
	Local Channel - Dedicated - DS3 per month	-	──	OH3MS	TEFHJ	0.00	0.00									
	LEXERS	·		1	1 1 1 10	1 3,00	0.00	·	·					<u></u> J		
	Channelization - DS1 to DS0 Channel System	1		OH1, OH1MS	SATN1	80.77	141.87	77.11	14,51	13.46			·			
	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	222.98				42.62						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	17.58	6.07									
Notes:	If no rate is identified in the contract, the rates, terms, and cond	litions fo	r the s	pecific service or fund	tion will be a	s set forth in a	pplicable BellSc	uth tariff.								
	bk" beside a rate indicates that the parties have agreed to bill a	nd keep	for tha													
	CCS7 Signaling Termination, Per STP Port	ļ		UDB	PT8SX	138.41										
	CCS7 Signaling Usage, Per TCAP Message		↓	UBB	14000	0.0000916										
	CCS7 Signaling Connection, Per DS1 level link (A link)	-		UDB UDB	TPP6A TPP9A	17.84	130.84	130.84					20.35	0.00	0.00	0.
	CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also known	 	 - -	ODB	PERSA	17.84	130.84	130.84		· · · · · · · · · · · · · · · · · · ·	 		20.35	0.00	0.00	0.
	1999) (2180 KIN) (2180 KIN) (2180 KIN)	4	1	upe	i .	1	1	1	1			1	į		!	

LOCAL INT	ERCONNECTION - Tennessee					_							Att: 3 Exh: A			
CATEGORY	RAYE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental	Incremental Charge -	Incremental Charge - Manual Sve Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order va. Electronic- Disc Add'i
						Rec	Nonrecurring		Nonrecurring	Disconnect	 		OSS	Rates(\$)	·	
						1140	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			DB	TPP9B	17.84	130.84	130.84					20.35	0.00	0.00	0.00
	CCS7 Signaling Usage, Per ISUP Message				1	0.00003735k					1		£0.03	0.00	0.00	0.00
	CCS7 Signaling Usage Surrogate, per link per LATA		L	DB .	STU56	352.3bk										
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP	-	l.	DB	CCAPO		121,77	121.77					20.55	200		
	CCS7 Signaling Connection, Switched access service, Interface groups, transmissiom paths 6 DS1 level path with bit stream signaling			DB	TPP6X	17.84	130.84	130.84					20.35	0.00	0.00	0.00
ĺ	CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling			DB	трр9х	17.84	130.84	130.84					20.35	0.00	0.00	0.00

Attachment 4 AT&T Collocation

Version: 2Q07 Standard ICA

Table of Contents

1.	Scope of Attachment3
2	Optional Reports6
3	Collocation Options7
4	Occupancy12
5	Use of Collocation Space
6	Ordering and Preparation of Collocation Space21
7	Construction and Provisioning25
8	Rates and Charges31
9	Insurance
10	Mechanics Lien44
11	Inspections44
12	Security and Safety Requirements45
13	Destruction of Collocation Space47
14	Eminent Domain48
15	Nonexclusivity48
Env	vironmental & Safety PrinciplesExhibit A
Rat	esExhibit B
Ter	nnessee Regulatory Authority (TRA) Offered Language and RatesExhibit C

Version: 2Q07 Standard ICA

AT&T COLLOCATION

1. Scope of Attachment

1.1 AT&T Premises

- 1.1.1 The rates, terms and conditions contained within this Attachment shall only apply when KDL is physically collocated as a sole occupant or as a Host within an AT&T Premises pursuant to this Attachment. AT&T Premises, as defined in this Attachment includes AT&T Central Offices, and Remote Terminals (hereinafter "AT&T Premises"). This Attachment is applicable to AT&T Premises owned or leased by AT&T. Where not specified, the language in this Attachment applies to both Central Office and Remote Site Collocation.
- 1.1.2 Third Party Property. If the AT&T Premises, or the property on which it is located, is leased by AT&T from a third party or otherwise controlled by a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where AT&T notifies KDL that AT&T's agreement with a third party does not grant AT&T the ability to provide access and use rights to others, upon KDL's request, AT&T will use commercially reasonable efforts to obtain the owner's consent and to otherwise secure such rights for KDL. KDL agrees to reimburse AT&T for all costs incurred by AT&T in obtaining such rights for KDL. In cases where a third party agreement does not grant AT&T the right to provide access and use rights to others as contemplated by this Attachment and AT&T, is unable to secure such access and use rights for KDL, KDL shall be responsible for obtaining such permission to access and use such property. AT&T shall cooperate with KDL in obtaining such permission.

1.2 Right to Occupy

- 1.2.1 AT&T shall offer to KDL collocation on rates, terms and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, AT&T will allow KDL to occupy a certain area designated by AT&T within an AT&T Premises, or on AT&T property upon which the AT&T Premises is located, of a size which is specified by KDL and agreed to by AT&T (hereinafter "Collocation Space"). Except as otherwise specified, any references to Collocation Space shall be for physical collocation. The necessary rates, terms and conditions for a premises as defined by the FCC, other than AT&T Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.2 Neither AT&T nor any of AT&T's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.2.1 In all states other than Florida, the size specified by KDL may contemplate a request for space sufficient to accommodate KDL's growth within a twenty-four (24) month period.

Version: 2Q07 Standard ICA

- 1.2.2.2 In the state of Florida, the size specified by KDL may contemplate a request for space sufficient to accommodate KDL's growth within an eighteen (18) month period.
- 1.3 Space Allocation. AT&T shall assign KDL Collocation Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC). lighting and available power), if such space is available for collocation. Otherwise, AT&T shall attempt to accommodate KDL's requested space preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, AT&T shall not materially increase KDL's cost or materially delay KDL's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service KDL wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the AT&T Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by AT&T or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the AT&T Premises. AT&T may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

1.4 <u>Transfer of Collocation Space</u>

- 1.4.1 KDL shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the AT&T Premises is not at or near space exhaustion; (2) the transfer of space shall be contingent upon AT&T's approval, which will not be unreasonably withheld; (3) KDL has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with KDL's sale of all or substantially all, of the in-place collocation equipment to the same CLEC.
- The responsibilities of KDL shall include: (1) submitting a letter of authorization to AT&T for the transfer; (2) entering into a transfer agreement with AT&T and the acquiring CLEC; and (3) returning all Security Access Devices to AT&T. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to AT&T for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with AT&T; (3) submitting a letter to AT&T for the assumption of services; and (4) entering into a transfer agreement with AT&T and KDL.
- 1.4.3 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.

Version: 2007 Standard ICA

1.5 Space Reclamation

- 1.5.1 In the event of space exhaust within an AT&T Premises, AT&T may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the AT&T Premises. KDL will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5.2 AT&T may reclaim unused Collocation Space when an AT&T Premises is at, or near, space exhaustion and KDL cannot demonstrate that KDL will utilize the Collocation Space in the time frames set forth below in Section 1.5.3. In the event of space exhaust or near exhaust within an AT&T Premises, AT&T will provide written notice to KDL requesting that KDL release non-utilized Collocation Space to AT&T, when one hundred percent (100%) of the Collocation Space in KDL's collocation arrangement is not being utilized.
- 1.5.3 Within twenty (20) days of receipt of written notification from AT&T, KDL shall either: (1) return the non-utilized Collocation Space to AT&T in which case KDL shall be relieved of all obligations for charges associated with that portion of the Collocation Space applicable from the date the Collocation Space is returned to AT&T; or (2) for all states, with the exception of Florida, provide AT&T with information demonstrating that the Collocation Space will be utilized within twenty-four (24) months from the date KDL accepted the Collocation Space (Acceptance Date) from AT&T. For Florida, KDL shall provide information to AT&T demonstrating that the Collocation Space will be utilized within eighteen (18) months from the Acceptance Date.
- 1.5.4 Disputes concerning AT&T's claim of space exhaust, or near exhaust, or KDL's refusal to return requested Collocation Space should be resolved by AT&T and KDL pursuant to the dispute resolution language contained in the General Terms and Conditions.
- 1.6 <u>Use of Space.</u> KDL may only place in the Collocation Space equipment necessary for interconnection with AT&T's services/facilities or for accessing AT&T's unbundled network elements for the provision of Telecommunications Services, as specifically set forth in this Agreement. The Collocation Space assigned to KDL may not be used for any purposes other than as specifically described herein, including, but not limited to office space or a place of reporting for KDL's employees or certified suppliers.
- 1.7 <u>Rates and Charges.</u> KDL agrees to pay the rates and charges identified in Exhibit B.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial

Version: 2Q07 Standard ICA

Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day and Christmas Day.

1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2 Optional Reports

- 2.1 Space Availability Report. Upon request from KDL and at KDL's expense, AT&T will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular AT&T Premises. This report will include the amount of Collocation Space available at the AT&T Premises requested, the number of collocators present at the AT&T Premises, any modifications in the use of the space since the last report on the AT&T Premises requested and the measures AT&T is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the AT&T Premises for which the Space Availability Report was requested by KDL.
- 2.1.1 The request from KDL for a Space Availability Report must be in writing and include the AT&T Premises street address, as identified in the LERG, and the CLLI code for the AT&T Premises requested. CLLI code information is located in the NECA Tariff FCC No. 4.
- 2.1.2 AT&T will respond to a request for a Space Availability Report for a particular AT&T Premises within ten (10) days of the receipt of such request.
- 2.1.3 AT&T will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) AT&T Premises within the same state. The response time for Space Availability Report requests of more than five (5) AT&T Premises, whether the request is for the same state or for two (2) or more states within the AT&T Southeast Region 9-State, shall be negotiated between the Parties.
- Remote Terminal Information. Upon request, AT&T will provide KDL with the following information concerning AT&T's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 AT&T will provide this information within thirty (30) days of a KDL request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in AT&T's systems; and (ii) the information will only be provided for each serving wire center designated by KDL, up to a maximum of thirty (30) wire centers per KDL request per month per state. AT&T will bill the nonrecurring charge pursuant to the rates in Exhibit B at the time AT&T sends the CD.

Version: 2Q07 Standard ICA

3 Collocation Options

Cageless Collocation. AT&T shall allow KDL to collocate KDL's equipment and facilities without requiring the construction of a cage or similar structure. AT&T shall allow KDL to have direct access to KDL's equipment and facilities in accordance with Section 5.1.2 below. AT&T shall make cageless collocation available in single bay increments. Except where KDL's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), AT&T shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, KDL must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

3.2 <u>Caged Collocation</u>

- 3.2.1 AT&T will make caged Collocation Space in Central Offices available in fifty (50) square foot increments. At KDL's option and expense, KDL will arrange with a Supplier certified by AT&T (AT&T Certified Supplier) to construct a collocation arrangement enclosure in accordance with AT&T's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than AT&T's wire mesh enclosure specifications, KDL and KDL's AT&T Certified Supplier must comply with the more stringent local building code requirements. KDL's AT&T Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. AT&T or AT&T's designated agent or contractor shall provide, at KDL's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for KDL's AT&T Certified Supplier to obtain all necessary permits and/or other licenses. KDL's AT&T Certified Supplier shall bill KDL directly for all work performed for KDL. AT&T shall have no liability for, nor responsibility to pay, such charges imposed by KDL's AT&T Certified Supplier. KDL must provide the local AT&T Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, AT&T will not access KDL's locked enclosure prior to notifying KDL at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to KDL's Collocation Space is required. Upon request, AT&T shall construct the enclosure for KDL.
- 3.2.2 In the event KDL's AT&T Certified Supplier will construct the collocation arrangement enclosure, AT&T may elect to review KDL's plans and specifications, prior to allowing the construction to start, to ensure compliance with AT&T's wire mesh enclosure specifications. AT&T will notify KDL of its desire to conduct this review in AT&T's Application Response, as defined herein, to KDL's Initial Application. If KDL's Initial Application does not indicate its desire to construct its own enclosure and KDL subsequently decides to construct its own enclosure prior to AT&T's Application Response, then KDL will

Version: 2Q07 Standard ICA

resubmit its Initial Application, indicating its desire to construct its own enclosure. If KDL subsequently decides construct its own enclosure after the bona fide firm order (hereinafter "BFFO") has been accepted by AT&T, KDL will submit a Subsequent Application, as defined in Section 6.2 below. If AT&T elects to review KDL's plans and specifications, then AT&T will provide notification to KDL within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. AT&T shall complete its review within fifteen (15) days after AT&T's receipt of KDL's plans and specifications. Regardless of whether or not AT&T elects to review KDL's plans and specifications, AT&T reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to KDL's submitted plans and specifications and/or AT&T's wire mesh enclosure specifications, as applicable. If AT&T decides to inspect the constructed Collocation Space, AT&T will complete its inspection within fifteen (15) days after receipt of KDL's written notification that the enclosure has been completed. Within seven (7) days after AT&T has completed its inspection of KDL's caged Collocation Space, AT&T shall require KDL, at KDL's expense, to remove or correct any structure that does not meet KDL's plans and specifications or AT&T's wire mesh enclosure specifications, as applicable.

3.3 Shared Caged Collocation

- 3.3.1 KDL may allow other telecommunications carriers to share KDL's caged Collocation Space, pursuant to the terms and conditions agreed to by KDL (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the AT&T Premises is located within a leased space and AT&T is prohibited by said lease from offering such an option to KDL. AT&T shall be notified in writing by KDL upon the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by KDL that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between AT&T and KDL. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between AT&T and KDL.
- 3.3.2 KDL, as the Host, shall be the sole interface and responsible Party to AT&T for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. AT&T shall provide KDL with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, KDL shall be the responsible Party to AT&T for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's ACNA.

Version: 2Q07 Standard ICA

A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that AT&T provides its written Application Response to the Guest(s) Bona Fide application.

- 3.3.3 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to AT&T to request the provisioning of interconnecting facilities between AT&T and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable AT&T Tariff or the Guest's Interconnection Agreement with AT&T.
- 3.3.4 KDL shall indemnify and hold harmless AT&T from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of KDL's Guest(s) in the Collocation Space, except to the extent caused by AT&T's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation
- 3.4.1 Subject to technical feasibility and space availability, AT&T will permit an adjacent collocation arrangement (Adjacent Arrangement) on AT&T Premises' property only when space within the requested AT&T Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the AT&T Premises' property. An Adjacent Arrangement shall be constructed or procured by KDL or KDL's AT&T Certified Supplier and must be in conformance with the provisions of AT&T's design and construction specifications. Further, KDL shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.
- 3.4.2 If KDL requests Adjacent Collocation, pursuant to the conditions stated in Section 3.4 above, KDL must arrange with an AT&T Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with AT&T's specifications. AT&T will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than AT&T's own specifications, KDL and KDL's AT&T Certified Supplier shall comply with the more stringent local building code requirements. KDL's AT&T Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. KDL's AT&T Certified Supplier shall bill KDL directly for all work performed for KDL to comply with this Attachment. AT&T shall have no liability for, nor responsibility to pay such charges imposed by KDL's AT&T Certified Supplier. KDL must provide the local AT&T contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, AT&T will not access KDL's locked enclosure prior to notifying KDL at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.3 KDL must submit its Adjacent Arrangement construction plans and specifications

Version: 2Q07 Standard ICA

to AT&T when it places its Firm Order. AT&T shall review KDL's plans and specifications prior to the construction of an Adjacent Arrangement to ensure KDL's compliance with AT&T's specifications. AT&T shall complete its review within fifteen (15) days after receipt of the plans and specifications from KDL for the Adjacent Arrangement. AT&T may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to KDL's submitted plans and specifications. If AT&T decides to inspect the completed Adjacent Arrangement, AT&T will complete its inspection within fifteen (15) days after receipt of KDL's written notification that the Adjacent Arrangement has been completed. Within seven (7) days after AT&T has completed its inspection of KDL's Adjacent Arrangement, AT&T shall require KDL, at KDL's expense, to remove or correct any structure that does not meet its submitted plans and specifications or AT&T's specifications, as applicable.

3.4.4 KDL shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the AT&T point of demarcation. At KDL's option and where the local authority having jurisdiction permits, AT&T shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at KDL's request and expense, AT&T will provide Direct Current (DC) power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. AT&T will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes and any local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. KDL will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement, KDL's AT&T Certified Supplier shall be responsible, at KDL's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. AT&T shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.

3.5 Direct Connect

3.5.1 AT&T will permit KDL to directly interconnect between its own physical/virtual Collocation Spaces within the same AT&T Premises (Direct Connect). KDL shall contract with an AT&T Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by KDL. A Direct Connect shall utilize AT&T common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by KDL to provision the Direct Connect between its physical/virtual

Version: 2Q07 Standard ICA

Collocation Spaces. In those instances where KDL's physical/virtual Collocation Spaces are contiguous in the central office, KDL will have the option of using KDL's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. KDL will deploy such electrical or optical connections directly between its own equipment without being routed through AT&T's equipment or common cable support structure. KDL may not self-provision a Direct Connect on any AT&T distribution frame, Point of Termination (POT) Bay, Digital System Cross-Connect (DSX) panel or Light Guide Cross-Connect (LGX) panel. KDL is solely responsible for ensuring the integrity of the signal.

- 3.5.2 To place an order for a Direct Connect, KDL must submit an Initial Application or Subsequent Application to AT&T. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. AT&T will bill this nonrecurring charge on the date that AT&T provides an Application Response to KDL.
- 3.6 Co-Carrier Cross Connect (CCXC)
- 3.6.1 A CCXC is a cross connection between KDL and another collocated telecommunications carrier, other than AT&T, in the same AT&T Premises. Where technically feasible, AT&T will permit KDL to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same AT&T Premises via a CCXC, pursuant to the FCC's Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before AT&T will permit the provisioning of a CCXC between the two (2) collocated carriers. The applicable AT&T charges will be assessed to KDL upon KDL's request for the CCXC. KDL is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- 3.6.2 KDL must contract with an AT&T Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by KDL. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. KDL shall be responsible for providing a LOA, with the application, to AT&T from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize AT&T common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by KDL to provision the CCXC to the other collocated telecommunications carrier. In those instances where KDL's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, KDL may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications

Version: 2Q07 Standard ICA

carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. KDL shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through AT&T's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. KDL shall not provision CCXC on any AT&T distribution frame, POT Bay, DSX panel or LGX panel. KDL is solely responsible for ensuring the integrity of the signal.

3.6.3 To place an order for a CCXC, KDL must submit an application to AT&T. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. AT&T will bill this nonrecurring charge on the date that it provides an Application Response to KDL.

4 Occupancy

- 4.1 Space Ready Notification. AT&T will notify KDL in writing when the Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 Acceptance Walkthrough. KDL will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with AT&T within fifteen (15) days after the Space Ready Date. AT&T will correct any identified deviations from KDL's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. AT&T will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If KDL completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of KDL's acceptance of the Collocation Space (Space Acceptance Date). In the event KDL fails to complete an acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by KDL on the Space Ready Date and billing will commence from that date.
- 4.3 Early Space Acceptance. If KDL decides to occupy the Collocation Space prior to the Space Ready Date, the date KDL executes the Agreement for Customer Access and Acceptance to Unfinished Collocation Space is the date that will be deemed the Space Acceptance Date and billing will begin from that date.
- 4.4 Equipment Installation. KDL shall notify AT&T in writing that its collocation equipment installation is complete. KDL's collocation equipment installation is complete when KDL's equipment is connected to AT&T's network for the purpose of provisioning Telecommunication Services to KDL's customers.

Version: 2Q07 Standard ICA

AT&T may refuse to accept any orders for cross-connects until it has received such notice from KDL.

- 4.5 <u>Termination of Occupancy.</u>
- 4.5.1 In addition to any other provisions addressing termination of occupancy in this Agreement, KDL may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy for such Collocation Space. Such termination shall be effective upon AT&T's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that KDL and AT&T conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that KDL signs off on the Space Relinquishment Form and sends this form to AT&T, provided no discrepancies are found during AT&T's subsequent inspection of the terminated space. If the subsequent inspection by AT&T reveals any discrepancies, billing will cease on the date that AT&T and KDL jointly conduct an inspection, confirming that KDL has corrected all of the noted discrepancies identified by AT&T. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B.
- 4.5.2 Upon termination of occupancy, KDL, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by KDL from the Collocation Space. KDL shall have thirty (30) days from the Bona Fide Firm Order (BFFO) date (Termination Date) to complete such removal, including the removal of all equipment and facilities of KDL's Guest(s), unless KDL's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by AT&T to transfer the Collocation Space to the Guest(s) prior to KDL's Termination Date.
- 4.5.3 KDL shall continue the payment of all monthly recurring charges to AT&T until the date KDL, and if applicable KDL's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by AT&T. If KDL or KDL's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date, AT&T shall have the right to remove and dispose of the equipment and any other property of KDL or KDL's Guest(s), in any manner that AT&T deems fit, at KDL's expense and with no liability whatsoever for KDL's property or KDL's Guest(s) property.
- 4.5.4 Upon termination of KDL's right to occupy specific Collocation Space, the Collocation Space will revert back to AT&T's central office space inventory. KDL shall surrender the Collocation Space to AT&T in the same condition as when it was first occupied by KDL, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. KDL's AT&T Certified Supplier shall be responsible for updating and making any necessary changes to AT&T's records as required by AT&T specifications including, but not limited to, AT&T's Central Office Record Drawings and ERMA Records. KDL shall be responsible

Version: 2Q07 Standard ICA

for the cost of removing any KDL constructed enclosure, as well as any supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

5 Use of Collocation Space

5.1 Equipment Type

- AT&T shall permit the collocation and use of any equipment necessary for interconnection to AT&T's network and/or access to AT&T's unbundled network elements in the provision of Telecommunications Services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). The primary purpose and function of any equipment collocated in an AT&T Premises must be for interconnection to AT&T's network or access to AT&T's unbundled network elements in the provision of Telecommunications Services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with AT&T at a level equal in quality to that which AT&T obtains within its own network or what AT&T provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. AT&T will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on an AT&T Premises must not place any greater relative burden on AT&T's property than comparable single-function equipment. AT&T reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.
- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: for Central Offices Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1 and for Remote Sites Criteria Level 3 requirements as outlined in the Telcordia Special report SR-3580, Issue 1. Except where otherwise required by a Commission, AT&T shall comply with the applicable FCC rules relating to denial of collocation equipment based on KDL's failure to comply with this Section.
- 5.1.3.1 To the extent KDL wishes to place equipment in its collocation that does not meet the standards set forth in 5.1.3, KDL may request in writing, pursuant to the Notices section of the General Terms & Conditions, a waiver to such standards. AT&T may provide a waiver in its sole discretion.
- 5.1.4 At a Remote Site, all KDL equipment installation shall comply with AT&T TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and

Version: 2Q07 Standard ICA

metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.

- 5.2 Terminations. KDL shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If full network termination capacity of the equipment being installed is not requested in the application submitted by KDL, additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event KDL submits an application for terminations that will exceed the total capacity of the collocated equipment, KDL will be informed of the discrepancy by AT&T and required to submit a revision to the application.
- Security Interest in Equipment. Commencing with the most current calendar quarter after the Effective Date of this Agreement, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, KDL will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34th Floor, 675 W. Peachtree Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or to another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.
- 5.4 No Marketing. KDL shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the AT&T Premises.
- 5.5 Equipment Identification. KDL shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of KDL's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for AT&T to properly identify KDL's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.
- 5.6 Entrance Facilities.
- 5.6.1 KDL may elect to place KDL-owned or KDL leased fiber entrance facilities into its Collocation Space. AT&T will designate the point of interconnection in close proximity to the AT&T Premises housing the Collocation Space, such as at an entrance manhole or a cable vault for Central Offices, which is physically

Version: 2Q07 Standard ICA

accessible by both Parties. For Central Offices, KDL will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. KDL will provide and install a sufficient length of fire retardant riser cable, to which AT&T will splice the entrance cable. The fire retardant riser cable will extend from the splice location to KDL's equipment in KDL's Collocation Space. In the event KDL utilizes a non-metallic, riser-type entrance facility, a splice will not be required. For Remote Terminals KDL will provide and place copper cable through conduit from the Remote Site Collocation Space to the feeder distribution interface. Such copper cable must be of sufficient length to reach the splice location for splicing by AT&T. KDL must contact AT&T for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. KDL is responsible for the maintenance of the entrance facilities. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of KDL's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.

- 5.6.2 <u>Central Office Microwave Transmission Facilities.</u> At KDL's request, AT&T will accommodate, where technically feasible and space is available, a microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.
- Central Office Copper and Coaxial Cable Entrance Facilities. In Florida and Georgia, AT&T shall permit KDL to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where KDL demonstrates a necessity and entrance capacity is not at or near exhaust in a particular AT&T Premises in which KDL's Collocation Space is located. In Florida, KDL must have approval by the Commission before it submits a request for copper entrance facilities. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point, unless AT&T determines that limited space is available for the placement of these entrance facilities.
- 5.7 <u>Dual Entrance Facilities at a Central Office.</u> AT&T will provide at least two (2) interconnection points at each Central Office where at least two (2) such interconnection points are available and capacity exists. Upon receipt of a request by KDL for dual entrance facilities to its physical Collocation Space, AT&T shall provide KDL with information regarding AT&T's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, AT&T will make the requested conduit space available for the installation of a second entrance facility to KDL's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of AT&T. Where dual entrance facilities are not available due to a lack of capacity, AT&T will provide this information to KDL in the Application Response.

Version: 2Q07 Standard ICA

5.8 Shared Use

- 5.8.1 KDL may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to KDL's Collocation Space within the same AT&T Premises.
- AT&T shall allow the splice, as long as the fiber is non-working dark fiber. KDL must arrange with AT&T in accordance with AT&T's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing AT&T to perform the splice of the KDL-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If KDL desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with AT&T in accordance with AT&T's Special Construction Procedures, RL93-11-030BT, and provide a LOA from KDL authorizing AT&T to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on KDL's entrance facility.

5.9 Demarcation Point

- 5.9.1 In Tennessee, if KDL elects the Tennessee Regulatory Authority (TRA) rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Demarcation Point, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- AT&T will designate the point(s) of demarcation between KDL's equipment and/or network facilities and AT&T's network facilities. For 2-wire and 4-wire connections, the demarcation point shall be a common block on the AT&T designated conventional distribution frame. KDL shall be responsible for providing the common block and cabling and KDL's AT&T Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 below. For DS1, DS3, STS1, and optical terminations, AT&T shall designate, provide, and install demarcation point hardware on a per arrangement basis. KDL shall be responsible for providing, and KDL's AT&T Certified Supplier shall be responsible for installing any necessary cabling and properly labeling/stenciling the demarcation point hardware for terminations identified in Section 7 below.
- 5.9.3 KDL or its agent must install, maintain and operate the equipment/facilities on its side of the demarcation point, pursuant to Section 5.10 below and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- 5.10 Equipment and Facilities. KDL, or if required by this Attachment, KDL's AT&T Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring and maintenance/repair of the equipment and network facilities used by KDL, which must be performed in compliance with all applicable AT&T specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and POT connections. KDL and its designated AT&T Certified Supplier must follow

Version: 2Q07 Standard ICA

and comply with all AT&T specifications outlined in the following AT&T Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564.

- 5.11 AT&T's Access to Collocation Space
- 5.11.1 From time to time, AT&T may require access to KDL's Collocation Space.

 AT&T retains the right to access KDL's Collocation Space for the purpose of making AT&T equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, AT&T will give notice to KDL at least forty-eight (48) hours before access to KDL's Collocation Space is required. KDL may elect to be present whenever AT&T performs work in the KDL's Collocation Space. The Parties agree that KDL will not bear any of the expense associated with this type of work.
- 5.11.2 In the case of an emergency, AT&T will provide oral notice of entry as soon as reasonably practicable after such entry.
- 5.11.3 KDL must provide the local AT&T Central Office Building Contact with two (2)
 Access Devices that will allow AT&T entry into any enclosed and locked
 Collocation Space including, but not limited to, an Adjacent Arrangement,
 pursuant to the requirements contained in this Section.
- 5.12 KDL's Access
- 5.12.1 Pursuant to Section 12 below, KDL shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. KDL agrees to provide the name, date of birth and either the social security number or driver's license number of each employee, supplier or agent of KDL or KDL's Guest(s) with KDL's written request for access keys or cards (Access Devices) for specific AT&T Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by KDL and returned to AT&T Access Management within fifteen (15) days of KDL's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by AT&T until the proper acknowledgement documents have been received by AT&T and reflect current information. Charges for Security Access System and for Security Access Devices will be billed at the rates set forth in Exhibit B. Access Devices may not be duplicated under any circumstances. KDL agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of KDL's employees, suppliers, agents or Guests after termination of the employment relationship, the contractual obligation with KDL ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation Space in a specific AT&T Premises. KDL shall pay all applicable charges associated with lost or stolen Access Devices.
- 5.12.2 KDL must submit to AT&T the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to an AT&T Premises at

Version: 2007 Standard ICA

least thirty (30) days prior to the date KDL desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, KDL may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to AT&T's receipt of the BFFO. In the event KDL desires access to its designated Collocation Space after the first accompanied free visit and KDL's access request form(s) has not been approved by AT&T or KDL has not yet submitted an access request form to AT&T, KDL shall be permitted to access the Collocation Space accompanied by an AT&T security escort, at KDL's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. KDL must request that escorted access be provided by AT&T to KDL's designated Collocation Space at least three (3) business days prior to the date such access is desired. An AT&T security escort will be required whenever KDL or its approved agent or supplier requires access to the entrance manhole.

- 5.13 Lost or Stolen Access Devices. KDL shall immediately notify AT&T in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for AT&T to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of KDL's employees, suppliers, agents or Guest(s) to return an Access Device(s), KDL shall pay for the costs of re-keying the building or deactivating the Access Device(s).
- 5.14 <u>Interference or Impairment</u>
- 5.14.1 Notwithstanding any other provisions of this Attachment, KDL shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that (1) significantly degrades, interferes with or impairs service provided by AT&T or any other entity or any person's use of its telecommunications services; (2) endangers or damages the equipment, facilities or any other property of AT&T or any other entity or person; (3) compromises the privacy of any communications routed through the AT&T Premises; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If AT&T reasonably determines that any equipment or facilities of KDL violates the provisions of this paragraph, AT&T shall provide written notice to KDL, which shall direct KDL to cure the violation within forty-eight (48) hours of KDL's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.
- Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if KDL fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of

Version: 2007 Standard ICA

damage to property or injury or death to any person, or any other significant degradation, interference or impairment of AT&T's or another entity's service, then and only in that event, AT&T may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to KDL's equipment and/or facilities. AT&T will endeavor, but is not required, to provide notice to KDL prior to the taking of such action and AT&T shall have no liability to KDL for any damages arising from such action, except to the extent that such action by AT&T constitutes willful misconduct.

- 5.14.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and KDL fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, AT&T will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to KDL or, if subsequently necessary, the Commission must be provided by AT&T with specific and verifiable information. When AT&T demonstrates that a certain technology deployed by KDL is significantly degrading the performance of other advanced services or traditional voice band services, KDL shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.15

 Personalty and Its Removal. Facilities and equipment placed by KDL in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by KDL at any time. Any damage caused to the Collocation Space by KDL's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by KDL at its sole expense. If KDL decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by AT&T and KDL's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, AT&T will bill KDL the Administrative Only Application Fee associated with the type of removal activity performed by KDL, as set forth in Exhibit B. This nonrecurring fee will be billed on the date that AT&T provides an Application Response to KDL.
- 5.16 Alterations. Under no condition shall KDL or any person acting on behalf of KDL make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the AT&T Premises,

Version: 2Q07 Standard ICA

hereinafter referred to individually or collectively as "Alterations", without the express written consent of AT&T, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by KDL. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee associated with the type of alteration requested, as set forth in Sections 6.2.1 and 7.1.4 below, which will be billed by AT&T on the date that AT&T provides KDL with an Application Response.

- 5.17 <u>Central Office Janitorial Service.</u> KDL shall be responsible for the general upkeep of its Collocation Space. KDL shall arrange directly with an AT&T Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, AT&T shall provide a list of such suppliers on an AT&T Premisesspecific basis.
- 5.18 <u>Upkeep of Remote Collocation Space.</u> KDL shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. KDL shall be responsible for removing any of KDL's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

6 Ordering and Preparation of Collocation Space

- Initial Application. For KDL's or KDL's Guest's(s') initial equipment placement, KDL shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into AT&T's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by KDL for Central Office or Remote Site Collocation, as applicable, and will be billed by AT&T on the date AT&T provides KDL with an Application Response.
- 6.1.1 For Remote Site Collocation, a request for additional space at a later date will require the submission of an Initial Application. The installation of additional shelves/equipment within an existing bay does not require an Initial Application.
- Subsequent Application. In the event KDL or KDL's Guest(s) desires to modify its use of the Collocation Space in a Central Office after a BFFO, KDL shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 above (Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. AT&T shall determine what modifications, if any, to the AT&T Premises are required to accommodate the change(s) requested by KDL in the Subsequent Application. Such modifications to the AT&T Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes

Version: 2Q07 Standard ICA

to power plant requirements, equipment additions, etc.

- 6.2.1 Subsequent Application Fees. The application fee paid by KDL for an Alteration in a Central Office shall be dependent upon the level of assessment needed to provide a complete Application Response for the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires AT&T to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, the addition, exchange or removal of equipment from the Collocation Space (where the removal requires no physical work to be performed by AT&T which require no additional space, power or terminations to be provided to KDL's collocation arrangement), and a virtual-tophysical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when KDL submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same AT&T Central Office or between its physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same AT&T Central Office. In Florida and Tennessee, the Power Reconfiguration Only Application Fee will apply when KDL submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that AT&T is currently providing to KDL's physical Collocation Space in a Central Office. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable support structure, HVAC, power and terminations are available), shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that AT&T provides KDL with an Application Response.
- 6.3 Space Preferences. If KDL has previously requested and received a Space Availability Report for the AT&T Premises, KDL may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event AT&T cannot accommodate KDL's space preference(s), KDL may accept the space allocated by AT&T or cancel its application and submit another application requesting additional space preferences for the same AT&T Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by AT&T on the date that AT&T provides KDL with an Application Response.

6.4 Space Availability Notification

6.4.1 For all states except Florida and Tennessee, AT&T will respond to an application within ten (10) days as to whether space is available or not available within the requested AT&T Premises. In Florida and Tennessee, AT&T will respond to an application within fifteen (15) days as to whether space is available or not available within an AT&T Premises. AT&T's e.App system will reflect when KDL's application is Bona Fide. If the application cannot be Bona Fide, AT&T

Version: 2Q07 Standard ICA

will identify what revisions are necessary for the application to become Bona Fide.

- If the amount of space requested is not available, AT&T will notify KDL of the amount of space that is available and no application fee will apply. When AT&T's response includes an amount of space less than that requested by KDL or space that is configured differently, no application fee will apply. If KDL decides to accept the available space, KDL must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When KDL resubmits its application to accept the available space, AT&T will bill KDL the appropriate application fee.
- 6.5 <u>Denial of Application.</u> If AT&T notifies KDL that no space is available (Denial of Application), AT&T will not assess an application fee to KDL. After notifying KDL that AT&T has no available space in the requested AT&T Premises, AT&T will allow KDL, upon request, to tour the entire AT&T Premises within ten (10) days of such Denial of Application. In order to schedule this tour, AT&T must receive the request for the tour of the AT&T Premises within five (5) days of the Denial of Application.
- Petition for Waiver. Upon Denial of Application, AT&T will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). AT&T shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, AT&T or any of AT&T's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, AT&T shall permit KDL to inspect any floor plans or diagrams that AT&T provides to the Commission.

6.7 Waiting List

- On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, AT&T will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that an AT&T Premises is out of space, have submitted a Letter of Intent to collocate in that AT&T Premises. AT&T will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.
- In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, AT&T will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that an AT&T Premises is out of space, have submitted a Letter of Intent to collocate in that AT&T Premises. Sixty (60) days prior to space becoming available, if known, AT&T will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If AT&T does not know sixty (60) days in advance of when space will become available, AT&T will notify the Commission and the

Version: 2Q07 Standard ICA

telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.

- When physical Collocation Space becomes available, KDL must submit an updated, complete and accurate application to AT&T within thirty (30) days of notification by AT&T that physical Collocation Space will be available in the requested AT&T Premises previously out of space. If KDL has originally requested caged Collocation Space and cageless Collocation Space becomes available, KDL may refuse such space and notify AT&T in writing, within the thirty (30) day timeframe referenced above, that KDL wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.
- KDL may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If KDL does not submit an application or notify AT&T in writing within the thirty (30) day timeframe as described in Section 6.7.2 above, AT&T will offer the available space to the next telecommunications carrier on the waiting list and remove KDL from the waiting list. Upon request, AT&T will advise KDL as to its position on the waiting list for a particular AT&T Premises.
- 6.8 Public Notification. AT&T will maintain on its Interconnection Web site, a notification document that will indicate all AT&T Premises that are without available space. AT&T shall update such document within ten (10) days of the date that AT&T becomes aware that insufficient space is available to accommodate physical Collocation. AT&T will also post a document on its Interconnection Web site that contains a general notice when space becomes available in an AT&T Premises previously on the space exhaust list.

6.9 Application Response

- In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, AT&T will provide an Application Response within twenty (20) days of receipt of a Bona Fide application. The Application Response will be a written response that includes sufficient information to enable KDL to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.
- 6.9.2 In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, AT&T will provide an Application Response including sufficient

Version: 2Q07 Standard ICA

information to enable KDL to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, the Cable Records Fee and any other applicable space preparation fees, as described in Section 8 below. When KDL submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.

- Application Modifications. If a modification or revision is made to any information in the Bona Fide application after AT&T has provided the Application Response and prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of KDL or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. AT&T will charge KDL the appropriate application fee associated with the level of assessment performed by AT&T, pursuant to Sections 6.1 and 6.2 above.
- 6.11 Bona Fide Firm Order
- 6.11.1 KDL shall indicate its intent to proceed with a Collocation Space request in an AT&T Premises by submitting a BFFO to AT&T. The BFFO must be received by AT&T no later than thirty (30) days after AT&T's Application Response to KDL's Bona Fide application or KDL's application will expire.
- AT&T will establish a Firm Order date based upon the date AT&T is in receipt of KDL's BFFO. AT&T will acknowledge the receipt of KDL's BFFO within seven (7) days of receipt, so that KDL will have positive confirmation that its BFFO has been received. AT&T's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

7 Construction and Provisioning

- 7.1 Construction and Provisioning Intervals
- 7.1.1 In Florida and Tennessee, AT&T will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, AT&T will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Collocation Space after the initial space has been completed, AT&T will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by KDL. If additional space has been requested by KDL, AT&T will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If AT&T does not believe that construction will be completed within the relevant provisioning interval and AT&T and KDL cannot agree upon a completion date, within forty-

Version: 2Q07 Standard ICA

five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, AT&T may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, AT&T will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. AT&T will complete construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to AT&T's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and AT&T's power plant.) Extraordinary conditions include, but may not be limited to: major AT&T equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or AT&T may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if AT&T does not believe that construction will be completed within the relevant provisioning interval.
- 7.1.3 Records Only Change. When KDL adds equipment, that was originally included on KDL's Initial Application or a Subsequent Application, and the installation of this equipment requires no additional space preparation work or cable terminations on the part of AT&T, then AT&T will impose no additional charges or intervals.
- 7.1.4 For Central Offices in the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, AT&T will provide the reduced intervals outlined below to KDL, when KDL requests an Alteration specifically identified in Sections 7.1.4.1 through 7.1.4.9 below as an "Augment". Except as otherwise set forth in Section 7.1.4.10 below, such Augment will require a Subsequent Application and will result in the assessment of the appropriate application fee associated with the type of Augment requested by KDL. AT&T will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to KDL.
- 7.1.4.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
 - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
 - Fuse Change and/or Increase or Decrease -48 Volt (-48V) DC Power

Version: 2007 Standard ICA

- 7.1.4.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:
 - 168 DS1 Terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
 - 96 DS3 Terminations at the AT&T Demarcation Frame (Databasing Only;
 Panels, Relay Racks and Overhead Racking Exist)
 - 99 Fiber terminations at the AT&T Demarcation Frame (Databasing Only;
 Panels, Relay Racks and Overhead Racking Exist)
 - Maximum of 2000 Service Ready DS0 Terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
 - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
 - Installation of Cable Racking or Other Support Structure, as Required, to Support CCXCs (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. All requests for additional Physical Collocation Space (caged or cageless) are included in this category.
- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.1.4.6 If KDL submits an Augment that includes two (2) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2 or 7.1.4.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two (2) items from the Minor Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- 7.1.4.7 If KDL submits an Augment that includes three (3) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three (3) items from the Simple Augment category are requested on the same

Version: 2Q07 Standard ICA

request for a physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if three (3) items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).

- 7.1.4.8 If KDL submits an Augment that includes one (1) Augment item from two (2) separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by KDL and AT&T. If KDL and AT&T are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Sections 7.1.4.4 and Section 7.1.4.5 above, would apply based on whether the Augment is for KDL's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If KDL requests multiple items from different Augment categories, AT&T will bill KDL the Augment application fee, as identified in Exhibit B, associated with the higher Augment category only. The appropriate application fee will be assessed to KDL at the time AT&T provides KDL with the Application Response. KDL will be assessed a Subsequent Application Fee for all Major Augments (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5 above for physical and virtual Collocation Space, respectively). The Subsequent Application Fee is also reflected in Exhibit B.
- Joint Planning. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between AT&T and KDL will commence within a maximum of twenty (20) days from AT&T's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- Permits. Each Party, its agent(s) or AT&T Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or AT&T Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.

Version: 2Q07 Standard ICA 04/26/07

7.4 <u>Central Office Circuit Facility Assignments</u>

- 7.4.1 Unless otherwise specified, AT&T will provide Circuit Facility Assignments (CFAs) to KDL prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those AT&T Premises in which KDL has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by AT&T. AT&T cannot provide CFAs to KDL prior to the Provisioning Interval for those AT&T Premises in which KDL has physical Collocation Space with a POT bay provided by KDL or virtual Collocation Space, until KDL has provided AT&T with the following information:
- 7.4.1.1 For physical Central Office Collocation Space with a KDL-provided POT bay, KDL shall provide AT&T with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.; or
- 7.4.1.2 For virtual Central Office Collocation Space, KDL shall provide AT&T with a complete layout of KDL's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by KDL's AT&T Certified Supplier.
- AT&T cannot begin work on the CFAs until the complete and accurate EIU form has been received from KDL. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of AT&T's receipt of the EIU form.
- 7.4.3 AT&T will bill KDL a nonrecurring charge, as set forth in Exhibit B, each time KDL requests a resend of its original CFA information for any reason other than an AT&T error in the CFAs initially provided to KDL.
- Use of AT&T Certified Supplier. KDL shall select a supplier which has been 7.5 approved as an AT&T Certified Supplier to perform all engineering and installation work. KDL, if an AT&T Certified Supplier or KDL's AT&T Certified Supplier must follow and comply with all of AT&T's specifications and the following AT&T Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564. Unless the AT&T Certified Supplier has met the requirements for all of the required work activities, KDL must use a different AT&T Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. AT&T shall provide KDL with a list of AT&T Certified Suppliers, upon request. KDL, if an AT&T Certified Supplier, or KDL's AT&T Certified Supplier(s) shall be responsible for installing KDL's equipment and associated components, extending power cabling to the AT&T power distribution frame, performing operational tests after installation is complete, and notifying AT&T's equipment engineers and KDL upon successful completion of the installation and any associated work. When an AT&T Certified Supplier is used by KDL, the AT&T Certified Supplier shall bill KDL directly for all work performed for KDL pursuant to this Attachment. AT&T shall have no

Version: 2Q07 Standard ICA

liability for nor responsibility to pay, such charges imposed by KDL's AT&T Certified Supplier. AT&T shall make available its supplier certification program to KDL or any supplier proposed by KDL and will not unreasonably withhold certification. All work performed by or for KDL shall conform to generally accepted industry standards.

- Alarms and Monitoring. AT&T shall place environmental alarms in the AT&T Premises for the protection of AT&T equipment and facilities. KDL shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service KDL's Collocation Space. Upon request, AT&T will provide KDL with an applicable AT&T tariffed service(s) to facilitate remote monitoring of collocated equipment by KDL. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- 7.7 Virtual to Physical Relocation. In the event physical Collocation Space was previously denied at an AT&T Central Office due to technical reasons or space limitations and physical Collocation Space has subsequently become available, KDL may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Collocation arrangement, as set forth in Exhibit B. If AT&T knows when additional physical Collocation Space may become available at the AT&T Central Office requested by KDL, such information will be provided to KDL in AT&T's written denial of physical Collocation Space. KDL must arrange with an AT&T Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Collocation Space to the new physical Collocation Space.
- 7.7.1 In Alabama, AT&T will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days from AT&T's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from AT&T's receipt of a BFFO.
- 7.8 Virtual to Physical Conversion (In-Place)
- 7.8.1 Virtual collocation arrangements in Central Offices may be converted to "in-place" physical caged collocation arrangements if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; (2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that AT&T has reserved for its own future needs; and (3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, AT&T will complete virtual to physical Collocation Space conversions (in-place) within sixty (60) days from

Version: 2Q07 Standard ICA

receipt of the BFFO. AT&T will bill KDL an Administrative Only Application Fee, as set forth in Exhibit B, on the date AT&T provides an Application Response to KDL.

- 7.8.2 In Alabama and Tennessee, AT&T will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.8.1 above.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, KDL cancels its order for Collocation Space (Cancellation), AT&T will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if KDL cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by AT&T; however, KDL will be responsible for reimbursing AT&T for any costs specifically incurred by AT&T on behalf of KDL up to the date that the written notice of cancellation was received by AT&T. In Georgia, if KDL cancels its order for Collocation Space at any time prior to space acceptance, AT&T will bill KDL for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.
- 7.10 <u>Licenses.</u> KDL, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in an AT&T Premises.
- 7.11 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

8 Rates and Charges

- 8.1 Rates. KDL agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.1.1 In Tennessee, if KDL elects the TRA rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Application Fee, Space Preparation, Floor Space and Caged Collocation Power Usage metering, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- 8.1.2 Should KDL elect to transition to the TRA Option after the execution of this Agreement, KDL shall notify AT&T in writing sixty (60) days prior to the implementation of this election.
- 8.2 <u>Application Fees.</u> AT&T shall assess any nonrecurring application fees within thirty (30) days of the date that AT&T provides an Application Response to KDL or on KDL's next scheduled monthly billing statement.

Version: 2007 Standard ICA

8.3 Recurring Charges

- 8.3.1 If KDL has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event KDL fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If KDL occupies the space prior to the Space Ready Date, the date KDL occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in KDL's next billing cycle and will include any prorated charges for the period from KDL's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by AT&T.
- 8.3.2 Unless otherwise stated in Section 8.6 below, monthly recurring charges for -48V DC power will be assessed per fused ampere (amp), per month, based upon the total number of fused amps of power capacity requested by KDL on KDL's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested, consistent with Commission orders.
- 8.3.3 AT&T shall have the right to inspect and inventory any DC power fuse installations at an AT&T BDFB or DC power circuit installations at AT&T's main power board for any KDL collocation arrangement, to verify that the total number of fused amps of power capacity installed by KDL's AT&T Certified Supplier matches the number of fused amps of DC power capacity requested by KDL on KDL's Initial Application and all Subsequent Applications. If AT&T determines that KDL's AT&T Certified Supplier has installed more DC capacity than KDL requested on its Initial Application and all Subsequent Applications, AT&T shall notify KDL in writing of such discrepancy and shall assess KDL for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3.1 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. AT&T shall also revise KDL's recurring DC power charges, on a going-forward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.
- 8.4 Nonrecurring Charges. Unless specified otherwise herein, AT&T shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that AT&T provides an Application Response to KDL or on KDL's next scheduled monthly billing statement, if KDL's current month's billing cycle has already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by AT&T within thirty (30) days of AT&T's confirmation of KDL's BFFO or on KDL's next scheduled monthly billing statement.
- 8.5 In some cases, Commissions have ordered AT&T to separate its disconnect costs

Version: 2Q07 Standard ICA

and its installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by AT&T, regardless of whether or not a disconnect order is issued by KDL. Disconnect charges are set forth in Exhibit B of this Attachment.

8.6 Central Office Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, KDL shall remit the payment of the nonrecurring Firm Order Processing Fee coincident with the submission of KDL's BFFO. In Florida, the nonrecurring Firm Order Processing Fee will be billed by AT&T, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and modification costs for network, building and support systems.

8.7 Central Office Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the AT&T Premises; however, this charge does not include any expenses associated with AC or DC power supplied to KDL's Collocation Space for the operation of KDL's equipment. For caged physical Collocation Space, KDL shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is fifty (50) square feet. Additional caged Collocation Space may be requested in increments of fifty (50) square feet. For cageless Collocation Space, KDL shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. AT&T will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event KDL's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, KDL shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

8.8 Remote Site Bay Space. In a Remote Site, the bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power KDL's equipment. KDL shall remit bay space charges based upon the number of bays requested. AT&T will assign Remote Site Collocation

Version: 2Q07 Standard ICA

Space in conventional Remote Site bay lineups where feasible.

8.9 Power

- 8.9.1 In a Central Office AT&T shall make available -48V DC power for KDL's Collocation Space at an AT&T BDFB. When obtaining DC power from an AT&T BDFB, KDL's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by KDL's AT&T Certified Supplier, in accordance with the number of fused amps of DC power requested by KDL on KDL's Initial Application and any Subsequent Applications. KDL is also responsible for contracting with an AT&T Certified Supplier to run the power distribution feeder cable from the AT&T BDFB to the equipment in KDL's Collocation Space. The AT&T Certified Supplier contracted by KDL must provide AT&T with a copy of the engineering power specifications prior to the day on which KDL's equipment becomes operational (hereinafter "Commencement Date"). AT&T will provide the common power feeder cable support structure between the AT&T BDFB and KDL's Collocation Space. KDL shall contract with an AT&T Certified Supplier who shall be responsible for performing those power provisioning activities required to enable KDL's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within KDL's Collocation Space, power cable feeds and terminations of the power cabling. KDL and KDL's AT&T Certified Supplier shall comply with all applicable NEC, AT&T TR 73503, Telcordia and ANSI Standards that address power cabling, installation and maintenance.
- 8.9.1.1 At a Remote Site, AT&T shall make available -48V DC power for KDL's Remote Collocation Space at a BDFB within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced in Section 8.7 above. If the power requirements for KDL's equipment exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis.
- In Florida Central Offices only, subject to technical feasibility, commercial availability and safety limitations, AT&T will permit KDL to request DC power in five (5) amp increments from five (5) amps up to one hundred (100) amps from the AT&T BDFB. However, in accordance with industry standard fuse sizing, KDL may request that AT&T provision DC power of seventy (70) amps or greater directly from AT&T's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at an AT&T main power board in all AT&T Premises is a two hundred twenty-five (225) amp circuit breaker.
- 8.9.3 AT&T will revise KDL's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when KDL submits a Subsequent Application requesting an increase in the number of fused amps it is currently receiving from AT&T for its Collocation Space. If KDL's existing fuses and power cables (for the A&B power feed) are not sufficient to support the

Version: 2Q07 Standard ICA

additional number of fused amps requested, KDL's AT&T Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, AT&T TR 73503, Telcordia and ANSI Standards, as well as the requirements noted in Sections 8.7 and 8.7.1 above. KDL's AT&T Certified Supplier shall provide notification to AT&T when these activities have been completed.

- 8.9.4 AT&T will revise KDL's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon AT&T's receipt of the Power Reduction Form from KDL, certifying the completion of the power reduction work, including the removal of any associated power cabling by KDL's AT&T Certified Supplier. Notwithstanding the foregoing, if KDL's AT&T Certified Supplier has not removed or, at AT&T's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at AT&T's discretion, cut by KDL's AT&T Certified Supplier and KDL shall pay for the amount of power that had been requested prior to the power reduction request for the period up to the date the power cabling is actually removed.
- 8.9.5 If KDL requests an increase or a reduction in the amount of power that AT&T is currently providing in a Central Office, KDL must submit a Subsequent Application. In all states other than Florida and Tennessee if no modification to the Collocation Space is requested other than the increase or reduction in power, the Simple Augment fee will apply. In Florida and Tennessee the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. AT&T will bill this nonrecurring fee on the date that AT&T provides an Application Response to KDL's Subsequent Application.
- In Central Offices in Alabama and Louisiana, if KDL has existing power configurations currently served from the AT&T main power board and requests that its power be reconfigured to connect to an AT&T BDFB, in a specific AT&T Premises, KDL must submit a Subsequent Application to AT&T. AT&T will provide a response to such application within seven (7) days and no Simple Augment Application Fee will be assessed by AT&T for this one time only power reconfiguration to an AT&T BDFB. For any power reconfigurations thereafter, KDL will submit a Subsequent Application and the appropriate Simple Augment Application Fee will apply.
- 8.9.6 If KDL elects to install its own DC Power Plant, AT&T shall provide AC power to feed KDL's DC Power Plant. Charges for AC power will be assessed on a per breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from an AT&T service panel, protection devices and power cables must be engineered (sized) and installed by KDL's AT&T Certified Supplier, with the exception that AT&T shall engineer and install

Version: 2Q07 Standard ICA

protection devices and power cables for Adjacent Collocation. KDL's AT&T Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At KDL's option, KDL may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.

- 8.9.7 KDL shall contract with an AT&T Certified Supplier to perform the installation and removal of dedicated power cable support structure within KDL's arrangement and terminations of cable within the Collocation Space.
- 8.9.8 <u>Fused Amp Power.</u> In all states, except as otherwise set forth in this Agreement, AT&T shall make available -48V DC power on a per fused amp, per month basis, pursuant to the following:

For power provisioned from a BDFB. The number of fused amps requested by KDL on its collocation application for power that is being provisioned from an AT&T BDFB will be multiplied by the DC power fused amp rate set forth in Exhibit B. A minimum of ten (10) fused amps is required.

For existing power configurations that are provisioned from AT&T's main power board. The number of fused amps made available at the main power board, in increments of two hundred and twenty-five (225) amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B.

- 8.9.9 Florida Power Usage Option
- 8.9.9.1 In Central Offices in Florida only, KDL may request that -48 DC power provisioned by AT&T to KDL's Collocation Space be assessed per amp, per month based upon amps used, pursuant to the rates set forth in Exhibit B. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. If KDL desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by KDL to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power KDL requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular AT&T Premises on KDL's Initial Application or Subsequent Application. AT&T shall allow KDL at KDL's option, to order a power feed that is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by KDL. AT&T is not required to build its central office power infrastructure to meet KDL's forecasted DC power demand. KDL must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from

Version: 2Q07 Standard ICA

AT&T's power plant for each existing collocation arrangement KDL converts to the FL Option or for any new collocation arrangements KDL establishes under the FL Option.

- 8.9.9.2 AT&T, at any time and at its own expense, shall have the right to verify the accuracy of KDL's power usage under the FL Option for a specific collocation arrangement in a particular AT&T Premises, based on a meter reading(s) taken by AT&T of the amount of power being consumed by KDL's collocation arrangement. AT&T may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%) or five (5) amps from the power usage that has been requested by KDL for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate AT&T's reading, then AT&T shall adjust KDL's billing to reflect AT&T's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by AT&T.
- 8.9.9.3 AT&T shall assess KDL a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B. KDL shall notify AT&T of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by KDL. The requested change in DC power usage will be reflected in KDL's next scheduled monthly billing cycle.
- 8.9.10 Tennessee Caged Collocation Power Usage Metering Option. In Central Offices in Tennessee only, KDL may request that DC power provisioned by AT&T to KDL's caged Collocation Space be assessed pursuant to the orders entered by the Tennessee Regulatory Authority in Dockets 97-01262, 99-00430, and 00-00544 for Collocation for Tennessee. By electing the TRA Option, KDL accepts the TRA rates, terms and conditions of Exhibit C in their entirety in conjunction with the other terms and conditions of Attachment 4.
- 8.9.11 Georgia Caged Collocation Power Usage Metering Option. In Georgia, KDL may request that DC power provisioned by AT&T to KDL's Collocation Space be assessed pursuant to Georgia Public Service Commission Order Docket No. 14361-U ("Order"). AT&T will assess KDL for -48V DC power using the actual number of load Amps measured. The power circuits may be fed from either an AT&T BDFB or KDL's BDFB. These recurring power charges will be assessed by AT&T on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3.
- 8.9.11.1 Upon KDL's election of the power metering option KDL will convert existing caged collocation arrangements to the power metering rate structure. The recurring power charges that are contained Exhibit B of this Attachment will be assessed on the Space Ready Date associated with the Subsequent Application submitted by KDL to convert an existing caged collocation arrangement to the metered power rates.
- 8.9.11.2 Pursuant to the Order, KDL shall provide a Fluke Model 189 AC/DC multimeter

Version: 2Q07 Standard ICA

and Fluke Model i410 clamp-on ammeter probe for each central office where they have requested metered power. One copy of the FlukeView software must also be provided for each Fluke 189 multimeter, and each copy must comply with Fluke copyrights.

- 8.9.11.3 KDL may, at its sole cost and expense, install its own meters on its BDFB(s) located in its own caged Collocation Space(s) and notify AT&T of the option of using such meters for the purposes of measuring KDL's actual power usage. In such case, AT&T, or its AT&T Certified Supplier, will have the option of reading and recording the actual power usage from either the meter installed on KDL's own BDFB(s) or via the aforementioned Fluke 189 multimeter equipped with a Fluke i410 clamp-on ammeter probe.
- 8.9.11.4 AT&T, at its sole option and at its own cost, may choose to purchase, install, and use its own ammeter measurement device. The usage reading for the option elected by AT&T shall be used for purposes of calculating the DC power usage billing.
- 8.9.11.5 AT&T, or its AT&T Certified Supplier, will perform all metering activities, to measure the actual power usage being drawn by KDL's collocation equipment on both the A and B power feeds. The charge will be the sum of both the A and B power feeds and will be based upon either an instantaneous reading or busy hour average current reading, depending on the capabilities of the ammeter measurement device.
- 8.9.11.6 If AT&T, or its AT&T Certified Supplier, requires access to KDL's caged Collocation Space(s) for purposes of measuring the power usage, AT&T or its AT&T Certified Supplier shall provide KDL with a minimum of forty-eight (48) hours (two business days) notice that access is required. KDL shall respond to such request for access within twenty-four (24) hours for the purpose of establishing the date and time of access to KDL's caged Collocation Space(s). Once the date and time of access to KDL's caged Collocation Space(s) has been agreed upon, KDL and AT&T, or its AT&T Certified Supplier, shall adhere to the agreed upon date and time, or provide a minimum of three (3) hours notice to the other Party if the original appointment(s) will be missed or must be canceled and rescheduled. Once a mutually agreed upon date and time are established and KDL does not provide minimum of three (3) hours notice, AT&T's Certified Supplier will only remain at the site for thirty (30) minutes. After thirty (30) minutes the appointment will be considered missed by KDL.
- 8.9.11.7 If KDL fails to provide access to its caged Collocation Space(s) or fails to provide AT&T, or its AT&T Certified Supplier, with sufficient notification of the missed appointment(s), as noted above, then KDL shall pay the nonrecurring "Additional Meter Reading Trip Charge", as set forth in Exhibit B of this Attachment, for each additional meter reading trip that must be rescheduled to measure KDL's power usage for such caged Collocation Space(s). KDL and the AT&T Certified Supplier may jointly agree to less stringent notification requirements to address,

Version: 2Q07 Standard ICA

for example, any service interruption or restoration of service situations, on a location-by-location basis.

8.9.11.8 For each new caged collocation arrangement, KDL shall indicate on KDL's Initial Application that they are electing to have metered power. For each location that KDL wishes to convert to metered power KDL will submit a Subsequent Application and agrees to include in the Comments section of the Subsequent Application the following comment:

This Subsequent Application is KDL's certification that KDL is opting to convert this caged collocation arrangement to metered power and will permit AT&T, or the AT&T Certified Supplier, to measure its actual power usage on all power feeds.

- 8.9.11.9 AT&T will bill KDL a Power Reconfiguration Only Application Fee, as set forth in Exhibit B of this Attachment, on the date that AT&T provides an Application Response to each Subsequent Application submitted by KDL converting its caged collocation arrangements to the metered power rates. AT&T shall then arrange for the measurement of KDL's actual power usage on each power feed (each A and B power feed) once each quarter at each of KDL's caged collocation arrangements for which KDL has submitted an Initial or Subsequent Application electing metered power.
- 8.9.11.10 Based upon the actual power usage measurement taken by AT&T or the AT&T Certified Supplier, AT&T shall assess KDL for power usage for the following quarter based upon KDL's actual metered usage for each power feed (both the A and B power feeds) or a minimum of ten (10) amps of -48V DC power usage for the sum of the A and B feeds for each power cable, whichever is greater. Such usage shall then be multiplied by the rate for Load Amps either with an AT&T BDFB or with KDL BDFB as set forth in Exhibit B of this Attachment, to determine the appropriate monthly recurring power usage charge that will be billed to KDL for the following three (3) months or until the next power usage measurement is taken, whichever is later.
- 8.9.11.11 Either Party, within fifteen (15) days of notice of the usage measurement established by the scheduled meter reading, may challenge the accuracy of that reading by requesting a new reading. If KDL requests that an unscheduled (prior to the next scheduled quarterly power reading date) power usage reading be taken, then KDL will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit B of this Attachment. If AT&T requests a power usage reading be taken in this instance, then KDL will not be charged the "Additional Meter Reading Trip Charge" for the unscheduled meter reading. If the readings vary by more than ten (10) % or five (5) Amps, whichever is greater, the Parties shall work cooperatively to reconcile such discrepancies and establish the appropriate usage figure in a reasonable and expeditious manner. If the readings do not vary outside these ranges, the initial reading will be used to calculate KDL's AC usage charge for the next three (3) months.

Version: 2Q07 Standard ICA

- AT&T, at any time and at its own expense, shall have the right to verify the accuracy of KDL's BDFB meter by performing its own meter reading via an alternate method, such as, but not limited to, an ammeter. If the meter readings vary by more than ten (10) % or five (5) Amps, whichever is greater, the Parties agree to perform a joint investigation. If KDL's BDFB meter is found to be in error, then KDL agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are instantaneous readings that can experience minor fluctuations due to usage traffic, voltage fluctuations, and calibration of the meters themselves. The readings must vary by more than ten (10) % or five (5) Amps, whichever is greater, before any recalibration, repair, or replacement will be required. If the AT&T reading is substantiated, AT&T shall adjust KDL's billing retroactive to the beginning of the quarter for which the last meter reading was taken.
- When KDL submits the appropriate Initial or Subsequent Application for a specific caged collocation arrangement in a particular AT&T Premises, AT&T will provide the associated Application Response pursuant to Section 6 above. It will then be the responsibility of KDL to submit a BFFO. After AT&T receives the BFFO from KDL, the Initial or Subsequent Application will be completed by AT&T within the provisioning intervals contained in Section 7 above and KDL will be notified of the Space Ready Date or when the appropriate record and database changes have been made by AT&T to reflect KDL's conversion to the metered power rates (which will be considered the "Space Ready Date" for purposes of a Subsequent Application submitted to convert a specific caged collocation arrangement in a particular AT&T Premises to the metered power rates).
- 8.9.11.14 AT&T will not permit KDL to elect an earlier Space Acceptance Date than the Space Ready Date for any request submitted via a Subsequent Application for an existing caged collocation arrangement. When a Subsequent Application is used to elect metered power and there are no other changes requested, billing for the recurring charges associated with metered power will begin upon the Space Ready Date. If KDL occupies the space prior to the Space Ready Date, for Initial Application requests only, the date KDL occupies the space will be deemed the new Space Acceptance Date and billing for metered power will begin on that date. When KDL moves to metered power the number of fused amps of DC Power requested by KDL on its Initial or Subsequent Application will be used for calculating the number of amps to be billed until such time as AT&T or its AT&T Certified Supplier can perform, under the currently existing quarterly meter reading schedule, a reading of KDL's power usage for the requested caged Collocation Space. As soon as this reading has been taken, AT&T will adjust KDL's billing accordingly to reflect the actual metered usage back to the Space Acceptance Date. AT&T will also use this reading for billing purposes until the next quarterly meter reading is performed by AT&T or its AT&T Certified Supplier.
- 8.9.11.15 KDL agrees to submit a Subsequent Application to notify AT&T when KDL has

Version: 2007 Standard ICA

removed or installed telecommunications equipment in KDL's physical Collocation Space to ensure that KDL's existing fused DC power capacity is sufficiently engineered to accommodate the power requirements associated with the installation of additional equipment in KDL's Collocation Space. An associated change in power usage will be reflected in the next quarterly power measurement billing cycle.

- 8.9.11.16 AT&T will bill KDL a monthly recurring charge per caged Collocation Space for each arrangement that KDL has converted to metered power or for new caged Collocation Spaces under the election of metered power. This "Meter Reading" monthly recurring rate element will be assessed per circuit for each circuit read by AT&T or its AT&T Certified Supplier, at the rates set forth in Exhibit B.
- 8.9.12 In Alabama and Louisiana, KDL has the option to purchase power directly from an electric utility company. Under such option, KDL is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by an AT&T Certified Supplier hired by KDL. KDL's AT&T Certified Supplier must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If KDL currently has power supplied by AT&T, KDL may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. AT&T will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc., utilized by KDL in provisioning said power will be billed by AT&T on an ICB basis.
- 8.9.13 In South Carolina, KDL has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested AT&T Premises. Under such option, KDL is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by an AT&T Certified Supplier hired by KDL. KDL's AT&T Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the NESC standards, in the installing of this power arrangement, just as AT&T is required to comply with these codes. KDL must submit an application to AT&T for the appropriate amount of Collocation Space that KDL requires in order to install this type of power arrangement. AT&T will evaluate the request and determine if the appropriate amount of space is available within the AT&T Premises for the installation of KDL's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the AT&T Premises that has been properly

Version: 2007 Standard ICA

conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. AT&T shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. KDL shall be responsible for the recurring charges associated with the additional space needed in the AT&T Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested AT&T Premises, AT&T may seek a waiver of these requirements from the Commission for the AT&T Premises requested. KDL would have the option to order its power needs directly from AT&T.

- 8.10 <u>Central Office Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by AT&T upon receipt of KDL's BFFO. Charges for cable racking, cable support structure and entrance fiber structure are recurring fees and will also be assessed according to the rates set forth in Exhibit B.
- 8.11 Central Office Cable Records. Cable Records charges apply for work activities required to build or remove existing cable records assigned to KDL in AT&T's database systems. The VG/DS0 per cable record charge is for a maximum of thirty-six hundred (3,600) records per request. The fiber cable record charge is for a maximum of ninety-nine (99) records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of KDL's BFFO, in all AT&T states, except Louisiana. In Louisiana, Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of KDL's BFFO. All charges will be assessed the rates set forth in Exhibit B.
- Security Escort. After KDL has used its one (1) accompanied site visit, pursuant to Section 5.12.1 above, and prior to KDL's completion of the AT&T Security Training requirements, contained in Section 12 below, a security escort will be required when KDL's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or an AT&T Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. AT&T will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and KDL shall pay for such half-hour charges in the event KDL's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.
- 8.13 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

9 Insurance

9.1 KDL shall, at its sole cost and expense, procure, maintain, and keep in force

Version: 2Q07 Standard ICA

insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A.

- 9.2 KDL shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). AT&T shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of KDL's real and personal property situated on or within an AT&T Premises.
- 9.2.4 KDL may elect to purchase business interruption and contingent business interruption insurance, having been advised that AT&T assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by AT&T from time to time during the term of this Agreement, upon thirty (30) days notice to KDL, to at least such minimum limits as shall then be customary with respect to comparable occupancy of AT&T structures.
- All policies purchased by KDL shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by AT&T. All insurance must be in effect on or before the date equipment is delivered to AT&T's Premises and shall remain in effect for the term of this Agreement or until all of KDL's property has been removed from AT&T's Premises, whichever period is longer. If KDL fails to maintain required coverage, AT&T may pay the premiums thereon and seek reimbursement of same from KDL.
- 9.5 KDL shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. KDL shall arrange for AT&T to receive thirty (30) business days' advance notice of cancellation or non-renewal from KDL's insurance company. KDL shall forward a certificate of insurance and notice of cancellation/non-renewal to AT&T at the following address:

AT&T

Attn: Risk Management Office – Finance 17F54 AT&T Midtown Center

Version: 2Q07 Standard ICA

675 W. Peachtree Street Atlanta, GA 30375

- 9.6 KDL must conform to recommendations made by AT&T's fire insurance company to the extent AT&T has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self Insurance. If KDL's net worth exceeds five hundred million dollars (\$500,000,000), KDL may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. KDL shall provide audited financial statements to AT&T thirty (30) days prior to the commencement of any work in the Collocation Space. AT&T shall then review such audited financial statements and respond in writing to KDL in the event that self-insurance status is not granted to KDL. If AT&T approves KDL for self-insurance, KDL shall annually furnish to AT&T, and keep current, evidence of such net worth that is attested to by one of KDL's corporate officers. The ability to self-insure shall continue so long as KDL meets all of the requirements of this Section. If KDL subsequently no longer satisfies the requirements of this Section, KDL is required to purchase insurance as indicated by Section 9.2 above.
- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by AT&T from time to time during the term of this Agreement upon thirty (30) days' notice to KDL to at least such minimum limits as shall then be customary with respect to comparable occupancy of an AT&T Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10 Mechanics Lien

10.1 If any mechanics lien or other liens are filed against property of either Party (AT&T or KDL), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11 Inspections

11.1 AT&T may conduct an inspection of KDL's equipment and facilities in KDL's Collocation Space(s) prior to the activation of facilities and/or services between KDL's equipment and equipment of AT&T. AT&T may conduct an inspection if KDL adds equipment and may otherwise conduct routine inspections at

Version: 2Q07 Standard ICA

reasonable intervals mutually agreed upon by the Parties. AT&T shall provide KDL with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by AT&T.

12 Security and Safety Requirements

- Unless otherwise specified, KDL will be required, at its own expense, to conduct a statewide investigation of criminal history records for each KDL employee hired in the past five (5) years being considered for work on an AT&T Premises, for the states/counties where the KDL employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. KDL shall not be required to perform this investigation if an affiliated company of KDL has performed an investigation of the KDL employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if KDL has performed a pre-employment statewide investigation of criminal history records of the KDL employee for the states/counties where the KDL employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 KDL will be required to administer to its personnel assigned to the AT&T Premises security training either provided by AT&T, or meeting criteria defined by AT&T at AT&T's Interconnection Web site, www.interconnection.bellsouth.com/guides.
- KDL shall provide its employees and agents with picture identification, which must be worn and visible at all times while in KDL's Collocation Space or other areas in or around the AT&T Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and KDL's name. AT&T reserves the right to remove from an AT&T Premises any employee of KDL not possessing identification issued by KDL or who has violated any of AT&T's policies as outlined in the CLEC Security Training documents. KDL shall hold AT&T harmless for any damages resulting from such removal of KDL's personnel from an AT&T Premises. KDL shall be solely responsible for ensuring that any Guest(s) of KDL is in compliance with all subsections of this Section.
- KDL shall not assign to the AT&T Premises any personnel with records of felony criminal convictions. KDL shall not assign to the AT&T Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising AT&T of the nature and gravity of the offense(s). AT&T reserves the right to refuse building access to any of KDL's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event KDL chooses not to advise AT&T of the nature and gravity of any misdemeanor conviction, KDL may, in the alternative, certify to AT&T that it shall not assign to the AT&T Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 KDL shall not knowingly assign to the AT&T Premises any individual who was a

Version: 2007 Standard ICA

former employee of AT&T and whose employment with AT&T was terminated for a criminal offense, whether or not AT&T sought prosecution of the individual for the criminal offense.

- 12.4.2 KDL shall not knowingly assign to the AT&T Premises any individual who was a former supplier of AT&T and whose access to an AT&T Premises was revoked due to the commission of a criminal offense, whether or not AT&T sought prosecution of the individual for the criminal offense.
- For each KDL employee or agent hired by KDL within the last five (5) years, who requires access to an AT&T Premises to perform work in KDL Collocation Space(s), KDL shall furnish AT&T certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by AT&T before an employee or agent will be granted such access to an AT&T Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, KDL will disclose the nature of the convictions to AT&T at that time. In the alternative, KDL may certify to AT&T that it shall not assign to the AT&T Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.
- 12.5.1 For all other KDL employees requiring access to an AT&T Premises pursuant to this Attachment, KDL shall furnish AT&T, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At AT&T's request, KDL shall promptly remove from the AT&T Premises any employee of KDL that AT&T does not wish to grant access to an AT&T Premises: 1) pursuant to any investigation conducted by AT&T, or 2) prior to the initiation of an investigation if an employee of KDL is found interfering with the property or personnel of AT&T or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by AT&T.
- Security Violations. AT&T reserves the right to interview KDL's employees, agents, suppliers, or Guests in the event of wrongdoing in or around an AT&T Premises or involving AT&T's or another collocated telecommunications carrier's property or personnel, provided that AT&T shall provide reasonable notice to KDL's Security representative of such interview. KDL and its employees, agents, suppliers, or Guests shall reasonably cooperate with AT&T's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving KDL's employees, agents, suppliers, or Guests. Additionally, AT&T reserves the right to bill KDL for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that KDL's employees, agents, suppliers, or Guests are responsible for the alleged act(s). AT&T shall bill KDL for AT&T property, which is stolen or damaged, where an investigation determines the culpability of KDL's employees, agents, suppliers, or

Version: 2Q07 Standard ICA

Guests and where KDL agrees, in good faith, with the results of such investigation. KDL shall notify AT&T in writing immediately in the event that KDL discovers one of its employees, agents, suppliers, or Guests already working on the AT&T Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from AT&T's Premises, any employee found to have violated the security and safety requirements of this Section. KDL shall hold AT&T harmless for any damages resulting from such removal of KDL's personnel from an AT&T Premises.

- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on AT&T's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

13 Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire. windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for KDL's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for KDL's permitted use, or is damaged and the option to terminate is not exercised by either Party, AT&T covenants and agrees to proceed promptly without expense to KDL, except for improvements not to the property of AT&T, to repair the damage. AT&T shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of AT&T, which causes shall not be construed as limiting factors, but as exemplary only. KDL may, at its own expense, accelerate the rebuild of its Collocation Space and equipment provided, however, that an AT&T Certified Supplier is used and the necessary space preparation has been completed. If KDL's acceleration of the project increases the cost of the project, then those additional charges will be incurred at KDL's expense. Where allowed and where practical, KDL may erect a temporary facility

Version: 2Q07 Standard ICA

while AT&T rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, KDL shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for KDL's permitted use, until such Collocation Space is fully repaired and restored and KDL's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where KDL has placed an Adjacent Arrangement pursuant to Section 3.4 above, KDL shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, AT&T will restore the associated services to the Adjacent Arrangement.

14 Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by AT&T of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, AT&T and KDL shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

15 Nonexclusivity

15.1 KDL understands that this Attachment is not exclusive and that AT&T may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

Version: 2Q07 Standard ICA

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

1. General Principles

- 1.1 Compliance with Applicable Law. AT&T and KDL agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and Occupational Safety and Healthy Act (OSHA) regulations issued under the OSHA of 1970, as amended and National Fire Protection Association (NFPA), NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. AT&T and KDL shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. KDL should contact 1-800-743-6737 for any AT&T MSDS required.
- 1.3 Practices/Procedures. AT&T may make available additional environmental control procedures for KDL to follow when working at an AT&T Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of AT&T for environmental protection. KDL will require its suppliers, agents, Guests, and others accessing the AT&T Premises to comply with these practices. Section 2 below lists the Environmental categories where AT&T practices should be followed by KDL when operating in the AT&T Premises.
- 1.4 Environmental and Safety Inspections. AT&T reserves the right to inspect the KDL space with proper notification. AT&T reserves the right to stop any KDL work operation that imposes Imminent Danger to the environment, employees or other persons in or around an AT&T Premises.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned at an AT&T Premises by KDL are owned by and considered the property of KDL. KDL will indemnify AT&T for claims, lawsuits or damages to persons or property caused by these materials. Without prior

Version: 2Q07 Standard ICA

written AT&T approval, no substantial new safety or environmental hazards can be created by KDL or different hazardous materials used by KDL at an AT&T Premises. KDL must demonstrate adequate emergency response capabilities for the materials used by KDL or remaining at an AT&T Premises.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at an AT&T Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by KDL to AT&T.
- 1.7 Coordinated Environmental Plans and Permits. AT&T and KDL will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, AT&T and KDL will develop a cost sharing procedure. If AT&T's permit or EPA identification number must be used, KDL must comply with all of AT&T's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of AT&T disposition vendors and disposal sites.
- Environmental and Safety Indemnification. AT&T and KDL shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at an AT&T Premises.

2. Categories for Consideration of Environmental Issues

- When performing functions that fall under the following Environmental categories on AT&T's Premises, KDL agrees to comply with the applicable sections of the current issue of AT&T's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. KDL further agrees to cooperate with AT&T to ensure that KDL's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of AT&T's Environmental M&Ps, which apply to the specific Environmental function being performed by KDL, its employees, agents, suppliers, and/or Guests.
- The most current version of the reference documentation must be requested from KDL's AT&T Regional Contract Manager (RCM).

Environmental Categories Environmental Issues Addressed By The Follo Documentation
--

Version: 2Q07 Standard ICA

T. 1 01 1		The same of the sa
Disposal of hazardous	Compliance with all	Std T&C 450
material or other regulated	applicable local, state &	Fact Sheet Series 17000
material (e.g., batteries,	federal laws and regulations	<u> </u>
fluorescent tubes, solvents &		
cleaning materials)	Pollution liability insurance	Std T&C 660-3
,		
	EVET approval of supplier	Approved Environmental
		Vendor List (Contact RCM
	İ	Representative)
Emergency response	Hazmat/waste release/spill fire	Fact Sheet Series 17000
Linergency response	safety emergency	i .
	salety efficigency	Building Emergency
		Operations Plan (EOP)
		(specific to and located on
	 	AT&T's Premises)
Contract labor/outsourcing for	Compliance with all	Std T&C 450
services with environmental	applicable local, state and	
implications to be performed	federal laws and regulations	
on AT&T Premises (e.g.,		Std T&C 450-B
disposition of hazardous	Performance of services in	(Contact RCM Representative
material/waste; maintenance	accordance with AT&T's	for copy of appropriate E/S
of storage tanks)	environmental M&Ps	M&Ps.)
	Insurance	Std T&C 660
Transportation of hazardous	Compliance with all	Std T&C 450
material	applicable local, state &	Fact Sheet Series 17000
	federal laws and regulations	
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	}
		Approved Environmental
		Vendor List (Contact RCM
		Representative)
Maintenance/operations work	Compliance with all	Std T&C 450
which may produce a waste	applicable local, state &	
produce a maste	federal laws and regulations	İ
	receiui iaws and regulations	
Other maintenance work	Protection of AT&T	29 C.F.R. § 1910.147 (OSHA
	employees and equipment	Standard)
	omprojees and equipment	29 C.F.R. § 1910 Subpart O
		(OSHA Standard)
		(OSITA STANDARU)
Janitorial service	All waste removal and	Procurement Manager (CRES
	disposal must conform to all	Related Matters)-AT&T
	applicable federal, state and	Supply Chain Services
	applicable federal, state and	Suppry Chain Services

Version: 2Q07 Standard ICA

	local regulations	
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 for questions regarding removing or disturbing materials that contain asbestos, call the AT&T Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

3. Definitions

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. OSHA hazard communications standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at an AT&T Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the

Version: 2Q07 Standard ICA

environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. Acronyms

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> – Department Environmental Coordinator/Local Department Environmental Coordinator

E/S - Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> – AT&T Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> – Property & Services Management

Std T&C - Standard Terms & Conditions

Version: 2Q07 Standard ICA

COLLOCAT	ION - Alabama												Att: 4 Exh; B		•	-
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Syc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec -	Nonre- First	curring Add'l	Nonrecurring First	Disconnect Add'I	COMPO	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
		 				 	rirst	Addi	FIFET	A061	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
HYSICAL COL	LOCATION										 					
Applica																
	Physical Collocation - Initial Application Fee			CLO	PE1BA		1.879.48		0.51							
-	Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct Connect,			CLO	PEICA		1.566.60		0.51		ļ					
	Application Fee, per application			CLO	PEIDT		584.22		ľ							1
	Physical Collocation Administrative Only - Application Fee				PEIBL		742.15									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.41		1.21							
	Physical Collocation - Application Cost, Minor Augment		ļ.,	CLO	PEIKM	1	833.47		1,21							
	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment	<u> </u>		CLO CLO	PE1K1 PE1KJ		1,058.00 2,410.00		1.21		-					
Space F	Preparation			oco .	p C IND		2.410.00	L	1.21	<u> </u>		L				
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	3.22			1		1				I	
	Physical Collocation - Space Enclosure, welded wire, first 50 square feet			CLO	PE1BX	140.99										1
	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	156.33										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	15.34										
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			cro	PE1SK	1.96										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.62										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			cro	PE1SM	98.86					ļ					ļ
	Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Availability Report, per Central Office			сго	PE1SJ		600.71									ļ
	Requested	L		CLO	PE1SR		1,075,17									i
Power																
	Physical Collecation - Power, -48V DC Power - per Fused Amp Requested		·	CLO	PE1PL	7.83										1
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	4.91			-							
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	9.84										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	14.74					· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·		
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	34.05										
Cross C	Connects (Cross Connects, Co-Carrier Cross Connects, and Por	ts)														
				UEANL,UEO, UNCNX, UEA, UCL, UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning				PE1P2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL WDS1L, WDS1S	PE1P4	0.05	12.39	11.87	6.39	5.73	ļ					
				UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,							† 					<u> </u>
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			USL, UEPEX, UEPDX UE3, U1YD3,	PE1P1	1,11	22.03	15.93	6.40	5.79						
				UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB,												
1	Physical Collocation - DS3 Cross-Connect, provisioning	L		UEPSE, UEPSP	PE1P3	14.16	20.89	15.20	7.38	5.92	1					

OLLOCA	TION - Alabama								·				Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Menually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronk Disc Add
						Rec	Nonre		Nonrecurring					Rates(\$)	-	
	<u> </u>				ļ	1.00	First	Add'I	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			CLO, U	LUC3. . ULD48.]		ŀ						
		1		. ULD46.												İ
				UDLO3.												İ
	Physical Collocation - 2-Fiber Cross-Cornect		UDL12		PE1F2	2.81	20.89	15.20	7.38	5.92						
				ULD12.												
				. U1TO3,	1	1										
				U1T48,	1											
				, UDL12,	1	1										
	Physical Collocation - 4-Fiber Cross-Connect		UDF, U	DFCX	PE1F4	4.99	25.55	19.86	9.71	8.25				<u> </u>		<u> </u>
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -							1								
	Fiber Cable Support Structure, per linear foot, per Cable.		CLO		PEIES	0.0011										1
		 	- Joe		7 = 1 = 3	0.0011					 	<u> </u>				
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		ł													
	Copper/Coax Cable Support Structure, per linear foot, per cable.		CLO		PE1DS	0.0016										
			ÜEPSF	I, UEPSP,				-								
				. UEPSB,												İ
	Physical Collocation 2-Wire Cross Connect, Port			K, UEP2C	PE1R2	0.03	12.30	11.80	6.03	5.44						İ
	Physical Collocation 4-Wire Cross Connect, Port		UEPEX	(, UEPDD	PE1R4	0.05	12.39	11.87	6.39	5.73						
Secur		,	, ,													
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour		CLO		PE18Y		16.93	10 73								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per					1							Ï			
	half hour		cro		PE1OT		22.05	13.86								1
	Physical Collocation - Security Escort for Premium Time - outside	 	U.Q		1, 5, 101		22.03	10.00			 			ļ		
	of scheduled work day, per half hour		CLO		PEIPT	1	27.17	16.98								ĺ
	Physical Collocation - Security Access System - Security System	· · · · · · · · · · · · · · · · · · ·		-	1			10.00			-					
	per Central Office		cro		PE1AX	45.70										ĺ
	Physical Collocation -Security Access System - New Card															
	Activation, per Card Activation (First), per State		CLO		PE1A1	0.05	27.79				<u> </u>					ĺ
1					1 1							-				
	Physical Collocation-Security Access System-Administrative		2.5		I 1											ĺ
-i	Change, existing Access Card, per Request, per State, per Card		CLO	· · · · · · ·	PE1AA		7 79									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card		cro		PE1AR		22.78									ĺ
	Physical Collocation - Security Access - Initial Key, per Key	_	CLO		PETAK		13.10					 				
	Physical Collocation - Security Access - Key, Replace Lost or	_					13.10									
i	Stolen Key, per Key		CLO		PE†AL		13.10									É
CFA				·	'		· · · · · · · · · · · · · · · · · · ·				·					· · · · · · · · · · · · · · · · · · ·
	Physical Collocation - CFA Information Resend Request, per											· · · · ·				
	premises, per arrangement, per request		CLO		PE1C9		77.56									1
Cable	Records - Note: The rates in the First & Additional columns will a	ctually b	e billed as "Init	tial I" and "Su	ubsequent S"	espectively						,				
	Physical Collocation - Cable Records, per request		Cro		PETCH		759.29	S 488.11	133.00							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)		01.0		DE100	1					1					
	Physical Collocation, Cable Records, VG/DS0 Cable, per each		CLO		PE1CD		326.92		189.12							
ŀ	100 pair		CLO		PE1CO	i	4.81		• • •		1					i
	Physical Collocation, Cable Records, DS1, per T1 TiE		CLO		PE1C1		2.25		5.90 2.76							
+	Physical Collocation, Cable Records, DS3, per T3 TIE		CFO		PE1C3		7.88		9.66		 			-		
	Physical Collocation - Cable Records, Fiber Cable, per cable		7.5		7		7.50		3.00			-				
_	record (maximum 99 records)		CLO		PE1CB	ļ	84.49		77.13							ł
	Physical Collocation, Cable Records CAT5/RJ45		CLO		PE1C5		2.25		2.76							
Virtua	I to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation.				1	· · · · · · · · · · · · · · · · · · ·									.)	
	per Voice Grade Circuit	L	CLO		PE1BV		33.00				<u> </u>				<u> </u>	
1	Physical Collocation - Virtual to Physical Collocation Relocation,					T										
	per DSO Circuit	ļ	cro		PE180		33.00									
1	Physical Collocation - Virtual to Physical Collocation Relocation,		21.5		DE LOS	I		Ţ								
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation.	ļ	cro		PE181		52.00		·							
					. 1			1			i		- 1			,

COLLOCAT	TON - Alabama												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	Usoc			RATES(\$)			Svc Order Submitted Eiec per LSR	Svc Order Submitted Menually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	incremental Charge - Manuel Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electroni Disc Add
-+-					+	Rec	Nonrec First	Add't	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
- i -	Physical Collocation - Virtual to Physical Collocation In-Place, Per	-	 		 	 	rnet	Augi		A001	JUMEU	30mmil	SUMM	SOMOSIA	SOMAIT	3 OMAN
-	Voice Grade Circuit			CLO	PE1BR	1	22.44		i							
	Physical Collocation Virtual to Physical Collocation In Place, Per	T														
	DSO Circuit	<u> </u>		CLO	PEIBP		22.44									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			сьо	PE1BS	1	32.62					1				
_	Physical Collocation - Virtual to Physical Collocation In-Place, per		-	1	ILE 100	 	32.02				 			· · · · · · · · · · · · · · · · · · ·		
	DS3 Circuit			CLO	PE1BE		32.62									
Entran	ce Cable							•								
	Physical Collocation - Fiber Cable Installation, Pricing, non-	}														
	recurring charge, per Entrance Cable	 	-	CLO	PE18D		859.71		22.49							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	17,11										
		 	· · · ·		1	1			† · · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·	
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PETED		3.87				L					
RTUAL COL	LOCATION	<u> </u>			<u> </u>											
Applica	Virtual Collocation - Application Fee	,		AMTES	TEAF	, ,	1,205.26			/						1
	Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect.			AMIFO	I CAL	 	1,205.26		0.51		 			L		
	Application Fee, per application	L	L	AMTFS	VEICA		584.22									
	Virtual Collocation Administrative Only - Application Fee			AMTES	VE1AF		742.15		I							
Space	Preparation			Y	T===											
	Virtual Collocation - Floor Space, per sq. ft.	<u> </u>	L	AMTFS	ESPVX	3.22		L			L					L
Power	Virtual Collocation - Power, per fused amp	T		AMTES	ESPAX	7.83			1	1	,					
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)		p U	150: 77	1.00		L		l						
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ. UNCVX, UNCDX, UNCNX UEA, UHL, UCL, UDL, UNCVX,	UEAG2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning		<u></u>	UNCDX	UÉAC4	0.05	12.39	11.87	6.39	5.73	L_	ļ				
	Virtual collocation - Special Access & UNE, cross-correct per DS1			ULR, UXTD1, UNC1X, ULD01, U1TD1, USLEL. UNLD1, USL. UEPEX, UEPDX USL. UE3, U1TD3, UXTS1, UXTD3,	CNC1X	1,11	22.03	15 93	6.40	5.79						
		1		UNC3X, UNCSX, ULDD3, U1TS1,	1						1					
	Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UTIS1,							1					
	DS3	<u></u>		UNLD3, XDEST	CND3X	14.16	20.89	15.20	7.38	5.92						
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UD!		2.84	20.89	15.20	7.38	5.92						·
	THIS CONCOUNTY ET IDE OF SO CONCOUNTS	 	 	020 12, 02040, 001	J. TOE	100.3	20.03	13.20	7.36	3.92						
	Virtual Colocation - 4-Fiber Cross Connects			UDE12, UDE03, U1T48, U1T12, U1T03, UED03, UED12, UED48, UDI	CNC4F	5.69	25.55	19.86	9.71	8.25						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear toot, per cable			AMTFS	VE1CB	0.0011										
				1	1	1					I					
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0016										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			UEPSX, UEPS8.	VE1CD	0.0016										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -				VE1GD VE1R2	0.0016	12.30	11,80	6.03	5.44						

COLLO	CAT	ON - Alabama												Att: 4 Exh: B			
ATEGOR		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
								Names		. Name a line to a	Discourses					DISC 15t	DISC AGO
							Rec	Nonrec First	arring Add't	Nonrecurring First	Disconnect Add'i	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
CI	FA						<u></u>										·
		Virtual Collocation - CFA Information Resent Request, per			AMTES	W5400		77.50		,							
· ·	inhin D	Premises, per Arrangement, per request ecords - Note: The rates in the First & Additional columns will a	etrosthi b			VE1QR	specificals.	77.56		·			1			l	<u> </u>
	ane n	Virtual Collocation Cable Records - per request	Ctuany D	A DINEC	AMTES	VE1BA	Spectively	759.29	S 488.11	133.00	. · · · · ·	· · · · · · · · · · · · · · · · · · ·				ı ·	Γ
		Virtual Collocation Cable Records - VG/DS0 Cable, per cable							<u> </u>			-					
		record			AMTFS	VE1BB		326.92		189.12		<u> </u>					
		Virtual Collocation Cable Records - VG/DS0 Cable, per each 100			AMTFS	VE1BC	ļ [4.81		5.90				}			
		pair Virtual Collocation Cable Records - DS1, per Y17IÉ			AMTES	VE1BD	ļ	2.25		2.76							
-		Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE		7.88		9.66					-	-	-
		Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AWITT 0	10.00	 	7.00		3.00							
		records			AMTFS	VE1BF	i l	84.49		77.13	J		1	F		1	1
		Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.25		2.76							
Se	ecurity						·										
		Virtual collocation - Security escort, basic time, normally scheduled											I				T
		work hours		L.,	AMTFS	SPTBX	ļ I	16.93	10.73					<u> </u>			
		Virtual collocation - Security escort, overtime, outside of normally				L											
		scheduled work hours on a normal working day			AMTFS	SPTOX		22.05	13.86								ļ
		Virtual collocation - Security escort, premium time, outside of a				L]			
		scheduled work day			AMTFS	SPTPX	LI	27.17	16.98	L	L	<u> </u>	l	<u> </u>	L	l	L
- Mi	fainten	Virtual collocation - Maintenance in CO - Basic, per half hour		·	AMTFS	CTRLX	 	27.93	10.73					,	r		1
		Virtidal Edillocation - Mathtenatice Int CO - basic, per trail foot			AWITO	U PLA	 	27,33	10.73				<u> </u>	 			<u> </u>
		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM		36.47	13.85								
					,		ľ										
		Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM	L	45.02	16.98	!	<u> </u>	<u> </u>			<u> </u>		
Ē		e Cable		,		-122220						,			,		·····
		Virtual Collocation - Cable Installation Charge, per cable			AMTFS AMTFS	ESPSX	14.97	859.71		22.49							
OLL OCA	ATION	Virtual Collocation - Cable Support Structure, per cable IN THE REMOTE SITE	-		AMILES	EGFGX	14.97										· · · · · · · · · · · · · · · · · · ·
		Il Remote Site Collocation					L			· · · · · ·	L	·	!			L	
		Physical Collocation in the Remote Site - Application Fee		· · · · ·	CLORS	PEIRA	[307.70		168.22	·	ļ		1	f		T
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42					1	1				
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PEIRD	1	13.10							<u> </u>		
		Physical Collocation in the Remote Site - Space Availability Report													İ		1
		per Premises Requested			CLORS	PEISR	ļ	115 87									
		Physical Collocation in the Remote Site · Remote Site CLLI Code			C 000	PEIRE		27.50		Ì				Į.	İ		
		Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		ļ	CLORS CLORS	PEIRE		37.56 233.38				ļ					
		Power, DC Power Provisioning (Alabama Only ICB Rate)			CEORS	PEINE		233.38							·		
- +-		Physical Collocation - Security Escort for Basic Time - normally		 		+	 			 		 		 	 		
		scheduled work, per half hour	l		CLORS	PE1BT	ļ. i	16.93	10.73	1				1	1		1
		Physical Collocation - Security Escort for Overtime - outside of	· · · · · · ·	 		1	 							<u> </u>	· · · · · · · · · · · · · · · · · · ·		
		normally scheduled working hours on a scheduled work day, per	!]		1
		half hour			CLORS	PEIOT	<u> </u>	22.05	13.86	<u> </u>						L	L
		Physical Collocation - Security Escort for Premium Time - outside]				·		1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
		of scheduled work day, per half hour		<u> </u>	CLORS	PE1PT	<u></u>	27.17	16.98		l		ļ				
A		nt Remote Site Collocation								 			,				
		Remote Site-Adjacent Collocation-Application Fee	 	-	CLORS	PE1RU	ļ	755.62	755.62			 			ļ		ļ
		Remata Sita Adiagram Callegation Real Estate and account fact	F	1	CLORS	PEIRT	0.134			1		İ	1	i	}		
		Remote Site-Adjacent Collocation - Real Estate, per square foot	 		CCURS	TE IN	U.134			 	 	 		 		-	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	1	1	CLORS	PE1RS	6.27						1	1		1	l
M	OTE	If Security Escort and/or Add'l Engineering Fees become necess	sary for	adiacer				e appropriate r	ates.	·	I .		<u> </u>	 	·		·
		Remote Site Collocation						- spropriete it									
- 1		Virtual Collocation in the Remote Site - Application Fee	I	Ι	VE1RS	VE1BB		307,70	307.70	168.22	168.22		J				
				1			T					I	· · · · · · · · · · · · · · · · · · ·				T
		Virtual Collocation in the Remote Site - Per Bay/Rack of Space	<u> </u>	1	VEIRS	VE1RC	201.42					<u> </u>	L	1			
		Virtual Collocation in the Remote Site - Space Availability Report		Ţ													
		per Premises requested	Ļ	1	VE1RS	VÉTRR	ļ	115.87	115 87								
1		Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested	[1	l	L]	<u>"</u>		I	1		l	1			
					VE1AS	VE1RL	. 1	37.56	37.56	1	1			1			4

COLLOCA	TION - Alabama											Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Charge - Manual Svc Order vs.	incremental Charge - Manual Svc Order vs. Electronic- Disc 1at	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrec	urring	Nonrecurring	Disconnect		·	oss	Rates(\$)	•	•
				1	1 26	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADJACENT C	OLLOCATION														
	Adjacent Collocation - Space Charge per Sq. Ft.		CLOAC	PE1JA	0.14					· · · · ·					
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		CLOAC	PE1JC	5.41										
	Adjacent Collocation - 2-Wire Cross-Connects		UEANL,UEQ,UEA,U GL, UAL, UHL, UDN	PENJE	0.02	12.30	11.80		5.44						
	Adjacent Collocation - 4-Wire Cross-Connects		UEA,UHL,UDL,UÇL		0.04	12.39	11.87	6.39	5.73	<u> </u>					
	Adjacent Collocation - DS1 Cross-Connects		USL	PE1JG	1.03	22.03	15.93	8.40	5.79						
	Adjacent Collocation - DS3 Cross-Connects		UE3	PETJH	13.95	20.89	15.20		5.92	1					
1——	Adjacent Collocation - 2-Fiber Cross-Connect		CLOAC	PEIJJ	2.36	20.89	15.20		5.92						
	Adjacent Collocation - 4-Fiber Cross-Connect		CLOAC	PE1JK	4.52	25.55	19.86		8.25						
	Adjacent Collocation - Application Fee		CLOAC	PÉ1JB		1,576.69		0.51							L
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp		CLOAC	PE1JL	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp		CLOAC	PEIJM	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp		CLOAC	PE1JN	14.74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp		CLOAC	PEIJO	34.06										
	Adjacent Collocation - DC power provisioning (Alabama Only Mandate ICB)														
	Note: ICB means Individual Case Basis														T

COLFOC	TA	ON - Florida						• ••						Att: 4 Exh: B	•		
CATEGOR		RATE ELEMENYS	Interiro	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sy Order vs Electronic Disc Add
			-				Rec	Nonrec		Nonrecurring					Rates(\$)		
				-	 			First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL	COL	LOCATION								-		-					
	plicat	lon					• • • • • • • • • • • • • • • • • • • •					•			·		
		Physical Collocation - Initial Application Fee		$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	CLO	PE1BA		2.785.00		1.20							
		Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct Connect.			CLO	PE1CA	łl	2,236.00		1.20		ļ <u>-</u>					
		Application Fee, per application			CLO	PE1DT] [564 81		1							
		Physical Collocation - Power Reconfiguration Only, Application			0.0			504 61									
		Fee			CLO	PE1PR	<u> </u>	409.50		1						ľ	
		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL	1	760.91		1.20							
Spa		reparation			16. 6					,							
		Physical Collocation - Floor Space, per sq feet Physical Collocation - Space Enclosure, welded wire, first 50			CLO	PEIPJ	5.28			 		-			L		
		square feet			CLO	PE1BX	171,12			1							
		Physical Collocation - Space enclosure, welded wire, lirst 100	-													· · · · · · · · · · · · · · · · · · ·	
		square feet			CLO	PE†BW	189.73										
l l		Physical Collocation - Space enclosure, welded wire, each										ĺ					
		additional 50 square feet		.	CLO	PE1CW	18.61		 								
		Physical Collocation - Space Preparation - C.O. Medification per square ft.			CLO	PEISK	2.38			1							
		Physical Collocation - Space Preparation, Common Systems		 	000	FEISK	2.36								·····	·	
		Modifications-Cageless, per square foot			cro	PEISL	2.50					1					
		Physical Collocation - Space Preparation - Common Systems										1					
		Modifications-Caged, per cage			CLO	PE1SM	84.93					1.					
	ļ.				l		1 1					1					
		Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Availability Report, per Central Office			CLO	PEISJ	-	287.36									ļ
		Requested		l	cro	PEISE	1 1	572.66									1
Pov	wer	19900440			1900		·	0, E.00)	•								
		Physical Collocation - Power, -48V DC Power - per Fused Amp										[· · · · · · · · · · · · · · · · · · ·		,	
		Requested			CLO	PE1PL	7.80										
		Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amo		1	0.0		ا ۔۔۔ ا					1					
		Physical Collocation - Power, 240V AC Power, Single Phase, per		 	CLO .	PE1F8	5.26										
		Breaker Amp		1	cro	PE1FD	10.53	1									1
		Physical Collocation - Power, 120V AC Power, Three Phase, per		 	OLV		10.30	-				 					
		Breaker Amp		1	CLO	PE1FE	15.80										1
		Physical Collocation - Power, 277V AC Power, Three Phase, per		I													
		Breaker Amp Physical Collocation - Power - DC power, per Used Amp			CLO	PE1FG PE1FN	36.47					ļ					
Cro		ennsical Collection - Fower - DC power, per Used Amp onnects (Cross Connects, Co-Carrier Cross Connects, and Por			CLO	PEIFN	10.69			<u> </u>							<u> </u>
10,0	793	diffects (cross connects, co-carren cross connects, and For	13/	1	UEANL,UEQ,UNCN					F		Ε					
			i		X, UEA, UÇL, UAL,					·		1				İ	ĺ
		Physical Collocation - 2-wire cross-connect, loop, provisioning			UHL, UDN, UNCVX	PE1P2	0.0208	7.32	5.37	4.5B	2.71	•					1
1				1	UEA, UHL, UNCVX,				•								
		Physical Collocation - 4-wire cross-connect, loop, provisioning		 	UNCDX, UCL, UDL	PE1P4	0.0416	8.00	5.75	5.00	2.69	ļ					
1			ł		WDS1L, WDS1S, UXTD1, ULDD1,												
1	- 1		ļ		USLEL, UNLD1,					ļ		1					
1	1				U1TD1, UNC1X			1				1					
	- 1				UEPSR, UEPSB,			1									1
	1				UEPSE UEPSP	1	!			ĺ							i
}		Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			USL, UEPEX, UEPDX	PE1P1	0.3786	7.88	6.25	1.35	0.9899						i
		Concoducit, provisioning		 	UE3, U1TD3.	r C IF I	0.3786	7.68	6.25	1.35	0.9899	 	· · · · · · · · · · · · · · · · · · ·				
					UXTD3, UXTS1	1				i							i
					UNC3X, UNCSX,		!!!			i							i
	ļ				ULDD3, U1T\$1,		1			ŀ							i
					ULDS1, UNLO3, UEPEX, UEPDX.		į †			ł							i
	ĺ				UEPSR. UEPSB.		1										i
1	- 1	Physical Collocation - DS3 Cross-Connect, provisioning	1	1	UEPSE, UEPSP	PE1P3	4.16	32.40	31.03	11,15	10.98	1					i

OLLOCAT	ION - Florida												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	interim	Zone	BC\$	USOC			RAYES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring		201150	SOMAN		Rates(\$)	SOMAN	SOMAN
		-	1	CLO, ULDO3,	+		First	Add1	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF ULD03, ULD12, ULD48, U1T03, U1T12, U1T48,	PE1F2	1.71	28.26	25.85	13.78	11.01						
	Physical Collocation - 4-Fiber Cross-Connect			UDLO3, UDL12, UDF, UDFCX	PE1F4	3 34	37.92	35.51	18.20	15.44				1		
	Physical Colocation - 4-Fiber Cross-Connect	1	+	UDF, UDFCX	FEIFE	3 34	37.92	33.31	10.40	13,44				 		
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect Fiber Cable Support Structure. per linear foot, per cable.			CLO ^	PE1ES	0.0008										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -				1 1	[
	Copper/Coax Cable Support Structure, per linear foot, per cable.	L	<u> </u>	CLO	PE1DS	0.0012					L				<u> </u>	<u> </u>
				UEPSR, UEPSP. UEPSE, UEPSB.	1 1	į										1
	Physical Collocation 2-Wire Cross Connect, Port			UEPSK, UEPSB.	PE1B2	0.0208	7.32	5.37	4.58	2.71						
	Physical Collocation 4-Wire Cross Connect. Port	 	 	UEPEX, UEPDD	PE1R4	0.0416	8.00	5.75	5.00	2.69	 			 		
Securi	ly .										*	`	·	•		*
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PEIBT		33.65	22.05								
	Physical Collocation - Security Escort for Overtime - outside of	1	 	ÇLO .	FEIDI		33.63	22.00								
	normally scheduled working hours on a scheduled work day, per					ľ										
	half hour		ļ	CLO	PE10T		44.83	28.89								ļ
	Physical Collocation - Security Escort for Premium Time - outside			CLO	PE1PT		55.62	35.73								{
_	of scheduled work day, per half hour Physical Collocation - Security Access System - Security System		1		1		33.02	33.73			<u> </u>					
	per Central Office, per Sq. Ft. Physical Collocation -Security Access System - New Card		 -	CLO	PE1AY	0.0101								 		ļ
	Activation, per Card Activation (First), per State			CLO	PE1A1		38.95									•
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		8.84									
	Physical Collocation - Security Access System - Replace Lost or		_		1	*	4.07				 			1		
	Stolen Card, per Card			CLO	PETAR		28.78									
_	Physical Collocation - Security Access - Initial Key, per Key	-		CLO	PE1AK		23.28									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			cro	PE1AL		23.28									
CFA	Stolen Key, per Key		4	Joco	Leine I		. 23.20		ــــــــــــــــــــــــــــــــــــــ		٠	····	!	 	·	J
	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			cro	PE1C9		79.52									
Cable	Records - Note: The rates in the First & Additional columns will a Physical Collocation - Cable Records, per request	actually (CLO	IPE1CR	eshacus ala	1515.00	S 973 64	256.35					Γ		
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			Cro .	PE1CD		646.84		362.41							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair		1	CLO	PE1CO	I	9.11		10.80						1	
	Physical Collocation, Cable Records, DS1, per T1 TIE	+-	1	CLO	PE1C1		4.52		5.35		 	 		 	-	
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		15.81		18.73							
	Physical Collocation - Cable Records, Fiber Cable, per cable			610	DEACE		400.00		140.00							
	record (maximum 99 records) Physical Collocation, Cable Records, CAT5/RJ45	+	+	CLO	PE1CB PE1C5		169.96 4.52		149.97 5.35		-	-			-	
Virtual	to Physical			Inch	1-6100 1	1	4.36		3.35			<u> </u>	<u> </u>		I	·
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			cro	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			cro	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									

OLLOCAT	ION - Florida												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1xt	Increments Charge - Manual SV Order vs. Electronic Disc Add'
		4				Rec	Nonrec		Nonrecurring					Rates(\$)		
	Physical Collocation - Virtual to Physical Collocation in-Place, Per	 				 	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per	ļ		CLO	PE1BR		22.51									
	DSO Circuit Physical Collocation - Virtual to Physical Collocation in-Place, Per			CLO	PEIBP		22.51									
	Physical Collocation - Virtual to Physical Collocation in-Place, per	ļ		CLO	PE1BS		32.73						ļ			
Entran	DS3 Circuit ce Cable	<u> </u>		cro	PE1BE		32.73				<u> </u>		<u></u>	Į		<u> </u>
England	Physical Collocation - Fiber Cable Support Structure, per Entrance	7	1		1						r		T		r	
	Cable	<u> </u>		cro	PE1PM	5.19										
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			cro	PE1EC		994.12		43.84							
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			cro	PE1ED		7 43			· · · · · · · · · · · · · · · · · · ·						
RTUAL COLL		<u> </u>		L	<u> </u>		1		l				L			
Applica	Virtual Collocation - Application Fee	_		AMTES	EAF	···	1,241.00		1.20							1
	Virtual Collocation - Co-Carrier Gross Connects/Direct Connect,	-		Tamin Ló	LAT -	 	1,241.00		1.20				 	 	ļ <u></u> .	
	Application Fee, per application	-		AMTES	VE1CA		564.81									
	Virtual Collocation Administrative Only - Application Fee				VE1AF	1 1	760.91		1.20							<u> </u>
Space	Preparation									•			·	•	•	
	Virtual Collocation - Floor Space, per sq. ft.	1	L	AMTES	ESPVX	5.28										
Power		,	,	1111990	E05/::				,				,			
	Virtual Collocation - Power, per fused amp	├		AMTES AMTES	ESPAX VE1PF	6.95	-						_			
Cross (Virtual Collocation - Power, DC power, per Used Amp Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rte\		AMITO	YEIFF	10.69							L	L	!	<u> </u>
	Virtual Collecation - 2-wire cross-connect, loop, provisioning Virtual Collecation - 4-wire cross-connect, loop, provisioning			UEANL, UEA. UDN, UAL, UHL, UCL, UEO, UNCVX, UNCDX, UNCNX UEA, UHL, UCL, UDL, UNCVX, UNCDX,	UEAC2	0.0201	7.32 8.00	5.37 5.75	4.58	2.71		<u> </u>				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR. UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	0.3786	7.88	6.26		0.9915						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST	CND3X	4.16	32.40	31.03	11.15	10.98						
	Virtual Collocation - 2-Fiber Cross Comects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.75	28.26	25.85	13.78	11.01						
	 			UDL 12. UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.50	37.92	35.51	18.20	15,44						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -					J.55	07.02	33.31	10.20	10,44				*		
	Fiber Cable Support Structure, per linear foot, per cable		-	AMTES	VETCB	0.0008										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0012										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSX, UEPSB. UEPSE. UEPSP. UEPSR. UEP2C	VE1R2	0.0201	7.32	5.37	4.58	2.71						

OLLOCA	TION - Florida												Att: 4 Exh: B			
TEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
1					·	Rec	Nonrec		Nonrecurring					Rates(\$)	l	1
				LIEBER (IEBE)/		1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CFA	Virtual Collocation 4-Wire Cross Connect, Port	I	نسبا	UEPDD, UEPEX	VE1R4	0.0403	8.00	5.75	5.00	2.69	L		l	l	l	l
CFA	Virtual Collocation - CFA Information Resend Request, per				T	1 1					T		l		i —	
	Premises, per Arrangement, per request			AMTFS	VE1QR		79.52									
Cable	Records - Note: The rates in the First & Additional columns will a	ctually b				spectively					- -		,			
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA	1	1 1515.00	S 973.64	256.35		ļ		ļ		 	
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		646.84		362.41]			
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100		$\overline{}$													
	pair		└	AMTFS AMTFS	VE1BC VE1BD	ļ	9.11 4.52		10.80 5.35							
	Virtual Collocation Cable Records - DS1, per T1TIE Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE	 	15.81		18.73							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		 		170.150	 			10.72							
1	records		_	AMTFS	VE1BF		169.96		149.97				Ĺ		l	
	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE185		4.52		5.35		<u> </u>		<u> </u>	i		
Secur	ty	,	,										,		····	····
	Virtual collocation - Security escon, basic time, normally scheduled work hours		1	AMTES	SPTBX	i I	33.65	22.05								
	Virtual collocation - Security escort, overtime, outside of normally	.			Ot / U/		50.00							i		
İ	scheduled work hours on a normal working day			AMTFS	SPTOX		44.63	28.89					<u> </u>		l	
1	Virtual collocation - Security escort, premium time, outside of a	1			1											
	scheduled work day	L	L	AMTES	SPTPX	<u> </u>	55.62	35.73		L	ļ		L	<u> </u>		
Maint	mance Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	ICTRLX		54.05	22.05	T		7	ŀ				
	Virtual collocation / Maintervarice in CO - Basic, per rail 1800	 		AWIFS	CIRCA	 	34.05	22.03		 	 		t	 		
ı	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		72.18	28.89			1					
		T												I		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM	<u> </u>	90.31	35.73		<u> </u>	1			<u> </u>	L	L
Entra	Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX	,	1,473.00		43.84	T	Υ		· · · · · · · · · · · · · · · · · · ·	1		
	Virtual Collocation - Cable Support Structure, per cable	ì		AMTES	ESPSX	4.54	1,475.00		43.04		 		·	 	 	-
LLOCATIO	N IN THE REMOTE SITE			- 									1			
Physi	cal Remote Site Collocation											,	,	,		
	Physical Collocation in the Remote Site - Application Fee	ļ	ļ	CLORS	PE1RA PE1RB	154,59	612.23		270.35					ļ		ļ
	Cabinet Space in the Remote Site per Bay/ Rack	 	 	CLORS	PETHB	154.59			ļ		·		}			· · · · · · · · · · · · · · · · · · ·
i	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		23.28							i	1	
	Physical Collocation in the Remote Site - Space Availability Report	1			1]
	per Premises Requested	ļ		CLORS	PE1SR	1	223,91									ļ
1	Physical Collocation in the Remote Site - Remote Site CLLI Code		ł	CLORS	PE1RE		73.39		İ]
	Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		 	CLORS	PEIRR	 	208.02						 	·		
	Physical Collocation - Security Escort for Basic Time - normally	 	-	000110	 	 	200.00				 	-		 		
	scheduled work, per half hour			CLORS	PE18T	1	33.65	22.05								1
	Physical Collocation - Security Escort for Overtime - outside of	T			T									[
	normally scheduled working hours on a scheduled work day, per		1	0.000	DE 4.0T	1	44.00	20.00								
	half hour Physical Collocation - Security Escort for Premium Time - outside	├	├-	CLORS	PE1OT		44.63	28.89	 		 	· · · · · · ·				
1	of scheduled work day, per half hour		ł	CLORS	PE1PT		55.62	35.73			1					
Adjac	ent Remote Site Collocation			1040.10	11.15-11.1	•					4	·	<u> </u>			· · · · · · · · · · · · · · · · · · ·
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PETRU		755.62	755.62]					
		Γ	Ī													
	Remote Site-Adjacent Collocation - Real Estate, per square foot		 	CLORS	PEIRY	0.134					ļ		ļ			├
]	Remote Site-Adjacent Collocation - AC Power, per breaker amp	1	1	CLORS	 PE1RS	6.27		1	{	\	1		1	1	1	1
NOTE	Hemote Site-Adjacent Collection - AC Power, per oreaker amp	sary for	adiace				e appropriate r	ites.	_	4			·	<u> </u>		
	Remote Site Collocation	191	,					. 				···········				
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB	<u></u>	612.23		270.35							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space	1	 	VETAS	VE1RC	154.59	<u> </u>	<u>. </u>		↓		ļ	<u> </u>	ļ	<u> </u>	
i	Virtual Collocation in the Remote Site - Space Availability Report per Premises requested		1	VETAS	VE18B		223,91			1					1	
				1	, r = :			l .		1		4			1	+
-+	Virtual Collocation in the Remote Site - Remote Site CLU Code	1				1					T			1	I	1

COLLOCAT	ION - Florida												Att: 4 Exh: 8			
CATEGORY	RATE ELEMENTS	isterim	Zone	BĊS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		 	 		-)	Nonrec	umina	Nonrecurring	Disconnect	 		OSS	Rates(\$)		
		†	 		 	Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADJACENT CO	DLLOCATION	1			i	l								1	1	1
	Adjacent Collocation - Space Charge per Sq. Ft.		<u> </u>	CLOAC	PEIJA	0.1666							†			1
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.62										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN		0.0194	7.32	5.37	4.58	2.71						
	Adjacent Collecation - 4-Wire Cross-Connects	1		UEA,UHL.UDL,UCL		0.0388	8.00	5.75	5.00	2.69			J	f		
	Adjacent Collocation - DS1 Cross-Connects	1 "			PEIJG	0.3708	7.88	6.26	1.35	0.9915]
	Adjacent Collocation - DS3 Cross-Connects	Γ			PE1JH	4.14	32.40	31.03	11.15	10.98	i		I	1		
	Adjacent Collocation - 2-Fiber Cross-Connect				PE1JJ	1.70	28.26	25.85	13.78	11.01		·				
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1JK	3.33	37.92	35.51	18.20	15.44						}
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,763.00		1.02							}
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			GLOAC	PE†JL	5.26			_							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp		I	CLOAC	PE†JM	10.53			·							
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJN	15.80										
	Adjacent Collocation - 277V. Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.47										
	Adjacent Collocation - Cable Support Structure per Entrance Cable			CLOAC	PE1JP	5.19			·							

COLLOCAT	ION - Georgia										7,	1	Att; 4 Exh; 8			
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
		 			 	Rec	Nonre First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
PHYSICAL CO		<u> </u>	I		<u> </u>	L]		1			L		L
Applica	Physical Collocation - Initial Application Fee	,		CLO	IPE18A		1,284,72		1		Ţ .					
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA	 	1,084.41		0.59		+					
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect.			<u> </u>	1 - 10%	1	1,004.41		0,55							·
	Application Fee, per application	L		CLO	PE1DT		583.18									ĺ
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.05		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		832.95		1.21				·			
 -	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment			CLO CLO	PE1K1 PE1KJ		1,057.00		1.21							ļ
	Preparation		ш	CLO	PEIKJ	<u> </u>	2,408.00		1.21					l		
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	4.71	• • • • • • • • • • • • • • • • • • • •				 					
	Physical Collocation - Space Enclosure, welded wire, first 50		\vdash		1 - 51 - 0	#./					+					\vdash
	square feet	l		ÇLO	PE1BX	144.71					1					1
<u> </u>	Physical Collocation - Space enclosure, welded wire, first 100										 					
	square feet			CLO	PE1BW	167.00					1				ļ	ĺ
	Physical Collocation - Space enclosure, welded wire, each				T						· · · · · · · · · · · · · · · · · · ·					
	additional 50 square feet			CLO	PE1CW	16.38										ĺ
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.10										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.27				-						
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	77.24			 							L
	Physical Collocation - Space Preparation - Firm Order Processing		1 1	cro	PE1SJ]	140.96									4
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PEISR		248.50				1					
Power		٠	٠	-		· · · · · · · · · · · · · · · · · · ·	£0.50		<u> </u>					L		
	Physical Collocation - Power, -48V DC Power - per Fused Amp										1					
	Requested			CLO	PE1PL	4.84										ł
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.16							·			-
	Physical Collocation - Power, 240V AC Power, Single Phase, per				T											
	Breaker Amp			CLO	PE1FD	10.34					1					1
	Physical Collocation - Power, 120V AC Power, Three Phase, per											·				
	Breaker Amp	L		CLO	PE1FE	15.50					1					1
	Physical Collocation - Power, 277V AC Power, Three Phase, per	ł	1	n. •												
	Breaker Amp Physical Collocation - Power - DC power using a CLEC BDFB, per	 		CLO	PE1FG	35.79			ļ							
	Used Amp		<u> </u>	CLO	PE1PW	6.45					•					l
	Physical Collocation - Power, -48V DC Power using a CLEC				T											
	BDFB - per Fused Amp Requested			CLO	PE1PX	4.31										L
	Physical Collocation-Physical Meter Reading Expense			CLO	PE1FL	5.00					1					
	Physical Collocation - Power - DC power, per Used Amp			CLO	PE1FN	7.24				-						
1	Physical Collocation-Additional Meter Reading Trip Charge, per Central Office per Occurrence			CLO	PE1FM		45.00				1					1
Cross (Connects (Cross Connects, Co-Carrier Cross Connects, and Por	ta)	11	GEO	PEIFM	L	15.00		<u>. </u>							
CIUSS	Connects (Cross Connects, Co-Carner Cross Connects, and Pol	130]		UEANL,UEQ.					, 			-				
				UNCNX, UEA, UCL. UAL, UHL, UDN.												
ł	Physical Collocation - 2-wire cross-connect, loop, provisioning	l		UNCVX	PE1P2	0.0202			1						•	1
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNGVX, UNGDX, UCL, UDL		0 0403					-			-		
		i -		WDS1L, WDS1S,		1 22-95			 		 -					
				UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB,												
				UEPSE, UEPSP,					1		}					i
1	Physical Collocation -DS1 Cross-Connect for Physical			USL, UEPEX.		[1					i
1	Collocation, provisioning	l		UEPDX	PE1P1	0.3807]		1					i

COLLOCA	ATION - Georgia					•			_	•			Alt: 4 Exh; B			
		T	T		T						Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
	İ				1							Submitted	Charge -	Charge -	Charge -	Charge
						ļ					Elec	Manually	Manual Svc	Manual Svc	Manual Syc	Manual S
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order v
	The California	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						101.25(0)			percan	percan	Electronic-	Electronic-	Electronic-	Electron
•			1		1						Į					
			1	ì	1							ļ	1st	Add'1	Disc 1st	Disc Add
			-		 	 	Nonrec	urrina	Nonrecurring	Disconnect		l	OSS	Rates(\$)		L.——
			 	 	 	Rec -	First	Add'l	First	Addi	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
			 	UE3, U1TD3,	 	i · · · · · ·		7041		7,001	- COMEC	50,000	30,1411	3000	00,000	00///
			i	UXTD3, UXTS1	1							1		1	İ	
- 1			ł	UNC3X, UNCSX	1									1		
ı				ULDD3, U1TS1.	1	ļ [1	ļ	
-				ULDS1, UNLD3,	1	i I								1	!	
				UEPEX. UEPDX.	i							1		1	1	i
	İ	ł		UEPSR, UEPSB.	1	i I								1	1	ļ
	Physical Collocation - DS3 Cross-Connect, provisioning			UEPSE, UEPSP	PE1P3	4.15							j	1	ł	
	Frysical Collocators - 033 Cross-connect, provisioning			ICLO, ULDO3.	FEIFS	4.13							 	<u> </u>		
		l		ULD12, ULD48,	1	1						Ì		1		1
					1	i I							i	1]	
			ļ	U1TO3, U1T12,	1	i I							1	1	İ	
			1	U1T48, UDLO3,									1	1		1
	Physical Collocation - 2-Fiber Cross-Connect	—	₩	UDL12, UDF	PE1F2	1.76				ļ	ļ	ļ		ļ	L	
- 1		1		ULDO3, ULD12.	1		ļ					!		1		1
i		1	İ	ULD48, U1TO3.	i .]			i	1			l		
		1	1	U1T12, U1T48,	1					1	1	1		I	1	
		1		UDLO3, UDL12.						l	1	Ì		l		
	Physical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	3.38										
											1					
- 1	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -	·l		l .	i						ł			!		
1	Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001					ļ.			}		
					1	"-""					1		1			
1	Physical Collecation - Co-Carrier Cross Connect/Direct Connect -		į.]		
4	Copper/Coax Cable Support Structure, per linear foot, per cable.		1	CLO	PE1DS	0.0015					1			l	1	
		1		UEPSA, UEPSP.	 											
			ł	UEPSE, UEPSB,		1				1				}	ļ	
	Physical Collocation 2-Wire Cross Connect, Port		1	UEPSX, UEP2C	PE1R2	0.0202					1			1	1	
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDD	PE1R4	0.0403				1	† · · · · ·	1	1	1	1	
Sect	ırity															
	Physical Collocation - Security Escort for Basic Time - normally					T				· · · · · · · · · · · · · · · · · · ·	1		T	T	Ţ <u> </u>	
ł	scheduled work, per half hour	1		CLO	PE1BT	i [16.51	10.82	•		1		ļ	ļ		
_	Physical Collocation - Security Escort for Overtime - outside of		1		1											
1	normally scheduled working hours on a scheduled work day, per	!							ł		1					
	half hour		1	CLO	PETOT	1	21.90	14.17	ł						1	
	Physical Collocation - Security Escort for Premium Time - outside															
	of scheduled work day, per half hour	1		CLO	PETPT		27.29	17.53	ŀ		1					
	Physical Collocation - Security Access System - Security System	T	1		 									"		
- 1	per Central Office, per Sq. Ft.	ļ	1	CLO	PETAY	0.011					1			ļ		
	Physical Collocation -Security Access System - New Card				1											
- 1	Activation, per Card Activation (First), per State	ļ	1	CLO	PE1A1	1	21.98				İ	1		}	i	
	Physical Collocation - Security Access System - New Access Card	i			1						†					
	Deactivation, per Card	ļ		CLO	PE1A4	j i	8.72	8.72		F		1	ł	į	!	
\neg			Ι.		1	I					T		1	I	· · · · · · · · · · · · · · · · · · ·	
- 1	Physical Collocation-Security Access System-Administrative	1	1	İ						1	1	1		I	1	
1	Change, existing Access Card, per Request, per State, per Card	1		CLO	PE1AA	1 1	5.37			ł .		1		!	1	
	Physical Collocation - Security Access System - Replace Lost or	T		T	1	1				 		<u> </u>	1	1		
- 1	Stolen Card, per Card	1	1	CLO	PE1AR]	16.99			1	1			1		
	Physical Collocation - Security Access - Initial Key, per Key	† · · · ·	1	CLO	PETAK		13.19				1			 		
	Physical Collocation - Security Access - Key, Replace Lost or		1		†	†				<u> </u>	1		i			
ı	Stolen Key, per Key	ì		CLO	PETAL	1	13,19			1	1	l		ļ	1	
CFA					 	*			•	• • • • • • • • • • • • • • • • • • • •	·····			•	•	•
	Physical Collocation - CFA Information Resend Request, per		Τ		1	1				T	· · · ·			1		Г—
	premises, per arrangement, per request	l		CLO	PE1C9]	77.42			1		l	ļ	1		
Cabl	e Records - Note: The rates in the First & Additional columns will a	ctually t	e bille	as "Initial I" and "Su	bsequent S"	respectively						• • • • • • • • • • • • • • • • • • • •				
	Physical Collocation - Cable Records, per request			CLO	PEICR	1	742.92	S 477.59	125.63	Γ	T	· · · · · · · · · · · · · · · · · · ·	<u> </u>	· · · · · ·		T
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable				T	1]						1
	record (maximum 3600 records)	ļ		CLO	PE1CD	1 1	317.29		177.60	1					I	
	Physical Collocation, Cable Records, VG/DS0 Cable, per each									· · · · · · · · · · · · · · · · · · ·						
	100 pair			CLO	PE1CO		4.47		5.29	1		1	1	l	1	1
	Physical Collocation, Cable Records, DS1, per T1 TiE	_		CLO	PE1C1	 	2.22		2.62	†	· · · · · · · · · · · · · · · · · · ·		 	 	 	
	Physical Collocation, Cable Records, DS3, per T3 TIE	1	 	Cro	PE1C3	 	7.76		9.18		 		i	 	 	-
	Physical Collocation - Cable Records, Fiber Cable, per cable	1	t -		1	† 			J.10		T		i	 	 	
1	record (maximum 99 records)	1	1	cro	PE1CB	i I	83 37		73.49		1	1	ł	I	1	
	Physical Collocation, Cable Records, CAT5/RJ45	 	 	Cro	PE1C5	 	2.22		2.62	 	+		 	 	 	

COLLOCAT	ION - Georgia					····							Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv. Order vs. Electronic Disc Add'i
					ļ	Rec		curring Add'l	Nonrecurring		00050	SOMAN	OSS	Rates(\$)	SOMAN	SOMAN
Virtual	to Physical		L	l		<u> </u>	First	ADDI	First	Add'l	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,				T				1						I	T
	per Voice Grade Circuit		L	CLO	PE18V		33.00									
-	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit		-	CLD	PE1BO		33.00		İ		i			[
	Physical Collocation - Virtual to Physical Collocation Relocation,			0.0	PEIBU		33.00		 		 -					
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation.								1							
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Per			CLO	PE1B3	 	52.00							ļ		
	Voice Grade Circuit			CLO	PE1BR		22.59		ĺ							
	Physical Collocation Virtual to Physical Collocation In-Place, Per														· · · · ·	
	DSO Circuit			CLO	PE1BP		22.59				ļ			<u> </u>		
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit	ĺ		cro	PE1BS		32.85				1		į			İ
	Physical Collocation - Virtual to Physical Collocation In-Place, per			0.0	FE100		32.63				 			 		
	DS3 Circuit			CLO	PE1BE		32.85				1			}		
Entran	ce Cable				,										,	
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD	1	736.20		21.49		1		j			
····	Physical Collocation - Fiber Cable Support Structure, per Entrance	 	 	010	FEIBU.	 	736.20		21.45		 					
	Cable			Cro	PE1PM	7.37						•				
	Physical Collocation, Entrance Cable Support Structure, Copper,		-													
	per each 100 pairs or fraction thereof (CO Manhole to Collocation Space)			CLO	PEIEE	0.2686										
	Physical Collocation, Entrance Cable Installation, Copper, per			CLO	FEICE	0.2000			+							
ļ ļ	Cable (CO Manhole to Collocation Space)		L	CLO	PE1EF		754.41		21.49					1		
	_												· · · · · · · · · · · · · · · · · · ·			
	Physical Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Collocation Space)			CLO	PETEG		9,11							1		
	Too pairs or traction inerest (CO Marinole to Collocation Space)			CLO	PETEG	 	9.11									
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.90									
VIRTUAL COLI																
Applica				AMTFS	leve.	,			,							
	Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,		-	AMIFS	EAF		608.92		0.59							
	Application Fee, per application			AMTFS	VE1CA		583.18		ŀ						ļ	
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VETAF		609.52									
	Preparation				Inner of the second				,							
Power	Virtual Collocation - Floor Space, per sq. ft.	L	L	AMTFS	ESPVX	4.71				l 	J			L	L	L.,,,,
7 0 11 01	Virtual Collocation - Power, per fused amp		1	AMTES	ESPAX	4.84			T	(*	1					
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Por	ts)	`		-										<u> </u>	
	•			UEANL, UEA, UDN.		1				1						
				UAL, UHL, UCL, UEQ, UNCVX,		1 1										
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX	UEAG2	0.0192				1						
				UEA, UHL, UCL,	1				1	<u> </u>						ļ
	he			UDL, UNCVX,	L	1										
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX ULR, UXTD I,	UEAC4	0.0385			+	ļ	 		L	 	 	<u> </u>
	1			UNG1X, ULDD1,		[ł							
				U1TD1, USLEL.						1						
	Virtual collocation - Special Access & UNE, cross-connect per			UNLD1, USL,						1						
	DS1			UEPEX, UEPDX USL, UE3, U1TD3.	CNC1X	0.3807			 	ļ	ļ				<u> </u>	ļ
		1		UXTS1, UXTD3,												
				UNC3X, UNC5X.												
	VS-44			ULDD3, U1TS1.						1						
Ì	Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,	CND2V											
	DS3			UNLD3, XDEST	ÇND3X	4.15		<u> </u>	1	<u> </u>	l			<u> </u>		J

Virtual Virtual Fiber C Virtual Coppe Virtual Virtual CFA Virtual	RATE ELEMENTS El Collocation - 2-Fiber Cross Connects El Collocation - 4-Fiber Cross Connects El Collocation - Co-Carrier Cross Connects/Direct Connect - Cable Support Structure, per linear foot, per cable El Collocation - Co-Carrier Cross Connects/Direct Connect - er/Coax Cable Support Structure, per linear foot, per cable	interim 2	UDL12, UDLO3, U1T48, U1T12, U1DO3, ULDO3, ULDO4, ULDO4, ULDO4, UDUDL12, UDLO3.	USOC	Rec	Nonrec First	RATES(\$) curring Add'1	Nonrecurring	Discoppert		Svc Order Submitted Manually per LSR	Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic
Virtual Virtual Fiber C Virtual Coppe Virtual Virtual CFA Virtual	el Coflocation - 4-Fiber Cross Connects el Coflocation - Co-Carrier Cross Connects/Direct Connect - Cable Support Structure, per linear foot, per cable el Coflocation - Co-Carrier Cross Connects/Direct Connect -		U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UE	DE CNC25	Rec				Disconnect				Add'l	Disc 1st	Disc Add
Virtual Virtual Fiber C Virtual Coppe Virtual Virtual CFA Virtual	el Coflocation - 4-Fiber Cross Connects el Coflocation - Co-Carrier Cross Connects/Direct Connect - Cable Support Structure, per linear foot, per cable el Coflocation - Co-Carrier Cross Connects/Direct Connect -		U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UE	DE CNC25		First	Add'l						Rates(\$)		
Virtual Virtual Fiber C Virtual Coppe Virtual Virtual CFA Virtual	el Coflocation - 4-Fiber Cross Connects el Coflocation - Co-Carrier Cross Connects/Direct Connect - Cable Support Structure, per linear foot, per cable el Coflocation - Co-Carrier Cross Connects/Direct Connect -		U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UE	DE CNC25				First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Virtual Virtual Fiber C Virtual Coppe Virtual Virtual CFA Virtual	el Coflocation - 4-Fiber Cross Connects el Coflocation - Co-Carrier Cross Connects/Direct Connect - Cable Support Structure, per linear foot, per cable el Coflocation - Co-Carrier Cross Connects/Direct Connect -		U1TO3, ULDO3, ULD12, ULD48, UD	DE CNICOS						!					
Virtual Virtual Fiber C Virtual Coppe Virtual Virtual CFA Virtual	el Coflocation - 4-Fiber Cross Connects el Coflocation - Co-Carrier Cross Connects/Direct Connect - Cable Support Structure, per linear foot, per cable el Coflocation - Co-Carrier Cross Connects/Direct Connect -				1.76					1					
Virtual Fiber C Virtual Coppe Virtual Virtual CFA Virtual	al Collocation - Co-Carrier Cross Connects/Direct Connect - Cable Support Structure, per linear foot, per cable al Collocation - Co-Carrier Cross Connects/Direct Connect		UDL12, UDLO3.	10.102	11.70	-				 				 	
Virtual Fiber C Virtual Coppe Virtual Virtual CFA Virtual	al Collocation - Co-Carrier Cross Connects/Direct Connect - Cable Support Structure, per linear foot, per cable al Collocation - Co-Carrier Cross Connects/Direct Connect		U1T48, U1T12,												
Virtual Fiber C Virtual Coppe Virtual Virtual CFA Virtual	al Collocation - Co-Carrier Cross Connects/Direct Connect - Cable Support Structure, per linear foot, per cable al Collocation - Co-Carrier Cross Connects/Direct Connect		U1TO3, ULDO3, ULD12, ULD48, UD	SECNICAE	3.53	i				1		į	· '	1 '	
Fiber C Virtual Coppe Virtual Virtual Premis Cable Record Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual	Cable Support Structure, per linear foot, per cable al Collocation - Co-Carrier Cross Connects/Direct Connect	1 1	ULD 12, ULD 46, UL	JE GNC4F	3.23					 		 			
Coppe Virtual Virtual Premis Cable Records Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual			AMTFS	VE1CB	0.001							L			
Coppe Virtual Virtual Premis Cable Records Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual Virtual			1									"	'		
CFA CFA Vinual Prems Cable Records Vinual Vinual Vinual record Vinual pair Vinual Vinual Vinual Vinual irecord Vinual vinual vinual record			AMTFS	VE1CD	0.0015										
CFA CFA Vinual Prems Cable Records Vinual Vinual Vinual record Vinual pair Vinual Vinual Vinual Vinual irecord Vinual vinual vinual record		1 1	UEPSX, UEPSB, UEPSE, UEPSP,	1						1					
CFA CFA Vinual Prems Cable Records Vinual Vinual Vinual record Vinual pair Vinual Vinual Vinual Vinual irecord Vinual vinual vinual record	al Collecation 2-Wire Cross Connect, Port		UEPSR UEP2C	VE1R2	0.0192					1					
Vinual Premis Cable Records Virtual Virtual record Virtual pair Virtual Virtual Virtual Virtual virtual virtual records	al Collocation 4-Wire Cross Connect, Port	1	UEPDD UEPEX	VE1R4	0.0385										
Cable Records Virtual Virtual record Virtual pair Virtual Virtual Virtual Virtual Virtual records															
Cable Records Virtual Virtual record Virtual pair Virtual Virtual Virtual Virtual records	d Collocation - CFA Information Resend Request, per					!									
Virtual Virtual record Virtual pair Virtual Virtual Virtual Virtual Virtual record	ises, per Arrangement, per request is - Note: The rates in the First & Additional columns will a	otually be	AMTES	VE1OR		77.42						L	L		L
Virtual record Virtual pair Virtual Virtual Virtual Virtual records	al Collocation Cable Records - per request	Clually De	AMTES	VE1BA	spectively	742.92	S 477.59	125.63	*****						Т
Virtual pair Virtual Virtual Virtual records	al Collocation Cable Records - VG/DS0 Cable, per cable			7 - 1 - 1				1,000							
pair Virtual Virtual Virtual record			AMTFS	VE188		317.29		177.60		 		<u> </u>	ļ		
Virtual Virtual records			AMTES	VE1BC		4.47		5.29						<u> </u>	
Virtual records	al Collocation Cable Records - DS1, per T1TIE	\vdash	AMTES	VE1BD		2.22		2.62							
records	al Collocation Cable Records - DS3, per T3TIE al Collocation Cable Records - Fiber Cable, per 99 fiber		AMTFS	VE1BE		7.76		9.18		·	ļ <u></u>				
Virtual			AMTES	VE1BF		83.37		73.49				1			
	al Collocation Cable Records - CAT 5/RJ45		AMTES	VE185		2.22		2.62						j	
Security															
work ho			AMTFS	SPTBX		16.51	10.82								
	al collocation - Security escort, overtime, outside of normally duled work hours on a normal working day		AMTES	SPTOX		21.90	14,17								ļ
	al collocation - Security escort, premium time, outside of a	 					- 1								\vdash
	duled work day		AMTFS	SPTPX		27.29	17.53								ļ
Maintenance					,,										
Virtual	al collocation - Maintenance in CO - Basic, per half hour		AMTES	CTRLX		26.52	10.82				<u> </u>	ļ	ļ	· · · · · · · · · · · · · · · · · · ·	
Virtual	al collocation - Maintenance in CO - Overtime, per half hour		AMTES	SPTOM		35.41	14,17								
Virtual Entrançe Cabl	al collocation - Maintenance in CO - Premium per half hour		AMTFS	SPTPM		44.30	17.53			<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	al Collocation - Cable Installation Charge, per cable	Т Т	AMTES	ESPCX		736.20		21.49		Т			· · · · ·		
	al Collocation - Cable Support Structure, per cable	t	AMTFS	ESPSX	7.74					1					
	al Collocation, Entrance Cable Support Structure, Copper, per 100 pairs or fraction thereof (CO Manhole to Frame)		AMTES	VE1EE	0.235										
Virtual	al Collocation, Entrance Cable Installation, Copper, per Cable Manhole to Frame)		AMTES	VETEF	0.230	754.41		21.49		 					<u> </u>
Virtual	al Collocation, Entrance Cable Installation, Copper, per each pairs or fraction thereof (CO Manhole to Frame)		AMTFS	VE1EG		9.11				T					
LLOCATION IN TH												I			
	HE REMOTE SITE														
	NE REMOTE SITE note Site Collocation	\perp	GLORS	PETRA		300.31		132.49		1					
Cabine	HE REMOTE SITE		CLORS	PE1RB	148.11					+		 			

OLLOCAT	ION - Georgia												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	laterim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electroni Disc Ade
		1				Rec	Nonrec	urring	Nonrecurring	Disconnect	"t		oss	Rates(\$)	<u> </u>	
						Kec	First	Add'l	First	Add'f	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	Physical Collecation in the Remote Site - Space Availability Reporter Premises Requested		<u></u>	CLORS	PE1SR		109.83									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLL! Code Requested			CLORS	PEIRE		36.00									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PEIRA		116.71									
	Physical Collocation - Security Escont for Basic Time - normally scheduled work, per half hour			CLORS	PE1BT		16.51	10.82								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half from			CLORS	PEIOT		21.90	14.17								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour				PEIPT		27.29	17.53		· · · · ·						
Adiace	nt Remote Site Collocation	· · · · · · · · · · · · · · · · · · ·	L	CLORS	JECTE!	· · · · · · · · · · · · · · · · · · ·	27.29	17.33	<u> </u>	<u> </u>	.1	l	L	L	L	
7.47400	Remote Site-Adjacent Collocation-Application Fee	T		CLORS	PE1RU	· · · · · · · · · · · · · · · · · · ·	755.62	755.62			 	ļ			·	·····
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	# Security Escort and/or Add'l Engineering Fees become neces	sary for	adjacer	nt remote site colloca	tion, the Part	ies will negotiate	appropriate ra	tes.			· · · · · · · · · · · · · · · · · · ·			· 	·	
Virtual	Remote Site Collocation			·												
	Virtual Collocation in the Remote Site - Application Fee		-	VE1RS	VEIRB	 	300.31		132.49	1						
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report	ļ	ļ	VEIRS .	VE1RC	148.11										
<u> </u>	per Premises requested			VETAS	VE1RR		109.83									<u> </u>
	Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			VE1RS	VE1RL		36.00									ĺ
JACENT C	DLLOCATION	1	1.							† ·	1					
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1725					1				· · · · · · · · · · · · · · · · · · ·	
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	-		CLOAC	PE1JC	4.12										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL.UEQ.UEA.U CL, UAL, UHL. UDN	PE1JE	0.0176	ļ									1
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL.UCL		0.0353				<u> </u>	1				 	· · · · ·
	Adjacent Collocation - DS1 Cross-Connects				PEIJG	0.3686				1	1					
	Adjacent Collocation - DS3 Cross-Connects				PEIJH	4.83				Ĩ					i	
	Adjacent Collocation - 2-Fiber Cross-Connect	<u> </u>			PEIJJ	1.69										
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1JK	3.31				I						
	Adjacent Collocation - Application Fee		ļ	CLOAC	PEIJB		1,380.83		0.50							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.16]					,				1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PĒIJM	10.34										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JN	15.50										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	35.79										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JD	35.79										.

ATEGORY	ION - Kentucky RATE ELEMENTS	Interim									Svc Order		Att: 4 Exh: 8	incremental	Incremental	Incremental
	l " '		Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order v*. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manuai Svo Order vs. Electronic- Disc Add'i
						Rec	Pirst	urring	Nonrecurring		SOMEC	SOMAN	SOMAN	Rates(\$) SQMAN	SOMAN	SOMAN
	<u></u>						F#St	Add'i	First	Add'l	SUMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
HYSICAL COL	LLOCATION	-	 							····	1					
Applicat																
	Physical Collocation - Initial Application Fee	1		cLO _	PE1BA	1	3,773.54		1.01]					
	Physical Collocation - Subsequent Application Fee			Cro	PE1CA		3,145.35		1.01							
T.	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,	ļ	1	-1.0	PE1DT	1 1	584.20									1
	Application Fee, per application Physical Collocation Administrative Only - Application Fee		1		PE18L	 	742.12									
	Physical Collocation - Application Cost, Simple Augment	 	 i		PEIKS	 	594.98		1.21		 -					
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		834.26		1.21							
	Physical Collocation - Application Cost, Intermediate Augment	1			PE1K1		1,059.00		1,21							
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,412.00		1.21							
Space i	Preparation		,	210	PEIPJ	7.99				, 						
	Physical Collocation - Floor Space, per sq feet		-	CLO	FEIFJ	7.39					+					
	Physical Collocation - Space Enclosure, welded wire, first 50 square feet	ļ	 	CLO	PE1BX	166.83										<u> </u>
	Physical Collocation - Space enclosure, welded wire, first 100 square feet	<u> </u>		cro	PE1BW	184.97										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW_	18.14	 				ļ					<u> </u>
	Physical Collocation - Space Preparation - C.O. Modification per square ft.	ļ		<u>cro</u>	PE1SK	2.32					ļ					ļ <u> </u>
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot		<u> </u>	CLO	PE1St	3.26										
	Physical Collocation - Space Preparation - Common Systems Modifications Caged, per cage		<u> </u>	Cro	PE1SM	110.57										
	Physical Collocation - Space Preparation - Firm Order Processing		ļ	CLO	PE1SJ		1,206.07									·
, l	Physical Collocation - Space Availability Report, per Central Office Requested	1	1	cro	PEISE	1	2,158.67	\	1	})	·				i
Power			•			<u></u>								·		
	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested	T		CLO	PE1PL	8.06										
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			cro	PE1FB	5.44										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.88										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	16.32										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			cro	PE1FG	37.68										
Cross (Connects (Cross Connects, Co-Carrier Cross Connects, and Po-	rts)			-				,		,					
ŀ				UEANLIUEO. UNCNX, UEA. UCL. UAL, UHL, UDN.					i							ı
	Physical Collocation - 2-wire cross-connect, loop, provisioning	-	<u> </u>	UNCVX UEA, UHL, UNCVX,	PE1P2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation - 4-wire cross-connect, loop, provisioning	ļ	-	UNGDX, UCL, UDL WDS1L, WDS1S.	PE1P4	0.0665	24.88	23.82	12.77	11.46				<u> </u>		
	Physical Collocation -DS1 Cross-Connect for Physical			UXTD1, ULDD1. USLEL, UNLD1. U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX,												
	Collocation, provisioning Physical Collocation - DS3 Cross-Connect, provisioning			UEPOX UE3, U1TD3, UXTD3, UXTD1, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSB	PE1P1	1,48	44.23	31.98	12.81	11.57						

	ION - Kentucky	,											Att: 4 Exh: B	·		
ATEGORY	RATE ELEMENTS	Interim	Zone	BC\$	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Syc Order vs. Electronic- Disc 1st	Increme Charge Manual S Order v Electron Disc Ad
						Rec	Nonre	curring		g Disconnect			oss	Rates(\$)		
				CLO, ULDO3,			First	Add'l	First	Add't	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12,	PE1F2	3.75	41.93	30.51	14.76	11.84					301824	JOMA
	Physical Collocation · 4-Fiber Cross-Connect			ULD48, U1TQ3, U1T12, U1T48, UDLO3, UDL12,										-		
	Priysical Collocation - 4-Fiber Cross-Connect			UDF, UDFCX	PE1F4	6.65	51.29	39.87	19.41	16.49	!	+		1	ļ	
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0 0018										
	Physical Collocation 2-Wire Cross Connect, Port		i	UEPSR, UEPSP. UEPSE, UEPSB,					<u> </u>							
	Physical Collocation 4-Wire Cross Connect, Port			UEPSX, UEP2C UEPEX, UEPDD	PE1R2	0.0333	24.68	23.68	12.14	10.95					1	
Security	/		-	DEPEX, DEPUD	PE1R4	0.0665	24.88	23.82	12.77	11.46						
	Physical Collocation - Security Escort for Basic Time - normally						· · · · · · · · · · · · · · · · · · ·									
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLO	PEIBT		33.98	21,53								
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PEIOT											
	Physical Collocation - Security Escort for Premium Time - outside		 	CLO	PEIOI		44.26	27.81					-	J		
	of scheduled work day, per half hour Physical Collocation - Security Access System, Security System.			CLO	PE1PT		54.54	34.09								
	per Central Office Physical Collocation -Security Access System - New Card			CLO	PE1AX	76.10										
	Activation, per Card Activation (First), per State			cro	PE1A1	0.058	55.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			cro	PETAA		15.64									
	Stolen Card, per Card		1,	CLO	PE1AR											
	Physical Collocation - Security Access - Initial Key, per Key			SLO	PETAK	_	45.74									
	Physical Collocation - Security Access - Key, Replace Lost or		 `	310	PETAR		26.29									
	Stolen Key, per Key		k	CLO	PETAL	ŀ	26.29		İ		T					
CFA	Physical Collocation - CFA Information Resend Request, per						20.20									
Cable D	premises, per arrangement, per request			CLO	PE1C9		77.55	ŀ	ĺ		i	!	- 1		[]	
Cable R	ecords - Note: The rates in the First & Additional columns will ac	tually be	billed	as "Initial I" and "Su	ibsequent \$" n	spectively										
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PEICA		1524.45	S 980.01	267.02							
	record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		656.37		379.70							
	100 pair Physical Collocatron, Cable Records, DS1, per T1 TIE	-		LO	PE1CO		9.65		11,84							
	Physical Collocation, Cable Records, DS3, per T3 T/E	-		LO LO	PE1C1		4.52		5.54							
_ [[Physical Collocation - Cable Records, Fiber Cable, per cable				PE1C3		15.81		19.39							
	record (maximum 99 records) Physical Collocation, Cable Records, CAT5/RJ45			ro	PE1CB		169.63		154.85	[1			
Vietual to	Physical Colocation, Cable Records, CA 15/RJ45			Lo	PE1C5		4.52		5.54							
	Physical Collocation - Virtual to Physical Collocation Relocation.															
	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation.			cro	PE1BV		33.00								<u> </u>	
	Physical Collocation - Virtual to Physical Collocation Relocation. Physical Collocation - Virtual to Physical Collocation Relocation.		-	LO	PE1BO		33.00								-	
I	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			LO	PE181		52.00									
	per DS3 Circuit	l	l _c	cio	PE1B3	T	52.00							- -		

	TION - Kentucky			,	,								Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	laterim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	incremental Charge - Manual Syc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'!	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order va Electroni Disc Add
	<u> </u>	 				Rec	Nonrec		Nonrecurring					Rates(\$)		
	Physical Collocation - Virtual to Physical Collocation In-Place, Per	 	\		 	 	First	Add'l	First	Addii	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per	<u> </u>		cro	PE1BR		22.49				<u> </u>					
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Per	<u> </u>		cro	PE18P	<u> </u>	22.49									
	OS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, per	├	\	cro	PE1BS	<u> </u>	32.71				<u> </u>					
	DS3 Circuit nce Cable		<u> </u>	CLO	PE1BE	<u> </u>	32.71									
Entra	Physical Collocation - Fiber Cable Installation, Pricing, non-				,	 _										
	recurring charge, per Entrance Cable	<u> </u>		cro	PEIBD		1,729.11		45.16							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable	<u> </u>		CLO	PE1PM	19.85										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber	<u> </u>		CLO	PE1ED		7.75		<u></u>							
RTUAL COL	LLOCATION	٠	١	<u> </u>	<u>1</u>	 _			<u> </u>							
Applic	Virtual Collocation - Application Fee		1	AMTES	leaf.	7 -	2 2 2 2 2 2 1									
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	+	 	AWIFO	EAC	┼╌┈┈ ┼	2,419.86		1.01		 					
	Application Fee, per application	ĺ		AMTFS	VETCA	1	504 20				ŀ	i		- 1		
	Virtual Collocation Administrative Only - Application Fee	 	 		VE1CA VE1AF	 	584.20 742.12				ļ					
Space	Preparation		1	INVITO	TACINE	 ,	142.121				لـــــــــــــــــــــــــــــــــــــ					
— 	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	7.99										
Powe				NAME OF THE OWNER OWNER OF THE OWNER	Jeon VX	1			L							
- 1	Virtual Collocation - Power, per fused amp	T .		AMTES	ESPAX	8.06										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)			1-0.711	0.001										
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNGVX, UNGDX, UNGNX	UEAC2	0.0309	24.68	23.58	12,14	10.95						
				UEA, UHL, UGL, UDL, UNCVX, UNCDX	UEAC4											
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per		1	ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNCD1, USL,		0.0619	24.88	23.82	12.77	11,46						
	DS1			UEPEX, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX,	CNC1X	1.48	44.23	31.98	12.81	11.57						
ļ	Nick of collegenian Countries But NE constructions					1 1	I					[-	,	
	Virtual collocation - Special Access & UNE, cross-connect per DS3	<u></u> _		UNLDS, XDEST	CND3X	18.89	41.93	30.51	14,75	11.83						
	DS3			UNLD3, XDEST UDL12, UDLO3, U1148, U1112, U1103, ULDO3,												
				UNLD3, XDEST UDL12, UDLO3, U1148, U1112,		18.89	41.93	30.51 30.51	14,75 14,76	11.83				_		
	DS3			UNLD3, XDEST UDL12, UDLO3, U1148, U1112, U1103, ULDO3,	CNC2F											
	Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect			UNLD3, XDEST UDL12, UDLO3, U11748, U1712, U1703, ULD03, ULD12, ULD48, UDF UDL12, UDLO3, U1748, U1712, U1703, ULD03,	CNC2F	3.80 7.59	41.94	30.51	14.76	11.84						
	Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects			UNLD3, XDEST UDL12, UDLO3, U1748, U1T12, U1703, ULD03, ULD12, ULD48, UDF UDL12, UDLO3, U1748, U1712, U1703, ULD03, ULD12, ULD48, UDF AMTES	CNC2F	3.80	41.94	30.51	14.76	11.84						
	Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			UNLD3, XDEST UDL12, UDLO3, U1148, U1T12, U1703, ULD03, ULD12, ULD48, UDF UDL12, UDLO3, U1748, U1T12, U1703, ULD03, ULD12, ULD48, UDF AMTES	CNC2F CNC4F VE1CB	7.59	41.94	30.51	14.76	11.84						

COLLO	CATI	ON - Kentucky												Att: 4 Exh; B			
ATEGO		rate elements	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
			├	-			Rec	Nonrec First	Add'l	Nonrecurring Firs!	Addi	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	SFA							7 "31 1	Augi	F(F85	Augi	1 SOMEC	SUMAN	SUMAN	SUMAN	SOMAN	SUMAN
		Virtual Collocation - CFA Information Resend Request, per		1						T		T					
		Premises, per Arrangement, per request	<u>L</u>		AMTES	VEIGR	<u> </u>	77.55		l		<u> </u>				L i	ĺ
	Sable Re	ecords - Note: The rates in the First & Additional columns will a	ctually t	e billed	as "Initial I" & "Sul	bsequent S" re	spectively										
		Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTFS	VEIBA	 	1524.45	S 980 01	267.02	 	4					
1		record	i		AMTES	VE1BB		656 37		379,70	ļ						į.
		Virtual Collecation Cable Records - VG/DS0 Cable, per each 100			-	142155		030.57		474,70		 					
		pair			AMTES	VE18C		9.65		11.84			L				1
		Virtual Collocation Cable Records -DS1, per T1TIE			AMTES	VETBD		4.52		5.54							
		Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE	 	15.81		19.39	ļ						
- [Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records	\	1	AMTES	VE1BF)	169.63		154.85	Ī	1		ľ			i
		Virtual Collocation Cable Records - CAT 5/RJ45		-	AMTÉS	VE1B5	 	4.52		5.54	 	 					
s	Security						·4					·					
	ľ	Virtual collocation - Security escort, basic time, normally scheduled	<u> </u>														
		work hours		 	AMTFS	SPTBX	}	33.98	21.53	ļ		ļ					
		Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day			AMTES	SPTOX	[44.26	27.81			1					I
		Virtual collocation - Security escort, premium time, outside of a	 -	1	AWITS	135105	 	44.20	27.81	·		 					
- 1		scheduled work day		i I	AMTES	SPTPX	1	54.54	34.09								l
- 1	dalntena	snce		·							·						
		Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		56.07	21.53								
- 1	l.			1 .	AMTES		1										
		Virtual collocation - Maintenance in CO - Overtime, per half hour	├	 i	AMIFS	SPTOM	 	73.23	27.81								
- 1	- 1,	Virtual collocation - Maintenance in CO - Premium per half hour	}	1 '	AMTFS	SPTPM	1 1	90.39	34.09	ì	Ì						l
	Entrance		·		<u> </u>	ign (Tik	<u> </u>		04.00	L							
	1	Virtual Collocation - Cable Installation Charge, per cable			AMTES	ESPCX	T	1,729.11		45.16	L						
		Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	17.38										
orroc	ATION	IN THE REMOTE SITE		<u> </u>	<u> </u>		<u> </u>	i		<u> </u>	l	<u></u> _					
		Remote Site Collocation Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.69						· · ·	
		Cabinet Space in the Remote Site per Bay/ Rack		 	CLORS	PETRE	219.67	017.78		330.09							
						1.3.11.13	1					1					
	Į.	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PEIRD	<u> </u>	26.29		l	<u>L</u>	<u> </u>	<u></u>	_			
		Physical Collocation in the Remote Site - Space Availability Report]					
	<u> </u>	per Premises Requested Physical Collocation in the Remote Site - Remote Site CLL! Code	├——	-	CLORS	PEISR	 	232.64				-					
-	- 12	Provided Collection in the Remote Site - Hemote Site Citic Code			CLOAS	PETRE		75.40				l l		ļ	Į	ţ	
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		1	CLORS	PEIRE		233.42			 -						
	[1	Physical Collocation - Security Escort for Basic Time - normally		Ī								T					
		scheduled work, per half hour		 	CLORS	PE1BT_		33.98	21,53							1	
ļ		Physical Collocation - Security Escort for Overtime - outside of				1		i			ŀ	{	(1	
- {		normally scheduled working hours on a scheduled work day, per half hour	}		CLOAS	PE1OT	j	44.26	27.81	l				ļ		Ì	
-+		Physical Collocation - Security Escort for Premium Time - outside		 	0.0710	1. 2.0,	 	-94.20				 					
		of scheduled work day, per half hour	<u>L</u>	<u>L_</u> .	CLORS	PE1PT	i	54.54	34.09				i				
1		t Remote Site Collocation															
		Remote Site-Adjacent Collocation-Application Fee	-		CLORS	PEIRU		755.62	755.62								
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0 134	j						- 1	Į		
		Peniglo dite-Madeaut Condestron - Heat Estate, het sdoare toot	 	 	OLONG	I-EINI	0 134			_		 					
	i	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27	I			L	Į į	l	ļ	ļ	- [
	HOTE: H	Security Escort and/or Add') Engineering Fees become necess	sary for	ad)acer	at remate site collo	cation, the Parl	lles will negotiat	appropriate ra	ites.								
}		emote Site Collocation			luc (Do	N/FxOF	·										
	,	Virtual Collocation in the Remote Site - Application Fee		 	VE1RS	VETRB	 	617.78		338.89		ļ					
	,	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VETRC	219.67	I				1 1			[ļ	
		Virtual Collocation in the Remote Site - Space Availability Report					1					1					
		per Premises requested	L	1	VEIRS	VE18B	<u>l</u>	232.64				L Ì				[
		Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			VETRS	VEIRL		75.40				1		7		1	

COLLOCAT	ION - Kentucky												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BC\$	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<u> </u>	<u> </u>			Rec	Nonrec	urring	Nonrecurring	Disconnect			099	Rates(\$)		
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.				PEIJA	0.0173										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	_		CLOAC	PEIJC	5.35									-	
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL, UEQ, UEA, U		0.0258	24.68	23.68	12.14	10.95		:				
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0515	24.88	23.82	12.77	11.46				1		
	Adjacent Collocation - DS1 Cross-Connects		1	USL	PE1JG	1.37	44.23	31.98	12.81	11.57						·
	Adjacent Collocation - DS3 Cross-Connects			UE3	PEIJH	18.61	41.93	30.51	14.75	11,83						
	Adjacent Collocation - 2-Fiber Cross-Connect	Γ"	I	CLOAC	PE1JJ	3.15	41.93	30.51	14.76	11,84		1		1		
	Adjacent Collocation - 4-Fiber Cross-Connect	T		CLOAC	PE1JK	6.02	51.29	39.87	19.41	16.49						
	Adjacent Collocation - Application Fee	Ţ <u> </u>		GLOAC	PE1JB		_3,165.50									
	Adjacent Collocation - 120V. Single Phase Standby Power Rate lper AC Breaker Amp			CLOAC	PEIJL	5.44										
	Adjacent Collocation - 240V. Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJM	10.88										
	Adjacent Collocation - 120V. Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJN	16.32						-				
	Adjacent Collocation - 277V. Three Phase Standby Power Flate per AC Breaker Amp			CLOAC	PE1JO	37.68										

COLLUCAT	ION - Louisiana	1											Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manuelly per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		 				Rec	Nonrec First	Add't	Nonrecurring First	Disconnect	001=0			Rates(\$)		
		 -	 		 	 	FRST	Adot	PIRE	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO					<u> </u>						 					
Applica										····						
	Physical Collocation - Initial Application Fee	 -			PE18A		1,837.24									
- -	Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct Connect,	 -	ļ	cro	PEICA		1,533,41			Ļ						
ļ	Application Fee, per application	1	}	CLO	PEIDT	1	583.30		l]	i	i	- 1			l
	Physical Collocation Administrative Only - Application Fee	L		CLO	PEIBL		741.97			 	 					
	Physical Collocation - Application Cost, Simple Augment			CLO	PEIKS		596,35		1.22		 					
	Physical Collocation - Application Cost, Minor Augment	-		CLO	PEIKM		836.18		1.22							
	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment	 	1	oro	PEIKI	 	1,061.00		1.22							
Spare	Preparation	<u> </u>	—	CLO	PE1KJ	<u> </u>	2,418.00		1.22							
	Physical Collocation - Floor Space, per sq feet	T		CLO	PE1PJ	5.30										
	Physical Collocation - Space Enclosure, welded wire, first 50					1					 					
	Square feet Physical Collocation - Space enclosure, welded wire, first 100	 -	<u> </u>	cro	PE18X	166.40								ĺ		i
	square feet	ļ		CLO	PEIBW	184.50										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet	<u> </u>	<u> </u>	cro	PEICW	18.10										
l	Physical Collocation - Space Preparation - C.O. Modification per]													
	square ft. Physical Collocation - Space Preparation, Common Systems			CLO	PE1SK	2.31										
 -	Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems			CLO	PEISL	2.70	· · · - · ·			 						
	Modifications-Caged, per cage	-		CLO	PE1SM	91.60										
	Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Availability Report, per Central Office	ļ	 	<u>cro</u>	PEISJ		583.33									
Power	Requested	<u> </u>		CLO	PEISR	<u> </u>	1,044.07									
Power	Physical Collocation - Power, -48V DC Power - per Fused Amp	Α-		······································												
	Requested			CLO	PE1PL	8.32					_	1	ļ	Ţ		
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp	İ	l i	<u>C</u> LO	PEIFB	5.45										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO							-					
	Physical Collocation - Power, 120V AC Power, Three Phase, per	 	1		PE1FD	10.92						-				
	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per			CLO	PE1FE	16.37										
- 	Breaker Amp		اا	CLO	PE1FG	37.80										
Cross 0	onnects (Gross Connects, Co-Carrier Cross Connects, and Por	ts)	,		,	,									<u>-</u>	
}				UEANL,UÉQ. UNÇNX, UEA, UCL,			ĺ	i								
i	Physical Collocation - 2-wire cross-connect, loop, provisioning	ĺ		UAL, UHL, UDN, UNCVX	PE1P2	0.0318	11.94	11.46			i	ł		[
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0636	12.04	11.53								
				WDS1L, WDS1S,	1 = 1.3	0.0000	12.04	11.33								
	Physical Callegation DC4 Crose Council for Discisci			UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,					i		:					
	Physical Collection -DS1 Cross-Connect for Physical Collection, provisioning		1 1	USL, UEPEX, VEPDX	PEIPI	1.04	21,39	15.47					\	})	
:				UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX,												
	Physical Collocation - DS3 Cross-Connect, provisioning		l į	UEPSR, UEPSB,	PE1P3	13.21	20.28	14.76							{	

PULLOCA	TION - Louisiana	,	,	,	,								Att: 4 Exh: 8			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronk Disc Add
		 	 -		-	Rec	Manred		Nonrecurring D				OSS	Rates(\$)		
		 -	-	CLO TU POS	 		First	Add't	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3,	PE1F2	2.62	20.28	14.76								
	Physical Collocation - 4-Fiber Cross-Connect			U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	4.65	24.81	19.29) 		
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect- Fiber Cable Support Structure, per linear foot, per cable.		<u> </u>	CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP.	PE1DS	0.0015										
	Physical Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSB. UEPSX. UEP2C	PE1Ř2	0.0318	11.94	11,46		_						
	Physical Collecation 4-Wire Cross Connect, Port		<u>. </u>	UEPEX, UEPDD	PE1R4	0.0636	12.04	11.53								
Secur																
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLO	PE18T		15.44	10.42								
	normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside			CLO	PE1OT		21.41	13.45								
	of scheduled work day, per half hour Physical Collocation - Security Access System - Security System		_	cro	PE1PT		26.38	16 49								
	per Central Office, per Sq. Ft. Physical Collocation - Security Access System - New Card			CLO	PETAY	0 0224					<u> </u>					
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.74								1	
-	Stolen Card, per Card	l :		CLO	PETAR :		22.64		i] [İ				
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PETAK		13.01									
_	Stolen Key, per Key	\	i i	CLO	PEIAL)	13.01	}	- 1		1		- 1			
CFA	Physical Collocation - CFA Information Resend Request, per										· · · · · · · · · · · · · · · · · · ·	<u></u>	L			
Cable	premises, per arrangement, per request Records	L		CLO	PE1C9		77.43				<u></u>					
	Recurring Collocation Cable Records - per request			CLO	PE1CU	10.97					Г Г		—			
	Recurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PEICE	5.29										
	Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CT	0.08										
	Recurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C2	0.04					 			+		
	Recurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C4	0.13										
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CG	1.37										
	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C6	0.04					 +				+	
Virtua	I to Physical										<u></u>					
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE18V		33.00									
_	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00								<u> </u>	
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			сго	PE181		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3_		52.00									

COLLOCA.	TION - Louisiana												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Syc Order vs. Electronic- Add'i	Incremental Charge • Manual Svc Order vs, Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Add
		₩	├			Rec	Nonre	urring	Nonrecurring	Disconnect				Rates(\$)		
		ļ	ļ			ļ <u>.</u>	First	Add'l	First	Add*l	SOMEC	SOMAN	NAMOS	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation in Place, Per Voice Grade Circuit	<u> </u>		cro	PE18R		22.52				ļ. <u>.</u>					
	Physical Collocation Virtual to Physical Collocation In Place, Per DSO Circuit			cro	PE1BP		22.52									
	Physical Collocation - Virtual to Physical Collocation in-Place, Per DS1 Circuit	<u> </u>	_	cro	PE1BS		32.74									
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit	<u> </u>	<u></u>	cro	PE1BE		32.74			· · · · · · · · · · · · · · · · · · ·	<u> </u>					
Entrar	ice Cable	т	,			,					,					
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable	ļ	ļ	CLO	PE1BD		841.54				<u></u> i					
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable		<u> </u>	CLO.	PE1PM	16.31							i			
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber	<u> </u>	L	CLO	PE1ED_		9.88									
RTUAL COL		<u> </u>		L					L							
Applic	Virtual Collocation - Application Fee		_	AMTES	EAF		1,770.40		r							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	 	 	DIVITE O	L-Br	 	1,770,40				 					
	Application Fee, per application		į .	AMTFS	VETCA		583.30				[]	Į		ł		
	Virtual Collocation Administrative Only - Application Fee	1	<u> </u>	AMTES	VE1AF	1	741.97				 -					
Space	Preparation									<u> </u>	<u> </u>					
Powe	Virtual Collocation - Flgor Space, per sq. ft.	1	L	AMTES	ESPVX	5.30										
	Virtual Collocation - Power, per fused amp	T		AMTES	ESPAX	8.32					T					
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts}														
	Virtual Collocation • 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN. UAL, UHL, UCL, UEQ, UNGVX, UNGOX, UNGNX	UEAC2	0.0296	11,94	11.46								
				UEA, UHL, UCL. UDL, UNCVX,												· · · · · · · · · · · · · · · · · · ·
	Virtual Collocation - 4-wire cross-connect, loop, provisioning	1		UNCDX	UEAC4	0.0591	12.04	11.53								
	Virtual collecation - Special Access & UNE, cross-connect per DS1			ULR. UXTO1. UNG1X, ULGG1. U1TG1, USLEL. UNLG1. USL. UEPEX, UEPDX	CNC1X	1.04	21.39	15.47		!						
	Virtual collocation - Special Access & UNE, cross-connect per IDS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST	CND3X	13.21	20.28	14.76								
				UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3,												
	Virtual Collectation - 2-Fiber Cross Connects	+	 -	ULD12, ULD48, UDF	UNCZF	2.65	20,29	14 76			 -					
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	GNC4F	5.31	24.81	19,29	:							
 		1	 		1		E4.01	19.23			 					
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect- Fiber Cable Support Structure, per linear foot, per cable			AMTES	VÉ1CB	0.001			 					}	}	
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
						, 					· · · · · · · ·			 _		
			1	UEPSX, UEPSB.	i) 1							- 1			
				UEPSE, UEPSP.	<u> </u>]		
	Virtual Collocation 2-Wire Cross Cornect, Port Virtual Collocation 4-Wire Cross Cornect, Port				VE1R2	0.0296	11.94 12.04	11.46 11.53		·						

ULLUCAT	ION - Louisiana												Att: 4 Exh: B			
		1									Svc Order		Incremental	incremental	incremental	incremen
		1	}	1	1 1							Submitted	Charge -	Charge -	Charge -	Charge
		!	}		1						Elec	Manually				
TEGORY	RATE ELEMENTS	Interim	Zorte	всѕ	usoc			RATES(\$)					Manual Syc	Manual Svc	Manual Svc	Manual
LEGURI	MAIL ELEMENTS	intel (1)	20114	503	0300			HATES(S)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
		1	1 1								ļ		Electronic-	Electronic-	Electronic-	Electron
	1	l	Į į								i i		1st	Add'I	Disc 1st	Disc Ac
	1	l			! !						1 .					
			T .			_	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec -	First	Add'l	First	Add'1	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
CFA							, , , , ,	7001	F (7.51	7001	JOMES	SOMM	SUMMAN	SUMMAN	SUMAN	SUMA
GFA		· · · · · ·	_						,		.,					
- 1	Virtual Collocation - CFA Information Resend Request, per	1	ì)	1					ì	1 1					1
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.43									í
Cable f	Records															
	Virtual Collocation Cable Records - per request(LA only)			AMTES	VE1BG	10.97										
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	· · · ·	_							 	+					
	record(LA only)	١	1 '	AMTES	VE1BH]	5.29										i
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100		-	NIN I CO	ACIDA	5.29										-
		l	1		l					i	1					i
	pair(LA only)			AMTFS	VE1BJ	0.08				L	l					ı
	Virtual Collocation Cable Records - DS1, per T1TIE(LA only)			AMTFS	VEIBK	0.04				[
\neg	Virtual Collocation Cable Records - DS3, per T3TIE(LA only)	1		AMTES	VE1BL	0.13					T					
	Virtual Collocation Cable Records - Fiber Cable, per 99 liber	T -									+					
- 1	records(LA only)	I		AMTES	VE1BM	1.37			l	1		-				ı
	Virtual Collocation Cable Records - CAT 5/RJ45 (LA only)		+	AMTES	VE1B6	0.04		· · · · · · · · · · · · · · · · · · ·		····						
		L		MILLS	TACIDE	0.04 1		L	L							
Securit																
1	Virtual collocation - Security escort, basic time, normally scheduled	1	1							j						
1	work hours	1	1	AMTFS	SPTBX		16.44	10.42	l		1 1					ı
	Virtual collocation - Security escort, overtime, outside of normally	T			T	-				T	 					
1	scheduled work hours on a normal working day	I	1	AMTES	SPTOX]	21.41	13.45		I			į	l		į.
		ļ	-	AMI FS	SFION		21.41	13.45								
}	Virtual collocation - Security escort, premium time, outside of a]	1	l .	i						l i					
i	scheduled work day	1		AMTFS _	SPTPX	L L	26.38	16.49			f			1	1	i
Mainter	nance															
	Virtual collocation - Maintenance in CO - Basic, per half hour		T	AMTFS	CTRLX		27.12	10.42		T	1					
	The state of the s	 -	·		071107			10.72			· · · · · · · · · · · · · · · · · · ·					
1	Manual Company of the Manual Company of the Company	ſ	ì	AMTFS	SPTOM		25.40	40.45		į.	1			1	í	i
	Virtual collocation - Maintenance in CO - Overtime, per half hour	ļ	+	AMIFS	SPIOM	L	35.42	13.45		ļ.,. <u>.</u>						
		l		ĺ						i						
	Virtual collocation - Maintenance in CO - Premium per half hour		L	AMTES	SPTPM		43.72	16.49							i	
Entran	ce Cable															
	Virtual Collocation - Cable Installation Charge, per cable	1	1	AMTES	ESPCX	T	841.54		, <u></u>							
	Virtual Collocation - Cable Support Structure, per cable		1	AMTES	ESPSX	16.02										
LL OCATION	IN THE REMOTE SITE		 													
	al Remote Site Collocation	Ļ	ــــــــــــــــــــــــــــــــــــــ			<u> </u>			L	· · · · · · · · · · · · · · · · · · ·						
- Priysic.	al Kemote Site Collocation			OLOGO.	[PE1RA		222.2			,	,					
	Physical Collecation in the Remote Site - Application Fee			CLOAS			298.80									
	Cabinet Space in the Remote Site per Bay/ Rack	L		CLORS	PEIRB	225.39										
1		[1		1					1						
1	Physical Collegation in the Remote Site - Security Access - Key	ĺ	1	CLORS	PEIRD	!	13.01			f	4 1			Į		
	Physical Collocation in the Remote Site - Space Availability Report									·						
- 1	per Premises Requested	l	Į I	CLORS	PEISR	1	112.52	'	}	ì	1 1	ì)			
			+	CEORG	FEISH	 	112.34									
	Physical Collocation in the Remote Site - Remote Site CLLI Code	İ	1	l <u>.</u> ,						I	[[]		
	Request, per CLLi Code Requested		1	CLORS	PE1RE		36.47			<u> </u>						_
	Remote Site DLEC Data (BRSOD), per Compact Disk, per CO	L		CLORS	PE1RR		233.21									
	Physical Collectaion - Security Escort for Basic Time - normally	T	T	· · · · · · · · · · · · · · · · · · ·						1	1	-				
1	scheduled work, per half hour	1	1	CLORS	PE1BT		16.44	10.42	l	1] !	ļ			j	
	Physical Collocation - Security Escort for Overtime - outside of		1				10.44	10.44		 	+					
		l	1	1						1	1 1	i	ļ	l	l	
1	normally scheduled working hours on a scheduled work day, per	1	1	l		i I						J	i	l	Į.	
	half hour	L	ļ	CLORS	PE1OT		21.41	13.45					}		i	
	Physical Collecation - Security Escort for Premium Time - outside	1	1			-				T						
	of scheduled work day, per half hour	1	1	CLORS	PEIPT	1	26.38	16.49			1 !	1			J	
Adjace	nt Remote Site Collocation			·		· · · · · · · · · · · · · · · · · · ·				·						
	Remote Site-Adjacent Collocation-Application Fee	T	T	CLORS	PETRU		755.62	755.62								
	Periote Site-Aplacent Collocation Application ree	├ ──	+	OLONG	FEIRD		733.02	133.02			 					
Į	L	1	{	0.000	\	i i	i	·	I	1	1	1	ļ	Ī	7	
	Remote Site-Adjacent Collocation - Real Estate, per square foot	<u></u>	-	CLORS	PEIRT	0.134										
		1	1]	1						1					
. !	Remote Site-Adjacent Collocation - AC Power, per breaker amp	l	.1	CLORS	PE1AS	6.27				1	1 1	1	J		ļ	
NOTE	If Security Escart and/or Add'l Engineering Fees become necess	sary for	adiaces	nt remote site colloc			appropriate re	ites.								
	Remote Site Collecation	4.01					- A.L Altrigated 11									
- A contract	Transplanta Composition		,	VETRS	VETRE		200.22									
	Virtual Collocation in the Remote Site - Application Fee	├	+	ACINO	VEIND	L	298.80			 						
ı		1	1	1	1						1					
. 1	Virtual Collocation in the Remote Site - Per Bay/Rack of Space	1		VE1RS	VETRC	225.39				1	1	J	i	ł		
	Virtual Collocation in the Remote Site - Space Availability Report			I			·····				 					
1	per Premises requested	ì	1	VE1RS	VE188]	112.52		1		1	i	I		}	
	Virtual Collocation in the Remote Site - Remote Site CLLI Code	+	+	· L·na	145,00	 	112.52	 			 				i	
1		i	1	l	1					1	1	ļ	[7	T	
	Request, per CLLI Code Requested	F	1	VETRS	VE1RL		36.47			1	1 /	ŀ				
	DLLOCATION					1.										

													Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	8CS	usoc			RATES(\$)			Svc Order Submitted Efec per LSR	Submitted	Charge -	Charge.	Charge -	Increment Charge Manual Sy Order vs Electronic Disc Add
			-			Rec	Nonrec		Nonrecurring	Disconnect	 					Ditt 700
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.000	First	Add'l	First	Addʻl	SOMEC	SOMAN	OSŞ	Rates(\$)		
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	-			PEIJC	0.0552						SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
					FE'JO	5.61										
1			ΙI	UEANL.UEQ,UEA,U	1 1	- 1					 	-				
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	DE LIE		I				!		- 1	- 1		
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL.UDL.UCL	DE 4 IE	0.0245	11.94	11.45			1 1		!		- 1	
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	0.0491	12.04	11.53			 -					
	Adjacent Collocation - DS3 Cross-Connects				PE1JH	0.9605	21.39	15.47								
	Adjacent Collocation - 2-Fiber Cross-Connect					13.01	20.28	14.76			 					
	Adjacent Collocation - 4-Fiber Cross-Cornect				PEIJJ	2.20	20.28	14.76								
	Adjacent Collocation - Application Fee				PETJK	4.21	24.81	19.29			 					
	Adjacent Collocation - 120V, Single Phase Standby Power Bate			CLUAC	PEIJB		1,543.20									
	Iper AC Breaker Amp		l.		1						<u> </u>					
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PEIJL	5.45]			[
	Def AC Breaker Amp		L											í	ŀ	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1JM	10.92						7-				
	per AC Breaker Amn				· · · · · · · · · · · · · · · · · · ·											
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1JN	16.37	1	- 1	- 1	i	T					
	per AC Breaker Amp	- 1											1		- 1	
			(0	CLOAC	PE1JO	37.80			!	· I						

COLLO	CATI	ON - Mississippi												Att: 4 Exh: B			
	1											Svc Order	Sur Order			Incremental	Increment
	Į			1 1		1	\										
	[i									Submitted			Charge	Charge -	Charge -
			١	l !			Ì		D.4.T.5.01.01			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			perLSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
	- 1			1 1		l i	1					l .		Electronic-	Electronic-	Electronic-	Electronic
	. !		Į	ιι			ļ) }		1st	Add'l	Disc 1st	Disc Add'l
	1		L	l . I										'* '	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Olac Ist	UNEC AGG
							Rec	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		·
							Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		LOCATION	1														
	Applicat											_					
		Physical Collocation - Initial Application Fee	L		CLO	PE1BA		1,890.38									
		Physical Collocation - Subsequent Application Fee			CLO	PEICA		1,575,69									
- 1		Physical Collocation - Co-Carrier Cross Connects/Direct Connect,	ļ	1 1		,	1 1	1		\	\	1	Ī "				
		Application Fee, per application	<u> </u>		CLO	PEIDT	<u> </u>	583.13				L		'	i'		
		Physical Collocation Administrative Only - Application Fee				PE1BL	<u> </u>	740.76									
		Physical Collocation - Application Cost, Simple Augment			CLO	PEIKS		597.34		1.22					·		
		Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		837,57		1.22					í		
		Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1.063.00		1.22							
		Physical Collocation - Application Cost - Major Augment	<u> </u>	<u> </u>	CLÖ	PEIKJ		2.422.00		1.22							
		reparation															
T		Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.74									ii	
Т		Physical Collocation - Space Enclosurs, welded wire, first 50	[(- T			1				\						
1		square feet			CLO	PE1BX	165.23					<u>i</u>		L !	L '	ı l	
T		Physical Collocation - Space enclosure, welded wire, first 100	1				T										
		square feet			CLO	PE1BW	183.20									<i>l</i>	
Т		Physical Collocation - Space enclosure, welded wire, each				1	,				[,		,	
		additional 50 square feet		1	CLO	PETCW	17.97				L	li		L	/	,	l
		Physical Collocation - Space Preparation - C.O. Modification per	i	1													
		square ft.			CLO	PEISK	2.30					!		1 1	, !	1	
		Physical Collocation - Space Preparation, Common Systems	1														
		Modifications-Cageless, per square foot			GLO	(PE1SL	2.52				\	1 i		į ,	, ,	. }	
		Physical Collocation - Space Preparation - Common Systems															
	l	Modifications-Caged, per cage	ļ		CLO	PE1SM	85.67					1		1 1	i 1		
						T											
		Physical Collocation - Space Preparation - Firm Order Processing		l	CLO	PE1SJ	<u> 1 </u>	604.19			L	ll		·	!	, }	!
		Physical Collocation - Space Availability Report, per Central Office	1	1		1	1										
		Requested		<u> </u>	CLO	PE1SR	<u> </u>	1,081.40			L	L		L		, [
	Power																
		Physical Collocation - Power, -48V DC Power - per Fused Amp		1 7			1					[
		Requested	l		CLO	PE1PL I	7.33				և	1 !		ı)	.)		
		Physical Collocation - Power, 120V AC Power, Single Phase, per	1														
		Breaker Amp	1		CLO	PE1FB	5.29		L	<u> </u>	<u></u>	L		I		ļ	
		Physical Collocation - Power, 240V AC Power, Single Phase, per	T														
		Breaker Amp		ل ل	CLO	PE1FD	10.58				L	l l	_	, (, ,	. 1	
	1	Physical Collocation - Power, 120V AC Power, Three Phase, per	1	1		1											
		Breaker Amp			CLO	PE1FE	15.87			L	L	L l		, , l	, j		
		Physical Collocation - Power, 277V AC Power, Three Phase, per	Ī				T				1						
		Breaker Amp			CLO	PE1FG	36.65			L						1	
	Cross C	onnects (Cross Connects, Co-Carrier Cross Connects, and Por	rts)														
1					UEANL.UEQ.	Γ	Ι Τ							1			
Ì			1		UNCNX, UEA, UCL.	1								: 1	. !	1	
	I		1		UAL, UHL, UDN,	1	1 1								, i		
		Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0288	12.37	11.87	6.04	5.45	ł l	\	, }	, ,	}	
1			Ī		UEA, UHL, UNCVX,												
	i	Physical Collocation - 4-wire cross-connect, loop, provisioning	<u> </u>		UNCOX, UCL, UDL	PE1P4	0.0576	12.47	11.94	6.59	5.91	l í		; 1	. 1		
			Γ		WDS1L, WDS1S,	Τ					,						
- 1	ı		!]	UXTD1, ULDD1,	1	1				!			. 1	ŀ	l	
- 1	[[1 1	USLEL UNLD1,	1	1	i		ì	1) i)	: 1	. Ì	ļ	
1	ì		ì		U1TD1, UNC1X.		1 1					l i			.	Ì	
- 1	ı		1		UEPSR, UEPSB.	I					1		l	, İ	ł		
	- 1		1		UEPSE, UEPSP.	1								.	i		
Į		Physical Collecation -DS1 Cross-Connect for Physical			USL, UEPEX,		1	į			ļ	,	Ţ			1	
!		Collocation, provisioning	1		UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97	1	İ		ŀ		
			1	T	UE3, U1TD3,												
- 1	i				UXTD3, UXT\$1,	1					!	!	1				
	- 1		1		UNC3X, UNCSX.	!		-	ľ				i	f	ļ		
- 1	J		l		ULDO3, U1T\$1,	Į.	, (1	1	\ \ \	· ·	. 1	ĺ		
	1				ULDS1, UNLD3,	1	1				ĺ					1	
- 1			1		UEPEX, UEPDX,	1	1 i			1	1	[ļ	J			
			1														
	ļ				VEPSR. UEPSB.								1	ĺ	İ	i	

COLLOCA	ION - Mississippi												Att: 4 Exh; B			
ATEGORY	RATE ELEMENTS	interim	Zone	всз	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electroni Disc Add
					 	Rec	First		Nonrecurring				055	Rates(\$)		
	 		┿	CLO, ULDO3.	+		FRSL	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF ULD03, ULD12,	PE1F2	2.87	21.01	15.29	7.61	6.10						
İ	Physical Collocation - 4-Fiber Cross-Connect			ULD48, U1TO3. U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	5.10	25.70	19.97	10.01	8.50				:		i
			 	001, 001 0x	1517	3.10	23.70	19.57	10.01	8.50						
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear loot, per cable.		_	CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PEIDS	0.0015										
	Physical Collocation 2-Wire Cross Connect, Port		1	UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C	PE1R2	0.0288	12.37	11.87	6.04	5.45		45 75				
	Physical Collocation 4-Wire Cross Connect, Port	1.		UEPEX, UEPDD	PE194	0.0576	12,47	11.94	6.59	5.45	 	15.75				
Securi									9.00	0.51	L	10.75				
-	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLO	PE18T		17.02	10.79								
	normally scheduled working hours on a scheduled work day, per half hour			cro	PE1OT		22.17	13.94				Ì				
	Physical Collocation - Security Escort for Premium Time - outside				1.0.		22.17	13.54								
	of scheduled work day, per half hour Physical Collocation - Security Access System, Security System,			cro	PE1PT		27.32	17.08			-					
1	per Central Office Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State	 		CLO	PE1AX	75.23										
 	Physical Collocation-Security Access System-Administrative		_		PE1A1	0.0576	27.95									
	Change, existing Access Card, per Request, per State, per Card	<u> </u>	-	cro	PE1AA		7.84				i	_]				
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PETAR		22.91									
I	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.17									
CFA	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			cro	PE1C9		77,41									
Capie 1	tecords - Note: The rates in the First & Additional columns will a Physical Collocation - Cable Records, per request	cruany b		CLO	PETCR	respectively	763.69	S 490.94	100 == 1	····						
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			Cro	PE1CD		328.81	5 490.94	133.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			cro	PE1CO_		4.84		5.93	_						
	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE			CLO CLO	PE1C1 PE1C3		2.27 7.92		2.78 9.72							
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84,98		77.58	1						
	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C5		2.27		2.78			 +				
Virtual	to Physical Physical Collocation - Virtual to Physical Collocation Relocation.															
	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation.		 	CLO	PE18V		33.00									
 	Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BQ		33.00									
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1B1		52.00									
	per OS3 Circuit		l í	CLO	PE183_		52.00	ļ			ļ		ſ	- 1		

	ON - Mississippi												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		· · · · · · · · · · · · · · · · · · ·	RATES(\$)			Svc Order Submitted Elec per LSR	Syc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		ļ.,				<u> </u>			T							
		_				Rec	First	curring Add'l	Nonrecurring First	Disconnect Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Discourse of the state of the s		ļ			<u> </u>	FIRST	Addi	First	Addi	JOMEC	SUMAN	SUMAN	SUMAN	SOMAN	3011004
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Volce Grade Circuit	<u> </u>	<u> </u>	CLO	PE18A		22.54	ļ	<u> </u>	<u> </u>	-				ļ	
	Physical Collocation Vinual to Physical Collocation In-Place, Per DSO Circuit	ļ	<u> </u>	cro	PE1BP		22.54				ļ					
	Physical Collocation - Virtual to Physical Collocation in Place, Per DS1 Circuit	ļ	<u> </u>	CLO	PE1BS		32,78									
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit	<u> </u>	<u>_</u> _	CI.O	PE1BE	LL	32.78	L	<u> </u>	<u> </u>						
Entranc	ce Cable		,						Т		7					
l i	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable		1	CLO	PE1BD		926.27		22.62	Ĺ	L					
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	17.42										
_	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			Cro	PE1ED		3.89									
IRTUAL COLL		1														
Applica	tion				1===											
	Virtual Collocation - Application Fee		1	AMTES	EAF	-	1,212.25		0.51	ļ <u>.</u>	├					
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,	1		AMTES	VEICA	1	583.13			t	[{		
	Application Fee, per application Virtual Collocation Administrative Only - Application Fee	+	+	AMTES	VETAF	·	740.76	<u> </u>	1							
	Preparation	<u> </u>	-													
	Virtual Collocation - Floor Space, per sq. It.	L.,	J	AMTES	ESPVX	5.74					L			L		
Power	Virtual Collocation - Power, per lused amp	Τ.		AMTES	ESPAX	7.33		1	7	1	T					
Cross C	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	orts)														
				UEANL, UEA, UDN, UAL, UHL, UCL. UEQ, UNCVX.												
				LILLIAMAN COLORADO	11.5 4.00	0.0000							İ	1		
	Virtual Collocation - 2-wire cross-connect, loop, provisioning	-	+	UNCDX, UNCNX UEA, UHL, UCL,	UEAC2	0.0268	12.37	11.87	6.04	5.45				 		
	Virtual Collocation - 2-wire cross-connect, loop, provisioning Virtual Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UCL, UDL, UNCVX, UNCDX	UEAC2	0.0268	12.37	11.87		5.45						
				UEA, UHL, UCL, UDL, UNCVX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL	UEAC4	0.0536	12.47	11 94	6.59	5.91						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UCL, UDL, UNCVX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL. UEPEX, UEPDX					6.59	5.91						
	Virtual Collocation - 4-were cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per			UEA, UHL, UCL, UDL, UNCDX, UNCDX ULR, UXTD1, UNG1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPDX USL, UG3, U1TD3, UXTS1, UXTD3, UNC3X, UNC3X, ULOS1, UTS1, ULOS1, UDLSX.	UEAC4	0.0536	12,47 22,16	11 94	6.59	5.91						
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per DS1			UEA, UHL, UCL, UDL, UNCDX, UNCDX ULR, UXTD1, UNTO1, USLEL, UNTD1, USLEL, UNLD1, USL, UEPEX, UEPDX USL, UE3, UTTD3, UXTS1, UXTD3, UNC3X, UNCSX, ULD03, UTTS1, ULD1, UDS1, UDS5, UND1, UDS5, UDS1, UDC5X, UNLD3, UDC5X, UNLD3, XDE5T UDL12, UDL03, UTT12, UTT03, ULD03,	UEAC4 CNC1X CND3X	1.14	12.47 22.16 21.01	16.07	6.59	5.91						
	Virtual Collocation - 4-were cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per			UEA, UHL, UCL, UDL, UNCDX, UNCDX, ULR, UXTD1, UNCT, ULDD1, U1TD1, USEEL, UNLO1, USEEL, UNLO1, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, USEEL, ULDSI, UDLSX, ULDSI, UDLSX, UNCDX, XDEEST UNLO3, UTSI, UDLSX, UNLO12, UDLSX, UNLO12, UDLSX, UNLO12, UDLSX, UNLO12, UDLSX, UNLO12, UDLSX, UTSI,	UEAC4 CNC1X CND3X	0.0536	12,47 22,16	11 94	6.59	5.91						
	Virtual Collocation - 4-were cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per OS1 Virtual collocation - Special Access & UNE, cross-connect per OS3 Virtual Collocation - 2-Fiber Cross Connects			UEA, UHL, UCL, UDL, UNCDX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USEEL, UNLD1, USEEL, UNLD1, USEEL, UNLD1, USEEL, UNLD3, UTD3, UXTD3, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNLD3, VDEST, UDL12, UDL03, UT148, U1T12, U1T03, ULD03, UUT18, ULD03, UT148, UT112, UT1048, UDL12, UT1048, UDL12, UT103, ULD03, UT148, UT112, UT103, ULD03, UT148, UT112, UT103, ULD03, UT148, UT112, UT103, ULD03, UT148, UT112, UT103, ULD03, UT103, ULD03, UT104, UT103, UT105	UEAC4 CNC1X CN03X F CNC2F	0.0536	12,47 22,16 21,01	15.21	6.59	5.91 5.97 6.10						
	Virtual Collocation - 4-were cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3			UEA. UHL. UCL. UDL. UNCVX. UNCDX. ULR. UXTD1. UNC1X. ULDD1. U1TD1. USLEL. UNLD1. USELL. UNLD1. USPEX. UEPDX USL. UE3. U1TD3. UXTS1. UXTD3. UNC3X. UNC3X. ULD03. U1TS1. ULDS1. UDL5X. ULDS1. UDL5X. UNLD3. VDEST UDL12. UDL03. U1T48. U1T12. U1T03. ULD03, UD112. ULD03, UD112. UDL03, UD112. UDL03, UD1148. U1T12.	UEAC4 CNC1X CN03X F CNC2F	1.14	12.47 22.16 21.01	15.21	6.59	5.91						
	Virtual Collocation - 4-were cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Garrier Cross Connects Virtual Collocation - Co-Garrier Cross Connects			UEA, UHL, UCL, UDL, UNCDX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USEEL, UNLD1, USEEL, UNLD1, USEEL, UNC3X, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3, UXTD3, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNLD3, XDEST UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UD UDL12, ULD48, UD UT148, U1T12, U1T03, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD13, ULD03, ULD13, ULD03, ULD14, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD03, ULD15, ULD048, UD	UEAC4 CNC1X CN03X F CNC2F	0.0536	12,47 22,16 21,01	15.21	6.59	5.91 5.97 6.10						
	Virtual Collocation - 4-were cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per OS1 Virtual collocation - Special Access & UNE, cross-connect per OS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 6-Carrier Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			UEA, UHL, UCL, UDL, UNCDX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USEEL, UNLD1, USEEL, UNLD1, USEEL, UNLD1, USEEL, UNLD3, UTD3, UXTD3, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNLD3, VDEST, UDL12, UDL03, UT148, U1T12, U1T03, ULD03, UUT18, ULD03, UT148, UT112, UT1048, UDL12, UT1048, UDL12, UT103, ULD03, UT148, UT112, UT103, ULD03, UT148, UT112, UT103, ULD03, UT148, UT112, UT103, ULD03, UT148, UT112, UT103, ULD03, UT103, ULD03, UT104, UT103, UT105	UEAC4 CNC1X CN03X F CNC2F	0.0536 1.14 14.49 2.91 5.82	12,47 22,16 21,01	15.21	6.59	5.91 5.97 6.10						
	Virtual Collocation - 4-were cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Garrier Cross Connects Virtual Collocation - Co-Garrier Cross Connects			UEA, UHL, UCL, UDL, UNCDX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USEEL, UNLD1, USEEL, UNLD1, USEEL, UNC3X, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3, UXTD3, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNLD3, XDEST UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UD UDL12, ULD48, UD UT148, U1T12, U1T03, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD13, ULD03, ULD13, ULD03, ULD14, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD15, ULD03, ULD03, ULD15, ULD048, UD	UEAC4 CNC1X CN03X F CNC2F	0.0536	12,47 22,16 21,01	15.21	6.59	5.91 5.97 6.10						
	Virtual Collocation - 4-were cross-connect, loop, provisioning Virtual Collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear loot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear loot, per cable			UEA, UHL, UCL, UDL, UNCDX, UNCDX, ULD1, USEL, UNCD1, UHTD1, USEL, UNLD1, UFPEX, UEPDX USE, UED3, UHTD3, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, ULD12, UDL5X, UNLD12, UDL5X, UNLD12, UDL5X, UNLD12, UDL5X, UNLD12, UDL5X, UNLD12, UDL5X, UNLD12, UDL5X, UNLD12, UDL5X, UNLD12, UDL5X, UNLD12, UDL5X, UNLD12, UDL5X, UDL12, UDL5X, UDL12, UDL5X, UDL12, UDL5X, UDL12, UDL5X, UDL12, UDL5X,	UEAC4 CNC1X CND3X F CNC2F F CNC4F VE1CB	0.0536 1.14 14.49 2.91 5.82	12,47 22,16 21,01	11 9.4 16.0: 15.2:	7 10.01	5.91 5.97 6.10 6.10						

LLUCAT	ON - Mississippi	<u></u>	,			·, · · · · · · · · · · · · · · · · · ·							Att: 4 Exh: B			
					1							Svc Order	Incremental	Incremental	Incremental	
											Submitted		Charge -	Charge -	Charge -	Charge
	DATE C. CASING	l	l_ I			1					Elec	Manually	Manual Syc	Manual Svc	Manual Svc	Manual :
EGORY	RATE ELEMENTS	luterim	Zone	BCS	nsoc	1		RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
					1						1		Electronic-	Electronic-	Electronic-	Electron
		:				į.							1st	Add'l	Disc 1st	Disc Ac
-		-									ļ				<u> </u>	<u> </u>
						Rec	Nonrec		Nonrecurring		Ļ		038	Rates(\$)		
- 1054			<u>. </u>	l. <u> </u>		·	First	Add1	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM/
CFA	57 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		,				, ,			·						
- 1 - 1	Virtual Collecation - CFA Information Resend Request, per			AMTES		1			!		í i					
- 10:54:0	Premises, per Arrangement, per request scords - Note: The rates in the First & Additional columns will a Vinual Collocation Cable Records - per request	1	ـــــــا	AM1FS	VEIQR	<u> </u>	77.41		i	<u></u>						
Cable R	ecords - Note: The rates in the First & Additional columns will a	ctually b	u bilied	as "Initial I" & "St	ubsequent S" re	spectively	V =04.54				,					
	Virtual Collocation Cable Records - Per request	Ļ	-	AMIFS	VEIBA		763.69	S 490.94	133.77		1					
			!	AMTES	VEIBB	l i				Į	1 1					ì
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each 100	ļ		AMIFS	VEIBB	 	328.81		190.22	ļ						
	pair		i i	AMTFS	VE1BC		ا ہے۔ ا				1					Į.
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD		4.84		5.93							<u> </u>
	Virtual Collectation Cable Records - DS3, per T3TIE	ļ	 	AMTES	VE1BE		2.27 7.92		2.78 9.72		 					<u> </u>
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		<u> </u>	AMILES	IVEIBE	ļ	7.92		9.72		 					<u> </u>
	records		1	AMTFS	VE18F	Į l	84.98			1	1]	1
+	Virtual Collocation Cable Records - CAT 5/RJ45	 	 	AMTES	VE185	 	2.27		77.58		+					
Security			Ь	AMIFS	TAE 182	1	2,27		2.78	L						Щ.
					 -											
	Virtual collocation - Security escort, basic time, normally scheduled work hours) '] [AMTES	SPTBX		17,02		1	ĺ			1	!		
	Work neurs Virtual collocation - Security escort, overtime, outside of normally	-	-	AWITS	SPIBA	 	17,02	10.79	 	ļ						L
	Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day			AMTFS	СОТОУ					i	j i					į
	Scheduled work nours on a normal working day Virtual collocation - Security escort, premium time, outside of a		-	AMIFS	SPTOX	 	22,17	13,94			 					L
	virtual collocation - Security escort, premium time, oulside of a scheduled work day			AMTFS	SPTPX		27.32	17.08	Į	Į.	ι Ι					\
			<u> </u>	AMILES	SPIPX	·	27.32	17.08	<u> </u>	L						<u>L</u>
Mainten				LUTES	lozer v		00.00									
+	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		28.09	10.79								
	Midwell and lange them. Introduction and the CO. Constitution of the Mid-		l i	LUTES	CDTC:	!	ا ــ ــ ا				j					
+-+	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM	 	36,69	13,94	ļ		 					
(l	ONAL DESIGNATION Maintenance in CO. Designation 1975	, I	1	 AMTFS	COTO	1				1	1 1					i
Entra	Virtual collocation - Maintenance in CO - Premium per half hour	 -		IAMITS	SPTPM	 	45,28	17.08		L	11					<u></u>
Entranc	Virtual Collocation - Cable Installation Charge, per cable		,	IAMTES	ECDOV		0.00 0.7		~~~							
	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable	 		AMTES	ESPSX	15.24	926.27		22.62		 					
OCATION	IN THE REMOTE SITE	 	 	AIM/F3	ESPSA	13.24	 		 		 					
	Remote Site Collocation		·			·	<u> </u>									Щ
	Physical Collocation in the Remote Site - Application Fee	T		CLORS	PETRA	T	309.48		168.63		, -					
	Cabinet Space in the Remote Site per Bay/ Rack	-		CLORS	PETRB	210.05	303.40		100.03	 	 					
-+	Gubina Grade in the front of one per day mack				- CIAB	210.05					+					<u> </u>
	Physical Collocation in the Remote Site - Security Access - Key	1		CLORS	PEIRD		13.17]	i		l	- 1	
	Physical Collocation in the Remote Site - Space Availability Report	 	1		7.0100	 	13.17		 		 					
	per Premises Requested	1		CLORS	PEISR	1	116 54		ĺ	-	į l	İ		-		
	Physical Collocation in the Remote Site - Remote Site CLLI Code		 	0.000	TE ISE	† 	116 24			 	 -					
	Request, per CLU Code Requested			CLORS	PEIRE		37.77]			l	ĺ	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	-	 	CLORS	PEIRR	 	233.14				 					
	Physical Collocation - Security Escort for Basic Time - normally		 	000110	- 1. F.IDE	 	433.14				{					
	Ischeduled work, per half hour	\) '	CLORS	PE1BT] '	17,02	10.79	1] [ļ	l	1	
	Physical Collocation - Security Escon for Overtime - outside of	 		JOEOING .	- FE 1B1	1	17.02	10.79	 	 	 					
	normally scheduled working hours on a scheduled work day, per				1		j				} I		1	- 1	J	
	half hour	ľ		CLORS	PE1OT		22,17	13.94		İ		İ		l	ĺ	
	Physical Collocation - Security Escort for Premium Time - outside :		\vdash	OLONO.	FEIOI	 	22.17	13.94			+					
	of scheduled work day, per half hour		1	CLORS	PE1PT	}	,,,,,		ì)	1	ì	1	Ì]	
Adlace	or scheduled work day, per nar hour			јуципа	ILE ILI	.	27.32	17.08	·	L	لــــــــــــــــــــــــــــــــــــــ					
	Remote Site Adjacent Collocation-Application Fee			CLORS	PE1RU		755 40	755.00			, , , , , , , , , , , , , , , , , , , 					
+	Herriote One-Adjacent Condcatron-Application Fee	 	 	OLONG	FEIRU		755.62	755.62			 					
1 1	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0,134					1 1		1	· i	[
+	nomono onter-regardant como ognigit i ribrar estata, per square 100t	 	_	OCONG.	- FINI	0.134	 		 		 					
1 1	Remote Site-Adjacent Collocation - AC Power, per breaker amp	l	1 :	CLORS	PE1RS	6.27	F .				1	ĺ	i		ļ	
	If Security Escont and/or Add'I Engineering Fees become necess	ant for	adir			6.27	lo 20000									
Vietnet F	ir Security Escort and/or Add 1 Engineering Pees Decome necess Remote Site Collocation	ery for	aulacat	it tausors and CONC	reaction, the Pan	was was negotiat	appropriate ra	1105.								
	Virtual Collocation in the Remote Site - Application Fee		_	WE+DC	VETRB	,			20220			,				
	vinual Coxocation in the Hemote Site - Application Fee		 	VE†RS	TAC IND	 	309.48		168.63							
	With all Calinating in the Remain Site. Bar Band Bart of Sana) '	1	VEIRS	VEIRC	040.55					1 1	ļ		Π.		
1 1	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VEIRS	VETHC	210.05					 					
					1	1	ı 1		!	i .	1 7	T	~ 7			
	Virtual Collocation In the Remote Site - Space Availability Report				1/5/											
	per Premises requested	ļ	ļ	VE1RS	VE199	ļ	116.54			!	ļl					
				VE1RS	VE1RL		116.54 37.77			<u> </u>	 					

COLLOCAT	TION - Mississippi												Att: 4 Exh; B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		+	 	 	 	Page	Nonrec	บเท่าดู	Nonrecurring	Disconnect		·	OSS	Rates(\$)	·	
		<u> </u>				Rec	First	_Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PEIJA	0.0678							L			
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		Ţ	CLOAC	PE1JC	4.68					ļ					
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL.UEQ,UEA,U CL, UAL, UHL, UDN	PEIJE	0.0223	12.37	11.87		5.45						
	Adjacent Collocation - 4-Wire Cross-Connects		1	UEA,UHL.UDL,UCL		0.0446	12.47	11.94	6.59	5.91						
	Adjacent Collocation - DS1 Cross-Connects		I	UŞL	PE1JG	1.05	22.16	16.02	6.60	5.97						
	Adjacent Collocation - DS3 Cross-Connects	I		UE3	PEIJH	14.27	21.01	15.29		6.10						
	Adjacent Collocation - 2-Fiber Cross-Connect	Γ_{-}		ÇLOAÇ	[PE1JJ	2.42	21.01	15.29		6.10						
	Adjacent Collocation - 4-Fiber Cross-Connect		Ι	CLOAC	PEIJK	4.62	25.70	19.97	10.01	8.50						
	Adjacent Collocation - Application Fee		Ī	CLOAC	PEIJB		1.585.83	_								
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JL	5.29										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM	10.58										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp		"-	CLOAC	PEIJN	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	36.65										

COLLOCAT	ION - North Carolina												Att: 4 Exh: B			
		Т	T	I		Ι					Svc Order		Incremental	Incremental	Incremental	Increment
			İ	İ		l						Submitted	Charge -	Charge -	Charge -	Charge
		İ			1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			perLSR	per LSR	Order va.	Order vs.	Order vs.	Order v
		ì	ì	1	ì	ì					1	per 40	Electronic-	Electronic-	Electronic-	Electroni
		}	1	1							i		181	Add'l	Disc 1st	Disc Add
		<u> </u>	<u> </u>			<u> </u>					J					
		Г				Rec	Nonre		Nonrecurring					Rates(\$)		
		Ι				1,000	First	Addil	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							` `									
PHYSICAL COL		<u> </u>	1	L	<u> </u>	<u></u>			<u> </u>		J					
Applica	ition					,					,		·	·····		
	Physical Collocation - Initial Application Fee		ļ	CLO	PEIBA	<u> </u>	2,322.00									ļ
	Physical Collocation - Subsequent Application Fee		┼	CLO	PE1CA	 	2,311.00				 					
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,	1		CLO	PE1DT		317.20									l
	Application Fee, per application Physical Collocation Administrative Only - Application Fee		+	CLO	PEIBL	[741.44		ļ		 					
	Physical Collocation - Application Cost, Simple Augment		+	CLO CLO CLO	PEIKS	 	269.83		1,15		 -				 	
	Physical Collocation - Application Cost, Minor Augment		+	CLO	PEIKM	 	493.40		1.15		 -					
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PEIKI		1,012.00		1.15		 					
	Physical Collocation - Application Cost - Major Augment			cia	PEIKJ		2,343.00		1.15	 -	 					
	Preparation	·		14-0	J. C	·	\$,040.00		1.13	L	·				<u> </u>	ı
	Physical Collocation - Floor Space, per sq feet		T	CLO	PE1PJ	2.69	· · · · · · · · · · · · · · · · · · ·		Γ	l,			· · · · ·			
	Physical Collocation - Space Enclosure, welded wire, first 50	 									 					
- 1	square feet	ŀ	l i	laca	PE1BX	, ,	534.44		1	}	1				ì	1
	Physical Collocation - Space enclosure, welded wire, first 100			· ··							1					
	square feet	L	L	cro	PE1BW	<u>i</u>	559.81		l	l						1
	Physical Collocation - Space enclosure, welded wire, each		ľ													
	additional 50 square feet	L	(:	CLO	PE1GW	\ \	25.37		· _	}))	1
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft	<u> </u>		CLO '	PEISK	2.42			L		L				_	i
	Physical Collocation - Space Preparation, Common Systems		Į –			1			ļ — — — — — — — — — — — — — — — — — — —							
	Modifications-Cageless, per square foot			CLO	PE1SL	2.88			<u> </u>	<u> </u>		<u></u>			L	l
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	97.98				L				·		L
İ		ł		J		1	1		!							[
	Physical Collocation - Space Preparation - Firm Order Processing	-	_	CLO	PE1SJ	<u> </u>	1,196.00				}					L
Ì	Physical Collocation - Space Availability Report, per Central Office	'[İ	1 :					l
	Requested	<u> </u>	ــــــــــــــــــــــــــــــــــــــ	CLO	PE1SR	L	2,140.00		l	L	<u></u>					L
Power	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested	Į.	}	CLO	PE1PL	7.65	,		1]			1			1
	Physical Collocation - Power, 120V AC Power, Single Phase, per	+	·	UEU	PEIFL	7.00			<u> </u>		 					
	Breaker Amp			CLO	PE1FB	5.50										ı
	Physical Colocation - Power, 240V AC Power, Single Phase, per	 	+	CLO	IFE I B	3.30					 					
Į	Breaker Amp	Į.	}	CLO	PE1FD	11.01			Ì	ì	1 :					1
	Physical Collocation - Power, 120V AC Power, Three Phase, per	 	_	, , , , , , , , , , , , , , , , , , ,	1.5						 					
	Breaker Amp		ì	CLO	PEIFE	16.51						i				ı
	Physical Collocation - Power, 277V AC Power, Three Phase, per	1	Τ		1						1					
Į.	Breaker Amp	1	1	CLO	PE1FG	38.12			Ì		1 1					ı
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)						····	-	· ,						
				UEANL,UEQ.												
- 1				UNCNX, UEA. UCL,			ı				[]	Į	ļ		, ,	1
1	(1		UAL, UHL, UDN.	}) i		1	1		1 1					J
	Physical Collocation - 2-wire cross-connect, loop, provisioning	.l		UNCVX	PE1P2	0,0309	19.77	14.95			L .]				i
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCOX UCL. UDL	PE1P4	0.0618	19.95	15.05		L						L
			1	WDS1L, WDS1S.	1					[-	
Į.		İ		UXTD1, ULDD1,									1			i
i		ł		USLEL, UNLD1.	İ	1					1 1				ļ	
1				U1TD1, UNC1X,					[į	!				· .	i
1		1	1	UEPSR, UEPSB,	1	ן ו							ĺ			
	Bhariant Collegetion DC4 Comes Comment for Charical	!		UEPSE, UEPSP,	1	ļ						i		ļ		
	Physical Collection -DS1 Cross-Connect for Physical	1		USL, UEPEX.	PE1P1	,,,,	20.45	20.00		1	, 1			i	1	
	Collecation, provisioning	+	+	UEPDX UE3, U1TD3.	FEIFI	1.38	39.15	23.20		 	 					
1	}	ì	i	UXTD3, UXTS1,]	j Ì			i	ĺ	1 1		ſ		ļ	
1	-	1	1	UNG3X, UNG\$X.	1				1			į			ĺ	
		1	1	ULDD3, U1T\$1,	1				1		, 1		J			
	1		1	ULDS1, UNLD3.						[1	1	1		, }	
		1	ì	UEPEX, UEPDX.)	1			[}	' 1	
1	1	1	1	UEPSA, UEPSB.		į l			1					i		

	ION - North Carolina											Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electron Disc Add
			<u> </u>		Rec		curring	Nonrecurrin	g Disconnect			oss	Rates(\$)	L	<u> </u>
			CLO, ULDO3,			First	Add'l	First	Add'!	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Physical Collocation - 2-Fiber Cross-Connect		ULD 12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.50	38.25	21,94								
			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,											-	
	Physical Collocation · 4-Fiber Cross-Connect		UDF, UDFCX	PE1F4	5.20	43.96	26.17								
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect- Fiber Cable Support Structure, per linear foot, per cable.		cio	PE1ES	0.0028										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.		CLO	PE1DS	0:0041										
			UEPSR, UEPSP, UEPSE, UEPSB,												
	Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port		UEPSX, UEP2C	PE1R2	0.0309	19.77	14.95	<u></u>]		26,94	12.76		
Security	V Type Control of the Closs Control of the Control		UEPEX, UEPDD	PE1R4	0.0618	19.95	15.05					26.94	12.76		
	Physical Collocation - Security Escort for Basic Time - normally			TT											
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of		CLO	PE1BT		33.68	21.34								
	normally scheduled working hours on a scheduled work day, per			1 1	ŀ					Í I			7		
	half hour		CLO	PE1OT	İ	43.87	27.57				i	Ì	1		
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour		CLO	PE1PT		54.06	33.80								
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft. Physical Collocation - Security Access System - New Card		CLO	PE1AY	0.0135										
	Activation, per Card Activation (First), per State		CLO	PE1A1	0.0622	15.00									
1	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or		CLO	PE1AA		15.51									
	Stolen Card, per Card		CLO	PETAR	l.		ļ								
	Physical Collocation - Security Access - Initial Key, per Key		CLO	PETAK		15.00 15.00							i		
	Physical Collocation - Security Access - Key, Replace Lost or		0.0			15.00			ļ						
l i	Stolen Key, per Key		CLO	PETAL	j	15.00			1 :						
CFA	bi. 10 d												<u>-</u>		
, ,	Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request ecords - Note: The rates in the First & Additional columns will ac		CLO	PE1C9		77.48								<u> </u>	
	Physical Collocation - Cable Records, per request	ruany be	CLO	PE1CA	spectively										
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)		CLO	PETCH	<u> </u>	1458.00		245.00							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair		CLQ	PE1CO		622.69 8.77	622.69 8.77	346.35	346.35						
	Physical Collocation, Cable Records, DS1, per T1 TIE		CLO	PE1C1		4.35	4.35	10.32 5.11	10.32 5,11					i	
	Physical Collocation, Cable Records, DS3, per T3 TIE		CLO	PE1C3		15.22	15.22	17.90	17,90						
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)		cro	PE1CB		163.61	163.61	143.32	143.32						
	Physical Collocation, Cable Records, CAT5/RJ45	[CLO	PE1C5		2.27		2.78	140.02						
	p Physical Physical Collocation • Virtual to Physical Collocation Relocation, per Voice Grade Circuit	_	CLO	75457			T		· · · · · · · · · · · · · · · · · · ·						
	Physical Collocation - Virtual to Physical Collocation Relocation,			PE1BV		33.00									
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation.		cro	PE180		33.00									
	per DS1 Circuit Physical Collocation - Virtual to Physical Collocation Relocation,		CLO	PE1B1		52.00									
]	per DS3 Circuit	- 1	CLO	PE1B3		52.00				ļ					

	ION - North Carolina											Att: 4 Exh: B			
										Svc Order	Svc Order		Incremental	Incremental	Increment
		!	i	Į.		1				Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		1	1	i						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		perLSR	per LSR	Order vs.	Order vs.	Order vs.	
		1	1	1 -	,					per care	percan				Orderva
		1	1							1		Electronic-	Electronic-	Electronic-	Electronic
		1	1		1							1st	Add'l	Disc 1st	Disc Add'
		 	 	 		·	Nonre	urring	Nonrecurring Disconnect			OSS	Rates(\$)		·
			_		 	Rec	First	Add'l	First Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation In-Place, Per		1			 			7 131 - 7001	JUILLE	3011014	SOMENIA	SDIMAN	SOMAN	SUMAN
1	Voice Grade Circuit	1		CLO	PE18R	1	69.51	20.45		1					
~ —	Physical Collocation Virtual to Physical Collocation In-Place, Per				1. 5.5.	 	30.01	40.45	 						
- 1	DSO Circuit	l	Į I	CFO	PEIBP	, I	69.51	20.45	\	1)) i	
	Physical Collocation - Virtual to Physical Collocation In-Place, Per	_		-		 			· · · · · · · · · · · · · · · · · · ·						
f	DS1 Circuit	1		CLO	PE1BS		78.93	29.87	1	İ				,	
	Physical Collocation - Virtual to Physical Collocation In-Place, per	 				 	10.00	20.01							
	D\$3 Circuit			CLO	PE1BE		75.11	26.04		!	'				
Entrane	ce Cable	-		1	1	·			L 						L
- (-11,0,0.7)	Physical Collocation - Fiber Cable Installation, Pricing, non-		_		T	T							· · · · · · · · · · · · · · · · · · ·		
ĺ	recurring charge, per Entrance Cable	i	1	CLO	PE1BD	}	1,233.00		1 ł		l i			i i	
	Physical Collocation - Fiber Cable Support Structure, per Entrance	 	 	<u> </u>	I E I O D		1,200.00		L	 -					
	Cable	1		CLO	PE1PM	20.57						i			
	OBD-V	 	 	-	r CIEW	20.37				+					
- Y	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.79		1				ŀ		
TUAL COLI		 	+	JULU	LEIEN	 	7.79			ļ					
				L	<u> </u>	<u> </u>									
Applica	Virtual Collocation - Application Fee	т—		AMTES	EAF	· · · · · · · · · · · · · · · · · · ·	1.105.00		, , , , , , , , , , , , , , , , , , , 					· · · · · · · · · · · · · · · · · · ·	
_		 		AMIES .	EAF	 	1,195.00								
}	Virtual Collocation - Co-Carrier Cross Connects/Birect Connect,]]	AMTES					1 1				1		
	Application Fee, per application	-	 -		VE1CA		317.20								
	Virtual Collocation Administrative Only - Application Fee	<u> </u>	1	AMTES	VETAF	<u>. </u>	741 44		<u> </u>						
Space	Preparation					,									
	Virtual Collection - Floor Space, per sq. ft.	1 1		AMTFS	ESPVX	2.69			<u></u>	<u> </u>					
Power		,													
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.65				T					
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	rts)													
				UEANL, UEA, UDN.		T				T					
		1		UAL, UHL, UCL,											
l l	Į.	1		UEO, UNCVX.	1	1 1		')	1					
	her is a second														
	Virtual Collocation - 2-wire cross-connect, loop, provisioning		! _	UNCDX, UNCNX	UEAC2	0.0225	19.77	14.95	1	1					
	Virtual Collection 2-wire cross-connect, loop, provisioning	<u> </u>		UNCDX, UNCNX UEA, UHL, UCL,	UEAC2	0.0225	19.77	14.95		-		_			· · -
	Virtual Collection - 2-wire cross-connect, loop, provisioning	<u> </u>	-		UEAC2	0.0225	19.77	14.95							
	Virtual Coffication - 2-wire cross-connect, loop, provisioning Virtual Coffication - 4-wire cross-connect, loop, provisioning			UEA, UHL, UCL,	UEAC2	0.0225	19.77							<u>, </u>	<u> </u>
				UEA, UHL, UCL, UDL, UNCVX,				14.95 15.05					ĺ		
				UEA, UHL, UCL, UDL, UNCVX, UNCDX ULB, UXTD1,									ĺ		
				UEA, UHL, UCL, UDL, UNCVX, UNCDX ULA, UXTD1, UNC1X, ULDD1,									į		
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UCL, UDL, UNGVX, UNCDX ULB, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,								_			
	Virtual Collectation - 4-wire cross-connect, loop, provisioning Virtual collectation - Special Access & UNE, cross-connect per			UEA, UHL, UCL, UDL, UNCVX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL,	UEAC4	0.0449	19.95	15.05							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning			UEA, UHL. UCL. UDL. UNCVX, UNCDX ULR, UXTD1, UNCIX, ULDD1, UNCIX, ULDD1, UNTD1, USLEL, UNLD1, USL, UEPEX, UEPDX											
	Virtual Collectation - 4-wire cross-connect, loop, provisioning Virtual collectation - Special Access & UNE, cross-connect per			UEA, UHL, UCL, UDL, UNCVX, UNCDX UNCDX UNC1X, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, USLE, UEPDX USL, UEB, UTD3,	UEAC4	0.0449	19.95	15.05							
	Virtual Collectation - 4-wire cross-connect, loop, provisioning Virtual collectation - Special Access & UNE, cross-connect per			UEA, UHL. UCL. UDL. UNCVX, UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNEDX, UEPOX USL, UES, UITD3, UXTS1, UXTD3, UXTS1, UXTD3,	UEAC4	0.0449	19.95	15.05							
	Virtual Collectation - 4-wire cross-connect, loop, provisioning Virtual collectation - Special Access & UNE, cross-connect per			UEA, UHL. UCL. UDL. UNCVX, UNCDX ULR, UXTD1, UNCIX, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX USL, UES, UITD3, UXTS1, UXTD3, UNCSX, UNCSX,	UEAC4	0.0449	19.95	15.05							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1			UEA, UHL, UCL, UDL, UNCOX, UNCOX, UXTD1, UXTD1, UNCOX, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX USL, UEB, U1TD3, UXTD3, UNCOX, UNCOX, UNCOX, UNCOX, ULDD3, UTS1,	UEAC4	0.0449	19.95	15.05							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per			UEA, UHL. UCL. UDL. UNCVX, UNCDX ULR, UXTD1, UNTDX, ULDD1, U1TD1, USLEL, UNLD1, USLEL, USL, UEPDX USL, UEB, UTD3, UXTS1, UXTD3, UNCSX, UNCSX, ULDD3, UTLS1, ULDD31, UDLSX,	UEAC4	0.0449	19.95 39.15	15.05 23.20							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1			UEA, UHL, UCL, UDL, UNCOX, UNCOX, UXTD1, UXTD1, UNCOX, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX USL, UEB, U1TD3, UXTD3, UNCOX, UNCOX, UNCOX, UNCOX, ULDD3, UTS1,	UEAC4	0.0449	19.95	15.05							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per			UEA, UHL, UCL, UDL, UNCVX, UNCDX ULR, UXTD1, UNCIX, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNLD1, USL, UEPEX, UEPDX UXT, UES, UITD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, UITS1, ULDD3, UDLSX, UNLD3, UDLSX, UNLD3, UDLSX, UNLD3, UDLSX, UNLD3, UDLSX,	UEAC4	0.0449	19.95 39.15	15.05 23.20							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per			UEA UHL UCL. UDL. UNCVX. UNCXX. ULR UXTD1. UNC1X. ULDD1. U1TD1. USLEL. UNLD1. USLEL. UNLD1. USPPX. UEPPX. USL. UES. U1TD3. UXTS1. UXTD3. UNC3X. UNCSX. ULDD3. U1TS1. ULDS1. ULDSX. UNLD3. XDEST UDL12. UDL03.	UEAC4	0.0449	19.95 39.15	15.05 23.20							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per			UEA, UHC. UCL. UDL. UNCVX, UNCDX, ULR, UXTD1, UNCIX, ULDD1, UTTD1, USLEL, UNLD1, USLEL, UNLD1, USLE, UNLD1, USTD3, UXTS1, UXTD3, UXTS1, UXTD3, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12,	UEAC4	0.0449	19.95 39.15	15.05 23.20							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3			UEA, UHL, UCL, UDL, UNCOX, UNCOX, UNCOX, ULD1, USTD1, USTD1, USTD1, USTD1, USTD1, USL, UEPEX, UEPDX, USS, UTCS, UNCOX, UN	UEAC4 CNC1X CND3X	0.0449	19.95 39.15 38.25	15 05 23 20 21 94							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per			UEA, UHC. UCL. UDL. UNCVX, UNCDX, ULR, UXTD1, UNCIX, ULDD1, UTTD1, USLEL, UNLD1, USLEL, UNLD1, USLE, UNLD1, USTD3, UXTS1, UXTD3, UXTS1, UXTD3, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12,	UEAC4 CNC1X CND3X	0.0449	19.95 39.15	15.05 23.20							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3			UEA, UHC. UCL. UDL. UNCVX, UNCDX, ULR, UXTD1, UNCIX, ULDD1, UITD1, USLEL, UNLD1, USLEL, UNLD1, USLE, UNLD1, USL, UEPEX, UEPDX USL, UE3, UITD3, UXTS1, UXTD3, UNCSX, ULDD3, UITS1, ULDD3, UITS1, ULDD3, UDLSX, UNLD3, XDEST UDL12, UDL03, UIT103, ULD03, ULD12, ULD048, UDF	UEAC4 CNC1X CND3X	0.0449	19.95 39.15 38.25	15 05 23 20 21 94							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3			UEA, UHL, UCL, UDL, UNCVX, UNCDX, ULR, UXTD1, UNCIX, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNLD1, USL, UEPEX, UEPDX USS, UES, UITD3, UXTS1, UXTD3, UNC3X, UNCSX, UNCD3, UTS1, ULD03, UTS1, ULD04, USST UDL12, ULD03, ULT12, ULD03, ULT12, ULD03, ULD12, ULD04, UDF1 UDL12, ULD04, UDF1	UEAC4 CNC1X CND3X	0.0449	19.95 39.15 38.25	15 05 23 20 21 94							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3			UEA, UHL, UCL, UDL, UNCOX, UNCOX, UNCOX, ULDDI, UNTDI, USLEL, UNLDI, USLEL, UNLDI, USPEX, UEPDX, USL, UES, UITDI, UNTSI, UNCSX, ULDDI, UDLSX, UNLDI, UDLSX, UNLDI, UDLSX, UNLDI, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNLDI, UDLSX, UNLDI, UNCOX, UNLDI, UNCOX, UNLDI, UNCOX, UNLDI, UNCOX, UNLDI, UNCOX,	UEAC4 CNC1X CND3X	0.0449	19.95 39.15 38.25	15 05 23 20 21 94							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects			UEA UHL UCL UDL. UNCVX, UNCDX ULR, UXTD1, UNCIX, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNLD1, USLED, USPEX, UEPDX USL, UEB, UITD3, UXTS1, UXTD3, UNCSX, UNCSX, ULDD3, UITS1, ULDD3, UITS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDL03, UIT103, ULD03, ULD12, ULQ48, UDF UDL12, ULQ48, UDF UT104, UIT12, U1T03, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03,	UEAC4 CNC1X CND3X CND3X	0.0449	39.15 38.25 38.25	23 20 21 94 21.94							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3			UEA, UHL, UCL, UDL, UNCOX, UNCOX, UNCOX, ULDDI, UNTDI, USLEL, UNLDI, USLEL, UNLDI, USPEX, UEPDX, USL, UES, UITDI, UNTSI, UNCSX, ULDDI, UDLSX, UNLDI, UDLSX, UNLDI, UDLSX, UNLDI, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNLDI, UDLSX, UNLDI, UNCOX, UNLDI, UNCOX, UNLDI, UNCOX, UNLDI, UNCOX, UNLDI, UNCOX,	UEAC4 CNC1X CND3X CND3X	0.0449	19.95 39.15 38.25	15 05 23 20 21 94							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects			UEA UHL UCL UDL. UNCVX, UNCDX ULR, UXTD1, UNCIX, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNLD1, USLED, USPEX, UEPDX USL, UEB, UITD3, UXTS1, UXTD3, UNCSX, UNCSX, ULDD3, UITS1, ULDD3, UITS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDL03, UIT103, ULD03, ULD12, ULQ48, UDF UDL12, ULQ48, UDF UT104, UIT12, U1T03, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03,	UEAC4 CNC1X CND3X CND3X	0.0449	39.15 38.25 38.25	23 20 21 94 21.94							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 6-Carrier Cross Connects/Direct Connect			UEA, UHL, UCL, UDL, UNCOX, UNCOX, UNCOX, ULD1, UNTD1, UNTD1, UTD1, UTD1, USLEL, UNLD1, USL, UEB, UFPEX, UEPDX USL, UEB, UTTD3, UXTD3, UTTD3, UXTD3, UTD3, UTD51, ULDS1, UDLSX, UNLD3, UTD12, UDLO3, ULT03, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, UTT03, ULD03, ULD12, ULD03, UTT03, ULD03, ULD12, ULD48, UTF12, UTT03, ULD03, UTD148, UTT12, UTD03, ULD12, ULD03, UTD152, ULD03, ULD12, ULD48, UDF101003, ULD12, ULD48, UDF101003, ULD12, ULD48, UDF101003, ULD12, ULD48, UDF1010003, ULD12, ULD48, ULD12, ULD	UEAC4 CNC1X CND3X CNC2F	0.0449	39.15 38.25 38.25	23 20 21 94 21.94							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects			UEA UHL UCL UDL. UNCVX, UNCDX ULR, UXTD1, UNCIX, ULDD1, U1TD1, USLEL, UNLD1, USLEL, UNLD1, USLED, USPEX, UEPDX USL, UEB, UITD3, UXTS1, UXTD3, UNCSX, UNCSX, ULDD3, UITS1, ULDD3, UITS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDL03, UIT103, ULD03, ULD12, ULQ48, UDF UDL12, ULQ48, UDF UT104, UIT12, U1T03, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03, UT1703, ULD03,	UEAC4 CNC1X CND3X CND3X	0.0449	39.15 38.25 38.25	23 20 21 94 21.94							
	Virtual Coflocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 6-Carrier Cross Connects/Direct Connect			UEA, UHL, UCL, UDL, UNCOX, UNCOX, UNCOX, ULD1, UNTD1, UNTD1, UTD1, UTD1, USLEL, UNLD1, USL, UEB, UFPEX, UEPDX USL, UEB, UTTD3, UXTD3, UTTD3, UXTD3, UTD3, UTD51, ULDS1, UDLSX, UNLD3, UTD12, UDLO3, ULT03, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, UTT03, ULD03, ULD12, ULD03, UTT03, ULD03, ULD12, ULD48, UTF12, UTT03, ULD03, UTD148, UTT12, UTD03, ULD12, ULD03, UTD152, ULD03, ULD12, ULD48, UDF101003, ULD12, ULD48, UDF101003, ULD12, ULD48, UDF101003, ULD12, ULD48, UDF1010003, ULD12, ULD48, ULD12, ULD	UEAC4 CNC1X CND3X CNC2F	0.0449	39.15 38.25 38.25	23 20 21 94 21.94							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 60-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connects/Dir			UEA UHL UCL UDL. UNCVX, UNCOX UNCOX UNCOX UNCOX, UN	CNC1X CND3X CNC2F CNC4F VE1CB	0.0449 0.4195 4.41 1.96	39.15 38.25 38.25	23 20 21 94 21.94							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 6-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per Anear foot, per cable			UEA, UHL, UCL, UDL, UNCOX, UNCOX, UNCOX, ULD1, UNTD1, UNTD1, UTD1, UTD1, USLEL, UNLD1, USL, UEB, UFPEX, UEPDX USL, UEB, UTTD3, UXTD3, UTTD3, UXTD3, UTD3, UTD51, ULDS1, UDLSX, UNLD3, UTD12, UDLO3, ULT03, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, UTT03, ULD03, ULD12, ULD03, UTT03, ULD03, ULD12, ULD48, UTF12, UTT03, ULD03, UTD148, UTT12, UTD03, ULD12, ULD03, UTD152, ULD03, ULD12, ULD48, UDF101003, ULD12, ULD48, UDF101003, ULD12, ULD48, UDF101003, ULD12, ULD48, UDF1010003, ULD12, ULD48, ULD12, ULD	UEAC4 CNC1X CND3X CNC2F	0.0449	39.15 38.25 38.25	23 20 21 94 21.94							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 60-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connects/Dir			UEA UHL UCL UDL. UNCVX, UNCOX UNCOX UNCOX UNCOX, UN	CNC1X CND3X CNC2F CNC4F VE1CB	0.0449 0.4195 4.41 1.96	39.15 38.25 38.25	23 20 21 94 21.94							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 60-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connects/Dir			UEA, UHL, UCL, UDL, UNCOX, UNCOX, UNCOX, ULDDI, UNCOX, ULDDI, UNCOX, ULDDI, UITDI, USLEL, UNLDI, USLE, USPEX, UEPEX, UEPEX, UEPEX, UCSX, UNCOX, UNCOX, UNCOX, UNCOX, ULDDI, UDLSX, UNLDI, UDLSX, UNLDI, UDLOS, ULDDI, ULDS, ULDOS, ULDDI, ULDS, ULDOS, ULDOS, ULDDI, ULDOS, ULDOS, ULDOS, ULDOS, ULDOS, ULDOS, ULDOS, ULDOS, ULDI, ULDAB, UDEN UDLIZ, ULDAB, UDEN UDLIZ, ULDAB, UDF UNCOS, ULDIZ, ULDAB, UDF AMTES	CNC1X CND3X CNC2F CNC4F VE1CB	0.0449 0.4195 4.41 1.96	39.15 38.25 38.25	23 20 21 94 21.94							
	Virtual Collocation - 4-wire cross-connect, loop, provisioning Virtual collocation - Special Access & UNE, cross-connect per DS1 Virtual collocation - Special Access & UNE, cross-connect per DS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - 60-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Virtual Collocation - Co-Carrier Cross Connects/Direct Connects/Dir			UEA UHC. UCL. UDL. UNCVX, UNCDX, ULR, UXTD1, UNCIX, ULDD1, UITD1, USLEL, UNLD1, USLEL, UNLD1, USPEX, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3, UNCSX, ULDD3, UTTS1, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, ULD12, ULD48, UDF UDL12, UDLO3, ULD12, ULD48, UDF AMTES AMTES	CNC1X CND3X CNC2F CNC4F VE1CB	0.0449 0.4195 4.41 1.96	39.15 38.25 38.25	23 20 21 94 21.94							

COLLOCA	rion - North Carolina												Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	nàoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manuel Svo Order ve. Electronic- Disc 1st	increment Charge - Manual Sv Order vs Electronic Disc Add
		 					Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	<u> </u>	
					·	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
CFA																
	Virtual Collocation - CFA Information Resend Request, per	ĭ			1	1			· · · · · · · · · · · · · · · · · · ·		1					
- {	Premises, per Arrangement, per request	\ _	i i	AMTES	VE1QR]]	77.48				i l					
Cable	Records - Note: The rates in the First & Additional columns will a	ctually t	e billed	as "Initial I" & "Sub	sequent S" re	apectively										
	Virtual Collocation Cable Records - per request		1	AMTES	VETBA		1458.00	S 937.29	245.00	245.00						
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
_ 1	record	i		AMTES	VE1BB	\ \	622.69	622.69	346.35	348.35)
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100		\Box		1											
	pair	l	f	AMTFS	VE18C		8.77	8.77	10.32	10.32						i
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE18D		4.35	4.35	5.11	5,11						
	Virtual Collocation Cable Records - DS3, per T3TIE		—	AMTFS	VE18E		15.22	15,22	17.90	17,90						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	1	1													 -
1	records	1	1	AMTES	VEIBF	1 1	163.61	163.61	143.32	143.32						ĺ
	Virtual Collocation Cable Records - CAT 5/RJ45		—	AMTES	VE1B5	 	4.35	4.35	5.11	5.11						
Securi										J. J.						
- 12000	Virtual collocation - Security escort, basic time, normally scheduled			r	T											
	work hours	1	Į į	AMTES	SPTBX	1	33.68	21.34	i i) i	i	l	· ·		
- 	Virtual collocation - Security escort, overtime, outside of normally		†		12	 	33.06	£1,34			 					····
	scheduled work hours on a normal working day	I		AMTES	SPTOX	! i	43.87	27.57			į į					ļ
-	Virtual collocation - Security escort, premium time, outside of a		+	AMITES	ISF IOA		43.67	27.37								
	scheduled work day	!		AMTFS	SPTPX		54 06	33.80								Į
Mainte	nance	Щ		PINITES	13F1FA		34 00 1	33.00	L		<u> </u>					L
Inallite	Virtual collocation - Maintenance in CO - Basic, per half hour	r——		AMTES	CTRLX		52.03	21.22	, 							
	Virtual Collocation - Maintenance in CO - Basic, per half hour	 -	 	AMIFS	CIRLA	+	52.03	21.22								
- 1	Virtual collection Maintenance in CO. Constitute and built being	l	i l	AMTFS	SPTOM	!	60.40	27.04								
	Virtual collocation - Maintenance in CO - Overtime, per half hour	 	 	AMIFS	SPIOM	 	69.48	27 81								
l l	La company of the com	-	1	AMTES		1 1			l		i i					
	Virtual collocation - Maintenance in CO - Premium per half hour	<u></u>	٠.,	AMIFS	SPTPM	L	86.94	34,40	<u> </u>		<u></u>					
Entran	nce Cable	——														
	Virtual Collocation - Cable Installation Charge, per cable	-		AMTES	ESPCX	 	1,233.00									
	Virtual Collocation - Cable Support Structure, per cable	└	ļ	AMTES	ESPSX	13.28										
	N IN THE REMOTE SITE	<u> </u>	1	<u></u>		<u>. </u>			<u></u>		i					
Physic	al Remote Site Collocation		,			,										
	Physical Collocation in the Remote Site - Application Fee	 	 	CLORS	PETRA	·	589.38		258.38							
	Cabinet Space in the Remote Site per Bay/ Rack	ļ		CLORS	PE1RB	218.07										
ı		i	1 1		1	1	l l				\ \	ļ	, !			· <u>-</u>
	Physical Collocation in the Remote Site - Security Access - Key		1	CLORS	PEIRD	ļ	15.00									
	Physical Collocation in the Remote Site - Space Availability Report	4	1					i	1							
	per Premises Requested	L		CLORS	PEISR		215.55									
	Physical Collocation in the Remote Site - Remote Site CLLI Code	'														
	Request, per CLU Code Requested	<u> </u>	ļ	CLORS	PETRE	<u> </u>	70.65							<u></u>		
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	1		CLORS	PEIAR		232.94									
	Physical Collocation - Security Escort for Basic Time - normally	l —														
	scheduled work, per half hour			CLORS	PE1BT	<u>. </u>	33.68	21.34			!				J	
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day, per	[1 1	Į	[(Į.		1		i 1	\ \ \ \ \ \ \)	
	half hour	1	L	CLORS	PE1OT_		43.87	27.57	i							
	Physical Collocation - Security Escort for Premium Time - outside				T						· · · · · ·					
- 1	of scheduled work day, per half hour	I		CLORS	PEIPT		54.06	33.80						' I	1	
Adjace	ant Remote Site Collocation		•			•					اـــــــــــــــــــــــــــــــــــــ					
	Remote Site-Adjacent Collocation-Application Fee	Ţ.,		CLORS	PEIRÚ	1	755.62	755.62			 1					
_		1	1		T	 		, 00.02			 +					
	Remote Site-Adjacent Collocation - Real Estate, per square foot	1		CLORS	PEIRT	0.134	l				1 1	1		1		
	The state of the s		 	5551.5	1.5.111	- V.754					···					
- 1	Remote Site-Adiacent Collocation - AC Power, per breaker amp	I	1	CLORS	PEIRS	6.27	l		•			ļ			i	
NOTE	: If Security Escort and/or Add't Engineering Fees become neces	tany for	adiac					itas .	·		٠					
	: il Security Escort and/or Add i Engineering rees decome neces I Remote Site Collocation	adiy for	aujace:	er Ferriore sud CONOC	acion, ing Pan	ma will uadousti	appropriate ra	ILUS.			·					
VIRUAL				WEIDE	NETER		£05.05 l		C#4 A= 1		· · · · · · · · · · · · · · · · · · ·					
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1R8	ļ	589.38		258.38		·					
	L	I			l						"				- T	
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space		}	VE1RS	VE1RC	218.07										
	Virtual Collocation in the Remote Site - Space Availability Report	1	ì						∣ ∃			T				
	per Premises requested	<u> </u>		VEIRS	VETRR	<u> </u>	215.55							l		
	Virtual Collocation in the Remote Site - Remote Site CLLI Code		1		1	1										
	Request, per CLU Code Requested	1	1	VE1RS	VE1RL	1	70.65					- 1	Į	Į	, t	
	OLLOCATION															

													Att: 4 Exh; B			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
		 				Rec	Nonre	urring	Nonrecurring	Disconnect						
	Adjacent Collocation - Space Charge per Sq. Ft.	 		CLOAC	55		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	Rates(\$)		
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	 			PE1JA	0.1555						00	JONAN	SUMAN	SOMAN	SOMAN
		 		CCCAC	PE1JC	5.78					1					
	Adjacent Collocation - 2-Wire Cross-Connects			UEANL,UEQ,UEA,U CL, UAL, UHL, UDN												
	Adjacent Collocation - 4-Wire Cross-Connects	1	_	UEA,UHL,UDL,UCL	DE LIE	0.0239	19.77	14.95						Ì		
	Adjacent Collocation - DS1 Cross-Connects					0.0477	19.95	15.05								
	Adjacent Collocation - DS3 Cross-Connects	 			PE1JG	1.28	39.15	23.20								
	Adjacent Collocation - 2-Fiber Cross-Connect	 			PEIJH	17.35	38.25	21.94								
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1JJ	2.94	38.25	21.94								
	Adjacent Collocation - Application Fee				PETJK	5.62	43.96	26.17			 					
-	Adjacent Collocation - 120V, Single Phase Standby Power Rate	-	-	CLOAC	PE1JB	_	2,266.00		0.5842	· · · · · · · · · · · · · · · · · · ·	 					
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1JL	5.50										
	per AC Breaker Amp			CLOAC	PE1JM	11.01					 					
- 1	Adjaceni Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp				PE1JN											
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp		\neg			16.51										
	a sould confe	-	_	CLOAC	PE1JO	38.12			İ		1 !	İ	i			
Note: 8	ates displaying an "I" in interim column are interim as a result of								_		 					

CLLOCAI	ION - South Carolina												Att: 4 Exh; B			
ATEGORY	RATÉ ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec		grimus	Nonrecurring					Rates(\$)		
			Ц.				First	Add1	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ļ			ļ			L	<u> </u>						
Applica			اسببط		L	L			L	L,—	<u></u>					
	Physical Collocation - Initial Application Fee		1	CLO	PEIBA	1	1.883.67		0.51			<u> </u>				
	Physical Collocation - Subsequent Application Fee			CLO	PEICA	 	1,570.10		0.51							
_	Physical Collocation - Co-Carrier Cross Connects/Direct Connect.			0.00			1,0.0.10		3.01		-					
]	Application Fee, per application			CLO	PE1DT_	!	584.42				_					
	Physical Collocation Administrative Only - Application Fee				PE18L		743.66									
	Physical Collocation - Application Cost, Simple Augment				PEIKS		594.27		1,21							
	Physical Collocation - Application Cost, Minor Augment				PE1KM		833.26		1.21							
	Physical Collocation - Application Cost, Intermediate Augment				PE1K1 PE1KJ		1,058.00 2,409.00		1,21							
	Physical Collocation - Application Cost - Major Augment			CLO	PEIKJ		2,409.00		1.21	L.,	<u> </u>					
	Preparation Physical Collocation - Floor Space, per sq feet	-		CLO	PETPJ	3.95			1	T						
_	Physical Collocation - Space Enclosure, welded wire, first 50	 	┿		F 11 9	3,35			 	 	 					
	square feet		1 1	CLO	PE16X	197.69							i		ļ į	
	Physical Collocation - Space enclosure, welded wire, first 100		\vdash		 	1			<u> </u>	1						
	square feet		Ll	CLO	PE16W	219.19			L	i	<u> </u>					ı
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet		<u> </u>	cro	PE1CW	21.50					L					
	Physical Collocation - Space Preparation - C.O. Modification per		1 1		<u> </u>	· I			İ							
- -	square It.	<u> </u>		CLO	PE1SK	2.75			<u></u>	<u> </u>						
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot	<u> </u>		CLO	PE1SL	3.24										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			cro	PE1SM	110.16										
Į		i		01.0	55461	1	200.00		į							
	Physical Collocation - Space Preparation - Firm Order Processing		 	CLO	PE1SJ		602.05		<u> </u>	 						
1	Physical Collecation - Space Availability Report, per Central Office Requested	1	1	CLO	PE1SR		1,077.57			1	1				İ	
Power			—	GLO	(FE1971		1,077.57			<u> </u>	L					
- FONTE	Physical Collocation - Power, -48V DC Power - per Fused Amp		1		1	T										
	Requested			CLO	PEIPL	9.19					[[
	Physical Collocation - Power, 120V AC Power, Single Phase, per		—							}	-					
	Breaker Amp	L	L	CLO	PE1FB	5.67		<u></u>	L		i					
	Physical Collocation - Power, 240V AC Power, Single Phase, per			CLO	PE1FD											
	Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per	 	+	CLO	PETFU	11.36										
- (Provinces Colocation - Fower, 120 v AC Power, Tries Friase, per 18 reaker Amb	ļ	}	cro	PEIFE	17.03		i	1	ĺ) i					
	Physical Collocation - Power, 277V AC Power, Three Phase, per	 	 -	5.0	1.5115	11,00			 	 	 					
	Breaker Amp	-	1	CLO	PE1FG	39.33			ı	1				i		
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Pol	rts)							·	·						
) '	UEANL,UEQ, UNGNX, UEA, UCL, UAL, UHL, UDN,											!	
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0341	12.32	11.83	6.04	5.45			i l	l		
				UEA, UHL, UNCVX,							 					
_ [Physical Collocation - 4-wire cross-connect, loop, provisioning		l _	UNCDX, UCL. UDL	PE1P4	0.0682	12.42	11.90	6.40	5.74	! !	į	, ,	į	l	
				WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,											ĺ	
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning	i		USL, UEPEX. UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80				ĺ		
	Locusion, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDD3, UNLD3, UEPEX, UEPDX,	reiri	1,12	22.08	15.96	0.42	5.80						
	District College of the DDD Course Courses are still in-	Į.		UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	14.21	20 94	15.00	7.39	F 22			1	}		•
1	Physical Collocation - DS3 Cross-Connect, provisioning		1	UEPSE, UEPSP	PE1P3	14.21	20 94	15.23	7.39	5.93	<u> </u>			i		

	FION - South Carolina		,	,	,	,							Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interim	Zone	BC\$	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Menual Svc Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual : Order v Electror Disc Ad
		_				Rec		cuning	Nonrecurring				oss	Rates(\$)	·	
				CLO, ULDOS,			First	Addit	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
				ULD12, ULD48.	ļ						1					
			1	U1TQ3, U1T12.					i i		i	1				ŀ
				U1T48, UDLO3,	1											i
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93				i		i
	İ			ULDO3, ULD12,						0.00						
- 1				ULD48, U1TO3,						i	1	1				
			1 1	U1T12, U1T48.	1											
	Physical Collocation - 4-Fiber Cross-Connect	l		UDLO3, UDL12,		i					l l		Į			
	The Close Collect			UDF, UDFCX	PE1F4	5.01	25.61	19.90	9.73	8.26					ı	
-	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -														·	
	Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001								ļ	l	
					1 1103	0.001									ł	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		1 .		·	1					ĺ	ĺ				
	Copper/Coax Cable Support Structure, per linear foot, per cable.		i i	CLO	PE1DS	0.0015		i			1		ì			
				UEPSR, UEPSP.	1.2.22	0.0013										
				UEPSE, UEPSB,											T T	
	Physical Collocation 2-Wire Cross Connect, Port			UEPSX, UEP2C	PE1R2	0.0341	12.32	11.83	6.04	5.45	ļ	15.69	1			
	Physical Collocation 4-Wire Cross Connect, Port			UEPEX, UEPDO	PE1R4	0.0682	12.42	11.90	6.40	5.74		15.69				
Securit								7.100	- 4:-01	3.74		13.69				
	Physical Collocation - Security Escort for Basic Time - normally		[]													
	scheduled work, per half hour			CLO	PE1BT		16.96	10.75	1	i		ļ	- 1			
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per															
i	haif hour			CLO	I I	i	1		Į.		İ					
_	Physical Collocation - Security Escort for Premium Time - outside		-	CLO	PE1OT		22.10	13.89				- 1	- 1			
	of scheduled work day, per half hour	i		CLO	PE1PT	i	07.00							· · · · · · · · · · · · · · · · · · ·		
	Physical Collocation - Security Access System, Security System,		- 1	000	(FE)F1		27.23	17.02		<u> </u>				.	ĺ	
	per Central Office			CLO	PE1AX	74.72			!							
	Physical Collocation -Security Access System - New Card				1 5 7 7 7	14.72										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0601	27.85	i		-		ľ	1		· · · · · · · · · · · · · · · · · · ·	
									·i							
	Physical Collocation-Security Access System-Administrative				1 1							i	- 1	ļ	ļ	
	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.81			ı	i		i	i		
- 1	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	-														
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AR		22.83		i	i	- 1	- 1		J	}	
	Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		13.13									
	Stolen Key, per Key		l.	CLO	PE1AL			J								
CFA			<u></u>	OLO .	PETAL		13.13							1	İ	
	Physical Collocation - CFA Information Resend Request, per		$ \tau$													
	DISCRISS DEL ATTANDEMENT DAT FOCUSES	- 1	Į,	CLO	PE1C9		77.71	I			1			···		
Cable R	ecords - Note: The rates in the First & Additional columns will ac	tually be	billed	as "Initial I" and "Su	ubsequent S" m	spectively										
	Friystcal Collocation - Cable Records, per request			CLÖ	PE1CR T		760.98	3 489.20	133.29							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable							100.00	130.20							
	record (maximum 3600 records)			CLO	PE1CD		327.65		189.54	- 1		- 1			i	
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair		- 1						20,01							
_	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PEICO		4.82		5.91	1		İ	1		J	
	Physical Collocation, Cable Records, DS3, per T3 TIE	 +		CLO	PE1C1		2.26		2.77							
	Physical Collocation - Cable Records, Fiber Cable, per cable	+	 '	JLU	PE1C3		7.90		9.68							
]	record (maximum 99 records)	- 1	ا	CLO	PE1CB											
	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C5		84.68		77.30				i			
Virtual t	o Physical				,. c. (J.)		2.20		2.77							
	Physical Collocation - Virtual to Physical Collocation Relocation.	т Т			T T			———								
	per Voice Grade Circuit		k	CLO	PE1BV	i	33.00	- 1			i	f	T T	Ţ		
	Physical Collocation - Virtual to Physical Collocation Relocation.				1		33.00									
	per DSO Circuit			CLO	PE180		33.00	- 1	-	1				i	T	
	Physical Collocation - Virtual to Physical Collocation Relocation.	T														
 	per DS1 Circuit			LO	PE1B1		52.00	1	ì		- 1	- 1	1	ļ	I	
	Physical Collocation - Virtual to Physical Collocation Relocation,	1	T								 -					
	per DS3 Circuit	- 1	10	CLO	PE1B3	1	52.00			1					1	

	ION - South Carolina												Att: 4 Exh: 8			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svo Order vs. Electronic- 1st	Incrementat Charge - Manual Svc Order vs. Electronic- Add'i	tncremental Charge - Manual Svc Order vs. Electronic- Disc 1st	increment Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonre		Nonrecurring	Disconnect			OSS	Rates(\$)		
						7 Nec _ [First	Add'l	Firet	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BA		22.43									
	Physical Collocation Virtual to Physical Collocation in Place, Per DSO Circuit			CLO	PÉ 18P		22.43	· · · · · · · · · · · · · · · · · · ·								
	Physical Collocation - Virtual to Physical Collocation In Place, Per DS1 Circuit			CLO	PE1BS		32.61									
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit	<u> </u>		CLO	PE1BE		32.61					i			<u>. </u>	
Entran	nce Cable	.,														
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE18D	<u>L</u>	794.22		22.54					i		
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PEIPM	21.33										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			laro	PE1ED		3.87									
IRTUAL COL	LOCATION				T	1			I .							
Applica	ation															
	Virtual Collocation - Application Fee			AMTFS	EAF		1.207.95		0.51							
[Virtual Collocation - Co-Carrier Cross Connects/Direct Connect.				l					1						
	Application Fee, per application	 		AMTES	VE1CA		584.42		\	1	1					
	Virtual Collocation Administrative Only - Application Fee	ч——	L	AMTFS	VEIAF	⅃	743.66		<u> </u>	<u> </u>				لـــــــــــا		
Space	Preparation			ALITEC	IEGBUY.	0.05				,				·····	r	
12 -11-11	Virtual Collocation - Floor Space, per sq. ft.	٠	ـــــا	AMTES	ESPVX	3.95					<u> </u>					
Power	Virtual Collocation - Power, per fused amp			AMTES	ESPAX	9.19				· · · · · · · · · · · · · · · · · · ·	T					
C	Connects (Cross Connects, Co-Carrier Cross Connects, and Po	de/	ـــــا	AW FO	ICOLAY	1 9.19				L						
U1088	Commerce (Cross Commerce, Carteriar Cross Connects, and Po	,		UEANL, UEA, UDN,	T	 					,					
				UAL, UHL, UCL, UEQ, UNGVX.						1		i		· [l	
	Virtual Collocation - 2-wire cross-connect, loop, provisioning	ļ		UNCDX, UNCNX UEA, UHL, UCL	UEAC2	0.0317	12.32	11.83	6.04	5.45	ļ					
	Within Collegation, A wire group compact to an acceptation	-		UDL, UNGVX.	UEAC4	0.0634	12.42	11.90	6.40					. 1	, 1	
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			ULR, UXTD1,	UCAU4	0.0634	12.42	11.90	6.40	5.74	 					
			1	UNC1X, ULDD1,	İ									. 1	ĺ	
ļ				U1TD1, USLEL.		1										
										Į.	l i		!	·		
	Virtual collocation - Special Access & UNE cross-connect per OS1	ļ 		UNLD1, USL, UEPEX, UEPOX	CNC1X	1.12	22.08	15.96	6.42	5.80		1	İ	' <u> </u>	}	
	Virtual collocation - Special Access & UNE,cross-connect per OS1			UNLD1, USL, UEPEX, UEPOX USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX,	CNC1X	1.12	22.08	15.96	6.42	5.80						
				UNLD1, USL, UEPEX, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3,	CNC1X	1.12	22.08	15.96	6.42	5.80						
	Virtual collocation - Special Access & UNE cross-connect per OS1 Virtual collocation - Special Access & UNE, cross-connect per OS3			UNLD1, USL, UEPEX, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1.	CNC1X	1.12	22.08	15.96 15.23	6.42							
	Virtual collocation - Special Access & UNE, cross-connect per			UNLD1, USL, USEPEX, USEPOX USL, UE3, U1TD3, UXTS1, UXTD3, UNCSX, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12,												
	Virtual collocation - Special Access & UNE, cross-connect per			UNLD1, USL, UEPEX, UEPDX UST, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3,	CND3X					5.93						
	Virtual collocation - Special Access & UNE, cross-connect per OS3			UNLD1, USL, USPEX, USPDX USL, UE3, U1TD3, UXTS1, UXTD3, UXTS1, UXTD3, UXCSX, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12, ULD12, ULD48, UDF UDL12, ULD48, UDF UDL12, UDL03, UT148, UT112, UT148,	CND3X	14.21	20.94	15.23	7.39	5.93						
	Virtual collocation - Special Access & UNE, cross-connect per OS3			UNLD1, USL, UEPEX, UEPDX USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNC5X, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, UDLSX, UNLD3, UDLSX, UNLD3, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDP (UDL12, UDLO3, UDL12, UDLO3, UDL12, UDLO3, UDL12, UDLO3, UDL12, UDLO3, UDL12, UDLO3, (UDL12, UDLO3, UDL12, UDLO3, (UDL12, UDLO3, UDL12, UDLO3, (UDL12	CNC2F	14.21	20.94	15.23	7.39	5.93						
	Virtual collocation - Special Access & UNE, cross-connect per OS3 Virtual Collocation - 2-Fiber Cross Connects			UNLD1, USL, UEPEX, UEPDX USL, UES, U1TD3, UXTS1, UXTD3, UNC3X, UNC5X, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, UDL12, UDLO3, UDL12, UDLO3, UDL14, UTD03, UTD14, UTD03, UTD14, UTD03, UTT03, ULD03, U1T04, UTD03, U1T03, ULD03, U1T03, ULD03, U1T03, ULD03, U1T03, ULD03, U1T03, ULD03, U1T03, ULD03, UD100, ULD03,	CNC2F	14.21	20.94 20.94	15,23 15,23	7.39	5.93 5.93						
	Virtual collocation - Special Access & UNE, cross-connect per OS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			UNLD1, USL, UEPEX, UEPDX UEPEX, UEPDX USCI, UES, UITD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, UITS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, UIT103, ULDO3, ULD12, ULD048, UDF UDL12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD048, UDF AMTES	CND3X CNC2F CNC4F VE1CB	14.21 2.86 5.71	20.94 20.94	15,23 15,23	7.39	5.93 5.93						
	Virtual collocation - Special Access & UNE, cross-connect per OS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect			UNLD1, USL, UEPEX, UEPDX USL, UES, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UTS1, ULDS1, UDLSX, UNLD3, XDEST UDL12, UDLO3, U1T12, UDLO3, ULD12, ULD48, UDF UDL12, ULD48, UDF AMTFS AMTFS GEPSX, UEPSB,	CND3X CNC2F CNC4F	2.86 5.71	20.94 20.94	15,23 15,23	7.39	5.93 5.93						
	Virtual collocation - Special Access & UNE, cross-connect per OS3 Virtual Collocation - 2-Fiber Cross Connects Virtual Collocation - 4-Fiber Cross Connects Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -			UNLD1, USL, USEPEX, USEPDX USE, USEPDX USE, USE, UTD3, USTS1, UXTS1, UXTS1, ULDS1, UTS1, ULDS1, UDS1, UDS2, UND12, UDC3, USEST UDC12, UDC3, UTT48, UTT2, UTT03, ULD03, ULD12, ULD48, UDF4, UDC12, ULD48, UDF4, UDC12, ULD48, UDF5, ULD12, ULD48, ULD12, ULD12,	CND3X CNC2F CNC4F VE1CB	14.21 2.86 5.71	20.94 20.94	15,23 15,23	7.39	5.93 5.93						

	ION - South Carolina												Att. 4 F			
FEGORY	RATE ELEMENTS	Interim	Zone	BC\$	USOC			RAYES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		 	-			Rec		curring	Nonrecurring	Disconnect	 		OSS	Rates(\$)		
CFA						_ <u></u>	First	AddT	First	Add*l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
i	Virtual Collocation - CFA Information Resend Request, per						Т			·						COMP
Cable	Premises, per Arrangement, per request		L	AMTES	VE1QR		77.71		j		1					
Capie	Records - Note: The rates in the First & Additional columns will a Vinual Collocation Cable Records - per request	ctually b	e billed	as "Initial ?" & "Si	ubsequent S" r	espectively		·	L		<u> </u>					
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTFS	VE1BA		760.98	S 489.20	133.29							
	record			AMTFS			T	1			 					
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100		 	AMIFS	VEIBB	ļ	327.65		189.54	i	1 1	ľ			J	
	pair			AMTES	VE1BC						 					
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VETBO	 	4.82		5.91		1	ļ	ł			
	Virtual Collocation Cable Records - DS3, per T3TIF			AMTES	VETBE	 	2.26		2.77							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			,	VEIBE	 	7.90		9.68							
	records	i I	! .	AMTFS	VE1BF		04.60	1							·	
Securit	Virtual Collocation Cable Records - CAT 5/RJ45			AMTES	VE1B5	 -	84.68 2.26		77.30						ł	
Securit							220	·	2.77							
ı	Virtual collecation - Security escort, basic time, normally scheduled work hours				т		, <u></u>									
	Virtual collection Family			AMTFS	SPTBX	1	16.96	10.75			i T					
	Virtual collocation - Security escort, overtime, outside of normally					T	10.00	10.73								
	scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a			AMTFS	SPTOX	_	22.10	13.89				-	1			
1 :	scheduled work day							10.00					, ,			
Mainten	ance			AMTES	SPTPX		27.23	17.02				ļ	i			
	Virtual collocation - Maintenance in CO - Basic, per half hour												L			
	Consideration Consideration			AMTES	CTALX		27.99	10.75			Т					
!	Virtual collocation - Maintenance in CO - Overtime, per half hour		- 1,	AMTFS												
! !	· · · · · · · · · · · · · · · · · · ·			WIL2	SPTOM		36.56	13.89		i	i i	- 1	1			
	Virtual collocation - Maintenance in CO - Premium per half hour	ļ	l,	MTFS			1									
Entranc	6 Cable			ANTIPO	SPTPM	i	45.12	17.02		ļ	ļ					
	Virtual Collocation - Cable Installation Charge, per cable		12	MTFS	ESPCX											
	Virtual Collocation - Cable Support Structure, per cable			MTFS	ESPSX	18.66	794.22		22.54					· — т		
DCATION	IN THE REMOTE SITE				COFOX	18.66										
Physical	Remote Site Collocation							<u> </u>								
	Physical Collocation in the Remote Site - Application Fee			LORS	PETRA		308.38		400.00							
	Cabinet Space in the Remote Site per Bay/ Rack			LORS	PE1R8	246,44	000.36		168.60							
1 1	Physical Collegesian in the formula on the	1														
 	Physical Collocation in the Remote Site - Security Access - Key		c	LORS	PEIRD		13.13					- 1	1			
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested		i											Ĺ		
- 	Physical Collocation in the Remote Site - Remote Site CLLI Code		0	LORS	PE1SR		116.13	ľ			İ		i	1"		
1 1	Request, per CLLI Code Requested	1	_ ا													
1	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			LORS	PE1RE		37.64		i	!						
1	Physical Collocation - Security Escort for Basic Time - normally			LORS	PE1AR		234.50									
	scheduled work, per half hour		٦	LORS												
F	hysical Collocation - Security Escort for Overtime - putside of		- 1	LURS	PE1BT		16.96	10.75				1	1			
l r	normally scheduled working hours on a scheduled work day, per		ĺ		1 .	ľ										
	nali hour		٦	LORS	PEIOT	1	1	- 1	1			1	į.			
	hysical Collocation - Security Escort for Premium Time - outside		<u> </u>	LONG	FEIUI		22.10	13.89			ł		f	!		
	scheduled work day, per half hour		c	LORS	PE1PT			ľ								
	Remote Site Collocation				1.5151		27.23	17.02				1	- 1			
 	Remote Site-Adjacent Collocation-Application Fee		C	LORS	PETRU	·	755.62									
			-		7 2 1710		/55.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot		C1	LORS	PEIRT	0.134]	1	1							
	1				 	3,,04										
NOTE	lemote Sile-Adjacent Collocation - AC Power, per breaker amp		CI	LORS	PEIRS	6.27			İ							
Virtual Re	Security Escort and/or Add'l Engineering Fees become necessar prote Site Collocation	ry for ad	jacent r	emote site colloc	ation, the Partie	s will negotiate	appropriate rati	es.			L					
TV	intual Collocation in the Remote Site - Application Fee										· · · · · · · · · · · · · · · · · · ·		·			
· · · · · · · · · · · · · · · · · · ·	Application Fee		VI	EIRS	VE1RB		616.76		337.19							
1	irtual Collocation in the Remote Site - Per Bay/Rack of Space		[337.10	 -						
1 1	and the control of the control of a space		V	EIRS	VE1RC	246.44			1		1		- 1	1		
v	Intual Collecation in the Remote Site - Space Availability Page 1											1	ı	1	ı	
V	irtual Collocation in the Remote Site - Space Availability Report er Premises requested	- 1	,	'inc	(l	I	I]								
V V P	er Premises requested intual Collocation in the Remote Site - Remote Site CLLL Code	_	VE	1RS	VEIRR		232.25									
V V P	er Premises requested irtual Collocation in the Remote Site - Remote Site CLL! Code equest, per CLL! Code Requested	+		IRS	VE1RR		232.25 75.27									

COLLOCAT	ION - South Carolina												Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc		·	RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Charge -	Order vs.
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
] Kec [First	AddT	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.	Τ		CLOAC	PE1JA	0.0939										
	Adjacers Collocation - Electrical Facility Charge per Linear Ft.	I		CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects			UEANLUEQ,UEA.U CL, UAL, UHL, UDN	PE1JE_	0.0264	12.32	11,83	6.04	5.4 5 5.74		ļ				
	Adjacent Collocation - 4-Wire Cross-Connects	1	T	UEA,UHL,UDL,UCL	PE1JF	0.0527	12.42	11.90	6.40	5.74						
	Adjacent Collecation - DS1 Cross-Connects	T		USL	PE1JG	1.03	22.08	15.96	6.42	5.80						
	Adjacent Collocation - DS3 Cross-Connects			ÜĒ3	PEIJH	14.00	20.94	15.23	7.39	5.93						
	Adjacent Collocation - 2-Fiber Cross-Connect	T	T-"	CLOAC	PE1JJ	2.37	20.94	15.23	7.40	5.93			1		·	
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.53	25.61	19.90	9.73	8.26						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20				_					
	Adjacent Collection - 120V, Single Phase Standby Power Rate per AC Breaker Amp	Ī		CLOAG	PEIJL	5.67										
	Adjacent Collecation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JM_	11.36							_			
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	Ţ		CLOAC	PEIJN	17.03										
	Adjacent Collocation - 277V. Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JO	39.33										

	TION - Tennessee													Att: 4 Exh: B			
CATEGORY	RATE ELEMENTS	Interim	Zone		BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs, Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Diac 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						-	Rec	Nonrecurring First	Add'I	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
														00,1041	00//02//		00000
	DLLOCATION	Γ															
Applic		r	_	In a		Toriot	,	1 2 22 22		· · · · · · · · · · · · · · · · · · ·				······································			
	Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee	├──	├	CLO		PE1BA PE1CA		1,285.98		ļ							ļ
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect,	 		000		1.2.105		1,080,48						_			
	Application Fee, per application			CLO		PEIDT		585.09				<u> </u>				_	
	Physical Collocation - Power Reconfiguration Only, Application					PE1PR											
	Fee Physical Collocation Administrative Only - Application Fee	 	┝	CLO		PEIBL	<u> </u>	400.10 743.25		 		 					
Space	e Preparation	1		OLO.		1, 2,00	<u> </u>	740.25			-l	ــــــــــــــــــــــــــــــــــــــ	<u> </u>		L		L
	Physical Collocation - Floor Space, per sq feet			CLO		PE1PJ	5.94					I					
	Physical Collocation - Space Enclosure, welded wire, first 50					25.5											
	Square feel Physical Collocation - Space enclosure, welded wire, first 100		+	CrO		PE1BX	197.09	 			 				ļ		ļ <u>.</u>
Ì	square feet	1		CLO		PE1BW	218.53	1									1
	Physical Collocation - Space enclosure, welded wire, each	1		-				1		† · · · · · · · · · · · · · · · · · · ·							
	additional 50 square feet	ļ <u>.</u>	└	CLO		PE1CW	21.44										
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO		PEISK	2.74			i	1	1 :					- · ·· · · ·
	Physical Collocation - Space Preparation, Common Systems	 	 	CLO		FEISK	2.74			 							
	Modifications-Cageless, per square foot	Į.		cro		PE1SL	2.95	L 1			ļ						ļ
	Physical Collocation - Space Preparation - Common Systems					1											
	Modifications-Caged, per cage		ļ	CLO		PE1SM	100.14				ļ <u></u>						
	Physical Collocation - Space Preparation - Firm Order Processing			CLO		PE1SJ	•	1,204.00		Ī							
	Physical Collection - Space Availability Report, per Central Office	-				1		.,,,,,,,,,			1						
	Requested	<u> </u>	<u> </u>	CLO		PE1SR	<u> </u>	2.027.00									
Powe			,							,	-,	,			· · · · · · · · · · · · · · · · · · ·		
i	Physical Collocation - Power, -48V DC Power - per Fused Amp Requested			CLO		PE1PL	8.87										
	Physical Collocation - Power, 120V AC Power, Single Phase, per			920		1	5.0-	· · · · · ·			 	 					
	Breaker Amp		<u> </u>	CLO		PE1FB	5.60										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO		PE1FD	11.22	[
	Physical Collocation - Power, 120V AC Power, Three Phase, per		-	CLO.		FEIRD	11.22				+	 					
	Breaker Amp			CLO		PE1FE	16.82			l							
	Physical Collocation - Power, 277V AC Power, Three Phase, per						-				1						
	Breaker Amp	1	<u> </u>	CLO		PE1FG	38.84	<u> </u>		l		1					
Cross	S Connects (Cross Connects, Co-Carrier Cross Connects, and Po	r(s)	т —	UEANL	ÜEO	T		1		1 							
İ					X, UEA, UCL.	.	Ì	l i									
				UAL, U	HL, UDN.												
	Physical Collocation - 2-wire cross-connect, loop, provisioning	<u> </u>	ļ	UNCV		PE1P2	0.033	33.82	31.92	<u> </u>							
	Physical Collocation - 4-wire cross-connect, loop, provisioning				ŰHL, UNCVX, X, UCL, UDL	PE1P4	0.066	33.94	31.95	ı							
	Thysical Goldeston - 4-wite cross-context, dop, provisioning	-	 		. WD\$18.	1, 21, 3	0.000	33.94	01.33	t		 					
				UXTD1	ULDO1.	1	•	1				i i			i		
j					UNLD1,	1	ľ					1					
1		ļ	}		, UNÇ1X, R. UEPSB.	1	<u> </u>	}	I	1	1	1		1	ı 1	}	:
		-	}		E, UEPSP.							l				i	
	Physical Collocation -DS1 Cross-Connect for Physical		1		EPEX.	1					1						
	Collocation, provisioning			UEPD)		PE1P1	1.51	53.27	40.16								
				ÚES, Ü			İ										
		1			3, UXTS1, C, UNCSX,			j		1		ļ				-	
	1				3, U1T\$1,			j		1							
		İ		ULDS1	, UNLD3.			j		1							
					(, UEPDX, R, UEPSB,					1					j		
1															1		

OLLOCAI	ION - Tennessee		- , -		,							Att: 4 Exh: 8			
ATEGORY	RATE ELEMENTS		Zone BCS	Usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
					Rec	Nonrecurring		Nonrecurring				OSS	Rates(\$)		
	 	l	CLO, ULDOS.			First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ļ			ULD12, ULD48,	1		1		i i							
į			U1TO3, U1T12,	1				1				l i	[ļ
ŀ			U1T48, UDLO3,							Į.					İ
	Physical Collocation - 2-Fiber Cross-Connect	l i	UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34]		2.00			1
			ULDO3, ULD12,					12.95	10.04			2.69	2.69	1.56	
			ULD48, U1TO3,												l
		l	U1T12, U1T48,	i											1
	Physical Collocation - 4-Fiber Cross-Connect	lì	UDLO3, UDL12,												1
	r-nysical Collocation - 4-Fider Cross-Connect	 	UDF, UDFCX	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	
ļ	Physical Collocation - Co-Carrier Cross Connects/Direct Connect -														
	Fiber Cable Support Structure, per linear foot, per cable.		lcro	PETES	0.0013			1		1					i .
															
1	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	ļ į										í			
	Copper/Coax Cable Support Structure, per linear foot, per cable.		CLO	PE1DS	0.0019]					
			UEPSA, UEPSP.												
	Physical Collocation 2-Wire Cross Connect, Port		UEPSE, UEPSB, UEPSX, UEP2C	PE1B2	0.033			l i				1			
	Physical Collocation 4-Wire Cross Connect, Port	 	UEPEX, UEPDD	PE1R4	0.033	33.82 33.94	31.92 31.95					20.35	10.54	13.32	
Securit			TOE: CM; OC. DO	, <u>C</u> 111, 2	0.008	1 33.54	31.93			l ,		20.35	10.54	13.32	
	Physical Collocation - Security Escort for Basic Time - normally			1		T									
	scheduled work, per half hour	-	CLO	PE18T		33.91	21.49			l į		ļ			
	Physical Collocation - Security Escort for Overtime - outside of														
	normally scheduled working hours on a scheduled work day, per	l i				1 1		ŀ		l i			į.		
	half hour		CLO	PE1OT		44.17	27.76				-	ļ			
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour	i	3.0											·	——…
	Physical Collocation - Security Access System - Security System		CLO	PE1PT		54.42	34.02							i	
- [per Central Office		CLO	PETAX	55.99										
	Physical Collocation -Security Access System - New Card		1.2.2	1.077111											
	Activation, per Card Activation (First), per State		CLO	PETAT	0.059	55.67		İ						í	
-	Physical Collocation-Security Access System-Administrative					i i				i					
	Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or		CLO	PE1AA		15.61					ļ	Į.		j	
	Stolen Card, per Card		cro	PE1AR						1					
 	Physical Collocation - Security Access - Initial Key, per Key		CLO	PETAK		45.64 26.24									
	Physical Collocation - Security Access - Key, Replace Lost or			/ CIAN		20.24									
	Stolen Key, per Key	L i	cro	PETAL		26.24				İ		- 1		ĺ	
CFA													<u>-</u>		
	Physical Collocation - CFA Information Resend Request, per														
Cable 6	premises, per arrangement, per request		Cro	PE1C9		77.67						ļ		1	
Cacia	Physical Collocation - Cable Records, per request		Icro	PE1CA		1,711.00									
+	Physical Collocation, Cable Records, VG/DS0 Cable, per cable		<u> </u>	PEICH		1,/11.00									
	record (maximum 3600 records)		CLO	PE1CD		925.06			. 1		ĺ				
	Physical Collocation, Cable Records, VG/DS0 Cable, per each					323.00									
	100 pair		CLO	PE1CO		18.05		1			i]	[
	Physical Collocation, Cable Records, DS1, per T1 TIE		CLO	PE1C1		8.45									
	Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, Fiber Cable, per cable		CLO	PE1C3		29.57							 -		
	record (maximum 99 records)		CLO	PE1CB				1							
1-	Physical Collocation, Cable Records, CAT5/RJ45		CLO	PE1C5		279.42 8.45									
	o Physical			4: =:55		0.43 [
	Physical Collocation - Virtual to Physical Collocation Relocation.	T		7		T		— — — — — — — — — — — — — — — — — — —							
	per Voice Grade Circuit		CLO	PE18V		33.00		l	ł		- 1	i		}	
	Physical Collocation - Virtual to Physical Collocation Relocation,														
	per DSO Circuit Physical Collegation - Virtual to Physical Collegation Polyageira		CLO	PE1BO		33.00							- 1		
1	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit	- 1	cro	DE101	İ		7								
	Physical Collocation - Virtual to Physical Collocation Relocation.		CLU	PE1B1		52.00									
1 1	per DS3 Circuit	- 1	CLO	PE1B3		52.00			1	T	7				

		T	T										Att: 4 Exh: B			
ATEGORY	RATE ELEMENTS	Interior	Zone	8cs	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
		┼──				Rec	Nonrecurring		Nonrecurring	Disconnect	·			L		Unit Hou
	Physical Collocation - Virtual to Physical Collocation In-Place, Per					Nec	First	Add'l	First	Add'I	SOMEC	SOMAN	OSS	Rates(\$)		
	Voice Grade Circuit Physical Collocation Virtual to Physical Collocation in Place, Per	ļ		cro	PE1BR		21.11				SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Per	ļ. <u>.</u>		CLO	PE1BP		21.11		,,							
	DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, per			CLO	PE1BS		30.69									
Enten	DS3 Circuit Ice Cable			cro	PEIBE		30.69						· · · · · · · · · · · · · · · · · · ·			
Eitran		,	····												í	
-	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable Description Collocation - Fiber Cable Support Structure, per Entrance	<u> </u>	_	CLO	PE1PM	19.80										
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			cro	PE1EC		1,071.00		43.10							
THAT SEE	Physical Collocation - Fiber Entrance Cable Installation, per Fiber LOCATION			CLO	PE1ED		7.29		43.10							
							1.23							1		
Applica						·		·								····
	Virtual Collocation - Application Fee Virtual Collocation - Co-Carrier Cross Connects/Direct Connect.	<u> </u>		AMTES	EAF	L	2,633.00		· · · · · · · · · · · · · · · · · · ·	 -						
	Application Fee, per application												2.07	2.81	0.67	1,41
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1CA	L	585.09	I	I	[ŀ	Ī	T		
Space	Preparation	L		AMTES	VE1AF		743.25									
	Virtual Collocation - Floor Space, per sq. fl.	, , ,		ANTEO	Tene							<u>-</u>	—l.			
Power		Ļ		AMTFS	ESPVX	3.91										
	Virtual Collocation - Power, per fused amp			AMTFS	IFCGAS											
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and Por	1+)		AMIPS	ESPAX	6.79										
			Į.	UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX.			Ţ	· · · · · · · · · · · · · · · · · · ·		T						
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UNCDX, UNCNX UEA, UHL, UCL,	UEAC2	0.57	11.62	9,90	10.38	8.66			2.07			
İ	Virtual Collocation - 4-wire cross-connect, loop, provisioning		- [1	UDL, UNCVX, UNCDX	UEAC4								2.07	2.81	0.67	1.41
				ULR, UXTD1.	JOEAC4	0.57	11.81	10.04	10.44	8.67		ľ	2.07	2.81		
	Virtual collocation - Special Access & UNE, cross-connect per		l	UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL,									2.07	2.01	0.67	1,41
+	DS1			UEPEX, UEPDX USL, UE3, U1TD3.	CNC1X	1.32	32.22	17.76	10.46	8.75	ļ		2.07	2.81		
	Virtual collocation - Special Acess & UNE, cross-connect per DS3		ر ار ار	JXTS1, UXTD3, JNC3X, UNCSX, JLDD3, U1TS1, JLDS1, UDLSX,									5.07	2.01	0.67	1.41
	ACESS & CITYE, CROSS-COMBCLIPE DS3			JNLD3, XDEST	CND3X	12.32	29.97	16.30	12.03	8.99		1	2.07	2.81		,
	Virtual Collegation of Fiber Course		Ĺ	JDL 12, UDLO3, J1T48, U1T12, J1TO3, ULDO3,									E.U/	2.51	0.67	1.41
 	Virtual Collocation - 2-Fiber Cross Connects		· ·	JLD12, ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34		1		1		1
	Virtual Collocation - 4-Fiber Cross Connects		U	JDL12, UDLO3, J1T48, U1T12, J1TO3, ULDO3,	BNG 15					10.04			2.69	2.69	1.56	1.56
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			JLD12, ULD48, UDF		5.06	50.53	38.78	16 97	14.35	-	_	2 69	2.69	1.56	1.56
!	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -	_			VEICB	0.0013										
	Copper/Coax Cable Support Structure, per linear foot, per cable				VEICD	0.0019	1.	,								
	Copper/Coax Cable Support Structure, per linear foot, per cable //ritual Collocation 2-Wire Cross Connect, Port //ritual Collocation 4-Wire Cross Connect, Port		U U U	EPSK, UEPSB, EPSE, UEPSP, EPSR, UEP2C	VE1CD VE1R2 VE1R4	0.0019 0.57 0.57	11.62	9.90	10.38	8.68		_	20.35	10.54	13.32	

OLLOCAT	ION - Tennessee												Att: 4 Exh: B			
TEGORY	RATE ELEMENTS	interim	Zone	BCS	usoc		Nonrecurring		Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Syc : Order vs. Electronic- Add'l	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add'			
			- 1			Rec	First	Add'l	First	Disconnect Add'i	SOME	POMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMA
							1 1 1 1 1	Aggs	1 First	Addi	SUMEC	SUMAN	SUMAN	SOMAN	SOMAN	SOMA
CFA	Virtual Collocation - CFA Information Resend Request, per									T						
	Premises, per Arrangement, per request	i l		AMTES	VE1QR		77.67									ļ
Cable	Records															
	Virtual Collocation Cable Records - per request			AMTFS	VE18A		1,711.00									
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable								1							
	record			AMTES	VE1BB		925.06									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100					-										
	pair		1	AMTFS AMTFS	VE1BD		18.05 8.45			 -	<u> </u>					
	Virtual Collocation Cable Records - DS1, per T1TIE	 i		AMTES	VE1BE	ļ	29.57		 	 						├ ──
→	Virtual Collocation Cable Records - DS3, per T3TIE			ANITES	- VEIBE		25.5		 							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTES	VE1BF		279.42									
	Virtual Collocation Cable Records - CAT 5/RJ45	 	\vdash	AMTES	VE185	 	8.45		 					_		
Securi			·													
	Virtual collocation - Security escont, basic time, normally scheduled	Ţ				1	1		1	1	T					
1	work hours	L		AMTFS	SPTBX	L	33.15	20.44					2.07	2.81	0.67	1 _
	Virtual collocation - Security escort, overtime, outside of normally										I					
l	scheduled work hours on a normal working day			AMTES	SPTOX		41.50	25.61	ļ <u>.</u>				2.07	2.81	0.67	l
	Virtual collocation - Security escort, premium time, outside of a						[1	ļ					·
	scheduled work day	<u> </u>		AMTES	SPTPX	1	49.86	30.79	·	<u> </u>		L	2.07	2.81	0.87	<u> </u>
Mainte	mance	,		AMTES	CTRLX		30.64			,			2.041			
	Virtual collocation - Maintenance in CO - Basic, per half hour	┼	├	AMIFS	CIRLX	 	30.64		 	 			2.07	2.81	0.67	
	No. of the latest the latest term of the latest ter	1		AMTFS	SPTOM		35.77		-				2.07	2.81	0.67	i
	Virtual collocation - Maintenance in CO - Overtime, per half hour	 	 	AMITO	- GF 1 CW		33.77		 	+	 		2.07	2.81	0.67	
- }	Virtual collocation - Maintenance in CO - Premium per half hour	1	\ \ \	AMTES	SPTPM	}	40.90		1				2.07	2.81	0.67	i
Entrar	nce Cable			I I							- !				0.07	L
	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		1,749.00			I .			2.07	2.81	0.67	
_	Virtual Collocation - Cable Support Structure, per cable	1		AMTFS	ESPSX	17.87										
LLOCATIO	N IN THE REMOTE SITE															
Physic	al Remote Site Collocation			·		T			T		,					
	Physical Collocation in the Remote Site - Application Fee	ļ	—	CLORS	PE1RA	220.41	580.20		312.76	 -	ļ					
	Cabinet Space in the Remote Site per Bay/ Rack	 	+	CLORS	PETAB	220.41	 		 -	 						
	Physical Collocation in the Remote Site - Security Access - Key	i		CLORS	PE1RD		24.69		İ			·				
-	Physical Collocation in the Remote Site - Space Availability Report		₩	CLOTIO	1 51115	 	24.00		 	 	+					
}	per Premises Requested	1	ĺ	CLORS	PEISR		218.49								Ì	
_	Physical Collocation in the Remote Site - Remote Site CLLI Code	 	1				1		 	1	1					
i	Request, per CLLI Code Requested		1	CLORS	PETRE	<u> </u>	70.81			_				1		
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
	Physical Collocation - Security Escort for Basic Time - normally	Ţ	Ţ	\	- {	Ţ	1		1	1	,					
	scheduled work, per half hour	<u> </u>	+	CLORS	PE1BT	ļ	33.91	21.49	 	 	ļ					
	Physical Collocation - Security Escort for Overtime - outside of	1	1	1		[i I			1						
	normally scheduled working hours on a scheduled work day, per	1	1	0.000	PETOT	1	44.17	a= =c	ł					ļ		
	half hour	 	+	CLORS	PETOI	 	44.1/	27.76	 	 -						
Į	Physical Collocation - Security Escort for Premium Time - outside	1	1	CLORS	PEIPT	ነ	54.42	34.02	1	1		:				
Adlan	of scheduled work day, per half hour ent Remote Site Collocation	——		TOCOTTO			1 54:46.1	34.02	·							
- Aujaci	Remote Site Adjacent Collocation-Application Fee		T	CLORS	PETRU		755.62	755.62	T							
	TIBITO OTO PAGDOCIA SONOGRATION OF	 	1	1			1		T	T						
- 1	Remote Site-Adjacent Collocation - Real Estate, per square foot		Į .	CLORS	PE1RT	0.134			<u> </u>	<u>L</u>	_1		\	ļ	,	
_		T				1			1		1					
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		1	CLORS	PEIRS	6.27			.1	<u> </u>						
NOTE	: If Security Escort and/or Add'l Engineering Fees become neces	eary for	adiace	nt remote site colic	ocation, the Par	ties will negotia	te appropriate ra	les.			·					
Virtua	Remote Site Collocation			IVE IAS	VETAB		E00.00		210 30	· · · · · · · · · · · · · · · · · · ·						
	Virtual Collocation in the Remote Site - Application Fee	-	+	AFINO	- VE IHB	 	580.20		312.76	 	 					
ì	Virtual Collocation in the Remote Site - Per Bay/Rack of Space		1	VE1RS	VE18C	220.41			J	1	1		ĺ			
	Virtual Colocation in the Remote Site - Per Bay/Hack of Space Virtual Colocation in the Remote Site - Space Availability Report	+	+	1	- 1.5,,,,,	220,41	 		 	 	 	·				
	ner Premises requested			VEIRS	VETRA	i	218.49		Í	1			I	1	l	
	Virtual Collocation in the Remote Site - Remote Site Ct.L. Code	1	T				 		1	T	1					
Ł	Request, per CLLi Code Requested	1	l	VEIRS	VETRL	L	70.81		.	<u> </u>	1		1	j.	-	
ŀ																

ATEGORY	RATE ELEMENTS	interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Charge -	Incremental Charge - Manual Svc Order vs, Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		T	1		l	Rec	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		 -
		Τ.				RUC	First	PbbA	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjaceni Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656									00/115/117	- 501124
	Adjacent Collocation - Electrical Facility Charge per Linear Ft		- (CLOAC	PE1JC	5.53										
	Adjacent Colocation - 2-Wire Cross-Connects Adjacent Colocation - 4-Wire Cross-Connects Adjacent Colocation - DS1 Cross-Connects Adjacent Colocation - DS3 Gross-Connects Adjacent Colocation - 2-Fiber Cross-Connect Adjacent Colocation - 4-Fiber Cross-Connect Adjacent Colocation - 4-Fiber Cross-Connect Adjacent Colocation - Application Fee			UEANL, UEQ, UEA, U CL. YAL, UHL, UDN UEA, UHL, UDL, UCL USL UE3 CLOAC CLOAC CLOAC	PEIJE PEIJF PEIJG PEIJH PEIJJ PEIJK PEIJR	0.34 0.33 1.70 19.03 3.49 6.50	11.12 11.30 28.39 26.23 26.23 29.75 2,973.00	10.18 10.31 16.88 15.51 15.51 19.02	11.33 11.62 11.65 13.40 13.41 17.60 0.95	10.23 10.44 10.54 10.77 10.78 14.97			1.77 1.77 1.77 1.77 1.77 1.77 1.77	1.77 1.77 1.77 1.77 1.77 1.77 1.77	1.12 1.12 1.12 1.12 1.12 1.12 0.00	1.1
	Adjacent Collocation - 120V. Single Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate	Ī		CLOAC	PE1JL	5.81									0.00	
	per AC Breaker Amp Adjacent Coflocation - 120V, Three Phase Standby Power Rate oer AC Breaker Amp	-		CLOAC CLOAC	PE1JN PE1JN	11.64										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp		1	CLOAC	PE1JO	40 30										

Attachment 5

Access to Numbers and Number Portability

Version: 2Q07 Standard ICA

TABLE OF CONTENTS

1.	Non-Discriminatory Access to Telephone Numbers	3
2.	Local Number Portability	4
3.	Service Order Charges	5

Version: 2Q07 Standard ICA

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

- During the term of this Agreement, where KDL is utilizing its own switch, KDL shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.
- Where AT&T provides resold services to KDL, AT&T will provide KDL with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. KDL acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. KDL may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to KDL) telephone numbers per rate center if the following conditions are met:
- 1.2.1 KDL must: (1) indicate that all of the intermediate numbers currently held by KDL in each rate center where KDL will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where KDL will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by KDL in the rate center where KDL is requesting telephone numbers has reached at least seventy-five percent (75%).
- 1.2.2 The above information will be provided by KDL by submitting to AT&T a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where KDL will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by KDL to customers by the total number of intermediate numbers held by KDL in the rate center and multiplying the result by one hundred (100).
- 1.2.3 If fulfilling KDL's request for intermediate numbers results in AT&T having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), AT&T will submit the required numbering request to the national numbering administrator to satisfy KDL's request for intermediate numbers. AT&T will also pursue all appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the

Version: 2Q07 Standard ICA

numbering request is denied by the national administrator) to satisfy KDL's request for intermediate numbers. In these cases, AT&T is not obligated to fulfill the request by KDL for intermediate numbers unless, and until, AT&T's request for additional numbering resources is granted.

- 1.2.4 KDL agrees to supply supporting information for any numbering request and/or safety valve request that AT&T files pursuant to Section 1.2.3 above.
- 1.3 KDL acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, AT&T may request that KDL cancel all or a portion of its unassigned intermediate numbers. KDL's consent to AT&T's request shall not be unreasonably withheld.

2. Local Number Portability

- 2.1 The Parties will offer LNP in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>Service Management System (SMS) Administration.</u> The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.
- 2.3 <u>Network Architecture.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.
- 2.4 <u>Signaling.</u> In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.
- 2.5 <u>N-1 Query.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.
- 2.6 Porting of Reserved Numbers and Suspended Lines. Customers of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, customers of each Party may port reserved numbers that the customer has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's customer may reserve additional telephone numbers and include them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.
- 2.7 <u>Splitting of Number Groups.</u> The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and

Version: 2Q07 Standard ICA

MultiServ groups) to be split in connection with an LNP request. AT&T and KDL shall permit customers who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable charges for doing so as set forth in Attachment 2. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.

- 2.8 The Parties will set Location Routing Number (LRN) unconditional or ten (10) digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.10 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the customer.
- 2.11 AT&T and KDL will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry foras addressing LNP.
- 2.12 Where KDL utilizes AT&T's LNP Query Service, AT&T shall bill and KDL shall pay the query charge associated with LNP Query Service as set forth in Attachment 2. To receive the LNP Query Service charge set forth in Attachment 2, KDL shall fill out and submit the Interconnection data sheet for AT&T LNP Query Service. The form can be obtained on AT&T's Interconnection Web site under AT&T LNP Query Service and click on forms. Once the form has been filled out and submitted the LNP Query charge will take effect on the approved date. This charge is not subject to the resale discount set forth in Attachment 1.

3. Service Order Charges

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Attachment 6 and Exhibit A of Attachment 2.

Version: 2007 Standard ICA

Attachment 6

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version: 2Q07 Standard ICA

TABLE OF CONTENTS

1.	Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair	3
2.	Access to Operations Support Systems	.3
3.	Miscellaneous	. 8

Version: 2Q07 Standard ICA

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

1.1 AT&T shall provide to KDL nondiscriminatory access to its OSS and the necessary information contained therein in order that KDL can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. AT&T shall provide KDL with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at AT&T's Interconnection Web site. AT&T shall ensure that its OSS are designed to accommodate requests for both current and projected demands of KDL and other CLECs in the aggregate.

2. Access to Operations Support Systems

- AT&T shall provide to KDL nondiscriminatory access to its OSS and the necessary information contained therein in order that KDL can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. AT&T shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of KDL to obtain the technical capability to access and utilize AT&T's OSS interfaces. Specifications for KDL's access and use of AT&T's electronic interfaces are set forth at AT&T's Interconnection Web site.
- 2.1.1 KDL agrees to comply with the provisions of the OSS Interconnection Volume Guidelines as set forth at AT&T's Interconnection Web site.

2.2 Pre-Ordering

- 2.2.1 AT&T will provide electronic access to its OSS and the information contained therein in order that KDL can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at AT&T's Interconnection Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below.
- 2.2.2 AT&T shall provide to KDL electronic access to customer service record information in accordance with the applicable performance intervals referenced in

Version: 2Q07 Standard ICA

Attachment 9. If electronic access is not available, AT&T shall provide to KDL such information within twenty-four (24) hours. KDL shall provide to AT&T access to customer record information, including circuit numbers associated with each telephone number where applicable. KDL shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, KDL shall provide to AT&T paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. KDL shall provide to AT&T such customer service records within twenty-four (24) hours of a valid request, exclusive of Saturdays, Sundays and holidays.

2.2.3 The Parties agree not to view, copy, or otherwise obtain access to the other Party's customer record information about any of the other Party's customers without that customer's permission. KDL will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. AT&T reserves the right to audit KDL's access to customer record information. If AT&T has reason to believe, through its audit or by any other means, that KDL is accessing customer record information without having obtained the proper customer authorization, AT&T upon reasonable notice to KDL may take corrective action, including but not limited to suspending or terminating KDL's access to AT&T's pre-ordering and ordering OSS, and the provisioning of pending and existing services.

2.3 Ordering

- 2.3.1 AT&T will make available to KDL electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of AT&T's electronic interfaces are set forth at AT&T's Interconnection Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below.
- 2.3.2 KDL shall place orders for services by submitting a LSR to AT&T. AT&T shall bill KDL an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. AT&T shall bill KDL a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g., mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its PON.
- 2.3.2.1 KDL may submit an LSR to request that a customer's service be temporarily suspended, denied, or restored. Alternatively, KDL may submit a list of such

Version: 2Q07 Standard ICA

customers if KDL provides a separate PON for each location on the list. AT&T will bill an electronic or manual service order charge for each location.

- 2.3.2.2 AT&T will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.2.3 Notwithstanding the foregoing, AT&T will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 2.3.2.4 AT&T shall return a Firm Order Confirmation (FOC) or LSR clarification in accordance with the applicable performance intervals referenced in Attachment 9. KDL shall provide to AT&T a FOC within twenty-four (24) hours of the receipt from AT&T of a complete and accurate LSR, exclusive of Saturdays, Sundays and holidays. KDL shall provide to AT&T an LSR clarification within twenty-four (24) hours of the receipt from AT&T of an incomplete and inaccurate LSR, exclusive of Saturdays, Sundays and holidays.

2.4 Provisioning

- AT&T shall provision services during its regular working hours. To the extent KDL requests provisioning of service to be performed outside AT&T's regular working hours, or the work so requested requires AT&T's technicians or project managers to work outside of regular working hours, overtime charges set forth in AT&T's intrastate Access Services Tariff, Section E13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a AT&T technician or project manager during his or her scheduled shift and AT&T does not incur any overtime charges in performing the work on behalf of KDL, AT&T will not assess KDL additional charges beyond the rates and charges specified in this Agreement.
- In the event AT&T must dispatch to the customer's location more than once due to incorrect or incomplete information provided by KDL (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill KDL for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.4.3 Cancellation Charges. If KDL cancels an LSR for network elements or resold services subsequent to AT&T's generation of a service order, any costs incurred by AT&T in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart found on AT&T's Interconnection Web site. In addition, AT&T reserves the right to assess cancellation charges if KDL fails to respond within nine (9) business days to a Missed Appointment order notification.

Version: 2Q07 Standard ICA

- Notwithstanding the foregoing, if KDL places an LSR based upon AT&T's loop makeup information, and such information is inaccurate resulting in the inability of AT&T to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where KDL places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if AT&T cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, KDL may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should KDL elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 2.4.4 <u>Service Date Advancement Charges (Expedites).</u> For Service Date Advancement requests by KDL, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the AT&T Product and Services Interval Guide. The charges are as set forth in Exhibit A of Attachment 2.
- 2.4.5 Order Modification Charges. If KDL modifies an order after being sent a FOC from AT&T, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by KDL in accordance with Exhibit A of Attachment 2.

2.5 <u>Maintenance and Repair</u>

- 2.5.1 AT&T will make available to KDL electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of AT&T's maintenance and repair electronic interfaces are set forth at AT&T's Interconnection Web site. The process by which the Parties will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.7 below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. AT&T and KDL agree to adhere to AT&T's Operational Understanding. The Operational Understanding may be accessed via AT&T's Interconnection Web site.
- 2.5.2 If KDL reports a trouble on a AT&T Network Element and no trouble is found in AT&T's network, AT&T will charge KDL a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by AT&T in order to confirm the working status. AT&T will assess the Maintenance of Service rates as set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.1.

Version: 2Q07 Standard ICA

- 2.5.2.1 In the event AT&T must dispatch to the customer's location more than once due to incorrect or incomplete information provided by KDL (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill KDL for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. AT&T will assess the Maintenance of Service rates as set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.5.3 If KDL reports a trouble on a resold service and no trouble is found in AT&T's network, AT&T will charge KDL a Trouble Determination Charge or a Trouble Location Charge for any dispatching and testing (both inside and outside the CO) required by AT&T in order to confirm the working status. AT&T will assess the Trouble Determination Charge or Trouble Location Charge from the applicable AT&T tariff.
- 2.5.3.1 In the event AT&T must dispatch to the customer's location more than once due to incorrect or incomplete information provided by KDL (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill KDL for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. AT&T will assess the Trouble Determination Charge or Trouble Location Charge from the applicable AT&T tariff.
- 2.6 <u>Billing.</u> AT&T will provide KDL nondiscriminatory access to billing information as specified in Attachment 7.
- Change Management. The Parties agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. The Parties agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to AT&T's electronic interfaces, AT&T's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to KDL at AT&T's Interconnection Web site.
- 2.8 Rates. Unless otherwise specified herein, charges for the use of AT&T's OSS, and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.
- 2.9 The Commissions in some states have ordered per element manual additive nonrecurring charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive nonrecurring charges will apply in these states,

Version: 2Q07 Standard ICA

rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

3. Miscellaneous

- Pending Orders. To the extent that KDL submits an LSR with incomplete, incorrect or conflicting information, AT&T will return the LSR to KDL for clarification. KDL shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR. If KDL does not submit a supplement LSR within thirty (30) days, AT&T will cancel the original LSR and KDL shall be required to submit a new LSR, with a new PON.
- 3.2 Single Point of Contact. KDL will be the single point of contact with AT&T for ordering activity for network elements and other services used by KDL to provide services to its customers, except that AT&T may accept a request directly from another CLEC, or AT&T, acting with authorization of the affected customer. KDL and AT&T shall each execute a blanket LOA with respect to customer requests so that prior proof of customer authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, AT&T may disconnect any network element being used by KDL to provide service to that customer and may reuse such network elements or facilities to enable such other carrier to provide service to the customer. AT&T will notify KDL that such a request has been processed but will not be required to notify KDL in advance of such processing.
- 3.2.1 Neither Party shall prevent or delay a customer from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 <u>Use of Facilities.</u> When a customer of KDL elects to discontinue service and to transfer service to another local exchange carrier, including AT&T, AT&T shall have the right to reuse the facilities provided to KDL, regardless whether those facilities are provided as Network Elements or as part of a resold service, and regardless of whether the end user served with such facilities has paid all charges to KDL or has been denied service for nonpayment or otherwise. AT&T will notify KDL that such a request has been processed after the disconnect order has been completed.
- Contact Numbers. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed twenty-four (24) hours per day, seven (7) days per week. AT&T will close trouble tickets after making a reasonable effort to contact KDL for

Version: 2Q07 Standard ICA

authorization to close a ticket. AT&T will place trouble tickets in delayed maintenance status after making a reasonable effort to contact KDL to request additional information or to request authorization for additional work deemed necessary by AT&T.

- 3.4 <u>Subscription Functions.</u> In cases where AT&T performs subscription functions for an IXC (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), AT&T will in all possible instances provide the affected IXCs with the OCN of the local provider for the purpose of obtaining customer billing account and other customer information required under subscription requirements.
- 3.4.1 When KDL's customer, served by resale or loop and port combinations, changes its PIC or LPIC, and per AT&T's FCC or state tariff the interexchange carrier elects to charge the customer the PIC or LPIC change charge, AT&T will bill the PIC or LPIC change charge to KDL, which has the billing relationship with that customer, and KDL may pass such charge to the customer.

Version: 2Q07 Standard ICA

Attachment 7

Billing

Version: 2Q07 Standard ICA 04/26/07

TABLE OF CONTENTS

1.	Payment and Billing Arrangements	3
2.	Billing Disputes	9
3.	Non-Intercompany Settlements	10

Version: 2Q07 Standard ICA

BILLING

1. Payment and Billing Arrangements

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- AT&T will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to KDL under this Agreement. AT&T will use its best efforts to format bills in CABS Billing Output Specification (CBOS) standard format. AT&T's billing format may change in accordance with applicable industry standards; provided, however, that AT&T may, in some instances, not apply CBOS standard format for certain types of billing for certain products and services. Billing in a format other than CBOS shall not be the basis of any KDL dispute or withholding of payment.
- 1.1.1 For any service(s) AT&T receives from KDL, KDL shall bill AT&T in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to AT&T.
- 1.1.3 AT&T will render bills each month on established bill days for each of KDL's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in AT&T's Non-Regulated Services Pricing List N6.
- 1.1.4 AT&T will bill KDL in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges for services will be calculated on an individual customer account level, including, if applicable, any charge for usage or usage allowances. AT&T will also bill KDL, and KDL will be responsible for and remit to AT&T, all charges applicable to said services including but not limited to 911 and E911 charges, EUCL charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 AT&T will not perform billing and collection services for KDL as a result of the execution of this Agreement.
- 1.2 <u>Establishing Accounts and Subsequent State Certifications.</u> After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, KDL will provide the

Version: 2007 Standard ICA

appropriate AT&T Local Contract Manager responsible for new CLEC activation, the necessary documentation to enable AT&T to establish accounts for Local Interconnection, Network Elements and Other Services and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide Telecommunications Services, the appropriate OCN for each state as assigned by the NECA, CIC, if applicable, ACNA, if applicable, AT&T's blanket form LOA, Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, KDL may not order services under a new account and/or subsequent state certification, established in accordance with this Section until thirty (30) days after all information specified in this Section is received from KDL.

- 1.2.1 ACNAs. KDL shall provide AT&T with documentation from Telcordia identifying the ACNA assigned to it by Telcordia (as applicable) in the same legal name as reflected in the preamble to this Agreement. Such ACNA will be used by KDL to order services pursuant to this Agreement and will not be shared by KDL with another entity.
- 1.2.2 Company Identifiers. If KDL needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when KDL has already been conducting business utilizing those Company Identifiers, KDL shall follow the Mergers and Acquisitions Process as described on AT&T's Interconnection Web site, and shall be subject to separately negotiated rates, terms and conditions.
- 1.2.3 Tax Exemption. It is the responsibility of KDL to provide AT&T with a properly completed tax exemption certificate in the current version of the form customarily used by AT&T and at intervals required by the appropriate taxing authorities or reasonably requested by AT&T. A tax exemption certificate must be supplied for each individual KDL entity purchasing Services under this Agreement. Upon AT&T's receipt of a properly completed tax exemption certificate, subsequent billings to KDL will not include those taxes or fees from which KDL is exempt. Prior to receipt of a properly completed exemption certificate, AT&T shall bill, and KDL shall pay all applicable taxes and fees. In the event that KDL believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to AT&T's receipt of a properly completed exemption certificate, AT&T shall assign to KDL its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by AT&T, AT&T shall, after receiving a written request from KDL and at KDL's sole expense, pursue such refund claim on behalf of KDL, provided that KDL promptly reimburses AT&T for any costs and expenses incurred by AT&T in pursuing such refund claim; and, provided further, that AT&T shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to KDL or to deduct any such outstanding costs and expenses from any amounts

Version: 2007 Standard ICA

owed by AT&T to KDL if no refund is obtained. KDL shall be solely responsible for the computation, tracking, reporting and payment of all taxes and fees associated with the services provided by KDL to its customers.

- 1.3 Deposit Policy. Prior to the inauguration of service or, thereafter, upon AT&T's request, KDL shall complete the AT&T Credit Profile (AT&T form) and provide information to AT&T regarding KDL's credit and financial condition. Based on AT&T's analysis of the AT&T Credit Profile and other relevant information regarding KDL's credit and financial condition, AT&T reserves the right to require KDL to provide AT&T with a suitable form of security deposit for KDL's account(s). If, in AT&T's sole discretion, circumstances so warrant and/or KDL's gross monthly billing has increased, AT&T reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in KDL's "accounts receivables and proceeds".
- 1.3.1 Security deposit shall take the form of cash, an irrevocable letter of credit (AT&T form), surety bond (AT&T form) or, in AT&T's sole discretion, some other form of security proposed by KDL and accepted by AT&T. Any such security deposit shall in no way release KDL from its obligation to make complete and timely payments of its bill(s). If AT&T requires KDL to provide a security deposit, KDL shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of AT&T's request, as applicable. Security deposit request notices will be sent to KDL via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in AT&T's GSST.
- 1.3.2 Security deposits collected under this Section shall not exceed two (2) months' estimated billing for services pursuant to this Agreement. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if KDL has received service from AT&T during such period at a level comparable to that anticipated to occur over the next six (6) months. If either KDL or AT&T has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, KDL and AT&T shall agree on a level of estimated billings based on all relevant information.
- In the event KDL fails to provide AT&T with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to KDL may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upon Termination of services, AT&T shall apply any security deposit to KDL's final bill for its account(s). If no bill is rendered to KDL, AT&T shall, nevertheless, apply any security deposit to KDL's outstanding balance.

Version: 2Q07 Standard ICA

- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by KDL as security under this Agreement, KDL shall renew such letter of credit or provide AT&T with evidence that KDL has obtained a suitable replacement for the letter of credit. If KDL fails to comply with the foregoing, AT&T shall thereafter be authorized, in its sole discretion, to draw down the full amount of such letter of credit and utilize the cash proceeds as security for KDL accounts(s). If KDL provides a security deposit or additional security deposit in the form of a surety bond as required herein, KDL shall renew the surety bond or provide AT&T with evidence that KDL has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If KDL fails to comply with the foregoing, AT&T shall thereafter be authorized, in its sole discretion, to take action on the surety bond and utilize the cash proceeds as security for KDL's account(s). If the credit rating of any bonding company that has provided KDL with a surety bond provided as security hereunder has fallen below B, AT&T will provide written notice to KDL that KDL must provide a replacement bond or other suitable security within fifteen (15) days of AT&T's written notice. If KDL fails to comply with the foregoing, AT&T shall thereafter be authorized, in its sole discretion, to take action on the surety bond and utilize the cash proceeds as security for KDL's account(s). Notwithstanding anything contained in this Agreement to the contrary, AT&T shall be authorized, in its sole discretion, to draw down the full amount of any letter of credit or take action on any surety bond provided by KDL as security hereunder if KDL defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein and apply the cash proceeds to any outstanding balance on KDL's accounts and utilize any remaining cash proceeds as security for KDL's account(s).
- 1.4 Payment Responsibility. Payment of all charges will be the responsibility of KDL. KDL shall pay invoices by utilizing wire transfer services or automatic clearing house services. KDL shall make payment to AT&T for all services billed including disputed amounts. AT&T will not become involved in billing disputes that may arise between KDL and KDL's customer.
- 1.4.1 Payment Due. Payment for services provided by AT&T, including disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify AT&T of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by AT&T. If the Remittance Information is not received with payment, AT&T will be unable to apply amounts paid to KDL's accounts. In such event, AT&T shall hold such funds until the Remittance Information is received. If AT&T does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.

Version: 2Q07 Standard ICA

- 1.4.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.
- 1.4.1.2 <u>Late Payment.</u> If any portion of the payment is not received by AT&T on or before the payment due date as set forth above, or if any portion of the payment is received by AT&T in funds that are not immediately available to AT&T, then a late payment and/or interest charge shall be due to AT&T. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of AT&T's GSST, Section B2 of the Private Line Service Tariff or Section E2 of the AT&T intrastate Access Services Tariff, or pursuant to the applicable state law as determined by AT&T. In addition to any applicable late payment and/or interest charges, KDL may be charged a fee for all returned checks at the rate set forth in Section A2 of AT&T's GSST or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to KDL.</u> The procedures for discontinuing service to KDL are as follows:
- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.
- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's customers. Additionally, at the time of Discontinuance, AT&T will remove any Local Service Freezes in place on the billed Party's customers.
- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.
- 1.5.2 AT&T reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of AT&T facilities or service, abuse of AT&T facilities, or any other violation or noncompliance by KDL of the rules and regulations of AT&T's tariffs.
- 1.5.3 <u>Suspension.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteen (15) days from the date

Version: 2Q07 Standard ICA

of a deposit request in the case of security deposits, AT&T will provide written notice to KDL that services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1 above: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for security deposit requests.

- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, AT&T will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that AT&T provides the Suspension notice.
- 1.5.4 <u>Discontinuance</u>. If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, AT&T will provide written notice that AT&T may discontinue the provision of existing services to KDL if payment of such amounts, and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1 above, within thirty (30) days following such written notice; provided, however, that AT&T may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.4.1 below.
- 1.5.4.1 AT&T may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after AT&T provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) KDL has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:
 - (1) AT&T has sent the subject bill(s) to KDL within seven (7) business days of the bill date(s), verifiable by records maintained by AT&T:
 - i. in paper or CDROM form via the United States Postal Service (USPS), or

Version: 2007 Standard ICA

- ii. in magnetic tape form via overnight delivery, or
- iii. via electronic transmission; or
- (2) AT&T has sent the subject bill(s) to KDL, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.
- 1.5.4.2 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.4.3 KDL is solely responsible for notifying the customer of the Discontinuance of service. If, within seven (7) days after KDL's services have been Discontinued, KDL pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of AT&T's GSST, then AT&T will reestablish service for KDL.
- 1.5.5 <u>Termination.</u> If within seven (7) days after KDL's service has been Discontinued and KDL has failed to pay all past due charges as described above, then KDL's service will be Terminated.

2. Billing Disputes

- KDL shall electronically submit all billing disputes to AT&T using the form specified by AT&T. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of AT&T's denial, or partial denial, of the billing dispute, if KDL is not satisfied with AT&T's resolution of the billing dispute or if no response to the billing dispute has been received by KDL by such sixtieth (60th) day, KDL must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix, set forth on AT&T's Interconnection Services Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue dispute resolution in accordance with General Terms and Conditions.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 above of a specific amount of money actually billed by AT&T within twelve (12) months of the submission of such dispute. KDL agrees to not submit billing disputes for amounts billed more than twelve (12) months prior to submission of a billing dispute filed for amounts billed. The billing dispute must be clearly explained by KDL and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within AT&T's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide

Version: 2Q07 Standard ICA

complete information may be rejected by AT&T. Claims by KDL for damages of any kind will not be considered a billing dispute for purposes of this Section. If AT&T resolves the billing dispute, in whole or in part, in favor of KDL, any credits and interest due to KDL as a result therof shall be applied to KDL's account by AT&T upon resolution of the billing dispute.

3. Non-InterCompany Settlements

- 3.1 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the Centralized Message Distribution System (CMDS) Data Center (Direct Participant) and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center.
- 3.2 The Non-InterCompany Settlements (NICS) is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two (2) different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within AT&T's Southeast Region 9-State.
- 3.3 In association with message distribution service, AT&T will provide KDL with associated intercompany settlements reports as appropriate.
- 3.4 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.5 <u>Intercompany Settlements Messages</u>
- 3.5.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by KDL as a facilities based provider of local exchange Telecommunications Services.
- 3.5.2 AT&T will receive the monthly NICS reports from Telcordia on behalf of KDL and will distribute copies of these reports to KDL on a monthly basis.
- 3.5.3 Through NICS, AT&T will collect the revenue earned by KDL within the AT&T Southeast Region 9-State from another LEC also within the AT&T Southeast Region 9-State where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of KDL. AT&T will remit the revenue billed by KDL within the AT&T Southeast Region 9-State to the LEC also within the AT&T Southeast Region 9-State, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two (2) amounts will be netted together by AT&T and the resulting charge or credit issued to KDL via a CABS miscellaneous bill on a monthly basis in arrears.

Version: 2Q07 Standard ICA

3.5.4 AT&T and KDL agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

Version: 2Q07 Standard ICA

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Version: 2Q07 Standard ICA

Rights-of-Way, Conduits and Pole Attachments

AT&T will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by AT&T pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with AT&T.

Version: 2Q07 Standard ICA

Attachment 9 Service Quality Measurements

Version: 2Q07 Standard ICA 04/26/07

SERVICE QUALITY MEASUREMENTS

Upon a particular Commission's issuance of an order pertaining to Service Quality Measurements in a proceeding expressly applicable to all CLECs generally, AT&T shall implement in that state such Service Quality Measurements as of the date specified by the Commission. Service Quality Measurements that have been ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com.

Version: 2Q07 Standard ICA

Attachment 10

AT&T Disaster Recovery Plan

<u>CONTENTS</u>		<u>S</u>				
				•		
1.0	Purpose					
2.0	Single Point of Contact					
3.0	Identifying the Problem					
	3.1	Site Co	ontrol	3		
	3.2	Enviro	nmental Concerns	4		
4.0	The Emergency Control Center (ECC)					
5.0	Recovery Procedures					
	5.1 CLEC Outage					
		AT&T Outage				
			Loss of Central Office	6		
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6		
			Loss of a Central Office with Tandem Functions	6		
		5.2.4	Loss of a Facility Hub	7		
	5.3 Combined Outage (CLEC and AT&T Equipment)					
6.0						
7.0	Acronyms					

Version: 2Q07 Standard ICA 04/26/07

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects AT&T's long-term ability to deliver traffic to a CLEC, general procedures have been developed by AT&T to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the FCC to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available on AT&T's Interconnection Services Web site. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the AT&T Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of AT&T's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

AT&T's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact AT&T's ECC and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the AT&T Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, AT&T equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the AT&T NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

Version: 2Q07 Standard ICA

For long-term outages, recovery efforts will be coordinated by the ECC. Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

Version: 2Q07 Standard ICA

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE ECC

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to AT&T's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

Version: 2Q07 Standard ICA

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how AT&T will proceed with restoration is whether or not AT&T's equipment is incapacitated. Regardless of whose equipment is out of service, AT&T will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), AT&T has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, AT&T can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon AT&T having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact AT&T's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 AT&T OUTAGE

Because AT&T's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged AT&T equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of AT&T's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the CO is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

Version: 2Q07 Standard ICA

The NMC would be the first group to observe a problem involving AT&T's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a CO

When AT&T loses a CO, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by AT&T or CLEC in accordance with the TSP priority restoration coding scheme entered in the AT&T Maintenance database prior to the emergency.

5.2.2 Loss of a CO with SWC Functions

The loss of a CO that also serves as a SWC will be restored as described in Section 5.2.1.

5.2.3 Loss of a CO with Tandem Functions

When AT&T loses a CO building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by AT&T or CLEC in accordance with the TSP priority restoration coding scheme entered in the AT&T Maintenance database prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

Version: 2Q07 Standard ICA

5.2.4 Loss of a Facility Hub

In the event that AT&T loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice:
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or customers served by AT&T or CLEC in accordance with the TSP priority restoration coding scheme entered in the AT&T Maintenance database prior to the emergency; and
- e) If necessary, AT&T will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND AT&T EQUIPMENT)

In some instances, a disaster may impact AT&T's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since AT&T and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, AT&T may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, AT&T may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

Version: 2Q07 Standard ICA

7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (AT&T)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (AT&T)

NMC - Network Management Center

SWC - Serving Wire Center (AT&T switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Version: 2Q07 Standard ICA

Hurricane Information

During a hurricane, AT&T will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout AT&T. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on AT&T's Interconnection Web site by clicking on the link "Relief Information" in the special alert box located on the Web page. Additionally, information concerning Mechanized Disaster Reports can also be found by clicking on the link "Click here for information concerning Disaster Recovery Reports" on the Hurricane Relief page.

AT&T Disaster Management Plan

AT&T maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Version: 2Q07 Standard ICA

Attachment 11

Bona Fide Request and New Business Request Process

Version: 2Q07 Standard ICA

BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

1. Bona Fide Request

- 1.1 The Parties agree that KDL is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A Bona Fide Request (BFR) is to be used when KDL makes a request of AT&T to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.
- A BFR shall be submitted in writing by KDL and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that AT&T has sufficient information to analyze and prepare a response. Such a request shall also include KDL's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e., a BFR). The request shall be sent to KDL's designated AT&T Sales contact or Local Contract Manager (LCM).
- 1.3 Within two (2) business days of receipt of a BFR, AT&T shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, AT&T may reasonably request additional information from KDL at any time during the processing of the BFR.
- 1.4 Within thirty (30) business days of AT&T's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause AT&T to expend extraordinary resources to evaluate the BFR, AT&T shall respond to KDL by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that AT&T will offer access to the new or modified Network Element, interconnection option or service option or confirm that AT&T will not offer the new or modified Network Element, interconnection option or service option.
- 1.5 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that AT&T will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to, request parameters analysis, determination of impacted AT&T

Version: 2Q07 Standard ICA

departments, determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that AT&T will not offer the new or modified Network Element, interconnection option or service option, AT&T will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element, interconnection option or service option, should actually be submitted as a New Business Request (NBR) or is otherwise not required to be provided under the Act. If AT&T cannot provide the Network Element, interconnection option or service option by the requested date, AT&T shall provide an alternative proposed date together with a detailed explanation as to why AT&T is not able to meet KDL's requested date.

1.6

For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if AT&T determines that the preliminary analysis of the requested BFR is of such complexity that it will cause AT&T to expend extraordinary resources to evaluate the BFR, AT&T shall notify KDL within ten (10) business days of AT&T's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to AT&T's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If KDL accepts the complex request evaluation fee proposed by AT&T, KDL shall submit such fee within thirty (30) business days of AT&T's notice that a complex request evaluation fee is required. Within thirty (30) business days of AT&T's receipt of the complex request evaluation fee, AT&T shall respond to KDL by providing a preliminary analysis, consistent with Section 1.4 above.

1.7

KDL may cancel a BFR at any time up until thirty (30) business days after receiving AT&T's preliminary analysis. If KDL cancels the BFR within thirty (30) business days after receipt of AT&T's preliminary analysis, AT&T shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6 above, minus those costs included in the fee that have not been incurred as of the date of cancellation.

Version: 2Q07 Standard ICA

- 1.8 KDL will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If KDL fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis.
- 1.9 Notwithstanding any other provision of this Agreement, AT&T shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of KDL's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of KDL's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of KDL's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- 1.10 KDL shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- 1.11 Unless KDL agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- 1.12 If KDL believes that AT&T's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in General Terms and Conditions.
- Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

2 New Business Request

2.1 KDL also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options are specified in this Attachment. A NBR is to be

Version: 2Q07 Standard ICA

used by KDL to make a request of AT&T for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the AT&T network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.

- An NBR shall be submitted in writing by KDL and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that AT&T has sufficient information to analyze and prepare a response. The request shall be sent to KDL's designated AT&T Sales contact or LCM.
- 2.3 Within two (2) business days of receipt of an NBR, AT&T shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, AT&T may reasonably request additional information from KDL at any time during the processing of the NBR.
- If the preliminary analysis of the requested NBR is not of such complexity that it will cause AT&T to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, AT&T shall respond to KDL by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that AT&T will offer access to the Requested NBR Services or confirm that AT&T will not offer the Requested NBR Services.
- 2.5 If the preliminary analysis states that AT&T will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If AT&T cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date together with a detailed explanation as to why AT&T is not able to meet KDL's requested date.
- 2.6 If AT&T determines that the preliminary analysis of the requested NBR is of such complexity that it will cause AT&T to expend extraordinary resources to evaluate the NBR, AT&T shall notify KDL within ten (10) business days of AT&T's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to AT&T's extraordinary expenses directly related to the complex request. If KDL accepts the complex request evaluation fee amount proposed by AT&T, KDL shall submit such complex request evaluation fee within

Version: 2Q07 Standard ICA

thirty (30) business days of AT&T's notice that a complex request evaluation fee is required.

- Within thirty (30) business days of AT&T's receipt of the complex request evaluation fee, AT&T shall respond to KDL by providing a preliminary analysis of such Requested NBR Services.
- 2.8 KDL may cancel an NBR at any time. If KDL cancels the request more than ten (10) business days after submitting it, KDL shall pay AT&T's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- 2.9 KDL will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If KDL fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- AT&T shall propose a firm price quote including the firm Development Rate, the firm nonrecurring rate, and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of KDL's accurate NBR application for a Requested NBR Service that is operational at the time of the request and within sixty (60) business days of receipt of KDL's accurate NBR application for the Requested NBR Services not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- 2.12 KDL shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, AT&T will credit KDL's account for the difference.
- 2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.

Version: 2Q07 Standard ICA

AMENDMENT/<u>AT&T-9STATE</u>
PAGE 1 OF 3

<u>AT&T-9STATE</u>/KDL
GA 271 AMENDMENT TO ICA AGREEMENT - 01/30/08

Amendment to the Agreement Between Kentucky Data Link, Inc. and BellSouth Telecommunications, Inc. d/b/a AT&T Georgia Dated July, 15, 2007

Pursuant to this Amendment, (the "Amendment"), Kentucky Data Link, Inc. (KDL), and BellSouth Telecommunications, Inc. d/b/a AT&T Georgia, hereinafter referred to collectively as the "Parties", hereby agree to amend that certain Interconnection Agreement between the Parties dated July 15, 2007 ("Agreement").

WHEREAS, on March 2, 2006, the Georgia Public Service Commission (Commission) issued its Order in Docket No. 19341-U (Change of Law Order), Proceeding to Consider Amendments to Interconnection Agreements Between AT&T Georgia and certified Competitive Local Exchange Carriers (CLECs) Due to Changes of Law; and

WHEREAS, on March 10, 2006, the Commission issued its Order Setting Rates Under Section 271 in Docket No. 19341-U (271 Order); and

WHEREAS, on March 24, 2006, the Commission issued its Order on Reconsideration of the March 10, 2006 Order Setting Rates Under Section 271 in Docket No. 19341-U (271 Reconsideration Order); and

WHEREAS, on January 3, 2008, the United States District Court for the Northern District of Georgia issued its Order in BellSouth Telecommunications, Inc., v. The Georgia Public Service Commission, No. 1:06-CV-00162-CC and Competitive Carriers of the South, Inc. v. The Georgia Public Service Commission, No. 1:06-CV-00972-CC (District Court Order), finding portions of the Change of Law Order, the 271 Order and the 271 Reconsideration Order unlawful in that the PSC lacks authority to implement Section 271 or to set rates for facilities and services required under Section 271 of the Act; and

WHEREAS, the Parties are obligated to amend the Agreement to bring it into compliance with the District Court Order; and

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- The Parties hereby agree to delete from the Agreement in its entirety Attachment 2, Exhibit 1 and any references to Attachment 2, Exhibit 1 in the Agreement (Georgia 271 Requirements and Line Sharing if applicable). The Parties further agree to delete any references in Attachment 2 to Section 271 elements or Line Sharing generally. Such contract provisions shall no longer apply to services provided in the State of Georgia.
- 2. The Parties hereby agree to delete the portion of Attachment 2, Exhibit A which includes rates for the Georgia 271 elements and Line Sharing, and to delete any references to

Georgia 271 rates or Line Sharing rates set forth in Attachment 2 or the Exhibits thereto. Such rates shall no longer apply to services provided in the State of Georgia.

- Further, to the extent that defined terms in this Amendment differ from defined terms in the Agreement, such defined terms in the Agreement shall be deemed to have the same meaning as the alternative defined terms in this Amendment to the extent necessary to give full effect to this Amendment consistent with the District Court Order.
- 4. This Amendment shall be deemed effective on January 3, 2008 ("Effective Date").
- 5. As soon as practicable after January 3, 2008, AT&T Georgia will identify the Loop and Transport circuits no longer offered pursuant to this Agreement. KDL, within thirty (30) days from receipt of the circuit list from AT&T Georgia, shall submit a Local Service Request (LSR) or spreadsheet(s) to convert such circuits to an equivalent AT&T tariffed service or to disconnect such circuits. For LSRs or spreadsheets submitted by KDL within such thirty (30) day period. AT&T Georgia will charge the applicable switch-as-is charge set forth in Exhibit A. If KDL fails to submit LSRs or spreadsheets to disconnect or convert such circuits within such thirty (30) day period, AT&T Georgia will transition such circuits to the equivalent tariffed AT&T service(s), and shall charge KDL all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed AT&T service as set forth in AT&T tariffs. For all transitions that require a physical rearrangement, AT&T Georgia shall charge any applicable nonrecurring installation charges. If no tariff equivalent service exists, AT&T Georgia shall disconnect such circuits, and KDL shall pay applicable disconnect charges set forth in the Agreement.
- 6. AT&T Georgia shall not seek to bill applicable access charges for the converted or transitioned circuits for the period prior to January 3, 2008. For Embedded Base Loops or Embedded Base Transport circuits, to the extent the circuit converted/transitioned or disconnected is an Unbundled Network Element (UNE) pursuant to Section 251 of the Act at the time of conversion/transition, AT&T Georgia shall recover from KDL (1) the difference between the rate previously billed for that circuit and the applicable 271 rate established by the Commission in the 271 Order for the period from March 11, 2006 through January 2, 2008; and (2) the difference between the rate previously billed for that circuit and the applicable tariffed service rate for the period from January 3, 2008, through the date of conversion/transition or disconnection of the circuit. For Loops and Transport circuits ordered and provisioned in an unimpaired wire center as described in Attachment 2, Section 1.8 on or after March 11, 2005, to the extent the circuit converted/transitioned or disconnected is an UNE pursuant to Section 251 of the Act at the time of conversion/transition, AT&T Georgia shall recover from KDL (1) the difference between the rate previously billed for that circuit and the applicable 271 rate established by the Commission in the 271 Order for the period from date of installation of such circuit through January 2, 2008, and (2) the difference between the rate previously billed for that circuit and the applicable tariffed service rate for the period from January 3, 2008, through the date of conversion/transition or disconnection of the circuit. To the extent the circuit converted/transitioned is a 271 element at the time of conversion/transition, AT&T Georgia shall recover from KDL the difference between the rate previously billed for that

AMENDMENT/<u>AT&T-9STATE</u> PAGE 3 OF 3 <u>AT&T-9STATE</u>/KDL GA 271 AMENDMENT TO ICA AGREEMENT -- 01/30/08

circuit and the applicable tariffed service rate for the period from January 3, 2008, through the date of conversion/transition or disconnection of the circuit.

- 7. All of the other provisions of the Agreement shall remain in full force and effect.
- 8. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

AMENDMENT/<u>AT&T-9STATE</u> SIGNATURE PAGE <u>AT&T-9STATE</u>/KDL GA 271 AMENDMENT TO ICA AGREEMENT – 01/30/08

Kentucky Dar	ta Link, Inc.		BellSouth Telecommunications, Inc. d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia, AT&T Kentucky, AT&T Louisiana, AT&T Mississippi, AT&T North Carolina, AT& South Carolina and AT&T Tennessee By:	·T	
Name: John	in Greenb	275	Name: Kristen E. Shore		
Title: Pare	Sident		Title: Director		
Date: 3/1	3 C %		Date: 2/20/08		
	OCN#	ACNA	OCN# ACNA		
ALABAMA	Committee of the state of the s		MISSISSIPPI		
FLORIDA		-	NORTH CAROLINA		
GEORGIA		A Commence of the Control of the Con	SOUTH CAROLINA		
KENTUCKY	water and a comment of the comment	y	TENNESSEE		

LOUISIANA