Holland & Knight

315 South Calhoun Street, Suite 600 | Tallahassee, FL 32301 | 1850.224.7000 | F 850.224.8832 Holland & Knight LLP | www.hklaw.com

365281/9,000

36528214,500.

10 SEP - 1 AM 9: 26

COMMISSION CLERK

100330-WS

DEPOSIT DATE

D. Bruce May, Jr. (850) 425-5607 bruce.may@hklaw.com

7 3 SEP 0 8 2010

September 1, 2010

Ms. Ann Cole, Director Commission Clerk and Administrative Services Florida Public Service Commission 2540 Shumard Oak Boulevard **Betty Easley Conference Center** Room 110 Tallahassee, FL 32399-0850

HAND DELIVERY

Application for increase in water and wastewater rates in Alachua, Brevard, Re:

DeSoto, Hardee, Highlands, Lake, Lee, Marion, Orange, Palm Beach, Pasco. Polk, Putnam, Seminole, Sumter, Volusia, and Washington Counties by Aqua Utilities Florida, Inc., Docket No. 100330-WS

On behalf of Aqua Utilities Florida, Inc. ("AUF") enclosed for filing in the above-

Dear Ms. Cole:

**COM** \_\_\_\_\_ referenced docket are the following: APA An original and fifteen copies of AUF's Application for Increased Water and **ECR** Wastewater Rates, and for Approval of Increased or Revised Service Availability Charges and GCL Allowance for Funds Prudently Invested Charges; RAD SSC Sixteen copies of AUF's Financial, Rate and Engineering Minimum Filing **ADM** Requirements ("MFRs") filed in accordance with Rule 25-30.437, Florida Administrative Code, and Form PSC-ECR19: OPC CLK TIME

One copy of a detailed map for each water and wastewater system, showing the location and size of each system's distribution and collection lines, plant sites and the location and respective classification of each system's customers, which is included in Volume 4 to the MFRs pursuant to Rule 25-30.440(1), Florida Administrative Code;

Two copies of Volume 5 to the MFRs containing the additional Engineering Information required by Rule 25-30.440(2)-(10), Florida Administrative Code, which are included with the MFRs filed herewith;

5. Two copies of Volume 6 to the MFRs containing Schedule E-14 (Billing Analysis Schedules) required by Rule 25-30.437(4), Florida Administrative Code, which are DOCUMENT WINGLE DATE included with the MFRs filed herewith; and

5 Set 1-4 of 4 forwarded

07261 SEP-19

01

RAD SSC ADM

COM

ECR

GCL